
Tesko Jenn Pack Cheat Sheet

Oct 13, 2026 · @Tate

How it works



pack flow · dev folder to GitHub to players and server

You edit and publish from one folder; everyone else pulls from GitHub, with mod jars coming straight from Modrinth.

Where things live

Every change happens in the dev folder; everything else reads from GitHub.

Place	Path or link	What it is	Edit it?
Dev folder	`C:\Users\tate\Documents\dev\minecraft\tesko-jenn` (bash: `/mnt/c/Users/tate/Documents/dev/minecraft/tesko-jenn`)	Master copy of the pack	Yes, every change

Place	Path or link	What it is	Edit it?
GitHub repo	tateorrtot/tesko-jenn	Published copy everyone reads	No, you push to it
Pack link	`https://raw.githubusercontent.com/tateorrtot/tesko-jenn/main/pack.toml`	The address friends' Prism and the server check	Never changes
Release betas-1	betas-1	Vanilla Backport + Platform beta jars (pre-release)	Upload new jars
Release v1	`https://github.com/tateorrtot/tesko-jenn/releases/latest/download/tesko-jenn.zip`	Friend zip	Only to refresh the zip
Your Prism instance	Right-click the instance, then Folder	A player copy, same as your friends'	No, overwritten every launch
Server folder	Pelican file manager	`start.sh`, `packwiz-installer-bootstrap.jar`, the world, `mods/`	Only `start.sh` and server settings

File in the dev folder	What it's for
`pack.toml`	Pack name, Minecraft and NeoForge versions
`index.toml`	Every file plus its checksum; packwiz maintains it, never hand-edit
`mods/*.pw.toml`	One per mod: download link, version, side
`config/`	Configs shipped to everyone
`shaderpacks/`	Complementary Reimagined (client only)
`.gitignore` / `.packwizignore`	What git skips / what packwiz skips; keep them matching
`.gitattributes`	`* -text`, stops Windows line endings breaking checksums
`publish.sh`	Your publish command (packwiz ignores `*.sh`)

Day to day

Run everything in bash (WSL) from the dev folder, then finish with `bash publish.sh "what changed"`.

To…	Command
Add a mod	`packwiz.exe mr add <modrinth link>`
Remove a mod	`packwiz.exe remove <name>` (name = the `.pw.toml` file name, no extension)
Update all mods	`packwiz.exe update --all`
Hold a mod back from updates	`packwiz.exe pin create` (undo: `packwiz.exe unpin create`)
Change a config	Tweak it in-game in your instance, then copy the file from the instance's `config/` into the dev folder's `config/`
New Vanilla Backport beta	`gh release upload betas-1 <jar>`, then `packwiz.exe url add "Vanilla Backport" https://github.com/tateorrtot/tesko-jenn/releases/download/betas-1/<jar name>`
New Platform beta	Same as above with `"Platform"`
Make a mod client-only or server-only	Edit the `side = "both"` line in its `.pw.toml` to `"client"` or `"server"`
See the mod list	`packwiz.exe list` (`-s server` = what the server gets)

`publish.sh` moves the pack to the latest NeoForge 1.21.1, refreshes the file list, stops if a listed file won't upload, shows what changed, then commits and pushes.

- Press Tab while typing a file path so bash fills in the full name.
- Copy beta jar names exactly as the release page shows them; GitHub turns spaces into dots.

After publishing

Nothing is pushed to anyone; friends sync when they launch, the server when it starts.

1. Wait about 5 minutes, because GitHub's raw links cache old versions.
2. Restart the server in Pelican, or let a nightly schedule do it.
3. Anyone already in-game relaunches; until then their mods won't match the server and it refuses them.

When the pack's NeoForge version changes, friends get a one-click Update prompt in the installer, and the server's `start.sh` installs the matching version on its next start.

Server (Pelican)

The startup command is just `bash start.sh`; the script does the rest on every start.

1. Reads which NeoForge version `pack.toml` wants.
2. Installs that version if the server doesn't have it yet.
3. Syncs mods and configs with packwiz (`-s server` skips client-only mods).
4. Starts Minecraft on that version.

- Server folder holds `start.sh` and `packwiz-installer-bootstrap.jar` next to `server.properties`.
- `start.sh` exists only on the server; keep a copy in the dev folder (packwiz ignores `*.sh`).
- Optional: Pelican, then Schedules, then a daily restart (for example 5 AM) makes updates go live overnight.
- If Minecraft never starts, the sync failed on purpose; scroll up in the console to the packwiz error.

Friends

Friends need one link and three clicks; after that every launch updates them.

> Install Prism Launcher (prismlauncher.org) and log in. Click Add Instance, then Import, paste `https://github.com/tateorrtot/tesko-jenn/releases/latest/download/tesko-jenn.zip`, hit OK, then Launch. First start takes a few minutes. If a "Failed file downloads" window appears, click Cancel launch and launch again. If it asks to update NeoForge, click Update.

The link only works when a normal (not pre-release) release holds a file named exactly `tesko-jenn.zip`. To make or refresh it:

1. In Prism, right-click your instance, then Export, then Prism zip.
2. Tick only `mods`, `config`, `shaderpacks`, `packwiz.json`, `packwiz-installer-bootstrap.jar`, `packwiz-installer.jar`, `servers.dat`.
3. Save it as `tesko-jenn.zip` in Downloads.
4. First time: `gh release create v1 /mnt/c/Users/tate/Downloads/tesko-jenn.zip --title "Tesko Jenn"`. Refresh later: `gh release upload v1 /mnt/c/Users/tate/Downloads/tesko-jenn.zip --clobber`.

You only need a new zip if you want new friends' first launch to download less; an old zip still catches up to the current pack.

Safety and fixes

Back up the world in Pelican before removing a mod; its blocks and items vanish from the world.

Problem	Cause	Fix
Prism import: 404 on the zip link	No normal release holds `tesko-jenn.zip`	Check with `gh release list`, then create or upload the zip (Friends section)
"Failed file downloads": 404 on a file	Git skipped a file that packwiz lists	Add it to `.packwizignore` and publish; `publish.sh` stops you before this ships
"Failed file downloads": HTTP request failed	Downloads dropped mid-connection	Cancel launch and relaunch; if it keeps happening, send the `Caused by:` line
"Channel missing on the client/server side"	Client and server mods differ	Restart the server after publishing; players relaunch
Server never boots	packwiz sync failed, so `start.sh` stopped	Read the packwiz error in the console
A bad update went out		`git revert HEAD && git push`, then restart the server

Never do these:

- Use Git LFS: raw links serve a placeholder instead of the jar.

- Hand-edit `index.toml`.
- Make changes in the Prism instance folder; they get overwritten.
- Point packwiz at Discord links; they expire.