🔬 AKTIVITAS MANDIRI 5 — CRUD Lengkap Mahasiswa

1. Buat Resource Controller: php artisan make:controller MahasiswaController --resource --model=Mahasiswa

```
Microsoft Windows [Version 10.0.18363.1198]
(c) 2019 Microsoft Corporation. All rights reserved.

D:\Laravel>php artisan make:controller ManajemenMahasiswaController --resource --model=Mahasiswa

  A App\Models\Mahasiswa model does not exist. Do you want to generate it? (yes/no) [yes]
❯ yes

  INFO  Model [D:\Laravel\app\Models\Mahasiswa.php] created successfully.

  INFO  Controller [D:\Laravel\app\Http\Controllers\ManajemenMahasiswaController.php] created successfull
y.
```

2. Daftarkan di routes/web.php: Route::resource('mahasiswa', MahasiswaController::class)

```
routes > web.php
<?php

use Illuminate\Support\Facades\Route;
use App\Http\Controllers\DashboardController;
use App\Http\Controllers\TentangController;
use App\Http\Controllers\LokerController;
use App\Http\Controllers\KontakController;
use App\http\controllers\ManajemenMahasiswaController;

Route::get('/', function () {return redirect()->route("dashboard");});
Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard');
Route::get('/tentang', [TentangController::class, 'index'])->name('tentang');
Route::resource('manajemen-mahasiswa', ManajemenMahasiswaController::class);
Route::get('/kontak', [KontakController::class, 'index'])->name('kontak');
Route::get('/hitung/{a}/{b}', fn($a, $b) => $a + $b);
```

3. Buat semua view: mahasiswa/index.blade.php (tabel + pagination), create.blade.php (form), edit.blade.php (form pre-filled), show.blade.php (detail)

```
manajemen-mahasiswa
  create.blade.php
  edit.blade.php
  index.blade.php
  show.blade.php
```

- **index.blade.php**



- **create.blade.php**



- **edit.blade.php**



- **show.blade.php**



4. Implementasi method index() — ambil semua mahasiswa dengan paginate(10) dan tampilkan ke view

pp > Http > Controllers > ManajemenMahasiswaController.php > ManajemenMahasiswaController

```php
<?php

namespace App\Http\Controllers;

use App\Models\Mahasiswa;
use Illuminate\Http\Request;

class ManajemenMahasiswaController extends Controller
{
    /**
     * Menampilkan daftar semua mahasiswa dengan pagination.
     */
    public function index()
    {
        // Mengambil 10 data per halaman
        $mahasiswa = Mahasiswa::latest()->paginate(10);

        return view('Dashboard.ManajemenMahasiswa.index', compact('mahasiswa'));
    }

    /**
```

rces > views > Dashboard > ManajemenMahasiswa > index.blade.php

```blade
div class="mm-content">
<div class="mm-card">
<div class="mm-table-wrap">
<table class="mm-table">
<tbody>
<td><span class="nim-badge">{{ $mhs->nim }}</span></td>
<td><span class="nama-text">{{ $mhs->nama }}</span></td>
<td><span class="prodi-chip">{{ $mhs->prodi }}</span></td>
<td><span class="email-text">{{ $mhs->email }}</span></td>
<td><span class="angkatan-badge">{{ $mhs->angkatan }}</span></td>
<td>
<div class="mm-actions">
<a href="{{ route('manajemen-mahasiswa.show', $mhs->id) }}" class="btn-act btn-view">
<i class="fas fa-eye"></i> Lihat
</a>
<a href="{{ route('manajemen-mahasiswa.edit', $mhs->id) }}" class="btn-act btn-edit">
<i class="fas fa-edit"></i> Edit
</a>
<form action="{{ route('manajemen-mahasiswa.destroy', $mhs->id) }}" method="POST"
onsubmit="return confirm('Hapus mahasiswa ini?')" style="display:inline">
@csrf @method('DELETE')
<button type="submit" class="btn-act btn-del">
<i class="fas fa-trash"></i> Hapus
</button>
</form>
</div>
</td>
</tr>
@empty
<tr>
```

Ln 428, Col 13 Spaces: 4 UTF-8 CRLF {} Blade Go Live Prettier

Desktop 17:03 12/05/2026





5. Implementasi create() dan store() — dengan validasi nim (unique), nama (min:3), email (email|unique), jurusan (in:SI,TI,MI)

```
app > Http > Controllers > ManajemenMahasiswaController.php > ManajemenMahasiswaController
8   class ManajemenMahasiswaController extends Controller
23      */
24      public function create()
25      {
26          return view('Dashboard.ManajemenMahasiswa.create');
27      }
28
29      /**
30       * Menyimpan data mahasiswa baru ke database.
31       */
32      public function store(Request $request)
33      {
34          // Validasi input
35          $request->validate([
36              'nim'      => 'required|unique:mahasiswa,nim',
37              'nama'     => 'required|string|max:255',
38              'prodi'    => 'required',
39              'angkatan' => 'required|numeric',
40              'email'    => 'required|email|unique:mahasiswa,email',
41          ]);
42
43          // Simpan ke database
44          Mahasiswa::create($request->all());
45
46          // PERBAIKAN: Gunakan redirect, bukan return view
47          return redirect()->route('manajemen-mahasiswa.index')
48                           ->with('success', 'Mahasiswa berhasil ditambahkan!');
49      }
```



6. Implementasi edit() dan update() — tampilkan form dengan old() atau $mahasiswa->field, validasi unique kecuali ID ini

```php
class ManajemenMahasiswaController extends Controller
    public function edit($id)
    {
        $mhs = Mahasiswa::findOrFail($id);
        return view('Dashboard.ManajemenMahasiswa.edit', compact('mhs'));
    }

    /**
     * Memperbarui data.
     */
    public function update(Request $request, $id)
    {
        $mhs = Mahasiswa::findOrFail($id);

        $request->validate([
            'nama'     => 'required|string|max:255',
            'prodi'    => 'required',
            'angkatan' => 'required|numeric',
            'email'    => 'required|email|unique:mahasiswa,email,' . $id,
        ]);

        $mhs->update($request->all());

        return redirect()->route('manajemen-mahasiswa.index')
                         ->with('success', 'Data mahasiswa berhasil diperbarui!');
    }

    /**
```



7. Implementasi destroy() — dengan konfirmasi JavaScript sebelum hapus

```php
<td>
  <div class="mm-actions">
    <a href="{{ route('manajemen-mahasiswa.show', $mhs->id) }}" class="btn-act btn-view">
      <i class="fas fa-eye"></i> Lihat
    </a>
    <a href="{{ route('manajemen-mahasiswa.edit', $mhs->id) }}" class="btn-act btn-edit">
      <i class="fas fa-edit"></i> Edit
    </a>
    <form action="{{ route('manajemen-mahasiswa.destroy', $mhs->id) }}" method="POST"
      onsubmit="return confirm('Hapus mahasiswa ini?')" style="display:inline">
      @csrf @method('DELETE')
      <button type="submit" class="btn-act btn-del">
        <i class="fas fa-trash"></i> Hapus
      </button>
    </form>
  </div>
</td>
```





8. Tambahkan flash message di layout dan tampilkan session('success') / session('error')



9. BONUS: Tambahkan fitur upload foto profil dengan validasi image|mimes:jpg,png|max:2048





🔬 AKTIVITAS MANDIRI 6 — Middleware & Autentikasi

1. Instal Laravel Breeze: composer require laravel/breeze --dev, kemudian php artisan breeze:install blade

```
PS D:\Laravel> composer require laravel/breeze --dev
Updating dependencies
Nothing to modify in lock file
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
  - Installing laravel/breeze (v2.4.1): Extracting archive
Generating optimized autoload files
> Illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi

  INFO  Discovering packages.

  laravel/breeze ..... DONE
  laravel/pail ..... DONE
  laravel/tinker ..... DONE
  nesbot/carbon ..... DONE
  nunomaduro/collision ..... DONE
  nunomaduro/termwind ..... DONE
  pestphp/pest-plugin-laravel ..... DONE

85 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
> @php artisan vendor:publish --tag=laravel-assets --ansi --force

  INFO  No publishable resources for tag [laravel-assets].

No security vulnerability advisories found.
Using version ^2.4 for laravel/breeze
```

```
  INFO  No publishable resources for tag [laravel-assets].

No security vulnerability advisories found.
Using version ^4.6 for pestphp/pest
Using version ^4.1 for pestphp/pest-plugin-laravel
  INFO  Installing and building Node dependencies.


up to date, audited 162 packages in 2s

39 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

> build
> vite build

    vite v8.0.10 building client environment for production...
transforming...     ✓ 56 modules transformed.
rendering chunks...
computing gzip size...
public/build/manifest.json              0.33 kB │ gzip:  0.16 kB
public/build/assets/app-kmi5o41r.css   51.36 kB │ gzip:  9.39 kB
public/build/assets/app-hXBokQ4a.js    86.49 kB │ gzip: 31.55 kB

✓ built in 2.27s


  INFO  Breeze scaffolding installed successfully.
```

2. Jalankan php artisan migrate untuk membuat tabel users

```
PS D:\Laravel> php artisan migrate
    PDOStatement::execute()

PS D:\Laravel> php artisan migrate --path=/database/migrations/0001_01_01_000000_create_users_table.php

  INFO  Nothing to migrate.

PS D:\Laravel> php artisan migrate:fresh --path=/database/migrations/0001_01_01_000000_create_users_table.
php

  Dropping all tables ..... 303.75ms DONE

  INFO  Preparing database.

  Creating migration table ..... 48.43ms DONE

  INFO  Running migrations.

  0001_01_01_000000_create_users_table ..... 198.24ms DONE

PS D:\Laravel>
```

3. Jalankan npm install && npm run dev untuk build assets

```
PS D:\Laravel> npm install

up to date, audited 162 packages in 2s

39 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
PS D:\Laravel> npm run dev

> dev
> vite


  VITE v8.0.10  ready in 436 ms

  → Local:   http://localhost:5173/
  → Network: use --host to expose
  → press h + enter to show help

  LARAVEL v13.6.0  plugin v3.0.1

  → APP_URL: http://localhost:8000
```

4. Coba register dan login di http://127.0.0.1:8000/register





5. Amankan semua route mahasiswa dengan middleware auth:
Route::middleware('auth')->resource('mahasiswa', MahasiswaController::class)

routes > web.php

```php
<?php

use App\Http\Controllers\ProfileController;
use Illuminate\Support\Facades\Route;

Route::get('/', function () {
    return view('welcome');
});

Route::get('/dashboard', function () {
    return view('dashboard');
})->middleware(['auth', 'verified'])->name('dashboard');

Route::middleware('auth')->group(function () {
    Route::get('/profile', [ProfileController::class, 'edit'])->name('profile.edit');
    Route::patch('/profile', [ProfileController::class, 'update'])->name('profile.update');
    Route::delete('/profile', [ProfileController::class, 'destroy'])->name('profile.destroy');
});

require __DIR__.'/auth.php';
```

6. Coba akses /mahasiswa tanpa login — pastikan diredirect ke halaman login





7. Tambahkan nama user di navbar: {{ auth()->user()->name }}

```
s_table.php   ManajemenMahasiswaController.php   edit.blade.php   show.blade.php   index.blade.php 1 ×
resources > views > Dashboard > ManajemenMahasiswa > index.blade.php
4   <style>
304   @media (max-width: 700px) {
309   }
310 </style>
311
312 {{-- HERO BANNER --}}
313 <div class="mm-hero">
314     <div class="flex justify-end max-w-[1100px] mx-auto mb-4">
315         <div class="flex items-center gap-2 text-white/70 text-xs font-semibold bg-white/10 px-4 py-2
316             <i class="fas fa-user-circle text-cyan-400"></i>
317             <span>Halo, {{ auth()->user()->name }}</span>
318         </div>
319     ...
320 </div>
321   <div class="mm-hero-inner">
322     <div>
323       <div class="mm-hero-label">Manajemen Data</div>
324       <h1>Manajemen Mahasiswa</h1>
325       <p class="sub">Universitas Jember · Fakultas Ilmu Komputer</p>
326       <div class="stat-pills">
327         <div class="stat-pill"><strong>{{ $mahasiswa->total() }}</strong> Total Mahasiswa</div>
328         <div class="stat-pill"><strong>{{ \App\Models\Mahasiswa::distinct('prodi')->count('prodi') }}
329         <div class="stat-pill"><strong>{{ \App\Models\Mahasiswa::max('angkatan') }}</strong> Ang
330       </div>
331     </div>
332     <a href="{{ route('manajemen-mahasiswa.create') }}" class="btn-add">
```



8. Buat custom middleware CekAdmin yang hanya mengizinkan user dengan role 'admin' mengakses route tertentu

```
PROBLEMS 1   OUTPUT   DEBUG CONSOLE   TERMINAL   PORTS

Microsoft Windows [Version 10.0.18363.1198]
(c) 2019 Microsoft Corporation. All rights reserved.

D:\Laravel>php artisan make:middleware CekAdmin

  INFO  Middleware [D:\Laravel\app\Http\Middleware\CekAdmin.php] created successfully.
```

ajemenMahasiswaController.php | edit.blade.php | show.blade.php | index.blade.php | CekAdmin.php

app > Http > Middleware > CekAdmin.php > CekAdmin > handle

```php
<?php

namespace App\Http\Middleware;

use Closure;
use Illuminate\Http\Request;
use Symfony\Component\HttpFoundation\Response;

class CekAdmin
{
    /**
     * Handle an incoming request.
     *
     * @param  Closure(Request): (Response)  $next
     */
    public function handle(Request $request, Closure $next): Response
    {
        if (auth()->check() && auth()->user()->is_admin) {
            return $next($request);
        }
        abort(403, 'Akses ditolak. Anda tidak memiliki izin untuk mengakses halaman ini.');
    }
}

```

Controller.php | edit.blade.php | show.blade.php | index.blade.php | CekAdmin.php | app.php

bootstrap > app.php

```php
<?php

use Illuminate\Foundation\Application;
use Illuminate\Foundation\Configuration\Exceptions;
use Illuminate\Foundation\Configuration\Middleware;

return Application::configure(basePath: dirname(__DIR__))
    ->withRouting(
        web: __DIR__.'/../routes/web.php',
        commands: __DIR__.'/../routes/console.php',
        health: '/up',
    )
    ->withMiddleware(function (Middleware $middleware): void {
        $middleware->alias(name: 'cekadmin', class: App\Http\Middleware\CekAdmin::class);
    })
    ->withExceptions(function (Exceptions $exceptions): void {
        //
    })->create();

```

disini saya coba login akun mahasiswa dan akses manajemen mahasiswa ditolak



9. BONUS: Modifikasi index() Controller agar hanya menampilkan data yang dibuat oleh user yang sedang login




127.0.0.1:8000/manajemen-mahasiswa
MANAJEMEN MAHASISWA
TAMBAH MAHASISWA
Desktop
22:39
12/05/2026