BSc (Hons) in **Computer Science**

SE3062 : Intelligent Systems

Year 3 · Semester 1 · 2026 Semester 2

Faculty of Computing

Practical 02

> **Objective & Lecture Mapping:** In Lecture 03, we learned that a mathematically perfect "Table-Driven Agent" is impossible to build due to combinatorial explosion. Instead, we must write Agent Programs. Today, you will implement a **Simple Reflex Agent** using Condition-Action rules, observe its fatal flaws in a partially observable environment, and then upgrade it to a **Model-Based Agent** that maintains an internal memory state.

Part 1: Practical Implementation — Coding the Architectures

Step 1.1: Setting the Trap (Partial Observability)

> To see why Simple Reflex agents fail, we must handicap your agent's sensors. We are moving from a Fully Observable world to a Partially Observable one.

1. Open your `visual_grid_game.py` from Lab 01.
2. Locate the `get_percept(self)` method.
3. Modify it so it **no longer returns** the exact global coordinates (`agent_pos`). Instead, it should only return local booleans, e.g., `{'wall_ahead': True/False, 'food_here': True/False}` based on checking the adjacent cell in its current facing direction.

Step 1.2: The Simple Reflex Agent (Implementation & Failure)

1. Create a new class called `SimpleReflexAgent` .
2. Implement a `sense_and_act(self, percept)` method that uses strictly IF-THEN logic (Condition-Action rules). *Do not use an `__init__` method to store history.*
   Example Logic: `IF food_here THEN suck; IF wall_ahead THEN turn_left; ELSE move_forward`
3. Run the simulation. **Observe:** Watch the agent get trapped in a corner or a U-shaped wall, infinitely repeating a cycle (e.g., turn left, step forward, hit wall, turn left...).

Step 1.3: The Model-Based Agent (Memory & State)

1. Create a new class called `ModelBasedAgent` .
2. Implement an `__init__(self)` method to initialize an internal memory state (e.g., `self.visited_cells = set()` or a relative movement tracker).
3. In `sense_and_act(self, percept)` , first **update the state** (Transition & Sensor Model) by recording the current percept and the last action taken.
4. Update your IF-THEN rules to query the memory.
   Example Logic: `IF wall_ahead AND left_is_visited THEN turn_right`
5. Run the simulation. **Observe:** The agent should now remember where it has been, realize it is in a loop, and choose an alternate path to escape.

Part 2: Theoretical Evaluation & Lecture Mapping

> Based on your practical observations above, answer the following questions to map your code directly to the architectural theories covered in Lecture 02.

1. (Remember) According to Lecture 02, why is it impossible to program a mathematically perfect "Table-Driven Agent" for complex environments like Chess? What happens as the agent's lifetime increases?

A Table-Driven Agent would need to store an action for every possible percept sequence. As the agent's lifetime increases, the number of possible percept sequences grows exponentially, causing a combinatorial explosion. Therefore, the required table becomes impossibly large to create and store.

2. (Understand) Look at the code you wrote for your `SimpleReflexAgent`. Identify and explain the specific lines of code that represent the "Condition-Action Rules" discussed in the lecture.

The Condition-Action rules are the if-elif-else statements in sense_and_act():

```
if percept["food_here"]:
    return "Eat"

elif percept["wall_ahead"]:
    return "TurnLeft"

else:
    return "Forward"
```

The agent makes its decision using only the current percept, without memory of previous percepts.

3. (Analyze) Your `SimpleReflexAgent` likely got stuck in an infinite loop during Step 1.2. Based on the lecture, analyze exactly why this happened. How did the combination of "Partial Observability" and a lack of "Percept History" cause this failure?

The Simple Reflex Agent only receives local information such as wall_ahead and food_here. Because the environment is partially observable, it cannot see the complete layout of walls or remember where it has already been.
Since it has no percept history, it makes the same decision whenever it encounters the same percept. For example, if it repeatedly encounters a wall, it will repeatedly apply IF wall_ahead → TurnLeft

This can cause it to follow the same path or cycle indefinitely because it has no memory to recognize that it has already visited that area.

4. (Evaluate) In Step 1.3, you added an internal state to your `ModelBasedAgent`. Evaluate how your specific code handles the "Transition Model" (how the world evolves) and the "Sensor Model" (how the agent's actions affect the world).

The Transition Model is handled by the agent's internal state and update_state() method. It uses the previous action to estimate how its position and direction have changed and stores visited cells in self.visited_cells.
The Sensor Model is represented by the percept received from get_percept(), such as wall_ahead, food_here, and toxin_here. The agent combines these current sensor readings with its stored internal state to make decisions.

Therefore, unlike the Simple Reflex Agent, the Model-Based Agent uses both current percepts and previous information when choosing an action.

Finalize and Lock Lab 02 Documentation

FACULTY OF COMPUTING