



Contents markup HTML


컨텐츠(Contents) 중심의 웹/구조/디자인



웹 사이트는
문서의 구조화(마크업; Markup)에서 부터 시작한다.

Contents markup HTML

컨텐츠(Contents) 중심의 웹/구조/디자인



이미지가 없었다면
웹디자이너도 없다?

Images

창의적인 영감이 돋보이는
웹/표준/디자인

fully
carsonified
MIAMI, 28TH FEB - 1ST MAR 2008

FOWA
FUTURE OF WEB APPS™

FOWA MIAMI WAS A BLAST!
LISTEN TO THE PRESENTATION AND
SEE THE SLIDES FROM THE SHOW!

HOME SPEAKERS SCHEDULE WORKSHOPS VENUE CONTACTS SPONSORS TICKETS

질문
문서에서 이 부분은 어떤 부분인가요?

답변
문서에 사진을 연결하는 것입니다.

Future of Web Apps is hitting the East Coast for the very first time, bringing you our fresh blend of amazing speakers, great advice and tons of networking potential.

On the agenda:

➤ What makes the next great startup?

Speakers



Kevin Digg



Eric Tech



Eni Ren

Check out the full line-up



fully
carsonified
MIAMI, 28TH FEB - 1ST MAR 2008

FOWA
FUTURE OF WEB APPS™

FOWA
FUTURE OF WEB APPS™

오! 사진 찍는 것을 좋아하는
저는 멋진 사진이 담긴 웹
사이트를 만들 수 있겠네요.

MIAMI WAS A BLAST!
OPEN TO THE PRESENTATION AND
SEE THE SLIDES FROM THE SHOW!

HOME

SPEAKERS

SCHEDULE

WORKSHOPS

VENUE CONTACTS SPONSORS

TICKETS

질문

문서에서 이 부분은 어떤 부분인가요?

답변

문서에 사진을 연결하는 것입니다.


Future of Web Apps is hitting the East Coast for the very first time, bringing you our fresh blend of amazing speakers, great advice and tons of networking potential.

On the agenda:



What makes the next great startup?


Speakers



Kevin
Digg



Eric
Tech



En
Ren

Check out the full line-up



Image - img

Image - img

 | 문서에 이미지를 연결합니다.


Image - img

 | 문서에 이미지를 연결합니다.

<p>

</p>





The image shows a screenshot of the Coda code editor on a Mac. The window title is "Untitled.html". The menu bar includes "Coda", "File", "Edit", "View", "Text", "Go", "Sites", "Plug-ins", "Window", and "Help". The editor displays an HTML document with the following code:

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
2 "http://www.w3.org/TR/html4/loose.dtd">
3 <html lang="ko">
4   <head>
5     <title></title>
6   </head>
7   <body>
8     <h1>heading1</h1>
9     <p>paragraph text</p>
10  </body>
11 </html>
12
```


〈img /〉 요소에 alt 속성을
사용해야 하는 이유?!

〈img /〉 요소에 width, height 속성을
사용해야 하는 이유?!



질문

문서에서 이 부분은 어떤 부분인가요?

답변

문서의 **이미지에 다른 문서로의 연결을 위한 맵(지도)**을 영역별로 만드는 것입니다.



```

```

```
<map name="green">
```

```
<area shape="polygon" coords="19,44,45,11,87,37,82,76,49,98" href="http://www.trees.com/save.html" />
```

```
<area shape="rect" coords="128,132,241,179" href="http://www.trees.com/furniture.html" />
```

```
<area shape="circle" coords="68,211,35" href="http://www.trees.com/plantations.html" />
```

```
</map>
```



질문

문서에서 이 부분은 어떤 부분인가요?

답변

문서의 **이미지에 다른 문서로의 연결을 위한 맵(지도)을 영역별로 만드는 것입니다.**

어디를 때려줄까요?
때린 곳이 아플거예요.

```

```

```
<map name="green">
```

```
<area shape="polygon" coords="19,44,45,11,87,37,82,76,49,98" href="http://www.trees.com/save.html" />
```

```
<area shape="rect" coords="128,132,241,179" href="http://www.trees.com/furniture.html" />
```

```
<area shape="circle" coords="68,211,35" href="http://www.trees.com/plantations.html" />
```

```
</map>
```


map
area

map
area

<map> | 맵의 전체 영역으로 <area />의 부모 요소입니다.

map

<map> | 맵의 전체 영역으로 <area />의 부모 요소입니다.

area

<area /> | 맵 안에 다른 문서를 연결시킬 수 있는 영역입니다.

map

<map> | 맵의 전체 영역으로 <area />의 부모 요소입니다.

area

<area /> | 맵 안에 다른 문서를 연결시킬 수 있는 영역입니다.

```

```

```
<map name=" Map_name" id=" Map_name">
```

```
<area shape="도형모양" coords="좌표값" href="연결경로" alt="대체 정보글" />
```

```
<area shape="도형모양" coords="좌표값" href="연결경로" alt="대체 정보글" />
```

```
</map>
```

```
<!-- 단락, 이미지 맵 -->
```

```

```

```
<!-- map, area -->
```

```
<map id="imgMap" name="imgMap">
```

```
  <area shape="rect" coords="267,72,318,130" href="#" target="_blank" alt="mc몽" />
```

```
  <area shape="circle" coords="128,71,31" href="#" alt="이승기" />
```

```
  <area shape="polygon" coords="246,77,262,241,187,231,214,69" href="#" alt="이수근" />
```

```
</map>
```

```
<!-- 단락, 이미지 맵 -->
```

```

```

```
<!-- map, area -->
```

```
<map id="imgMap" name="imgMap">
```


```
<area shape="rect" coords="267,72,318,130" href="#" target="_blank" alt="mc몽" />
```

```
<area shape="circle" coords="128,71,31" href="#" alt="이승기" />
```

```
<area shape="polygon" coords="246,77,262,241,187,231,214,69" href="#" alt="이수근" />
```

```
</map>
```



The image shows a screenshot of the Coda code editor on a Mac. The window title is "Untitled.html". The menu bar includes "Coda", "File", "Edit", "View", "Text", "Go", "Sites", "Plug-ins", "Window", and "Help". The editor displays an HTML document with the following code:

```
1 <!DOCTYPE html PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
2 "http://www.w3.org/TR/html4/loose.dtd">
3 <html lang="ko">
4   <head>
5     <title></title>
6   </head>
7   <body>
8     <h1>heading1</h1>
9     <p>paragraph text</p>
10
11   </body>
12 </html>
13
```