

DIPHOTERINE EMERGENCY RINSE — ISSUE & RETURN CONTROL

Coates Shutdown Store · Cement Australia — Gladstone (K2 Shutdown 2026)

Author: Andrew Fisher
AS at 27 Jul 2026

EYE — 50 mL SIEW / LIS

SKU CEME9016-590730
 BARCODE DIPH50K2001 ... DIPH50K2014
 Qty held 14 · 50 mL bottle with eye-cup top
 Not a Dangerous Good
 SDS 02 Dec 2022 rev 4.1 — Amare Safety



SCAN FOR SDS

SKIN — 100 mL MICRO DAP

SKU CEME9016-590834 / -590835
 BARCODE DIPHMDK2001 ... DIPHMDK2018
 Qty held 18 · 100 mL aerosol spray
 Class 2.2 · UN1950 AEROSOLS · no PG · Hazchem 2
 SDS 03 Aug 2022 rev 5 — Amare Safety



SCAN FOR SDS

CHECK ON ISSUE — before it leaves the window

- Right product for the hazard. Eye splash = 50 mL SIEW. Skin splash = 100 mL Micro DAP. Diphoterine has limited action on hydrofluoric acid or acidic fluorides — that needs Hexafluorine.
- Expiry, as YYYY-MM-DD with the batch below it: on the MICRO DAP spray it is ink-jet stamped on the lower can body; on the SIEW eye wash it is on TOP OF THE ORANGE CAP. Ignore the 11VI20 front-label artwork code.
- FEFO — first expiry, first out, and it runs at SKU level: every unit in a SKU shares one expiry. Empty CEME9016-590834 (2027-10-14) before you touch CEME9016-590835 (2027-11-18). Eye wash is a single SKU.
- Seal and cap intact, eye-cup clip in place, no sign the unit has been opened.
- Bottle or can undamaged — no dents, cracks, leaks or corrosion. Solution clear and colourless. Label legible.
- Micro DAP only: can has not been stored in direct sun or above 50 °C, and is not going into a hot vehicle cab.
- Person briefed in one line: single use, use it within 10 seconds, use the whole thing, then report it and get seen by a medic.
- Scan OUT in SiteIO against the person's name and the unit ITEM NUMBER. Record it on the log if SiteIO is down.

CHECK ON RETURN — the only question that matters is 'is it still fit to issue'

- Seal intact, unused, still in date, undamaged → scan IN, restock in the first-aid bin. Log RETURNED UNUSED.
- Seal broken, discharged or part-used → DO NOT RESTOCK. Quarantine and destroy the unit, replace it the same shift, and raise the incident — a used Diphoterine means someone was splashed.
- Expiry passed while on issue → quarantine, dispose, replace. Log EXPIRED.
- Dented, leaking, corroded or label unreadable → quarantine, replace. Log DAMAGED.
- Not returned → report it the same shift. This is missing first-aid cover, not missing stock.
- Scan IN in SiteIO and close the log line out with the outcome and who received it.

IF A UNIT HAS BEEN USED — escalate, don't file it

- Person to medical assessment. Rinsing does not replace being seen.
- Notify the Cement Australia site supervisor and the Coates Shutdown Manager immediately.
- Replace the unit before the next shift starts so cover is never down.
- Record what chemical was involved — it drives whether Diphoterine was the right solution next time.

MANUAL ISSUE & RETURN LOG — BACKUP TO SITEIQ

Use only when SiteIQ is unavailable. Transfer to SiteIQ the same day.

Author: Andrew Fisher

As at 27 Jul 2026

[illegible]

OUTCOME: RETURNED UNUSED — restocked | USED — incident raised, destroyed, replaced | DAMAGED — quarantined | EXPIRED — quarantined | NOT RETURNED — reported