

COATES • GAS MONITOR OPERATIONS REPORT

Ampol Gas Monitor Operations

Ampol Lytton Refinery • Dräger X-am 5000 Fleet

77

MONITORS OVERDUE AT THE PULL

- 35 out 30 days or more - \$70,000 of replacement exposure
- 221 ready on the shelf against a 250-unit target
- 81.5% came back the same day over the last 30 days

Data as at 03 Sep 2026 15:27 (SiteIQ register pull)
Generated 03 Sep 2026 05:38 | Author: Andrew Fisher
Pulled 03 Sep 2026 15:27 • built 03 Sep 2026 05:38 • 0 h old at build

WHAT'S INSIDE

The position	2
Since the last pull - what moved	4
Where these numbers come from	5
Yesterday - did they come back?	6
Who is not bringing them back - last 30 days	7
By company - 30 days, quarter and year	9
Where the monitors are right now - by company	13
Overdue - how long they have been out	14
Appendix A - overdue monitors, oldest first	19
Data and method - where every number comes from	22

POWERED BY SITEIQ
EQUIPPED FOR ANYTHING



Ampol Gas Monitor Operations

Ampol Lytton Refinery • Dräger X-am 5000 Fleet

Generated: 03 Sep 2026 05:38 | Data as at: 03 Sep 2026 15:27 (SiteIQ register pull) | Author: Andrew Fisher

KEY • **RETURN DAILY** back to the tool store every shift • **BUMP TEST** bump, charge and scan before issue • **OUT OF CALIBRATION** is out of service

AMBER

35 monitors have been out 30 days or more (\$70,000 of replacement exposure) and **81.5%** of the last 30 days' draws came back the same day - 77 units are overdue in all.

THE RULE

Units out 30 days or more: Green under 10, Amber from 10, Red from 40; Amber if same-day returns fall more than 10 points under the 85% target. Default lines - set in CONFIG.

OWNER

Andrew Fisher, Shutdown Manager - Coates tool store

NEXT ACTION AND BY WHEN

Appendix A (every overdue unit, oldest first) to each company's supervisor by **05 Sep 2026**; units recovered are reported on the next run.

Nine in ten completed monitor hires this year were back inside **46 hours** - counted from 64,958 completed hires in the transaction log, half of them back inside 10.4 hours and 78.6% the same day.

**878**

TOTAL FLEET

no change since 02 Sep

**221**

AVAILABLE NOW

▼ 114 since 02 Sep

**276**

OUT TO CREW

▲ 161 since 02 Sep

**77**

OVERDUE 1+ DAYS

no change since 02 Sep

**35**

OUT 30 DAYS OR MORE

▼ 1 since 02 Sep

**81.5%**

SAME-DAY, LAST 30 DAYS

▼ 2 since 02 Sep

THREE THINGS TO DO TODAY

1

Chase Ampol for 10 monitors out 30 days or more
\$20,000 at replacement; oldest 142 days

OWNER / BY

Andrew Fisher • by 05 Sep 2026

2

Recover CTX011/629 from Michael Sullivan, Contract Resources
157 days out, since 30 Mar 2026

OWNER / BY

Andrew Fisher • by 05 Sep 2026

3

Clear 65 monitors from the Dräger repair queue
oldest in the queue 576 days; 12 past 180 days

OWNER / BY

Andrew Fisher • by 05 Sep 2026


THE POSITION AT 15:27, 03 SEP 2026. 878 Dräger X-am 5000 monitors on the Ampol register: **221 on the shelf**, 276 out to crew (**77 overdue**), 316 in custody and 65 in the Dräger repair queue. Counted from the SiteIQ exports - nothing estimated.

Ampol Gas Monitor Operations


AS AT 03 SEP 2026 15:27

The position in detail




THE POSITION AT 15:27, 03 SEP 2026. 878 Dräger X-am 5000 monitors are on the Ampol register: 221 on the shelf, 276 out to crew (199 today, 77 overdue from earlier days), 316 in custody (FCCU, Operations, Future Fuels, after-hours) and 65 in the Dräger repair queue. Counted from the SiteIQ exports on the data page - nothing is estimated.



Health score = plain average of the four scores:
 $(88 + 82 + 93 + 0) \div 4 = 66$



The fleet at a glance - where every monitor is at 15:27




Health is green from 85, amber from 70, red below. Every score prints its own arithmetic; the four inputs are the shelf count against the 250-unit target, the 30-day same-day rate, the share of the fleet in the repair queue, and the units out 30 days or more. Custody holdings (FCCU 178, Operations 31, Future Fuels 87, after-hours 20) sit outside the crew count and are listed with their ages on the overdue page.

Ampol Gas Monitor Operations

AS AT 03 SEP 2026 15:27

Since the last pull - what moved

PULL AGAINST PULL. Between the register pull of 02 Sep 2026 18:30 and this one at 03 Sep 2026 15:27: **135 monitors came back**, **258 went out**, 12 changed hands and **15 crossed 30 days** still out (0 crossed 60, 15 crossed 90). Monitors on hire: **3,438** at the last pull, **3,561** at this one. Every row is a barcode read from the two exports - crew, custody and repair lines alike; nothing is estimated.



Came back - A to Z; showing 5 of 135 monitors

WHO	COMPANY	ASSET	WAS OUT
AFTER HOURS HIRE - GAS MONITORS & RADIO BATT.	Ampol	CTX011/064	1d
AFTER HOURS HIRE - GAS MONITORS & RADIO BATT.	Ampol	CTX011/111	1d
AFTER HOURS HIRE - GAS MONITORS & RADIO BATT.	Ampol	CTX011/293	1d
AFTER HOURS HIRE - GAS MONITORS & RADIO BATT.	Ampol	CTX011/474	1d
AFTER HOURS HIRE - GAS MONITORS & RADIO BATT.	Ampol	CTX011/517	1d

Went out - A to Z; showing 5 of 258 monitors

WHO	COMPANY	ASSET	OUT FOR
AFTER HOURS HIRE - GAS MONITORS & RADIO BATT.	Ampol	CTX011/582	0d
AFTER HOURS HIRE - GAS MONITORS & RADIO BATT.	Ampol	CTX011/081	0d
AFTER HOURS HIRE - GAS MONITORS & RADIO BATT.	Ampol	CTX011/158	0d
AFTER HOURS HIRE - GAS MONITORS & RADIO BATT.	Ampol	CTX011/326	0d
AFTER HOURS HIRE - GAS MONITORS & RADIO BATT.	Ampol	CTX011/385	0d

Crossed 30 days between the pulls - oldest first; showing 3 of 15 monitors

OUT	SINCE	WHO	COMPANY	ASSET
30d	04 Aug 2026	Radios - Out Of Service	Ampol	AMPMR/015
30d	04 Aug 2026	Radios - Out Of Service	Ampol	AMPMR/265
30d	04 Aug 2026	Radios - Out Of Service	Ampol	AMPMR/282

Companies with a monitor out now that had none at the last pull: **none**. Companies cleared since the last pull: **none**. Changed hands: CTX011/589 (Wade - Mathews to Sastra - Davuth); CTX011/123 (AFTER HOURS HIRE - GAS MONITORS & RADIO BATT. to Phalla - Chhen); CTX011/636 (AFTER HOURS HIRE - GAS MONITORS & RADIO BATT. to Phalla - Chhen) and 9 more.

The 24 hours before the pull - 02 Sep 2026 15:27 to 03 Sep 2026 15:27, every fleet monitor

219 draws and **269 returns** of fleet monitors in the window - 325 distinct monitors across 15 companies, counted from every TRANSACTIONS row whose barcode is on the gas monitor register (custody and workflow lines included). Busiest: **Wood** with 156 movements.

Where these numbers come from

Two SiteIQ exports, pulled together on **03 Sep 2026**, are the only inputs to this report. The table shows how much each window holds, so any figure on the pages that follow can be traced back to the rows it was counted from.

WINDOW	DATES	CREW DRAWS	BACK SAME DAY	NOT SAME DAY	PEOPLE	COMPANIES
Year to date	01 Jan - 03 Sep 2026	65,416	54,096 82.7%	11,320 17.3%	848	55
Last 3 months	01 Jun - 03 Sep 2026	25,620	21,497 83.9%	4,123 16.1%	658	48
Last 30 days	04 Aug - 03 Sep 2026	6,440	5,249 81.5%	1,191 18.5%	259	32
Yesterday	Wed 02 Sep 2026	282	258 91.5%	24 8.5%	49	20

Crew draws exclude the custody and workflow accounts (Dräger service statuses, FCCU, Operations, Future Fuels, After Hours) - 2,730 of the 68,146 gas monitor rows in the log this year. Each window is inclusive of its dates; the log closes at 05:59 on the report day, so "today" is not a window.

RENTAL_STOCK - THE REGISTER

What SiteIQ holds as **On Hire** (and to whom) and **Available for Hire** at the moment the export is pulled - here **03 Sep 2026 15:27**. It is where the position, the overdue list and the custody holdings come from.

TRANSACTIONS - THE MOVEMENT LOG

Every scan out and every scan in since **01 Jan 2026 06:00**, one row per monitor per draw, with a transaction ID and the time to the second. The store scans twice on the way out and twice on the way back, so a row only exists when a monitor physically crossed the counter. Every rate, trend and league comes from these rows.

WHAT A DRAW IS

One monitor, out to one named person, once. A person who takes three monitors at 05:00 is three draws. That is why the yearly count is large - the site draws hundreds a day - and why the behaviour measure is the **percentage** back the same day, not the count.

NOT RETURNED SAME DAY

A draw not scanned back on the calendar day it went out. A return scanned from the return box by 05:30 next morning counts as same day - the store scans the box at shift start, before it opens at 07:00 (113 of the last 30 days' draws came back that way); a draw at or after 15:00 counts as same day if back by 08:00 next morning. A draw still open counts as not returned. One rule for every person and company.

COUNTED, NEVER TYPED

Nothing on these pages is keyed in, adjusted or read from a summary cell. The two exports are read exactly as pulled and every figure is counted from their rows, so anyone with the same two files can re-derive any number here. The Excel workbook is not used.

BARCODES AND SERIALS

SiteIQ identifies a monitor by its **barcode**; the Dräger serial rides alongside for the calibration paperwork. **821 of the 878** monitors on the register carry a serial on the list; 57 do not - 54 of them in the AMP088 range and show a dash until the list is completed.

Ampol Gas Monitor Operations

AS AT 03 SEP 2026 15:27

Yesterday - did they come back?

On Wednesday 02 Sep, 282 monitors went out to crew. 24 were not back by the end of the day (91.5% came back same day). 10 of those have come back since; 14 are still out as at 15:27 and are named below - that is the prestart chase list.



282

CREW DRAWS YESTERDAY
Wed 02 Sep



24

NOT BACK SAME DAY
8.5% of draws



10

RECOVERED SINCE
42% of the non-returns



14

STILL OUT NOW
same person, named below

COMPANY	NOT BACK	RECOVERED	STILL OUT	WHO STILL HAS THEM (UNITS)
Contract Resources	9	6	3	Marcus Waratini (1), Phil Dalley (1), Karl Callow (1)
Enermech	3	0	3	Mitchell Barrington (3)
Wood	4	2	2	Daniel Hennessey (1), Andrew Hill (1)
Ampol	3	1	2	Cameron James (1), Vinod Watson (1)
Enprocon	2	0	2	Travis Logan (2)
NDE Solutions	2	1	1	Laiju Joy (1)
Armstrong Flow Control	1	0	1	Smit Patel (1)

Cycle check: 24 = 10 recovered + 14 still out. The register (RENTAL_STOCK) shows 12 monitors on hire to a person since yesterday - the difference is explained on the data page. Gas monitors come back daily for bump testing, charging and inspection.

ALERTS & ACTIONS

- 14 monitors from yesterday still out
Named above by person. A monitor out overnight has missed its bump test - a safety conversation first, a hire conversation second.
- 35 monitors overdue 30 days or more
\$70,000 exposure at \$2,000 per unit. A recovery conversation, not a debt notice - every unit is named in Appendix A.
- 9 monitors overdue 8-29 days
The follow-up window - these become 30+ if nobody rings.

Ampol Gas Monitor Operations

Who is not bringing them back - last 30 days

Between 04 Aug - 03 Sep 2026, 259 people drew a monitor. 139 kept at least one past the day it went out, and 50 did so in 3 or more separate weeks - that is a habit, not a bad day. Ranked by non-returns in the last 30 days; the 3-month and year-to-date columns show whether the pattern is new or long-standing.

WHO	DRAWS 30D	NOT SAME DAY 30D	SAME-DAY % 30D	LAST 3 MONTHS	YEAR TO DATE	STILL OUT NOW
Wade Mathews Ampol REPEAT	331	143	57%	203 of 789 · 74% same day	268 of 869 · 69% same day	0
Mitchell Barrington Enermech REPEAT	550	76	86%	152 of 1,132 · 87% same day	153 of 1,144 · 87% same day	5
Marcus Waratini Contract Resources REPEAT	331	71	79%	279 of 992 · 72% same day	732 of 2,308 · 68% same day	3
John Strano Wood REPEAT	391	71	82%	158 of 907 · 83% same day	480 of 2,105 · 77% same day	0
Eamon Rees Wood REPEAT	322	50	84%	199 of 966 · 79% same day	400 of 2,378 · 83% same day	5
Simon Phillips HIS REPEAT	561	50	91%	141 of 1,678 · 92% same day	643 of 4,306 · 85% same day	4
Jeffery Browne Wood REPEAT	414	44	89%	71 of 738 · 90% same day	78 of 756 · 90% same day	1
David McGurk Wood REPEAT	158	40	75%	56 of 339 · 83% same day	56 of 340 · 84% same day	4
Daniel Brown Contract Resources REPEAT	221	33	85%	90 of 853 · 89% same day	252 of 2,636 · 90% same day	2
Daniel Hennessey Wood REPEAT	230	31	87%	92 of 464 · 80% same day	93 of 467 · 80% same day	2
David De Jarlars Contract Resources REPEAT	154	28	82%	54 of 553 · 90% same day	120 of 1,295 · 91% same day	0
Dudit Istionto IPS REPEAT	46	25	46%	29 of 54 · 46% same day	29 of 55 · 47% same day	4

Plus 127 more people with 529 non-returns between them in the last 30 days - all counted in the company table. Named people only: custody and workflow accounts are reported on their own lines. "Not same day" = not scanned back on the calendar day it went out (a return scanned from the return box by 05:30 next morning counts as same day; a draw after 15:00 counts as same day if back by 08:00 next morning). "Still out now" is from the live register at 15:27. Same-day % is green from 85, amber from 70, red below.

Who is not bringing them back - year to date

Since 01 Jan, 848 people have drawn a monitor and 558 have kept at least one past its day. The 15 names below account for 4,764 of the year's 11,320 non-returns (42%). The 3-month and 30-day columns show whether it is still happening; "last" is the most recent non-return.

WHO	DRAWS YTD	NOT SAME DAY	SAME-DAY %	LAST 3 MONTHS	LAST 30 DAYS	LAST	LONGEST	STILL OUT
Marcus Waratini Contract Resources	2,308	732	68%	279 of 992	71 of 331	03 Sep	55d	3
Simon Phillips HIS	4,306	643	85%	141 of 1,678	50 of 561	03 Sep	62d	4
John Strano Wood	2,105	480	77%	158 of 907	71 of 391	03 Sep	20d	0
Eamon Rees Wood	2,378	400	83%	199 of 966	50 of 322	03 Sep	136d	5
Paul O'Flynn Enermech	2,512	375	85%	105 of 819	23 of 276	03 Sep	70d	1
Craig Patchett Wood	1,949	319	84%	86 of 585	-	01 Jul	27d	0
Wade Mathews Ampol	869	268	69%	203 of 789	143 of 331	03 Sep	21d	0
Logan Ferguson-Rudolph Contract Resources	2,425	266	89%	-	-	23 May	44d	0
Daniel Brown Contract Resources	2,636	252	90%	90 of 853	33 of 221	02 Sep	112d	2
Bill Potter Wood	1,385	214	85%	53 of 276	-	01 Jul	18d	0
Daniel Voros Contract Resources	722	204	72%	5 of 37	-	22 Jul	18d	0
Rangi Tahihana Contract Resources	1,922	158	92%	-	-	22 May	20d	0
Mitchell Barrington Enermech	1,144	153	87%	152 of 1,132	76 of 550	03 Sep	13d	5
Piseth Chea Contract Resources	1,426	152	89%	59 of 510	17 of 138	03 Sep	6d	0
Jose Martinez Wood	1,691	148	91%	58 of 680	17 of 230	03 Sep	6d	0

Ranked by non-returns for the year. A high count with a high same-day percentage is a heavy user having the odd late day; a low percentage is the habit to talk about. "Longest" is the longest single hold, completed or still open.

Ampol Gas Monitor Operations

AS AT 03 SEP 2026 15:27

By company - the last 30 days against the quarter and the year

1,191 of 6,440 crew draws in the last 30 days (18.5%) were not back on the day they went out, across 32 companies. Rate = not returned same day ÷ draws, for the last 30 days, the last 3 months and the year. Names are each company's top non-returners in the last 30 days.

COMPANY	DRAWS 30D	NOT SAME DAY	RATE 30D	RATE 3 MO	RATE YTD	PEOPLE	STILL OUT	TOP NON-RETURNERS, LAST 30 DAYS (UNITS)
Wood	1,962	288	14.7%	15.0%	15.6%	33	14	John Strano (71), Eamon Rees (50) +18 more
Contract Resources	1,265	244	19.3%	13.4%	14.1%	41	14	Marcus Waratini (71), Daniel Brown (33) +23 more
Ampol	529	226	42.7%	33.8%	42.5%	59	17	Wade Mathews (143), Frank Farnoosh (8) +27 more
Enermech	900	108	12.0%	13.2%	15.2%	22	8	Mitchell Barrington (76), Paul O'Flynn (23) +6 more
HIS	580	50	8.6%	8.5%	15.3%	11	4	Simon Phillips (50)
Cleanaway	58	34	58.6%	42.9%	42.6%	9	4	Josh Mulholland (10), Rayna Henry (8) +5 more
Saunders	276	30	10.9%	17.9%	15.4%	7	2	Clifton Russell (19), Arron Pelling (9) +2 more
ARL	108	29	26.9%	33.7%	26.0%	8	0	Syam Ravi (13), Aamir Ahmed (8) +4 more
NDE Solutions	64	29	45.3%	49.0%	52.6%	7	1	Bradley Kiely (10), Arash Rostami (9) +4 more
Universal Cranes	54	26	48.1%	18.2%	21.1%	17	2	Cecil Heather (6), Melissa Hutton (4) +7 more

Plus 22 more companies with 127 non-returns on 644 draws between them. Rate colour: green under 15%, amber under 30%, red above.

Not returned same day, last 30 days - by company, top 8








Ampol Gas Monitor Operations


AS AT 03 SEP 2026 15:27

The year so far - volume and behaviour by month

Since 01 Jan, crews have drawn a monitor 65,416 times - about 383 a working day - and 82.7% came back the same day. The last 30 days ran at 81.5% on 6,440 draws. The bars are monthly draws; the line is the share back the same day - the last bar is a part month. The year-to-date total is large because the site draws hundreds of monitors a day - the behaviour measure is the percentage.



Same-day return rate by week - every week of the year (current week is partial)




Each point is same-day returns ÷ crew draws for the week starting on the date shown.

Ampol Gas Monitor Operations

AS AT 03 SEP 2026 15:27

The last 3 months - week by week

25,620 crew draws between 01 Jun - 03 Sep 2026, and 83.9% came back the same day - 4,123 did not. 658 people drew a monitor in the quarter and 388 kept at least one past its day. The window is the 13 full weeks before this one plus this week so far, so the bars add up to the total. Each bar is a week starting on the Monday shown: green is back the same day, red is not - the last bar is this week so far. The worst week for non-returns began 01 Jun (442 of 2,299); the best began 29 Jun (88.3% same day).




25,620
CREW DRAWS, LAST 3 MONTHS
01 Jun - 03 Sep 2026

83.9%
SAME DAY, LAST 3 MONTHS
4,123 not back same day

658
PEOPLE WHO DREW
48 companies

388
PEOPLE WITH A NON-RETURN
59% of those who drew

Not returned same day, last 3 months - by company, top 8



Ampol Gas Monitor Operations

AS AT 03 SEP 2026 15:27

The last 30 days - day by day

6,440 crew draws over 23 working days - about 280 a day. The busiest day was 10 Aug with 311 draws; the worst day for non-returns was 03 Sep with 184 monitors not back. Green is back the same day, red is not; grey stubs are quiet weekend days; the last bar is this morning to 05:59.




280
DRAWS PER WORKING DAY
04 Aug - 03 Sep 2026

311
BUSIEST DAY
10 Aug

184
WORST DAY FOR NON-RETURNS
03 Sep

1,191
NOT BACK SAME DAY
18.5% of 30-day draws


How long they stayed out - every completed crew draw in the last 30 days



Counted from issue scan to return scan. Every draw in the 1-3 day bucket and beyond is a monitor that missed at least one bump-test cycle and spent nights off the shelf.

Where the monitors are right now - by company, ranked by units 30+ days out

276 monitors are out to crew across 20 companies: 199 went out today and are on their normal cycle; 77 are overdue - 12 since yesterday, 21 for 2-7 days, 9 for 8-29 days and 35 for 30 days or more. Custody holdings (FCCU 178, Operations 31, Future Fuels 87, after-hours account 20) sit outside the crew count and are listed on the next page.



COMPANY	TODAY	1 DAY	2-7D	8-29D	30+D	OVERDUE	EXPOSURE	URGENCY
Ampol	18	2	2	3	10	17	\$20,000	Critical
Wood	79	2	4	3	5	14	\$10,000	Critical
Contract Resources	19	3	5	1	5	14	\$10,000	Critical
HIS	24	0	0	0	4	4	\$8,000	Critical
Cleanaway	0	0	0	0	4	4	\$8,000	Critical
Universal Cranes	5	0	0	0	2	2	\$4,000	Critical
Enermech	31	3	4	0	1	8	\$2,000	Critical
IPS	4	0	4	0	1	5	\$2,000	Critical
Manpower	0	0	0	1	1	2	\$2,000	Critical
CSA	4	0	0	0	1	1	\$2,000	Critical

Showing 10 of 20 companies with monitors out - the other 10 hold 21 units, 6 of them overdue, all named in Appendix A. Days are counted from the on-hire scan to the report date. Exposure is \$2,000 per monitor overdue 30 days or more. Urgency: Critical = has 30+ day items; High = has 8-29 day items or three or more overdue; Watch = the rest.

Ampol Gas Monitor Operations

AS AT 03 SEP 2026 15:27

Overdue - how long they have been out

1-7 DAYS (WATCH)	8-29 DAYS (FOLLOW UP)	30+ DAYS (ACTION NEEDED)
33	9	35

Watch - out 1-7 days		33 items
Follow up - out 8-29 days		9 items
Action - out 30+ days		35 items

Charge exposure sits at \$70,000 - 35 monitors at 30 days or more, at \$2,000 replacement charge per unit. If nothing overdue came back at all the figure would be \$154,000 across 77 units. A recovery conversation, not a debt notice: Appendix A names every unit, oldest first.

Recovery priorities - worst first

COMPANY	URGENCY	1-7D	8-29D	30+D	EXPOSURE	RING FIRST (UNITS)
Ampol	Critical	4	3	10	\$20,000	Robert Wilson (2), Sean Redman (1)
Wood	Critical	6	3	5	\$10,000	Eamon Rees (5), David McGurk (4)
Contract Resources	Critical	8	1	5	\$10,000	Marcus Waratini (3), Daniel Brown (2)
HIS	Critical	0	0	4	\$8,000	Simon Phillips (4)
Cleanaway	Critical	0	0	4	\$8,000	Lukas Keating (1), Aaron Richardson (1)
Universal Cranes	Critical	0	0	2	\$4,000	Melissa Hutton (1), Dean O'leary (1)
Enermech	Critical	7	0	1	\$2,000	Mitchell Barrington (5), Chris Kelly (1)
IPS	Critical	4	0	1	\$2,000	Dudit Istionto (4), Luke Swales (1)
Manpower	Critical	0	1	1	\$2,000	Liam Sticklen (1), Robert Marhin (1)
CSA	Critical	0	0	1	\$2,000	Carter Rowlands (1)

Showing 10 of 15 companies with gear overdue - the other 5 hold 6 units between them, all in Appendix A. Ranked by 30+ day items, then overdue count. The three to ring first: Ampol, Wood, Contract Resources.

Custody holdings - 316 monitors, not crew, tracked separately

HOLDING	UNITS	HELD FOR	WHAT IT IS
FCCU turnaround custody	178	29-57 days	bulk issue to the FCCU turnaround, held on the Dräger FCCU custody line
Ampol Operations	31	54-55 days	Ampol Operations holding
Future Fuels	87	675-685 days	long-term issue to the Future Fuels project
After Hours Hire account	20	today	after-hours draws booked to a shared account - no person is named on them


Ampol Gas Monitor Operations

AS AT 03 SEP 2026 15:27


The daily rhythm - when monitors move (last 30 days)

76% of draws happen before 06:00; the median monitor goes out at **05:11** and comes back at **15:26**. The record hour: 170 draws between 05:00 and 06:00 on Mon 10 Aug - one every 21 seconds. Between the morning surge and the afternoon wave the shelf carries the whole site - that is the daily squeeze in one picture.

Issues and returns by hour of day - 04 Aug - 03 Sep 2026



Net monitors drawn from the store through the day - average and worst of the last 10 working days



238

AVG NET DRAW BY MID-MORNING

issues less returns, same day



275

WORST RECENT DAY

same measure



05:11

MEDIAN ISSUE TIME
the morning surge

15:26

MEDIAN RETURN TIME
the afternoon wave

The curve counts every same-day issue minus every same-day return, half-hour by half-hour, custody movements included. It is why the 250-unit availability target exists: the shelf must survive from the surge to the wave.

Ampol Gas Monitor Operations

AS AT 03 SEP 2026 15:27

The shift rhythm - draws and returns by weekday and hour, year to date

Every crew draw since 01 Jan 2026 laid on a week: **4,552 draws** in the busiest cell (Thu 05:00-06:00), returns peaking on Tue 15:00-16:00 with **4,227**. Weekdays carry **64,072** draws against **1,344** on weekends, and **30%** of all draws happen between 19:00 and 05:00 - the after-hours window where the same-day rule does its work.

Draws - darker is quieter, orange is busier; the count is printed in every cell

	00	02	04	06	08	10	12	14	16	18	20	22									
Mon			88	3138	4316	1482	1434	636	252	223	172	137	91	106	45	40	12				
Tue			144	3903	3836	1595	1637	668	377	301	192	121	141	74	58	63	5				
Wed			105	4226	4131	1484	1594	665	289	244	189	135	97	78	48	63	4				
Thu			93	3771	4552	1407	1531	673	310	238	217	105	108	97	46	44	7				
Fri			55	3499	3984	1510	1564	575	246	180	205	109	146	60	38	48	15				
Sat				238	106	575	244	50	8	7	7	5	2	4	4	11					
Sun				50		10	9	2	6	1	2	2		1							

Returns - the same week, scanned back in

	00		02		04		06		08		10		12		14		16		18		20		22	
Mon					75	796	250	86	510	444	412	215	327	497	1025	1321	3389	2450	452					
Tue					118	418	117	117	358	477	307	258	223	351	1014	1419	4227	3064	515					
Wed					67	364	125	110	556	552	374	262	204	316	897	1539	4095	3270	564					
Thu					17	466	140	92	453	597	291	315	258	351	1417	2089	3631	2376	455	13				
Fri					78	363	77	125	512	618	531	593	783	798	2472	1737	2518	1118	388					
Sat					1	20	32	59	39	59	4	19	17	39	98	46	46	272	97					
Sun					11		1	3	1		13		1		3	50	12	2	9					

Counted from every crew transaction in the TRANSACTIONS export (01 Jan - 03 Sep 2026), custody accounts excluded; a cell is the number of draws (or returns) whose scan fell in that weekday and hour. A dark cell is a real zero. Read the two grids together: the gap between the draw peak and the return peak is the shift, and the after-hours cells are where monitors go out after 15:00 and come back before 08:00.


Ampol Gas Monitor Operations

AS AT 03 SEP 2026 15:27

Demand - monitors out at once, year to date

The record is **755 monitors out at once** at 10:33 on Thu 23 Jul - against **878 owned** and **813 usable** once the 65 in repair are set aside. In the last 30 days the peak was **726** on Wed 05 Aug. Every unit in custody or in the workshop is a unit the shelf cannot lend.

Peak monitors out at once, by day - 01 Jan - 03 Sep 2026




755
RECORD - OUT AT ONCE
23 Jul 10:33

813
USABLE FLEET
878 owned less 65 in repair

58
SPARE AT THE RECORD PEAK
across the whole site

726
PEAK, LAST 30 DAYS
05 Aug 08:13

How long monitors stay out - every completed crew draw, year to date



Concurrency counts every open transaction in the export window, custody included. Items issued before the window opened sit outside it, so the register's on-hire figure runs higher; the register is the authority for right-now counts. The longest completed hold on record: **136 days** by **Eamon Rees** (Wood).


Ampol Gas Monitor Operations

AS AT 03 SEP 2026 15:27

Out of service - the Dräger repair queue

65 monitors are in the repair queue - 7.4% of the 878-unit fleet a crew cannot take. Largest category Failed Bump Test. 12 unit(s) have been in the queue 180 days or more - the oldest at 576 days. That is not a repair queue, that is dead fleet: a repair-or-replace call.

Repairs by status




65
IN THE REPAIR QUEUE
7.4% of fleet


19
UNDER 30 DAYS
normal turnaround


34
30-179 DAYS
chase Dräger


12
180 DAYS OR MORE
repair-or-replace

Longest in the queue - oldest first

ITEM	ASSET / SERIAL	IN STATUS	REPAIR STATUS
Dräger X-am 5000 - Maintenance-ARSM-0808	AMPMAINGAS001/144 ARSM-0808	576d 04 Feb 2025	Out of Service
AMPOL DRAGER X-AM 5000 GAS MONITOR	CTX011/533 ARHD-0561	568d 12 Feb 2025	Out of Service
AMPOL DRAGER X-AM 5000 GAS MONITOR	CTX011/198 ARLK-0567	567d 13 Feb 2025	Out of Service
AMPOL DRAGER X-AM 5000 GAS MONITOR	CTX011/604 ARHD-0621	240d 06 Jan 2026	Out of Calibration
AMPOL DRAGER X-AM 5000 GAS MONITOR	CTX011/525 ARHD-0786	239d 07 Jan 2026	Failed Bump Test

Days in status are counted from the on-hire scan onto the Dräger custody line. A monitor that fails bump goes onto the Failed Bump Test line the same day, so this is a fair measure of turnaround.

Ampol Gas Monitor Operations

AS AT 03 SEP 2026 15:27

Appendix A - overdue monitors, oldest first

Every monitor on hire to a named person with an on-hire date before 03 Sep 2026: 77 units. Gear issued today (199 units) is on its normal cycle and is not listed. Red at 30 days or more, amber at 8-29. Replacement charge \$2,000 per unit.

OUT	SINCE	WHO	COMPANY	ASSET	SERIAL	CHARGE
157d	30 Mar 2026	Michael Sullivan	Contract Resources	CTX011/629	ARFK-0350	\$2,000
146d	10 Apr 2026	Lukas Keating	Cleanaway	CTX011/404	ARPF-0124	\$2,000
142d	14 Apr 2026	Sean Redman	Ampol	CTX011/430	ARPF-0171	\$2,000
139d	17 Apr 2026	Bryce Abrahams	Mattioli	CTX011/080	ARLK-0577	\$2,000
135d	21 Apr 2026	Phillip Thouvenot	Ampol	AMPMAINGAS001/117	ARTH-0190	\$2,000
121d	05 May 2026	Luke Swales	IPS	AMPT&I001/258	ARTA-0140	\$2,000
112d	14 May 2026	Carter Rowlands	CSA	AMPMAINGAS001/074	ARTH-0147	\$2,000
112d	14 May 2026	Daniel Brown	Contract Resources	CTX011/112	ARLK-0403	\$2,000
112d	14 May 2026	Justin Robinson	Contract Resources	AMPT&I001/233	ARTA-0115	\$2,000
97d	29 May 2026	Braden Lee	Ampol	CTX011/170	ARLK-0690	\$2,000
93d	02 Jun 2026	Camilla Valero	Ampol	AMPT&I001/226	ARTA-0108	\$2,000
79d	16 Jun 2026	Javan McGuckin	Ampol	CTX011/350	ARPF-0198	\$2,000
62d	03 Jul 2026	Simon Phillips	HIS	AMPMAINGAS001/005	ARTE-0537	\$2,000
57d	08 Jul 2026	Dylan Hughes	Wood	CTX011/443	ARPF-0220	\$2,000
55d	10 Jul 2026	Simon Phillips	HIS	CTX011/354	ARPF-0053	\$2,000
55d	10 Jul 2026	Simon Phillips	HIS	AMPT&I001/205	ARSN-0763	\$2,000
50d	15 Jul 2026	Jason Gillis	Ampol	AMPT&I001/229	ARTA-0111	\$2,000
50d	15 Jul 2026	Simon Phillips	HIS	AMPT&I001/193	ARSN-0738	\$2,000
48d	17 Jul 2026	Biplab Halder	Ampol	CTX011/328	ARPF-0130	\$2,000
45d	20 Jul 2026	Melissa Hutton	Universal Cranes	AMPT&I001/028	ARSN-0038	\$2,000
44d	21 Jul 2026	Michael Griffiths	Ampol	AMPT&I001/298	ARTA-0183	\$2,000
44d	21 Jul 2026	Quinton Lam	Ampol	AMPT&I001/167	ARSN-0711	\$2,000
44d	21 Jul 2026	John Pattel	Contract Resources	AMPT&I001/117	ARSN-0628	\$2,000
44d	21 Jul 2026	Chris Kelly	Enermech	AMPT&I001/072	ARSN-0082	\$2,000
44d	21 Jul 2026	Liam Sticklen	Manpower	CTX011/460	ARPF-0186	\$2,000
43d	22 Jul 2026	Eamon Rees	Wood	CTX011/461	ARPF-0181	\$2,000

Ampol Gas Monitor Operations

AS AT 03 SEP 2026 15:27

Appendix A, overdue monitors, oldest first - continued (2 of 3)

OUT	SINCE	WHO	COMPANY	ASSET	SERIAL	CHARGE
41d	24 Jul 2026	Chad Kahui	Contract Resources	CTX011/300	ARLK-0307	\$2,000
41d	24 Jul 2026	Dean O'leary	Universal Cranes	AMPMaingAS001/128	ARLK-0547	\$2,000
41d	24 Jul 2026	Eamon Rees	Wood	CTX011/302	ARPF-0095	\$2,000
41d	24 Jul 2026	Jeffery Browne	Wood	AMPMaingAS001/173	ARUB-0344	\$2,000
38d	27 Jul 2026	Aaron Richardson	Cleanaway	AMPMaingAS001/156	ARUB-0327	\$2,000
38d	27 Jul 2026	Glenn Roberts	Cleanaway	AMPMaingAS001/141	ARTH-0165	\$2,000
37d	28 Jul 2026	Eamon Rees	Wood	AMPMaingAS001/162	ARUB-0333	\$2,000
35d	30 Jul 2026	Robert Wilson	Ampol	AMPT&I001/082	ARSN-0092	\$2,000
34d	31 Jul 2026	Asiata Lancelotte	Cleanaway	AMP088/069	-	\$2,000
27d	07 Aug 2026	Eamon Rees	Wood	AMPT&I001/115	ARSN-0626	\$2,000
23d	11 Aug 2026	Daniel Hennessey	Wood	AMP088/033	-	\$2,000
15d	19 Aug 2026	Robert Marhin	Manpower	AMPMaingAS001/152	ARUB-0323	\$2,000
14d	20 Aug 2026	Robert Wilson	Ampol	AMP088/047	-	\$2,000
13d	21 Aug 2026	Marcus Waratini	Contract Resources	AMPT&I001/177	ARSN-0722	\$2,000
13d	21 Aug 2026	Eamon Rees	Wood	AMPT&I001/141	ARSN-0652	\$2,000
9d	25 Aug 2026	Todd McLennan	Ampol	AMPT&I001/057	ARSN-0067	\$2,000
9d	25 Aug 2026	Corey Koschel	Saunders	AMPT&I001/180	ARSN-0725	\$2,000
8d	26 Aug 2026	Roy Dorman	Ampol	AMP088/066	-	\$2,000
7d	27 Aug 2026	David McGurk	Wood	AMPT&I001/083	ARSN-0093	\$2,000
7d	27 Aug 2026	David McGurk	Wood	AMPT&I001/129	ARSN-0640	\$2,000
6d	28 Aug 2026	Karl Callow	Contract Resources	AMPT&I001/350	ARTA-0235	\$2,000
6d	28 Aug 2026	Clifton Russell	Saunders	AMP088/026	-	\$2,000
6d	28 Aug 2026	Lachlan Brown	Wrap Resources Australia	CTX011/346	ARPF-0081	\$2,000
3d	31 Aug 2026	Shin John O'Land	Ampol	AMP088/046	-	\$2,000
3d	31 Aug 2026	Daniel Brown	Contract Resources	AMPT&I001/275	ARTA-0160	\$2,000
3d	31 Aug 2026	Roth Kheng	Contract Resources	AMPMaingAS001/194	ARUB-0365	\$2,000

Ampol Gas Monitor Operations

AS AT 03 SEP 2026 15:27

Appendix A, overdue monitors, oldest first - continued (3 of 3)

OUT	SINCE	WHO	COMPANY	ASSET	SERIAL	CHARGE
3d	31 Aug 2026	Mitchell Barrington	Enermech	CTX011/403	ARPF-0199	\$2,000
3d	31 Aug 2026	Paul O'Flynn	Enermech	AMPMANGAS001/098	ARTH-0171	\$2,000
2d	01 Sep 2026	Peter Winter	Ampol	AMPT&I001/093	ARSN-0103	\$2,000
2d	01 Sep 2026	Leonard Atterwell	Contract Resources	CTX011/456	ARPF-0209	\$2,000
2d	01 Sep 2026	Marcus Waratini	Contract Resources	CTX011/458	ARPF-0238	\$2,000
2d	01 Sep 2026	Mitchell Barrington	Enermech	CTX011/470	ARPF-0236	\$2,000
2d	01 Sep 2026	Tyler Hausfeld	Enermech	AMPT&I001/009	ARSN-0019	\$2,000
2d	01 Sep 2026	Dudit Istionto	IPS	CTX011/039	ARLK-0321	\$2,000
2d	01 Sep 2026	Dudit Istionto	IPS	CTX011/488	ARPF-0232	\$2,000
2d	01 Sep 2026	Dudit Istionto	IPS	AMPMANGAS001/094	ARTH-0167	\$2,000
2d	01 Sep 2026	Dudit Istionto	IPS	AMPT&I001/022	ARSN-0032	\$2,000
2d	01 Sep 2026	David McGurk	Wood	AMPT&I001/121	ARSN-0632	\$2,000
2d	01 Sep 2026	David McGurk	Wood	AMPT&I001/312	ARTA-0197	\$2,000
1d	02 Sep 2026	Cameron James	Ampol	AMPMANGAS001/151	ARUB-0322	\$2,000
1d	02 Sep 2026	Vinod Watson	Ampol	AMP088/028	-	\$2,000
1d	02 Sep 2026	Smit Patel	Armstrong Flow Control	AMP088/042	-	\$2,000
1d	02 Sep 2026	Karl Callow	Contract Resources	CTX011/580	ARHD-0648	\$2,000
1d	02 Sep 2026	Marcus Waratini	Contract Resources	AMPT&I001/068	ARSN-0078	\$2,000
1d	02 Sep 2026	Phil Dalley	Contract Resources	AMPT&I001/178	ARSN-0723	\$2,000
1d	02 Sep 2026	Mitchell Barrington	Enermech	AMPMANGAS001/077	ARTH-0150	\$2,000
1d	02 Sep 2026	Mitchell Barrington	Enermech	AMPMANGAS001/142	ARSM-0813	\$2,000
1d	02 Sep 2026	Mitchell Barrington	Enermech	AMPMANGAS001/066	ARTH-0139	\$2,000
1d	02 Sep 2026	Laiju Joy	NDE Solutions	AMPMANGAS001/148	ARHD-0599	\$2,000
1d	02 Sep 2026	Andrew Hill	Wood	AMPT&I001/278	ARTA-0163	\$2,000
1d	02 Sep 2026	Daniel Hennessey	Wood	AMPT&I001/287	ARTA-0172	\$2,000

Replacement charge exposure - 35 units at 30 days or more

\$70,000

If nothing on this list came back at all the exposure would be \$154,000 across 77 units. Serial numbers come from the Gas_Monitor_Serial_Numbers list; a dash means the list does not carry that barcode.

Data and method - where every number comes from

SOURCE FILE	WHAT IT GIVES THE REPORT	PULLED	COVERS
RENTAL_STOCK.xlsx	Where every monitor is right now - status, who has it, on-hire date	03 Sep 2026 15:27	the live register at the pull
TRANSACTIONS.xlsx	Every issue and return scan with a timestamp - sheet CUSTOMER_CONTRACTOR_EQUIP	03 Sep 2026 13:58	issues 01 Jan 06:00 to 03 Sep 2026 05:59; returns to the pull
Gas_Monitor_Serial_Numbers.xlsx	Serial number for each barcode - display only	-	not a source of counts
Ampol Gas Monitor Report.xlsm	Not used - its summary tab is what the old report quoted	-	not a source of numbers

The rules

Gas monitor	Description contains "X-am" or "gas monitor". Chargers and probes are not monitors.
Crew draw	A transaction to a named person. Dräger service statuses, FCCU and Operations custody, Future Fuels and the After Hours account are workflows, not people - reported on their own lines, never as a person.
Same day	Scanned back on the calendar day it went out. A draw at or after 15:00 counts as same day if back by 08:00 next morning. Draws still open are not same day.
Overdue	On hire to a person with an on-hire date before the report date. Gear issued today is "out today", not overdue. Days are counted from the on-hire scan.
Windows	Year to date = the transactions export (01 Jan - 03 Sep 2026). Last 3 months = the 13 full weeks before this one plus this week so far (01 Jun - 03 Sep 2026). Last 30 days = 04 Aug - 03 Sep 2026. Yesterday = 02 Sep 2026, the last complete day. Repeat = a non-return in 3 or more separate weeks of the last 30 days.
Exposure	\$2,000 per monitor overdue 30 days or more - the replacement charge from the Ampol gas monitor workbook. Never estimated.
Health score	Plain average of availability, 30-day same-day rate, repairs and 30+ day control. Each formula is printed beside its score on the position page.
The log, checked	TRANSACTIONS, sheet CUSTOMER_CONTRACTOR_EQUIP, report period 01 Jan 2026 06:00 to 03 Sep 2026 05:59. Short hire = a hire closed inside 6 minutes. Mass draw = one person drawing 15 or more items inside one hour. Product key = the description with its size and serial tail removed.

Reconciliation - the two exports checked against each other

Check 1	RENTAL_STOCK shows 657 monitors on hire; TRANSACTIONS holds 579 open transactions; 506 match by barcode.
Check 2	151 on-hire rows have no open transaction: 90 were issued before the transactions window opened (01 Jan 2026) and 61 after it closed (03 Sep 2026 05:59) - Future Fuels 87, crew 37, After Hours Hire account 20, repair 7.
Check 3	73 open transactions have no on-hire row in RENTAL_STOCK - returned between the two pulls, or a barcode change.
Check 4	Yesterday's unreturned draws still open in TRANSACTIONS: 14; RENTAL_STOCK rows on hire since yesterday: 12. The difference is gear issued yesterday after the transactions window closed, or returned between the two pulls.
Check 5	Serial list: 821 of the 878 monitors on the register carry a serial on it; 57 do not (54 of them in the AMP088 range). Barcode is the identity SiteIQ scans; the serial is display only. 1 serial(s) appear against two barcodes (ARHD-0595 = CTX011/583, AMP088/018) - usually a re-labelled unit whose old barcode was never retired from the list.
Check 6	50 barcodes moved this year but are no longer on the register (returned to Dräger, re-labelled or written off): their 2,609 draws are counted in the flow figures, and they are not in the position.


Trend page: appears once seven days are on record (2 today). Australian dates, metric units, 24-hour time. Anything the source does not carry is shown as a dash, never guessed.

Ampol Gas Monitor Operations

AS AT 03 SEP 2026 15:27

The log, checked - return windows, scan habits and who holds the fleet

EVERY COMPLETED HIRE, COUNTED. 64,958 completed monitor hires in the log, 01 Jan to 03 Sep 2026: half back inside 10.4 hours, **nine in ten inside 46 hours**, 78.6% the same day. The rows to read around: **195 hires closed inside 6 minutes**, 1,030 mass draws (15 or more monitors to one person in an hour - kits for a crew or a custody line), 0 on hire with no movement since the log began, and 90 issued before it opened - history, not a gap.



Six-minute hires - 6 of 195 hires, newest first

DAY	WHO	ASSET	OUT FOR
02 Sep	Leonick Brantner Enermech	AMPT&I001/140	2 min
02 Sep	John Strano Wood	AMP088/029	1 min
01 Sep	Dräger Failed Bump Test	CTX011/489	5 min
31 Aug	Phil Dalley Contract Resources	AMPT&I001/211	5 min
11 Aug	John Strano Wood	AMPT&I001/199	2 min
10 Aug	Stuart Shea Wood	AMPMANGAS001/082	4 min

Mass draws - 6 of 1,030 draws, largest first

DAY	HOUR	WHO	MONITORS
08 Jul	15:00	Dräger FCCU	149
06 Jul	06:00	FCCU T&I	96
01 Jul	04:00	FCCU T&I	80
07 Jul	06:00	FCCU T&I	61
02 Jul	04:00	FCCU T&I	58
09 Jul	05:00	Dräger FCCU	44

No movement logged - 0 on hire

ASSET	WHO	ON HIRE SINCE
none - every monitor on hire has a movement in the log		

Issued before the log - 6 of 90, oldest first

ASSET	WHO	ON HIRE SINCE
AMPT&I001/013	Future - Fuels	18 Oct 2024
AMPT&I001/145	Future - Fuels	18 Oct 2024
AMPT&I001/349	Future - Fuels	18 Oct 2024
AMPT&I001/006	Future - Fuels	18 Oct 2024
AMPT&I001/017	Future - Fuels	18 Oct 2024
AMPT&I001/044	Future - Fuels	18 Oct 2024

So what: hold crews to the 46-hour line the fleet already runs on; the six-minute hires and the mass draws are scan habits to read around, not hires to chase.

Who holds the fleet, ranked by units: **15 of the 88 holders** on the register carry 80% of the 657 monitors on hire, 6 of them custody and workflow accounts, not people. Counted from TRANSACTIONS (sheet CUSTOMER_CONTRACTOR_EQUIP, 01 Jan 2026 06:00 to 03 Sep 2026 05:59); rules on the data page.

Ampol Gas Monitor Operations

The tool store has your back

SCAN AND LOOK - EVERY TIME

Every monitor is scanned **and** sighted going out, and scanned and sighted coming back. If it moved, it is on the record. That is your protection as much as ours.

BUMP, CHARGE, INSPECT - DAILY

Gas monitors come back **every shift** for bump testing, charging and inspection. A monitor out overnight has not been bump tested - that is a safety follow-up, not a hire question.

OUT OF CALIBRATION IS OUT OF SERVICE

Anything out of calibration comes off the shelf. You will never be issued a monitor we would not carry ourselves.

NUMBERS YOU CAN CHALLENGE

Every score on the position page prints its own arithmetic and every figure is counted from the SiteIQ exports named on the data page. Nothing is weighted behind the scenes and nothing is estimated.

BREAKDOWNS - TELL US EVERYTHING

Something stops? Tell us **where it is, what is wrong, what it was doing**. We will get it swapped or fixed - no drama, no waiting.

RECONCILED BEFORE IT IS SENT

The register and the transaction log are checked against each other on every build. Any difference is printed on the data page, not quietly dropped.



THE COATES WAY · OUR OPERATING MODEL, OUR STANDARD, OUR WAY

Australia's most trusted equipment partner - delivering Best Service & Value.

PURPOSE Supporting Australia's growth with leading equipment solutions.

Care Deeply (safety & wellbeing first, always) · **Customer Focused** (listen, anticipate, exceed expectations) · **Be Our Best** (accountability, learning, determination) · **One Team** (collaborative, trusted, inclusive) · **Competitive Spirit** (set stretch goals, be THE best)

SCORECARD Green - on track · Amber - at risk · Red - action needed: a documented root cause, corrective actions, an owner and a deadline.

WHERE THIS REPORT SITS **Operational Excellence, Performance-led Results, Safety First, Cadence** · same-day returns are Trait 4's 'returns processed same day'; every overdue unit carries an owner and a date

Every figure in this report is counted from the SiteIQ exports named on its data page - nothing is estimated, weighted or typed in. Wording: The Coates Way, branch edition, July 2026.

Meet the tool store team

The crew running your Ampol store - getting the right gear to the right people, keeping it tested and ready, and making sure everything that leaves the store is right. Something not on hand or not right? Tell us and we'll sort it.

AF

Andrew Fisher

SHUTDOWN MANAGER

andrew.fisher@coates.com.au

Oversees the store and the fleet - anything at all, start here