

# Ampol Calibration Register

Ampol Lytton Refinery · Permanent Tool Store


Generated: **02 Sep 2026 21:19** | Data as at: **02 Sep 2026 18:30** (SiteIQ RENTAL\_STOCK request time · due dates last maintained 14 Aug 2026, 19 days earlier) | Author: **Andrew Fisher**KEY • **IN DATE** certificate current at the SiteIQ pull time • **DUE 30 DAYS** book in before it lapses • **NO DATE** calibration status unknown until the certificate is entered

PAGE 1 OF 14

**DUE DATES ARE 19 DAYS OLD - CHECK THE PAPERWORK BEFORE SENDING**

Due dates last maintained **14 Aug 2026** (the register workbook's last save), **19 days** before the SiteIQ pull this report is built on. A certificate issued since then is not on the register yet - 22 assets fell due in that window (page 3). New certificates go in the **Register Entry** tab; save and run again.

**THE POSITION.** As at **02 Sep 2026 18:30** - the SiteIQ pull - the register holds **347 assets on the calibration register**: **135 in calibration**, **6 due inside 30 days**, **48 overdue** and **158 with no certificate date**. The overdue tail is **pressure gauge and torque wrench** (46 of the 48); **8** are out on hire right now (the chase list, page 5) and 22 fell due after the due dates were last maintained on 14 Aug 2026 (page 3). No Date means status unknown until the certificate is entered - page 9.



- ✓ **Dated fleet in date** **75/100**  
141 of 189 assets holding a due date are inside it at 02 Sep 2026 18:30 - computed from Calibration Due
- ✓ **Register certified** **54/100**  
189 of 347 assets carry a calibration due date - the other 158 have no certificate entered yet

Dated assets inside their due date at 02 Sep 2026

AT 02 SEP 2026 18:30 - COMPUTED FROM CALIBRATION DUE AND THE SITEIQ PULL



Data as at **02 Sep 2026 18:30** - RENTAL\_STOCK.xlsx, SiteIQ request time (8,173 lines, 3,438 on hire). Register: Ampol\_Calibration\_Register.xlsx, 'Register Entry' sheet - the human-maintained list; due dates last maintained **14 Aug 2026 08:09** (from the file's own properties). Status at the pull time is computed from Calibration Due; location, hirer and hire start are SiteIQ's. Nothing here needs the workbook refreshed.

Ampol Calibration Register

KEY • **IN DATE** certificate current at the SiteIQ pull time • **DUE 30 DAYS** book in before it lapses • **NO DATE** calibration status unknown until the certificate is entered


Status mix at 02 Sep 2026 - and the register's own view, for comparison

Every figure on this report is computed from the register's due dates and the SiteIQ pull of 02 Sep 2026 18:30 - nothing needs the workbook refreshed. The register also carries its own status columns, last refreshed **14 Aug 2026 08:08**; they are printed here, labelled, so the two can be read side by side. Between the two dates nothing in the register changed; the calendar did: 22 of the register's 26 "due 0-30 days" have since fallen due, 6 of them printed as 0 days remaining on 14 Aug 2026.

WHERE THE OVERDUE AND NO DATE GEAR IS - SITEIQ RENTAL\_STOCK



Status mix at 02 Sep 2026 — computed from Calibration Due, every asset on the register



Computed at 02 Sep 2026 against the register's own view at 14 Aug 2026 — by status

| STATUS                     | AT 02 SEP 2026 (COMPUTED) | REGISTER'S VIEW, 14 AUG 2026 | DIFFERENCE |
|----------------------------|---------------------------|------------------------------|------------|
| Current                    | 121                       | 123                          | -2         |
| Due 61-90 Days             | 13                        | 11                           | +2         |
| Due 31-60 Days             | 1                         | 3                            | -2         |
| Due 0-30 Days              | 6                         | 26                           | -20        |
| Overdue                    | 48                        | 26                           | +22        |
| No Date                    | 158                       | 158                          | —          |
| All assets on the register | 347                       | 347                          | —          |

Thresholds as the register applies them: overdue = past the due date; due 0-30 / 31-60 / 61-90 days; current = more than 90 days out; no date = no Calibration Due entered. In calibration = current + due 31-60 + due 61-90. Cross-check: applying the same thresholds at 14 Aug 2026 reproduces the register's own status on all 347 of its lines (0 differences) - the rule used here is the register's rule. The register's Live Register sheet also pads 108 blank template rows (a status formula, no asset) - excluded.

Ampol Calibration Register

KEY • **IN DATE** certificate current at the SiteIQ pull time • **DUE 30 DAYS** book in before it lapses • **NO DATE** calibration status unknown until the certificate is entered

Fell due since the due dates were last maintained - 14 Aug 2026 to 01 Sep 2026

**22 assets** passed the calibration due date between 14 Aug 2026, when the register workbook was last saved, and the SiteIQ pull. They count in the 48 overdue. A certificate issued in that window would not be on the register yet, so check the paperwork first: recalibrated means enter it in the Register Entry tab and this list shrinks on the next run; not recalibrated means a calibration run (in store) or a swap on next touch (on hire). Where SiteIQ has them at 02 Sep 2026 18:30: 19 in store, 2 not in SiteIQ, 1 on hire.

| ASSET        | DESCRIPTION                      | WAS DUE     | OVER BY  | WHERE AT 02 SEP 2026 | WHO HAS IT      |
|--------------|----------------------------------|-------------|----------|----------------------|-----------------|
| WG0117/001   | Pressure Gauge Analog 1,600 kPa  | 14 Aug 2026 | 19d over | In store             | —               |
| WG0117/002   | Pressure Gauge Analog 1,600 kPa  | 14 Aug 2026 | 19d over | In store             | —               |
| WG0121/005   | Pressure Gauge Analog 10,000 kPa | 14 Aug 2026 | 19d over | NOT IN SITEIQ        | —               |
| WG0478/001   | Pressure Gauge Analog 1,600 kPa  | 14 Aug 2026 | 19d over | In store             | —               |
| WG0478/002   | Pressure Gauge Analog 1,600 kPa  | 14 Aug 2026 | 19d over | In store             | —               |
| WG0479/001   | Pressure Gauge Analog 4,000 kPa  | 14 Aug 2026 | 19d over | In store             | —               |
| AMP296/001   | Torque Wrench 3/4" Drive 400 Nm  | 15 Aug 2026 | 18d over | In store             | —               |
| C0817-41     | Pressure Gauge Analog 10,000 kPa | 15 Aug 2026 | 18d over | In store             | —               |
| C0817-54     | Pressure Gauge Analog 10,000 kPa | 15 Aug 2026 | 18d over | In store             | —               |
| C0817-55     | Pressure Gauge Analog 10,000 kPa | 15 Aug 2026 | 18d over | In store             | —               |
| CTX169/003   | Pressure Gauge Analog 2,500 kPa  | 15 Aug 2026 | 18d over | On hire              | Jannie - Cloete |
| CTX171/002   | Pressure Gauge Analog 6,000 kPa  | 15 Aug 2026 | 18d over | In store             | —               |
| WG0174/001   | Pressure Gauge Analog 4,000 kPa  | 15 Aug 2026 | 18d over | In store             | —               |
| WG0482/001   | Pressure Gauge Analog 25,000 kPa | 15 Aug 2026 | 18d over | In store             | —               |
| WG0482/002   | Pressure Gauge Analog 25,000 kPa | 15 Aug 2026 | 18d over | In store             | —               |
| WG0483/001   | Pressure Gauge Analog 40,000 kPa | 15 Aug 2026 | 18d over | In store             | —               |
| WG0103/001   | Torque Wrench 3/4" Drive 600 Nm  | 18 Aug 2026 | 15d over | In store             | —               |
| WG0472/001   | Pressure Gauge Analog 6,000 kPa  | 27 Aug 2026 | 6d over  | In store             | —               |
| WG0472/002   | Pressure Gauge Analog 6,000 kPa  | 27 Aug 2026 | 6d over  | In store             | —               |
| WG0473/001   | Pressure Gauge Analog 15,000 kPa | 27 Aug 2026 | 6d over  | In store             | —               |
| WG0473/002   | Pressure Gauge Analog 15,000 kPa | 27 Aug 2026 | 6d over  | In store             | —               |
| AMPHT003/001 | HIGH TORQUE SQUARE DRIVE 1       | 28 Aug 2026 | 5d over  | NOT IN SITEIQ        | —               |

Over by = days past the due date at 02 Sep 2026 18:30, computed. Where = SiteIQ RENTAL\_STOCK status: "In store" is SiteIQ's "Available for Hire"; "not in SiteIQ" means the asset number is not in the pull at all - whereabouts unknown until it is found and scanned. Nothing here is estimated.

Ampol Calibration Register

AS AT 02 SEP 2026 18:30  
PAGE 4 OF 14

KEY • **IN DATE** certificate current at the SiteIQ pull time • **DUE 30 DAYS** book in before it lapses • **NO DATE** calibration status unknown until the certificate is entered

Due inside 30 days at 02 Sep 2026 - book these in now

**6 assets** fall due inside 30 days of 02 Sep 2026, soonest first, computed from Calibration Due. Booked in before the date lapses, these never touch the overdue list - that is the whole game. An asset out on hire gets its swap organised at the counter on next touch; the who-has-it column is SiteIQ's answer at 02 Sep 2026 18:30. For comparison, the register's own view at 14 Aug 2026 had 26 inside 30 days: 22 have since fallen due (page 3), 4 remain inside 30 days, and 2 have moved in from 31-60 days - 6 today.

| ASSET       | DESCRIPTION                     | CALIBRATION DUE | DAYS LEFT | WHERE AT 02 SEP 2026 | WHO HAS IT       |
|-------------|---------------------------------|-----------------|-----------|----------------------|------------------|
| H033001-26  | Torque Wrench 1/2" Drive 300 Nm | 04 Sep 2026     | 2d        | On hire              | Daniel - Bartley |
| 01498165-3  | Torque Wrench 1" Drive 1,300 Nm | 09 Sep 2026     | 7d        | In store             | —                |
| 05310434-28 | Torque Wrench 3/4" Drive 900 Nm | 09 Sep 2026     | 7d        | In store             | —                |
| H0350004    | Torque Wrench 3/4" Drive 680 Nm | 09 Sep 2026     | 7d        | In store             | —                |
| WG0001/006  | Hydraulic Actuator              | 18 Sep 2026     | 16d       | In store             | —                |
| WG0001/007  | Hydraulic Actuator              | 18 Sep 2026     | 16d       | In store             | —                |

Days left are computed from Calibration Due at the SiteIQ pull time. A dash means the source holds no value for that cell - nothing here is estimated.

Ampol Calibration Register

AS AT 02 SEP 2026 18:30  
PAGE 5 OF 14

KEY • **IN DATE** certificate current at the SiteIQ pull time • **DUE 30 DAYS** book in before it lapses • **NO DATE** calibration status unknown until the certificate is entered

Overdue and on hire at 02 Sep 2026 - the chase list, by name

**8 overdue assets are out on hire at 02 Sep 2026 18:30** - register due dates joined to the SiteIQ RENTAL\_STOCK pull (the register's own on-hire flag is page 6). 6 are with a hirer - a swap or recall on next touch - and 2 sit on the repairs account. Names A to Z, worst item first inside a name. SiteIQ's hire start date is later than the calibration due date on **5 of the 8** (red tag): either the item went out the counter after its date lapsed, or the register's due date is wrong - check both; the note below names them.

With a hirer — 6 items across 5 names and accounts

| WHO HAS IT (SITEIQ)                                                   | ASSET      | DESCRIPTION                                    | WAS DUE     | OVERDUE BY | OUT SINCE                |
|-----------------------------------------------------------------------|------------|------------------------------------------------|-------------|------------|--------------------------|
| David - Wood<br>WOOD · 1 overdue item                                 | SD0033-1   | Torque Wrench 3/4" Drive 1,000 Nm              | 30 Jul 2026 | 34d over   | 07 Jan 2026              |
| FCCU - 2026 (SFI)<br>AMPOL REFINERIES (QLD) PTY LTD · 2 overdue items | WG0020/001 | Torque Wrench 1/2" Drive 200 Nm                | 16 Jul 2025 | 413d over  | 07 Aug 2026<br>AFTER DUE |
|                                                                       | H033001-34 | Torque Wrench 1/2" Drive 300 Nm                | 25 Jul 2026 | 39d over   | 07 Aug 2026<br>AFTER DUE |
| Jannie - Cloete<br>AMPOL · 1 overdue item                             | CTX169/003 | Pressure Gauge Analog 2,500 kPa                | 15 Aug 2026 | 18d over   | 13 Jul 2026              |
| Kaveni - Vunibola<br>WOOD · 1 overdue item                            | CTX006/010 | Pressure Gauge Digital 10,000 psi (68,000 kPa) | 09 Aug 2026 | 24d over   | 27 Aug 2026<br>AFTER DUE |
| Romany - Prak<br>WOOD · 1 overdue item                                | C0897-38   | Pressure Gauge Analog 6,000 kPa                | 01 Jan 2025 | 609d over  | 15 Jan 2026<br>AFTER DUE |

On the repairs account — 2 items - a repair-queue conversation, not a chase

| WHO HAS IT (SITEIQ)                               | ASSET      | DESCRIPTION                     | WAS DUE     | OVERDUE BY | OUT SINCE                |
|---------------------------------------------------|------------|---------------------------------|-------------|------------|--------------------------|
| All-Around - Repairs<br>Repairs · 2 overdue items | H033001-21 | Torque Wrench 1/2" Drive 300 Nm | 25 Jul 2026 | 39d over   | 09 Jul 2026              |
|                                                   | WG0019/001 | Torque Wrench 3/8" Drive 100 Nm | 28 Jul 2026 | 36d over   | 11 Aug 2026<br>AFTER DUE |

Hirers A to Z, worst item first inside a name; overdue by = days past the due date at 02 Sep 2026 18:30, computed. Out since = SiteIQ ON\_HIRE\_DATE for the current hire; the red tag marks a hire that started after the calibration due date. Every one of these is a counter conversation on next touch - swap organised, certificate sorted, no drama. Hire started after the due date: **C0897-38** (due 01 Jan 2025) went out to Romany - Prak on 15 Jan 2026 08:51, 379 days after its due date; **WG0020/001** (due 16 Jul 2025) went out to FCCU - 2026 (SFI) on 07 Aug 2026 14:39, 387 days after its due date; **H033001-34** (due 25 Jul 2026) went out to FCCU - 2026 (SFI) on 07 Aug 2026 14:39, 13 days after its due date; **WG0019/001** (due 28 Jul 2026) went out to All-Around - Repairs on 11 Aug 2026 09:14, 14 days after its due date; **CTX006/010** (due 09 Aug 2026) went out to Kaveni - Vunibola on 27 Aug 2026 13:25, 18 days after its due date.

Ampol Calibration Register

KEY • **IN DATE** certificate current at the SiteIQ pull time • **DUE 30 DAYS** book in before it lapses • **NO DATE** calibration status unknown until the certificate is entered

The register’s own chase list at 14 Aug 2026 - for comparison

At its Last Refresh the register’s own columns flagged **11 overdue assets as on hire** - 5 with a hirer, 6 on the repairs account. Checked against SiteIQ at 02 Sep 2026 18:30: **5** are back in store and **6** still out. Printed so the register’s figure and the computed one can be read side by side; the list to work is page 5.

With a hirer — 5 items

| WHO HAD IT (REGISTER)                       | ASSET      | DESCRIPTION                                    | WAS DUE     | OVER AT 14 AUG 2026 | WHERE AT 02 SEP 2026 |
|---------------------------------------------|------------|------------------------------------------------|-------------|---------------------|----------------------|
| <b>Romany - Prak</b><br>1 overdue item      | C0897-38   | Pressure Gauge Analog 6,000 kPa                | 01 Jan 2025 | 590d over           | On hire              |
| <b>FCCU - 2026 (SFI)</b><br>2 overdue items | WG0020/001 | Torque Wrench 1/2" Drive 200 Nm                | 16 Jul 2025 | 394d over           | On hire              |
|                                             | H033001-34 | Torque Wrench 1/2" Drive 300 Nm                | 25 Jul 2026 | 20d over            | On hire              |
| <b>Wayne - Toovey</b><br>1 overdue item     | CTX006/009 | Pressure Gauge Digital 10,000 psi (68,000 kPa) | 29 Jul 2026 | 16d over            | In store             |
| <b>David - Wood</b><br>1 overdue item       | SD0033-1   | Torque Wrench 3/4" Drive 1,000 Nm              | 30 Jul 2026 | 15d over            | On hire              |

On the repairs account — 6 items

| WHO HAD IT (REGISTER)                          | ASSET      | DESCRIPTION                       | WAS DUE     | OVER AT 14 AUG 2026 | WHERE AT 02 SEP 2026 |
|------------------------------------------------|------------|-----------------------------------|-------------|---------------------|----------------------|
| <b>All-Around - Repairs</b><br>6 overdue items | C0808-14   | Pressure Gauge Analog 1,000 kPa   | 02 Dec 2025 | 255d over           | In store             |
|                                                | CTX173/001 | Pressure Gauge Analog 10,000 kPa  | 25 May 2026 | 81d over            | In store             |
|                                                | SD0033-3   | Torque Wrench 3/4" Drive 1,000 Nm | 24 Jul 2026 | 21d over            | In store             |
|                                                | H033001-21 | Torque Wrench 1/2" Drive 300 Nm   | 25 Jul 2026 | 20d over            | On hire              |
|                                                | 05310467-3 | Torque Wrench 1" Drive 800 Nm     | 28 Jul 2026 | 17d over            | In store             |
|                                                | WG0019/001 | Torque Wrench 3/8" Drive 100 Nm   | 28 Jul 2026 | 17d over            | On hire              |

“Over at 14 Aug 2026” is the register’s own Days Remaining at its Last Refresh, verbatim. “Where at 02 Sep 2026” is SiteIQ RENTAL\_STOCK at 02 Sep 2026 18:30. An item back in store is still overdue - it moves to the calibration run on page 7, not off the list.

Ampol Calibration Register

KEY • **IN DATE** certificate current at the SiteIQ pull time • **DUE 30 DAYS** book in before it lapses • **NO DATE** calibration status unknown until the certificate is entered

Overdue, not on hire at 02 Sep 2026 - the calibration run

40 of the 48 overdue assets are not on hire at 02 Sep 2026 18:30. 35 are on the shelf in SiteIQ (“Available for Hire” - G-B01 21, G-B03 6, G-B02 6, HYDRO / HYDRAULIC AISLE 1) - a calibration run, not a chase: batch them to the calibrator and each comes back onto the dated fleet. 5 are not in the SiteIQ RENTAL\_STOCK at all - whereabouts unknown until they are found and scanned.

On the shelf in SiteIQ — 35 assets in 17 lines

| DESCRIPTION                                    | SITEIQ BAY              | QTY | ASSETS                                                           |
|------------------------------------------------|-------------------------|-----|------------------------------------------------------------------|
| Pressure Gauge Analog 10,000 kPa               | G-B01                   | 6   | C0817-41, C0817-54, C0817-55, CTX173/001, CTX173/003, WG0480/002 |
| Pressure Gauge Analog 1,600 kPa                | G-B01                   | 4   | WG0117/001, WG0117/002, WG0478/001, WG0478/002                   |
| Pressure Gauge Analog 6,000 kPa                | G-B01                   | 3   | CTX171/002, WG0472/001, WG0472/002                               |
| Torque Wrench 3/4" Drive 1,000 Nm              | G-B03                   | 3   | SD0033-10, SD0033-3, WG0024/001                                  |
| Torque Wrench 3/4" Drive 300 Nm                | G-B02                   | 3   | AMP019/002, AMP019/003, AMP019/004                               |
| Pressure Gauge Analog 15,000 kPa               | G-B01                   | 2   | WG0473/001, WG0473/002                                           |
| Pressure Gauge Analog 25,000 kPa               | G-B01                   | 2   | WG0482/001, WG0482/002                                           |
| Pressure Gauge Analog 4,000 kPa                | G-B01                   | 2   | WG0174/001, WG0479/001                                           |
| Torque Wrench 3/4" Drive 680 Nm                | G-B02                   | 2   | H0368001, H0368002                                               |
| Ampol Rad Gun 3/4"D                            | L-B10                   | 1   | AMP287/002                                                       |
| Pressure Gauge Analog 1,000 kPa                | G-B01                   | 1   | C0808-14                                                         |
| Pressure Gauge Analog 40,000 kPa               | G-B01                   | 1   | WG0483/001                                                       |
| Pressure Gauge Digital 10,000 psi (68,000 kPa) | HYDRO / HYDRAULIC AISLE | 1   | CTX006/009                                                       |
| Torque Wrench 1" Drive 1,500 Nm                | G-B03                   | 1   | WG0025/001                                                       |
| Torque Wrench 1" Drive 800 Nm                  | G-B03                   | 1   | 05310467-3                                                       |
| Torque Wrench 3/4" Drive 400 Nm                | G-B02                   | 1   | AMP296/001                                                       |
| Torque Wrench 3/4" Drive 600 Nm                | G-B03                   | 1   | WG0103/001                                                       |

Shelf list grouped by description and SiteIQ bay so a calibration run can be batched; every asset number is printed. Overdue by = days past the due date at 02 Sep 2026 18:30, computed. Not-in-SiteIQ rows show the register’s own bay and on-hire flag at 14 Aug 2026 where it has one - nothing newer exists for them.

Ampol Calibration Register

KEY • **IN DATE** certificate current at the SiteIQ pull time • **DUE 30 DAYS** book in before it lapses • **NO DATE** calibration status unknown until the certificate is entered

Overdue, not on hire at 02 Sep 2026 - not in SiteIQ

Not in SiteIQ - whereabouts unknown — 5 assets

| ASSET        | DESCRIPTION                       | WAS DUE     | OVERDUE BY | REGISTER'S OWN BAY, 14 AUG 2026 |
|--------------|-----------------------------------|-------------|------------|---------------------------------|
| C0817-50     | Pressure Gauge Analog 10,000 kPa  | 25 Jul 2026 | 39d over   | —<br>register on hire: blank    |
| SD0033-7     | Torque Wrench 3/4" Drive 1,000 Nm | 25 Jul 2026 | 39d over   | —<br>register on hire: blank    |
| H3550-1      | Torque Wrench 3/4" Drive 550 Nm   | 28 Jul 2026 | 36d over   | —<br>register on hire: blank    |
| WG0121/005   | Pressure Gauge Analog 10,000 kPa  | 14 Aug 2026 | 19d over   | —<br>register on hire: blank    |
| AMPHT003/001 | HIGH TORQUE SQUARE DRIVE 1        | 28 Aug 2026 | 5d over    | —<br>register on hire: blank    |

Shelf list grouped by description and SiteIQ bay so a calibration run can be batched; every asset number is printed. Overdue by = days past the due date at 02 Sep 2026 18:30, computed. Not-in-SiteIQ rows show the register's own bay and on-hire flag at 14 Aug 2026 where it has one - nothing newer exists for them.



Ampol Calibration Register

KEY • **IN DATE** certificate current at the SiteIQ pull time • **DUE 30 DAYS** book in before it lapses • **NO DATE** calibration status unknown until the certificate is entered

No Date - calibration status unknown until the certificate is entered

**158 assets** sit on the register with no calibration due date entered. Say it straight: their **calibration status is unknown** - the register cannot say whether they are in date, and neither can this report, until the certificate details are entered. They are not counted as failed and not counted as in date. **43 of them are out on hire at 02 Sep 2026 18:30** (high pressure 7, test bucket 5, pressure gauge 5, hydraulic ram 4). 16 are not in SiteIQ at all. 1 carries a serial number. Each certificate entered moves an asset from this page onto the dated fleet on page 1 - that is the fill-in work under way, and the on-hire ones come first.

Where they sit — No Date assets by SiteIQ bay at 02 Sep 2026, top 10 of 26



What they are — by item family, top 7 of 40

| ITEM FAMILY (FIRST WORDS OF DESCRIPTION) | ASSETS | ON HIRE AT 02 SEP 2026 |
|------------------------------------------|--------|------------------------|
| High Pressure                            | 25     | 7                      |
| Hydraulic Ram                            | 17     | 4                      |
| Test Bucket                              | 12     | 5                      |
| Hydraulic Flange                         | 12     | 1                      |
| Pressure Gauge                           | 11     | 5                      |
| Hytorc Hydraulic                         | 11     | 3                      |
| Hydraulic Porta                          | 8      | 4                      |

Family = the first words of the register description - a plain grouping, not a new classification. Bay = SiteIQ STORAGE\_UNIT at the pull; an asset SiteIQ does not hold is counted under "not in SiteIQ". Nothing is guessed.

Ampol Calibration Register

AS AT 02 SEP 2026 18:30  
PAGE 10 OF 14

KEY • **IN DATE** certificate current at the SiteIQ pull time • **DUE 30 DAYS** book in before it lapses • **NO DATE** calibration status unknown until the certificate is entered

On hire, not in the register - computed from the SiteIQ pull

**3,362 SiteIQ lines** are on hire at 02 Sep 2026 18:30 with no line on the calibration register - 3,438 on hire in the pull, less the 76 register assets among them - across 720 hirers. (The register's own sweep - its On Hire Audit sheet - listed 3,478 at its Last Refresh, 14 Aug 2026: a different day, printed for comparison only.) By construction that is the whole on-hire fleet less what the register holds; radios, gas monitors, phones and general tooling make up most of it and need no calibration certificate. The slice worth a look is the **64 rows** whose description reads like test or measuring gear - a keyword match, listed from page 11.

What is on hire unregistered — 3,362 rows by item family



Looks like calibration-type gear — keyword match, 64 rows across 15 hirers - verify before acting

| KIND                             | ROWS | HIRERS | MOST COMMON DESCRIPTION                                    |
|----------------------------------|------|--------|------------------------------------------------------------|
| Fluke test and calibration gear  | 46   | 1      | Pressure Gauge, Fluke 700G08 1000PSI (3)                   |
| Argon flowmeters and regulators  | 8    | 8      | AMPOL ARGON FLOWMETER (4)                                  |
| Torque wrenches and torque tools | 5    | 4      | AMPOL MILWAUKEE HIGH TORQUE IMPACT WRENCH 1" DRIVE M18 (1) |
| Calipers and feeler gauges       | 2    | 2      | AMPOL FEELER GAUGE SET 300MM .05-1.00 (1)                  |
| Meters and testers               | 2    | 2      | Pocket Weather Meter (1)                                   |
| Pressure and other gauges        | 1    | 1      | AMPOL ACETLENE GAUGE (1)                                   |

Keyword rule: the SiteIQ description contains any of **Fluke, calibrat-, torque, gauge, multimeter, clamp / process / vibration / weather meter, tester, flowmeter, caliper, micrometer, vernier, thermometer, manometer, tachometer, megger**, and none of **Dräger / X-am / gas monitor, sling, chain block**. Excluded and counted separately: 543 gas-monitor rows (their own programme and report) and 138 sling and chain-block rows (25 chain blocks - lifting gear, the Rigging & Lifting Register report). A match is a prompt to check, not a finding.

Ampol Calibration Register

AS AT 02 SEP 2026 18:30  
PAGE 11 OF 14

KEY • **IN DATE** certificate current at the SiteIQ pull time • **DUE 30 DAYS** book in before it lapses • **NO DATE** calibration status unknown until the certificate is entered

Looks like calibration-type gear, on hire and not in the register

64 rows on hire at 02 Sep 2026 18:30 match the keyword rule on page 10, grouped by description and hirer - 48 lines, every barcode printed, in the order of the kinds table on that page. Work it like the register's dashboard says: add it to the register or confirm it needs no calibration certificate. **Keyword match, verify before acting** - a Fluke connector or a hand pump matches the word, not the need.

| SITEIQ DESCRIPTION                    | WHO HAS IT (COMPANY)              | QTY | BARCODES                           |
|---------------------------------------|-----------------------------------|-----|------------------------------------|
| AMPOL ARGON FLOWMETER                 | Craig - Hill (WOOD)               | 1   | CTX192/002                         |
| AMPOL ARGON FLOWMETER                 | Joshua - Laird (HIS)              | 1   | CTX192/059                         |
| AMPOL ARGON FLOWMETER                 | Paul - Skornsek (WOOD)            | 1   | CTX192/004                         |
| AMPOL ARGON FLOWMETER                 | Tuan - Nguyen (WOOD)              | 1   | CTX192/067                         |
| Argon Regulator Flowmeter             | Simon - Phillips (HIS)            | 1   | AMP091/015                         |
| ARGON REGULATOR WITH FLOW METER       | Adam - Caldwell (HIS)             | 1   | CTX184/001                         |
| ARGON REGULATOR WITH FLOW METER       | Todd - Van Der (WOOD)             | 1   | CTX184/005                         |
| ARGON REGULATOR WITH FLOW METER       | Warwick - Smith (WOOD)            | 1   | CTX184/009                         |
| AMPOL DIGITAL CALIPER 0-100MM         | John - Hague-Shutdown (Wood FCCU) | 1   | CTX206/002                         |
| AMPOL FEELER GAUGE SET 300MM .05-1.00 | Paul - Dingle (ENERMECH)          | 1   | CTX058/008                         |
| Connector, Fluke ir3000FC             | Glenn - Mccabe (ENERMECH)         | 2   | AMP473/001, AMP473/002             |
| Documenting Process Calibrator, Fluke | Glenn - Mccabe (ENERMECH)         | 2   | AMP487/001, AMP487/002             |
| Fluke Digital Pressure Gauge 700G02   | Glenn - Mccabe (ENERMECH)         | 1   | AMP464/001                         |
| Fluke Digital Pressure Gauge 700G04   | Glenn - Mccabe (ENERMECH)         | 1   | AMP461/001                         |
| Fluke Digital Pressure Gauge 700G05   | Glenn - Mccabe (ENERMECH)         | 2   | AMP460/001, AMP460/002             |
| Fluke Digital Pressure Gauge 700G06   | Glenn - Mccabe (ENERMECH)         | 3   | AMP462/001, AMP462/002, AMP462/003 |
| Fluke Digital Pressure Gauge 700G30   | Glenn - Mccabe (ENERMECH)         | 1   | AMP463/001                         |
| Fluke Digital Pressure Gauge 700PD6   | Glenn - Mccabe (ENERMECH)         | 1   | AMP465/001                         |
| Fluke Insulation Multimeter           | Glenn - Mccabe (ENERMECH)         | 2   | AMP452/001, AMP452/002             |
| Fluke Low Pressure Hand Pump 700-LTP1 | Glenn - Mccabe (ENERMECH)         | 1   | AMP453/001                         |

Rows 1–20 of 48.

Source: SiteIQ RENTAL\_STOCK at 02 Sep 2026 18:30 - description, hirer and company as SiteIQ has them. Nothing here is a compliance finding until the item is checked.

Ampol Calibration Register

KEY • **IN DATE** certificate current at the SiteIQ pull time • **DUE 30 DAYS** book in before it lapses • **NO DATE** calibration status unknown until the certificate is entered

Looks like calibration-type gear, on hire and not in the register (continued)

| SITEIQ DESCRIPTION                       | WHO HAS IT (COMPANY)      | QTY | BARCODES                           |
|------------------------------------------|---------------------------|-----|------------------------------------|
| K-Type Thermometer, Fluke t3000 FC       | Glenn - McCabe (ENERMECH) | 2   | AMP483/001, AMP483/002             |
| Loop Calibrator, Fluke 709H              | Glenn - McCabe (ENERMECH) | 1   | AMP485/001                         |
| Low Pressure Hand Pump, Fluke 700-LTP1   | Glenn - McCabe (ENERMECH) | 1   | AMP453/002                         |
| Milliamp Process Clamp Meter, Fluke-772  | Glenn - McCabe (ENERMECH) | 1   | AMP481/001                         |
| Multifunction Installation Tester, Fluke | Glenn - McCabe (ENERMECH) | 1   | AMP478/001                         |
| Pneumatic Test Pump, Fluke 700PTP-1      | Glenn - McCabe (ENERMECH) | 2   | AMP486/001, AMP486/002             |
| Pressure Gauge, Fluke 700G08 1000PSI     | Glenn - McCabe (ENERMECH) | 3   | AMP472/001, AMP472/002, AMP472/003 |
| Pressure Module, Fluke 750P00            | Glenn - McCabe (ENERMECH) | 1   | AMP511/001                         |
| Pressure Module, Fluke 750P02            | Glenn - McCabe (ENERMECH) | 2   | AMP512/001, AMP512/002             |
| Pressure Module, Fluke 750P03            | Glenn - McCabe (ENERMECH) | 1   | AMP514/001                         |
| Pressure Module, Fluke 750P04 15PSID/G   | Glenn - McCabe (ENERMECH) | 1   | AMP477/001                         |
| Pressure Module, Fluke 750P05            | Glenn - McCabe (ENERMECH) | 1   | AMP515/001                         |
| Pressure Module, Fluke 750P07 500PSIG    | Glenn - McCabe (ENERMECH) | 1   | AMP475/001                         |
| Pressure Module, Fluke 750P08 1000PSIG   | Glenn - McCabe (ENERMECH) | 3   | AMP474/001, AMP474/002, AMP474/003 |
| Pressure Module, Fluke 750P31 10000PSIG  | Glenn - McCabe (ENERMECH) | 1   | AMP476/001                         |
| Pressure Module, Fluke 750PD6            | Glenn - McCabe (ENERMECH) | 1   | AMP513/001                         |
| Process Meter, Fluke 789                 | Glenn - McCabe (ENERMECH) | 2   | AMP482/001, AMP482/002             |
| Remote Display Clamp Meter, Fluke-381    | Glenn - McCabe (ENERMECH) | 1   | AMP480/001                         |
| True RMS Clamp Meter Fluke-325           | Glenn - McCabe (ENERMECH) | 3   | AMP479/001, AMP479/002, AMP479/003 |
| Vibration Meter, Fluke                   | Glenn - McCabe (ENERMECH) | 1   | AMP484/001                         |

Rows 21–40 of 48.

Source: SiteIQ RENTAL\_STOCK at 02 Sep 2026 18:30 - description, hirer and company as SiteIQ has them. Nothing here is a compliance finding until the item is checked.

Ampol Calibration Register

AS AT 02 SEP 2026 18:30  
PAGE 13 OF 14

KEY • **IN DATE** certificate current at the SiteIQ pull time • **DUE 30 DAYS** book in before it lapses • **NO DATE** calibration status unknown until the certificate is entered

Looks like calibration-type gear, on hire and not in the register (continued)

| SITEIQ DESCRIPTION                                       | WHO HAS IT (COMPANY)                               | QTY | BARCODES    |
|----------------------------------------------------------|----------------------------------------------------|-----|-------------|
| AMPOL CLAMP METER DIGITAL                                | All-Around - Repairs (Repairs)                     | 1   | SD2079/002  |
| Pocket Weather Meter                                     | Glenn - Mccabe (ENERMECH)                          | 1   | AMP383/002  |
| AMPOL ACETLENE GAUGE                                     | Simon - Phillips (HIS)                             | 1   | SD0638/008  |
| AMPOL M18 high Torque Impact Wrench                      | Adam - Caldwell (HIS)                              | 1   | amp044/002  |
| AMPOL MILWAUKEE HIGH TORQUE IMPACT WRENCH 1" DRIVE M18   | Sean - Cotton (WOOD)                               | 1   | CTX102/004  |
| AMPOL MILWAUKEE HIGH TORQUE IMPACT WRENCH 3/4" DRIVE M18 | FCCU - 2026 (SFI) (AMPOL REFINERIES (QLD) PTY LTD) | 1   | CTX1021/001 |
| AMPOL TORQUE WRENCH 1/2D 300NM                           | John - Pattel (Contract Resources.)                | 1   | H033001-23  |
| Torque Wrench - 330nm - 1/2" Drive                       | FCCU - 2026 (SFI) (AMPOL REFINERIES (QLD) PTY LTD) | 1   | AMP491/001  |

Rows 41–48 of 48.

Source: SiteIQ RENTAL\_STOCK at 02 Sep 2026 18:30 - description, hirer and company as SiteIQ has them. Nothing here is a compliance finding until the item is checked.

## Ampol Calibration Register

AS AT 02 SEP 2026 18:30

PAGE 14 OF 14

KEY • **IN DATE** certificate current at the SiteIQ pull time • **DUE 30 DAYS** book in before it lapses • **NO DATE** calibration status unknown until the certificate is entered

## How the calibrated fleet is run

## IN DATE OR IT STAYS IN

The standard: nothing goes out the counter with a lapsed certificate - Life Saving Rule 5, Tools and Equipment (SEQ-GL-009). This report checks the standard against the live SiteIQ pull and says so plainly when a hire started after the due date.

## COMPUTED, NEVER REFRESHED

The register is the human-maintained list - asset, description, certificate, due date. Everything else on these pages is computed from the SiteIQ pull at the time printed on every page. No workbook refresh, ever.

## NAMES AND ACCOUNTS, NOT CATEGORIES

An overdue asset on hire is chased with whoever SiteIQ says holds it - a person, a project account or the repairs queue - and each kind gets its own conversation at the counter.

## HONEST ABOUT THE GAPS

No Date means the calibration status is unknown until the certificate is entered - said plainly, counted separately, never blended into a compliance score. Blanks print as dashes, **never guesses.**

Names as shown: the site is Ampol. SiteIQ still carries the site's former name on 3,136 live-register lines and the register on some descriptions; every one is shown here under the current name. Asset numbers and barcodes are identifiers and never change.

## Meet the tool store team

The crew running your Ampol store - keeping the register true, the certificates current and the gear ready. Something not right? Tell us and we'll sort it.

AF

Andrew Fisher

SHUTDOWN MANAGER

andrew.fisher@coates.com.au

Owns the register and the chase list - anything at all, start here