

COATES • GAS MONITOR OPERATIONS REPORT

Ampol Gas Monitor Operations

Ampol Lytton Refinery • Dräger X-am 5000 Fleet

77

MONITORS OVERDUE AT THE PULL


- 36 out 30 days or more - \$72,000 of replacement exposure
- 335 ready on the shelf against a 250-unit target
- 81.2% came back the same day over the last 30 days

Data as at 02 Sep 2026 18:30 (SiteIQ register pull)
Generated 03 Sep 2026 04:27 | Author: Andrew Fisher
Pulled 02 Sep 2026 18:30 • built 03 Sep 2026 04:27 • 10 h old at build

WHAT'S INSIDE

The position	2
Since the last pull - what moved	4
Where these numbers come from	5
Yesterday - did they come back?	6
Who is not bringing them back - last 30 days	7
By company - 30 days, quarter and year	9
Where the monitors are right now - by company	13
Overdue - how long they have been out	14
Appendix A - overdue monitors, oldest first	19
Data and method - where every number comes from	22

POWERED BY SITEIQ
EQUIPPED FOR ANYTHING



Ampol Gas Monitor Operations

Ampol Lytton Refinery • Dräger X-am 5000 Fleet

Generated: 03 Sep 2026 04:27 | Data as at: 02 Sep 2026 18:30 (SiteIQ register pull) | Author: Andrew Fisher

KEY • **RETURN DAILY** back to the tool store every shift • **BUMP TEST** bump, charge and scan before issue • **OUT OF CALIBRATION** is out of service

AMBER

36 monitors have been out 30 days or more (\$72,000 of replacement exposure) and **81.2%** of the last 30 days' draws came back the same day - 77 units are overdue in all.

THE RULE

Units out 30 days or more: Green under 10, Amber from 10, Red from 40; Amber if same-day returns fall more than 10 points under the 85% target. Default lines - set in CONFIG.

OWNER

Andrew Fisher, Shutdown Manager - Coates tool store

NEXT ACTION AND BY WHEN

Appendix A (every overdue unit, oldest first) to each company's supervisor by **04 Sep 2026**; units recovered are reported on the next run.

Nine in ten completed monitor hires this year were back inside **46 hours** - counted from 64,831 completed hires in the transaction log, half of them back inside 10.4 hours and 78.6% the same day.

**878**TOTAL FLEET
on the Ampol register**335**AVAILABLE NOW
ready for issue at 18:30**115**OUT TO CREW
38 today + 77 overdue**77**OVERDUE 1+ DAYS
8 at 8-29 days, 36 at 30+**36**OUT 30 DAYS OR MORE
\$72,000 replacement exposure**81.2%**SAME-DAY, LAST 30 DAYS
target 85% - 6,464 crew draws

THREE THINGS TO DO TODAY

1

Chase Ampol for 11 monitors out 30 days or more
\$22,000 at replacement; oldest 141 days

OWNER / BY

Andrew Fisher • by 04 Sep 2026

2

Recover CTX011/629 from Michael Sullivan, Contract Resources
156 days out, since 30 Mar 2026

OWNER / BY

Andrew Fisher • by 04 Sep 2026

3

Clear 110 monitors from the Dräger repair queue
oldest in the queue 575 days; 12 past 180 days

OWNER / BY


Andrew Fisher • by 04 Sep 2026

THE POSITION AT 18:30, 02 SEP 2026. 878 Dräger X-am 5000 monitors on the Ampol register: **335 on the shelf**, **115 out to crew (77 overdue)**, 318 in custody and **110 in the Dräger repair queue**. Counted from the SiteIQ exports - nothing estimated.


Ampol Gas Monitor Operations

The position in detail



THE POSITION AT 18:30, 02 SEP 2026. 878 Dräger X-am 5000 monitors are on the Ampol register: **335 on the shelf**, **115 out to crew** (38 today, **77 overdue** from earlier days), 318 in custody (FCCU, Operations, Future Fuels, after-hours) and **110 in the Dräger repair queue**. Counted from the SiteIQ exports on the data page - nothing is estimated.



Health score = plain average of the four scores:
 $(100 + 81 + 87 + 0) \div 4 = 67$



The fleet at a glance - where every monitor is at 18:30



Health is green from 85, amber from 70, red below. Every score prints its own arithmetic; the four inputs are the shelf count against the 250-unit target, the 30-day same-day rate, the share of the fleet in the repair queue, and the units out 30 days or more. Custody holdings (FCCU 178, Operations 31, Future Fuels 87, after-hours 22) sit outside the crew count and are listed with their ages on the overdue page.

Ampol Gas Monitor Operations

AS AT 02 SEP 2026 18:30

Since the last pull - what moved

PULL AGAINST PULL. No earlier register pull is saved in Data\previous yet - movement pull against pull starts with the next pull (button 28 parks the old export automatically). From then on this page names every monitor that came back, went out, changed hands or crossed 30 days between the two pulls, barcode by barcode. In the 24 hours before the pull, **235 fleet monitors were drawn** and **266 came back** - 268 distinct monitors across 13 companies, counted from the transaction log. Nothing on this page is estimated.

The 24 hours before the pull - 01 Sep 2026 18:30 to 02 Sep 2026 18:30; by company, A to Z; 13 companies

COMPANY	DRAWS	RETURNS	NET OUT	PEOPLE
Ampol	13	28	-15	6
ARL	0	2	-2	1
Armstrong Flow Control	0	1	-1	1
Contract Resources	46	53	-7	8
Enermech	37	36	+1	2
Enprocon	8	7	+1	1
HIS	24	26	-2	1
IPS	4	4	0	1
Manpower	0	1	-1	1
NDE Solutions	0	1	-1	1
Programmed	9	9	0	1
Saunders	12	12	0	2
Wood	82	86	-4	9

The movements - company A to Z, then time; showing 5 of 501 movements

WHEN	MOVEMENT	COMPANY	WHO	ASSET
02 Sep 03:44	Back	Ampol	AFTER HOURS HIRE GAS MONITORS & RADIO BATT.	AMPMAINGAS001/030
02 Sep 03:44	Back	Ampol	AFTER HOURS HIRE GAS MONITORS & RADIO BATT.	AMPMAINGAS001/066
02 Sep 03:44	Back	Ampol	AFTER HOURS HIRE GAS MONITORS & RADIO BATT.	AMPMAINGAS001/077
02 Sep 03:44	Back	Ampol	AFTER HOURS HIRE GAS MONITORS & RADIO BATT.	AMPMAINGAS001/086
02 Sep 03:44	Back	Ampol	AFTER HOURS HIRE GAS MONITORS & RADIO BATT.	AMPT&I001/054

Counted from every TRANSACTIONS row whose barcode is on the gas monitor register - crew draws and the custody and workflow lines alike: traffic across the counter, not the crew-only same-day measure. Net out = draws less returns.

Ampol Gas Monitor Operations

AS AT 02 SEP 2026 18:30

Where these numbers come from

Two SiteIQ exports, pulled together on **02 Sep 2026**, are the only inputs to this report. The table shows how much each window holds, so any figure on the pages that follow can be traced back to the rows it was counted from.

WINDOW	DATES	CREW DRAWS	BACK SAME DAY	NOT SAME DAY	PEOPLE	COMPANIES
Year to date	01 Jan - 02 Sep 2026	65,152	52,560 80.7%	12,592 19.3%	847	55
Last 3 months	01 Jun - 02 Sep 2026	25,356	21,011 82.9%	4,345 17.1%	657	48
Last 30 days	03 Aug - 02 Sep 2026	6,464	5,250 81.2%	1,214 18.8%	258	31
Yesterday	Tue 01 Sep 2026	280	244 87.1%	36 12.9%	47	18

Crew draws exclude the custody and workflow accounts (Dräger service statuses, FCCU, Operations, Future Fuels, After Hours) - 2,697 of the 67,849 gas monitor rows in the log this year. Each window is inclusive of its dates; the log closes at 05:59 on the report day, so "today" is not a window.

RENTAL_STOCK - THE REGISTER

What SiteIQ holds as **On Hire** (and to whom) and **Available for Hire** at the moment the export is pulled - here **02 Sep 2026 18:30**. It is where the position, the overdue list and the custody holdings come from.

TRANSACTIONS - THE MOVEMENT LOG

Every scan out and every scan in since **01 Jan 2026 06:00**, one row per monitor per draw, with a transaction ID and the time to the second. The store scans twice on the way out and twice on the way back, so a row only exists when a monitor physically crossed the counter. Every rate, trend and league comes from these rows.

WHAT A DRAW IS

One monitor, out to one named person, once. A person who takes three monitors at 05:00 is three draws. That is why the yearly count is large - the site draws hundreds a day - and why the behaviour measure is the **percentage** back the same day, not the count.

NOT RETURNED SAME DAY

A draw not scanned back on the calendar day it went out. A draw at or after 15:00 counts as same day if it is back by 08:00 next morning. A draw still open counts as not returned. The same rule is applied to every person and every company.

COUNTED, NEVER TYPED

Nothing on these pages is keyed in, adjusted or read from a summary cell. The two exports are read exactly as pulled and every figure is counted from their rows, so anyone with the same two files can re-derive any number here. The Excel workbook is not used.

BARCODES AND SERIALS


SiteIQ identifies a monitor by its **barcode**; the Dräger serial rides alongside for the calibration paperwork. **821 of the 878** monitors on the register carry a serial on the list; 57 do not - 54 of them in the AMP088 range and show a dash until the list is completed.

Ampol Gas Monitor Operations

AS AT 02 SEP 2026 18:30

Yesterday - did they come back?

On Tuesday 01 Sep, 280 monitors went out to crew. **36 were not back by the end of the day** (87.1% came back same day). 21 of those have come back since; **15 are still out** as at 18:30 and are named below - that is the prestart chase list.



COMPANY	NOT BACK	RECOVERED	STILL OUT	WHO STILL HAS THEM (UNITS)
Ampol	4	0	4	Anoop George (2), Peter Winter (1), Frank Farnoosh (1)
IPS	4	0	4	Dudit Istionto (4)
Contract Resources	13	10	3	Marcus Waratini (2), Leonard Atterwell (1)
Wood	5	3	2	David McGurk (2)
Enermech	4	2	2	Mitchell Barrington (1), Tyler Hausfeld (1)
ARL	2	2	0	all back - Syam Ravi
HIS	2	2	0	all back - Simon Phillips
Enprocon	1	1	0	all back - Travis Logan
NDE Solutions	1	1	0	all back - Arash Rostami

Cycle check: **36 = 21 recovered + 15 still out**. The register (RENTAL_STOCK) shows **15** monitors on hire to a person since yesterday - the two exports agree. Gas monitors come back **daily** for bump testing, charging and inspection.

ALERTS & ACTIONS

- 15 monitors from yesterday still out**
Named above by person. A monitor out overnight has missed its bump test - a safety conversation first, a hire conversation second.
- 36 monitors overdue 30 days or more**
\$72,000 exposure at \$2,000 per unit. A recovery conversation, not a debt notice - every unit is named in Appendix A.
- 8 monitors overdue 8-29 days**
The follow-up window - these become 30+ if nobody rings.

Who is not bringing them back - last 30 days

Between 03 Aug - 02 Sep 2026, 258 people drew a monitor. 141 kept at least one past the day it went out, and 49 did so in 3 or more separate weeks - that is a habit, not a bad day. Ranked by non-returns in the last 30 days; the 3-month and year-to-date columns show whether the pattern is new or long-standing.

WHO	DRAWS 30D	NOT SAME DAY 30D	SAME-DAY % 30D	LAST 3 MONTHS	YEAR TO DATE	STILL OUT NOW
Wade Mathews Ampol REPEAT	330	227	31%	299 of 774 · 61% same day	364 of 854 · 57% same day	0
Marcus Waratini Contract Resources REPEAT	331	79	76%	301 of 978 · 69% same day	767 of 2,294 · 67% same day	3
John Strano Wood REPEAT	385	63	84%	147 of 888 · 83% same day	471 of 2,086 · 77% same day	3
Mitchell Barrington Enermech REPEAT	550	61	89%	134 of 1,107 · 88% same day	136 of 1,119 · 88% same day	2
Eamon Rees Wood REPEAT	322	46	86%	187 of 952 · 80% same day	388 of 2,364 · 84% same day	5
David McGurk Wood REPEAT	158	44	72%	61 of 339 · 82% same day	61 of 340 · 82% same day	4
David De Jarlars Contract Resources REPEAT	157	36	77%	54 of 547 · 90% same day	133 of 1,289 · 90% same day	0
Daniel Brown Contract Resources REPEAT	231	34	85%	99 of 853 · 88% same day	284 of 2,636 · 89% same day	2
Jeffery Browne Wood REPEAT	414	28	93%	57 of 720 · 92% same day	64 of 738 · 91% same day	1
Simon Phillips HIS REPEAT	561	26	95%	142 of 1,654 · 91% same day	689 of 4,282 · 84% same day	4
Daniel Hennessey Wood REPEAT	230	24	90%	82 of 454 · 82% same day	83 of 457 · 82% same day	1
Dudit Istionto IPS REPEAT	42	21	50%	25 of 50 · 50% same day	25 of 51 · 51% same day	4

Plus 129 more people with 525 non-returns between them in the last 30 days - all counted in the company table. Named people only: custody and workflow accounts are reported on their own lines. "Not same day" = not scanned back on the calendar day it went out (a draw after 15:00 counts as same day if back by 08:00 next morning). "Still out now" is from the live register at 18:30. Same-day % is green from 85, amber from 70, red below.

Ampol Gas Monitor Operations

Who is not bringing them back - year to date

Since 01 Jan, 847 people have drawn a monitor and 573 have kept at least one past its day. The 15 names below account for 5,213 of the year's 12,592 non-returns (41%). The 3-month and 30-day columns show whether it is still happening; "last" is the most recent non-return.

WHO	DRAWS YTD	NOT SAME DAY	SAME-DAY %	LAST 3 MONTHS	LAST 30 DAYS	LAST	LONGEST	STILL OUT
Marcus Waratini Contract Resources	2,294	767	67%	301 of 978	79 of 331	02 Sep	55d	3
Simon Phillips HIS	4,282	689	84%	142 of 1,654	26 of 561	01 Sep	61d	4
John Strano Wood	2,086	471	77%	147 of 888	63 of 385	02 Sep	20d	3
Eamon Rees Wood	2,364	388	84%	187 of 952	46 of 322	27 Aug	136d	5
Paul O'Flynn Enermech	2,500	376	85%	98 of 807	15 of 276	31 Aug	70d	1
Wade Mathews Ampol	854	364	57%	299 of 774	227 of 330	02 Sep	21d	0
Craig Patchett Wood	1,949	350	82%	101 of 585	-	02 Jul	27d	0
Daniel Voros Contract Resources	722	285	61%	5 of 37	-	22 Jul	18d	0
Daniel Brown Contract Resources	2,636	284	89%	99 of 853	34 of 231	02 Sep	111d	2
Logan Ferguson-Rudolph Contract Resources	2,425	274	89%	-	-	23 May	44d	0
Bill Potter Wood	1,385	216	84%	53 of 276	-	01 Jul	18d	0
Shane Irwin Saunders	780	215	72%	2 of 16	-	13 Jul	6d	0
Piseth Chea Contract Resources	1,420	197	86%	53 of 504	11 of 138	26 Aug	6d	0
Mick Anderson Mattioli	1,379	170	88%	10 of 204	0 of 2	02 Jul	53d	0
Rangi Tahihana Contract Resources	1,922	167	91%	-	-	22 May	20d	0

Ranked by non-returns for the year. A high count with a high same-day percentage is a heavy user having the odd late day; a low percentage is the habit to talk about. "Longest" is the longest single hold, completed or still open.

Ampol Gas Monitor Operations

AS AT 02 SEP 2026 18:30


By company - the last 30 days against the quarter and the year

1,214 of 6,464 crew draws in the last 30 days (18.8%) were not back on the day they went out, across 31 companies. Rate = not returned same day ÷ draws, for the last 30 days, the last 3 months and the year. Names are each company's top non-returners in the last 30 days.

COMPANY	DRAWS 30D	NOT SAME DAY	RATE 30D	RATE 3 MO	RATE YTD	PEOPLE	STILL OUT	TOP NON-RETURNERS, LAST 30 DAYS (UNITS)
Ampol	529	308	58.2%	40.4%	46.1%	59	21	Wade Mathews (227), Frank Farnoosh (8) +27 more
Contract Resources	1,273	250	19.6%	14.7%	16.4%	41	12	Marcus Waratini (79), David De Jarlars (36) +24 more
Wood	1,966	249	12.7%	15.3%	16.3%	32	15	John Strano (63), Eamon Rees (46) +17 more
Enermech	899	85	9.5%	12.5%	15.1%	22	5	Mitchell Barrington (61), Paul O'Flynn (15) +6 more
ARL	111	36	32.4%	37.0%	32.3%	8	0	Syam Ravi (13), Aamir Ahmed (8) +4 more
Cleanaway	56	36	64.3%	44.4%	43.7%	9	5	Josh Mulholland (10), Asiata Lancelotte (9) +5 more
Universal Cranes	59	32	54.2%	20.6%	23.1%	17	2	Cecil Heather (8), Melissa Hutton (6) +8 more
Acrow	70	30	42.9%	10.3%	20.9%	2	0	Joseph Olexienko (19), Jak Lazenby (11)
Saunders	279	29	10.4%	18.8%	26.5%	7	2	Clifton Russell (19), Arron Pelling (5) +2 more
NDE Solutions	64	29	45.3%	49.5%	53.0%	7	0	Arash Rostami (11), Bradley Kiely (10) +4 more

Plus 21 more companies with 130 non-returns on 1,158 draws between them. Rate colour: green under 15%, amber under 30%, red above.

Not returned same day, last 30 days - by company, top 8








Ampol Gas Monitor Operations


AS AT 02 SEP 2026 18:30

The year so far - volume and behaviour by month

Since 01 Jan, crews have drawn a monitor 65,152 times - about 383 a working day - and 80.7% came back the same day. The last 30 days ran at 81.2% on 6,464 draws. The bars are monthly draws; the line is the share back the same day - the last bar is a part month. The year-to-date total is large because the site draws hundreds of monitors a day - the behaviour measure is the percentage.



Same-day return rate by week - every week of the year (current week is partial)




Each point is same-day returns ÷ crew draws for the week starting on the date shown.

Ampol Gas Monitor Operations

AS AT 02 SEP 2026 18:30

The last 3 months - week by week

25,356 crew draws between 01 Jun - 02 Sep 2026, and 82.9% came back the same day - 4,345 did not. 657 people drew a monitor in the quarter and 392 kept at least one past its day. The window is the 13 full weeks before this one plus this week so far, so the bars add up to the total. Each bar is a week starting on the Monday shown: green is back the same day, red is not - the last bar is this week so far. The worst week for non-returns began 01 Jun (538 of 2,299); the best began 29 Jun (86.9% same day).



25,356
CREW DRAWS, LAST 3 MONTHS
01 Jun - 02 Sep 2026

82.9%
SAME DAY, LAST 3 MONTHS
4,345 not back same day

657
PEOPLE WHO DREW
48 companies

392
PEOPLE WITH A NON-RETURN
60% of those who drew

Not returned same day, last 3 months - by company, top 8




Ampol Gas Monitor Operations

AS AT 02 SEP 2026 18:30

The last 30 days - day by day

6,464 crew draws over 23 working days - about 281 a day. The busiest day was 10 Aug with 311 draws; the worst day for non-returns was 03 Aug with 107 monitors not back. Green is back the same day, red is not; grey stubs are quiet weekend days; the last bar is this morning to 05:59.




281
DRAWS PER WORKING DAY
03 Aug - 02 Sep 2026

311
BUSIEST DAY
10 Aug

107
WORST DAY FOR NON-RETURNS
03 Aug

1,214
NOT BACK SAME DAY
18.8% of 30-day draws

How long they stayed out - every completed crew draw in the last 30 days




Counted from issue scan to return scan. Every draw in the 1-3 day bucket and beyond is a monitor that missed at least one bump-test cycle and spent nights off the shelf.

Ampol Gas Monitor Operations

AS AT 02 SEP 2026 18:30

Where the monitors are right now - by company, ranked by units 30+ days out

115 monitors are out to crew across 16 companies: 38 went out today and are on their normal cycle; 77 are overdue - 15 since yesterday, 18 for 2-7 days, 8 for 8-29 days and 36 for 30 days or more. Custody holdings (FCCU 178, Operations 31, Future Fuels 87, after-hours account 22) sit outside the crew count and are listed on the next page.



COMPANY	TODAY	1 DAY	2-7D	8-29D	30+D	OVERDUE	EXPOSURE	URGENCY
Ampol	16	4	4	2	11	21	\$22,000	Critical
Wood	5	2	5	3	5	15	\$10,000	Critical
Contract Resources	9	3	3	1	5	12	\$10,000	Critical
Cleanaway	0	0	1	0	4	5	\$8,000	Critical
HIS	0	0	0	0	4	4	\$8,000	Critical
Universal Cranes	0	0	0	0	2	2	\$4,000	Critical
Enermech	3	2	2	0	1	5	\$2,000	Critical
IPS	0	4	0	0	1	5	\$2,000	Critical
Manpower	0	0	1	1	1	3	\$2,000	Critical
CSA	0	0	0	0	1	1	\$2,000	Critical

Showing 10 of 16 companies with monitors out - the other 6 hold 9 units, 4 of them overdue, all named in Appendix A. Days are counted from the on-hire scan to the report date. Exposure is \$2,000 per monitor overdue 30 days or more. Urgency: Critical = has 30+ day items; High = has 8-29 day items or three or more overdue; Watch = the rest.

Ampol Gas Monitor Operations

AS AT 02 SEP 2026 18:30

Overdue - how long they have been out

1-7 DAYS (WATCH)	8-29 DAYS (FOLLOW UP)	30+ DAYS (ACTION NEEDED)
33	8	36

Watch - out 1-7 days		33 items
Follow up - out 8-29 days		8 items
Action - out 30+ days		36 items

Charge exposure sits at \$72,000 - 36 monitors at 30 days or more, at \$2,000 replacement charge per unit. If nothing overdue came back at all the figure would be \$154,000 across 77 units. A recovery conversation, not a debt notice: Appendix A names every unit, oldest first.

Recovery priorities - worst first

COMPANY	URGENCY	1-7D	8-29D	30+D	EXPOSURE	RING FIRST (UNITS)
Ampol	Critical	8	2	11	\$22,000	Jason Gillis (2), Robert Wilson (2)
Wood	Critical	7	3	5	\$10,000	Eamon Rees (5), David McGurk (4)
Contract Resources	Critical	6	1	5	\$10,000	Marcus Waratini (3), Daniel Brown (2)
Cleanaway	Critical	1	0	4	\$8,000	Aaron Richardson (2), Lukas Keating (1)
HIS	Critical	0	0	4	\$8,000	Simon Phillips (4)
Universal Cranes	Critical	0	0	2	\$4,000	Melissa Hutton (1), Dean O'leary (1)
Enermech	Critical	4	0	1	\$2,000	Mitchell Barrington (2), Chris Kelly (1)
IPS	Critical	4	0	1	\$2,000	Dudit Istionto (4), Luke Swales (1)
Manpower	Critical	1	1	1	\$2,000	Liam Sticklen (2), Robert Marhin (1)
CSA	Critical	0	0	1	\$2,000	Carter Rowlands (1)

Showing 10 of 13 companies with gear overdue - the other 3 hold 4 units between them, all in Appendix A. Ranked by 30+ day items, then overdue count. The three to ring first: Ampol, Wood, Contract Resources.

Custody holdings - 318 monitors, not crew, tracked separately

HOLDING	UNITS	HELD FOR	WHAT IT IS
FCCU turnaround custody	178	28-56 days	bulk issue to the FCCU turnaround, held on the Dräger FCCU custody line
Ampol Operations	31	53-54 days	Ampol Operations holding
Future Fuels	87	674-684 days	long-term issue to the Future Fuels project
After Hours Hire account	22	today	after-hours draws booked to a shared account - no person is named on them


Ampol Gas Monitor Operations

AS AT 02 SEP 2026 18:30


The daily rhythm - when monitors move (last 30 days)

76% of draws happen before 06:00; the median monitor goes out at **05:11** and comes back at **15:26**. The record hour: 170 draws between 05:00 and 06:00 on Mon 10 Aug - one every 21 seconds. Between the morning surge and the afternoon wave the shelf carries the whole site - that is the daily squeeze in one picture.

Issues and returns by hour of day - 03 Aug - 02 Sep 2026



Net monitors drawn from the store through the day - average and worst of the last 10 working days



237

AVG NET DRAW BY MID-MORNING

issues less returns, same day



275

WORST RECENT DAY

same measure



05:11

MEDIAN ISSUE TIME

the morning surge



15:26

MEDIAN RETURN TIME

the afternoon wave

The curve counts every same-day issue minus every same-day return, half-hour by half-hour, custody movements included. It is why the 250-unit availability target exists: the shelf must survive from the surge to the wave.

Ampol Gas Monitor Operations

AS AT 02 SEP 2026 18:30

The shift rhythm - draws and returns by weekday and hour, year to date

Every crew draw since 01 Jan 2026 laid on a week: **4,440 draws** in the busiest cell (Thu 05:00-06:00), returns peaking on Tue 15:00-16:00 with **4,227**. Weekdays carry **63,808** draws against **1,344** on weekends, and **29%** of all draws happen between 19:00 and 05:00 - the after-hours window where the same-day rule does its work.

Draws - darker is quieter, orange is busier; the count is printed in every cell

	00	02	04	06	08	10	12	14	16	18	20	22									
Mon			88	3138	4316	1482	1434	636	252	223	172	137	91	106	45	40	12				
Tue			144	3903	3836	1595	1637	668	377	301	192	121	141	74	58	63	5				
Wed			105	4226	4131	1484	1571	656	283	242	187	134	97	76	48	63	2				
Thu			93	3666	4440	1407	1531	673	310	238	217	105	108	97	46	44	7				
Fri			55	3499	3984	1510	1564	575	246	180	205	109	146	60	38	48	15				
Sat				238	106	575	244	50	8	7	7	5	2	4	4	11					
Sun				50		10	9	2	6	1	2	2		1							

Returns - the same week, scanned back in

	00		02		04		06		08		10		12		14		16		18		20		22	
Mon					75	796	250	86	510	444	412	215	327	497	1025	1321	3389	2450	452					
Tue					118	418	117	117	358	477	307	258	223	351	1014	1419	4227	3064	515					
Wed					67	364	125	110	555	551	372	261	204	311	897	1532	4091	3264	557					
Thu					17	452	140	92	450	584	291	311	254	335	1405	2086	3631	2376	455	13				
Fri					78	363	77	125	512	618	531	593	783	798	2472	1737	2518	1118	388					
Sat					1	20	32	59	39	59	4	19	17	39	98	46	46	272	97					
Sun					11		1	3	1		13		1		3	50	12	2	9					

Counted from every crew transaction in the TRANSACTIONS export (01 Jan - 02 Sep 2026), custody accounts excluded; a cell is the number of draws (or returns) whose scan fell in that weekday and hour. A dark cell is a real zero. Read the two grids together: the gap between the draw peak and the return peak is the shift, and the after-hours cells are where monitors go out after 15:00 and come back before 08:00.


Ampol Gas Monitor Operations

AS AT 02 SEP 2026 18:30

Demand - monitors out at once, year to date

The record is **755 monitors out at once** at 10:33 on Thu 23 Jul - against **878 owned** and **768 usable** once the 110 in repair are set aside. In the last 30 days the peak was **726** on Wed 05 Aug. Every unit in custody or in the workshop is a unit the shelf cannot lend.

Peak monitors out at once, by day - 01 Jan - 02 Sep 2026




755
RECORD - OUT AT ONCE
23 Jul 10:33

768
USABLE FLEET
878 owned less 110 in repair

13
SPARE AT THE RECORD PEAK
across the whole site

726
PEAK, LAST 30 DAYS
05 Aug 08:13

How long monitors stay out - every completed crew draw, year to date



Concurrency counts every open transaction in the export window, custody included. Items issued before the window opened sit outside it, so the register's on-hire figure runs higher; the register is the authority for right-now counts. The longest completed hold on record: **136 days** by **Eamon Rees** (Wood).



Ampol Gas Monitor Operations

AS AT 02 SEP 2026 18:30

Out of service - the Dräger repair queue

110 monitors are in the repair queue - 12.5% of the 878-unit fleet a crew cannot take. Largest category **Failed Bump Test**. 12 unit(s) have been in the queue 180 days or more - the oldest at 575 days. That is not a repair queue, that is dead fleet: a repair-or-replace call.

Repairs by status



Longest in the queue - oldest first

ITEM	ASSET / SERIAL	IN STATUS	REPAIR STATUS
Dräger X-am 5000 - Maintenance-ARSM-0808	AMPMAINGAS001/144 ARSM-0808	575d 04 Feb 2025	Out of Service
AMPOL DRAGER X-AM 5000 GAS MONITOR	CTX011/533 ARHD-0561	567d 12 Feb 2025	Out of Service
AMPOL DRAGER X-AM 5000 GAS MONITOR	CTX011/198 ARLK-0567	566d 13 Feb 2025	Out of Service
AMPOL DRAGER X-AM 5000 GAS MONITOR	CTX011/604 ARHD-0621	239d 06 Jan 2026	Out of Calibration
AMPOL DRAGER X-AM 5000 GAS MONITOR	CTX011/525 ARHD-0786	238d 07 Jan 2026	Failed Bump Test

Days in status are counted from the on-hire scan onto the Dräger custody line. A monitor that fails bump goes onto the Failed Bump Test line the same day, so this is a fair measure of turnaround.

Ampol Gas Monitor Operations

AS AT 02 SEP 2026 18:30

Appendix A - overdue monitors, oldest first

Every monitor on hire to a named person with an on-hire date before 02 Sep 2026: 77 units. Gear issued today (38 units) is on its normal cycle and is not listed. Red at 30 days or more, amber at 8-29. Replacement charge \$2,000 per unit.

OUT	SINCE	WHO	COMPANY	ASSET	SERIAL	CHARGE
156d	30 Mar 2026	Michael Sullivan	Contract Resources	CTX011/629	ARFK-0350	\$2,000
145d	10 Apr 2026	Lukas Keating	Cleanaway	CTX011/404	ARPF-0124	\$2,000
141d	14 Apr 2026	Sean Redman	Ampol	CTX011/430	ARPF-0171	\$2,000
138d	17 Apr 2026	Bryce Abrahams	Mattioli	CTX011/080	ARLK-0577	\$2,000
134d	21 Apr 2026	Phillip Thouvenot	Ampol	AMPMAINGAS001/117	ARTH-0190	\$2,000
120d	05 May 2026	Luke Swales	IPS	AMPT&I001/258	ARTA-0140	\$2,000
111d	14 May 2026	Carter Rowlands	CSA	AMPMAINGAS001/074	ARTH-0147	\$2,000
111d	14 May 2026	Daniel Brown	Contract Resources	CTX011/112	ARLK-0403	\$2,000
111d	14 May 2026	Justin Robinson	Contract Resources	AMPT&I001/233	ARTA-0115	\$2,000
96d	29 May 2026	Braden Lee	Ampol	CTX011/170	ARLK-0690	\$2,000
92d	02 Jun 2026	Camilla Valero	Ampol	AMPT&I001/226	ARTA-0108	\$2,000
78d	16 Jun 2026	Javan McGuckin	Ampol	CTX011/350	ARPF-0198	\$2,000
61d	03 Jul 2026	Simon Phillips	HIS	AMPMAINGAS001/005	ARTE-0537	\$2,000
56d	08 Jul 2026	Dylan Hughes	Wood	CTX011/443	ARPF-0220	\$2,000
54d	10 Jul 2026	Simon Phillips	HIS	CTX011/354	ARPF-0053	\$2,000
54d	10 Jul 2026	Simon Phillips	HIS	AMPT&I001/205	ARSN-0763	\$2,000
49d	15 Jul 2026	Jason Gillis	Ampol	CTX011/223	ARLK-0719	\$2,000
49d	15 Jul 2026	Jason Gillis	Ampol	AMPT&I001/229	ARTA-0111	\$2,000
49d	15 Jul 2026	Simon Phillips	HIS	AMPT&I001/193	ARSN-0738	\$2,000
47d	17 Jul 2026	Biplab Halder	Ampol	CTX011/328	ARPF-0130	\$2,000
44d	20 Jul 2026	Melissa Hutton	Universal Cranes	AMPT&I001/028	ARSN-0038	\$2,000
43d	21 Jul 2026	Michael Griffiths	Ampol	AMPT&I001/298	ARTA-0183	\$2,000
43d	21 Jul 2026	Quinton Lam	Ampol	AMPT&I001/167	ARSN-0711	\$2,000
43d	21 Jul 2026	John Pattel	Contract Resources	AMPT&I001/117	ARSN-0628	\$2,000
43d	21 Jul 2026	Chris Kelly	Enermech	AMPT&I001/072	ARSN-0082	\$2,000
43d	21 Jul 2026	Liam Sticklen	Manpower	CTX011/460	ARPF-0186	\$2,000

Ampol Gas Monitor Operations

AS AT 02 SEP 2026 18:30

Appendix A, overdue monitors, oldest first - continued (2 of 3)

OUT	SINCE	WHO	COMPANY	ASSET	SERIAL	CHARGE
42d	22 Jul 2026	Eamon Rees	Wood	CTX011/461	ARPF-0181	\$2,000
40d	24 Jul 2026	Chad Kahui	Contract Resources	CTX011/300	ARLK-0307	\$2,000
40d	24 Jul 2026	Dean O'leary	Universal Cranes	AMPMaingas001/128	ARLK-0547	\$2,000
40d	24 Jul 2026	Eamon Rees	Wood	CTX011/302	ARPF-0095	\$2,000
40d	24 Jul 2026	Jeffery Browne	Wood	AMPMaingas001/173	ARUB-0344	\$2,000
37d	27 Jul 2026	Aaron Richardson	Cleanaway	AMPMaingas001/156	ARUB-0327	\$2,000
37d	27 Jul 2026	Glenn Roberts	Cleanaway	AMPMaingas001/141	ARTH-0165	\$2,000
36d	28 Jul 2026	Eamon Rees	Wood	AMPMaingas001/162	ARUB-0333	\$2,000
34d	30 Jul 2026	Robert Wilson	Ampol	AMPT&I001/082	ARSN-0092	\$2,000
33d	31 Jul 2026	Asiata Lancelotte	Cleanaway	AMP088/069	-	\$2,000
26d	07 Aug 2026	Eamon Rees	Wood	AMPT&I001/115	ARSN-0626	\$2,000
22d	11 Aug 2026	Daniel Hennessey	Wood	AMP088/033	-	\$2,000
14d	19 Aug 2026	Robert Marhin	Manpower	AMPMaingas001/152	ARUB-0323	\$2,000
13d	20 Aug 2026	Robert Wilson	Ampol	AMP088/047	-	\$2,000
12d	21 Aug 2026	Marcus Waratini	Contract Resources	AMPT&I001/177	ARSN-0722	\$2,000
12d	21 Aug 2026	Eamon Rees	Wood	AMPT&I001/141	ARSN-0652	\$2,000
8d	25 Aug 2026	Todd McLennan	Ampol	AMPT&I001/057	ARSN-0067	\$2,000
8d	25 Aug 2026	Corey Koschel	Saunders	AMPT&I001/180	ARSN-0725	\$2,000
7d	26 Aug 2026	Roy Dorman	Ampol	AMP088/066	-	\$2,000
7d	26 Aug 2026	Liam Sticklen	Manpower	AMP088/035	-	\$2,000
6d	27 Aug 2026	Dermot Ryder	Ampol	AMP088/063	-	\$2,000
6d	27 Aug 2026	David McGurk	Wood	AMPT&I001/083	ARSN-0093	\$2,000
6d	27 Aug 2026	David McGurk	Wood	AMPT&I001/129	ARSN-0640	\$2,000
5d	28 Aug 2026	Karl Callow	Contract Resources	AMPT&I001/350	ARTA-0235	\$2,000
5d	28 Aug 2026	Clifton Russell	Saunders	AMP088/026	-	\$2,000
5d	28 Aug 2026	Lachlan Brown	Wrap Resources Australia	CTX011/346	ARPF-0081	\$2,000

Ampol Gas Monitor Operations

AS AT 02 SEP 2026 18:30

Appendix A, overdue monitors, oldest first - continued (3 of 3)

OUT	SINCE	WHO	COMPANY	ASSET	SERIAL	CHARGE
2d	31 Aug 2026	Joe O Carroll	Ampol	AMPMaingas001/180	ARUB-0351	\$2,000
2d	31 Aug 2026	Shin John O'Land	Ampol	AMP088/046	-	\$2,000
2d	31 Aug 2026	Aaron Richardson	Cleanaway	AMP088/005	ARTE-0036	\$2,000
2d	31 Aug 2026	Daniel Brown	Contract Resources	AMPT&I001/275	ARTA-0160	\$2,000
2d	31 Aug 2026	Roth Kheng	Contract Resources	AMPMaingas001/194	ARUB-0365	\$2,000
2d	31 Aug 2026	Mitchell Barrington	Enermech	CTX011/403	ARPF-0199	\$2,000
2d	31 Aug 2026	Paul O'Flynn	Enermech	AMPMaingas001/098	ARTH-0171	\$2,000
2d	31 Aug 2026	John Strano	Wood	CTX011/327	ARPF-0098	\$2,000
2d	31 Aug 2026	John Strano	Wood	AMPT&I001/136	ARSN-0647	\$2,000
2d	31 Aug 2026	John Strano	Wood	AMPT&I001/333	ARTA-0218	\$2,000
1d	01 Sep 2026	Anoop George	Ampol	AMP088/071	-	\$2,000
1d	01 Sep 2026	Anoop George	Ampol	AMP088/075	-	\$2,000
1d	01 Sep 2026	Frank Farnoosh	Ampol	AMPMaingas001/196	ARUB-0367	\$2,000
1d	01 Sep 2026	Peter Winter	Ampol	AMPT&I001/093	ARSN-0103	\$2,000
1d	01 Sep 2026	Leonard Atterwell	Contract Resources	CTX011/456	ARPF-0209	\$2,000
1d	01 Sep 2026	Marcus Waratini	Contract Resources	CTX011/458	ARPF-0238	\$2,000
1d	01 Sep 2026	Marcus Waratini	Contract Resources	AMPT&I001/332	ARTA-0217	\$2,000
1d	01 Sep 2026	Mitchell Barrington	Enermech	CTX011/470	ARPF-0236	\$2,000
1d	01 Sep 2026	Tyler Hausfeld	Enermech	AMPT&I001/009	ARSN-0019	\$2,000
1d	01 Sep 2026	Dudit Istionto	IPS	CTX011/039	ARLK-0321	\$2,000
1d	01 Sep 2026	Dudit Istionto	IPS	CTX011/488	ARPF-0232	\$2,000
1d	01 Sep 2026	Dudit Istionto	IPS	AMPMaingas001/094	ARTH-0167	\$2,000
1d	01 Sep 2026	Dudit Istionto	IPS	AMPT&I001/022	ARSN-0032	\$2,000
1d	01 Sep 2026	David McGurk	Wood	AMPT&I001/121	ARSN-0632	\$2,000
1d	01 Sep 2026	David McGurk	Wood	AMPT&I001/312	ARTA-0197	\$2,000

Replacement charge exposure - 36 units at 30 days or more

\$72,000

If nothing on this list came back at all the exposure would be \$154,000 across 77 units. Serial numbers come from the Gas_Monitor_Serial_Numbers list; a dash means the list does not carry that barcode.

Data and method - where every number comes from

SOURCE FILE	WHAT IT GIVES THE REPORT	PULLED	COVERS
RENTAL_STOCK.xlsx	Where every monitor is right now - status, who has it, on-hire date	02 Sep 2026 18:30	the live register at the pull
TRANSACTIONS.xlsx	Every issue and return scan with a timestamp - sheet CUSTOMER_CONTRACTOR_EQUIP	02 Sep 2026 18:30	issues 01 Jan 06:00 to 02 Sep 2026 05:59; returns to the pull
Gas_Monitor_Serial_Numbers.xlsx	Serial number for each barcode - display only	-	not a source of counts
Ampol Gas Monitor Report.xlsm	Not used - its summary tab is what the old report quoted	-	not a source of numbers

The rules

Gas monitor	Description contains "X-am" or "gas monitor". Chargers and probes are not monitors.
Crew draw	A transaction to a named person. Dräger service statuses, FCCU and Operations custody, Future Fuels and the After Hours account are workflows, not people - reported on their own lines, never as a person.
Same day	Scanned back on the calendar day it went out. A draw at or after 15:00 counts as same day if back by 08:00 next morning. Draws still open are not same day.
Overdue	On hire to a person with an on-hire date before the report date. Gear issued today is "out today", not overdue. Days are counted from the on-hire scan.
Windows	Year to date = the transactions export (01 Jan - 02 Sep 2026). Last 3 months = the 13 full weeks before this one plus this week so far (01 Jun - 02 Sep 2026). Last 30 days = 03 Aug - 02 Sep 2026. Yesterday = 01 Sep 2026, the last complete day. Repeat = a non-return in 3 or more separate weeks of the last 30 days.
Exposure	\$2,000 per monitor overdue 30 days or more - the replacement charge from the Ampol gas monitor workbook. Never estimated.
Health score	Plain average of availability, 30-day same-day rate, repairs and 30+ day control. Each formula is printed beside its score on the position page.
The log, checked	TRANSACTIONS, sheet CUSTOMER_CONTRACTOR_EQUIP, report period 01 Jan 2026 06:00 to 02 Sep 2026 05:59. Short hire = a hire closed inside 6 minutes. Mass draw = one person drawing 15 or more items inside one hour. Product key = the description with its size and serial tail removed.

Reconciliation - the two exports checked against each other

Check 1	RENTAL_STOCK shows 543 monitors on hire; TRANSACTIONS holds 409 open transactions; 409 match by barcode.
Check 2	134 on-hire rows have no open transaction: 90 were issued before the transactions window opened (01 Jan 2026) and 44 after it closed (02 Sep 2026 05:59) - Future Fuels 87, After Hours Hire account 22, crew 13, repair 12.
Check 3	Yesterday's still-out count agrees between the two exports: 15.
Check 4	Serial list: 821 of the 878 monitors on the register carry a serial on it; 57 do not (54 of them in the AMP088 range). Barcode is the identity SiteIQ scans; the serial is display only. 1 serial(s) appear against two barcodes (ARHD-0595 = CTX011/583, AMP088/018) - usually a re-labelled unit whose old barcode was never retired from the list.
Check 5	50 barcodes moved this year but are no longer on the register (returned to Dräger, re-labelled or written off): their 2,609 draws are counted in the flow figures, and they are not in the position.

Trend page: appears once seven days are on record (1 today). Australian dates, metric units, 24-hour time. Anything the source does not carry is shown as a dash, never guessed.

Ampol Gas Monitor Operations

AS AT 02 SEP 2026 18:30

The log, checked - return windows, scan habits and who holds the fleet

EVERY COMPLETED HIRE, COUNTED. 64,831 completed monitor hires in the log, 01 Jan to 02 Sep 2026: half back inside 10.4 hours, nine in ten inside 46 hours, 78.6% the same day. The rows to read around: 193 hires closed inside 6 minutes, 1,025 mass draws (15 or more monitors to one person in an hour - kits for a crew or a custody line), 0 on hire with no movement since the log began, and 90 issued before it opened - history, not a gap.



64,831

COMPLETED HIRES
every fleet monitor, 01 Jan to 02 Sep



10.4 h

HALF BACK INSIDE
median hold, scan to scan



46 h

NINE IN TEN BACK INSIDE
90th percentile



78.6%

BACK THE SAME DAY
of completed hires

Six-minute hires - 6 of 193 hires, newest first

DAY	WHO	ASSET	OUT FOR
01 Sep	Dräger Failed Bump Test	CTX011/489	5 min
31 Aug	Phil Dalley Contract Resources	AMPT&I001/211	5 min
11 Aug	John Strano Wood	AMPT&I001/199	2 min
10 Aug	Stuart Shea Wood	AMPMaingas001/082	4 min
05 Aug	Syam Ravi ARL	AMPT&I001/012	1 min
31 Jul	Stuart Symons Ampol	CTX011/446	5 min

Mass draws - 6 of 1,025 draws, largest first

DAY	HOUR	WHO	MONITORS
08 Jul	15:00	Dräger FCCU	149
06 Jul	06:00	FCCU T&I	96
01 Jul	04:00	FCCU T&I	80
07 Jul	06:00	FCCU T&I	61
02 Jul	04:00	FCCU T&I	58
09 Jul	05:00	Dräger FCCU	44

No movement logged - 0 on hire

ASSET	WHO	ON HIRE SINCE
none - every monitor on hire has a movement in the log		

Issued before the log - 6 of 90, oldest first

ASSET	WHO	ON HIRE SINCE
AMPT&I001/013	Future - Fuels	18 Oct 2024
AMPT&I001/145	Future - Fuels	18 Oct 2024
AMPT&I001/349	Future - Fuels	18 Oct 2024
AMPT&I001/006	Future - Fuels	18 Oct 2024
AMPT&I001/017	Future - Fuels	18 Oct 2024
AMPT&I001/044	Future - Fuels	18 Oct 2024

So what: hold crews to the 46-hour line the fleet already runs on; the six-minute hires and the mass draws are scan habits to read around, not hires to chase.

Who holds the fleet, ranked by units: **8 of the 76 holders** on the register carry 80% of the 543 monitors on hire, 7 of them custody and workflow accounts, not people. Counted from TRANSACTIONS (sheet CUSTOMER_CONTRACTOR_EQUIP, 01 Jan 2026 06:00 to 02 Sep 2026 05:59); rules on the data page.

Ampol Gas Monitor Operations

The tool store has your back

SCAN AND LOOK - EVERY TIME

Every monitor is scanned **and** sighted going out, and scanned and sighted coming back. If it moved, it is on the record. That is your protection as much as ours.

BUMP, CHARGE, INSPECT - DAILY

Gas monitors come back **every shift** for bump testing, charging and inspection. A monitor out overnight has not been bump tested - that is a safety follow-up, not a hire question.

OUT OF CALIBRATION IS OUT OF SERVICE

Anything out of calibration comes off the shelf. You will never be issued a monitor we would not carry ourselves.

NUMBERS YOU CAN CHALLENGE

Every score on the position page prints its own arithmetic and every figure is counted from the SiteIQ exports named on the data page. Nothing is weighted behind the scenes and nothing is estimated.

BREAKDOWNS - TELL US EVERYTHING

Something stops? Tell us **where it is, what is wrong, what it was doing**. We will get it swapped or fixed - no drama, no waiting.

RECONCILED BEFORE IT IS SENT

The register and the transaction log are checked against each other on every build. Any difference is printed on the data page, not quietly dropped.



THE COATES WAY · OUR OPERATING MODEL, OUR STANDARD, OUR WAY

Australia's most trusted equipment partner - delivering Best Service & Value.

PURPOSE Supporting Australia's growth with leading equipment solutions.

Care Deeply (safety & wellbeing first, always) · **Customer Focused** (listen, anticipate, exceed expectations) · **Be Our Best** (accountability, learning, determination) · **One Team** (collaborative, trusted, inclusive) · **Competitive Spirit** (set stretch goals, be THE best)

SCORECARD Green - on track · Amber - at risk · Red - action needed: a documented root cause, corrective actions, an owner and a deadline.

WHERE THIS REPORT SITS **Operational Excellence, Performance-led Results, Safety First, Cadence** · same-day returns are Trait 4's 'returns processed same day'; every overdue unit carries an owner and a date

Every figure in this report is counted from the SiteIQ exports named on its data page - nothing is estimated, weighted or typed in. Wording: The Coates Way, branch edition, July 2026.

Meet the tool store team

The crew running your Ampol store - getting the right gear to the right people, keeping it tested and ready, and making sure everything that leaves the store is right. Something not on hand or not right? Tell us and we'll sort it.

AF

Andrew Fisher

SHUTDOWN MANAGER

andrew.fisher@coates.com.au

Oversees the store and the fleet - anything at all, start here