

INSTALL

GN18

1 × 50kva → Generator

DATE **Wed 07 Oct 2026**

TRUCK LEAVES _____

CARRIER _____

ON SITE

After 07:00

LOAD

Own page · no shared load
recorded

ON THE TRUCK

WHAT	ASSET NO.	ACCESSORIES · TICK WHEN FITTED
1 × 50kva Generator · Generators	1276501	None on the schedule

WHERE IT GOES

LOCATION	Generator
SECTOR	_____
NEXT TO	GEM
NEAR	Gate 2 (~30 m), Commodore (~45 m)
CALLOUT	018 on D024-26003-02
BESIDE	P08, P51, WC38
DOOR FACES	_____




MASTER-PLAN POSITION
-27.983572, 153.424180
From master plan D001 · not a
phone pin
SCAN TO NAVIGATE

PHOTOS



Master plan



Close-up



Around it



The product · stock photo

INSTALL LIST

- | | | |
|--|--|---|
| ☐ Power-on check with the electrician | ☐ Forklift work | ☐ Spotting |
| ☐ Arrival recorded in the page | ☐ Photos uploaded to the page | ☐ Asset numbers recorded in the page |

SAFETY

TAKE 5

Take 5 before every new task. Stop, look, assess, control, then proceed — before each new task and again whenever the job or conditions change (a new unit, a new position, a new crew member, weather, the public).

COATES LIFE SAVING RULES — read and followed on every task

Risk Assessment I will not commence any work that I am unfamiliar with, that is non-routine, potentially hazardous or impacted by changing conditions without first completing the appropriate Coates risk assessment tool to identify, assess and control risks.	High-Risk Work I will not commence any High-Risk Work without a risk assessment being completed and without having signed onto the applicable Safe Work Method Statement (SWMS).	Training and Competency I will be inducted, trained, competent and hold the required certification and licenses to conduct the task.
Fit for Work When I commence work, I will be physically fit, and not impaired by fatigue, injury, distraction, drugs or alcohol. I will wear the required personal protective equipment (PPE) as identified for the task or site rules.	Tools and Equipment I will only use tools and equipment that are fit for purpose and for which I am trained, competent and authorised. I will ensure that damaged or defective equipment is tagged out and removed from service.	Critical Risk Non-Negotiables When I commence a work activity related to a Coates Top 10 Critical Risk, I will always ensure that I review and strictly adhere to the non-negotiable rules and controls for that Critical Risk to protect me, my workmates and others from serious harm.

DOCUMENTS



Portable buildings and toilets, installation and removal
SEQ-SWMS-x TSV500.1
20 pages



Loading and unloading at third party sites
SEQ-SWMS-009.01g
34 pages

CONTACTS

COATES SITE Andrew Fisher 0429 352 788 INSTALLER Aaron Zelvis 0429 493 057 INSTALLER Alfie Harris 0403 149 326
INSTALLER Kyle Gover 0403 789 142 IEDM SAFETY & TRAFFIC Steve Haines 0407 734 398 IEDM SITE MANAGER John Brett 0433 809 117
EMERGENCY 000

INSTALL

P52

1 × Building 12m → Gate 1 Volunteer Check-In

DATE	Wed 07 Oct 2026
TRUCK LEAVES	
CARRIER	
ON SITE	After 07:00
LOAD	Own page · no shared load recorded

ON THE TRUCK

WHAT	ASSET NO.	ACCESSORIES · TICK WHEN FITTED
1 × Building 12m Gate 1 Volunteer Check-In · Portable buildings	13227211	☐ Fridge (Full Size)

WHERE IT GOES

LOCATION	Gate 1 Volunteer Check-In		
SECTOR	S23	CALLOUT	052 on D022-26003-02
NEXT TO	SCA, iEDM	BESIDE	OP10, OP16, P53, P54, P56, WC67
NEAR	Breaker St (~30 m), S23 (~35 m), Gate 1 (~60 m), Helen (~30 m)	DOOR FACES	




MASTER-PLAN POSITION
-27.981311, 153.424032
From master plan D001 · not a phone pin
SCAN TO NAVIGATE

PHOTOS



Master plan



Close-up



Around it



The product · stock photo

INSTALL LIST

- ☐ Unload a building (crane)
- ☐ Fit stairs and landings
- ☐ Spotting
- ☐ Asset numbers recorded in the page
- ☐ Position and level a building
- ☐ Power-on check with the electrician
- ☐ Arrival recorded in the page
- ☐ Blocks and packers under skids
- ☐ Forklift work
- ☐ Photos uploaded to the page

SAFETY

TAKE 5

Take 5 before every new task. Stop, look, assess, control, then proceed — before each new task and again whenever the job or conditions change (a new unit, a new position, a new crew member, weather, the public).

COATES LIFE SAVING RULES — read and followed on every task

Risk Assessment I will not commence any work that I am unfamiliar with, that is non-routine, potentially hazardous or impacted by changing conditions without first completing the appropriate Coates risk assessment tool to identify, assess and control risks.	High-Risk Work I will not commence any High-Risk Work without a risk assessment being completed and without having signed onto the applicable Safe Work Method Statement (SWMS).	Training and Competency I will be inducted, trained, competent and hold the required certification and licenses to conduct the task.
Fit for Work When I commence work, I will be physically fit, and not impaired by fatigue, injury, distraction, drugs or alcohol. I will wear the required personal protective equipment (PPE) as identified for the task or site rules.	Tools and Equipment I will only use tools and equipment that are fit for purpose and for which I am trained, competent and authorised. I will ensure that damaged or defective equipment is tagged out and removed from service.	Critical Risk Non-Negotiables When I commence a work activity related to a Coates Top 10 Critical Risk, I will always ensure that I review and strictly adhere to the non-negotiable rules and controls for that Critical Risk to protect me, my workmates and others from serious harm.

DOCUMENTS



Portable buildings and toilets, installation and removal
SEQ-SWMS-x TSV500.1
20 pages



Loading and unloading at third party sites
SEQ-SWMS-009.01g
34 pages

CONTACTS

COATES SITE Andrew Fisher 0429 352 788 INSTALLER Aaron Zelvis 0429 493 057 INSTALLER Alfie Harris 0403 149 326 INSTALLER Kyle Gover 0403 789 142
IEDM SAFETY & TRAFFIC Steve Haines 0407 734 398 IEDM SITE MANAGER John Brett 0433 809 117 EMERGENCY 000

INSTALL

P54

1 × Building 6m → Accred Centre BOH

DATE Wed 07 Oct 2026
TRUCK LEAVES
CARRIER
ON SITE After 07:00
LOAD Own page · no shared load recorded

ON THE TRUCK

Table with 3 columns: WHAT, ASSET NO., ACCESSORIES · TICK WHEN FITTED. Row 1: 1 × Building 6m, 1327219, None on the schedule.


WHERE IT GOES

Table with 4 columns: LOCATION, SECTOR, NEXT TO, NEAR, CALLOUT, BESIDE, DOOR FACES. Row 1: Accred Centre BOH, S23, iEDM, Breaker St (~25 m), S23 (~40 m), Gate 1 (~50 m), Helen (~20 m), 054 on D022-26003-02, OP10, OP16, P52, P53, P55, P56.



MASTER-PLAN POSITION
-27.981318, 153.423936
From master plan D001 · not a phone pin
SCAN TO NAVIGATE

PHOTOS



Master plan



Close-up



Around it



The product · stock photo

INSTALL LIST

- Unload a building (crane)
- Fit stairs and landings
- Spotting
- Asset numbers recorded in the page
- Position and level a building
- Power-on check with the electrician
- Arrival recorded in the page
- Blocks and packers under skids
- Forklift work
- Photos uploaded to the page

SAFETY

TAKE 5

Take 5 before every new task. Stop, look, assess, control, then proceed — before each new task and again whenever the job or conditions change (a new unit, a new position, a new crew member, weather, the public).

COATES LIFE SAVING RULES — read and followed on every task

Grid of 6 safety rules: Risk Assessment, High-Risk Work, Training and Competency, Fit for Work, Tools and Equipment, Critical Risk Non-Negotiables.

DOCUMENTS



Portable buildings and toilets, installation and removal
SEQ-SWMS-x TSV500.1
20 pages



Loading and unloading at third party sites
SEQ-SWMS-009.01g
34 pages

CONTACTS

COATES SITE Andrew Fisher 0429 352 788 INSTALLER Aaron Zelvis 0429 493 057 INSTALLER Alfie Harris 0403 149 326 INSTALLER Kyle Gover 0403 789 142
IEDM SAFETY & TRAFFIC Steve Haines 0407 734 398 IEDM SITE MANAGER John Brett 0433 809 117 EMERGENCY 000

INSTALL

P55

1 × Ticket Box 6m → Gate 1 Ticket Box

DATE	Wed 07 Oct 2026
TRUCK LEAVES	
CARRIER	
ON SITE	After 07:00
LOAD	Own page · no shared load recorded

ON THE TRUCK

WHAT	ASSET NO.	ACCESSORIES · TICK WHEN FITTED
1 × Ticket Box 6m Gate 1 Ticket Box · Portable buildings	172114	None on the schedule

WHERE IT GOES

LOCATION	Gate 1 Ticket Box	
SECTOR	S23	CALLOUT 055 on D022-26003-02
NEXT TO	iEDM	BESIDE P54, P56
NEAR	Breaker St (~25 m), S23 (~45 m), Gate 1 (~40 m), Helen (~5 m)	DOOR FACES



MASTER-PLAN POSITION

-27.981347, 153.423803


From master plan D001 · not a phone pin

SCAN TO NAVIGATE

PHOTOS



Master plan



Close-up



Around it



The product · stock photo

INSTALL LIST

- ☐ Unload a building (crane)
- ☐ Fit stairs and landings
- ☐ Spotting
- ☐ Asset numbers recorded in the page
- ☐ Position and level a building
- ☐ Power-on check with the electrician
- ☐ Arrival recorded in the page
- ☐ Blocks and packers under skids
- ☐ Forklift work
- ☐ Photos uploaded to the page

SAFETY

TAKE 5 Take 5 before every new task. Stop, look, assess, control, then proceed — before each new task and again whenever the job or conditions change (a new unit, a new position, a new crew member, weather, the public).

COATES LIFE SAVING RULES — read and followed on every task

Risk Assessment

I will not commence any work that I am unfamiliar with, that is non-routine, potentially hazardous or impacted by changing conditions without first completing the appropriate Coates risk assessment tool to identify, assess and control risks.

High-Risk Work

I will not commence any High-Risk Work without a risk assessment being completed and without having signed onto the applicable Safe Work Method Statement (SWMS).

Training and Competency

I will be inducted, trained, competent and hold the required certification and licenses to conduct the task.

Fit for Work

When I commence work, I will be physically fit, and not impaired by fatigue, injury, distraction, drugs or alcohol. I will wear the required personal protective equipment (PPE) as identified for the task or site rules.

Tools and Equipment

I will only use tools and equipment that are fit for purpose and for which I am trained, competent and authorised. I will ensure that damaged or defective equipment is tagged out and removed from service.

Critical Risk Non-Negotiables

When I commence a work activity related to a Coates Top 10 Critical Risk, I will always ensure that I review and strictly adhere to the non-negotiable rules and controls for that Critical Risk to protect me, my workmates and others from serious harm.

DOCUMENTS



Portable buildings and toilets, installation and removal

SEQ-SWMS-x TSV500.1

20 pages



Loading and unloading at third party sites

SEQ-SWMS-009.01g

34 pages

CONTACTS

COATES SITE Andrew Fisher 0429 352 788 INSTALLER Aaron Zelvis 0429 493 057 INSTALLER Alfie Harris 0403 149 326

INSTALLER Kyle Gover 0403 789 142 IEDM SAFETY & TRAFFIC Steve Haines 0407 734 398 IEDM SITE MANAGER John Brett 0433 809 117 EMERGENCY 000

INSTALL

P56

1 × Building 3.6m → Gate 1 Ticket BOH

DATE	Wed 07 Oct 2026
TRUCK LEAVES	
CARRIER	
ON SITE	After 07:00
LOAD	Own page · no shared load recorded

ON THE TRUCK

WHAT	ASSET NO.	ACCESSORIES · TICK WHEN FITTED
1 × Building 3.6m Gate 1 Ticket BOH · Portable buildings	1268865	None on the schedule

WHERE IT GOES

LOCATION	Gate 1 Ticket BOH	
SECTOR	S23	CALLOUT 056 on D022-26003-02
NEXT TO	iEDM	BESIDE P52, P53, P54, P55
NEAR	Breaker St (~20 m), S23 (~45 m), Gate 1 (~50 m), Helen (~15 m)	DOOR FACES



MASTER-PLAN POSITION
-27.981305, 153.423889
From master plan D001 · not a phone pin
SCAN TO NAVIGATE

PHOTOS



Master plan



Close-up



Around it



The product · stock photo

INSTALL LIST

- ☐ Unload a building (crane)
- ☐ Fit stairs and landings
- ☐ Spotting
- ☐ Asset numbers recorded in the page
- ☐ Position and level a building
- ☐ Power-on check with the electrician
- ☐ Arrival recorded in the page
- ☐ Blocks and packers under skids
- ☐ Forklift work
- ☐ Photos uploaded to the page

SAFETY

TAKE 5

Take 5 before every new task. Stop, look, assess, control, then proceed — before each new task and again whenever the job or conditions change (a new unit, a new position, a new crew member, weather, the public).

COATES LIFE SAVING RULES — read and followed on every task

Risk Assessment I will not commence any work that I am unfamiliar with, that is non-routine, potentially hazardous or impacted by changing conditions without first completing the appropriate Coates risk assessment tool to identify, assess and control risks.	High-Risk Work I will not commence any High-Risk Work without a risk assessment being completed and without having signed onto the applicable Safe Work Method Statement (SWMS).	Training and Competency I will be inducted, trained, competent and hold the required certification and licenses to conduct the task.
Fit for Work When I commence work, I will be physically fit, and not impaired by fatigue, injury, distraction, drugs or alcohol. I will wear the required personal protective equipment (PPE) as identified for the task or site rules.	Tools and Equipment I will only use tools and equipment that are fit for purpose and for which I am trained, competent and authorised. I will ensure that damaged or defective equipment is tagged out and removed from service.	Critical Risk Non-Negotiables When I commence a work activity related to a Coates Top 10 Critical Risk, I will always ensure that I review and strictly adhere to the non-negotiable rules and controls for that Critical Risk to protect me, my workmates and others from serious harm.

DOCUMENTS



Portable buildings and toilets, installation and removal
SEQ-SWMS-x TSV500.1
20 pages



Loading and unloading at third party sites
SEQ-SWMS-009.01g
34 pages

CONTACTS

COATES SITE Andrew Fisher 0429 352 788 INSTALLER Aaron Zelvis 0429 493 057 INSTALLER Alfie Harris 0403 149 326
INSTALLER Kyle Gover 0403 789 142 IEDM SAFETY & TRAFFIC Steve Haines 0407 734 398 IEDM SITE MANAGER John Brett 0433 809 117 EMERGENCY 000

INSTALL

P57

1 × Building 9.6m → Radio Distribution Office

DATE **Wed 07 Oct 2026**

TRUCK LEAVES _____

CARRIER _____

ON SITE **After 07:00**LOAD **Own page · no shared load recorded**

ON THE TRUCK

WHAT	ASSET NO.	ACCESSORIES · TICK WHEN FITTED
1 × Building 9.6m Radio Distribution Office · Portable buildings	1268888	☐ Fridge (Full Size)


WHERE IT GOES

LOCATION	Radio Distribution Office		
SECTOR	S23	CALLOUT	057 on D022-26003-02
NEXT TO	WC-BSF, BSF, SCA	BESIDE	OP10, WC67
NEAR	Breaker St (~45 m), S23 (~35 m), Gate 1 (~75 m), Helen (~45 m)	DOOR FACES	_____




MASTER-PLAN POSITION
-27.981319, 153.424194
From master plan D001 · not a phone pin
SCAN TO NAVIGATE

PHOTOS



Master plan



Close-up



Around it



The product · stock photo

INSTALL LIST

- | | | |
|---|--|---|
| ☐ Unload a building (crane) | ☐ Position and level a building | ☐ Blocks and packers under skids |
| ☐ Fit stairs and landings | ☐ Power-on check with the electrician | ☐ Forklift work |
| ☐ Spotting | ☐ Arrival recorded in the page | ☐ Photos uploaded to the page |
| ☐ Asset numbers recorded in the page | | |

SAFETY

TAKE 5

Take 5 before every new task. Stop, look, assess, control, then proceed — before each new task and again whenever the job or conditions change (a new unit, a new position, a new crew member, weather, the public).

COATES LIFE SAVING RULES — read and followed on every task

Risk Assessment I will not commence any work that I am unfamiliar with, that is non-routine, potentially hazardous or impacted by changing conditions without first completing the appropriate Coates risk assessment tool to identify, assess and control risks.	High-Risk Work I will not commence any High-Risk Work without a risk assessment being completed and without having signed onto the applicable Safe Work Method Statement (SWMS).	Training and Competency I will be inducted, trained, competent and hold the required certification and licenses to conduct the task.
Fit for Work When I commence work, I will be physically fit, and not impaired by fatigue, injury, distraction, drugs or alcohol. I will wear the required personal protective equipment (PPE) as identified for the task or site rules.	Tools and Equipment I will only use tools and equipment that are fit for purpose and for which I am trained, competent and authorised. I will ensure that damaged or defective equipment is tagged out and removed from service.	Critical Risk Non-Negotiables When I commence a work activity related to a Coates Top 10 Critical Risk, I will always ensure that I review and strictly adhere to the non-negotiable rules and controls for that Critical Risk to protect me, my workmates and others from serious harm.

DOCUMENTS



Portable buildings and toilets, installation and removal
SEQ-SWMS-x TSV500.1
20 pages



Loading and unloading at third party sites
SEQ-SWMS-009.01g
34 pages

CONTACTS

COATES SITE Andrew Fisher 0429 352 788 INSTALLER Aaron Zelvis 0429 493 057 INSTALLER Alfie Harris 0403 149 326
INSTALLER Kyle Gover 0403 789 142 IEDM SAFETY & TRAFFIC Steve Haines 0407 734 398 IEDM SITE MANAGER John Brett 0433 809 117 EMERGENCY 000

INSTALL

T0258

1 × 3.0m Cont → Helen Park

DATE Wed 07 Oct 2026

TRUCK LEAVES

CARRIER

ON SITE

After 07:00

LOAD

Own page · no shared load
recorded

ON THE TRUCK

WHAT	ASSET NO.	ACCESSORIES · TICK WHEN FITTED
1 × 3.0m Cont 3.0m Cont · Helen Park · Portable buildings		None on the schedule

WHERE IT GOES

LOCATION	Helen Park	
SECTOR	S23	CALLOUT
NEXT TO		BESIDE
NEAR	Breaker St (~15 m), S23 (~60 m), Gate 1 (~45 m), Helen (~10 m)	DOOR FACES




MASTER-PLAN AREA

-27.981235, 153.423761

Area only, from master plan D001 ·
not a phone pin

SCAN TO NAVIGATE

PHOTOS



Close-up



Around it



Whole site

INSTALL LIST

- | | | |
|---|--|---|
| ☐ Unload a building (crane) | ☐ Position and level a building | ☐ Blocks and packers under skids |
| ☐ Fit stairs and landings | ☐ Power-on check with the electrician | ☐ Forklift work |
| ☐ Spotting | ☐ Arrival recorded in the page | ☐ Photos uploaded to the page |
| ☐ Asset numbers recorded in the page | | |

SAFETY

TAKE 5

Take 5 before every new task. Stop, look, assess, control, then proceed — before each new task and again whenever the job or conditions change (a new unit, a new position, a new crew member, weather, the public).

COATES LIFE SAVING RULES — read and followed on every task

Risk Assessment

I will not commence any work that I am unfamiliar with, that is non-routine, potentially hazardous or impacted by changing conditions without first completing the appropriate Coates risk assessment tool to identify, assess and control risks.

High-Risk Work

I will not commence any High-Risk Work without a risk assessment being completed and without having signed onto the applicable Safe Work Method Statement (SWMS).

Training and Competency

I will be inducted, trained, competent and hold the required certification and licenses to conduct the task.

Fit for Work

When I commence work, I will be physically fit, and not impaired by fatigue, injury, distraction, drugs or alcohol. I will wear the required personal protective equipment (PPE) as identified for the task or site rules.

Tools and Equipment

I will only use tools and equipment that are fit for purpose and for which I am trained, competent and authorised. I will ensure that damaged or defective equipment is tagged out and removed from service.

Critical Risk Non-Negotiables

When I commence a work activity related to a Coates Top 10 Critical Risk, I will always ensure that I review and strictly adhere to the non-negotiable rules and controls for that Critical Risk to protect me, my workmates and others from serious harm.

DOCUMENTS

Portable buildings and toilets, installation and removal
SEQ-SWMS-x TSV500.1
20 pagesLoading and unloading at third party sites
SEQ-SWMS-009.01g
34 pages

CONTACTS

COATES SITE Andrew Fisher 0429 352 788 INSTALLER Aaron Zelvis 0429 493 057 INSTALLER Alfie Harris 0403 149 326
INSTALLER Kyle Gover 0403 789 142 IEDM SAFETY & TRAFFIC Steve Haines 0407 734 398 IEDM SITE MANAGER John Brett 0433 809 117 EMERGENCY 000

INSTALL

WC20

2 × Toilet Block 6m · 2 × Waste tank → Toilets (Tank Mounted)

DATE **Wed 07 Oct 2026**

TRUCK LEAVES _____

CARRIER _____

ON SITE **After 07:00**

LOAD **Own page · no shared load recorded**

ON THE TRUCK

WHAT	ASSET NO.	ACCESSORIES · TICK WHEN FITTED
2 × Toilet Block 6m · 2 × Waste tank Toilets (Tank Mounted) · Toilets & amenities	1327228 1327225	None on the schedule


WHERE IT GOES

LOCATION	Toilets (Tank Mounted)	
SECTOR	S04	CALLOUT WC20 on D023-26003-02
NEXT TO	_____	BESIDE _____
NEAR	S04 (~40 m)	DOOR FACES _____



MASTER-PLAN POSITION
-27.987468, 153.428179
From master plan D001 · not a phone pin
SCAN TO NAVIGATE

PHOTOS



Master plan



Close-up



Around it



Master plan · area

INSTALL LIST

- ☐ Unload portalos
☐ Arrival recorded in the page
- ☐ Forklift work
☐ Photos uploaded to the page
- ☐ Spotting
☐ Asset numbers recorded in the page

SAFETY

TAKE 5

Take 5 before every new task. Stop, look, assess, control, then proceed — before each new task and again whenever the job or conditions change (a new unit, a new position, a new crew member, weather, the public).

COATES LIFE SAVING RULES — read and followed on every task

Risk Assessment I will not commence any work that I am unfamiliar with, that is non-routine, potentially hazardous or impacted by changing conditions without first completing the appropriate Coates risk assessment tool to identify, assess and control risks.	High-Risk Work I will not commence any High-Risk Work without a risk assessment being completed and without having signed onto the applicable Safe Work Method Statement (SWMS).	Training and Competency I will be inducted, trained, competent and hold the required certification and licenses to conduct the task.
Fit for Work When I commence work, I will be physically fit, and not impaired by fatigue, injury, distraction, drugs or alcohol. I will wear the required personal protective equipment (PPE) as identified for the task or site rules.	Tools and Equipment I will only use tools and equipment that are fit for purpose and for which I am trained, competent and authorised. I will ensure that damaged or defective equipment is tagged out and removed from service.	Critical Risk Non-Negotiables When I commence a work activity related to a Coates Top 10 Critical Risk, I will always ensure that I review and strictly adhere to the non-negotiable rules and controls for that Critical Risk to protect me, my workmates and others from serious harm.

DOCUMENTS



Portable buildings and toilets, installation and removal
SEQ-SWMS-x TSV500.1
20 pages



Loading and unloading at third party sites
SEQ-SWMS-009.01g
34 pages

CONTACTS

COATES SITE Andrew Fisher **0429 352 788** INSTALLER Aaron Zelvis **0429 493 057** INSTALLER Alfie Harris **0403 149 326**
INSTALLER Kyle Gover **0403 789 142** IEDM SAFETY & TRAFFIC Steve Haines **0407 734 398** IEDM SITE MANAGER John Brett **0433 809 117**
EMERGENCY **000**

INSTALL

WC38

1 × FWF → Toilet

DATE	Wed 07 Oct 2026
TRUCK LEAVES	
CARRIER	
ON SITE	After 07:00
LOAD	Own page · no shared load recorded

ON THE TRUCK

WHAT	ASSET NO.	ACCESSORIES · TICK WHEN FITTED
1 × FWF Toilet · Toilets & amenities		None on the schedule


WHERE IT GOES

LOCATION	Toilet		
SECTOR	S10	CALLOUT	WC38 on D023-26003-02
NEXT TO	GEM	BESIDE	P08, P51
NEAR	Gate 2 (~30 m), Commodore (~55 m)	DOOR FACES	




MASTER-PLAN POSITION
-27.983631, 153.424238
From master plan D001 · not a
phone pin
SCAN TO NAVIGATE

PHOTOS



Master plan



Close-up



Around it



The product · stock photo

INSTALL LIST

- ☐ Unload portaloos
 ☐ Forklift work
 ☐ Spotting
- ☐ Arrival recorded in the page
 ☐ Photos uploaded to the page
 ☐ Asset numbers recorded in the page

SAFETY

TAKE 5

Take 5 before every new task. Stop, look, assess, control, then proceed — before each new task and again whenever the job or conditions change (a new unit, a new position, a new crew member, weather, the public).

COATES LIFE SAVING RULES — read and followed on every task

Risk Assessment I will not commence any work that I am unfamiliar with, that is non-routine, potentially hazardous or impacted by changing conditions without first completing the appropriate Coates risk assessment tool to identify, assess and control risks.	High-Risk Work I will not commence any High-Risk Work without a risk assessment being completed and without having signed onto the applicable Safe Work Method Statement (SWMS).	Training and Competency I will be inducted, trained, competent and hold the required certification and licenses to conduct the task.
Fit for Work When I commence work, I will be physically fit, and not impaired by fatigue, injury, distraction, drugs or alcohol. I will wear the required personal protective equipment (PPE) as identified for the task or site rules.	Tools and Equipment I will only use tools and equipment that are fit for purpose and for which I am trained, competent and authorised. I will ensure that damaged or defective equipment is tagged out and removed from service.	Critical Risk Non-Negotiables When I commence a work activity related to a Coates Top 10 Critical Risk, I will always ensure that I review and strictly adhere to the non-negotiable rules and controls for that Critical Risk to protect me, my workmates and others from serious harm.

DOCUMENTS



Portable buildings and toilets, installation and removal
SEQ-SWMS-x TSV500.1
20 pages



Loading and unloading at third party sites
SEQ-SWMS-009.01g
34 pages

CONTACTS

COATES SITE Andrew Fisher **0429 352 788** INSTALLER Aaron Zelvis **0429 493 057** INSTALLER Alfie Harris **0403 149 326**
INSTALLER Kyle Gover **0403 789 142** IEDM SAFETY & TRAFFIC Steve Haines **0407 734 398** IEDM SITE MANAGER John Brett **0433 809 117**
EMERGENCY **000**

INSTALL

WC39

2 × FWF → Toilets

DATE Wed 07 Oct 2026

TRUCK LEAVES

CARRIER

ON SITE

After 07:00

LOAD

Own page · no shared load
recorded

ON THE TRUCK

WHAT	ASSET NO.	ACCESSORIES · TICK WHEN FITTED
2 × FWF Toilets · Toilets & amenities		None on the schedule


WHERE IT GOES

LOCATION	Toilets
SECTOR	
NEXT TO	COW, OPT
NEAR	Gate 2 (~55 m), Park (~35 m)
CALLOUT	WC39 on D023-26003-02
BESIDE	OP14, P46
DOOR FACES	




MASTER-PLAN POSITION
-27.983559, 153.423886
From master plan D001 · not a
phone pin
SCAN TO NAVIGATE

PHOTOS



Master plan



Close-up



Around it



The product · stock photo

INSTALL LIST

- | | | |
|---|--|---|
| ☐ Unload portaloos | ☐ Forklift work | ☐ Spotting |
| ☐ Arrival recorded in the page | ☐ Photos uploaded to the page | ☐ Asset numbers recorded in the page |

SAFETY

TAKE 5

Take 5 before every new task. Stop, look, assess, control, then proceed — before each new task and again whenever the job or conditions change (a new unit, a new position, a new crew member, weather, the public).

COATES LIFE SAVING RULES — read and followed on every task

Risk Assessment I will not commence any work that I am unfamiliar with, that is non-routine, potentially hazardous or impacted by changing conditions without first completing the appropriate Coates risk assessment tool to identify, assess and control risks.	High-Risk Work I will not commence any High-Risk Work without a risk assessment being completed and without having signed onto the applicable Safe Work Method Statement (SWMS).	Training and Competency I will be inducted, trained, competent and hold the required certification and licenses to conduct the task.
Fit for Work When I commence work, I will be physically fit, and not impaired by fatigue, injury, distraction, drugs or alcohol. I will wear the required personal protective equipment (PPE) as identified for the task or site rules.	Tools and Equipment I will only use tools and equipment that are fit for purpose and for which I am trained, competent and authorised. I will ensure that damaged or defective equipment is tagged out and removed from service.	Critical Risk Non-Negotiables When I commence a work activity related to a Coates Top 10 Critical Risk, I will always ensure that I review and strictly adhere to the non-negotiable rules and controls for that Critical Risk to protect me, my workmates and others from serious harm.

DOCUMENTS



Portable buildings and toilets, installation and removal
SEQ-SWMS-x TSV500.1
20 pages



Loading and unloading at third party sites
SEQ-SWMS-009.01g
34 pages

CONTACTS

COATES SITE Andrew Fisher 0429 352 788 INSTALLER Aaron Zelvis 0429 493 057 INSTALLER Alfie Harris 0403 149 326
INSTALLER Kyle Gover 0403 789 142 IEDM SAFETY & TRAFFIC Steve Haines 0407 734 398 IEDM SITE MANAGER John Brett 0433 809 117
EMERGENCY 000

INSTALL

WC40

5 × FWF → Toilets

DATE Wed 07 Oct 2026

TRUCK LEAVES

CARRIER

ON SITE

After 07:00

LOAD

Own page · no shared load
recorded

ON THE TRUCK

WHAT	ASSET NO.	ACCESSORIES · TICK WHEN FITTED
5 × FWF Toilets · Toilets & amenities		None on the schedule


WHERE IT GOES

LOCATION	Toilets		
SECTOR	S10	CALLOUT	WC40 on D023-26003-02
NEXT TO		BESIDE	
NEAR	S10 (~80 m), Gate 2 (~30 m), Commodore (~65 m)		DOOR FACES




MASTER-PLAN POSITION
-27.983644, 153.424458
From master plan D001 · not a
phone pin
SCAN TO NAVIGATE

PHOTOS



Master plan



Close-up



Around it



The product · stock photo

INSTALL LIST

- | | | |
|---|--|---|
| ☐ Unload portaloos | ☐ Forklift work | ☐ Spotting |
| ☐ Arrival recorded in the page | ☐ Photos uploaded to the page | ☐ Asset numbers recorded in the page |

SAFETY

TAKE 5

Take 5 before every new task. Stop, look, assess, control, then proceed — before each new task and again whenever the job or conditions change (a new unit, a new position, a new crew member, weather, the public).

COATES LIFE SAVING RULES — read and followed on every task

Risk Assessment I will not commence any work that I am unfamiliar with, that is non-routine, potentially hazardous or impacted by changing conditions without first completing the appropriate Coates risk assessment tool to identify, assess and control risks.	High-Risk Work I will not commence any High-Risk Work without a risk assessment being completed and without having signed onto the applicable Safe Work Method Statement (SWMS).	Training and Competency I will be inducted, trained, competent and hold the required certification and licenses to conduct the task.
Fit for Work When I commence work, I will be physically fit, and not impaired by fatigue, injury, distraction, drugs or alcohol. I will wear the required personal protective equipment (PPE) as identified for the task or site rules.	Tools and Equipment I will only use tools and equipment that are fit for purpose and for which I am trained, competent and authorised. I will ensure that damaged or defective equipment is tagged out and removed from service.	Critical Risk Non-Negotiables When I commence a work activity related to a Coates Top 10 Critical Risk, I will always ensure that I review and strictly adhere to the non-negotiable rules and controls for that Critical Risk to protect me, my workmates and others from serious harm.

DOCUMENTS



Portable buildings and toilets, installation and removal
SEQ-SWMS-x TSV500.1
20 pages



Loading and unloading at third party sites
SEQ-SWMS-009.01g
34 pages

CONTACTS

COATES SITE Andrew Fisher 0429 352 788 INSTALLER Aaron Zelvis 0429 493 057 INSTALLER Alfie Harris 0403 149 326
INSTALLER Kyle Gover 0403 789 142 IEDM SAFETY & TRAFFIC Steve Haines 0407 734 398 IEDM SITE MANAGER John Brett 0433 809 117
EMERGENCY 000

INSTALL

WC61

8 × FWF → Toilets

DATE Wed 07 Oct 2026

TRUCK LEAVES

CARRIER

ON SITE

After 07:00

LOAD

Own page · no shared load
recorded

ON THE TRUCK

WHAT	ASSET NO.	ACCESSORIES · TICK WHEN FITTED
8 × FWF Toilets · Toilets & amenities		None on the schedule

WHERE IT GOES

LOCATION	Toilets	
SECTOR	S22A	CALLOUT WC61 on D023-26003-02
NEXT TO		BESIDE
NEAR	S22 (~50 m)	DOOR FACES




MASTER-PLAN POSITION
-27.984129, 153.429805
From master plan D001 · not a
phone pin
SCAN TO NAVIGATE


PHOTOS



Master plan



Close-up



Around it



The product · stock photo

INSTALL LIST

- | | | |
|---|--|---|
| ☐ Unload portaloos | ☐ Forklift work | ☐ Spotting |
| ☐ Arrival recorded in the page | ☐ Photos uploaded to the page | ☐ Asset numbers recorded in the page |

SAFETY

TAKE 5

Take 5 before every new task. Stop, look, assess, control, then proceed — before each new task and again whenever the job or conditions change (a new unit, a new position, a new crew member, weather, the public).

COATES LIFE SAVING RULES — read and followed on every task

Risk Assessment I will not commence any work that I am unfamiliar with, that is non-routine, potentially hazardous or impacted by changing conditions without first completing the appropriate Coates risk assessment tool to identify, assess and control risks.	High-Risk Work I will not commence any High-Risk Work without a risk assessment being completed and without having signed onto the applicable Safe Work Method Statement (SWMS).	Training and Competency I will be inducted, trained, competent and hold the required certification and licenses to conduct the task.
Fit for Work When I commence work, I will be physically fit, and not impaired by fatigue, injury, distraction, drugs or alcohol. I will wear the required personal protective equipment (PPE) as identified for the task or site rules.	Tools and Equipment I will only use tools and equipment that are fit for purpose and for which I am trained, competent and authorised. I will ensure that damaged or defective equipment is tagged out and removed from service.	Critical Risk Non-Negotiables When I commence a work activity related to a Coates Top 10 Critical Risk, I will always ensure that I review and strictly adhere to the non-negotiable rules and controls for that Critical Risk to protect me, my workmates and others from serious harm.

DOCUMENTS



Portable buildings and toilets, installation and removal
SEQ-SWMS-x TSV500.1
20 pages



Loading and unloading at third party sites
SEQ-SWMS-009.01g
34 pages

CONTACTS

COATES SITE Andrew Fisher 0429 352 788 INSTALLER Aaron Zelvis 0429 493 057 INSTALLER Alfie Harris 0403 149 326
INSTALLER Kyle Gover 0403 789 142 IEDM SAFETY & TRAFFIC Steve Haines 0407 734 398 IEDM SITE MANAGER John Brett 0433 809 117
EMERGENCY 000

INSTALL

WC86

1 × Accessible Toilet → Toilet

DATE **Wed 07 Oct 2026**

TRUCK LEAVES _____

CARRIER _____

ON SITE **After 07:00**

LOAD **Own page · no shared load recorded**

ON THE TRUCK

WHAT	ASSET NO.	ACCESSORIES · TICK WHEN FITTED
1 × Accessible Toilet Toilet · Toilets & amenities		None on the schedule


WHERE IT GOES

LOCATION	Toilet	
SECTOR	S04	CALLOUT _____
NEXT TO	_____	BESIDE _____
NEAR	S04 (~20 m)	DOOR FACES _____



MASTER-PLAN POSITION
-27.987660, 153.428216
From master plan D001 · not a phone pin
SCAN TO NAVIGATE

PHOTOS



Master plan



Close-up



Around it



The product · stock photo

INSTALL LIST

- ☐ Unload portaloos
 ☐ Forklift work
 ☐ Spotting
- ☐ Arrival recorded in the page
 ☐ Photos uploaded to the page
 ☐ Asset numbers recorded in the page

SAFETY

TAKE 5

Take 5 before every new task. Stop, look, assess, control, then proceed — before each new task and again whenever the job or conditions change (a new unit, a new position, a new crew member, weather, the public).

COATES LIFE SAVING RULES — read and followed on every task

Risk Assessment I will not commence any work that I am unfamiliar with, that is non-routine, potentially hazardous or impacted by changing conditions without first completing the appropriate Coates risk assessment tool to identify, assess and control risks.	High-Risk Work I will not commence any High-Risk Work without a risk assessment being completed and without having signed onto the applicable Safe Work Method Statement (SWMS).	Training and Competency I will be inducted, trained, competent and hold the required certification and licenses to conduct the task.
Fit for Work When I commence work, I will be physically fit, and not impaired by fatigue, injury, distraction, drugs or alcohol. I will wear the required personal protective equipment (PPE) as identified for the task or site rules.	Tools and Equipment I will only use tools and equipment that are fit for purpose and for which I am trained, competent and authorised. I will ensure that damaged or defective equipment is tagged out and removed from service.	Critical Risk Non-Negotiables When I commence a work activity related to a Coates Top 10 Critical Risk, I will always ensure that I review and strictly adhere to the non-negotiable rules and controls for that Critical Risk to protect me, my workmates and others from serious harm.

DOCUMENTS



Portable buildings and toilets, installation and removal
SEQ-SWMS-x TSV500.1
20 pages



Loading and unloading at third party sites
SEQ-SWMS-009.01g
34 pages

CONTACTS

COATES SITE Andrew Fisher **0429 352 788** INSTALLER Aaron Zelvis **0429 493 057** INSTALLER Alfie Harris **0403 149 326**
INSTALLER Kyle Gover **0403 789 142** IEDM SAFETY & TRAFFIC Steve Haines **0407 734 398** IEDM SITE MANAGER John Brett **0433 809 117**
EMERGENCY **000**