Planar Graphs

Alexander Golovnev

Outline

Subway Lines

Planar Graphs

Euler's Formula


Applications of Euler's Formula






















































Outline


Subway Lines

Planar Graphs

Euler's Formula

Applications of Euler's Formula

Design of Electronic Circuits

























Planar Graphs

 A graph is called Planar if it can be drawn in the plane such that its edges do not meet except at their end points


Planar Graphs


- A graph is called Planar if it can be drawn in the plane such that its edges do not meet except at their end points
- Even if you usually draw a graph with intersecting edges, it is Planar if it can be drawn without crossing edges

This graph is planar because it can be drawn without crossing edges




This graph is planar because it can be drawn without crossing edges







This graph is planar because it can be drawn without crossing edges




This graph is planar because it can be drawn without crossing edges








This graph is not planar because it cannot be drawn without crossing edges (we'll prove it later)















Maps and Planar Graphs



Maps and Planar Graphs



Maps and Planar Graphs



Outline

Subway Lines

Planar Graphs

Euler's Formula

Applications of Euler's Formula

Graph Faces


• Let us fix some Drawing of a planar graph


Graph Faces


- Let us fix some Drawing of a planar graph
- Then a Face of this graph is a region bounded by the edges of the graph


Graph Faces


- Let us fix some Drawing of a planar graph
- Then a Face of this graph is a region bounded by the edges of the graph
- Note that there is one infinitely large outer face



















Theorem

Let G be a connected planar graph drawn in the plane without edge intersections. Then

$$v-e+f=2$$
,

where v is the number of vertices, e is the number of edges, f is the number of faces in this drawing of G.





$$5 - 9 + v - e + f = 2$$

1
3
4

$$5 - 9 + 6$$
 $v - e + f = 2$

1
3

$$5-9+6=2$$
 $v-e+f=2$

1
3

• Induction on the number c of cycles in G

- Induction on the number c of cycles in G
- Base Case. c = 0: G is a tree. A tree has only one (outer) face, and it has v 1 edges.

- Induction on the number c of cycles in G
- Base Case. c = 0: G is a tree. A tree has only one (outer) face, and it has v 1 edges. Thus, v e + f = v (v 1) + 1 = 2

- Induction on the number c of cycles in G
- Base Case. c=0: G is a tree. A tree has only one (outer) face, and it has v-1 edges. Thus, v-e+f=v-(v-1)+1=2
- Induction Hypothesis. The formula holds for all graphs with $\leq c$ cycles


- Induction on the number c of cycles in G
- Base Case. c = 0: G is a tree. A tree has only one (outer) face, and it has v 1 edges. Thus, v - e + f = v - (v - 1) + 1 = 2
- Induction Hypothesis. The formula holds for all graphs with $\leq c$ cycles
- Induction Step. We'll prove the formula for G
 with c + 1 cycles, v vertices, e edges, and f
 faces


 Induction Step. G has c + 1 cycles. Choose an edge from a cycle. If we remove it, we merge two faces


- Induction Step. G has c + 1 cycles. Choose an edge from a cycle. If we remove it, we merge two faces
- The new graph G_1 has $\leq c$ cycles, $f_1 = f 1$ faces, $e_1 = e 1$ edges, and $v_1 = v$ vertices


- Induction Step. G has c + 1 cycles. Choose an edge from a cycle. If we remove it, we merge two faces
- The new graph G_1 has $\leq c$ cycles, $f_1 = f 1$ faces, $e_1 = e 1$ edges, and $v_1 = v$ vertices
- By the Induction Hypothesis, $v_1-e_1+f_1=2$


- Induction Step. G has c + 1 cycles. Choose an edge from a cycle. If we remove it, we merge two faces
- The new graph G_1 has $\leq c$ cycles, $f_1 = f 1$ faces, $e_1 = e 1$ edges, and $v_1 = v$ vertices
- By the Induction Hypothesis, $v_1-e_1+f_1=2$
- Then $v-e+f=v_1-(e_1+1)+(f_1+1)=v_1-e_1+f_1=2$











Outline


Subway Lines

Planar Graphs


Euler's Formula

Applications of Euler's Formula


Faces and Edges




This face has 5 edges




This face has 3 edges




This face has 4 edges




This edge belongs to 2 faces



This edge belongs to 2 faces



This edge belongs to 1 face



• Consider a connected planar graph on ≥ 3 vertices

- Consider a connected planar graph on ≥ 3 vertices
- Each face has at least 3 edges

- Consider a connected planar graph on ≥ 3 vertices
- Each face has at least 3 edges
- On the other hand, each edge belongs to at most 2 faces

- Consider a connected planar graph on ≥ 3 vertices
- Each face has at least 3 edges
- On the other hand, each edge belongs to at most 2 faces
- The number *p* of pairs (face, edge) such that edge is an edge in the face face is

- Consider a connected planar graph on ≥ 3 vertices
- Each face has at least 3 edges
- On the other hand, each edge belongs to at most 2 faces
- The number *p* of pairs (face, edge) such that edge is an edge in the face face is
 - *p* ≥ 3*f*

- Consider a connected planar graph on ≥ 3 vertices
- Each face has at least 3 edges
- On the other hand, each edge belongs to at most 2 faces
- The number *p* of pairs (face, edge) such that edge is an edge in the face face is
 - p ≥ 3f
 - p ≤ 2e

- Consider a connected planar graph on ≥ 3 vertices
- Each face has at least 3 edges
- On the other hand, each edge belongs to at most 2 faces
- The number *p* of pairs (face, edge) such that edge is an edge in the face face is
 - *p* ≥ 3*f*
 - p ≤ 2e
- Thus, f ≤ 2e/3

• Euler's formula: v - e + f = 2

- Euler's formula: v e + f = 2
- *f* ≤ 2*e*/3

- Euler's formula: v e + f = 2
- *f* ≤ 2*e*/3
- For every connected planar graph on ≥ 3 vertices:

$$e \leq 3v - 6$$

- Euler's formula: v e + f = 2
- *f* ≤ 2*e*/3
- For every connected planar graph on ≥ 3 vertices:

$$e \le 3v - 6$$
• $2 = v - e + f \le v - e + 2e/3 = v - e/3$

- Euler's formula: v e + f = 2
- *f* ≤ 2*e*/3
- For every connected planar graph on ≥ 3 vertices:

$$e \le 3v - 6$$
• $2 = v - e + f \le v - e + 2e/3 = v - e/3$

• Every connected planar graph has a vertex of degree ≤ 5

- Euler's formula: v e + f = 2
- *f* ≤ 2*e*/3
- For every connected planar graph on ≥ 3 vertices:


$$e \leq 3v - 6$$

•
$$2 = v - e + f \le v - e + 2e/3 = v - e/3$$

- Every connected planar graph has a vertex of degree ≤ 5
 - If all vertices have degree ≥ 6 , then $e = \sum \deg v_i/2 \geq 3v$


K_5 is Nonplanar

Why is K_5 nonplanar?




K_5 is Nonplanar

It has v=5 vertices and e=10 edges




K_5 is Nonplanar

It has v=5 vertices and e=10 edges In a planar graph, e=10 must be $\leq 3v-6=9$




Is $K_{3,3}$ Planar?



Is $K_{3,3}$ Planar?


$$v = 6, e = 9$$



Is $K_{3,3}$ Planar?

v = 6, e = 9

It does satisfy $e \le 3v - 6$



The Number of Faces in Bipartite Graphs • Bipartite Graphs don't have cycles of odd length

- Bipartite Graphs don't have cycles of odd length
- Each face has at least 4 edges

- Bipartite Graphs don't have cycles of odd length
- Each face has at least 4 edges
- The number *p* of pairs (face, edge) such that edge is an edge in the face face is

- Bipartite Graphs don't have cycles of odd length
- Each face has at least 4 edges
- The number *p* of pairs (face, edge) such that edge is an edge in the face face is

- Bipartite Graphs don't have cycles of odd length
- Each face has at least 4 edges
- The number *p* of pairs (face, edge) such that edge is an edge in the face face is
 - *p* ≥ 4*f*
 - p ≤ 2e

- Bipartite Graphs don't have cycles of odd length
- Each face has at least 4 edges
- The number *p* of pairs (face, edge) such that edge is an edge in the face face is
 - *p* ≥ 4*f*
 - p ≤ 2e
- Thus, f ≤ e/2

• Euler's formula: v - e + f = 2

- Euler's formula: v e + f = 2
- *f* ≤ *e*/2

- Euler's formula: v e + f = 2
- *f* ≤ *e*/2
- For every connected bipartite planar graph on ≥ 4 vertices:


$$e \leq 2v - 4$$

- Euler's formula: v e + f = 2
- *f* ≤ *e*/2
- For every connected bipartite planar graph on \geq 4 vertices:

$$e \leq 2v - 4$$


•
$$2 = v - e + f \le v - e + e/2 = v - e/2$$

 $K_{3,3}$ in Nonplanar



$K_{3,3}$ in Nonplanar

$$v = 6, e = 9$$



$K_{3,3}$ in Nonplanar

v=6, e=9In a planar bipartite graph, e=9 must be $\leq 2v-4=8$

