Basic Graphs

Alexander Golovnev

Outline

Paths, Cycles and Complete Graphs

Trees

Bipartite Graphs

The Path Graph P_n , $n \ge 2$, consists of n vertices v_1, \ldots, v_n and n-1 edges $\{v_1, v_2\}, \ldots, \{v_{n-1}, v_n\}$



The Path Graph P_n , $n \ge 2$, consists of n vertices v_1, \ldots, v_n and n-1 edges $\{v_1, v_2\}, \ldots, \{v_{n-1}, v_n\}$

The Graph P₅



The Path Graph P_n , $n \ge 2$, consists of n vertices v_1, \ldots, v_n and n-1 edges $\{v_1, v_2\}, \ldots, \{v_{n-1}, v_n\}$

The Graph P2




The Path Graph P_n , $n \ge 2$, consists of n vertices v_1, \ldots, v_n and n-1 edges $\{v_1, v_2\}, \ldots, \{v_{n-1}, v_n\}$

The Graph P9




The Path Graph P_n , $n \ge 2$, consists of n vertices v_1, \ldots, v_n and n-1 edges $\{v_1, v_2\}, \ldots, \{v_{n-1}, v_n\}$

The Graph P9




The Cycle Graph C_n , $n \ge 3$, consists of n vertices v_1, \ldots, v_n and n edges $\{v_1, v_2\}, \ldots, \{v_{n-1}, v_n\}, \{v_n, v_1\}$




The Cycle Graph C_n , $n \ge 3$, consists of n vertices v_1, \ldots, v_n and n edges $\{v_1, v_2\}, \ldots, \{v_{n-1}, v_n\}, \{v_n, v_1\}$

The Graph C₅




The Cycle Graph C_n , $n \ge 3$, consists of n vertices v_1, \ldots, v_n and n edges $\{v_1, v_2\}, \ldots, \{v_{n-1}, v_n\}, \{v_n, v_1\}$

The Graph C_5




The Cycle Graph C_n , $n \ge 3$, consists of n vertices v_1, \ldots, v_n and n edges $\{v_1, v_2\}, \ldots, \{v_{n-1}, v_n\}, \{v_n, v_1\}$

The Graph C₃




The Cycle Graph C_n , $n \ge 3$, consists of n vertices v_1, \ldots, v_n and n edges $\{v_1, v_2\}, \ldots, \{v_{n-1}, v_n\}, \{v_n, v_1\}$

The Graph C9




The Complete Graph (Clique) K_n , $n \ge 2$, contains n vertices v_1, \ldots, v_n and all edges between them (n(n-1)/2 edges)




The Complete Graph (Clique) K_n , $n \ge 2$, contains n vertices v_1, \ldots, v_n and all edges between them (n(n-1)/2 edges)

The Graph K₆




The Complete Graph (Clique) K_n , $n \ge 2$, contains n vertices v_1, \ldots, v_n and all edges between them (n(n-1)/2 edges)

The Graph K₅




The Complete Graph (Clique) K_n , $n \ge 2$, contains n vertices v_1, \ldots, v_n and all edges between them (n(n-1)/2 edges)

The Graph K₃



The Complete Graph (Clique) K_n , $n \ge 2$, contains n vertices v_1, \ldots, v_n and all edges between them (n(n-1)/2 edges)

The Graph $K_3 = C_3$



The Complete Graph (Clique) K_n , $n \ge 2$, contains n vertices v_1, \ldots, v_n and all edges between them (n(n-1)/2 edges)

The Graph K₂



The Complete Graph (Clique) K_n , $n \ge 2$, contains n vertices v_1, \ldots, v_n and all edges between them (n(n-1)/2 edges)

The Graph $K_2 = P_2$





Outline


Paths, Cycles and Complete Graphs


Trees


Bipartite Graphs























Definition

• A tree is a connected graph without cycles


Definition


- A tree is a connected graph without cycles
- A tree is a connected graph on n vertices with n – 1 edges


Definition

- A tree is a connected graph without cycles
- A tree is a connected graph on n vertices with n – 1 edges
- A graph is a tree if and only if there is a unique simple path between any pair of its vertices


Trees: Examples









Trees: Examples





Trees: Examples






























Connected; the number of edges is n-1








Remove any edge, keeping the graph connected



































Outline

Paths, Cycles and Complete Graphs


Trees


 A graph G is Bipartite if its vertices can be partitioned into two disjoint sets L and R such that


- A graph G is Bipartite if its vertices can be partitioned into two disjoint sets L and R such that
 - Every edge of G connects a vertex in L to a vertex in R


- A graph G is Bipartite if its vertices can be partitioned into two disjoint sets L and R such that
 - Every edge of G connects a vertex in L to a vertex in R
 - I.e., no edge connects two vertices from the same part


- A graph G is Bipartite if its vertices can be partitioned into two disjoint sets L and R such that
 - Every edge of G connects a vertex in L to a vertex in R
 - I.e., no edge connects two vertices from the same part
- L and R are called the parts of G
































Complete bipartite graph




Complete bipartite graph $K_{2,3}$






Complete bipartite graph $K_{4,3}$



Cycle Graphs

For even n, C_n is bipartite



Cycle Graphs

For odd n > 2, C_n is not bipartite

