


G6




G7



G8




H1



(T_j =25℃)

飽和電圧 (V)				スイッチング時間 (μs)						エミッタ・コレクタ間ダイオード						熱抵抗		等価回路	外形図	記事	型名
V_{CE}	V_{BE}	I_C	I_B	t_{on}	t_{stg}	t_f	I_{B1}	I_{B2}	I_C	V_F (V)	I_F	t_{rr} (μs)	I_F	V_{BE}	di/dt	$R_{th(j-c)}$ (℃/W) トランジスタ部	ダイオード部				
最大	最大	(A)	(A)	最大	最大	最大	(A)	(A)	(A)	最大	(A)	最大	(A)	(V)	(A/μs)	最大	最大				
2.0	2.5	10	0.5	0.8	2.5	1.0	0.5		10	2.0	15	0.4	15	−6	50	1.56	2.5	H1	M401		EVF31H-035
2.0	2.2	15	0.25	1.5	12	2.5	0.25	0.25	15	1.5	15	0.4	15	−6	50	1.25	2.5	H1	M401		EVF31H-050
2.0	2.5	10	0.5	1.0	12	2.0	0.5	-0.5	10	1.5	10	0.4	10	−6	50	1.56	2.5	G1	M601		6DI10A-050
2.5	3.5	10	0.5	3.0	15	3.0	0.5	-1.5	10	2.0	10	0.6	10	−6	50	1.25	2.5	G5	M604		6DI10A-120
2.0	2.5	15	0.5	1.0	12	2.0	0.5	-0.5	15	1.5	15	0.4	15	−6	50	1.56	2.5	G1	M604		6DI15A-050
2.5	3.0	15	0.5	3.0	15	3.0	0.5	-1.5	15	2.0	15	0.6	15	−6	50	0.83	2.5	G4	M605		6DI15A-120
2.0	2.5	20	0.5	1.0	12	2.0	0.5	-0.5	20	1.5	20	0.4	20	−6	50	1.04	2.5	G1	M604		6DI20C-050
2.0	2.5	30	0.6	3.0	12	4.0	0.6	-0.6	30	1.5	30	0.4	30	−6	50	0.83	1.8	G2	M603		6DI30A-050
2.0	2.5	30	0.5	1.0	12	2.0	0.5	-0.5	30	1.5	30	0.4	30	−6	50	0.61	2.5	G3	M605		6DI30B-050
2.5	3.0	30	0.04	3.0	8	3.0	0.04	-0.6	30	1.8	30	0.6	30	−6	100	0.625	2.0	G6	M607		6DI30M-050
2.5	3.0	30	0.04	3.0	8	3.0	0.04	-0.6	30	1.8	30	0.6	30	−6	100	0.83	1.8	G8	M603		6DI30MA-050
2.0	2.5	50	1.5	3.0	12	4.0	1.0	-1.5	50	1.5	50	0.6	50	−6	50	0.54	1.9	G2	M603		6DI50A-055
2.0	2.5	50	1.0	3.0	12	4.0	1.0	-1.0	50	1.5	50	0.4	50	−6	50	0.54	1.9	G2	M603		6DI50C-050
2.5	3.0	50	.067	3.0	8	3.0	0.07	-1.0	50	1.8	50	0.6	50	−6	100	0.4	1.3	G7	M609		6DI50M-050
2.5	3.0	50	.067	3.0	8	3.0	0.07	-1.0	50	1.8	50	0.6	50	−6	100	0.54	1.5	G8	M603		6DI50MA-050
2.0	2.5	75	1.5	3.0	12	4.0	1.5	-1.5	75	1.5	75	0.6	75	−6	75	0.35	0.85	G2	M603		6DI75A-050
2.5	3.0	75	0.1	3.0	8	3.0	0.1	-1.5	75	1.8	75	0.6	75	−6	150	0.35	0.85	G7	M609		6DI75M-050
2.5	3.0	75	0.1	3.0	8	3.0	0.1	-1.5	75	1.8	75	0.6	75	−6	150	0.35	0.85	G8	M603		6DI75MA-050
2.0	2.5	100	2.5	3.0	15	4.0	2.5	-2.5	100	2.0	100	0.6	100	−6	100	0.31	0.85	G2	M603		6DI100A-050
2.0	2.2	15	0.25	1.0	15	2.5	0.25	0.25	15	1.5	15	0.4	15	−6	50	1.25	2.5	G1	M602	UL：E82988	EVF31T-050A


http://store.iiic.cc/




〈寸法図単位:mm〉

http://store.iiic.cc/

FD-9



FD-10




FD-11

FD-12


《寸法図単位:mm》

http://store.iiic.cc/


H-1




H-2



H-3




H-4




Unit in mm(inch)

H-5




Unit in mm(inch)


H-6




H-7



H-8A




H-8B



《寸法図単位：mm》


http://store.iiic.cc/




《寸法図単位：mm》

http://store.iiic.cc/


H-17




H-18




H-19




H-20



H-21




H-22




《寸法図単位：mm

http://store.iiic.cc/


H-23




H-24



H-25




H-26



Type	Direction of polarity
CA12	


H-27



Type	Direction of polarity
CF11V	

(注) CC11V : 400±10
CF11V : 250±10

H-28



Type	Direction of Polarity
GFP1000GG	


Weight : 360(g)

Note : The thickness is a dimension in press at the rated mounting force.

《寸法図単位 : mm》

http://store.iiic.cc/

H-29




Type	Direction of Polarity
GFP2000FG	

Weight:870(g)

Note : The thickness is a dimension in press at the rated mounting force.

H-30



Type	Direction of Polarity
GFP3000GG	


Weight:1.460(g)

Note : The thickness is a dimension in press at the rated mounting force.

《寸法図単位:mm》

http://store.iiic.cc/


HT-1




TERMINAL	t	W	φA	φB
T_1	0.8±0.025 (0.031±0.001)	6.35±0.1 (0.250±0.004)	$2.00^{+0.1}_{-0.2}$ $(0.079^{+0.004}_{-0.008})$	1.3 (0.051)
T_2	0.8±0.025 (0.031±0.001)	6.35±0.1 (0.250±0.004)	$2.00^{+0.1}_{-0.2}$ $(0.079^{+0.004}_{-0.008})$	1.3 (0.051)
G	0.5±0.025 (0.020±0.001)	4.75±0.1 (0.187±0.004)	$1.55^{+0.1}_{-0.2}$ $(0.061^{+0.004}_{-0.008})$	1.3 (0.051)


Unit in mm(inch)

HT-2







HT-3



HT-4



HT-5




TERMINAL	t	W	φA	φB
T_1	0.8±0.025	6.35±0.1	$2.00^{+0.1}_{-0}$	2.4
T_2	0.8±0.025	6.35±0.1	$2.00^{+0.1}_{-0}$	2.4
G	0.5±0.025	4.75±0.1	$1.55^{+0.1}_{-0}$	1.55


《寸法図単位：mm》

http://store.iiic.cc/


M-1




M-2




M-3




M-4




M-5




M-6



M-7




M-8




《寸法図単位：mm

http://store.iiic.cc/


M-9




M-10




M-11




M-12




M-13




M-14



M-15




M-16




《寸法図単位：mm》

http://store.iiic.cc/


M-17




M-18




M-19




M-20




M-21




M-22



M-23




M-24




《寸法図単位：mm》

http://store.iiic.cc/


M-25




M-26




M-27




M-28




M-29




M-30



M-31




M-32




《寸法図単位：mm》

http://store.iiic.cc/

M-33




M-34



《寸法図単位:mm》


http://store.iiic.cc/

MT-1




JEDC：TO-92


MT-2




MT-3




MT-4




MT-5



MT-6




MT-7




《寸法図単位：mm》

http://store.iiic.cc/


MT-8




MT-9




MT-10




MT-11




MT-12




MT-13



MT-14




MT-15



《寸法図単位：mm》


http://store.iiic.cc/



《寸法図単位：mm》

http://store.iiic.cc/

MT-24






① T_1 端子
② T_2 端子
③ ゲート端子
④ T_2 端子

TO－3P


《寸法図単位:mm》

http://store.iiic.cc/


N-1




N-2




N-3




N-4




N-5




N-6



N-7




N-8



《寸法図単位：mm》

http://store.iiic.cc/

N-9




電極接続
K：カソード
A：アノード
G：ゲート

《寸法図単位：mm》


http://store.iiic.cc/

NA-1



電極接続
1. ゲート
2. アノード
3. カソード
JEDEC：TO-92

NA-2




電極接続
1. カソード
2. アノード
3. ゲート
JEDEC：TO-202AA

《寸法図単位：mm》


http://store.iiic.cc/

NI-1




NI-2

29RD




NI-3

39RC
59RC
39RF
59RF




NI-4

68RP, 88RP, 108RP, 68RS, 88RS, 78RT, 88RLD, 88RLE, 88RLF, 88RLG, 88RLH, 108RLE




NI-5

158RP, 208RP, 128RS, 178RS, 158RT, 178RLD, 178RLE, 178RLF, 178RLG, 178RLH, 208RLE




NI-6

308RP, 408RP, 508RP, 278RS, 358RS, 258RT, 258RLD, 258RLG, 258RLH, 308RLE, 308RLF, 358RLE




NI-7

89RW
129RW



NI-8

89RW
129RW




《寸法図単位:mm》

http://store.iiic.cc/


NI-9

259RW
309RW




NI-10

259RW「JL
309RW「JL



NI-11


103PA
253PA
503PA
553PA
803PA
103PLE
103PLG
103PLH
203PLG
253PLE
253PLH
353PLG
403PLE
403PLH



型名 / 寸法	103PA, 103PLE 103PLG, 103PLH	253PA, 203PLG 253PLE, 253PLH	503PA, 553PA 353PLG, 403PLE 403PLH	803PA
A	40	46	55.5	55.5
B	16	22	30	32
C	36	42	50.5	50.5


NI-12

403PAB
503PAB
503PLB




NI-13

1003PA
1003PAB
1003PLF
1003PLH
1503PA




NI-14

358RGA



NI-15

359RGA




《寸法図単位:mm》

http://store.iiic.cc/


NI-16

503PLF
503PLH




NI-17

3003PA




NI-18

353PGA「」E




NI-19

603PGA, 603PGA「」A, 803PGA




NI-20

603PGA「」E




NI-21

1001PGB「」E




NI-22

1201PGA, 1201PGA「」A, 1401PGA



NI-23

1201PGA「」E




《寸法図単位:mm》

http://store.iiic.cc/

NI-24

2001PGBT JE




NI-25

NI-26

《寸法図単位:mm》


http://store.iiic.cc/

NT-1




電極接続
①T_1
②ゲート
③T_2

NT-2




電極接続
①T_1
②ゲート
③T_2

NT-3




電極接続
①T_1
②T_2
③ゲート

NT-4




電極接続
①T1
②T2
③G

NT-5




電極接続
トライアック
① T_1
② T_2
③ ゲート
本体2 g

NT-6




電極接続
トライアック
① T_1
② T_2
③ゲート
本体 2g

NT-7



NT-8




電極接続
① T_1
② T_2
③ G
④ フィン(T_2)


《寸法図単位：mm》

http://store.iiic.cc/

S-1




ST-1




《寸法図単位：mm》

http://store.iiic.cc/


SA-1




SA-2




SA-3




SA-4




SA-5




SA-6



SA-7




SA-8




《寸法図単位:mm》

http://store.iiic.cc/


SA-9




SA-10



SA-11




SA-12



http://store.iiic.cc/


《寸法図単位:mm》

SAT-1




T1端子：ファストン250(T=6.35, t=0.8, φ=1.65)
T2端子：ファストン250(T=6.35, t=0.8, φ=1.65)
G 端子：ファストン187(T=4.75, t=0.5, φ=1.3)


SAT-2




SAT-3




SAT-4




SAT-5




SAT-6




SAT-7



SAT-8




SAT-9




《寸法図単位：mm》

http://store.iiic.cc/

SAT-10




SAT-11



《寸法図単位：mm》


http://store.iiic.cc/

SY-1 (1096A)




C: Cathode
A: Anode
G: Gate

SY-2 (1151)




G: Gate
A: Anode
C: Cathode

SY-3 (1104)



G. Gate
A. Anode
C. Cathode

SY-4 (1150)




G: Gate
A: Anode
C: Cathode

《寸法図単位:mm》


http://store.iiic.cc/

1097A




G: Gate


1102




1141




1142




1144



1155



1192A




G: Gate

http://store.iiic.cc/


《寸法図単位:mm》

T-1 (13-5A1A)




1 ゲート
2 アノード
3 カソード

T-2 (13-8A1A)




1. カソード
2. ゲート
3. アノード(ケース)

T-3 (13-8C1A)




T-4 (13-10A1A)




1 カソード
2 アノード
3 ゲート

T-5 (13-10B1A)




1 カソード
2 アノード
3 ゲート

T-6 (13-11D1A)




1 カソード
2 アノード
3 ゲート

T-7 (13-13A1A)



T-8 (13-13B1A)




1. ゲート
2. カソード
アノード(ケース)


《寸法図単位：mm

http://store.iiic.cc/


T-9 (13-14A1A)




T-10 (13-19A1A)




T-11 (13-21B1A)




T-12 (13-27B1B)




T-13 (13-27C1A)




T-14 (13-32A1A)



T-15 (13-35C1B)




T-16 (13-40B1A)



《寸法図単位：mm》


http://store.iiic.cc/

T-17 (13-42A1A)




1-(1) カソード　2. アノード
1-(2) カソード(黒)　3. ゲート(白)

T-18 (13-45D1A)




①-(1) カソード
①-(2) カソード(黒)
② アノード
③ ゲート(白)

T-19 (13-52B1A)




①-カソード
①-カソード(黒)
② アノード
③ ゲート(白)

T-20 (13-52C1A)




①-(1) カソード
①-(2) カソード(黒)
② アノード
③ ゲート(白)

T-21 (13-60A1A)




1-(1) カソード
1-(2) カソード(黒)
2 アノード
3 ゲート(白)

T-22 (13-70C1A)




① カソード(1)
② カソード(2)(黒)
③ アノード
④ ゲート(白)

T-23 (13-78A1A)



①-(1) カソード
①-(2) カソード(黒)
② アノード
③ ゲート(白)

T-24 (13-100C1A)




①-(1) カソード
①-(2) カソード(黒)
② アノード
③ ゲート(白)

《寸法図単位：mm


http://store.iiic.cc/

T-25 (13-120A2A)




①−(1) カソード
①−(2) カソード(黒)
② アノード
③ ゲート(白)

T-26 (13-150A1A)




①−(1) カソード
①−(2) カソード(赤)
② アノード
③ ゲート(白)

T-27 (13-37A1A)




①−(1) カソード
①−(2) カソード(赤)
② アノード
③ ゲート(白)

T-28 (13-45E1A)




①−(1) カソード
①−(2) カソード(赤)
② アノード
③ ゲート(白)

T-29 (13-51A1A)




①−(1) カソード
①−(2) カソード(赤)
② アノード
③ ゲート(白)

T-30 (13-57A1A)




①−(1) カソード
①−(2) カソード(赤)
② アノード
③ ゲート(白)

T-31 (13-100E1A)



①−(1) カソード
①−(2) カソード(黒)
② アノード
③ ゲート(白)

T-32 (13-60E3A)




①-(1) カソード
①-(2) カソード (黒)
② アノード
③ ゲート (白)

《寸法図単位：mm》


http://store.iiic.cc/

T-33 (13-78B1A)




① カノード
② アノード
③ ゲート

T-34 (13-66A1A)




① カソード
② アノード
③ ゲート

T-35 (13-100D1A)




①−(1) カソード
①−(2) カソード(黒)
② アノード
③ ゲート(白)

T-36 (13-120E1A)




①−(1) カソード
①−(2) カソード(黒)
② アノード
③ ゲート(白)

T-37 (13-120A1A)




①−(1) カソード
①−(2) カソード(黒)
② アノード
③ ゲート(白)

T-38 (13-120C1A)




① カソード
② アノード
③ ゲート

T-39 (13-80B1A)



①−(1) カソード
①−(2) カソード(黒)
② アノード
③ ゲート(白)

T-40 (13-28A1A)




1. カソード
2. アノード
3. ゲート

《寸法図単位：mm


http://store.iiic.cc/

T-41 (13-28A2A)




1. カソード
2. アノード
3. ゲート

T-42 (13-45F1A)




①-(1) カソード
①-(2) カソード(黒)
② アノード
③ ゲート(白)

T-43 (13-60E2A)




①-(1) カソード
①-(2) カソード(黒)
② アノード
③ ゲート(白)

T-44 (13-36A1A)




1. カソード
2. アノード
3. ゲート

T-45 (13-51B1A)




①-(1) カソード
①-(2) カソード (黒)
② アノード
③ ゲート (白)

T-46 (13-36B1A)




1. カソード
2. アノード
3. ゲート

T-47 (13-60E1A)



①-(1) カソード
①-(2) カソード(黒)
② アノード
③ ゲート(白)

T-48 (13-93C1A)




①-(1) カソード
①-(2) カソード(黒色)
② アノード
③ ゲート(白色)

《寸法図単位：mm》


http://store.iiic.cc/

T-49 (13-75A1A)




1-(1) カソード
1-(2) カソード（黒）
2. アノード
3. ゲート（白）

T-50 (13-10A3A)




1. カソード
2. アノード
3. ゲート

T-51 (13-10D1A)




1. カソード
2. アノード
3. ゲート

T-52 (13-10D2A)




1. カソード
2. アノード
3. ゲート

T-53 (13-10E1B)




1. カソード
2. アノード
3. ゲート

T-54 (13-10F1B)




1. カソード
2. アノード
3. ゲート

T-55 (13-5A1D)



1. カソード
2. ゲート
3. アノード

T-56 (13-13C1A)




1. カソード
2. アノード
3. ゲート

《寸法図単位：mm》


http://store.iiic.cc/

T-57 (12-16C1A)




1. アノード（主）
2. ゲート（主）
3. カソード（共通）
4. ゲート（補助）
5. アノード（補助）

T-58 (13-10H1B)




1. カソード
2. アノード
3. ゲート

T-59 (13-120A1A)




1-(1) カソード
1-(2) カソード（黒）
2. アノード
3. ゲート（白）

T-60




1. カソード
2. アノード
3. ゲート

T-61 (13-5B1A)




1. ゲート
2. アノード
3. カソード

T-62 (13-10H1A)



1. カソード
2. アノード
3. ゲート

T-63 (13-16A1B)




1. カソード
2. アノード
3. ゲート

《寸法図単位:mm》


http://store.iiic.cc/

TT-1




1. ゲート
2. T_2
3. T_1

TT-2




1. T_1
2. ゲート
3. T_2

TT-3




1. T_1
2. T_2
3. ゲート

TT-4




1. T_1
2. T_2
3. ゲート

TT-5




1. T1
2. T2
3. ゲート

TT-6




1. T1
2. T2（放熱板）
3. ゲート

TT-7



1. T1
2. T2
3. ゲート

TT-8




1. ゲート
2. T_1
T_2（ケース）

〈寸法図単位：mm


http://store.iiic.cc/

TT-9




1. ゲート
2. T_1
3. T_2（ケース）

TT-10




1. ゲート
2. T_1
3. T_2（ケース）

TT-11




1. ゲート（ファストン端子 #187）
2. T_1（〃 #250）
3. T_2（〃 #250）

TT-12




① ゲート（ファストン端子 #187）
② T_1（〃 #250）
③ T_2（〃 #250）

TT-13




1,2:T2
3:GATE
4:T1

TT-14




1,2:T2
3:GATE
4:T1

TT-15 (13-14A1B)



1.：ゲート
2.：T_1
T_2（ケース）

TT-16 (13-16A1A)




1. T_1
2. T_2
3. ゲート

《寸法図単位：mm》


http://store.iiic.cc/

TS-1




1．ベース
2．エミッタ
コレクタ(ケース)

TS-2




1．ベース
2．エミッタ
コレクタ(ケース)

TS-3




1．エミッタ 2．ベース
コレクタ(ケース)

TS-4




1．ベース
2．エミッタ
3．コレクタ(ケース)

TS-5




1．ベース
2．エミッタ
3．コレクタ(ケース)

TS-6



1．ベース
2．エミッタ
3．コレクタ(ケース)

TS-7




1．ベース
2．コレクタ(放熱板)
3．エミッタ

《寸法図単位：mm》

http://store.iiic.cc/


TS-8




《寸法図単位：mm》

http://store.iiic.cc/


S-62A1A




S-80A1A




S-88D1A




S-92B1A



S-94B1A




S-94B1B




《寸法図単位：mm》

http://store.iiic.cc/


S-94B2A




S-94D1A




S-95A1A




S-95B1A



S-98B1B




S-108A2A




《寸法図単位：mm》

http://store.iiic.cc/


S-108B1A




S-108B1B




S-108B1C



S-108B2A




S-108B2B




《寸法図単位:mm》

http://store.iiic.cc/


2-22B1A




2-27A4A




2-33C1A




2-33D1A



2-33F1A




2-37A1A




http://store.iiic.cc/

《寸法図単位：mm》


2-48A3A




2-48A3B




2-48A4A




2-64A2A



2-64A2B




2-68A2A




《寸法図単位：mm》

http://store.iiic.cc/


2-68B2A




2-68C1A




2-68D2A




2-72A3A



2-80A1A




2-80B1A




《寸法図単位：mm》

http://store.iiic.cc/


2-80C1A




2-80D2A




2-94A2A




2-94B1A



2-94C2A




2-94C3A




《寸法図単位：mm》

http://store.iiic.cc/


2-94D1A




2-96A3A




2-96A4A




2-98B1A



2-98C2A




2-108A2A




《寸法図単位：mm》

http://store.iiic.cc/


2-108B1A




2-109A3A




2-109A4A



2-109B3A



2-109B4A




《寸法図単位：mm》

http://store.iiic.cc/


BBT-II

BBTII
1D200A-020




BBT-III

BBTIII
ETN31-055
ETM36-030
ETN36-030
ETN35-030




BBT-III

BBTIII
ETN01-055
ET1257




BBT-IV

BBTIV
1D500A-030




http://store.iiic.cc/


M-101




M-102




M-103




M-104



M-105




M-106




《寸法図単位：mm》

http://store.iiic.cc/

M-107




M-116




《寸法図単位：mm》

http://store.iiic.cc/


M-201




M-202




M-203




M-204



M-205




M-206




《寸法図単位：mm》

http://store.iiic.cc/


M-207




M-208




M-209




M-210



M-211




M-212



《寸法図単位：mm》


http://store.iiic.cc/

M-213




M-214


M-215




M-216



M-217




M-218



《寸法図単位:mm》

http://store.iiic.cc/


M-219




《寸法図単位:mm》

http://store.iiic.cc/


M-601




M-602




M-603




M-604



M-605




M-606




《寸法図単位：mm》

http://store.iiic.cc/


M-607




M-608




M-609



M-610




M-616




《寸法図単位:mm》

http://store.iiic.cc/


M-1A1A




M-2A1A




M-2B1A




M-2B2A



M-2C2A




M-2D4A




《寸法図単位:mm》

http://store.iiic.cc/


M-2E6A




M-2F6A




M-2G6A




M-3A1A



M-3B1A




M-3B1B




《寸法図単位:mm》

http://store.iiic.cc/


M-3C1A




M-3D6A




M-3E6A




M-4A1A



M-4A2A




M-4A1B




《寸法図単位:mm》

http://store.iiic.cc/


M-4A2B




M-4B2A




M-5A1A




M-5A1B



M-5A2A




M-5B2A




《寸法図単位:mm》

http://store.iiic.cc/


M-5C2A




M-5D2A




M-6A1A




M-7A1A



M-7B1A




M-8A1A




《寸法図単位:mm》

http://store.iiic.cc/


M-8A1B




M-8A2A




M-8A2B




M-8B2A



M-9A1A




M-9A2A




《寸法図単位:mm》

http://store.iiic.cc/


M-9B1A




M-9C2A




M-1A1B




M-1A1C



M-2E6B




M-2E6C




《寸法図単位:mm》

http://store.iiic.cc/


M-2G6B




M-3D6B




M-4A2C




M-7A1B



M-7C1A




M-8A2C




《寸法図単位：mm》

http://store.iiic.cc/


M-10A2A




M-10A2B




M-11A2A




M-12A6A



M-12B6A




M-12B6B




《寸法図単位：mm》

http://store.iiic.cc/


M-4A2D




M-4A2E




M-4C2A




M-4C2B



M-9B1C




M-9D2A




《寸法図単位：mm》

http://store.iiic.cc/

M-9D2B




M-10A2C



《寸法図単位：mm》

http://store.iiic.cc/

H-101





Weight :480g


《寸法図単位:mm》

http://store.iiic.cc/

H-201










Weight:200g

H-202









Weight:360g

《寸法図単位:mm》


http://store.iiic.cc/


LF-J





LF-K







《寸法図単位：mm》

http://store.iiic.cc/


U-1




U-2



U-3




U-4




電極接続
B_1：ベースI
B_2：ベース2
E ：エミッタ

U-5




1. BASE 1
2. EMITTER
3. BASE 2 (CASE)

U-6




1. BASE(2)
2. EMITTER
3. BASE(1)

U-7



電極接続
B_1：ベース1
E ：エミッタ
B_2：ベース2

U-8



《寸法図単位：mm》

http://store.iiic.cc/