

The image displays two overlapping windows. The background window is a REST client interface (Postman) showing a POST request to `http://localhost:7788/api/user-register/register`. The request body is a JSON object with fields: `username`, `phone_number`, `domicile`, `gender`, `password`, and `fullname`. The response is a JSON object with fields: `id`, `username`, `fullname`, `otp`, `tokenExpiredDate`, and `roles`. The `roles` field is an array containing an object with `id`, `name`, `type`, and `rolePaths`.

The foreground window is a Gmail interface showing an email from 'admin' with the subject 'Register'. The email body contains a greeting, a request for confirmation, a link to confirm registration (`http://localhost:7788/api/user-register/register-confirm-otp/363231`), and a closing message.

The screenshot shows a REST client interface (Postman) on the left and a web browser on the right. The REST client is configured with a POST request to 'http://localhost:7788/api/oauth/token'. The response is a JSON object: {"data": "Sukses, Silahkan Melakukan Login", "message": "Sukses", "status": "200"}.

### 3. Send OTP Email & Validate

The image shows a two-part process for sending and validating an OTP email. The top part shows a Postman REST client sending a POST request to a local server, and a Gmail inbox showing the received email. The bottom part shows a Postman REST client sending a GET request to validate the OTP.

**Top Screenshot: Sending OTP Email**

**Postman Request:**

- Method: POST
- URL: `http://localhost:7788/api/user-register/send-otp`
- Body (JSON):

```
{  "username": "mo.taufiqaa@gmail.com"}
```
- Status: 200 OK, 31 ms, 787 B
- Body (Pretty):

```
{  "data": "Thanks, please check your email for activation.",  "message": "Sukses",  "status": "200"}
```

**Gmail Inbox:**

- From: admin
- Subject: Halo M Taufiq Selamat bergabung Harap konfirmasi email kamu dengan
- Body:

Halo M TAUFIQ Selamat bergabung

Harap konfirmasi email kamu dengan memasukkan kode dibawah ini

kode: <http://localhost:7788/api/user-register/register-confirm-otp/363231>

Jika Anda butuh bantuan atau pertanyaan, hubungi customer care kami di 1 kirim email ke [testing@gmail.com](mailto:testing@gmail.com)

Semoga Sukses Selalu

PT Surya Taufiq,

**Bottom Screenshot: Validating OTP**

**Postman Request:**

- Method: GET
- URL: `http://localhost:7788/api/user-register/register-confirm-otp/363231`
- Status: 200 OK, 21 ms, 787 B
- Body (Pretty):

```
{  "data": "Akun Anda sudah aktif, Silahkan melakukan login",  "message": "Sukses",  "status": "200"}
```

## 4. Get List Karyawan Using Bearer Token

POSTMAN / IDSTAR / Karyawan / Get All

GET <http://localhost:7788/api/v1/idstar/karyawan/list> Send

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies

Headers Hide auto-generated headers

Key	Value	Description
Authorization	Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJhd...	
Cache-Control	no-cache	
Postman-Token	<calculated when request is sent>	

Body Cookies Headers (18) Test Results Status: 200 OK Time: 26 ms Size: 1.77 KB Save as example

Pretty Raw Preview Visualize JSON Copy Search

```
1  {
2    "data": {
3      "content": [
4        {
5          "created_date": "2023-11-26T16:53:55.458+0700",
6          "updated_date": "2023-11-26T16:53:55.458+0700",
7          "deleted_date": null,
8          "id": 2,
9          "nama": "Taufiq",
10         "dob": "2000-01-01T00:00:00.000+00:00",
11         "status": "active",
12         "alamat": "Bandung",
13         "detailKaryawan": {
14           "created_date": "2023-11-26T16:53:55.462+0700",
15           "updated_date": "2023-11-26T16:53:55.462+0700",
16           "deleted_date": null,
17           "id": 2,
18           "nik": "31212",
19           "npwp": "883838"
20         }
21       ]
22     }
23   }
```

Postbot Runner Start Proxy Cookies Trash

## 5. Get Karyawan By Id Using Bearer Token

POSTMAN / IDSTAR / Karyawan / Get By Id

GET <http://localhost:7788/api/v1/idstar/karyawan/1> Send

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies

Headers Hide auto-generated headers

Key	Value	Description
Authorization	Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJhd...	
Cache-Control	no-cache	
Postman-Token	<calculated when request is sent>	
Content-Type	multipart/form-data; boundary=<calculated when request is sent>	

Body Cookies Headers (18) Test Results Status: 200 OK Time: 32 ms Size: 1.09 KB Save as example

Pretty Raw Preview Visualize JSON Copy Search

```
1  {
2    "data": {
3      "created_date": "2023-11-26T16:53:24.877+0700",
4      "updated_date": "2023-11-26T16:53:24.877+0700",
5      "deleted_date": null,
6      "id": 1,
7      "nama": "Ardiansyah",
8      "dob": "1999-09-09T00:00:00.000+00:00",
9      "status": "active",
10     "alamat": "Jakarta",
11     "detailKaryawan": {
12       "created_date": "2023-11-26T16:53:24.886+0700",
13       "updated_date": "2023-11-26T16:53:24.886+0700",
14       "deleted_date": null,
15       "id": 1,
16       "nik": "12",
17       "npwp": "21"
18     }
19   }
20 }
```

Postbot Runner Start Proxy Cookies Trash

## 6. Delete Karyawan Using Bearer Token

IDSTAR / Karyawan / Delete

Save

Send

DELETE

http://localhost:7788/api/v1/idstar/karyawan/delete

ParamsAuthorizationHeaders (10)BodyPre-request ScriptTestsSettings

Headers

Hide auto-generated headers

	Key	Value	Description	Bulk Edit	Presets
<input checked="" type="checkbox"/>	Authorization	Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJhd...			
<input checked="" type="checkbox"/>	Cache-Control	no-cache			
<input checked="" type="checkbox"/>	Postman-Token	<calculated when request is sent>			
<input checked="" type="checkbox"/>	Content-Type	application/json			

BodyCookiesHeaders (18)Test Results

Status: 200 OKTime: 27 msSize: 754 BSave as example

PrettyRawPreviewVisualizeJSON

```
1  {
2    "data": "sukses deleted",
3    "message": "Sukses",
4    "status": "200"
5  }
```

PostbotRunnerStart ProxyCookiesTrash