


CSE370 : Database Systems

Assignment 01 | Summer 2026

ID : 24301485 | Name : Taufiq Mustafizur Rahman

No 1 Query (as Plain Text)	CREATE TABLE runners (student_id int, student_name varchar(30), email varchar(30), distance_covered int, time_taken_mins int);
No 1 SS (of Query & Output in Shell)	 <pre>MariaDB [Marathon_24301485]> CREATE TABLE runners -> (-> student_id int, -> student_name varchar(30), -> email varchar(30), -> distance_covered int, -> time_taken_mins int ->); Query OK, 0 rows affected (0.013 sec)</pre>
No 2 Query (as Plain Text)	INSERT INTO runners values (101, 'Mikasa Ackerman', 'mikasa.a@g.bracu.ac.bd', 5, 35), (102, 'Edward Elric', 'e.elric@iub.ac.bd', 10, 59), (103, 'Riza Hawkeye', 'riza.h@ewu.ac.bd', 5, 38),

	<pre>(104, 'Bruce Wayne', 'b.wayne@g.bracu.ac.bd', 10, 63), (105, 'Peter Parker', 'p.parker@iub.ac.bd', 5, 33), (106, 'Alphonse Elric', 'a.elric@iub.ac.bd', 10, 55), (107, 'Son Goku', 'son.goku@g.bracu.ac.bd', 5, 46), (108, 'Gon Freecss', 'gon.f@g.bracu.ac.bd', 10, 68), (109, 'Tanjiro Kamado', 'tanjiro.k@g.bracu.ac.bd', 5, 29), (110, 'Roy Mustang', 'roy.m@ewu.ac.bd', 10, 83);</pre>
No 2 SS (of Query & Output in Shell)	<pre>MariaDB [Marathon_24301485]> INSERT INTO runners values -> (101, 'Mikasa Ackerman', 'mikasa.a@g.bracu.ac.bd', 5, 35), -> (102, 'Edward Elric', 'e.elric@iub.ac.bd', 10, 59), -> (103, 'Riza Hawkeye', 'riza.h@ewu.ac.bd', 5, 38), -> (104, 'Bruce Wayne', 'b.wayne@g.bracu.ac.bd', 10, 63), -> (105, 'Peter Parker', 'p.parker@iub.ac.bd', 5, 33), -> (106, 'Alphonse Elric', 'a.elric@iub.ac.bd', 10, 55), -> (107, 'Son Goku', 'son.goku@g.bracu.ac.bd', 5, 46), -> (108, 'Gon Freecss', 'gon.f@g.bracu.ac.bd', 10, 68), -> (109, 'Tanjiro Kamado', 'tanjiro.k@g.bracu.ac.bd', 5, 29), -> (110, 'Roy Mustang', 'roy.m@ewu.ac.bd', 10, 83); Query OK, 10 rows affected (0.030 sec) Records: 10 Duplicates: 0 Warnings: 0</pre>
No 3 Query (as Plain Text)	<pre>SELECT * FROM runners WHERE distance_covered>6;</pre>

No 3 SS
(of Query & Output
in Shell)

```
MariaDB [Marathon_24301485]> SELECT * FROM runners WHERE distance_covered>6;
+-----+-----+-----+-----+-----+
| student_id | student_name | email | distance_covered | time_taken_mins |
+-----+-----+-----+-----+-----+
| 102 | Edward Elric | e.elric@iub.ac.bd | 10 | 59 |
| 104 | Bruce Wayne | b.wayne@g.bracu.ac.bd | 10 | 63 |
| 106 | Alphonse Elric | a.elric@iub.ac.bd | 10 | 55 |
| 108 | Gon Freecss | gon.f@g.bracu.ac.bd | 10 | 68 |
| 110 | Roy Mustang | roy.m@ewu.ac.bd | 10 | 83 |
+-----+-----+-----+-----+-----+
5 rows in set (0.001 sec)
```

No 4 Query
(as Plain Text)

SELECT UPPER(student_name) FROM runners ORDER BY time_taken_mins DESC;

No 4 SS
(of Query & Output
in Shell)

```
MariaDB [Marathon_24301485]> SELECT UPPER(student_name) FROM runners ORDER BY time_taken_mins DESC;
+-----+
| UPPER(student_name) |
+-----+
| ROY MUSTANG |
| GON FREECSS |
| BRUCE WAYNE |
| EDWARD ELRIC |
| ALPHONSE ELRIC |
| SON GOKU |
| RIZA HAWKEYE |
| MIKASA ACKERMAN |
| PETER PARKER |
| TANJIRO KAMADO |
+-----+
10 rows in set (0.001 sec)
```

No 5 Query (as Plain Text)	ALTER TABLE runners CHANGE distance_covered total_distance DECIMAL(3,1);
No 5 SS (of Query & Output in Shell)	<pre> MariaDB [Marathon_24301485]> ALTER TABLE runners CHANGE distance_covered total_distance DECIMAL(3,1); Query OK, 10 rows affected (0.083 sec) Records: 10 Duplicates: 0 Warnings: 0 MariaDB [Marathon_24301485]> Select * from runners; +-----+-----+-----+-----+-----+ student_id student_name email total_distance time_taken_mins +-----+-----+-----+-----+-----+ 101 Mikasa Ackerman mikasa.a@g.bracu.ac.bd 5.0 35 102 Edward Elric e.elric@iub.ac.bd 10.0 59 103 Riza Hawkeye riza.h@ewu.ac.bd 5.0 38 104 Bruce Wayne b.wayne@g.bracu.ac.bd 10.0 63 105 Peter Parker p.parker@iub.ac.bd 5.0 33 106 Alphonse Elric a.elric@iub.ac.bd 10.0 55 107 Son Goku son.goku@g.bracu.ac.bd 5.0 46 108 Gon Freecss gon.f@g.bracu.ac.bd 10.0 68 109 Tanjiro Kamado tanjiro.k@g.bracu.ac.bd 5.0 29 110 Roy Mustang roy.m@ewu.ac.bd 10.0 83 +-----+-----+-----+-----+-----+ 10 rows in set (0.003 sec) </pre>
No 6 Query (as Plain Text)	ALTER TABLE runners add kmh DECIMAL(3,1);
No 6 SS (of Query & Output in Shell)	<pre> MariaDB [Marathon_24301485]> ALTER TABLE runners add kmh DECIMAL(3,1); Query OK, 0 rows affected (0.011 sec) Records: 0 Duplicates: 0 Warnings: 0 </pre>

No 7 Query (as Plain Text)	UPDATE runners SET kmh = (total_distance*60)/time_taken_mins;
No 7 SS (of Query & Output in Shell)	<pre> MariaDB [Marathon_24301485]> UPDATE runners SET kmh = (total_distance*60)/time_taken_mins; Query OK, 10 rows affected, 10 warnings (0.004 sec) Rows matched: 10 Changed: 10 Warnings: 10 MariaDB [Marathon_24301485]> Select * from runners; +-----+-----+-----+-----+-----+-----+ student_id student_name email total_distance time_taken_mins kmh +-----+-----+-----+-----+-----+-----+ 101 Mikasa Ackerman mikasa.a@g.bracu.ac.bd 5.0 35 8.6 102 Edward Elric e.elric@iub.ac.bd 10.0 59 10.2 103 Riza Hawkeye riza.h@ewu.ac.bd 5.0 38 7.9 104 Bruce Wayne b.wayne@g.bracu.ac.bd 10.0 63 9.5 105 Peter Parker p.parker@iub.ac.bd 5.0 33 9.1 106 Alphonse Elric a.elric@iub.ac.bd 10.0 55 10.9 107 Son Goku son.goku@g.bracu.ac.bd 5.0 46 6.5 108 Gon Freecss gon.f@g.bracu.ac.bd 10.0 68 8.8 109 Tanjiro Kamado tanjiro.k@g.bracu.ac.bd 5.0 29 10.3 110 Roy Mustang roy.m@ewu.ac.bd 10.0 83 7.2 +-----+-----+-----+-----+-----+-----+ 10 rows in set (0.001 sec) </pre>
No 8 Query (as Plain Text)	SELECT student_id,student_name,kmh,(total_distance /10.0)*(time_taken_mins/60.0)*100 AS Points FROM runners;

No 8 SS (of Query & Output in Shell)	<pre> MariaDB [Marathon_24301485]> SELECT student_id,student_name,kmh,(total_distance /10.0)*(time_taken_mins/60.0)*100 AS Points FROM runners; +-----+-----+-----+-----+ student_id student_name kmh Points +-----+-----+-----+-----+ 101 Mikasa Ackerman 8.6 29.166666650 102 Edward Elric 10.2 98.333333300 103 Riza Hawkeye 7.9 31.666666650 104 Bruce Wayne 9.5 105.000000000 105 Peter Parker 9.1 27.500000000 106 Alphonse Elric 10.9 91.666666600 107 Son Goku 6.5 38.333333300 108 Gon Freecss 8.8 113.333333300 109 Tanjiro Kamado 10.3 24.166666650 110 Roy Mustang 7.2 138.333333300 +-----+-----+-----+-----+ 10 rows in set (0.001 sec) </pre>
No 9 Query (as Plain Text)	SELECT student_name FROM RUNNERS WHERE total_distance=10 AND time_taken_mins BETWEEN 40 and 60;
No 9 SS (of Query & Output in Shell)	<pre> MariaDB [Marathon_24301485]> SELECT student_name FROM RUNNERS WHERE total_distance=10 AND time_taken_mins BETWEEN 40 and 60; +-----+ student_name +-----+ Edward Elric Alphonse Elric +-----+ 2 rows in set (0.001 sec) </pre>
No 10 Query (as Plain Text)	SELECT student_name FROM runners WHERE email LIKE '%@g.bracu.ac.bd';

No 10 SS
(of Query & Output
in Shell)

```
MariaDB [Marathon_24301485]> SELECT student_name FROM runners WHERE email LIKE '%@g.bracu.ac.bd';  
+-----+  
| student_name |  
+-----+  
| Mikasa Ackerman |  
| Bruce Wayne |  
| Son Goku |  
| Gon Freecss |  
| Tanjiro Kamado |  
+-----+  
5 rows in set (0.001 sec)
```