Cyber Security Complete Preparation Guide

---

1. Introduction to Cyber Security

Cyber Security refers to the practice of protecting systems, networks, programs, and data from digital attacks. These attacks are usually aimed at accessing, changing, or destroying sensitive information, extorting money, or interrupting normal business processes.

Key Concepts

- **Confidentiality** – Ensuring information is accessible only to authorized users
- **Integrity** – Maintaining the accuracy and completeness of data
- **Availability** – Ensuring systems and data are available when needed

Types of Cyber Threats

- Malware (viruses, worms, trojans)
- Phishing attacks
- Ransomware
- Denial-of-Service (DoS)
- Man-in-the-Middle (MitM)

Importance of Cyber Security

- Protects personal data
- Prevents financial loss
- Ensures business continuity
- Maintains trust and reputation

MCQs (Difficult)

1. Which of the following best describes the primary goal of cyber security?
   A. Increasing system speed
   B. Protecting systems and data from unauthorized access
   C. Enhancing user interface
   D. Reducing hardware costs

2. Which principle ensures that data is not altered in an unauthorized way?
   A. Availability
   B. Confidentiality
   C. Integrity
   D. Authentication

3. A Denial-of-Service attack primarily affects:
   A. Confidentiality

B. Integrity
C. Availability
D. Authentication

4. Which attack involves intercepting communication between two parties?
   A. Phishing
   B. MITM
   C. Trojan
   D. Worm

5. Ransomware mainly targets:
   A. Data availability
   B. Data encryption for extortion
   C. System speed
   D. Hardware failure

6. Which of the following is NOT a cyber threat?
   A. Firewall
   B. Malware
   C. Phishing
   D. DoS

7. Unauthorized data disclosure violates:
   A. Integrity
   B. Confidentiality
   C. Availability
   D. Accountability

8. Which attack tricks users into revealing sensitive data?
   A. Phishing
   B. Worm
   C. Rootkit
   D. Botnet

9. Which component ensures systems remain operational?
   A. Confidentiality
   B. Integrity
   C. Availability
   D. Encryption

10. Malware that spreads without user interaction:
    A. Trojan
    B. Worm
    C. Virus
    D. Spyware

11. Cyber security mainly protects:
    A. Only hardware
    B. Only software
    C. Data and systems
    D. Only networks

12. A Trojan is:
    A. Self-replicating
    B. Disguised as legitimate software
    C. Hardware-based
    D. A firewall

13. Which term refers to verifying identity?
    A. Authorization
    B. Authentication
    C. Encryption
    D. Auditing

14. Which attack floods a network?
    A. Phishing
    B. DoS
    C. MITM
    D. Spoofing

15. Which ensures users get data when needed?
    A. Confidentiality
    B. Availability
    C. Integrity
    D. Non-repudiation

16. Which is a social engineering attack?
    A. Phishing
    B. SQL Injection
    C. Buffer overflow
    D. XSS

17. Cyber attacks can target:
    A. Individuals only
    B. Organizations only
    C. Governments only
    D. All of the above

18. Which of the following is an example of malware?
    A. Firewall
    B. Antivirus
    C. Virus
    D. VPN

19. What does CIA triad stand for?
    A. Control, Integrity, Access
    B. Confidentiality, Integrity, Availability
    C. Cyber, Internet, Access
    D. Code, Input, Access

20. Which is used to protect networks?
    A. Antivirus
    B. Firewall

C. Encryption
D. All of the above

Answer Key

1. B
2. C
3. C
4. B
5. B
6. A
7. B
8. A
9. C
10. B
11. C
12. B
13. B
14. B
15. B
16. A
17. D
18. C
19. B
20. D

Security Fundamentals & Principles

Which principle ensures users only have access to what they need?
A. Separation of Duties
B. Least Privilege
C. Defense in Depth
D. Availability
Answer: B

Which component of AAA tracks user activities?
A. Authentication
B. Authorization
C. Accounting
D. Auditing
Answer: C

Defense in Depth means:
A. One strong firewall
B. Multiple layers of security
C. No security needed
D. Only encryption
Answer: B

Non-repudiation is achieved mainly through:
A. Firewalls
B. Digital signatures
C. Antivirus
D. Backups
Answer: B

Zero Trust model assumes:
A. Everyone is trusted
B. Internal users are safe
C. No one is trusted by default
D. Only admins are trusted
Answer: C

Which principle divides tasks among multiple users?
A. Least Privilege
B. Separation of Duties
C. Integrity
D. Availability
Answer: B

Authentication verifies:
A. Permissions
B. Identity
C. Logs
D. Data integrity
Answer: B

Authorization determines:
A. Who you are
B. What you can access
C. What you did
D. Where you logged in
Answer: B

Fail-safe defaults mean:
A. Allow all users

B. Deny all access unless permitted
C. Ignore errors
D. Always trust users
Answer: B

Which principle helps reduce insider threats?
A. Least Privilege
B. Availability
C. Confidentiality
D. Redundancy
Answer: A

Which ensures data is not altered?
A. Confidentiality
B. Integrity
C. Availability
D. Authentication
Answer: B

Which ensures systems are accessible?
A. Integrity
B. Confidentiality
C. Availability
D. Authorization
Answer: C

Logging user actions supports:
A. Authentication
B. Authorization
C. Accounting
D. Confidentiality
Answer: C

Multi-layered security is an example of:
A. Least privilege
B. Defense in depth
C. Zero trust
D. Integrity

Which prevents a user from denying an action?
A. Availability
B. Non-repudiation
C. Authentication
D. Encryption
Answer: B

Which model continuously verifies users?
A. CIA
B. Zero Trust
C. AAA

D. VPN
Answer: B

Granting minimal access is:
A. Defense in depth
B. Least privilege
C. Separation of duties
D. Redundancy
Answer: B

Which supports accountability?
A. Accounting
B. Encryption
C. Firewall
D. Availability
Answer: A

Which principle limits damage from compromise?
A. Least Privilege
B. Availability
C. Redundancy
D. Usability
Answer: A

Which is NOT part of AAA?
A. Authentication
B. Authorization
C. Accounting
D. Availability
Answer: D

Cryptography Basics

Which process converts plaintext into ciphertext?
A. Decryption
B. Encryption
C. Hashing
D. Encoding
Answer: B

Which cryptography uses two keys?
A. Symmetric
B. Hashing
C. Asymmetric
D. Stream cipher
Answer: C

AES is an example of:
A. Asymmetric encryption
B. Hash function
C. Symmetric encryption
D. Digital signature
Answer: C

Which is a one-way function?
A. AES
B. RSA
C. Hashing
D. DES
Answer: C

RSA is:
A. Symmetric algorithm
B. Hash function
C. Asymmetric algorithm
D. Firewall
Answer: C

Which ensures data integrity?
A. Encryption
B. Hashing
C. Firewall
D. VPN
Answer: B

Private key should be:
A. Shared publicly
B. Kept secret
C. Deleted
D. Printed
Answer: B

Public key is used for:
A. Decryption only
B. Encryption or verification
C. Hashing
D. Storage
Answer: B

Which algorithm is considered weak today?
A. AES
B. SHA-256
C. MD5
D. RSA
Answer: C

Digital signatures provide:
A. Confidentiality only
B. Authentication and non-repudiation
C. Speed
D. Compression
Answer: B

Diffie-Hellman is used for:
A. Encryption
B. Hashing
C. Key exchange
D. Compression
Answer: C

Network Security

1. Which of the following is a passive attack?
A. DoS
B. MITM
C. Eavesdropping
D. Replay attack

Answer: C

---

2. Which device filters traffic based on rules?
A. Router
B. Firewall
C. Switch
D. Hub

Answer: B

---

3. Which attack involves intercepting communication?
A. Phishing
B. MITM
C. DoS
D. Spoofing

Answer: B

---

4. IDS primarily does what?
A. Blocks attacks
B. Encrypts data

C. Detects threats
D. Routes packets

Answer: C

---

5. IPS differs from IDS because it:
A. Detects only
B. Blocks attacks
C. Encrypts traffic
D. Monitors users

Answer: B

---

6. Which protocol is used for secure web browsing?
A. HTTP
B. FTP
C. HTTPS
D. SMTP

Answer: C

---

7. DDoS stands for:
A. Distributed Denial of Service
B. Data Denial System
C. Direct Denial Service
D. Distributed Data Service

Answer: A

---

8. Which attack uses fake identity?
A. Sniffing
B. Spoofing
C. DoS
D. IDS

Answer: B

---

9. VPN mainly provides:
A. Speed
B. Encryption
C. Storage
D. Routing

Answer: B

---

10. Sniffing is used to:
A. Block data
B. Capture packets
C. Encrypt data
D. Delete data

Answer: B

---

11. Which firewall tracks connection states?
A. Packet filtering
B. Stateful firewall
C. Proxy firewall
D. Static firewall

Answer: B

---

12. Which protocol is used for secure remote login?
A. FTP
B. HTTP
C. SSH
D. SMTP

Answer: C

---

13. Which attack disrupts availability?
A. MITM
B. DoS
C. Sniffing
D. Phishing

Answer: B

---

14. Replay attack involves:
A. Fake login
B. Reusing captured data
C. Blocking server
D. Changing packets

Answer: B

---

15. Which tool monitors network traffic?
A. IDS
B. CPU

C. RAM
D. BIOS

Answer: A

---

16. IPsec is used for:
A. Email
B. Encryption
C. Web design
D. Coding

Answer: B

---

17. Which is NOT a network attack?
A. Phishing
B. Sniffing
C. Compilation
D. Spoofing

Answer: C

---

18. Firewall works at:
A. Application layer
B. Network boundary
C. CPU
D. BIOS

Answer: B

---

19. Which ensures data integrity?
A. Encryption
B. Hashing
C. Routing
D. Switching

Answer: B

---

20. Which is an active attack?
A. Eavesdropping
B. Traffic analysis
C. DoS
D. Monitoring

Answer: C

Operating System Security

3. Which model allows owner-based control?
A. MAC
B. DAC
C. RBAC
D. ACL

Answer: B

---

4. Which model is used in military systems?
A. DAC
B. RBAC
C. MAC
D. ACL

Answer: C

---

5. RBAC assigns permissions based on:
A. User name
B. Role
C. Password
D. Device

Answer: B

---

6. Process isolation prevents:
A. Network attacks
B. Process interference
C. Encryption failure
D. Disk errors

Answer: B

---

7. Buffer overflow affects:
A. CPU
B. Memory
C. Network
D. Disk

Answer: B

---

8. Rootkits are used to:
A. Encrypt files

B. Hide malware
C. Speed up system
D. Monitor traffic

Answer: B

---

9. Privilege escalation means:
A. Logging out
B. Gaining higher access
C. Deleting files
D. Encrypting data

Answer: B

---

10. Kernel is:
A. UI
B. Core of OS
C. File system
D. App

Answer: B

---

11. Memory protection prevents:
A. Login
B. Unauthorized memory access
C. File deletion
D. Encryption

Answer: B

---

12. File permission “execute” allows:
A. Reading
B. Writing
C. Running file
D. Deleting

Answer: C

---

13. Which tracks user activity?
A. Authentication
B. Authorization
C. Accounting
D. Encryption

Answer: C

---

14. UAC is used for:
A. Networking
B. Access control
C. Encryption
D. Routing

Answer: B

---

15. Secure boot ensures:
A. Fast startup
B. Trusted OS loading
C. Internet speed
D. Data backup

Answer: B

---

16. Malware primarily affects:
A. Hardware
B. Software
C. Network cables
D. CPU fan

Answer: B

---

17. Disk encryption protects:
A. Running processes
B. Stored data
C. CPU
D. Network

Answer: B

---

18. Which is NOT an OS attack?
A. Buffer overflow
B. Rootkit
C. Phishing
D. Privilege escalation

Answer: C

---

19. Antivirus mainly:
A. Speeds up CPU
B. Detects malware

C. Manages files
D. Encrypts passwords

Answer: B

---

20. OS updates help in:
A. Gaming
B. Security patches
C. Storage
D. Printing

Answer: B

Web Application Security

1. SQL injection targets:
A. Network
B. Database
C. CPU
D. RAM
Answer: B

2. XSS injects:
A. SQL
B. Scripts
C. Packets
D. Files
Answer: B

3. CSRF exploits:
A. Server
B. User trust
C. Database
D. Firewall
Answer: B

4. Session hijacking steals:
A. Password
B. Session ID
C. File
D. Token
Answer: B

5. Prepared statements prevent:
A. XSS
B. SQLi
C. CSRF
D. DoS
Answer: B

6. HTTPS ensures:
A. Speed
B. Encryption
C. Storage
D. Routing
Answer: B

7. Stored XSS is:
A. Temporary
B. Persistent
C. Network
D. Encrypted
Answer: B

8. Input validation prevents:
A. Hardware issues
B. Injection
C. Routing
D. Backup
Answer: B

9. Cookies store:
A. CPU data
B. Session info
C. RAM
D. Files
Answer: B

10. CSRF uses:
A. Fake request
B. Encryption
C. Firewall
D. Antivirus
Answer: A

11. Reflected XSS is:
A. Stored
B. Immediate
C. Persistent
D. Offline
Answer: B

12. DOM XSS affects:
A. Server

B. Browser
C. Network
D. CPU
Answer: B

13. Authentication bypass means:
A. Login fail
B. Unauthorized access
C. Logout
D. Encryption
Answer: B

14. Secure cookie prevents:
A. Theft
B. Speed
C. Storage
D. Backup
Answer: A

15. SQLi uses:
A. Queries
B. Scripts
C. Files
D. Packets
Answer: A

16. XSS runs on:
A. Server
B. Client browser
C. Router
D. CPU
Answer: B

17. CSRF token prevents:
A. SQLi
B. CSRF
C. XSS
D. DoS
Answer: B

18. Session fixation is:
A. New session
B. Reusing session ID
C. Encryption
D. Firewall
Answer: B

19. HTTPS uses:
A. SSL/TLS
B. FTP
C. SMTP

D. DNS
Answer: A

20. Weak passwords lead to:
A. Speed
B. Breach
C. Storage
D. Routing
Answer: B

Malware & Attack Techniques

1. Virus attaches to:
A. Network
B. Files
C. CPU
D. RAM
Answer: B

2. Worm spreads:
A. Manually
B. Automatically
C. Slowly
D. Offline
Answer: B

3. Trojan is:
A. Visible
B. Disguised
C. Encrypted
D. Safe
Answer: B

4. Ransomware:
A. Deletes data
B. Locks data
C. Copies data
D. Shares data
Answer: B

5. Spyware:
A. Protects
B. Spies
C. Deletes
D. Encrypts
Answer: B

6. Phishing uses:
A. Emails
B. Hardware

C. CPU
D. BIOS
Answer: A

7. Brute force tries:
A. One password
B. All passwords
C. No password
D. Encryption
Answer: B

8. Social engineering targets:
A. Machines
B. Humans
C. CPU
D. RAM
Answer: B

9. Zero-day means:
A. Old attack
B. Unknown vulnerability
C. Fixed bug
D. Patch
Answer: B

10. Keylogger records:
A. Screen
B. Keystrokes
C. Files
D. Network
Answer: B

11. Backdoor allows:
A. Secure access
B. Unauthorized access
C. Encryption
D. Backup
Answer: B

12. Botnet is:
A. Single PC
B. Network of infected devices
C. Antivirus
D. Firewall
Answer: B

13. Adware shows:
A. Files
B. Ads
C. Logs

D. Code
Answer: B

14. Rootkit hides:
A. Files
B. Malware
C. Users
D. Logs
Answer: B

15. Payload is:
A. Virus body
B. Malicious action
C. File
D. Code
Answer: B

16. Logic bomb triggers:
A. Randomly
B. Condition
C. Network
D. Time
Answer: B

17. Spear phishing targets:
A. Everyone
B. Specific person
C. Network
D. Files
Answer: B

18. Drive-by download:
A. Manual
B. Automatic
C. Offline
D. Secure
Answer: B

19. Malware spreads via:
A. Email
B. USB
C. Network
D. All
Answer: D

20. Antivirus detects:
A. Malware
B. CPU
C. RAM
D. Disk
Answer: A

Secure Software Development

---

1. SDLC stands for:
A. System Design
B. Software Development Life Cycle
C. Secure Data Logic
D. System Data Control
Answer: B

2. Secure SDLC includes:
A. Testing
B. Security at all stages
C. Coding only
D. Deployment only
Answer: B

3. Code review finds:
A. Bugs
B. Hardware
C. CPU
D. RAM
Answer: A

4. Input validation prevents:
A. Injection
B. Speed
C. Storage
D. Backup
Answer: A

5. Patch fixes:
A. Bugs
B. Hardware
C. CPU
D. RAM
Answer: A

6. Vulnerability is:
A. Strength
B. Weakness
C. Speed
D. Storage
Answer: B

7. Testing includes:
A. Static
B. Dynamic
C. Both

D. None
Answer: C

8. Static testing:
A. Runs code
B. Analyzes code
C. Deletes code
D. Encrypts code
Answer: B

9. Dynamic testing:
A. Runs code
B. Reads code
C. Deletes code
D. Stores code
Answer: A

10. Error handling prevents:
A. Crash
B. Security leak
C. Both
D. None
Answer: C

11. Least privilege applies to:
A. Code
B. Access
C. Network
D. CPU
Answer: B

12. Secure coding avoids:
A. Bugs
B. Features
C. UI
D. Design
Answer: A

13. Pen testing:
A. Attacks system
B. Designs system
C. Deletes system
D. Stores system
Answer: A

14. Debugging removes:
A. Bugs
B. Files
C. CPU
D. RAM
Answer: A

15. Hardcoding passwords is:
A. Safe
B. Unsafe
C. Fast
D. Easy
Answer: B

16. Version control helps:
A. Tracking
B. Security
C. Both
D. None
Answer: C

17. Secure design reduces:
A. Risk
B. Speed
C. Storage
D. Backup
Answer: A

18. Input sanitization:
A. Cleans data
B. Deletes data
C. Encrypts data
D. Stores data
Answer: A

19. Threat modeling:
A. Identify risks
B. Delete risks
C. Encrypt risks
D. Store risks
Answer: A

20. Secure software is:
A. Bug-free
B. Risk-reduced
C. Fast
D. Small
Answer: B

Wireless & Mobile Security

Open Wi-Fi is:
A. Safe
B. Risky
C. Fast
D. Secure
Answer: B

2. WPA2 is:
A. Encryption
B. Virus
C. App
D. File
Answer: A

3. VPN provides:
A. Speed
B. Security
C. Storage
D. Backup
Answer: B

4. Bluetooth attack is:
A. Bluejacking
B. Firewall
C. Routing
D. Encryption
Answer: A

5. Mobile malware affects:
A. Phone
B. Router
C. CPU
D. Disk
Answer: A

6. App permission controls:
A. Access
B. Speed
C. Storage
D. Backup
Answer: A

7. Public Wi-Fi causes:
A. Safety
B. Risk
C. Speed
D. Storage
Answer: B

8. WPA3 is:
A. New security
B. Virus
C. File
D. Code
Answer: A

9. Phishing on mobile:
A. SMS

B. Calls
C. Apps
D. All
Answer: D

10. Secure Wi-Fi uses:
A. Password
B. Open
C. Free
D. Public
Answer: A

11. Hotspot is:
A. Network
B. Device
C. Both
D. None
Answer: C

12. Jailbreaking removes:
A. Security
B. Apps
C. Files
D. Data
Answer: A

13. Encryption protects:
A. Data
B. CPU
C. RAM
D. Disk
Answer: A

14. SIM swapping is:
A. Attack
B. App
C. File
D. Code
Answer: A

15. Antivirus on mobile:
A. Protects
B. Slows
C. Deletes
D. Encrypts
Answer: A

16. Secure app store is:
A. Trusted
B. Unknown
C. Risky

D. Open
Answer: A

17. Two-factor on mobile:
A. Weak
B. Strong
C. Slow
D. Unsafe
Answer: B

18. Data leakage occurs when:
A. Shared
B. Protected
C. Encrypted
D. Deleted
Answer: A

19. NFC attack uses:
A. Short-range
B. Long-range
C. Internet
D. Cable
Answer: A

20. Mobile OS update:
A. Security fix
B. Speed
C. Storage
D. UI
Answer: A

Cloud & Virtualization Security

. SaaS provides:
A. Hardware
B. Software
C. Network
D. OS
Answer: B

2. IaaS gives control over:
A. Hardware
B. OS
C. Nothing
D. Network only
Answer: B

3. PaaS manages:
A. Hardware only
B. OS + runtime
C. Apps only

D. Users
Answer: B

4. Hypervisor creates:
A. Files
B. VMs
C. Apps
D. Networks
Answer: B

5. Type 1 hypervisor runs on:
A. OS
B. Hardware
C. App
D. Browser
Answer: B

6. VM escape means:
A. Shutdown
B. VM accessing host
C. Encryption
D. Backup
Answer: B

7. Shared responsibility divides:
A. Cost
B. Security roles
C. Speed
D. Storage
Answer: B

8. Public cloud is:
A. Private
B. Shared
C. Offline
D. Local
Answer: B

9. IAM manages:
A. Storage
B. Access
C. CPU
D. RAM
Answer: B

10. Misconfiguration causes:
A. Safety
B. Breach
C. Speed
D. Backup
Answer: B

Digital Forensics

1. Forensics deals with:
A. Design
B. Evidence
C. Coding
D. Network
Answer: B

2. First phase:
A. Analysis
B. Identification
C. Reporting
D. Collection
Answer: B

3. RAM data is:
A. Permanent
B. Volatile
C. Secure
D. Stored
Answer: B

4. Chain of custody ensures:
A. Speed
B. Integrity
C. Storage
D. Backup
Answer: B

5. Disk data is:
A. Volatile
B. Non-volatile
C. Temporary
D. Lost
Answer: B

6. FTK is:
A. Tool
B. Virus
C. OS
D. App
Answer: A

7. Mobile forensics targets:
A. PCs
B. Phones
C. Servers

D. Routers
Answer: B

8. Preservation means:
A. Delete
B. Protect evidence
C. Analyze
D. Share
Answer: B

9. Reporting is:
A. First step
B. Last step
C. Middle
D. None
Answer: B

10. Evidence must be:
A. Modified
B. Intact
C. Deleted
D. Shared
Answer: B

11. Autopsy is:
A. Tool
B. Virus
C. OS
D. File
Answer: A

12. Analysis means:
A. Collect
B. Interpret
C. Delete
D. Encrypt
Answer: B

13. Network forensics studies:
A. Files
B. Traffic
C. CPU
D. RAM
Answer: B

14. Cloud forensics:
A. Local
B. Remote
C. Offline
D. Manual
Answer: B

15. Evidence tampering breaks:
A. Chain
B. Speed
C. Storage
D. Access
Answer: A

16. Volatile data should be:
A. Ignored
B. Collected quickly
C. Deleted
D. Stored
Answer: B

17. Forensics supports:
A. Coding
B. Legal cases
C. Gaming
D. Design
Answer: B

18. Imaging means:
A. Copy data
B. Delete data
C. Encrypt data
D. Analyze data
Answer: A

19. Hashing ensures:
A. Speed
B. Integrity
C. Storage
D. Backup
Answer: B

20. Evidence includes:
A. Logs
B. Files
C. Data
D. All
Answer: D

Security Monitoring & Auditing

Monitoring is:
A. One-time
B. Continuous
C. Rare

D. Manual
Answer: B

2. SIEM collects:
A. Data
B. Logs
C. Files
D. CPU
Answer: B

3. Auditing checks:
A. Speed
B. Compliance
C. Storage
D. Backup
Answer: B

4. Logs record:
A. Events
B. Files
C. CPU
D. RAM
Answer: A

5. Splunk is:
A. Tool
B. Virus
C. OS
D. App
Answer: A

6. ELK stack:
A. Tool
B. Virus
C. File
D. App
Answer: A

7. Monitoring detects:
A. Threats
B. Files
C. CPU
D. RAM
Answer: A

8. Alerts indicate:
A. Normal
B. Issue
C. Backup
D. Storage
Answer: B

9. Audit trail is:
A. Logs
B. Files
C. CPU
D. RAM
Answer: A

10. Compliance ensures:
A. Rules
B. Speed
C. Storage
D. Backup
Answer: A

11. Log analysis finds:
A. Patterns
B. Files
C. CPU
D. RAM
Answer: A

12. Real-time monitoring:
A. Delayed
B. Instant
C. Slow
D. Offline
Answer: B

13. Security events:
A. Normal
B. Suspicious
C. Files
D. CPU
Answer: B

14. False positive:
A. Correct alert
B. Wrong alert
C. No alert
D. File
Answer: B

15. False negative:
A. Missed attack
B. Wrong alert
C. Correct alert
D. File
Answer: A

16. Dashboard shows:
A. Logs

B. Summary
C. CPU
D. RAM
Answer: B

17. Threat detection:
A. Ignore
B. Identify
C. Delete
D. Encrypt
Answer: B

18. Monitoring tools:
A. Manual
B. Automated
C. Slow
D. Offline
Answer: B

19. Audit frequency:
A. Once
B. Regular
C. Never
D. Random
Answer: B

20. SIEM correlates:
A. Data
B. Events
C. Files
D. CPU
Answer: B