


how to use the website:

1. goto <https://bawlmorean.com> or (type npm start in the frontend folder)

2. right click on the webpage, select inspect (at the bottom)

3. at the top of the devtools (i always have mine on the right hand side) select network

4. i have console selected at the bottom of devtools



5. reload the page so everything can be seen updating

6. as a guest, one can scroll through the recipes

7. as a guest, one can select ingredients to require a recipe to have for display

(we're thinking this is our AI component, Bag of Words we're calling it. It'll be in the paper)

8. selecting salt, returns those recipes which contain salt

9. one can create a list of ingredients and decide to omit one of the ingredients and submit

Google Stuff

Classes

myTU for Students

Interesting Reads

Amazon

Ethereum

Misc

ML

Job

Languages

SWEPaper

BigData

OOPs

LoginCreate AccountReset Password

I Have No Mouth and I Must Eat



Ingredients

- 1 dash of salt
- 1 dash of pepper
- 1 Tbsp of olive oil
- 1 pound of pork tenderloin
- 1 bunch of fresh sage
- 5 ounce of prosciutto

Instructions

Preheat oven to 350 degrees F (175 degrees C). Lightly season pork with salt and black pepper. Arrange about 6 sage leaves over tenderloin. Wrap prosciutto around tenderloin and sage, overlapping prosciutto slightly; wrap in plastic wrap and refrigerate to allow prosciutto to set on pork tenderloin, 5 to 10 minutes. Remove plastic wrap. Heat olive oil in a skillet over medium heat. Fry wrapped tenderloin in the hot oil until prosciutto is crispy and lightly browned on all sides, 8 to 10 minutes. Transfer wrapped tenderloin to a baking dish, reserving oil in the skillet. Bake tenderloin in the preheated oven until pork is cooked through, about 20 minutes. An instant-read thermometer inserted into the center should read at least 145 degrees F (63 degrees C). Heat reserved oil in the skillet over medium heat; fry remaining sage leaves until crispy, adding more oil as needed, about 5 minutes. Slice tenderloin and serve with crispy sage leaves.



Ingredients

- 1 dash of salt
- 1 dash of pepper
- 0.5 pound of ground beef
- 0.75 pound of shredded cheese
- 1 N/A of condensed cream of mushroom soup
- 2 pound of frozen tater tots

pork tenderloin

salt

del

pepper

del

shredded cheese

del

pork tenderloin

del

Cancel

Submit

I Have No Mouth and I Must Eat



Ingredients

- 1 dash of salt
- 1 dash of pepper
- 1 Tbsp of olive oil
- 1 pound of pork tenderloin
- 1 bunch of fresh sage
- 5 ounce of prosciutto

Instructions

Preheat oven to 350 degrees F (175 degrees C). Lightly season pork with salt and black pepper. Arrange about 6 sage leaves over tenderloin. Wrap prosciutto around tenderloin and sage, overlapping prosciutto slightly; wrap in plastic wrap and refrigerate to allow prosciutto to set on pork tenderloin, 5 to 10 minutes. Remove plastic wrap. Heat olive oil in a skillet over medium heat. Fry wrapped tenderloin in the hot oil until prosciutto is crispy and lightly browned on all sides, 8 to 10 minutes. Transfer wrapped tenderloin to a baking dish, reserving oil in the skillet. Bake tenderloin in the preheated oven until pork is cooked through, about 20 minutes. An instant-read thermometer inserted into the center should read at least 145 degrees F (63 degrees C). Heat reserved oil in the skillet over medium heat; fry remaining sage leaves until crispy, adding more oil as needed, about 5 minutes. Slice tenderloin and serve with crispy sage leaves.

Tater Tot Casserole



Ingredients

- 1 dash of salt
- 1 dash of pepper
- 0.5 pound of ground beef
- 0.75 pound of shredded cheese
- 1 N/A of condensed cream of mushroom soup
- 2 pound of frozen tater tots

pork tenderloin

- salt del
- pepper del
- pork tenderloin del

Cancel

Submit

I Have No Mouth and I Must Eat

Prosciutto-Wrapped Pork Tenderloin with Crisp

Ingredients

- 1 dash of salt
- 1 dash of pepper
- 1 Tbsp of olive oil
- 1 pound of pork tenderloin
- 1 bunch of fresh sage
- 5 ounce of prosciutto

Instructions

Preheat oven to 350 degrees F (175 degrees C). Lightly season pork with salt and black pepper. Arrange about 6 sage leaves over tenderloin. Wrap prosciutto around tenderloin and sage, overlapping prosciutto slightly; wrap in plastic wrap and refrigerate to allow prosciutto to set on pork tenderloin, 5 to 10 minutes. Remove plastic wrap. Heat olive oil in a skillet over medium heat. Fry wrapped tenderloin in the hot oil until prosciutto is crispy and lightly browned on all sides, 8 to 10 minutes. Transfer wrapped tenderloin to a baking dish, reserving oil in the skillet. Bake tenderloin in the preheated oven until pork is cooked through, about 20 minutes. An instant-read thermometer inserted into the center should read at least 145 degrees F (63 degrees C). Heat reserved oil in the skillet over medium heat; fry remaining sage leaves until crispy, adding more oil as needed, about 5 minutes. Slice tenderloin and serve with crispy sage leaves.



- ## Ingredients

Prosciutto-Wrapped Pork Tenderloin with Crisp

Ingredients

- 1 dash of salt
- 1 dash of pepper
- 1 Tbsp of olive oil
- 1 pound of pork tenderloin
- 1 bunch of fresh sage
- 5 ounce of prosciutto

Instructions

Preheat oven to 350 degrees F (175 degrees C). Lightly season pork with salt and black pepper. Arrange about 6 sage leaves over tenderloin. Wrap prosciutto around tenderloin and sage, overlapping prosciutto slightly; wrap in plastic wrap and refrigerate to allow prosciutto to set on pork tenderloin, 5 to 10 minutes. Remove plastic wrap. Heat olive oil in a skillet over medium heat. Fry wrapped tenderloin in the hot oil until prosciutto is crispy and lightly browned on all sides, 8 to 10 minutes. Transfer wrapped tenderloin to a baking dish, reserving oil in the skillet. Bake tenderloin in the preheated oven until pork is cooked through, about 20 minutes. An instant-read thermometer inserted into the center should read at least 145 degrees F (63 degrees C). Heat reserved oil in the skillet over medium heat; fry remaining sage leaves until crispy, adding more oil as needed, about 5 minutes. Slice tenderloin and serve with crispy sage leaves.

Prosciutto-Wrapped Pork Tenderloin with Crisp

Ingredients

- 1 dash of salt
- 1 dash of pepper
- 1 Tbsp of olive oil
- 1 pound of pork tenderloin
- 1 bunch of fresh sage
- 5 ounce of prosciutto

Instructions

Preheat oven to 350 degrees F (175 degrees C). Lightly season pork with salt and black pepper. Arrange about 6 sage leaves over tenderloin. Wrap prosciutto around tenderloin and sage, overlapping prosciutto slightly; wrap in plastic wrap and refrigerate to allow prosciutto to set on pork tenderloin, 5 to 10 minutes. Remove plastic wrap. Heat olive oil in a skillet over medium heat. Fry wrapped tenderloin in the hot oil until prosciutto is crispy and lightly browned on all sides, 8 to 10 minutes. Transfer wrapped tenderloin to a baking dish, reserving oil in the skillet. Bake tenderloin in the preheated oven until pork is cooked through, about 20 minutes. An instant-read thermometer inserted into the center should read at least 145 degrees F (63 degrees C). Heat reserved oil in the skillet over medium heat; fry remaining sage leaves until crispy, adding more oil as needed, about 5 minutes. Slice tenderloin and serve with crispy sage leaves.


Submit

Remember we aren't logged in...


Let's reset a password

Click on reset password in upper right corner


Will take to this page




Enter email (must be an email that is in database/already has account), preferably not Towson.edu
– 15 minute time expiration on link, towson firewall takes forever



Alert prompts to go to email, to finish password reset






In email




Clicking the one that states Password Reset

Go back into devtools (right click, inspect) select network up top





And we're logged in




Notice, login and create account are no longer available; instead we can create a recipe or logout. We can reset the password whether logged in or not

Let's create a recipe


Click create recipe

And we're taken to this very exciting page



We've entered a name (Noname), instructions (1 2 3 4 5), 1 ingredient – beefstock 1 cup

And we've selected a New Ingredient (cause it wasn't already there)



P[igs feet

about:blank

Google StuffClassesmyTUTU for Students [...]Interesting ReadsAmazonEthereumMiscIMLJobs

Recipe Submission Page

Noname

1

2

3

4

5

Choose a Recipe Image:

Choose Filecheffogo.png

beef stock

1

cup

X

Add Ingredient

Submit Recipe

localhost:3000 says

Enter the name of the new ingredient:

pigs feet

OK

Cancel

Performance insights

pmOther

55 ms

60 ms

65 ms

70 ms

75 ms

80 ms

Recording network activity...

Perform a request or hit **Ctrl + R** to record the reload.

[Learn more](#)

ConsoleIssuesWhat's newAI assistance

top

Filter

about:blank

Google StuffClassesmyTUF for Students [...]

Interesting ReadsAmazonEthereumMiscMLJobsLanguagesSWEPaperBigDataOOPs

Recipe Submission Page

Noname

1

2

3

4

5

Choose a Recipe Image:

Choose Filecheflogo.png

pigs feet

1

cup

X

Add Ingredient

Submit Recipe

ElementsConsoleSourcesNetworkPerformanceMemoryApplicationSecurityLighthouseRecorder

Filter

InvertMore filters

AllFetch/XHRDocCSSJSFontImgMediaManifestWSWasmOt

Name

XHeadersPayloadPreviewResponseInitiatorTiming

ingredients?ing=pigs%20feet

{response: {data: [153, "pigs feet", 0]}}

response: {data: [153, "pigs feet", 0]}

data: [153, "pigs feet", 0]

1 requests310 B transferred

ConsoleIssuesWhat's newAI assistance

top

Filter

pigs feet

undefined

(3) [153, 'pigs feet', 0]

id: 153, ing: pigs feet, usable: 0

pigs feet was sent and returned as acceptable

about:blank

Google StuffClassesmyTUF for Students [...]Interesting ReadsAmazonEthereumMiscMLJobsLanguagesSWEPaperBigDataOOPs

Recipe Submission Page

Noname

1

2

3

4

5

Choose a Recipe Image:

Choose Filechefflogo.png

beef stock

1

cup

X

pigs feet

1

dozen

X

Add Ingredient

Submit Recipe

ElementsConsoleSourcesNetworkPerformanceMemoryApplicationSecurityLighthouseRecorderPerforma

Filter

Preserve log

Disable cache

No throttling

All

Fetch/XHR

Doc

CSS

JS

Font

Img

Media

Manifest

WS

Wasm

Other

100 ms200 ms300 ms400 ms500 ms600 ms700 ms800 ms

NameXHeadersPayloadPreviewResponseInitiatorTiming

ingredients?ing=pigs%20feet

{response: {data: [153, "pigs feet", 0]}}

response: {data: [153, "pigs feet", 0]}

data: [153, "pigs feet", 0]

1 requests310 B transferred

ConsoleIssuesWhat's newAI assistance

Filter

top

Filter


pigs feet

undefined

(3) [153, 'pigs feet', 0]

id: 153, ing: pigs feet, usable: 0

Ok let's submit




That window closes after the alert is OK'd

But our recipe isn't there

Let's logout and login to an Admin account

Click logout

Login Admin admin



google tells you the account/password combo is unsafe

Blank screen

Click users

The screenshot shows a web application with a navigation bar containing 'Ingredients', 'Recipes', 'Users', 'Reset Password', and 'Logout'. The 'Users' page displays a list of users with their email addresses and an 'Option' dropdown menu. The 'Option' menu is open, showing a list of users with their email addresses and a 'Select an Option' dropdown menu. The 'Option' menu is open, showing a list of users with their email addresses and a 'Select an Option' dropdown menu.

The Chrome DevTools Network tab is open, showing a list of requests. The 'Fetch/XHR' filter is selected, and the 'Headers' tab is active. The 'Headers' tab shows the 'Request Headers' for a request to 'localhost:3000/users'. The 'Headers' tab shows the 'Request Headers' for a request to 'localhost:3000/users'.

The list of users is present – can raise or lower auth level

Click recipes

Listed are the recipes which have not yet been approved for the general public; however, their ingredients have all been approved. You will not see an unapproved recipe that has unapproved ingredients

The screenshot shows a web application with a navigation bar containing 'Ingredients', 'Recipes', 'Users', 'Reset Password', and 'Logout'. The 'Recipes' page displays a list of recipes with their titles and a 'Recipe ID'. The 'Recipe ID' is 54, and the 'Recipe ID' is 54.


The Chrome DevTools Network tab is open, showing a list of requests. The 'Fetch/XHR' filter is selected, and the 'Headers' tab is active. The 'Headers' tab shows the 'Request Headers' for a request to 'localhost:3000/recipes'. The 'Headers' tab shows the 'Request Headers' for a request to 'localhost:3000/recipes'.

From the above we have 2 recipes unapproved(but with approved ingredients) - English Muffin Pizza Snacks and Pesto Cheesy Chicken Rolls

Let's click on Ingredients



There's our pigs feet, let's accept (click on + sign)



Go back to recipes and accept Noname




Logout, login with normal user

But before we even login, our creation is on the front page (well there's only one page...)




(notice above not logged in)

Login in we get



Let's del it


Click del




It's been deleted


The only thing left is to create an account


Logout and click on create account






Clicking on the link in email






Filled out the form (password passed in formdata)



Going back to bawlmorean.com and logging in with newuser



Google dutifully notifies us of breach

And that's it