

VIABLE OR RESTORABLE?

Testing Structural Restoration Dynamics Against Control and Viability Theory

SignalRupture (SR)

Adversarial Comparative Theory Test

August 2026

Abstract

Structural Restoration Dynamics (SRD) increasingly converges on a core claim: continuously operating systems must rebuild durable capacity faster than their structural restoration requirement changes. Control theory and viability theory pose the most direct challenge to this claim because they already formalize dynamic systems under constraints, controlled invariance, viability kernels, capture basins, feedback regulation, and the existence of trajectories that keep states inside acceptable regions over time. This paper tests whether SRD contributes anything beyond an applied viability formulation. The comparison removes substantial novelty territory from SRD. Viability theory already asks whether a system can remain inside a constraint set, identifies the set of initial states from which viable trajectories exist, and constructs regulation maps capable of preserving those constraints. It also extends across economics, ecology, finance, robotics, and social systems, defeating any claim that constrained dynamic viability is unique to engineered systems. SRD therefore cannot claim novelty for dynamic constraint satisfaction, intervention before boundary crossing, viable control under uncertainty, or long-horizon system survival. What survives is narrower: SRD treats restoration requirement itself as a moving endogenous burden, distinguishes present viability from the capacity to rebuild slack and retire accumulated deficit, and explicitly incorporates compensatory resource depletion and burden transfer. These concepts can be represented within an enlarged viability/control model, so conceptual distinction alone is insufficient. The decisive scientific question becomes whether SRD's restoration variables improve prediction, intervention timing, or diagnosis beyond viability kernels, state constraints, and conventional control variables. Until demonstrated, SRD should be treated as a candidate

applied restoration layer on top of established viability and control theory, not as a replacement.

Keywords: viability theory; control theory; Structural Restoration Dynamics; restorability; viability kernel; restoration deficit; recovery slack; SignalRupture

1. Research Question

Is SRD a distinct theory of restoration, or an applied viability/control formulation with new domain language?

This is the hardest SRD challenge so far because its remaining core—moving requirements, restoration margins, intervention timing, and acceptable operating regions—is mathematically close to viability theory.

The burden of proof is therefore on SRD.

2. The Strongest Version of Viability Theory

Viability theory, associated principally with Jean-Pierre Aubin and later developments with Bayen and Saint-Pierre, studies the evolution of dynamical systems under constraints. Its central object is not optimization toward one best trajectory but the set of trajectories that remain compatible with constraints over time.

$$\mathbf{x}'(t) \in \mathbf{F}(\mathbf{x}(t), \mathbf{u}(t))$$

$$\mathbf{x}(t) \in \mathbf{K}(t) \text{ for all admissible } t$$

The viability kernel is the subset of initial states from which at least one controlled trajectory can remain inside the constraint set. Capture basins identify states from which a target can be reached while preserving viability.

$$\text{Viab}_F(\mathbf{K}) = \{\mathbf{x}_0 \in \mathbf{K} : \exists \text{ trajectory } \mathbf{x}(t) \text{ remaining in } \mathbf{K}\}$$

Modern viability theory includes state-dependent controls, uncertainty, inertia, hysteresis, regulation maps, connection basins, and applications in economics, ecology, finance, robotics, cognitive science, and resource management.

ADVERSARIAL TEST — No narrow-control straw man

Viability theory is already explicitly cross-domain and long-horizon. SR cannot

defend itself by saying control theory only applies to machines or fixed industrial processes.

3. SRD's Remaining Core

After challenges from resilience engineering, Rasmussen, and HRO theory, SRD's strongest surviving proposition is restoration sufficiency against a changing requirement.

$$RD_t = SRR_t - RC_{eff,t}$$

$$CRD(T) = \int \max(RD_t, 0) dt$$

$$CW_t = \tau_{B,t} - \tau_{R,t}$$

SRD asks whether durable restoration capacity can close accumulated deficit and rebuild slack before the buffers maintaining continuity are exhausted.

**Durable restoration requires deficit reduction + slack rebuilding +
non-depleting recovery mechanism**

4. Direct Mapping

SRD construct	Viability/control analogue	Overlap	Possible SRD remainder
Recovery Slack	distance/margin to constraint boundary; invariant-set margin	Strong	SRD ties margin to restoration capacity and burden
Closing Recovery Window	finite-time reachability / capture / time-to-boundary	Strong	SRD uses human/institutional buffer endurance explicitly
Restoration target	target set / viable set / desired invariant region	Very strong	No novelty by itself
Intervention timing	feedback/regulation policy	Very strong	No novelty by itself
Restoration Deficit	constraint violation / tracking error / resource deficit	Strong	SRD integrates moving requirement and accumulated burden

Structural Restoration Requirement	time-varying constraint / exogenous-endogenous requirement	Strong	Candidate emphasis on endogenous moving burden
Compensatory continuity	control effort / resource use	Partial	SRD classifies renewable, stable, depleting compensation
Burden transfer	constraint satisfaction in one state variable at cost to another	Strong analogue	SRD makes distributional transfer explicit

5. First Result: Staying Inside Bounds Is Not SRD Novelty

The statement that systems must remain within acceptable operating conditions over time is the central object of viability theory. Controlled invariance and viability kernels directly formalize this.

Viable state ≠ boundary violation

SRD therefore cannot claim novelty for the idea that intervention should preserve a system within safe or functional constraints.

ADVERSARIAL TEST — Major concession

Any SRD language suggesting it newly discovers a 'safe operating window' must acknowledge viability/control precursors.

6. Second Result: Intervention Before Failure Is Already

Control Theory

Control theory already asks what feedback or control input can keep a system near a desired state, stabilize it, track a moving reference, or prevent violation of constraints.

$$\mathbf{u}_t = \pi(\mathbf{x}_t)$$

Viability theory goes further by asking whether any admissible control policy exists that keeps the trajectory viable.

SRD's intervention-priority architecture therefore cannot claim novelty merely because it acts before collapse.

ADVERSARIAL TEST — Operational novelty burden

SRD must show that its restoration variables choose better interventions, not simply that it recommends intervening early.

7. Third Result: Moving Constraints Are Also Not Unique

A tempting SR defense is that SRR moves over time while control systems often assume fixed targets. That distinction is too weak. Modern control and viability theory allow time-varying constraints, state-dependent controls, uncertain trajectories, dynamic environments, and changing targets.

$$\mathbf{K} = \mathbf{K}(\mathbf{t}, \mathbf{x}, \text{environment})$$

Therefore the generic idea of a moving constraint or changing requirement is not sufficient to establish SRD independence.

8. Where SRD May Differ: Accumulated Restoration Deficit

SRD's CRD construct focuses not merely on whether the current state is viable but on whether unmet restoration requirements accumulate while formal operation continues.

$$\text{CRD}(\mathbf{T}) = \int \max(\text{SRR}_t - \text{RC}_t, 0) dt$$

A system can remain inside its formal operating set while accumulated maintenance, backlog, staffing, or affordability deficits grow.

Control theory can represent this by augmenting the state vector with debt/backlog variables.

$$\mathbf{z}'(\mathbf{t}) = \max(\text{SRR}_t - \text{RC}_t, 0)$$

That means the distinction is representational rather than mathematically impossible within control theory.

ADVERSARIAL TEST — Absorption risk

If CRD is just another state variable in an ordinary dynamic system, SRD has not created a new mathematical theory. Its value must be in empirical ontology and cross-domain operationalization.

9. The Strongest Candidate Difference: Viability Versus Restorability

Viability and restorability are related but not identical questions.

Viability: can some trajectory remain within acceptable constraints?

Restorability: can durable capacity retire accumulated deficit and rebuild margin while requirements continue changing?

A system may remain viable for a long time through expensive or depleting controls.

$$\mathbf{x}(t) \in \mathbf{K} \text{ while } \text{ControlEffort}_t \uparrow \text{ and } \text{Slack}_t \downarrow$$

This is the candidate SRD state:

Viable now $\wedge$ progressively less restorable

But viability theory can in principle constrain control effort, resource budgets, or augmented slack states. The distinction survives only empirically, not because control mathematics cannot express it.

10. Compensation as Control Effort

The resilience challenge forced SRD to classify compensation as renewable, stable, or depleting. Control theory offers a natural reinterpretation: compensation is control effort.

$$\mathbf{C}_{\text{comp}} \leftrightarrow \mathbf{u}(t)$$

A control policy may keep the system inside its constraints but consume scarce energy, labor, money, or maintenance capacity.

SRD's stronger claim is that the sustainability of control effort is itself part of restoration.

Effective restoration requires feasible control effort over the relevant horizon

ADVERSARIAL TEST — Not a new control insight

Optimal and constrained control already penalize control effort and resource use.

SRD must therefore justify why its human/institutional depletion measures add domain-specific information beyond standard resource constraints.

11. Closing Recovery Window Versus Reachability

The Closing Recovery Window compares restoration lead time with remaining buffer endurance.

$$CW_t = \tau_B - \tau_R$$

Control and viability theory already study reachability, capture basins, exit times, and whether a target can be reached without violating constraints.

Conceptually, CW resembles a simplified time-feasibility condition:

Reach target before exit from admissible set

SRD cannot claim mathematical novelty for this structure.

Its possible contribution is practical decomposition of the two clocks in social and institutional systems, where buffer endurance and restoration lead time are often estimated separately rather than encoded in a full dynamical model.

12. Burden Transfer Is Also a Multi-Constraint Problem

SRD's Burden-Displacement Principle states that reducing one deficit by creating an equal or larger deficit elsewhere is not system-level restoration.

Multi-objective and constrained control already handle multiple state constraints and trade-offs.

$$\mathbf{x}_i(t) \in \mathbf{K}_i \text{ for all critical dimensions } i$$

Again, SRD's distinction is not formal mathematics but its insistence that social and institutional restoration include distributional and cross-subsystem burdens explicitly.

ADVERSARIAL TEST — Normative dimension

Unlike many engineered systems, social restoration targets and weights are partly normative. This may justify SRD's governance layer, but it does not create new mathematics.

13. What Control/Viability Theory Forces SRD to Remove

- Novelty claim for maintaining systems within acceptable bounds.
- Novelty claim for intervention before constraint violation.

- Novelty claim for moving or time-varying requirements.
- Novelty claim for restoration targets as reachable target states.
- Novelty claim for timing feasibility or reaching a target before a boundary is crossed.
- Novelty claim for resource-constrained intervention in the abstract.
- Novelty claim for multi-constraint trade-offs or burden displacement as a mathematical possibility.

14. What Survives

- Restoration as an empirical institutional ontology: requirement, durable capacity, accumulated deficit, slack, compensation type, and restoration lead time.
- Explicit distinction between continued viability and rebuilding of durable restoration margin.
- Human and institutional compensatory depletion as domain-specific state variables.
- Cross-domain application to systems where targets, burdens, and capacities are partly social or political rather than purely physical.
- Integration with SR's propagation and visibility architecture, if those components survive their own theory challenges.

The surviving territory is therefore applied and empirical rather than fundamentally mathematical.

15. Nested Mathematical Representation

The cleanest way to understand the relationship is to embed SRD inside a viability system.

State X_t = [service, backlog, workforce, slack, maintenance, burden, ...]

Control U_t = [staffing, investment, demand management, replacement, ...]

Constraint set K_t = acceptable functional region

SRD augmentation Z_t = [RD_t, CRD_t, C_{depleting,t}, τ_R , t]

Then ask whether adding Z improves empirical prediction or intervention design.

$M_{\text{viability}}$ versus $M_{\text{viability}+\text{SRD}}$

16. Decisive Empirical Test

A valid test requires a system for which both control/viability variables and SRD variables can be estimated. Electricity grids, water systems, hospital capacity, or transport networks are suitable candidates.

Compare:

M_V: viability margin + state constraints + control/resource limits + demand

**M_SRD: M_V + RD + CRD + depleting compensation + explicit restoration
lead time**

Outcomes:

- time to constraint violation;
- probability of remaining in viable region;
- restoration completion time;
- future backlog/maintenance deficit;
- required intervention intensity;
- cross-subsystem burden transfer.

**If M_SRD adds no held-out information, SRD is an applied vocabulary
inside viability/control theory**

17. A More Dangerous Possibility

The control-theory challenge suggests that SRD may not be a new mathematical theory at all. It may instead be a domain-specific measurement architecture that selects and names state variables for social and institutional restoration.

That outcome is not trivial, but it changes the field claim.

**Possible final status: SRD = empirical restoration science built on
established dynamic-systems mathematics**

If this interpretation survives later tests, SRD's novelty lies in ontology, measurement, cross-domain synthesis, and operationalization—not in inventing control or viability dynamics.

18. Status Table

Claim	Status	Reason
Dynamic constraints are uniquely SRD	REJECTED	Core viability/control territory.
Intervene before failure is uniquely SRD	REJECTED	Core feedback/control territory.
Moving requirements are uniquely SRD	REJECTED	Time-varying constraints and targets already exist.
Closing Recovery Window is mathematically novel	REJECTED as broad structure	Reachability/exit-time analogues exist.
Restoration Deficit is mathematically irreducible	REJECTED	Can be represented as augmented state/error variable.
Viability and restorability may diverge empirically	SURVIVES conceptually	High control effort can preserve viability while margin erodes.
SRD has incremental predictive value beyond viability models	NOT ESTABLISHED	Requires nested empirical comparison.
SRD is a distinct mathematical field	NOT SUPPORTED by this comparison	Could be empirical/applied field using established mathematics.

19. Falsification Rules

- If standard viability/control variables fully explain restoration outcomes and SRD variables add no held-out predictive value, SRD should be treated as an application layer rather than independent explanatory theory.
- If accumulated restoration deficit does not predict later restoration difficulty after controlling for state and resource constraints, CRD should be narrowed or removed.
- If compensation sustainability can be represented adequately by ordinary resource constraints without additional empirical value, the SRD compensation taxonomy is descriptive rather than explanatory.

- If Closing Recovery Window does not improve intervention timing beyond reachability/exit-time analysis, it should remain a simplified communication tool.
- If SRD variables improve cross-domain measurement, prediction, or intervention even when embedded in established viability mathematics, SRD retains empirical field value without claiming mathematical novelty.

20. Revised SRD Position

The viability challenge produces the strongest narrowing yet.

SRD should not claim new dynamics where established control mathematics already exists

A defensible revised position is:

SRD = empirical science of restoration sufficiency in continuously operating socio-technical systems

Its mathematics may legitimately draw on control theory, viability theory, network science, statistics, and operations research.

The field's distinctiveness would then depend on its object of study, variables, measurements, empirical findings, and intervention protocols rather than on mathematical exclusivity.

21. Conclusion

Control and viability theory survive the challenge overwhelmingly. They already formalize constrained dynamics, viable operating regions, control policies, changing constraints, target reachability, and intervention timing.

Viability theory absorbs much of SRD's abstract mathematical skeleton

What survives is not a new control theory. It is a candidate empirical restoration ontology focused on accumulated deficits, durable slack, compensatory depletion, and requirement-adjusted restoration in continuously operating social and infrastructural systems.

Possible SRD core = empirical restorability, not novel control mathematics

The remaining question is now cleaner: does this ontology generate measurements and predictions that established viability/control models do not obtain as effectively?

If not, SRD should concede that it is an applied viability/restoration framework.

If yes, SRD can remain a distinct empirical field while openly using established mathematical foundations.

References

- Aubin, J.-P. (1991). *Viability Theory*. Birkhäuser.
- Aubin, J.-P., Bayen, A. M., & Saint-Pierre, P. (2011). *Viability Theory: New Directions*. Springer.
- Aubin, J.-P. (1990). A survey of viability theory. *SIAM Journal on Control and Optimization*, 28(4), 749-788.
- De Lara, M., Doyen, L., Guilbaud, T., & Rochet, M.-J. (2007). Is a management framework based on spawning-stock biomass indicators sustainable? A viability approach. *ICES Journal of Marine Science*.
- De Lara, M., & Doyen, L. (2008). *Sustainable Management of Natural Resources: Mathematical Models and Methods*. Springer.
- Bardi, M., & Capuzzo-Dolcetta, I. (1997). *Optimal Control and Viscosity Solutions of Hamilton-Jacobi-Bellman Equations*. Birkhäuser.
- Blanchini, F. (1999). Set invariance in control. *Automatica*, 35(11), 1747-1767.