```
QUESTION NO-01
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
   <title>Starting with CSS</title>
    <link rel="stylesheet" href="style.css" />
   <link rel="stylesheet" href="mystyle.css" />
   <!-- Internal CSS -->
   <style>
     /* Internal CSS for div with id "box1" */
     #box1 {
       background-color: yellow;
       padding: 20px;
       text-align: center;
    </style>
  </head>
  <body>
   <!-- Inline CSS for div with id "box2" -->
   <div id="box1">
     <h2>Internal CSS</h2>
     This div is styled using internal CSS.
   </div>
     id="box2"
     style="background-color: lightblue; padding: 20px; text-align: center"
     <h2>Inline CSS</h2>
     This div is styled using inline CSS.
    </div>
   <!-- here i am using external CSS -->
    <div id="box3" class="external-style">
     <h2>External CSS</h2>
     This div is styled using an external CSS file.
   </div>
  </body>
</html>
```

```
#box3{
    /* margin-top: 0px; */
    text-align: center;
    background-color: blue;
    padding: 20px;
Starting with CSS
   C (i) 127.0.0.1:5500/index.html
                                                         A 🖒 3 (C) 4 (E) (G) (E) ... (D)
                                    Internal CSS
                                 This div is styled using internal CSS.
                                                                                  O
                                     Inline CSS
                                                                                  0
                                 This div is styled using inline CSS.
                                                                                  Ø
🔊 🖽 🧿 🔚 😭 😘 刘
QUESTION NO-2
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Demo-2</title>
    <!-- <link rel="stylesheet" href="style.css" /> -->
    <style>
         .example-1{
              background-color:yellow;
              color: black;
              text-align: justify;
         #example-2{
```

background-color: blueviolet;

font-size: large;

BEM is a popular naming convention for CSS class names that we use widely here at Sparkbox.

The fundamental concepts of BEM are simple and straightforward, but there are common errors those new to BEM make that this post seeks to explain through a series of examples.

BEM is a popular naming convention for CSS class names that we use widely here at Sparkbox.

The fundamental concepts of BEM are simple and straightforward, but there are common errors those new to BEM make that this post seeks to explain through a series of examples.

```
</div>
<div id="example-2">
```

BEM is a popular naming convention for CSS class names that we use widely here at Sparkbox.

The fundamental concepts of BEM are simple and straightforward, but there are common errors those new to BEM make that this post seeks to explain through a series of examples.

BEM is a popular naming convention for CSS class names that we use widely here at Sparkbox.

The fundamental concepts of BEM are simple and straightforward, but there are common errors those new to BEM make that this post seeks to explain through a series of examples.

```
</div>
</body>
</html>
```



```
OUESTION NO-3
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Styled HTML Form</title>
    <link rel="stylesheet" href="example3.css" />
  </head>
  <body>
    <div class="form-container">
      <h1>Contact Us</h1>
      <form>
        <div class="form-section">
          <label for="name">Name:</label>
          <input type="text" id="name" name="name" placeholder="Your Name" />
        </div>
        <div class="form-section">
          <label for="email">Email:</label>
            type="email"
            id="email"
            name="email"
            placeholder="Your Email"
        </div>
        <div class="form-section">
          <label for="message">Message:</label>
          <textarea
            id="message"
            name="message"
            placeholder="Your Message"
          ></textarea>
        </div>
        <div class="form-section-opacity">
          <label for="subject">Subject:</label>
          <input</pre>
            type="text"
            id="subject"
            name="subject"
            placeholder="Subject"
        </div>
        <div class="form-button">
          <input type="submit" value="Submit" />
```

## Style.css

```
/* General styles for the form container */
.form-container {
   width: 400px;
   margin: 0 auto;
    padding: 20px;
   background-color: #f2f2f2;
    border-radius: 10px;
   box-shadow: 0 0 10px rgba(0, 0, 0, 0.2);
.form-section {
   margin-bottom: 20px;
input[type="text"],
input[type="email"],
textarea {
   width: 100%;
    padding: 10px;
   border: 1px solid #ccc;
   border-radius: 5px;
    background-color: #fff;
input[type="text"] {
    background-color: #ffe4b5;
input[type="email"] {
    background-color: #add8e6;
textarea {
    background-color: #98fb98;
```

