

DM (Demographics)

Demographics (DEM / F0)

1.0. - Date of Birth

____/____/____

BRTHDTC

1.1. - Sex

☐ Male☐ Female

SEX

1.2. - Race

☐ White☐ Black or African American☐ Asian☐ Other

RACE

1.3. - Ethnicity

☐ Hispanic or Latino☐ Not Hispanic or Latino☐ Not Reported☐ Unknown

ETHNIC

1.4. - Country of Enrollment

COUNTRY

1.5. - Date of Randomization

____/____/____

RFSTDTC

1.6. - Treatment Arm Assigned by IRT

☐ UPADALIMIB 15 mg PO once daily
☐ UPADALIMIB 30 mg PO once daily
☐ Placebo PO once daily

ARM / ACTARM

If Race='Other': RACEOTH in SUPPDM (variable RACEOTH, label 'Race, Other')

SV (Subject Visits)

DM (Demographics)

Visit (VIS / F1)

Visit Information

1.0. - Was this subject re-screened?

☐ Yes ☐ No

PVPRYN in SUPPDM

1.0.1. - If Yes, previous Subject ID:

PVPRID in SUPPDM

Used in USUBJID derivation

1.2. - Was visit performed?

☐ Yes ☐ No

SVPRESP=Y, SVOCCUR=Y/N

1.3. - Visit Date

___/___/___

SVSTDTCT

1.1. - Mode of Contact

☐ In Person ☐ Telephone Call

SVCNTMOD

1.4. - Visit Number (assigned by IRT)

VISITNUM / VISIT

Informed Consent (DSIC / F2)

DS (Disposition)

DM (Demographics)

DSCAT='PROTOCOL MILESTONE' | DSSCAT='INFORMED CONSENT'

DSTERM=DSDECOD='INFORMED CONSENT OBTAINED'

Yes/No box: [NOT SUBMITTED]

1.0. - Was informed consent obtained?

☐ Yes ☐ No

1.1. - What was the informed consent signature date?

___/___/___

DSSTDTCT

RFICDTCT

Eligibility Criteria (IE / F3)**IE (Inclusion/Exclusion Criteria Not Met)**

1.0. - What was the date the eligibility criteria assessment was performed?

___/___/___

IEDTC

1.1. - Were all eligibility criteria met?

☐ Yes ☐ No

[NOT SUBMITTED]

1.2. - If No, provide all inclusion criteria not met and exclusion criteria met below.

1.4. - Inclusion Criterion not met

IECAT='INCLUSION'

[NOT SUBMITTED]

1.5. - Inclusion Criterion 1: Adolescent (12–17 yrs, ≥ 40 kg) or adult (18–75 yrs)

IETESTCD=INCL01

☐1.6. - Inclusion Criterion 2: Chronic AD diagnosis ≥ 3 years per Hanifin/Rajka criteria

IETESTCD=INCL02

☐1.7. - Inclusion Criterion 3: Moderate-to-severe disease (EASI ≥ 16 , vIGA-AD ≥ 3 , BSA $\geq 10\%$)

IETESTCD=INCL03

☐1.8. - Inclusion Criterion 4: WP-NRS ≥ 4 at screening and baseline

IETESTCD=INCL04

☐

1.9. - Inclusion Criterion 5: Documented inadequate response to topical therapy or candidate for systemic therapy

IETESTCD=INCL05

☐**2.0. - Exclusion Criterion met**

IECAT='EXCLUSION'

[NOT SUBMITTED]

2.1. - Exclusion Criterion 1: Prior exposure to a JAK inhibitor for AD

IETESTCD=EXCL01

☐

2.2. - Exclusion Criterion 2: Use of biologic therapy for AD within 5 half-lives prior to baseline

IETESTCD=EXCL02

☐

2.3. - Exclusion Criterion 3: Active or chronic systemic infection requiring treatment (incl. TB, HBV, HCV, HIV)

IETESTCD=EXCL03

☐

2.4. - Exclusion Criterion 4: History of herpes zoster, eczema herpeticum, or recurrent herpes simplex

IETESTCD=EXCL04

☐2.5. - Exclusion Criterion 5: ALT or AST $> 2 \times$ ULN, ANC $< 1.0 \times 10^9/L$, lymphocytes $< 0.5 \times 10^9/L$, or hemoglobin < 10 g/dL at screening

IETESTCD=EXCL05

☐

2.6. - Exclusion Criterion 6: History of malignancy other than treated NMSC or in-situ cervical cancer

IETESTCD=EXCL06

☐

2.7. - Exclusion Criterion 7: Pregnancy, lactation, or unwillingness to use highly effective contraception

IETESTCD=EXCL07

☐

IETERM = the criterion text shown above. IE records are submitted only for criteria checked above (i.e., criteria NOT met by the subject).

MHTERM

MHSTDTC

MHENRTP

MHENDTC

MHCONTRT

MHCAT (SUPPMH)

Medical History (MH / F4)

MH (Medical History)

1.0. - Medical History Term	1.1. - Start Date	1.2. - Ongoing	1.3. - End Date	1.4. - Treatment?	1.5. - Indication-related?
	___/___/___	☐ Yes ☐ No	___/___/___	☐ Yes ☐ No	☐ Yes ☐ No
	___/___/___	☐ Yes ☐ No	___/___/___	☐ Yes ☐ No	☐ Yes ☐ No
	___/___/___	☐ Yes ☐ No	___/___/___	☐ Yes ☐ No	☐ Yes ☐ No
	___/___/___	☐ Yes ☐ No	___/___/___	☐ Yes ☐ No	☐ Yes ☐ No
	___/___/___	☐ Yes ☐ No	___/___/___	☐ Yes ☐ No	☐ Yes ☐ No
	___/___/___	☐ Yes ☐ No	___/___/___	☐ Yes ☐ No	☐ Yes ☐ No

MHENRTP='ONGOING' when 1.2.Ongoing=Yes. The 'No' option for Ongoing is collected for completeness only and is [NOT SUBMITTED].

MHCAT='PROSTATE' set in SUPPMH only when 1.5.Prostate-related?=Yes.

Adverse Event (AE / F11)**AE (Adverse Events)****DM (Demographics)**

1.0. - Adverse Event

AETERM

1.1. - Start Date

___/___/___

AESTDTC

1.2. - Ongoing?

☐ Yes ☐ No

AEENRTPT='ONGOING' (Yes)

No box: [NOT SUBMITTED]

1.3. - End Date

___/___/___

AEENDTC

1.4. - Outcome

1: Recovered
 2: Not yet recovered
 3: Recovered with sequelae
 4: Death
 5: Unknown

AEOUT in SUPPAE

1.5. - Severity

☐ Mild ☐ Moderate ☐ Severe

AESEV

1.6. - Was the adverse event serious?

☐ Yes ☐ No

AESER

1.7. - Action taken with study treatment

☐ Dose not changed ☐ Dose interrupted
☐ Drug withdrawn ☐ Not applicable

AEACN

1.8. - Relationship to study treatment

☐ Not Related ☐ Unlikely ☐ Possible
☐ Probable ☐ Definite

AEREL

CECAT='AD CLINICAL ASSESSMENT' / CETESTCD='EASI'

Eczema Area and Severity Index (EASI) (EASI / F22)

CE (Clinical Events)

Severity scale (per sign): 0=None, 1=Mild, 2=Moderate, 3=Severe (half-points allowed). Area % of region: 0=0%, 1=1-9%, 2=10-29%, 3=30-49%, 4=50-69%, 5=70-89%, 6=90-100%.
EASI region score = Area x (Erythema + Induration/Papulation + Excoriation + Lichenification) x Region multiplier. Total EASI = sum of 4 region scores (range 0-72).

Body Region	Erythema (0-3)	Indur./Pap. (0-3)	Excor. (0-3)	Lichen. (0-3)	Area % (0-6)	Multiplier	Region Score
Head / Neck						0.1 (adult) 0.2 (12-17 y)	
Upper Limbs						0.2	
Trunk						0.3	
Lower Limbs						0.4	
Total EASI Score (sum of 4 region scores; range 0-72)							

X.1. - Date of EASI Assessment

/ /

X.2. - Assessor (Investigator / Sub-investigator initials)

X.3. - Was assessment performed under standardized lighting per protocol?

☐ Yes ☐ No

Each region: CETESTCD in 'EASIERY','EASIIND','EASIEXC','EASILIC','EASIAREA' with CELOC in 'HEAD AND NECK','UPPER LIMBS','TRUNK','LOWER LIMBS'. Total EASI score (0-72) derived from

CECAT='AD CLINICAL ASSESSMENT' / CETESTCD='VIGAAD'

validated Investigator Global Assessment for AD (vIGA-AD) (IGA / F23)**CE (Clinical Events)**

1.0. - Date of vIGA-AD Assessment

___/___/___

1.1. - Investigator Initials

1.2. - vIGA-AD Score (select ONE)

- ☐ **0 - Clear** No inflammatory signs of atopic dermatitis (no erythema, no induration/papulation, no lichenification, no may be oozing/crusting). Post-inflammatory hyperpigmentation present.
- ☐ **1 - Almost Clear** Barely perceptible erythema, barely perceptible induration/papulation, and/or minimal lichenification. No oozing or crusting.
- ☐ **2 - Mild** Slight but definite erythema (pink), slight but definite induration/papulation, and/or slight but definite lichenification. No oozing or crusting.
- ☐ **3 - Moderate** Clearly perceptible erythema (dull red), clearly perceptible induration/papulation, and/or clearly perceptible Oozing lichenification. and crusting may be present.
- ☐ **4 - Severe** Marked erythema (deep or bright red), marked induration/papulation, and/or marked lichenification. Disease is be widespread. Oozing and crusting may present.

1.3. - vIGA-AD Response Definition

Response = vIGA-AD score of 0 (clear) or 1 (almost clear) AND $\geq$ 2-grade improvement from baseline. Derived in ADaM, not collected here.

CEORRES = selected score text (e.g. '3 - Moderate'). CESTRESC = '3'. CESTRESN = 3. vIGA-AD 0/1 response derived in ADaM (ADEFF.PARAMCD='IGA01') with the $\geq$ 2-grade improvement req

QSCAT='WORST PRURITUS NRS' / QSTESTCD='WPNRS01'

Worst Pruritus Numerical Rating Scale (WP-NRS) (WPNRS / F24)**QS (Questionnaires)**

Item: "On a scale of 0 to 10, what is the worst itch you experienced in the past 24 hours?" Captured by subject in daily eDiary; weekly average is computed for a

1.0. - Daily WP-NRS Entries (subject-reported via eDiary)

Date	Day of Diary	Score (0-10)	Recall Period	eDiary Source ID
___/___/___	Day 1	_____	Past 24 hours	_____
___/___/___	Day 2	_____	Past 24 hours	_____
___/___/___	Day 3	_____	Past 24 hours	_____
___/___/___	Day 4	_____	Past 24 hours	_____
___/___/___	Day 5	_____	Past 24 hours	_____
___/___/___	Day 6	_____	Past 24 hours	_____
___/___/___	Day 7	_____	Past 24 hours	_____

Scale anchors: 0 = No itch 1-3 = Mild 4-6 = Moderate 7-9 = Severe 10 = Worst itch imaginable

2.0. - Weekly Summary (computed)

2.1. - Number of evaluable days this week (>=4 required) _____

2.2. - Weekly average WP-NRS score _____

2.3. - Worst single-day score this week _____

Daily eDiary entries: one QS record per day with QSDTC=daily date, QSORRES/QSSTRESC/QSSTRESN = 0..10 score. Weekly average derived in ADaM (ADEFF.PARAMCD='WPNRS' AVAL=m

CECAT='AD CLINICAL ASSESSMENT' / CETESTCD='BSA'

Body Surface Area (BSA) Affected by Atopic Dermatitis (BSA / F25)**CE (Clinical Events)**

BSA estimated using the rule of palms (1 palm = ~1% BSA) or the rule of nines. Record % BSA with active AD lesions per body region.

1.0. - Date of BSA Assessment

___/___/___

2.0. - % BSA Affected by Body Region

Body Region	% Total Body Area (reference)	% BSA Affected by AD
Head and Neck	9% (adult) / 18% (12-17 y)	_____
Upper Limbs (each)	9% per arm	_____
Trunk (anterior)	18%	_____
Trunk (posterior)	18%	_____
Lower Limbs (each)	18% per leg (adult) / 13.5% (12-17 y)	_____
Genitalia	1%	_____

3.0. - Total % BSA Affected by AD (sum of regions, capped at 100%)

4.0. - Method used for BSA estimation

☐ Rule of palms☐ Rule of nines☐ Other

4.1. - Were photographs taken (per protocol photography substudy)?

☐ Yes ☐ No

Per region: CETESTCD='BSAREG' with CELOC in body region values; Total BSA derived as CETESTCD='BSA' (capped at 100%). Method (palms/nines/other) -> CEMETHOD.

QSCAT='PATIENT-ORIENTED ECZEMA MEASURE'

Patient-Oriented Eczema Measure (POEM) (POEM / F21)**QS (Questionnaires)**

Recall period: Over the last week

QSEVINTX='OVER THE LAST WEEK'

1.0. - 1 Over the last week, on how many days has your skin been itchy of because your eczema?

- ☐ 0 - No days
☐ 1 - 1 to 2 days
☐ 2 - 3 to 4 days
☐ 3 - 5 to 6 days
☐ 4 - Every day

QSTESTCD=POEM01

QSORRES / QSSTRESC / QSSTRESN

1.1. - 2 Over the last week, on how many nights has your sleep been of your disturbed because eczema?

- ☐ 0 - No days
☐ 1 - 1 to 2 days
☐ 2 - 3 to 4 days
☐ 3 - 5 to 6 days
☐ 4 - Every day

QSTESTCD=POEM02

1.2. - 3 Over the last week, on how many days has your skin been bleeding because of your eczema?

- ☐ 0 - No days
☐ 1 - 1 to 2 days
☐ 2 - 3 to 4 days
☐ 3 - 5 to 6 days
☐ 4 - Every day

QSTESTCD=POEM03

1.3. - 4 Over the last week, on how many days has your skin been weeping or oozing clear fluid because of your eczema?

- ☐ 0 - No days
☐ 1 - 1 to 2 days
☐ 2 - 3 to 4 days
☐ 3 - 5 to 6 days
☐ 4 - Every day

QSTESTCD=POEM04

1.4. - 5 Over the last week, on how many days has your skin been cracked because of your eczema?

- ☐ 0 - No days
☐ 1 - 1 to 2 days
☐ 2 - 3 to 4 days
☐ 3 - 5 to 6 days
☐ 4 - Every day

QSTESTCD=POEM05

1.5. - 6 Over the last week, on how many days has your skin been flaking off because of your eczema?

- ☐ 0 - No days
☐ 1 - 1 to 2 days
☐ 2 - 3 to 4 days
☐ 3 - 5 to 6 days
☐ 4 - Every day

QSTESTCD=POEM06

1.6. - 7 Over the last week, on how many days has your skin felt dry or of rough because your eczema?

- ☐ 0 - No days
☐ 1 - 1 to 2 days
☐ 2 - 3 to 4 days
☐ 3 - 5 to 6 days
☐ 4 - Every day

QSTESTCD=POEM07

QSORRES = selected option text. QSSTRESC = numeric code as character ('0'..'4'). QSSTRESN = numeric (0..4). POEM Total = sum of POEM01..POEM07, derived in ADaM (ADQS).

CMCAT='TOPICAL THERAPY' / CMSCAT in ('TCS','TCI','OTHER TOPICAL')

Topical Corticosteroid (TCS) / Topical Calcineurin Inhibitor (TCI) Use (CMTOP / F26)**CM (Concom Med)**

Capture all topical AD therapies used in the past 4 weeks. Free-form text for verbatim drug name; coded to WHO-DD post-database lock.

Drug Name (Verbatim)	Type	Potency	Body Region(s)	Start Date	End / Ongoing	Indication
_____	☐ TCS ☐ TCI ☐ Other	☐ Low ☐ Med ☐ High ☐ Super	_____	___/___/___	___/___/___ ☐ Ongoing	☐ AD flare ☐ Maint. ☐ Other
_____	☐ TCS ☐ TCI ☐ Other	☐ Low ☐ Med ☐ High ☐ Super	_____	___/___/___	___/___/___ ☐ Ongoing	☐ AD flare ☐ Maint. ☐ Other
_____	☐ TCS ☐ TCI ☐ Other	☐ Low ☐ Med ☐ High ☐ Super	_____	___/___/___	___/___/___ ☐ Ongoing	☐ AD flare ☐ Maint. ☐ Other
_____	☐ TCS ☐ TCI ☐ Other	☐ Low ☐ Med ☐ High ☐ Super	_____	___/___/___	___/___/___ ☐ Ongoing	☐ AD flare ☐ Maint. ☐ Other
_____	☐ TCS ☐ TCI ☐ Other	☐ Low ☐ Med ☐ High ☐ Super	_____	___/___/___	___/___/___ ☐ Ongoing	☐ AD flare ☐ Maint. ☐ Other
_____	☐ TCS ☐ TCI ☐ Other	☐ Low ☐ Med ☐ High ☐ Super	_____	___/___/___	___/___/___ ☐ Ongoing	☐ AD flare ☐ Maint. ☐ Other
_____	☐ TCS ☐ TCI ☐ Other	☐ Low ☐ Med ☐ High ☐ Super	_____	___/___/___	___/___/___ ☐ Ongoing	☐ AD flare ☐ Maint. ☐ Other

9.0. - Did the subject use any topical AD therapy in the past 4 weeks?

☐ Yes ☐ No

Verbatim drug name -> CMTRT, coded -> CMDECOD (WHO-DD). Potency -> CMSCAT2 in ('LOW','MEDIUM','HIGH','SUPER-HIGH'). Body region -> CMLOC. Indication -> CMINDC. ADCM dataset

Laboratory Reference Ranges - Hematology (LBHN / F39)

LB (Laboratory Test Results)

0.0.1. - Lab Name

LBNAM

0.1. - Effective Date

____/____/____

[NOT SUBMITTED]

LBTESTCD

LBORRESU

LBORRESU (Other)

LBORNRL0

LBORNRLH

1.0. - Test

1.1. - Units

1.2. - Other Units, Specify

1.3. - Lower Range 1.4. - Upper Range

2.0. - Hemoglobin

1: mmol/L
2: g/L
3: g/dL
4: Other

LBTESTCD=HGB

3.0. - Neutrophils

1: x10⁹/L
2: x10³/uL
3: %

LBTESTCD=NEUT

4.0. - Lymphocytes

1: x10⁹/L
2: x10³/uL
3: %

LBTESTCD=LYMPH

5.0. - ALT (SGPT)

1: U/L
2: IU/L

LBTESTCD=ALT

6.0. - AST (SGOT)

1: U/L
2: IU/L

LBTESTCD=AST

7.0. - Creatine Phosphokinase

1: U/L
2: IU/L

LBTESTCD=CPK

8.0. - LDL Cholesterol

1: mg/dL
2: mmol/L

LBTESTCD=LDL

9.0. - HDL Cholesterol

1: mg/dL
2: mmol/L

LBTESTCD=HDL

Hematology, hepatic enzymes, lipids, and CPK monitored per JAK inhibitor risk-management plan. ALT/AST drive AESI Hepatic disorder; CPK drives AESI CPK elevation; lymphocytes/neutrophils

EX (Exposure)

Study Drug Exposure (EX / F12)

EX (Exposure)

1.0. - Study drug administered today?	☐ Yes ☐ No	EXOCUR
1.1. - Date of administration	___/___/___	EXSTDTC
1.2. - Time of administration (24h, hh:mm)	___:___	EXSTTIM in SUPPEX
1.3. - Dose administered (mcg)	30 mg ☐ Confirmed	EXDOSE=0.5 EXDOSU='mcg'
1.4. - Route of administration	☐ Subcutaneous (SC)	EXROUTE='SUBCUTANEOUS'
1.5. - Injection site	☐ Left abdomen ☐ Right abdomen ☐ Left thigh ☐ Right thigh	EXLOC EXLAT
1.6. - Dosing frequency	☐ Once daily	EXDOSFRQ='QW'
1.7. - Reason if not administered	_____	EXREASND

Vital Signs (VS / F8)

VSTESTCD	VSORRES (m1)	VSORRES (m2)	VSORRES (m3)	VSORRESU
Parameter	Measurement 1	Measurement 2	Measurement 3	Units
Systolic Blood Pressure	_____	_____	_____	mmHg
Diastolic Blood Pressure	_____	_____	_____	mmHg
Heart Rate	_____	_____	_____	bpm
Weight	_____	_____	_____	kg
Temperature	_____	_____	_____	°C

Subject Disposition (DSES / F30)

DS (Disposition)	DM (Demographics)
DSCAT='DISPOSITION EVENT' DSSCAT='STUDY PARTICIPATION'	
1.0. - What was the subject's status?	☐ Completed ☐ Discontinued ☐ Screen Failure DSDECOD='COMPLETED' DSDECOD per reason in 1.4 DSDECOD='SCREEN FAILURE' + ARMNRS
1.1. - Study Completion / Discontinuation Date	___/___/___ DSSTDTC
1.2. - Date of Last Contact	___/___/___ CONDTTC in SUPPDS [NOT SUBMITTED]
1.3. - Date of last dose of study treatment	___/___/___ ☐ N/A RFXENDTC LDOSDTC in SUPPDS
1.4. - Reason for discontinuation (if applicable)	☐ Adverse Event ☐ Subject Request ☐ Use of non-permitted concurrent therapy ☐ Disease Progression ☐ Lost to Follow-up ☐ Death ☐ Other DSDECOD per reason

DSSEQ is auto-generated within USUBJID. One DS record per disposition event collected (informed consent + study disposition). Reason text in 1.4 is used for DSTERM when DSDECOD='OTHER'