

Cartridge Filter, 150 sq ft - Pentair Clean & Clear Plus CC150

Catalog No.	Pentair Clean & Clear Plus CC150 (P/N 160317)
Filter area	150 sq ft
Design flow	150 GPM
Filter diameter	15.5 in
Plumbing	2 in
Qty	1 per pool
Status	OK - submitted as specified



Filter

CLEAN & CLEAR®

Date: 27 August 2026
Remarks: No objection
Reviewed: BSD

CLEAN & CLEAR®

CARTRIDGE FILTER

Crystal clarity with cartridge convenience.

The Clean & Clear Filter combines top-end performance with low maintenance. This dependable design uses special filter elements to strip tiny particles as small as 20 microns from your pool water. (An average grain of beach sand is 1,000 microns!) Plus, cleaning is a breeze. Open the top, remove the cartridge, hose it off and the Clean & Clear Filter is ready to go again.

We've maximized cartridge surface consistency to block and trap the maximum amount of solids. We also use the most durable materials to extend cartridge life. The Clean & Clear Filter will keep your pool sparkling day in and day out.



PENTAIR.COM

TRADEGRADE



CLEAN & CLEAR® CARTRIDGE FILTER

Carefree by design.

Like all Pentair cartridge filters, the Clean & Clear Filter features an easily cleaned cartridge for the ultimate in carefree pool filtration. The fiberglass-reinforced tank halves are secured with a locking ring—just loosen the ring and remove the top half for easy cartridge access and rinsing. Filter maintenance doesn't get any easier.

KEY FEATURES

Single-piece base and tank

Constructed of fiberglass-reinforced polypropylene for strength, chemical resistance and maximum durability.

High Flow™ Manual Air Relief Valve

Valve with continuous internal air relief works to maintain optimum filtration efficiency at all times.

1½" drain cap and washout

For quick and convenient maintenance and winterization.

Innovative lock ring

Requires only an easy half of a revolution for a leak-proof seal.

Easy to remove and rinse cartridge

2" plumbing

For maximum flow.

Locking ring

Allows easy and quick access to cartridge and internal parts.

Model Number	Filter Area Sq. Ft.	Vertical Clearance*	Filter Diameter	Flow Rate GPM	Turnover Capacity (Gallons)		
					8 hrs.	10 hrs.	12 hrs.
CC 50	50	30"	15.5"	50	24,000	30,000	36,000
CC 75	75	39"	15.5"	75	36,000	45,000	54,000
CC 100	100	61"	15.5"	100	48,000	60,000	72,000
CC 150	150	76"	15.5"	150	72,000	90,000	108,000
CC 200	200	76"	15.5"	150	72,000	90,000	108,000

*Required clearance to remove filter elements.



TRADEGRADE

The TradeGrade family of products is exclusively made for and sold by the world's most demanding pool professionals.

1620 Hawkins Ave | Sanford, NC 27330 | United States | 800.831.7133 | pentair.com

All indicated Pentair trademarks and logos are property of Pentair Inc. or its global affiliates in the U.S.A. and/or other countries. Third party registered and unregistered trademarks and logos are the property of their respective owners.