

Engineered Solutions. Trusted Results.

## FOAM-TITE COMPRESSION SEALS

Seamless compression seals are nearly 100% closed cell to prevent water from penetrating the foam cell structure. The extruded skin provides a unique UV resistant barrier with design features that enhance the weather strip's sealing performance.

AmesburyTruth uses a wide range of materials and manufacturing technologies to meet the fenestration market's form, fit, and function requirements. Our trusted brands such as Foam-Tite have serviced the industry for over 50 years!

### ENGINEERED FOR PERFORMANCE

- Achieves AAMA 702 Class "A" Extra High-Performance Certification
- Minimal compression load deflection (CLD)
- Low water absorption
- Proven technology-extruded TPE
- Closed cell foam construction

### DEVELOPED FOR MANUFACTURING

- Rigid kerf for easy installation
- Capable of corner welding
- 100% recyclable

### CULTIVATED FOR THE ENVIRONMENT

- Contains no hazardous chemicals




# AMESBURYTRUTH ADVANTAGES

## RELIABLE PARTNER


- Our design engineers will collaborate to match your needs
- In-house tool design and manufacturing makes us a one-stop shop
- North American manufactured
- Reeled or cut length options
- Quality you can count on

## COLORS



## PRO SLIP II

- Low friction "stripes" →
- Excellent coefficient of friction properties
- Great for sliding applications
- Abrasion resistant
- Can be incorporated into most profiles




## IN-LINE TOOLING

- In-house tool design and manufacture
- Reduces labor requirements for inserting weatherstrip
- In stock replacement inventory for wearable parts




## NOTCHED DESIGN


- Aids with in-line insertion
- Allows for easy after-market replacement
- Available on 32401, 32402, 32404, 32407




## KERF MOUNT




**12079**  
reach .250"




**12195**  
reach .270"




**12359**  
reach .285"




**12120**  
reach .300"




**12267**  
reach .320"




**12003**  
reach .320"




**12464**  
reach .335"




**12142**  
reach .360"



**12274**  
reach .360"



**12234**  
reach .374"



**12338**  
reach .551"

## KERF MOUNT BULBS



**12401**  
reach .200"



**12253**  
reach .200"




**12032**  
reach .200"



**12246**  
reach .220"



**12402**  
reach .250"




**12310**  
reach .250"




**12021**  
reach .250"




**12033**  
reach .250"




**12249**  
reach .275"




**12408**  
reach .280"




**12027**  
reach .300"



**12404**  
reach .300"




**12034**  
reach .300"




**12094**  
reach .300"




**12058**  
reach .300"




**12138**  
reach .320"




**12202**  
reach .320"



**12167**  
reach .320"




**12035**  
reach .375"




**12252**  
reach .400"

## C2



**12299**  
reach .200"



**12290**  
reach .320"



**12328**  
reach .325"



**12300**  
reach .405"



### LEARN MORE – C2

- Features the look and feel of EPDM but has improved shape control, stiffer carrier and versatile design
- Lacks full TPV skin coating to allow fold around corners with minimal creasing, eliminating the need for mitered corners, while reducing leaks and stiffening
- Not just for cornering – good for traditional compression applications as well
- Softer than fully coated products


## .187" BACKER CLAD FT




**32804**  
reach .250"



**32806**  
reach .300"



**32821**  
reach .300"




**32824**  
reach .375"

### LEARN MORE – CLAD FT

- Patented TPV foam core that boasts a low friction surface
- Engages with low compression force
- Excellent foam recovery
- UV stable
- Great for sliding applications
- Available on spools or cut to length
- Bright White, Tan and Black color options

## KERF MOUNT CLAD FT




**12802**  
reach .200"




**12804**  
reach .250"

## OFF-SET .187" SNAP-IN BACKER




**32711**  
reach .320"



**32708**  
reach .400"

## POCKET SEALS




**52031**  
reach .180"



**52033**  
reach .200"




**52041**  
reach .225"




**52311**  
reach .255"




**52044**  
reach .300"




**52019**  
reach .370"




**52029**  
reach .375"



**52054**  
reach .385"




**52047**  
reach .390"




**52048**  
reach .640"


## OFF-SET T-SLOT BULB .187" BACKER




**32717**  
reach .200"




**32682**  
reach .250"




**32695**  
reach .250"




**32696**  
reach .300"




**32684**  
reach .300"




**32690**  
reach .300"




**32687**  
reach .350"




**32697**  
reach .350"




**32654**  
reach .400"




**32688**  
reach .400"




**32692**  
reach .400"



**32642**  
reach .435"



**32689**  
reach .450"



**32716**  
reach .520"

## UPRIGHT T-SLOT BULB .270" BACKER



**32006**  
reach .200"



**32003**  
reach .250"




**32013**  
reach .275"




**32097**  
reach .275"



**32008**  
reach .300"



















**32009**  
reach .375"












**32309**  
reach .405"

## UPRIGHT T-SLOT .187" BACKER

|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| <b>32005</b><br>reach .200"                                                       | <b>32001</b><br>reach .250"                                                       | <b>32082</b><br>reach .250"                                                       | <b>32340</b><br>reach .250"                                                       | <b>32016</b><br>reach .275"                                                       | <b>32083</b><br>reach .275"                                                         | <b>32007</b><br>reach .300"                                                         | <b>32390</b><br>reach .300"                                                         |
|  |  |  |  |  |  |  |  |
| <b>32109</b><br>reach .300"                                                       | <b>32331</b><br>reach .320"                                                       | <b>32026</b><br>reach .350"                                                       | <b>32011</b><br>reach .350"                                                       | <b>32086</b><br>reach .350"                                                       | <b>32010</b><br>reach .375"                                                         | <b>32411</b><br>reach .375"                                                         | <b>32395</b><br>reach .400"                                                         |
|  |  |  |  |  |  |                                                                                     |                                                                                     |
| <b>32316</b><br>reach .405"                                                       | <b>32002</b><br>reach .425"                                                       | <b>32324</b><br>reach .500"                                                       | <b>32014</b><br>reach .560"                                                       | <b>32424</b><br>reach .589"                                                       | <b>32341</b><br>reach .590"                                                         |                                                                                     |                                                                                     |




## DOOR SEALS

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| <b>12041</b><br>reach .380"                                                         | <b>12096</b><br>reach .400"                                                         | <b>12103</b><br>reach .500"                                                         | <b>12002</b><br>reach .500"                                                         | <b>12601</b><br>reach .500"                                                         | <b>12083</b><br>reach .625"                                                           | <b>12610</b><br>reach .650"                                                           | <b>12001</b><br>reach .650"                                                           |



**12652**  
reach .730"

## IN-LINE INSERTION

|                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |
| <b>32401</b><br>reach .180"                                                         | <b>32402</b><br>reach .180"                                                         | <b>32107</b><br>reach .187"                                                         | <b>32407</b><br>reach .220"                                                           | <b>32404</b><br>reach .225"                                                           | <b>32089</b><br>reach .225"                                                           |
|  |  |                                                                                     |                                                                                       |                                                                                       |                                                                                       |
| <b>32103</b><br>reach .280"                                                         | <b>32026</b><br>reach .350"                                                         |                                                                                     |                                                                                       |                                                                                       |                                                                                       |