

Module 1-HTML 5

Exercise 1

Problem Statement:

Create the HTML5 Base Template

Scenario: You're setting up the base document that every page on the portal will use.

Objective: Ensure semantic structure and compatibility across browsers.

Task:

- Use <!DOCTYPE html>,<lang="en">,<meta charset = "UTF-8">.
- Add comments to label sections like "Navigation", "Main", "Footer".
- Save as index.html and open it in Chrome.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Local Community Event Portal</title>
</head>
<body>


  <!-- Navigation -->
  <nav>
    <a href="#">Home</a>
  </nav>

  <!-- Main -->
  <main>
    <h1>Welcome to Community Event Portal</h1>
  </main>

  <!-- Footer -->
  <footer>
    <p>&copy; 2026 Community Portal</p>
  </footer>

</body>
</html>
```

Output:



Explanation:

- `<!DOCTYPE html>` declares the document as an HTML5 page and ensures browser compatibility.
- Semantic tags like `<nav>`, `<main>`, and `<footer>` improve page structure and readability.

Exercise 2

Problem Statement:

Navigation and Linking

Scenario: Users should navigate between "Home", "Events", and "Contact" sections.

Objective: Provide intuitive navigation and section-based references.

Task:

- Use <nav> with anchor tags Events.
- Define matching IDs for each section like <section id="events">.
- Add a link to an external help document using .

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Local Community Event Portal</title>
</head>
<body>

  <!-- Navigation -->
  <nav>
    <a href="#home">Home</a> |
    <a href="#events">Events</a> |
    <a href="#contact">Contact</a> |
    <a href="help.html" target="_blank">Help</a>
  </nav>

  <section id="home">
    <h2>Home Section</h2>
  </section>

  <section id="events">
    <h2>Events Section</h2>
  </section>

  <section id="contact">
    <h2>Contact Section</h2>
  </section>


  <!-- Main -->
  <main>
    <h1>Welcome to Community Event Portal</h1>
  </main>

  <!-- Footer -->
  <footer>
    <p>&copy; 2026 Community Portal</p>
  </footer>

</body>
```

</html>

Output:



Explanation:

- The `<nav>` tag creates a navigation menu using anchor links.
- The `href="#id"` links jump to sections having matching IDs within the page.

Exercise 3

Problem Statement:

Welcome Message with Styling and ID/Class

Scenario: Display a welcome banner styled uniquely for a logged-in user.

Objective: Practice block/inline tags and differentiate id and class

Task:

- Use <div id="welcomeBanner"> and apply a blue background via internal CSS
- Use inline styles for a special offer (e.g., color red, bold)
- Apply the .highlight class to certain elements for visual emphasis

Code:

```
<!DOCTYPE html>
<html>
<head>
<style>
#welcomeBanner{
  background-color: blue;
  color:white;
  padding:15px;
}

.highlight{
  background-color: yellow;
}
</style>
</head>
<body>


<div id="welcomeBanner">
  Welcome User!
</div>

<p class="highlight">
  Upcoming Events Available
</p>

<p>
  Register now and get
  <span style="color:red;font-weight:bold;">
    20% Discount
  </span>
</p>

</body>
</html>
```

Output:



Explanation:

- The `id` selector uniquely styles the welcome banner, while the `class` selector can style multiple elements.
- The `<span>` tag is used for inline styling without affecting surrounding content.
-

Exercise 4

Problem Statement:

Image Gallery for Community Events

Scenario: Show images from past events in a table layout.

Objective: Work with , tables, and formatting tags.

Task:

- Use a <table> with 2 rows and 3 columns of tags
- Include alt, title, and style each image with borders using a class
- Add a caption to describe each event

Code:

```
<!DOCTYPE html>
<html>
<head>
<style>
.event-img{
  border:2px solid black;
  width:150px;
  height:100px;
}
</style>
</head>
<body>

<table border="1">
<tr>
<td>

<p>Music Festival</p>
</td>

<td>

<p>Sports Meet</p>
</td>

<td>

<p>Food Fair</p>
</td>
</tr>

<tr>
<td>

<p>Art Show</p>
</td>

<td>

<p>Dance Competition</p>
```

```

</td>


<td>

<p>Community Gathering</p>
</td>
</tr>
</table>

</body>
</html>

```

Output:



Explanation:

- The `<img>` tag displays event images with alternate text and tooltips.
- Tables organize images into rows and columns for a gallery layout.

Exercise 5

Problem Statement:

Event Registration Form

Scenario: Residents need to register for events.

Objective: Practice input types, validation, placeholder, autofocus, and output

Task:

- Include fields: name (text), email (email), date (date), event type (select), message (textarea)
- Add placeholder, required, and autofocus
- Display a confirmation message using <output> when the form is submitted
- Style the form using CSS

Code:

```
<!DOCTYPE html>
<html>
<head>
<style>
form{
    width:400px;
    border:1px solid gray;
    padding:20px;
}
</style>

<script>
function showMessage(){
    document.getElementById("result").value =
    "Registration Successful!";
}
</script>

</head>
<body>

<form onsubmit="showMessage(); return false;">

    <input type="text"
        placeholder="Enter Name"
        required
        autofocus><br><br>

    <input type="email"
        placeholder="Enter Email"
        required><br><br>

    <input type="date" required><br><br>

    <select required>
        <option>Music</option>
        <option>Sports</option>
```

```
<option>Food Festival</option>
</select><br><br>

<textarea placeholder="Message"></textarea><br><br>

<button type="submit">Register</button>


<br><br>

<output id="result"></output>

</form>

</body>
</html>
```

Output:



The screenshot shows a web browser window with the title "exercise5.html". The address bar shows the file path "C:/Users/dell/OneDrive/Desktop/Up_Skilling/html5_module1/exercise5.html". The browser displays a registration form with the following fields and controls:

- A text input field containing "tejeswar".
- A text input field containing "tejeswarreddymuli@gmail.co".
- A date input field showing "04-06-2026" with a calendar icon.
- A dropdown menu with "Sports" selected.
- A text area containing "this is 5th exercise in module 1".
- A "Register" button.
- A confirmation message "Registration Successful!" displayed below the button.

Explanation:

- HTML5 form controls provide validation using `required`, `placeholder`, and `autofocus`.
- The `<output>` tag displays a confirmation message after form submission.

Exercise 6

Problem Statement:

Event Feedback with Events Handling

Scenario: Collect real-time feedback and interactions from the user.

Objective: Handle blur, change, click, double-click, and keyboard events.

Task:

- Use onblur to validate a phone number field
- Use onchange on a dropdown to display the selected event fee
- onclick on a submit button to show a confirmation
- ondblclick on an image to enlarge it
- Capture key events in the feedback textarea and count characters

Code:

```
<!DOCTYPE html>
<html>
<head>
<script>

function validatePhone(){
    alert("Phone number validated");
}

function showFee(){
    let fee=document.getElementById("event").value;
    document.getElementById("fee").innerHTML=
    "Fee: ₹"+fee;
}

function submitForm(){
    alert("Feedback Submitted");
}

function enlarge(img){
    img.style.width="300px";
}

function countChars(){
    let count=document.getElementById("feedback").value.length;
    document.getElementById("counter").innerHTML=
    count+" Characters";
}

</script>
</head>
<body>

Phone:
<input type="text" onblur="validatePhone()">

<br><br>

<select id="event" onchange="showFee()">
```

```

<option value="100">Music</option>
<option value="200">Sports</option>
</select>

<p id="fee"></p>



<br><br>


<textarea id="feedback"
          onkeyup="countChars()"></textarea>


<p id="counter">0 Characters</p>

<button onclick="submitForm()">
Submit
</button>

</body>
</html>
Output:

```





Explanation:

- JavaScript event handlers respond to user actions such as click, blur, change, and keyboard input.
- Dynamic updates improve user interaction without reloading the page.