

GIT-HOL-1

Git Configuration and Repository Creation

Objective:

- Setup your machine with Git Configuration
- Integrate Notepad++ as the default Git editor
- Add a file to the source code repository

Prerequisites:

- Install Git Bash.
- Create a GitHub account.

Procedure:


1. Check Git installation using: `git --version`
2. Configure Git username and email.
3. Verify Git configuration.
4. Configure Notepad++ as the default editor (optional).
5. Create a GitDemo folder and initialize it with `git init`.
6. Create `welcome.txt` and add content.
7. Check repository status.
8. Stage the file using `git add welcome.txt`.
9. Commit using `git commit -m "Added welcome file"`.
10. Add remote repository.
11. Pull and push the repository to GitHub.

Commands:

```
git --version
git config --global user.name "Tavva Bhanu Sri"
git config --global user.email "tavvabhanu@gmail.com"
git config --global --list
```

```
mkdir GitDemo
cd GitDemo
git init
echo "Welcome to the version control" > welcome.txt
git status
git add welcome.txt
git commit -m "Added welcome file"
git remote add origin https://github.com/tavvabhanuGitDemo
git pull origin main
git push origin main
```

Output:



```
MINGW64/c/Users/tavva/GitDemo

tavva@LAPTOP-J04UFC04 MINGW64 -
$ git --version
git version 2.53.0.windows.1

tavva@LAPTOP-J04UFC04 MINGW64 -
$ git config --global user.name "Tavva Bhanu Sri"
git config --global user.email "tavvabhanu@gmail.com"

tavva@LAPTOP-J04UFC04 MINGW64 -
$ git config --global --list
core.editor="C:\Users\tavva\AppData\Local\Programs\Microsoft VS Code\bin\code" -
-wait
user.email=tavvabhanu@gmail.com
user.name=Tavva Bhanu Sri

tavva@LAPTOP-J04UFC04 MINGW64 -
$ mkdir GitDemo

tavva@LAPTOP-J04UFC04 MINGW64 -
$ cd GitDemo

tavva@LAPTOP-J04UFC04 MINGW64 ~/GitDemo
$ git init
Initialized empty Git repository in C:/Users/tavva/GitDemo/.git/

tavva@LAPTOP-J04UFC04 MINGW64 ~/GitDemo (main)
$ echo "welcome to the version control" > welcome.txt

tavva@LAPTOP-J04UFC04 MINGW64 ~/GitDemo (main)
$ ls
welcome.txt

tavva@LAPTOP-J04UFC04 MINGW64 ~/GitDemo (main)
$ cat welcome.txt
welcome to the version control

tavva@LAPTOP-J04UFC04 MINGW64 ~/GitDemo (main)
$ git status

git add welcome.txt

git commit -m "Added welcome file"

git status

git remote add origin https://github.com/tavvabhanu/GitDemo
```

```
MINGW64~/Users/tavva/GitDemo
$ echo "welcome to the version control" > welcome.txt
tavva@LAPTOP-J04UFC4 MINGW64 ~/GitDemo (main)
$ ls
welcome.txt
tavva@LAPTOP-J04UFC4 MINGW64 ~/GitDemo (main)
$ cat welcome.txt
welcome to the version control
tavva@LAPTOP-J04UFC4 MINGW64 ~/GitDemo (main)
$ git status
git add welcome.txt
git commit -m "Added welcome file"
git status
git remote add origin https://github.com/tavvabhanu/GitDemo
git push -u origin main
On branch main
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    welcome.txt
nothing added to commit but untracked files present (use "git add" to track)
warning: in the working copy of 'welcome.txt', LF will be replaced by CRLF the n
ext time Git touches it
[main (root-commit) f6754c9] Added welcome file
1 file changed, 1 insertion(+)
create mode 100644 welcome.txt
On branch main
nothing to commit, working tree clean
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 255 bytes | 255.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/tavvabhanu/GitDemo
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
tavva@LAPTOP-J04UFC4 MINGW64 ~/GitDemo (main)
$
```

Result:

Git was configured successfully, a repository was created, welcome.txt was committed, and the repository was synchronized with the remote repository.