



COMPREHENSIVE MOVEMENT & FLEXIBILITY ASSESSMENT

PATIENT INFORMATION

Patient Name:	Test Patient	Age:	30 years
Gender:	Male	Height:	N/A
Weight:	N/A	Assessment Date:	2025-08-06

ASSESSMENT OVERVIEW

Assessment Category	Score	Interpretation	Priority Level
Overall Assessment	3.9/10	Poor	High
Flexibility Tests (4 tests)	7.8/10	Good	Low
Movement Quality (2 tests)	0/10	Poor	High

DETAILED TEST RESULTS

Neck Flexibility Assessment

Duration:	20 seconds	Score:	7.5/10
Target:	$67.54^{\circ} - 0.50 \times 30 = 52.5^{\circ}$	Measurement:	45.0°
Status:	Good	Priority:	Low

Protocol: Patient performs maximum cervical rotation while maintaining neutral spine alignment.

Clinical Significance: Assesses cervical mobility, upper crossed syndrome, and postural adaptation patterns.

Assessment Finding: Good neck flexibility

Identified Dysfunctions: slight_restriction

Hip Flexibility Assessment

Duration:	30 seconds	Score:	8.0/10
Target:	Hip flexor length assessment	Measurement:	120.0°
Status:	Excellent	Priority:	Low

Protocol: Modified Thomas test position evaluating hip flexor tightness and compensation patterns.

Clinical Significance: Identifies hip flexor restrictions contributing to anterior pelvic tilt and lower back dysfunction.

Assessment Finding: Excellent hip flexibility

CLINICAL SUMMARY & RECOMMENDATIONS

RECOMMENDED INTERVENTIONS

- 1. Scapular retractions - 12 reps, 3 sets
- 2. Thoracic extension - 10 reps, 3 sets
- 3. Wall angels - 15 reps, 3 sets
- 4. Chin tucks - 10 reps, 3 sets
- 5. Upper back strengthening exercises
- 6. Neck stretches - 30 seconds each side

FOLLOW-UP PROTOCOL

Recommend routine follow-up in 8-12 weeks for maintenance and prevention.

TRADITIONAL POSTURE MEASUREMENTS

Measurement	Value	Normal Range	Status
Head Tilt	2.5°	< 5°	✓ Normal
Craniovertebral Angle	48.0°	< 5°	■ Significant
Head Shoulder Angle	3.0°	< 5°	✓ Normal
Shoulder Height Difference	0.8°	< 5°	✓ Normal
Shoulder Protraction	1.5°	< 5°	✓ Normal

Pelvic Tilt	0.5°	< 5°	✓ Normal
Anterior Pelvic Tilt	10.0°	< 5°	■ Significant
Knee Alignment	0.3°	< 5°	✓ Normal
Spinal Curvature	1.2°	< 5°	✓ Normal
Hip Alignment	0.7°	< 5°	✓ Normal
Ankle Alignment	0.4°	< 5°	✓ Normal
Overall Posture Score	78.0°	< 5°	■ Significant

This assessment was conducted using evidence-based protocols and age-adjusted normative data. Results should be interpreted by qualified healthcare professionals in conjunction with clinical examination. Report generated on August 06, 2025 at 08:53 AM.