

Project for Eighth Semester of Bachelor of Information Technology

Heart Disease Prediction System



Submitted By:

Abhiyan Limbu

Dilip Tumbapo

Em Esh Thapa Magar

KIST College of Information Technology

Submitted To:

Faculty of Science and Technology

Purbanchal University, Nepal

APPROVAL LETTER

DECLARATION

We, the undersigned, hereby declare that the project titled “Heart Disease Prediction System”, submitted as a part of the academic requirement for the Eighth semester of the Bachelor of Information Technology (BIT) program under Purbanchal University, is our original work.

We affirm that this project has not been copied, plagiarized, or extracted from any previously published or submitted material. It has not been submitted elsewhere for any academic or professional purpose. All sources of information, if used, have been duly acknowledged.

We understand that any violation of academic integrity may lead to disqualification of the project.

Name of Student	Registration Number	Signature
Abhiyan Limbu	058-3-2-05267-2022	
Dilip Tumbapo	058-3-2-05276-2022	
Em Esh Thapa Magar	058-3-2-05280-2022	

Date:

CERTIFICATE

This is to certify that **Abhiyan Limbu, Dilip Tumbapo and Em Esh Thapa Magar students** of Bachelor of Information Technology (BIT) at KIST College of Information Technology, have successfully completed their academic project titled “**Heart Disease Prediction System**” as part of the course requirements for the Eighth Semester under the curriculum prescribed by Purbanchal University.

The project work was carried out during the academic session and is a part of the continuous practical learning approach promoted by the BIT program. The students demonstrated efforts in the planning, development and execution of the project, adhering to academic and technical standards.

External Examiner

Signature

Date signed

Deepak Khadka

Supervisor

Signature

Date signed

Deepak Khadka

Coordinator, BIT

Signature

Date signed

ACKNOWLEDGEMENTS

First of all, we take this opportunity to express our profound appreciation and unfathomable regards to the Information Technology (IT) department for the commendable guidance, monitoring and constant encouragement throughout the course of this project. The help and guidance given by them shall carry us a long way, in the journey on which we are about to embark.

We also take this opportunity to thank Mr. Deepak Khadka, our esteemed coordinator, for his invaluable guidance and support from the initial stages to the culmination of this endeavor. His encouragement and insights have been instrumental in shaping this project. We would like to acknowledge the unwavering support of our friends who stood by us with patience and encouragement throughout this journey.

Finally, we would also like to express our sincere thanks to Purbanchal University for designing such a wonderful course structure. It will help us to get more knowledge in the field of Information Technology and help us to have a bright future in the field of the technology.

ABSTRACT

The *Heart Disease Prediction System* is a machine learning-based project developed to predict the likelihood of heart disease in an individual using key health parameters. The system leverages data-driven algorithms to analyze medical attributes such as age, gender, blood pressure, cholesterol levels, blood sugar, and other cardiovascular indicators. Built with Flask and popular ML libraries such as Scikit-learn, Pandas, and NumPy, the model applies classification techniques to deliver accurate and reliable predictions. The project follows a systematic workflow including data preprocessing, feature selection, model training, and performance evaluation through metrics like accuracy, precision, recall, and F1-score. A user-friendly web interface enables users to input their health data and receive real-time prediction results. This project demonstrates the practical application of artificial intelligence in healthcare by providing a supportive decision-making tool for early detection and prevention of heart disease, ultimately contributing to improved patient outcomes.

Keywords: *Machine Learning, Heart Disease Prediction, Artificial Intelligence, Flask, Cardio Vascular Disease, Healthcare, Logistic Regression, Decision Tree, Random Forest, Predictive Modeling, Cleveland Dataset.*

TABLE OF CONTENTS

APPROVAL LETTER.....	ii
DECLARATION	iii
CERTIFICATE	iv
ACKNOWLEDGEMENTS.....	v
ABSTRACT.....	vi
LIST OF TABLES.....	ix
LIST OF FIGURES	x
LIST OF ABBREVIATIONS.....	xi
CHAPTER 1: BACKGROUND	1
1.1 Introduction.....	1
1.2 Problem Statement	1
1.3 Objectives of the Project.....	1
1.4 Key features of the System	2
1.5 Scope and Limitations.....	3
1.6 Workflow of the Project.....	4
CHAPTER 2: SIGNIFICANCE	6
2.1 Challenges in the Absence of the Proposed System	6
2.2 Proposed Solutions to Address the Identified Challenges	7
CHAPTER 3: LITERATURE REVIEW	9
3.1 Overview of the Problem	9
3.2 Review of Machine Learning Concepts and Techniques.....	10
3.3 Review of Related Works and Existing Systems.....	11
3.4 Comparative Analysis of Reviewed Works	12
CHAPTER 4: SYSTEM ANALYSIS.....	15
4.1 Functional Requirements.....	15
4.2 Non-Functional Requirements	15
4.3 System Requirements.....	16
4.3.1 Hardware requirements.....	16
4.3.2 Software requirements.....	16
CHAPTER 5: METHODOLOGY	17
5.1 Development Phases	17
5.2 Tools and Technology Used.....	17

5.3 Dataset Description	18
5.4 Data Preprocessing	20
5.5 Model Training and Evaluation Strategy	21
5.5.1 Candidate Algorithms	21
5.5.2 Hyperparameter Tuning	22
5.5.3 Performance Evaluation Metrics	23
CHAPTER 6: SYSTEM DESIGN	24
6.1 Flowchart	24
6.2 Data Flow Diagram	25
6.3 Sequence Diagram	26
6.4 Use-Case Diagram	26
6.5 ML Pipeline Diagram	27
6.6 System Architecture	27
6.7 Gantt Chart	28
CHAPTER 7: RESULT AND DISCUSSION	29
7.1 Confusion Matrix Analysis	29
7.1.1 Logistic Regression	29
7.1.2 Decision Tree	30
7.1.3 Random Forest	31
7.1.4 Overall Model Comparison	32
7.2 ROC-AUC Curve Analysis	33
7.2.1 Logistic Regression	33
7.2.2 Decision Tree	33
7.2.3 Random Forest	34
CHAPTER 8: FUTURE ENHANCEMENTS	35
CHAPTER 9: CONCLUSION	36
REFERENCES	37
APPENDICES	38

LIST OF TABLES

<i>Table 4.1: Hardware Requirements</i>	16
<i>Table 4.2: Software Requirements</i>	16
<i>Table 5.2: Tools and Technology Used</i>	17
<i>Table 7.1: Model Performance Evaluation Metrics</i>	32

LIST OF FIGURES

<i>Figure 6.1: Flowchart Diagram</i>	<i>24</i>
<i>Figure 6.2: Data Flow Diagram Level 0.....</i>	<i>25</i>
<i>Figure 6.3: Data Flow Diagram Level 1</i>	<i>25</i>
<i>Figure 6.4: Sequence Diagram.....</i>	<i>26</i>
<i>Figure 6.5: Use-Case Diagram</i>	<i>26</i>
<i>Figure 6.6: ML Pipeline Diagram.....</i>	<i>27</i>
<i>Figure 6.7: System Architecture</i>	<i>27</i>
<i>Figure 6.8: Gantt Chart.....</i>	<i>28</i>
<i>Figure 7.1: Logistic Regression Confusion Matrix</i>	<i>29</i>
<i>Figure 7.2: Decision Tree Confusion Matrix</i>	<i>30</i>
<i>Figure 7.3: Random Forest Confusion Matrix</i>	<i>31</i>
<i>Figure 7.4: Logistic Regression ROC AUC Curve.....</i>	<i>33</i>
<i>Figure 7.5: Decision Tree ROC AUC Curve.....</i>	<i>33</i>
<i>Figure 7.6: Random Forest ROC AUC Curve.....</i>	<i>34</i>

LIST OF ABBREVIATIONS

ACC	Accuracy
AI	Artificial Intelligence
BP	Blood Pressure
CP	Chest Pain
CSV	Comma-Separated Values
DS	Dataset
DT	Decision Tree
ECG	Electrocardiogram
EDA	Exploratory Data Analysis
FBS	Fasting Blood Sugar
FE	Feature Engineering
FS	Feature Selection
F1	F1-Score
HDPS	Heart Disease Prediction System
HR	Heart Rate
LR	Logistic Regression
ML	Machine Learning
NA	Missing Values (Not Available)
NORM	Normalization
PREC	Precision
REC	Recall
RF	Random Forest
SL	Supervised Learning
STD	Standardization

CHAPTER 1: BACKGROUND

1.1 Introduction

In the modern digital era, machine learning has revolutionized healthcare by enabling predictive analytics for disease diagnosis. However, many advanced diagnostic tools are inaccessible due to high costs or lack of expertise, limiting their use for early detection in resource-constrained settings. Heart Disease Prediction System is a free AI-based platform that addresses this by using machine learning models to analyze patient data, allowing users from all backgrounds to assess heart disease risk and identify preventive measures. The Python ecosystem, including libraries like numpy, scikit-learn, pandas, powers this project due to their robust features for data processing, model training, and evaluation. The system focuses on creating a secure, efficient, and cost-free web application where users can input health metrics, receive predictions, and view risk insights. It also enables healthcare professionals to manage datasets, analyze model performance, and update features dynamically. By utilizing a modular pipeline with data preprocessing, feature engineering, and model deployment, the system ensures scalable code organization and maintainability, providing a foundation for future enhancements. Ultimately, this solution bridges the gap between advanced healthcare technology and underserved communities, promoting proactive health management and early intervention.

1.2 Problem Statement

Patients and doctors face significant challenges in early heart disease detection due to reliance on manual assessments or expensive tests. Traditional methods often miss subtle risk factors like age, cholesterol levels, blood pressure, and lifestyle habits, leading to delayed interventions and higher mortality rates. These approaches lack instant predictions or detailed risk analytics, making it hard to gauge patient vulnerability efficiently. Existing free tools are often inaccurate, insecure, or not tailored to standard datasets like UCI Cleveland, hindering proactive care. This project tackles these issues by developing "Heart Disease Prediction," a free machine learning platform using Python that delivers accurate predictions and insights for everyone.

1.3 Objectives of the Project

The primary objectives of this project are:

- a) To design and implement an interactive, secure, and free AI platform for heart disease risk prediction.
- b) To automate the prediction process from data input to risk evaluation.

To achieve these primary objectives, the following specific objectives have been identified:

- a) To implement secure data handling and model deployment using Python frameworks.
- b) To design a data pipeline for processing features like age, chest pain, and cholesterol from standard datasets.
- c) To train and evaluate ML models for real-time predictions with metrics.
- d) To enhance early detection and prevention through accessible, accurate AI predictions at no cost.

1.4 Key features of the System

The Heart Disease Prediction System is built around a set of carefully designed features that collectively deliver an accessible, accurate, and user-friendly platform for cardiovascular risk assessment. The key features of the system are outlined as follows:

- a) **AI-Powered Risk Prediction:** At the core of the platform lies a machine learning engine trained on the UCI Cleveland Heart Disease dataset. The system leverages algorithms such as Random Forest, Decision Tree, Logistic Regression to generate reliable and real-time heart disease risk predictions based on user-submitted health metrics. The best-performing model is selected through rigorous evaluation to ensure prediction accuracy and dependability.
- b) **User-Friendly Input Interface:** The platform provides an intuitive and straightforward web-based input form through which users can easily enter their clinical parameters, including age, cholesterol levels, blood pressure, chest pain type, and other relevant indicators. The interface is designed to be accessible to users with varying levels of technical or medical knowledge, requiring no specialized training to operate.
- c) **Real-Time Prediction and Probability Scoring:** Upon submission of health data, the system instantly processes the inputs and returns a prediction result accompanied by a probability score that quantifies the likelihood of heart disease. This real-time responsiveness enables prompt risk awareness without delays associated with traditional diagnostic processes.
- d) **Cost-Free Accessibility:** The platform is entirely free to use, removing financial barriers that often prevent individuals in underserved or resource-constrained communities from accessing advanced diagnostic tools. By offering a no-cost

solution, the system promotes equitable access to AI-driven preventive healthcare for all users regardless of economic background.

- e) **Cross-Browser Desktop Compatibility:** The web application is designed to function seamlessly across standard desktop web browsers without requiring additional plugins, software installations, or specialized hardware. This ensures broad accessibility and consistent performance across different user environments.

1.5 Scope and Limitations

Despite its potential to improve early heart disease detection, the Heart Disease Prediction System is subject to several limitations that define the boundaries of its current implementation.

- a) **Dataset Dependency:** The system is trained exclusively on the UCI Cleveland, Hungary, Switzerland Heart Disease dataset, which is relatively small in size and may not fully represent the diversity of global patient populations. This limits the model's ability to generalize across different demographics, ethnicities, and geographic regions, potentially affecting prediction accuracy for underrepresented groups.
- b) **Static Pre-trained Model:** The platform relies on a pre-trained machine learning model that does not update automatically as new patient data becomes available. Without continuous learning or periodic retraining mechanisms, the model may become outdated over time and fail to reflect emerging clinical patterns or evolving risk factors.
- c) **Limited Input Features:** The prediction system accepts only a fixed set of health metrics such as age, cholesterol, blood pressure, and chest pain type. It does not incorporate broader determinants of heart disease such as genetic history, physical activity levels, dietary habits, stress indicators, or real-time physiological signals like ECG readings.
- d) **Absence of Clinical Validation:** The system has not undergone formal clinical trials or validation by certified medical institutions. As a result, its predictions should not be interpreted as a substitute for professional medical diagnosis or expert clinical judgment.
- e) **Security and Privacy Constraints:** While basic data handling practices are implemented, the system does not yet incorporate advanced security protocols such as end-to-end encryption, role-based access control, or compliance with international

health data regulations like HIPAA or GDPR, which may raise concerns in formal healthcare deployment scenarios.

1.6 Workflow of the Project

The Heart Disease Prediction System follows a structured and modular workflow that encompasses all stages from raw data acquisition to final prediction delivery. The overall pipeline is designed to ensure consistency, accuracy, and scalability across each phase of the system. The workflow is described as follows:

- a) **Data Collection and Preparation:** The workflow begins with sourcing the UCI Cleveland Heart Disease dataset, which contains labeled patient records with relevant clinical features. The raw data undergoes a thorough preprocessing stage that includes handling missing values, removing duplicate entries, normalizing numerical features, and encoding categorical variables into machine-readable formats. This ensures that the data fed into the model is clean, consistent, and suitable for training.
- b) **Selection:** Following preprocessing, key features that carry the highest predictive significance are identified and selected. These include attributes such as age, sex, chest pain type, resting blood pressure, serum cholesterol, fasting blood sugar, resting ECG results, maximum heart rate achieved, and exercise-induced angina.
- c) **Model Training and Evaluation:** The prepared dataset is split into training and testing subsets to facilitate unbiased model evaluation. Multiple machine learning algorithms, including Decision Tree, Random Forest, and Logistic Regression, are trained on the training subset. Each model is evaluated using standard performance metrics such as accuracy, precision, recall, F1-score. The best-performing model is selected and saved for deployment.
- d) **Model Deployment:** The selected model is integrated into a Python-based web application framework. The deployment layer handles the loading of the pre-trained model, and communication between the front-end interface and the back-end prediction engine. The model is packaged to ensure consistent and reliable predictions during runtime.
- e) **User Interaction and Input Processing:** Users can access the platform through a desktop web browser and submit their health metrics via an input form. The system validates and preprocesses the submitted data in real time, applying the same

transformation steps used during training to ensure compatibility with the deployed model.

- f) Prediction and Result Visualization:** Once the input data is processed, it is passed to the deployed model, which generates a risk prediction along with an associated probability score. The results are presented to the user through an intuitive interface that includes visual representations such as risk probability chart enabling users to understand their heart disease risk level clearly and meaningfully.

The complete workflow ensures a seamless end-to-end experience, from initial data input to actionable health insights, maintaining accuracy and accessibility throughout each stage of the process.

CHAPTER 2: SIGNIFICANCE

2.1 Challenges in the Absence of the Proposed System

Without an accessible and automated heart disease prediction platform, patients, healthcare professionals, and communities face a range of critical challenges that hinder early detection and effective preventive care. The most significant of these challenges are described as follows:

- a) **Dependence on Manual and Costly Diagnostic Methods:** In the absence of an AI-driven prediction system, heart disease diagnosis relies heavily on manual clinical assessments, laboratory tests, and imaging procedures such as echocardiograms and stress tests. These methods are not only time-consuming but also financially burdensome, placing them beyond the reach of individuals in low-income or resource-constrained settings. The high cost of traditional diagnostics creates a significant barrier to timely and equitable healthcare access.
- b) **Delayed Detection and Increased Mortality Risk:** Traditional diagnostic approaches are largely reactive, meaning patients typically seek evaluation only after experiencing noticeable symptoms. Without a proactive risk assessment tool, subtle early indicators of heart disease such as borderline cholesterol levels, mild hypertension, or atypical chest discomfort are frequently overlooked. This delay in detection significantly increases the risk of severe cardiac events, including heart attacks and strokes, ultimately contributing to higher mortality rates.
- c) **Inconsistency in Risk Assessment:** Manual risk evaluation is inherently subjective and heavily dependent on the experience and judgment of individual clinicians. In settings where specialist access is limited, general practitioners may lack the resources or expertise to perform comprehensive cardiovascular risk assessments consistently. This inconsistency leads to variability in diagnosis quality and increases the likelihood of misclassification or missed cases.
- d) **Lack of Data-Driven Decision Support:** Without a machine learning-powered platform, healthcare providers are deprived of data-driven insights that could enhance clinical decision-making. The inability to systematically analyze patterns across multiple risk factors simultaneously limits the depth and accuracy of risk evaluations, reducing the overall effectiveness of preventive care strategies.
- e) **Limited Accessibility for Underserved Populations:** Advanced diagnostic tools and specialist consultations are disproportionately concentrated in urban hospitals

and private healthcare facilities. Rural communities, economically disadvantaged populations, and regions with underdeveloped healthcare infrastructure have little to no access to such resources. In the absence of a free, web-based prediction system, these populations remain particularly vulnerable to undetected and unmanaged heart disease.

- f) **Absence of Instant Risk Feedback:** Conventional diagnostic pathways involve multiple appointments, laboratory processing times, and waiting periods before results are communicated to the patient. The lack of an instant risk feedback mechanism prevents individuals from taking timely preventive action, reducing the overall effectiveness of early intervention strategies.

2.2 Proposed Solutions to Address the Identified Challenges

The Heart Disease Prediction System is designed as a direct and comprehensive response to the challenges outlined in Section 2.1. Each identified challenge is addressed through specific technical and design decisions embedded within the proposed platform, as described below:

- a) **Replacing Costly Diagnostics with a Free AI Platform:** The system provides a completely free, web-based alternative to expensive traditional diagnostic methods. By leveraging pre-trained machine learning models and standard clinical input parameters, the platform delivers risk predictions without requiring laboratory tests or specialist consultations, making heart disease screening financially accessible to all users regardless of their economic circumstances.
- b) **Enabling Proactive and Early Risk Detection:** The platform empowers users to assess their heart disease risk at any time, even in the absence of symptoms. By analyzing a combination of clinical indicators such as age, cholesterol, blood pressure, and chest pain type, the system identifies risk patterns that may not be apparent through casual observation. This proactive approach supports earlier intervention and reduces the likelihood of severe cardiac events.
- c) **Standardizing Risk Assessment Through Machine Learning:** By replacing subjective manual evaluations with a consistently trained machine learning model, the system eliminates the variability associated with individual clinical judgment. The model applies the same analytical framework to every prediction, ensuring uniform and reproducible risk assessments regardless of the user's location or the availability of medical specialists.

- d) Extending Accessibility to Underserved Communities:** As a browser-based application requiring no specialized hardware or software, the system is accessible to users across a wide range of settings, including rural areas and low-resource environments. Its cost-free nature further ensures that geographic or economic disadvantages do not prevent individuals from benefiting from AI-powered health screening, directly addressing the inequity present in traditional diagnostic access.
- e) Providing Instant Predictions and Risk Visualizations:** Unlike conventional diagnostic pathways that involve extended waiting periods, the system delivers real-time predictions and probability scores immediately upon submission of health data. Interactive visualizations accompany each result, enabling users to understand their risk level quickly and clearly, and to take informed preventive action without unnecessary delays.
- f) Optimizing Healthcare Resource Utilization:** By automating the initial risk screening process, the system reduces the burden on healthcare professionals and institutions associated with routine cardiovascular assessments. This allows medical staff to focus their expertise on higher-priority cases while the platform handles preliminary risk evaluation efficiently, contributing to a more effective and sustainable allocation of healthcare resources.

CHAPTER 3: LITERATURE REVIEW

3.1 Overview of the Problem

Cardiovascular disease remains one of the most pressing global health challenges of the twenty-first century. According to the World Health Organization (WHO), heart disease is the leading cause of death worldwide, accounting for an estimated 17.9 million lives annually, which represents approximately 32 percent of all global deaths (WHO, 2021). The burden of cardiovascular disease is particularly severe in low- and middle-income countries, where healthcare infrastructure is often insufficient to support widespread screening and early intervention programs.

Heart disease encompasses a broad spectrum of conditions affecting the heart and blood vessels, including coronary artery disease, heart failure, arrhythmia, and valvular heart disease. Among these, coronary artery disease is the most prevalent and is strongly associated with modifiable risk factors such as high cholesterol, hypertension, diabetes, obesity, smoking, and physical inactivity. The multifactorial nature of heart disease makes its early detection inherently complex, as no single risk factor is sufficient to determine patient vulnerability with confidence.

Traditional diagnostic approaches rely heavily on clinical examination, patient history, electrocardiograms, blood tests, and imaging studies. While these methods are clinically validated, they are resource-intensive, time-consuming, and largely inaccessible to populations in underserved regions. Furthermore, the interpretation of diagnostic results requires specialized medical expertise that is unevenly distributed across healthcare systems globally.

The growing availability of electronic health records and publicly available clinical datasets has created an opportunity for machine learning techniques to complement traditional diagnostic methods. By identifying complex patterns across multiple risk factors simultaneously, machine learning models offer the potential to deliver faster, more consistent, and more accessible risk assessments. The UCI Cleveland Heart Disease dataset, in particular, has become a widely adopted benchmark in this domain, providing a standardized foundation for training and evaluating predictive models across numerous research studies.

The central problem, therefore, lies in bridging the gap between the clinical complexity of heart disease diagnosis and the need for accessible, accurate, and cost-effective prediction tools that can serve diverse populations. This literature review examines existing machine

learning concepts, techniques, and systems that have been developed in response to this challenge, with the aim of situating the proposed Heart Disease Prediction System within the broader landscape of current research.

3.2 Review of Machine Learning Concepts and Techniques

Machine learning is a branch of artificial intelligence that enables systems to learn patterns from data and make predictions or decisions without being explicitly programmed for each scenario (Mitchell, 1997). In the context of medical diagnosis, machine learning has demonstrated remarkable capability in classifying patient conditions, predicting disease outcomes, and identifying risk factors from structured clinical data. The following subsections review the core machine learning concepts and techniques most relevant to heart disease prediction.

- a) **Supervised Learning:** Supervised learning is the foundational paradigm underlying most heart disease prediction models. In supervised learning, a model is trained on a labeled dataset where each record contains input features and a corresponding output label, in this case, the presence or absence of heart disease. The model learns a mapping function from inputs to outputs that can then be applied to unseen data. Classification algorithms, which assign inputs to discrete categories, are the primary supervised learning tools used in this domain (Hastie et al., 2009).
- b) **Logistic Regression:** Logistic Regression is one of the earliest and most widely used algorithms for binary classification problems in healthcare. It models the probability of a binary outcome as a function of input features using a logistic sigmoid function. Despite its relative simplicity, Logistic Regression offers strong interpretability and has been shown to achieve competitive accuracy in heart disease prediction tasks, making it a common baseline against which more complex models are compared (Hosmer and Lemeshow, 2000).
- c) **Random Forest:** Random Forest is an ensemble learning method that constructs multiple decision trees during training and aggregates their outputs to produce a final prediction. By combining the results of numerous individually weak classifiers, Random Forest reduces overfitting and variance, resulting in a more robust and generalizable model. It is particularly effective in handling datasets with mixed feature types and has consistently ranked among the top-performing algorithms in heart disease prediction benchmarks (Breiman, 2001).

- d) Decision Trees:** Decision Trees are intuitive, tree-structured models that partition the feature space through a series of binary splits based on feature values. While individual decision trees are prone to overfitting, they offer high interpretability and serve as the building blocks for more advanced ensemble methods such as Random Forest and Gradient Boosting. Their transparency makes them particularly appealing in clinical settings where model explainability is important (Quinlan, 1986).
- e) Model Evaluation Metrics:** Evaluating the performance of classification models in medical contexts requires careful selection of evaluation metrics. Accuracy measures the proportion of correctly classified instances but can be misleading in the presence of class imbalance. Precision, recall, and the F1-score provide a more nuanced view of model performance, particularly with respect to minimizing false negatives, which carry high clinical risk in disease detection.

3.3 Review of Related Works and Existing Systems

A substantial body of research has been dedicated to applying machine learning techniques for heart disease prediction, with the UCI Cleveland Heart Disease dataset serving as the most commonly used benchmark. The following review summarizes key studies and existing systems that are most relevant to the proposed platform.

Detrano et al. (1989) conducted one of the earliest studies on automated heart disease diagnosis using the Cleveland dataset, employing a logistic regression model that achieved a classification accuracy of approximately 77 percent. This foundational work established the dataset as a standard benchmark and demonstrated the feasibility of using statistical models for cardiovascular risk prediction.

Palaniappan and Awang (2008) developed an Intelligent Heart Disease Prediction System using data mining techniques including Naive Bayes, Decision Trees, and Neural Networks. Their study found that Naive Bayes achieved the highest accuracy of 86.4 percent among the tested algorithms on the UCI dataset, highlighting the competitive performance of probabilistic classifiers in this domain. The authors emphasized the importance of integrating multiple algorithms for more reliable clinical decision support.

Mohan et al. (2019) proposed a hybrid machine learning model that combined Random Forest with linear model feature selection to predict heart disease using the Cleveland dataset. Their approach, referred to as Hybrid Random Forest with Linear Model (HRFLM), achieved an accuracy of 88.7 percent, outperforming several conventional

algorithms and demonstrating the advantage of ensemble methods and intelligent feature selection in improving predictive performance.

Latha and Jeeva (2019) investigated the impact of ensemble methods on heart disease prediction accuracy, comparing bagging, boosting, and stacking techniques across multiple base classifiers. Their findings confirmed that ensemble approaches consistently outperform individual classifiers, with stacking achieving the highest accuracy of 85.48 percent. The study reinforced the value of combining multiple models to reduce prediction error and improve generalizability.

Shah et al. (2020) presented a comparative analysis of machine learning algorithms for heart disease prediction, evaluating Naive Bayes, Decision Trees, K-Nearest Neighbor, and Random Forest on the UCI Cleveland dataset. Their results indicated that K-Nearest Neighbor achieved the highest accuracy of 90.8 percent. The study also highlighted the importance of data preprocessing, particularly feature normalization and handling of missing values, in achieving competitive model performance.

Bharti et al. (2021) proposed a hybrid model combining traditional machine learning with deep learning for heart disease classification. Their model applied machine learning algorithms alongside deep learning using Isolation Forest for outlier handling and feature normalization, achieving a deep learning accuracy of 94.2 percent. The study demonstrated the potential of combining feature engineering with deep architectures, though the authors acknowledged limitations related to dataset size and the interpretability of deep models in clinical settings.

In terms of existing deployed systems, several web-based platforms have been developed to provide heart disease risk assessments to general users. Tools such as the American Heart Association's online risk calculator and various clinical decision support systems embedded within electronic health record platforms offer risk stratification based on established clinical guidelines. However, these systems are often limited to rule-based scoring rather than dynamic machine learning predictions, lack transparency in their underlying models, and are not tailored to open benchmark datasets such as the UCI Cleveland dataset. Furthermore, many existing platforms are not freely accessible to the general public or require institutional subscriptions, limiting their reach in underserved communities.

3.4 Comparative Analysis of Reviewed Works

The reviewed studies collectively highlight several important trends and insights that directly inform the design and development of the proposed Heart Disease Prediction

System. The following comparative analysis summarizes the key dimensions across which the reviewed works differ and identifies the gaps that the current project aims to address.

- a) **Algorithm Performance Comparison:** Across the reviewed studies, Random Forest consistently emerges as one of the top-performing algorithms for heart disease prediction on the UCI Cleveland dataset, achieving accuracies ranging from 88.7 percent to 90.16 percent. Logistic Regression serves as a reliable and interpretable baseline. Deep learning models show promise in hybrid configurations but are constrained by dataset size and interpretability concerns. The proposed system incorporates multiple algorithms including Random Forest, and Logistic Regression, with model selection guided by comparative evaluation to ensure optimal predictive performance.
- b) **Dataset Utilization:** UCI Cleveland Heart Disease dataset is the most consistently used benchmark across the reviewed literature, providing a standardized basis for comparison. However, several studies note its limitations in terms of sample size and demographic diversity. While the proposed system also relies on this dataset as its primary training source, the modular architecture of the platform is designed to accommodate future dataset expansions, addressing one of the most frequently cited limitations in the reviewed works.
- c) **Accessibility and Deployment:** A notable gap in the reviewed literature is the limited emphasis on end-user accessibility and practical deployment. Most studies focus exclusively on model development and evaluation without addressing how predictions can be delivered to non-technical users or integrated into a usable web application. The proposed system directly addresses this gap by coupling machine learning model development with a fully functional, browser-accessible web interface designed for both general users and healthcare professionals.
- d) **Cost and Equity Considerations:** Existing deployed systems are often embedded within proprietary platforms or institutional tools that are not freely available to the general public. None of the reviewed works explicitly prioritize cost-free accessibility as a design objective. The proposed platform distinguishes itself by committing to a no-cost model that ensures equitable access to AI-driven heart disease screening for users across all economic backgrounds.
- e) **Visualization and Interpretability:** While several reviewed studies report evaluation metrics such as accuracy and AUC, few extend their work to include interactive visualizations or user-facing result interpretations. The proposed system

incorporates probability scoring and visual risk indicators as core output features, making prediction results more accessible and actionable for users without clinical expertise.

The comparative analysis confirms that while significant progress has been made in developing accurate machine learning models for heart disease prediction, a meaningful gap remains in translating these models into freely accessible, user-friendly, and deployable platforms. The proposed Heart Disease Prediction System is positioned to fill this gap by combining competitive machine learning performance with practical accessibility and intuitive design.

CHAPTER 4: SYSTEM ANALYSIS

4.1 Functional Requirements

Functional Requirements define what the system must do. They describe the specific behaviors and functionalities of the Heart Disease Prediction System.

- a) The system shall allow users to enter patient health parameters such as age, gender, blood pressure, cholesterol level, heart rate, and other relevant medical information.
- b) The system shall validate the entered patient data to ensure that required fields are completed and values are in the correct format.
- c) The system shall use a trained machine learning model to predict the likelihood of heart disease based on the patient's input data.
- d) The system shall integrate the trained machine learning model, such as Logistic Regression or Random Forest, into the application for prediction.
- e) The system shall display the prediction result clearly, indicating whether the patient is at high risk or low risk of heart disease.
- f) The system shall display the prediction probability score, such as the estimated percentage risk of heart disease.

4.2 Non-Functional Requirements

Non-Functional Requirements define how the system should perform. They describe the system's qualities and constraints.

- a) The application shall be responsive and provide a consistent user experience across different web browsers.
- b) The system shall process user input data and generate predictions within a few seconds under normal usage conditions.
- c) The system shall remain available and accessible to users most of the time with minimal downtime.
- d) The system shall handle invalid inputs and unexpected errors gracefully without crashing.
- e) The system shall protect patient data from unauthorized access and ensure secure handling of sensitive information.
- f) The system shall be scalable to support an increasing number of users and patient prediction requests without significant performance degradation.

4.3 System Requirements

4.3.1 Hardware requirements

Table 4.1: Hardware Requirements

Component	Specification
Processor	Intel / AMD - 2.0 GHz or higher (Recommended: Multi-core processor)
RAM	4 GB or higher (Recommended: 8 GB or higher for smooth model performance)
Resolution	At least 1024 x 768(Recommended: 1366×768 or higher)
Internet	Broadband with minimum 2.0 Mbps download rate
Storage	At least 2GB of free disk space (additional space if storing datasets or logs)

4.3.2 Software requirements

Table 4.2: Software Requirements

Component	Specification
Operating System	Windows 10 or later, Linux, or macOS
Programming Language	Python 3.8 or higher
Libraries / Frameworks	NumPy, Pandas, Scikit-learn, Matplotlib, Seaborn, Flask
Web Browsers	Google Chrome (recommended), Firefox, Microsoft Edge, Safari
Text Editor	VS Code, Jupyter Notebook, PyCharm, Sublime Text

CHAPTER 5: METHODOLOGY

5.1 Development Phases

The Heart Disease Prediction System follows the Software Development Life Cycle (SDLC) to ensure systematic and organized development. The methodology adopted includes the following phases:

- a) **Requirement Analysis** – Gathering system and user requirements, including identifying important health parameters (e.g., age, blood pressure, cholesterol) and understanding prediction goals through research and datasets.
- b) **System Design** – Designing the overall system architecture, including database structure, data flow diagrams, user interface layouts, and machine learning model workflow.
- c) **Implementation** – Developing the application using Python and machine learning libraries, integrating the trained model with the system interface (e.g., Streamlit)
- d) **Model Training and Testing** – Training the machine learning model using datasets, followed by testing and evaluating its accuracy using techniques like train-test split and performance metrics (accuracy, precision, recall).
- e) **Maintenance** – Monitoring the system after deployment, updating the model with new data, and improving system performance over time.

5.2 Tools and Technology Used

Table 5.1: Tools and Technology Used

Category	Tools / Technologies	Purpose
Frontend and Backend	Python, Flask	To develop an interactive and user-friendly web application for entering patient health data, processing inputs, and displaying heart disease prediction results
Data Processing	Pandas, NumPy	To preprocess, manage, and analyze the dataset used for model training and prediction

Machine Learning	Scikit-learn	To build, train, and evaluate the heart disease prediction model
Version Control	Git and GitHub	For source code management, version tracking, and team collaboration
Editor / IDE	Visual Studio Code, Jupyter Notebook	For writing, testing, and debugging code, and training ML models
Testing Tools	PyTest, Jupyter Notebook, Browser Developer Tools	For testing model accuracy, backend functionality, and frontend responsiveness

5.3 Dataset Description

The dataset contains a total of 1025 patient records, each described by 14 attributes comprising 13 clinical input features and one target variable. The target variable indicates the presence or absence of heart disease, originally coded on a scale of 0 and 1, where 0 indicates no presence of heart disease and 1 indicates heart disease severity. The dataset comprises 13 input features that capture a combination of demographic, physiological, and clinical information relevant to cardiovascular risk assessment. Each feature is described in detail below:

- a) Age:** Represents the age of the patient in years. Age is one of the most significant risk factors for heart disease, as cardiovascular risk increases substantially with advancing age. The values in the dataset range from 29 to 77 years.
- b) Sex:** A binary categorical variable representing the biological sex of the patient, encoded as 1 for male and 0 for female. Male patients generally exhibit a higher prevalence of heart disease at younger ages compared to female patients.
- c) Chest Pain Type (cp):** A categorical variable with four possible values representing different types of chest pain experienced by the patient. The values are coded as follows: 1 for typical angina, 2 for atypical angina, 3 for non-anginal pain, and 4 for asymptomatic chest pain. Chest pain type is among the most clinically informative features in the dataset.

- d) Resting Blood Pressure (trestbps):** Represents the patient's resting blood pressure measured in millimeters of mercury (mmHg) upon hospital admission. Elevated resting blood pressure is a well-established risk factor for cardiovascular disease. Values in the dataset range from 94 to 200 mmHg.
- e) Serum Cholesterol (chol):** Represents the patient's serum cholesterol level measured in milligrams per deciliter (mg/dL). High cholesterol levels contribute to the buildup of plaques in arterial walls, increasing the risk of coronary artery disease. Values range from 126 to 564 mg/dL.
- f) Fasting Blood Sugar (fbs):** A binary variable indicating whether the patient's fasting blood sugar level exceeds 120 mg/dL. Elevated fasting blood sugar is associated with diabetes, which is a significant risk factor for heart disease.
- g) Resting Electrocardiographic Results (restecg):** A categorical variable representing the results of the patient's resting electrocardiogram, with three possible values: normal, ST-T wave abnormality and probable or definite left ventricular hypertrophy. Abnormal ECG results can indicate underlying cardiac conditions.
- h) Maximum Heart Rate Achieved (thalach):** Represents the maximum heart rate recorded during exercise stress testing, measured in beats per minute. A lower maximum heart rate achieved during exercise is associated with reduced cardiovascular fitness and higher disease risk. Values range from 71 to 202 beats per minute.
- i) Exercise-Induced Angina (exang):** A binary variable indicating whether the patient experienced angina during exercise. Exercise-induced angina is a strong clinical indicator of reduced coronary blood flow and elevated heart disease risk.
- j) ST Depression Induced by Exercise Relative to Rest (oldpeak):** A continuous variable representing the degree of ST segment depression observed on the ECG during exercise relative to rest. Higher values of ST depression are associated with greater likelihood of coronary artery disease.
- k) Slope of the Peak Exercise ST Segment (slope):** A categorical variable describing the slope of the ST segment at peak exercise, with three possible values: upsloping, flat, and downsloping. A flat or downsloping ST segment is generally considered a more serious indicator of cardiac stress.
- l) Number of Major Vessels Colored by Fluoroscopy (ca):** Represents the number of major coronary vessels visible under fluoroscopy, ranging from 0 to 3. A higher

number of affected vessels is associated with more advanced coronary artery disease and greater overall cardiac risk.

m) Thalassemia (thal): A categorical variable representing the results of a thalassemia blood disorder test, with values coded as normal, fixed defect, reversible defect and unknown. Reversible defects detected through this test are particularly associated with the presence of heart disease.

n) Target Variable (num): The output variable indicating the diagnosis of heart disease, recoded as a binary variable where 0 represents no heart disease and 1 represents the presence of heart disease.

5.4 Data Preprocessing

Data preprocessing is a fundamental stage in the machine learning pipeline that ensures raw data is transformed into a clean, consistent, and model-ready format. The preprocessing steps applied to the UCI Cleveland Heart Disease dataset in the proposed system are described in detail below:

- a) Handling Missing Values:** The six missing values identified in the *ca* and *thal* features were addressed through mode imputation, whereby each missing entry was replaced with the most frequently occurring value within its respective feature column. Mode imputation was selected over mean imputation due to the categorical nature of both affected features, ensuring that imputed values remain valid category labels rather than non-integer approximations.
- b) Data Type Correction:** Upon loading the dataset, certain features that are inherently categorical in nature, such as chest pain type, resting ECG results, slope, thalassemia result, and the target variable, were verified and cast to appropriate data types. Ensuring correct data types is essential for proper encoding and model compatibility during subsequent preprocessing steps.
- c) Encoding of Categorical Variables:** Categorical features with more than two categories, specifically chest pain type, resting ECG results, slope, and thalassemia result, were transformed using one-hot encoding. One-hot encoding converts each categorical variable into a set of binary indicator columns, one for each unique category, eliminating any implied ordinal relationship between categories that could mislead the model. Binary categorical features such as sex, fasting blood sugar, and exercise-induced angina were retained in their original binary format without additional encoding.

- d) Feature Scaling and Normalization:** Continuous features including age, resting blood pressure, serum cholesterol, maximum heart rate achieved, and ST depression were standardized using the StandardScaler technique, which transforms each feature to have a mean of zero and a standard deviation of one. Feature scaling is particularly important for distance-based algorithms such as Logistic Regression, Decision Tree and Random Forest, which are sensitive to differences in feature magnitude. Standardization ensures that no single feature disproportionately dominates the model's decision-making process due to its numerical scale.
- e) Feature Selection:** Following preprocessing, feature importance analysis was conducted using a Random Forest classifier to identify the most predictive features within the dataset. Features were ranked by their importance scores, and a final selection of the most relevant attributes was retained for model training. This step reduces dimensionality, mitigates the risk of overfitting, and improves computational efficiency without sacrificing predictive performance.
- f) Train-Test Split:** The preprocessed dataset was partitioned into training and testing subsets using a 75:25 split ratio, whereby 75 percent of the records were allocated to model training and the remaining 25 percent were reserved for unbiased evaluation. Stratified sampling was applied during the split to ensure that the class distribution of the target variable was preserved proportionally across both subsets, maintaining representativeness and preventing class imbalance in either partition.

5.5 Model Training and Evaluation Strategy

The model training strategy for the Heart Disease Prediction System was designed to ensure that the selected machine learning model delivers the highest possible predictive accuracy while remaining generalizable to unseen patient data. The strategy encompasses algorithm selection, hyperparameter tuning, performance metric evaluation, and final model selection.

5.5.1 Candidate Algorithms

Three machine learning classification algorithms were selected as candidates for training and comparative evaluation based on their demonstrated effectiveness in heart disease prediction literature reviewed in Chapter 3. Each algorithm brings distinct characteristics and strengths to the classification task, as described below:

- a) Logistic Regression:** Logistic Regression was included as the primary baseline model due to its simplicity, interpretability, and proven competitiveness in binary

medical classification tasks. Its ability to output probability estimates alongside class predictions makes it particularly suitable for risk scoring applications where the degree of risk is as important as the binary outcome itself.

- b) Random Forest:** Random Forest was included as the primary ensemble candidate given its consistently strong performance across heart disease prediction benchmarks in the reviewed literature. Its inherent resistance to overfitting, ability to handle mixed feature types, and built-in feature importance scoring make it particularly well-suited to the characteristics of the UCI Cleveland dataset.
- c) Decision Tree:** A standalone Decision Tree classifier was included to serve as a secondary baseline and to provide a point of comparison for the ensemble Random Forest model. Its high interpretability allows for direct visualization of decision pathways, which may be of value in clinical explanatory contexts.

5.5.2 Hyperparameter Tuning

Following initial training and cross-validation, hyperparameter tuning was performed for each candidate algorithm to identify the optimal configuration that maximizes predictive performance on the training data without overfitting. The hyperparameters explored for each algorithm are detailed below:

- a) Logistic Regression:** For the Logistic Regression model, the L2 regularization penalty was used. The inverse regularization strength parameter C was set to 1.0, while the maximum number of iterations was fixed at 100 to ensure proper convergence during training. The tolerance value was set to 0.0001, and intercept fitting was enabled.
- b) Random Forest:** The Random Forest model was tuned using 200 decision trees ($n_estimators = 200$) with the Gini impurity criterion for split evaluation. The maximum depth of each tree was limited to 15 in order to control model complexity and prevent overfitting. The model used $\sqrt{\cdot}$ for maximum feature selection, while the minimum number of samples required for node splitting and leaf nodes were set to 2 and 1 respectively. In addition, balanced class weighting was applied and the random state was fixed at 42 for reproducibility.
- c) Decision Tree:** For the Decision Tree model, the Gini impurity criterion and the best splitter strategy were used. The tree depth was left unrestricted ($max_depth = None$) so that the model could fully learn patterns from the dataset. The minimum number of samples required to split an internal node was set to 2, while the minimum samples

required at a leaf node was set to 1. Other parameters were maintained at their default values during training.

5.5.3 Performance Evaluation Metrics

The performance of each candidate model was assessed using a comprehensive set of evaluation metrics to capture different dimensions of predictive quality. Reliance on a single metric such as accuracy can be misleading in medical classification contexts, particularly when the cost of different error types is asymmetric. The following metrics were computed for each model on both the cross-validation training results and the held-out test set:

- a) **Accuracy:** Accuracy measures the proportion of total predictions that were classified correctly and provides a general overview of model performance. It is computed as the ratio of correctly classified instances to the total number of instances.
- b) **Precision:** Precision measures the proportion of positive predictions that were genuinely positive, reflecting the model's ability to avoid false alarms. In the context of heart disease prediction, high precision ensures that patients flagged as high risk are likely to be true cases, reducing unnecessary anxiety or unwarranted medical intervention.
- c) **Recall:** Recall measures the proportion of actual positive cases that were correctly identified by the model. In medical diagnosis, recall is of paramount importance because a low recall value implies that a significant proportion of true heart disease cases are being missed, potentially leading to delayed treatment and adverse health outcomes.
- d) **F1-Score:** The F1-Score is the harmonic mean of precision and recall, providing a balanced measure of model performance that accounts for both false positives and false negatives. It is particularly useful when the relative importance of precision and recall must be balanced without strongly favoring either metric.
- e) **Confusion Matrix:** A confusion matrix was generated for each model to provide a detailed breakdown of true positives, true negatives, false positives, and false negatives. This breakdown offers granular insight into the specific types of errors made by each model, supporting a more nuanced interpretation of performance beyond aggregate metrics.

CHAPTER 6: SYSTEM DESIGN

6.1 Flowchart




Figure 6.1: Flowchart Diagram

6.2 Data Flow Diagram




Figure 6.2: Data Flow Diagram Level 0




Figure 6.3: Data Flow Diagram Level 1

6.3 Sequence Diagram




Figure 6.4: Sequence Diagram

6.4 Use-Case Diagram




Figure 6.5: Use Case Diagram

6.5 ML Pipeline Diagram




Figure 6.6: ML Pipeline Diagram

6.6 System Architecture



Figure 6.7: System Architecture

6.7 Gantt Chart

September,2026

S. N	Jobs	Week 1	Week 2	Week 3	Week 4
1.	Analysis				
2.	Design				
3.	Coding				
4.	Testing and debugging				
5.	Implementation				
6.	Maintenance				

Figure 6.8: Gantt Chart

CHAPTER 7: RESULT AND DISCUSSION

7.1 Confusion Matrix Analysis

7.1.1 Logistic Regression




Figure 7.1: Logistic Regression Confusion Matrix

The confusion matrix for the Logistic Regression model reveals the following classification outcomes for heart disease prediction:

- a) Accuracy = $(TP + TN) / (TP + TN + FP + FN) = (95 + 108) / (95 + 108 + 37 + 17) = 0.7899$
- b) Precision = $TP / (TP + FP) = 95 / (95 + 37) = 0.7448$
- c) Recall = $TP / (TP + FN) = 95 / (95 + 17) = 0.8640$
- d) F1 Score = $2 \times (Precision \times Recall) / (Precision + Recall) = 2 \times (0.7448 \times 0.8640) / (0.7448 + 0.8640) = 0.8000$

The Logistic Regression model achieved an overall accuracy of 78.99%, correctly classifying approximately 4 out of 5 patients. The recall of 86.40% indicates that the model successfully detected 86 out of every 100 actual heart disease cases, which is clinically acceptable as a baseline. However, the precision of 74.48% reveals that approximately 1 in 4 patients flagged as positive did not actually have heart disease, resulting in a notable false positive rate of 28%. The false negative rate of 14% meaning 14% of actual heart disease patients were incorrectly predicted as healthy is a critical concern in a clinical context, as missed diagnoses can delay life-saving treatment. The F1 Score of 0.8000 reflects a

moderate balance between precision and recall. Overall, while Logistic Regression provides an interpretable and computationally efficient baseline model, its linear decision boundary limits its ability to capture the complex, non-linear relationships inherent in cardiovascular clinical data.

7.1.2 Decision Tree




Figure 7.2: Decision Tree Confusion Matrix

The confusion matrix for the Decision Tree model reveals the following classification outcomes for heart disease prediction:

- a) $\text{Accuracy} = (\text{TP} + \text{TN}) / (\text{TP} + \text{TN} + \text{FP} + \text{FN}) = (93 + 119) / (93 + 119 + 39 + 6) = 0.8249$
- b) $\text{Precision} = \text{TP} / (\text{TP} + \text{FP}) = 93 / (93 + 39) = 0.7532$
- c) $\text{Recall} = \text{TP} / (\text{TP} + \text{FN}) = 93 / (93 + 6) = 0.9520$
- d) $\text{F1 Score} = 2 \times (\text{Precision} \times \text{Recall}) / (\text{Precision} + \text{Recall}) = 2 \times (0.7532 \times 0.9520) / (0.7532 + 0.9520) = 0.8410$

The Decision Tree model achieved an improved overall accuracy of 82.49% compared to Logistic Regression. Its most notable strength is the recall of 95.20%, meaning the model correctly identified 95 out of every 100 actual heart disease patients missing only 5% of true positive cases. This high sensitivity makes the Decision Tree a strong candidate for clinical screening scenarios where minimizing missed diagnoses is the priority. However, the precision of 75.32% indicates that 30% of healthy patients were incorrectly flagged as having heart disease, the highest false positive rate among the

three models evaluated. This trade-off between sensitivity and specificity is reflected in the F1 Score of 0.8410. While the Decision Tree outperforms Logistic Regression across all metrics, its single-tree architecture makes it inherently susceptible to overfitting on training data, which may reduce its reliability and generalizability when applied to new, unseen patient populations.

7.1.3 Random Forest




Figure 7.3: Random Forest Confusion Matrix

The confusion matrix for the Random Forest model reveals the following classification outcomes for heart disease prediction:

- a) $\text{Accuracy} = (\text{TP} + \text{TN}) / (\text{TP} + \text{TN} + \text{FP} + \text{FN}) = (126 + 125) / (126 + 125 + 6 + 0) = 0.9767$
- b) $\text{Precision} = \text{TP} / (\text{TP} + \text{FP}) = 126 / (126 + 6) = 0.9542$
- c) $\text{Recall} = \text{TP} / (\text{TP} + \text{FN}) = 126 / (126 + 0) = 1.0000$
- d) $\text{F1 Score} = 2 \times (\text{Precision} \times \text{Recall}) / (\text{Precision} + \text{Recall}) = 2 \times (0.9542 \times 1.0000) / (0.9542 + 1.0000) = 0.9766$

The Random Forest model delivered the strongest performance across all four-evaluation metrics, establishing it as the most effective model for heart disease prediction in this study. The accuracy of 97.67% demonstrates near-perfect overall classification. Most critically, the model achieved a perfect recall of 100%, meaning it correctly identified every single heart disease patient in the test set with zero false negatives. This is the most important

result from a clinical standpoint no patient with heart disease was incorrectly classified as healthy, eliminating the risk of missed diagnoses entirely. Simultaneously, the precision of 95.42% confirms that the model raised very few false alarms, with only 5% of healthy patients incorrectly flagged as positive. The F1 Score of 0.9766 reflects an exceptional and well-balanced performance between precision and recall. The superior results are attributed to the ensemble learning mechanism of Random Forest, which aggregates predictions from multiple independent decision trees to reduce variance, prevent overfitting, and capture complex non-linear feature interactions within the cardiovascular dataset. Based on these results, the Random Forest model is strongly recommended as the primary predictive model for heart disease classification.

7.1.4 Overall Model Comparison

Table 7.1: Model Performance Evaluation Metrics

Model	Accuracy	Precision	Recall	F1 Score
Logistic Regression	0.7899	0.7448	0.8640	0.8000
Decision Tree	0.8249	0.7532	0.9520	0.8410
Random Forest	0.9767	0.9542	1.0000	0.9766

The comparative analysis confirms a clear performance hierarchy: Random Forest > Decision Tree > Logistic Regression across all evaluation metrics. The Random Forest model outperforms the Decision Tree by 15.18 percentage points in accuracy and exceeds Logistic Regression by 18.68 percentage points, demonstrating the substantial advantage of ensemble methods for this classification task. All three models exhibit relatively high recall values, indicating that tree-based and linear classifiers are generally capable of detecting the positive class in cardiac datasets. However, the Random Forest uniquely achieves this without sacrificing precision, making it the only model suitable for reliable clinical deployment.

In conclusion, the Random Forest classifier demonstrates the strongest suitability for heart disease prediction, achieving a perfect sensitivity with minimal false positives. Future work may explore feature importance analysis to identify the most influential clinical variables, as well as cross-validation on larger and more demographically diverse datasets to confirm generalizability of these findings.

7.2 ROC-AUC Curve Analysis

The Receiver Operating Characteristic (ROC) curve is used to evaluate the performance of classification models by plotting the True Positive Rate (Sensitivity) against the False Positive Rate ($1 - \text{Specificity}$) at various threshold values. The Area Under the Curve (AUC) provides a single measure of overall model performance.

7.2.1 Logistic Regression




Figure 7.4: Logistic Regression ROC AUC Curve

The ROC curve for Logistic Regression shows a reasonable ability to distinguish between patients with and without heart disease. With an AUC of 0.79, the model performs significantly better than random guessing ($\text{AUC} = 0.5$), indicating good classification capability. However, it is not the most optimal among the tested models, suggesting some limitations in capturing complex patterns within the dataset.

7.2.2 Decision Tree




Figure 7.5: Decision Tree ROC AUC Curve

The Decision Tree model achieves an AUC of 0.83, indicating an improvement over Logistic Regression. This suggests that the model is better at identifying nonlinear relationships in the data. The higher AUC reflects improved sensitivity and specificity, making it a more reliable classifier for this problem.

7.2.3 Random Forest




Figure 7.6: Random Forest ROC AUC Curve

The Random Forest model demonstrates excellent performance with an AUC of 0.98, which is very close to perfect classification. This indicates that the model can almost perfectly distinguish between positive and negative cases. The ensemble nature of Random Forest, which combines multiple decision trees, helps reduce overfitting and improves predictive accuracy, making it the best-performing model among the three.

CHAPTER 8: FUTURE ENHANCEMENTS

While the current version of the Heart Disease Prediction System provides a solid foundation for predicting heart disease risk, there are several opportunities for future improvements and expansion to enhance its accuracy, usability and impact:

- a) **Improved Prediction Models:** Implementing advanced machine learning and deep learning algorithms to improve prediction accuracy and reliability based on larger and more diverse datasets.
- b) **Real-Time Health Monitoring:** Integrating the system with wearable devices (e.g., smartwatches) to collect real-time health data such as heart rate and activity levels for continuous monitoring and prediction.
- c) **Enhanced Analytics:** Developing a detailed analytics dashboard that provides insights into patient health trends, risk factors, and historical prediction data for better decision-making.
- d) **Multi-Disease Prediction:** Expanding the system to predict other diseases such as diabetes, hypertension, and stroke, making it a comprehensive health prediction platform.
- e) **AI-Based Recommendations:** Incorporating AI to provide personalized health suggestions, such as diet plans, exercise routines, and lifestyle changes based on prediction results.
- f) **Mobile Application Development:** Developing a mobile app version of the system to increase accessibility and allow users to check their health status anytime, anywhere.

CHAPTER 9: CONCLUSION

The Heart Disease Prediction System project successfully demonstrates the design and development of a functional, user-friendly, and intelligent healthcare application using machine learning techniques. The system effectively addresses the critical problem of early heart disease detection by analyzing patient health data and providing quick and accurate predictions.

The project followed the Software Development Life Cycle (SDLC), ensuring a structured and systematic approach from requirement analysis to deployment. The integration of machine learning algorithms with a web-based interface resulted in an efficient, scalable, and easy-to-use system. The platform achieves its primary objective by enabling users to input medical parameters and receive instant predictions, assisting in early diagnosis and preventive care.

The use of reliable datasets and machine learning models ensures reasonable accuracy in prediction, while the system design allows for future improvements and scalability. Additionally, the application provides a secure environment for handling sensitive patient data and supports administrative functionalities for managing records.

Despite certain limitations, such as dependency on dataset quality and the absence of real-time health monitoring in the current version, the project establishes a strong foundation for further development. The proposed future enhancements highlight opportunities for improving accuracy, expanding features, and integrating advanced technologies.

In conclusion, the Heart Disease Prediction System demonstrates the effective use of machine learning in the healthcare domain, offering a practical tool that can assist in early detection and decision-making, ultimately contributing to better health outcomes.

REFERENCES

- [1] Bharti, R., Khamparia, A., Shabaz, M., Dhiman, G., Pande, S., & Singh, P. (2021). Prediction of heart disease using a combination of machine learning and deep learning. *Computational Intelligence and Neuroscience*, 2021.
- [2] Detrano, R., Janosi, A., Steinbrunn, W., Pfisterer, M., Schmid, J.-J., Sandhu, S., Guppy, K. H., Lee, S., & Froelicher, V. (1989). International application of a new probability algorithm for the diagnosis of coronary artery disease. *The American Journal of Cardiology*, 64(5), 304–310.
- [3] Latha, C. B. C., & Jeeva, S. C. (2019). Improving the accuracy of prediction of heart disease risk based on ensemble classification techniques. *Informatics in Medicine Unlocked*, 16, Article 100203.
- [4] Mohan, S., Thirumalai, C., & Srivastava, G. (2019). Effective heart disease prediction using hybrid machine learning techniques. *IEEE Access*.
- [5] Palaniappan, S., & Awang, R. (2008). Intelligent heart disease prediction system using data mining techniques. *Proceedings of the 2008 IEEE/ACS International Conference on Computer Systems and Applications (AICCSA)*, 108–115.
- [6] Shah, D., Patel, S., & Bharti, S. K. (2020). Heart disease prediction using machine learning techniques. *SN Computer Science*, 1(6), Article 345.

APPENDICES

**Heart Disease Prediction System**
Smart Heart Care Platform

[Home](#) [Login](#) [Register](#)

SMART HEART CARE ACCESS

Understand your heart health with AI-powered risk screening.

Heart Disease Prediction System helps patients and clinicians review heart health indicators through a secure, guided screening experience. Secure access keeps results private and easy to review.

[Predict Heart Risk](#) [Create Account](#)

Risk overview

Access **Protected**

Reports **Personal**

Status **Secure access**

Reports **PDF ready**

Login required before prediction

CREATE ACCOUNT

Register

Role

Doctor

Full Name

Username

Email

Phone

Password

Confirm Password

Specialization

Cardiology, General Medicine...

Clinic / Department

Clinic or department

Create Account

Heart Disease Prediction

Age	Sex
45	Male
Chest Pain Type	Resting BP
0: Typical	130
Cholesterol	Max HR
240	150
Exercise Angina	Oldpeak
No	1.0
CA	Thal
0	2: Reversible Defect

Predict Risk

Recent Result

48.0%

Heart Disease Indicated

Date: 2026-09-03 16:11:42

Print report

Download PDF