AFETBILGI SOFTWARE REQUIREMENTS SPECIFICATION

Ceng 350

Cengizhan Deveci - 2448322

Osman Taylan İşleyici - 2448496

Contents

List of Figures

List of Tables

1 Introduction

This document is the Software Specification Requirements (SRS) of the website, afetbilgi.com, developed by a group of METU students and graduates after the Pazarcik Earthquake on February 6, 2023.

1.1 Purpose of the System

Afetbilgi.com is a website that tries to deliver accurate information to people. After the Pazarcik Earthquake, there was a lot of misinformation on social media platforms, and the infrastructure quality in the earthquake zone was terrible. Therefore people who needed help were having trouble finding the correct information. Thanks to afetbilgi.com, it delivers the correct information with accuracy, speed, and simplicity principles.

1.2 Scope

The website is named afetbilgi.com, and the users will be able to reach important telephone numbers and locations in a disaster situation.
The scope of the system can be listed as

- The system provides users with essential locations as a map view, and users can filter the places such as hospitals, food delivery places, and temporary accommodation locations. When selected, it is navigated using the google maps navigation system.

- The system provides users the valid active hospitals, evacuation points, safe gathering places, and temporary accommodation places in the disaster area to download as a pdf format. Moreover, in the file for all locations, they validate whether the information is correct and google maps navigation links.

- The system provides users to select the city where they live so that it filters the information accordingly.

- The system provides users with valid solidarity campaigns, monetary donation links, and blood and stems cell donation places.

1.3 System Overview

This section of the document will provide detailed information about the system with its components.

1.3.1 System Perspective

The purpose of the development of afetbilgi.com is mainly to help people who are affected by disasters like earthquakes. For this purpose, the website can be used by all people, not just limited to people in a disaster area. People who are affected can use this application to get any sort of help. The other people can find helpful links or locations to help people who are in need. Thanks to this application, a general mobilization can be achieved within the region; therefore, the reach of aid can be accelerated, and a wider environment can be easily reached.

Figure 1.1: System Context Diagram for afetbilgi.com

1.3.1.1 System Interfaces

- **Google Maps API:** Afetbilgi.com uses Google Maps API to navigate people to locations that are on the website to the user. This system shows users where they

are, close evacuation points, emergency gathering areas, temporary accommodation places, food distribution centers, gas stations, active hospitals, and pharmacies. With this integration, in emergency cases, people can find where and how to go rapidly. Thus, it may increase the survival rate in vital situations.

- **Database Management Interfaces:** Authorized persons validate the pieces of information in teams. Afetbilgi.com admins update the database with the validated information thanks to the validation teams and volunteers. With this mobilization, this system works with accuracy, speed, and simplicity principles. It also prevents disinformation. In addition to that, by the city filtering system, users can reach only the needed information in emergencies.

- **PDF Integration:** This system allows users to download the crucial information for the city they need since the communication and network systems may get damaged and not reachable. Therefore, downloading only the essential information may increase the speed of help.

- **Multi Language Support:** This system allows afetbilgi.com to reach a broader effect on the disaster situation. Foreigners in the area can reach the system more quickly.

1.3.1.2 User Interfaces

Users can use this application by using their internet browsers. When they reach the website, users can see that one of the features of the website is simplicity. All the submenus and filters are clear and straightforward. The backend and frontend of the website are lightweight; therefore, in a disaster area, users can reach the website with slow internet speeds.

Figure 1.2: Main Menu in Mobile Devices of afetbilgi.com

Figure 1.3: Main Menu in Desktop of afetbilgi.com

With the Google Maps API integration, users can see their exact locations. In addition to that, they will find essential locations which they are close to them. Also, the filtering setting increases the practicality and becomes task-oriented. When the user selects the desired locations, the website redirects them to the google maps navigation system.

Figure 1.4: Maps Integration

Figure 1.5: Filter Settings for Map

Users can download all the information by selecting the specific cities or all cities in PDF format to access the information more quickly in a disaster situation. The application was developed for the Pazarcik Earthquake, and the system shows the cities affected by these earthquakes.

There is a lot of different submenu in the application. These menus are under the subtopics, which are general needs, essential resources, health services, and to-help topics. Some of these submenus can be seen in Figure 1.7 and Figure 1.8. According to the information users search, it lists the desired information on the screen. Also, it allows filtering like the other functions.

Figure 1.6: PDF Download Menu by Selecting Cities

Figure 1.7: Accommodation Menu

Figure 1.8: Healthcare Services Menu

1.3.1.3 Hardware Interfaces

The system requires a device that has internet access. If the user wants to use Google Maps API, it should also have a GPS on its device.

1.3.1.4 Software Interfaces

- **Database:** The system uses JSON files to store the data. This system does not require a complicated database system.

- **Operating Systems:** The system can be reachable by any device which has an internet browser and access.

- **Google Maps:** The system uses Google Maps to show the essential locations and where the user is on the map and allow them to reach them.

1.3.1.5 Memory Constraints

There is no issue with memory constraints in the system. The system should have enough memory to hold necessary information; however, it requires a very low memory which can be sustainable easily.

1.3.1.6 Operations

The operations provided by afetbilgi.com can be partitioned into:

User operations:

- Reaching important resources

- Seeing Location of Healthcare Services

- Reaching other websites to help victims

- Seeing contact info and location places associated with general needings

- Filters the info by cities

- Seeing data of website on a Map

- Contacting with Developers and Maintainters

Admin operations:

- Validate the information

- Update the information

System Operations:

- Creating a PDF document which includes info

- Multi Language Support

All details of these operations will be explained in Functions Section (3.2).

1.3.2 System Functions

Function	Summary
Change Language	Users can select language between Turkish, English, Arabic and Kurdi to change. It makes the website compatible with the users who speaks different languages.
Seeing Contact Info and Location of Places	Users can find location and contact info (website, phone number etc.) for their general needs like safe gathering places, gas stations and evacutaion points by filtering the city.
Reaching Important Resources	Users can reach important resources (crucial phone numbers, useful links and useful articles).
Seeing Location of Healthcare Services	User can find get the location and some other information about health services (hospitals, pharmacies, veterinarians) from website.
Reaching Other Websites to Help Victims	User can reach other websites for donating money, blood and stem cell.
Creating Pdf which Includes All Info on the Website	User can create a pdf containing the infromation on website to reach the info offline, or any other purpose.
Filtering Info's on Website for Cities	User can filter menus and info's on website to include a selected city.
Seeing Data of Website on a Map	Users can see all locations on website visually in a map and use the map to easily find needed services based on their needs and location.
Contacting with Developers and Maintainers	Users can find contact info and links to source code and social media accounts of developers from a page.

Table 1.1: System Functions

1.3.3 Stakeholder Characteristics

There are three main users on the afetbilgi.com website which are volunteers, victims and developers.

Volunteers are people who are try to help victims afected by the disaster. They can use this website to find the location which they can help. In addition, they can send the valid information resources to developers. They need to have basic internet usage skill and have a smart device with an internet access to use this website.

Victims are people who are affected by the disaster, so the main audience of the website

is victims. They need to have an access any electronic device with an internet access so they should have a basic internet usage skill.

Developers created this website after the Pazarcik Earthquake; therefore, it is important that adaptability of the currently used technologies is important. In addition to that, developers are responsible for the validate the informations and update the current data.

1.3.4 Limitations

- **Regulatory Policies:** The afetbilgi.com is an open source software project, so the project files are accessible for everyone.

- **Hardware Limitations:** afetbilgi.com is a project which is a website. Therefore; the only needs are electronic device which can be computer or smart phones and an internet access.

- **Interfaces to Other Applications:** The afetbilgi.com shall be compatible with smartphone operating systems for each user.

- **Parallel Operation:** System must be working under the excessive usage of the website. The system should not be crashed.

- **Audit and Control Functions:** afetbilgi.com must use valid information all time. Therefore, the developers validate the current and new information constantly.

- **Higher-order Language Requirements:** For the website, Javascript is chosen since it is easy to develop website quickly and simple.

- **Quality Requirements:** Accuracy, speed and simplicity is important principles of afetbilgi.com. Therefore, the system is very lightweight and the database validated and updated constantly.

- **Criticality of the Application:** The accuracy of the information is crucial. There shall be people who need help rapidly, so any misinformation in the website must be updated quickly.

- **Safety and Securty Considerations:** The website is an open source project; therefore, anyone can detech vulnerabilities but in the website there are not any personal information. Therefore, the website does not have a problem about user information safety.

- **Physical/Mental Considerations:** Physically/Mentally disabled users can use afetbilgi.com. If the user has a visual disability, they can use the reading mode for disabled people with a feature of browsers.

1.4 Definitions

Term	Definition
API	Application Programming Interface
GPS	Global Positioning System. It allows users to find locations nearby.
JSON File	A JSON file stores data in key-value pairs and arrays.
PDF	Portable Document Format. It is a file format which includes elements of printed document as an electronic image.

Table 1.2: Definitions

2 References

[1] AFET Bilgi. Afet Bilgi. (n.d.). Retrieved April 23, 2023, from https://www.afetbilgi.com/

[2]Alpaylan. (n.d.). Alpaylan/afetbilgi.com. GitHub. Retrieved April 23, 2023, from https://github.com/alpaylan/afetbilgi.com

3 Specific Requirements

3.1 External Interfaces

3.2 Functions

Figure 3.1: Use case diagram.

Use case name	Change language
Actors	User
Description	Users can use change button drop menu to change the language of Afetbilgi.com between Turkish, English, Arabic and Kurdi.
Data	-
Preconditions	User should be in main page.
Stimulus	User tries to change language.
Basic flow	Step 1 - User opens the languages dropdown menu. Step 2 - User select the language. Step 3 - React changes the language of page. With selected one.
Alternative flow	-
Exception flow	If an error is thrown by react.js it's written on browser console.
Postconditions	-

Table 3.1: Change language

Use case name	Seeing Contact info and Location of places
Actors	User
Description	Users can find location and contact info (website, phone number etc.) for their general needs like safe gathering places, gas stations, and evacuation points.
Data	Selected city
Preconditions	-
Stimulus	User tries to get information about their needs.
Basic flow	Step 1 - User clicks one of the eight buttons on main page Step 2 - User selects a city. Step 3 - Site returns the table of suitable locations table. Step 4 - User clicks one of the links to find further info about location.
Alternative flow	Step 1 - User clicks map to open map from main page. Step 2 - User finds the desired location from map. Step 3 - User clicks the location to get further info.
Exception flow	If an error occurs on map side, google map API throws an error.
Postconditions	-

Table 3.2: Seeing contact info and location of places

Use case name	Reaching important resources.
Actors	User
Description	User reach important resources (crucial phone numbers, useful links & useful articles) from the middle panel.
Data	-
Preconditions	-
Stimulus	User tries to get general information about disasters.
Basic flow	Step 1 - User clicks one of the three buttons on main page Step 2 - Site returns table of desired information. Step 3 - User can call the desired phone or go to desired website.
Alternative flow	-
Exception flow	-
Postconditions	-

Table 3.3: Reaching important resources

Use case name	Seeing location of healthcare services.
Actors	User
Description	User can find get the location and some other information about health services (hospitals, pharmacies, veterinarians) from website.
Data	Selected city, (if there is).
Preconditions	-
Stimulus	User tries to get information about health services based on their needings.
Basic flow	Step 1 - User clicks one of four buttons from the right frame. Step 2 - Site returns a general table if there is no city selected from main menu. If there is a selected city site returns location links of services in this city. Step 3 - If user didn't filter cities from main menu, now he/she can. Step 4 - User can reach the location by clicking the location button.
Alternative flow	- Step 1 - User can get the location link from map, by filtering by category, by searching or by finding it in map by hand.
Exception flow	-
Postconditions	-

Table 3.4: Location of healthcare services

Use case name	Reaching other webistes to help victims.
Actors	User
Description	User can reach other websites for donating money, blood, stem cell.
Data	-
Preconditions	-
Stimulus	User tries to find places or websites to help victims of earthquake.
Basic flow	User clicks one of the 5 buttons on bottom frame of website.
Alternative flow	-
Exception flow	-
Postconditions	-

Table 3.5: Reaching other websites

Use case name	Creating pdf which includes all info on the website.
Actors	User
Description	User can create a pdf containing the information on website to reach the info offline, or any other purpose.
Data	Selected city. (If there is one).
Preconditions	-
Stimulus	User tries to get all information of website.
Basic flow	Step 1 - User clicks download pdf button at the top of the page. Step 2 - Site returns a preformed PDF containing all information about the city (if selected) selected by the user, in the selected language.
Alternative flow	-
Exception flow	-
Postconditions	-

Table 3.6: Creating pdf

Use case name	Filtering info's on website for cities.
Actors	User
Description	User can filter menus and info's on website to include a selected city.
Data	Selected city.
Preconditions	User should select a city from main menu.
Stimulus	User tries to find relevant information about a city.
Basic flow	Step 1 - User selects a city from main page. Step 2 - Site filters the main menu. (For example if there is no veterinarian in selected city, user removes the veterinarians button.) Step 3 - If user goes another page in website, site continues to filter information for the selected city.
Alternative flow	-
Exception flow	-
Postconditions	-

Table 3.7: Filtering information on site by city

Use case name	Seeing data of website on a map.
Actors	User
Description	Users can see all locations on website visually in a map and use the map to easily find needed services based on their needs and location.
Data	-
Preconditions	-
Stimulus	User tries to find locations easily.
Basic flow	Step 1 - User clicks map button at the top of the page. Step 2 - Site redirects to a map built using Google Map API. Step 3 - User clicks locations or balloons to navigate through map.
Alternative flow	-
Exception flow	-
Postconditions	-

Table 3.8: Seeing data of website on a map

Use case name	Contacting with developers and maintainers.
Actors	User
Description	Users can find contact info and links to source code and social media accounts of developers from a page.
Data	-
Preconditions	-
Stimulus	User wants to reach developers.
Basic flow	Step 1 - User clicks About Us / Contact button at the buttom of the page. Step 2 - Site redirect to a about us page with an Instagram, a twitter and a GitHub link. Step 3 - User can click on of these three buttons or click the mail address to send a mail to developers.
Alternative flow	-
Exception flow	-
Postconditions	-

Table 3.9: Contacting with developers

3.3 Usability Requirements

3.4 Performance Requirements

3.5 Logical Database Requirements

3.6 Design Constraints

3.7 System Attributes

3.8 Supporting Information

4 Suggestions to Improve the Existing System

4.1 System Perspective

The purpose of the development of afetbilgi.com is mainly to help people who are affected by disasters like earthquakes. To improved version of system context diagram can be seen in the Figure 4.1


Figure 4.1: Suggested System Context Diagram

System Interfaces

In addition to System Inferfaces explained in Section 1.3.1.1, it can included the Notification System and Email Sending Integration.

- **Notification System:** This system will allow afetbilgi.com that user who are in the disaster area can be informed by any emergency situation by opening the notifications.

- **Email Sending System:** This system will allow users to get the crucial information for the city they need by email. It works similar to PDF integration of the system however by email, it can allow getting information by automatically, not opening the website.

User Interfaces

The mobile application of the project can be done. The less digital knowledgeable people can adapt themselves to use the application. Because elderly people may find the hard to write afetbilgi.com to search button instead of clicking the application icon.

Hardware Interfaces

The hardware requirements is the same with the original version of afetbilgi.com.

Software Interfaces

- **Database:** The system will hold a lot of different data. As a result, more complex database can be implemented to the system.

- **Operating System:** The system can be adapted to the mobile application as well. Therefore addition to internet browser, the application can be developed for Google Play Store and App Store.

Memory Constarints

There is no issue with memory constraints in the system.

Operations

The operations may be provided in the future by afetbilgi.com can be partitioned into:
  User operations:

- Reaching important resources

- Seeing Location of Healthcare Services

- Reaching other websites to help victims

- Seeing contact info and location places associated with general needings

- Filters the info by cities

- Seeing data of website on a Map

- Contacting with Developers and Maintainers

- Seeing live location of the donation and helps

- Learning required supplu amount for item donating locations

- Seeing hospital occupancy rate

Admin operations:

- Validate the information

- Update the information

System Operations:

- Creating a PDF document which includes info

- Multi Language Support

- Sending information mail which includes info

- Sending notification to user in emergencies

4.2 External Interfaces

Figure 4.2: External Interfaces for afetbilgi.com

4.3 Functions

Figure 4.3: Use Case Diagram

|	
Use case name	Live Location of the Coming Help
Actors	Volunteers, User
Description	When volunteers send a supply for the victims, victims can see the supplies live location and the estimation time to arrival provided by the officials. As a result, they can prepare themselves accordingly.
Data	Current Location
Preconditions	-
Stimulus	Users tries to find supply and their estimation arrival time.
Basic flow	Step 1 - User clicks map to open map from main page. Step 2 - User finds the desired location from map. Step 3 - User clicks the supply location to get the information about estimation arrival time.
Alternative flow	-
Exception flow	If an error occurs on map side, google map API throws an error.
Postconditions	-

Table 4.1: Live Location of the Coming Help

Figure 4.4: State Diagram for Live Location of Help

Use case name	Required Supply Amount for Item Donating Locations
Actors	Volunteers
Description	Volunteers can collect the required items faster with this function.
Data	Selected city
Preconditions	-
Stimulus	Users tries to find required supplies for their helps.
Basic flow	Step 1 - User clicks one of the button which is a donation button on the main page. Step 2 - User finds the supply location from map. Step 3 - User clicks the supply location to get the information about required items.
Alternative flow	-
Exception flow	If there is not any required items, it throws an message.
Postconditions	-

Table 4.2: Required Supply Amount for Item Donating Locations

| Use case name	Sending information mail which includes all info on the website
Actors	User
Description	User can send a email containing the information on website to reach the info offline, or any other purpose.
Data	Selected city. (If there is one).
Preconditions	-
Stimulus	User tries to get all information of website.
Basic flow	Step 1 - User clicks send information by email button. Step 2 - Write your email address to the text area. Step 3 - Site returns a preformed email containing all information about the city (if selected) selected by the user, in the selected language.
Alternative flow	-
Exception flow	-
Postconditions	-

Table 4.3: Sending Information Email

Figure 4.5: Sending Email Sequence Diagram

Use case name	Notification Sending
Actors	User
Description	User can open notifications. By opening the notification system, system send user to warning about any occuring disaster like tsunami or fire or crime such as robbery.
Data	Selected city.
Preconditions	-
Stimulus	User tries to get crucial warning information.
Basic flow	Step 1 - User choose the city to obtain information. Step 2 - Click the notification icon.
Alternative flow	-
Exception flow	-
Postconditions	-

Table 4.4: Notification Sending

| Use case name	Hospital Occupancy Rate
Actors	User
Description	User can find the hospitals occupancy rate in the website so that they can prepare themselves before going to hospitals.
Data	Selected city.
Preconditions	-
Stimulus	
Basic flow	Step 1 - User click active hosptals button under the health services menu. Step 2 - Click the hospitals which they want to get information about.
Alternative flow	-
Exception flow	-
Postconditions	-

Table 4.5: Hospital Occupancy Rate

Figure 4.6: Activity Diagram of Hospital Occupancy Rate

4.4 Usability Requirements

4.5 Performance Requirements

4.6 Logical Database Requirements

4.7 Design Constraints

4.8 System Attributes

4.9 Supporting Information