


restaurant_type	
id 🔑	integer
type	varchar
created_at	timestamp

restaurants	
id 🔑	integer
name	varchar
restaurant_type_id	integer
min_cost	integer
rating	float
is_free_delivery	bool
delivery_time	varchar
cost_level	integer
status	integer
created_at	timestamp

users	
id 🔑	integer
email	varchar
password	varchar
user_name	varchar
name	varchar
surname	varchar
created_at	timestamp

menus	
id 🔑	integer
title	varchar
price	float
description	text
restaurant_id	integer
food_type_id	integer
created_at	timestamp

orders	
id 🔑	integer
user_id	integer
restaurant_id	integer
menu_id	integer
amount	integer
created_at	timestamp



restaurant_type	
id 🔑	integer
type	varchar
created_at	timestamp

restaurants	
id 🔑	integer
name	varchar
restaurant_type_id	integer
min_cost	integer
rating	float
is_free_delivery	bool
delivery_time	varchar
cost_level	integer
status	integer
created_at	timestamp

users	
id 🔑	integer
email	varchar
password	varchar
user_name	varchar
name	varchar
surname	varchar
created_at	timestamp

menus	
id 🔑	integer
title	varchar
price	float
description	text
restaurant_id	integer
food_type_id	integer
created_at	timestamp

orders	
id 🔑	integer
user_id	integer
restaurant_id	integer
menu_id	integer
amount	integer
created_at	timestamp

