



2188 - 201819FA

[Home](#)

[Grades](#)

1

[Modules](#)

[Announcements](#)

[Syllabus](#)

[People](#)

[Library Resources](#)

[Collaborations](#)

L07: Chapter 8 Assessment

Due Oct 28 at 11:59pm

Points 20

Questions 20

Time Limit 40 Minutes

Submission Details:

Time: 14 minutes

Current Score: 19 out of 20

Kept Score: 19 out of 20

Instructions

This quiz will help assess your understanding of the concepts outlined in your chapter reading. You will have 1 attempt to take the quiz and will have 40 minutes to complete the quiz. Before taking the quiz, please consult these [helpful guidelines](#).

Attempt History

	Attempt	Time	Score
LATEST	Attempt 1	14 minutes	19 out of 20

❗ Correct answers are no longer available.

Score for this quiz: **19** out of 20

Submitted Oct 27 at 6:54pm

This attempt took 14 minutes.

Question 1 1 / 1 pts

A statement-level trigger is assumed if a designer omits the FOR EACH ROW keywords.

☒ True

☐ False

Question 2 1 / 1 pts

A persistent stored module is stored and executed on the database client machine.

☐ True

☒ False

Question 3 1 / 1 pts

A relational join operation merges rows from two tables.

☒ True

☐ False

Question 4 1 / 1 pts

Stored procedures are executed using the EXEC command

stored procedures are created using the CREATE command.

- ☒ True
- ☐ False

Question 5

1 / 1 pts

The NEXT command for a cursor is used to retrieve a row from the cursor and place it in the respective PL/SQL variables.

- ☐ True
- ☒ False

Question 6

1 / 1 pts

In Oracle, the _____ function converts a date to a character string.

- ☒ TO_CHAR()
- ☐ TO_DATE
- ☐ CONVERT()
- ☐ TO_STRING()

Question 7

1 / 1 pts

How many rows would be returned from a cross join of tables A and B, if A contains 8 rows and B contains 18?

- ☐ 26
- ☐ 18
- ☒ 144
- ☐ 8

Question 8

1 / 1 pts

_____ is a string function that returns the number of characters in a string value.

- ☒ LENGTH
- ☐ CONCAT
- ☐ SUBSTRING
- ☐ UCASE

Question 9**1 / 1 pts**

Which of the following is a feature of a correlated subquery?



The outer subquery initiates the process of execution in a subquery.



The outer subquery executes independent of the inner subquery.



The inner subquery executes first.



The inner subquery initiates the process of execution in a subquery.

Incorrect**Question 10****0 / 1 pts**

In a subquery, the _____ query is executed first.



outer



right



inner



left

Question 11**1 / 1 pts**

Assume you are using the INTERSECT operator to combine the results from two tables with identical structure, CUSTOMER and CUSTOMER_2. The CUSTOMER table contains 10 rows, while the CUSTOMER_2 table contains 7 rows. Customers Dunne and Olowski are included in the CUSTOMER table as well as in the CUSTOMER_2 table. How many records are returned when using the INTERSECT operator?



10



2



0



7

Question 12**1 / 1 pts**

A(n) _____ join will select only the rows with matching values in the common attribute(s).



cross



full



natural

☐ outer

Question 13

1 / 1 pts

When using the Oracle TO_DATE function, the code _____ represents a three-letter month name.

☐ MONTH

☐ MM

☐ MM3

☒ MON

Question 14

1 / 1 pts

A _____ is a query inside a query.

☐ join

☒ subquery

☐ set query

☐ range query

Question 15

1 / 1 pts

The _____ function returns the current system date in MS Access.

☒ DATE()

☐ SYSDATE()

☐ TODAY()

☐ TO_DATE()

Question 16

1 / 1 pts

A(n) _____ join returns not only the rows matching the join condition (that is, rows with matching values in the common columns) but also the rows with unmatched values.

☐ inner

☒ outer

☐ cross

☐ equi-

Question 17**1 / 1 pts**

The _____ operator could be used in place of INTERSECT if the DBMS does not support it.

- ☐ OF
- ☒ IN
- ☐ AND
- ☐ UNION

Question 18**1 / 1 pts**

The _____ statement combines rows from two queries and excludes duplicates.

- ☐ MINUS
- ☐ UNION ALL
- ☒ UNION
- ☐ INTERSECT

Question 19**1 / 1 pts**

The following SQL statement uses a(n) _____.
SELECT P_CODE,
P_DESCRIPT, P_PRICE, V_NAME
FROM PRODUCT, VENDOR
WHERE PRODUCT.V_CODE = VENDOR.V_CODE;

- ☐ procedural statement
- ☐ set operator
- ☒ "old-style" join
- ☐ natural join

Question 20**1 / 1 pts**

The ANSI standard defines _____ type(s) of outer join(s)

- ☐ two
- ☐ one
- ☒ three
- ☐ four

Quiz Score: **19** out of 20

◀ Previous

Next ▶