Conformational Correlation Times for a Tethered Polymer

Taylor Dunn Supervisor: Dr. Polson

UPEI Science Undergraduate Research Conference 2011



Conformational
Correlation Times
for a Tethered

T. Dunn

Motivatio

The Human Genome
DNA Sequencing
Nanopore Sequencing
Tethered Polymer

viodeis ar Methods

Hydrodynamics Correlation Times

noHD

The Human Genome Project



An international scientific research project which...

- mapped approximately 30,000 human genes,
- launched major advancments in medicine and biotechnology,

Conformational
Correlation Times
for a Tethered
Polymer

T. Dunn

Motiva

The Human Genome
DNA Sequencing
Nanopore Sequencing

Models and Methods

Hydrodynamics Correlation Times

noHE HD

The Human Genome Project



An international scientific research project which...

- mapped approximately 30,000 human genes,
- launched major advancments in medicine and biotechnology,
- took 13 years,
- cost approximately \$3 billion.

Conformational
Correlation Times
for a Tethered
Polymer

T. Dunn

Motiva


The Human Genome DNA Sequencing Nanopore Sequencing

Models an Methods

> Hydrodynamics Correlation Time

noHE HD

DNA Sequencing



Conformational
Correlation Times
for a Tethered

T. Dunn

Motivatio

The Human Gend

Nanopore Sequencing Tethered Polymer

Models and Methods

Hydrodynamics Correlation Time

noHD

Nanopore Sequencing

T. Dunn


Motivation

DNA Sequencing
Nanopore Sequencing

Models and

Methods Hydrodynamics

noHD



Definition

A nanopore is a small (nanoscopic) hole that can be used as a single-molecule detector.

Nanopore Sequencing

Conformational Correlation Times for a Tethered Polymer

T. Dunn

Motivation

DNA Sequencing
Nanopore Sequencing
Tethered Polymer

Methods

Hydrodynamics Correlation Times

Results

noH HD

Tethered Polymer

Conformational Correlation Times for a Tethered Polymer

T. Dunn

Motivation

DNA Sequencing
Nanopore Sequencing

Tethered Polymer

Methods

Hydrodynamics Correlation Times

Results

noHE HD

The Human Genome DNA Sequencing Nanopore Sequencing Tethered Polymer

Methods

Hydrodynamics Correlation Times

noHE HD

Definition

HD

- Presence of HD interactions
- ► Fluid force present

Definition noHD

- Absence of HD interactions
- Uncorrelated random force

T. Dunn

Motivat

The Human Genome
DNA Sequencing
Nanopore Sequencing
Tethered Polymer

Nethods

Hydrodynamics Correlation Times

noHD

Definition

Methods
Hydrodynamics
Correlation Times

Results

noHD HD

Definition

$$C(t) = \frac{\langle \vec{R}_e(t) \cdot \vec{R}_e(0) \rangle - \langle R_e \rangle^2}{\langle R_e^2 \rangle - \langle R_e \rangle^2}$$

Methods
Hydrodynamics
Correlation Times

Results

noHD HD

Definition

$$C(t) = \frac{\langle \vec{R}_e(t) \cdot \vec{R}_e(0) \rangle - \langle R_e \rangle^2}{\langle R_e^2 \rangle - \langle R_e \rangle^2}$$

$$au \propto {\it N}^{lpha}$$

Definition

$$C(t) = rac{ , $ec{R}_{
m e}(0) > - < R_{
m e} >^2}{< R_{
m e}^2 > - < R_{
m e} >^2}$$$

noHD:
$$au_{x,y} \propto N^{2.2}$$
 $au_z \propto N^{2.2}$

HD:
$$\tau_{x,v} \propto N^{1.8}$$
 $\tau_z \propto N^{1.8}$

T. Dunn


Motivatio


The Human Genome
DNA Sequencing
Nanopore Sequencing
Tethered Polymer

lethods

lydrodynamics Correlation Times

noHD





T. Dunn

Motivat

The Human Genome DNA Sequencing Nanopore Sequencing Tethered Polymer

> odels and ethods

lydrodynamics Correlation Times

noHD **HD**

