

# Economic Data Analysis

*Part 1.0 | Data Types*

Taylor Weidman

# Types of Data

Data comes in all shapes, sizes, and types.

- Value Type: numerical data, categorical data
- Unit of Observation: cross-section data, time series data, panel data
- Number of Variables: univariate data, bivariate data, multivariate data

# Types of Data: Numerical Data Examples

Numerical data is data that's best recorded in numerical form, continuous or discrete.

- Annual income (continuous)
- Hours worked (discrete, maybe)
- Annual GDP (continuous)
- Number of moves (discrete)

# Data Types

## Categorical Variables

# Data Types

## Categorical Variables

- Nominal: categories cannot be ordered / ranked

# Data Types

## Categorical Variables

- Nominal: categories cannot be ordered / ranked
  - Blood types (A, B, AB, O)
  - Colors (Red, Blue, Green)
  - Eye color

# Data Types

## Categorical Variables

- Nominal: categories cannot be ordered / ranked
  - Blood types (A, B, AB, O)
  - Colors (Red, Blue, Green)
  - Eye color
- Ordinal: categories have order / rank but not a meaningful scale

# Data Types

## Categorical Variables

- Nominal: categories cannot be ordered / ranked
  - Blood types (A, B, AB, O)
  - Colors (Red, Blue, Green)
  - Eye color
- Ordinal: categories have order / rank but not a meaningful scale
  - Education levels (High School, Bachelor's, Master's, PhD)
  - Survey responses (Strongly Disagree, Disagree, Neutral, Agree, Strongly Agree)
  - Size categories (Small, Medium, Large)
  - Pain scales (No Pain, Mild, Moderate, Severe)



# Data Types

## Categorical Variables

- Nominal: categories cannot be ordered / ranked
  - Blood types (A, B, AB, O)
  - Colors (Red, Blue, Green)
  - Eye color
- Ordinal: categories have order / rank but not a meaningful scale
  - Education levels (High School, Bachelor's, Master's, PhD)
  - Survey responses (Strongly Disagree, Disagree, Neutral, Agree, Strongly Agree)
  - Size categories (Small, Medium, Large)
  - Pain scales (No Pain, Mild, Moderate, Severe)
- Binary: only two categories

# Data Types

## Categorical Variables

- Nominal: categories cannot be ordered / ranked
  - Blood types (A, B, AB, O)
  - Colors (Red, Blue, Green)
  - Eye color
- Ordinal: categories have order / rank but not a meaningful scale
  - Education levels (High School, Bachelor's, Master's, PhD)
  - Survey responses (Strongly Disagree, Disagree, Neutral, Agree, Strongly Agree)
  - Size categories (Small, Medium, Large)
  - Pain scales (No Pain, Mild, Moderate, Severe)
- Binary: only two categories
  - Economics major (YES/NO)
  - Human (YES/NO)

# Data Types

## Numerical/Quantitative Variables

- Discrete: countable numbers with meaningful intervals
  - Number of Children in a Household (1, 2, ...)
  - Number of Siblings
- Continuous: quantities measurable on the reals
  - Household income in USD

# Economic Data Analysis

## *Part 1.1 | Categorical Variables*

Taylor Weidman

## Example 1.1 | Coffee Shops by State



*Summarize the locations of coffee shops in  
Part\_1\_1\_Coffee\_Shops.csv*

# Categorical Variables: Coffee Shop Locations by State

*Q. Which state has the most locations?*



# Categorical Variables: Coffee Shop Locations by State

*Q. Which state has the most locations?*



# Categorical Variables: Coffee Shop Locations by State

*Q. Which state has the most locations?*





*Both graphs work, but bar graphs are easier to read.*





# Categorical Variables: Coffee Shop Locations by State

*Q. Does FL or WA have more locations?*



# Categorical Variables: Coffee Shop Locations by State



*Q. Does FL or WA have more locations?*



*Bar graphs make it especially easy to compare between categories.*



# Categorical Variables: Coffee Shop Locations by State

*Q. What share of coffee shops are located in CA?*



# Categorical Variables: Coffee Shop Locations by State

*Q. What share of coffee shops are located in CA?*



*Pie graphs can be used (with caution) for binary categorical variables.*

# Categorical Variables

- Use **bar graphs** to compare values with each other.
- Use **pie graphs** to compare one value against the total.

