

Great Moonstone Oxen of the First and Forsaken Oceans

Taylor McKinney Matt Stringer Cesar Cantu
Spencer Reynoso Ben Bowley-Bryant David Denton

July 10, 2013

Introduction

What is the problem?

It's often easy to forget the many crises occurring throughout the world. This site is designed to gather the data on every crisis, and present in a simple format. We gather details about victims, and information on organizations and people that want to help.

What are the use cases?

With the increasing availability of telecommunication access and this site makes use of this to share news and help victims. This site can be a good source for anyone looking to get informed and help. We can provide contact information for people and organizations involved in helping the victims of crises around the world. People who want to help can look to our site for the best ways to get involved, whether it be donating to the right charities or volunteering at a local site.

Design

XML Schema

```
1 <?xml version="1.0" ?>
2
3 <!-- XSD for World Crises database -->
4
5 <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema">
6   <xsd:element name="WorldCrises">
7     <xsd:complexType>
8       <xsd:sequence>
9         <xsd:element name="Crisis" type="CrisisType" minOccurs="1"
10           maxOccurs="unbounded" />
11         <xsd:element name="Person" type="PersonType" minOccurs="1"
12           maxOccurs="unbounded" />
13         <xsd:element name="Organization" type="OrgType" minOccurs="1"
14           maxOccurs="unbounded" />
15       </xsd:sequence>
16     </xsd:complexType>
17
18     <!-- All keys and keyrefs go here -->
19     <xsd:key name="CrisisKey">
20       <xsd:selector xpath="Crisis" />
21       <xsd:field xpath="@ID" />
22     </xsd:key>
23     <xsd:keyref name="CrisisKeyRef-Person" refer="CrisisKey">
24       <xsd:selector xpath="Person/Crises/Crisis" />
25       <xsd:field xpath="@ID" />
26     </xsd:keyref>
27     <xsd:keyref name="CrisisKeyRef-Org" refer="CrisisKey">
28       <xsd:selector xpath="Organization/Crises/Crisis" />
29       <xsd:field xpath="@ID" />
30     </xsd:keyref>
31
32     <xsd:key name="PersonKey">
33       <xsd:selector xpath="Person" />
34       <xsd:field xpath="@ID" />
35     </xsd:key>
36     <xsd:keyref name="PersonKeyRef-Crisis" refer="PersonKey">
37       <xsd:selector xpath="Crisis/People/Person" />
38       <xsd:field xpath="@ID" />
39     </xsd:keyref>
40     <xsd:keyref name="PersonKeyRef-Org" refer="PersonKey">
41       <xsd:selector xpath="Organization/People/Person" />
42       <xsd:field xpath="@ID" />
43     </xsd:keyref>
44
45     <xsd:key name="OrgKey">
46       <xsd:selector xpath="Organization" />
47       <xsd:field xpath="@ID" />
48     </xsd:key>
49     <xsd:keyref name="OrgKeyRef-Crisis" refer="OrgKey">
50       <xsd:selector xpath="Crisis/Organizations/Org" />
51       <xsd:field xpath="@ID" />
52     </xsd:keyref>
53     <xsd:keyref name="OrgKeyRef-Person" refer="OrgKey">
54       <xsd:selector xpath="Person/Organizations/Org" />
55       <xsd:field xpath="@ID" />
56     </xsd:keyref>
57   </xsd:element>
58
59   <!-- Crisis Data Type -->
60   <!-- Required: Name, ID (attributes), People, Orgs (each with ID attributes) -->
61   <xsd:complexType name="CrisisType">
62     <xsd:sequence>
63       <xsd:element name="People" minOccurs="0" maxOccurs="1">
64         <xsd:complexType>
65           <xsd:sequence>
66             <xsd:element name="Person" type="PersonWithID"
67               minOccurs="1" maxOccurs="unbounded" />
68           </xsd:sequence>
69         </xsd:complexType>
70       </xsd:element>
71       <xsd:element name="Organizations" minOccurs="0" maxOccurs="1">
72         <xsd:complexType>
73           <xsd:sequence>
74             <xsd:element name="Org" type="OrgWithID" minOccurs="1"
75               maxOccurs="unbounded" />
76           </xsd:sequence>
77         </xsd:complexType>
78       </xsd:element>
79       <xsd:element name="Kind" type="xsd:token" minOccurs="0" maxOccurs="1" />
80     </xsd:sequence>
81   </xsd:complexType>
```

```

76     <xsd:element name="Date" type="xsd:date" minOccurs="0" maxOccurs="1"
77     "/>
78     <xsd:element name="Time" type="xsd:time" minOccurs="0" maxOccurs="1"
79     "/>
80     <xsd:element name="Locations" type="ListType" minOccurs="0"
81     maxOccurs="1" />
82     <xsd:element name="HumanImpact" type="ListType" minOccurs="0"
83     maxOccurs="1" />
84     <xsd:element name="EconomicImpact" type="ListType" minOccurs="0"
85     maxOccurs="1" />
86     <xsd:element name="ResourcesNeeded" type="ListType" minOccurs="0"
87     maxOccurs="1" />
88     <xsd:element name="WaysToHelp" type="ListType" minOccurs="0"
89     maxOccurs="1" />
90     <xsd:element name="Common" type="CommonType" minOccurs="0"
91     maxOccurs="1" />
92     <xsd:sequence>
93     <xsd:attribute name="ID" type="CrisisIDType" use="required" />
94     <xsd:attribute name="Name" type="xsd:token" use="required" />
95     </xsd:complexType>
96
97     <!-- Person Data Type -->
98     <!-- Required: Name, ID (attributes), Crises, Orgs (each with ID attributes) -->
99     <xsd:complexType name="PersonType">
100     <xsd:sequence>
101     <xsd:element name="Crises" minOccurs="0" maxOccurs="1">
102     <xsd:complexType>
103     <xsd:sequence>
104     <xsd:element name="Crisis" type="CrisisWithID"
105     minOccurs="1" maxOccurs="unbounded" />
106     </xsd:sequence>
107     </xsd:complexType>
108     </xsd:element>
109     <xsd:element name="Organizations" minOccurs="0" maxOccurs="1">
110     <xsd:complexType>
111     <xsd:sequence>
112     <xsd:element name="Org" type="OrgWithID" minOccurs="1"
113     maxOccurs="unbounded" />
114     </xsd:sequence>
115     </xsd:complexType>
116     </xsd:element>
117     <xsd:element name="Kind" type="xsd:token" minOccurs="0" maxOccurs="1" />
118     <xsd:element name="Location" type="xsd:token" minOccurs="0"
119     maxOccurs="1" />
120     <xsd:element name="Common" type="CommonType" minOccurs="0"
121     maxOccurs="1" />
122     <xsd:any minOccurs="0" />
123     </xsd:sequence>
124     <xsd:attribute name="ID" type="PersonIDType" use="required" />
125     <xsd:attribute name="Name" type="xsd:token" use="required" />
126     </xsd:complexType>
127
128     <!-- Person Data Type -->
129     <!-- Required: Name, ID (attributes), Crises, People (each with ID attributes) -->
130     <xsd:complexType name="OrgType">
131     <xsd:sequence>
132     <xsd:element name="Crises" minOccurs="0" maxOccurs="1">
133     <xsd:complexType>
134     <xsd:sequence>
135     <xsd:element name="Crisis" type="CrisisWithID"
136     minOccurs="1" maxOccurs="unbounded" />
137     </xsd:sequence>
138     </xsd:complexType>
139     </xsd:element>
140     <xsd:element name="People" minOccurs="0" maxOccurs="1">
141     <xsd:complexType>
142     <xsd:sequence>
143     <xsd:element name="Person" type="PersonWithID"
144     minOccurs="1" maxOccurs="unbounded" />
145     </xsd:sequence>
146     </xsd:complexType>
147     </xsd:element>
148     <xsd:element name="Kind" type="xsd:token" minOccurs="0" maxOccurs="1" />
149     <xsd:element name="Location" type="xsd:token" minOccurs="0"
150     maxOccurs="1" />
151     <xsd:element name="History" type="ListType" minOccurs="0" maxOccurs="1" />
152     <xsd:element name="ContactInfo" type="ListType" minOccurs="0"
153     maxOccurs="1" />
154     <xsd:element name="Common" type="CommonType" minOccurs="0"
155     maxOccurs="1" />
156     <xsd:any minOccurs="0" />
157     </xsd:sequence>
158     <xsd:attribute name="ID" type="OrgIDType" use="required" />

```

```

145     <xsd:attribute name="Name" type="xsd:token" use="required" />
146 </xsd:complexType>
147
148 <!-- CommonType contains elements common to crises, people and
149      organizations. Each of these elements is a list. -->
149 <xsd:complexType name="CommonType">
150     <xsd:sequence>
151         <xsd:element name="Citations" type="ListType" minOccurs="0"
152             maxOccurs="1" />
152         <xsd:element name="ExternalLinks" type="ListType" minOccurs="0"
153             maxOccurs="1" />
153         <xsd:element name="Images" type="ListType" minOccurs="0" maxOccurs="
154             1" />
154         <xsd:element name="Videos" type="ListType" minOccurs="0" maxOccurs="
155             1" />
155         <xsd:element name="Maps" type="ListType" minOccurs="0" maxOccurs="1
156             " />
156         <xsd:element name="Feeds" type="ListType" minOccurs="0" maxOccurs="
157             1" />
157         <xsd:element name="Summary" type="xsd:token" minOccurs="0"
158             maxOccurs="1" />
158     </xsd:sequence>
159 </xsd:complexType>
160
161 <!-- ListType is a list of tokens. Each token can have an optional
162      hyperlink (href attribute) and/or link for embedded object (embed
163      attribute).
164      This is a generic type that can accomodate all types of lists (images,
165      videos, citations, text, etc.) See example XML for usage -->
162 <xsd:complexType name="ListType">
163     <xsd:sequence>
164         <xsd:element name="li" minOccurs="1" maxOccurs="unbounded">
165             <xsd:complexType mixed="true">
166                 <xsd:attribute name="href" type="xsd:token" />
167                 <xsd:attribute name="embed" type="xsd:token" />
168                 <xsd:attribute name="text" type="xsd:token" />
169             </xsd:complexType>
170         </xsd:element>
171     </xsd:sequence>
172 </xsd:complexType>
173
174 <!-- Use these when making references to crises, people or orgs -->
175 <xsd:complexType name="CrisisWithID">
176     <xsd:attribute name="ID" type="CrisisIDType" use="required" />
177 </xsd:complexType>
178
179 <xsd:complexType name="PersonWithID">
180     <xsd:attribute name="ID" type="PersonIDType" use="required" />
181 </xsd:complexType>
182
183 <xsd:complexType name="OrgWithID">
184     <xsd:attribute name="ID" type="OrgIDType" use="required" />
185 </xsd:complexType>
186
187 <!-- All ID Types go here -->
188 <xsd:simpleType name="CrisisIDType">
189     <xsd:restriction base="IDType">
190         <xsd:pattern value="CRI-[A-Z]{6}" />
191     </xsd:restriction>
192 </xsd:simpleType>
193
194 <xsd:simpleType name="PersonIDType">
195     <xsd:restriction base="IDType">
196         <xsd:pattern value="PER-[A-Z]{6}" />
197     </xsd:restriction>
198 </xsd:simpleType>
199
200 <xsd:simpleType name="OrgIDType">
201     <xsd:restriction base="IDType">
202         <xsd:pattern value="ORG-[A-Z]{6}" />
203     </xsd:restriction>
204 </xsd:simpleType>
205
206 <xsd:simpleType name="IDType">
207     <xsd:restriction base="xsd:token">
208         <xsd:length value="10" />
209     </xsd:restriction>
210 </xsd:simpleType>
211 </xsd:schema>

```

Implementation

Import

Export

Testing

unittest

Other