



# Magento Community Edition

# User Guide

Version 1.9.2.1



# Contents

<b>Getting Started .....</b>	<b>1</b>
<b>CHAPTER 1: Welcome to Magento! .....</b>	<b>3</b>
Resources .....	4
Join the Conversation! .....	7
<b>CHAPTER 2: About This Release .....</b>	<b>9</b>
System Requirements .....	10
Compatibility Check .....	11
Installing Magento .....	11
Part I: Magento Installation .....	12
Part II: Magento Installation .....	20
Reinstalling Magento .....	25
Using a Staging Environment .....	25
Prelaunch Checklist .....	26
<b>CHAPTER 3: Your Magento Account .....</b>	<b>29</b>
Sharing Your Account .....	32
<b>CHAPTER 4: Quick Tour .....</b>	<b>35</b>
Customer Journey .....	36
Attract New Customers .....	38
Engage Your Customers .....	39
Increase Average Order Value (AOV) .....	40
Moment of Purchase .....	42
Customer Retention .....	43

Loyalty & Advocacy .....	44
Success! .....	45

## **Basic Configuration ..... 47**

### **CHAPTER 5: Store Admin ..... 49**

Admin Login .....	50
My Account .....	52
Message InBox .....	53
Notification Setup .....	57
Admin Menu .....	58
Admin Tools .....	61
Global Record Search .....	62
List Controls .....	63
Actions Control .....	65

### **CHAPTER 6: Store Details ..... 69**

Store Information .....	70
Locale Options .....	71
States Options .....	72
Countries Options .....	73
Currency .....	74
Basic Shipping Settings .....	75
Store Email Addresses .....	76
Contact Us .....	78

### **CHAPTER 7: Websites, Stores & Views ..... 81**

Setting Up Store Hierarchy .....	82
Configuration Scope .....	84
Adding a Language .....	86
Store URLs .....	89
Secure and Unsecure Base URLs .....	90
Using a Custom Admin URL .....	92

### **CHAPTER 8: Industry Compliance ..... 95**

PCI Compliance Guidelines .....	96
---------------------------------	----

Privacy Policy .....	97
Cookie Law Compliance .....	98
Cookie Restriction Mode .....	98
Cookie Reference .....	102

## **Product Catalog ..... 103**

### **CHAPTER 9: Navigation ..... 105**

Top Navigation .....	106
Breadcrumb Trail .....	107
Product List Configuration .....	108
Pagination Controls .....	110
Layered Navigation .....	112
Filterable Attributes .....	114
Price Navigation .....	116

### **CHAPTER 10: Categories ..... 119**

Category Levels .....	120
Creating Categories .....	121
Modifying Categories .....	124
Root Categories .....	125
Hidden Categories .....	127
General Information .....	128
Display Settings .....	130
Custom Design .....	132
Category Products .....	134

### **CHAPTER 11: Attributes ..... 135**

Attribute Input Types .....	136
Date & Time Custom Options .....	137
Creating Attributes .....	138
Deleting Attributes .....	141
Creating an Attribute Set .....	142
Attribute Quick Reference .....	144
Attribute Properties .....	146

Attribute Frontend Properties .....	149
<b>CHAPTER 12: Flat Catalog .....</b>	<b>151</b>
Setting Up a Flat Catalog .....	152
<b>CHAPTER 13: Creating Products .....</b>	<b>155</b>
Product Types .....	156
Simple Product .....	158
Grouped Product .....	163
Configurable Product .....	167
Virtual Product .....	174
Bundle Product .....	177
Downloadable Product .....	183
Downloadable Product Options .....	188
<b>CHAPTER 14: Swatches .....</b>	<b>191</b>
Swatch Workflow .....	192
Text-Based Swatches .....	192
Swatches in Layered Navigation .....	193
Swatch Configuration .....	193
Adding Swatch Attribute Values .....	196
Preparing Swatch Images .....	197
Uploading Swatch Images .....	198
Setting Up Dynamic Images .....	202
Swatch Localization .....	207
English as Primary Language .....	207
Other Primary Languages .....	207
Clearing the Swatch Cache .....	210
<b>CHAPTER 15: Product Images .....</b>	<b>211</b>
Thumbnail Gallery .....	212
Light Boxes and Sliders .....	212
Image Zoom .....	212
Image Size and Type .....	213
Adding Product Images .....	215
Placeholders .....	217

Watermarks .....	218
Shopping Cart Thumbnails .....	220
<b>CHAPTER 16: Product Pricing .....</b>	<b>221</b>
Prices .....	222
Special Price .....	224
Tier Price .....	225
Quantity Increments Packaging .....	227
Minimum Advertised Price .....	228
MAP Logic .....	229
MAP Configuration .....	230
Product Group Price .....	232
Product Group Price Setup .....	232
Group Price Attribute .....	234
<b>CHAPTER 17: Inventory .....</b>	<b>235</b>
Inventory Configuration .....	236
Managing Stock .....	237
Stock Options .....	243
Stock Availability .....	245
Message Scenarios .....	247
Product Page .....	248
Catalog Page .....	250
Out of Stock Threshold .....	251
Product Alerts .....	252
Scheduling Product Alerts .....	255
Managing Stock for Configurable Products .....	256
<b>CHAPTER 18: Product Information .....</b>	<b>257</b>
General .....	258
Product Meta Data .....	261
Recurring Profile .....	262
Design .....	268
Gift Options .....	270
Websites .....	271
Categories .....	272

Related Products .....	273
Up-sells .....	274
Cross-sells .....	275
Custom Options .....	276
Translating Products .....	278
<b>Search &amp; SEO .....</b>	<b>281</b>
<b>CHAPTER 19: Storefront Search Tools .....</b>	<b>283</b>
Quick Search .....	284
Advanced Search .....	285
Search Results .....	287
Popular Search Terms .....	288
Catalog Search Configuration .....	290
<b>CHAPTER 20: Managing Search Terms .....</b>	<b>291</b>
Adding Search Terms .....	292
<b>CHAPTER 21: SEO Best Practices .....</b>	<b>295</b>
Meta Information .....	296
Sitemap .....	297
Catalog URLs .....	299
Dynamic URL .....	299
Static URL .....	299
URL Key .....	299
Store Code .....	299
HTML Suffix .....	300
Category Path .....	300
URL Options .....	301
Dynamic Media URLs .....	304
Canonical Meta Tag .....	306
<b>CHAPTER 22: Managing URL Rewrites .....</b>	<b>309</b>
Automatic Product Redirects .....	310
Creating URL Rewrites .....	311
Configuring URL Rewrites .....	313

Product Rewrite .....	314
Category Rewrite .....	318
Custom Rewrite .....	321
<b>Marketing &amp; Promotions .....</b>	<b>325</b>
<b>CHAPTER 23: Promotions .....</b>	<b>327</b>
Product Relationships .....	328
Catalog Price Rules .....	329
Price Rule with Multiple SKUs .....	334
Shopping Cart Price Rules .....	336
Coupon Codes .....	348
Auto-Generated Coupon Codes .....	350
Coupon Report .....	353
Free Shipping Promotion .....	354
Buy X Get Y Free .....	357
Discount with Minimum Purchase .....	359
<b>CHAPTER 24: Shopping Tools .....</b>	<b>363</b>
Customer Engagement .....	364
Wishlists .....	366
Wishlist Workflow .....	366
Updating Wishlists .....	367
Wishlist Reports .....	368
Compare Products .....	369
Recently Viewed/Compared Products .....	371
Product Reviews .....	373
Custom Ratings .....	375
Tags .....	376
Products Tagged by Administrators .....	378
Moderating Tags .....	379
Polls .....	380
Email a Friend .....	383
Gift Options .....	385

<b>CHAPTER 25: Newsletters .....</b>	<b>387</b>
Newsletter Configuration .....	388
Newsletter Templates .....	389
Newsletter Queue .....	390
<b>CHAPTER 26: Sales Channels .....</b>	<b>391</b>
Google Shopping .....	392
Social Media .....	399
Adding Facebook Plugins .....	400
Facebook Open Graph .....	404
Setting Up RSS Feeds .....	407
<b>CHAPTER 27: Google Tools .....</b>	<b>409</b>
Google Merchant Center .....	410
Google Sitemap .....	415
Google Sitemap Configuration .....	419
Google Universal Analytics .....	421
Google “Classic” Analytics .....	423
<b>Content Elements .....</b>	<b>427</b>
<b>CHAPTER 28: Magento CMS .....</b>	<b>429</b>
CMS Menu .....	430
<b>CHAPTER 29: Content Pages .....</b>	<b>431</b>
Core Content .....	432
Default Pages .....	434
Creating a Page .....	435
Using the Editor .....	438
Inserting a Link .....	439
Inserting Images .....	440
Adding a Widget .....	442
Media Storage .....	445
Translating Pages .....	446

<b>CHAPTER 30: Blocks .....</b>	<b>449</b>
Creating a Static Block .....	450
Positioning Blocks .....	452
<b>CHAPTER 31: Widgets .....</b>	<b>455</b>
Widget Types .....	456
Creating a Widget .....	457
CMS Static Block Widget .....	460
New Products List .....	461
Mini Shopping Cart Widget .....	466
<b>CHAPTER 32: Variables .....</b>	<b>469</b>
Predefined Variables .....	470
Custom Variables .....	472
<b>CHAPTER 33: Markup Tags .....</b>	<b>473</b>
Markup Tag Syntax .....	474
Store URL .....	474
Media URL .....	474
Block ID .....	474
Template Tag .....	474
Non-Inline CSS Tag .....	475
Widget Code .....	475
Using Markup Tags in Links .....	476
Category Listing on Home Page .....	478
<b>Design &amp; Theme .....</b>	<b>481</b>
<b>CHAPTER 34: Your Store Design .....</b>	<b>483</b>
Uploading Your Logo .....	484
Uploading a Favicon .....	485
Changing the Welcome Message .....	487
Store Demo Notice .....	488
Copyright Notice .....	489

<b>CHAPTER 35: Page Layout .....</b>	<b>491</b>
Standard Layouts .....	492
Storefront Examples .....	494
1 Column Layout .....	494
2 Columns with Left Bar .....	495
2 Columns with Right Bar .....	495
3 Columns .....	496
Layout Updates .....	497
Placing a Block with a Layout Update .....	498
Controlling Block Order .....	499
Standard Block Layout .....	500
Layout Update Syntax .....	502
<block> .....	503
<reference> .....	504
<action> .....	504
<remove> .....	504
<extend> .....	504
Layout Update Examples .....	505
page/template_links .....	506
cms/block .....	506
core/text .....	507
page/html_welcome .....	507
XML Load Sequence .....	508
<b>CHAPTER 36: Page Setup .....</b>	<b>509</b>
HTML Head .....	510
Header .....	512
Footer .....	513
<b>CHAPTER 37: Your Store's Theme .....</b>	<b>515</b>
Design Packages .....	516
Theme Assets .....	518
CSS Settings .....	519
JavaScript Settings .....	519
Responsive Web Design .....	520

Using the Default Theme .....	521
Installing a New Theme .....	522
Changing UI Text .....	525
<b>Customers .....</b>	<b>529</b>
<b>CHAPTER 38: Customer Accounts .....</b>	<b>531</b>
Account Configuration .....	532
Customer Account Scope .....	533
Login Landing Page .....	534
New Account Options .....	535
Name and Address Options .....	536
Password Options .....	538
Customer Account Login .....	539
Account Dashboard .....	540
<b>CHAPTER 39: Customer Groups .....</b>	<b>543</b>
Creating a Customer Group .....	544
<b>Sales &amp; Orders .....</b>	<b>545</b>
<b>CHAPTER 40: Managing Orders .....</b>	<b>547</b>
Order Process Overview .....	548
Order Stages .....	549
Guest Checkout .....	551
Minimum Order Amount .....	552
Terms and Conditions .....	554
Setting Up Sales Email .....	557
<b>CHAPTER 41: Assisted Shopping .....</b>	<b>559</b>
Online Customers .....	560
Update a Shopping Cart .....	562
Create an Order .....	564
Update an Order .....	569
Create a Customer Account .....	572

Update a Customer Account .....	575
Persistent Shopping Cart .....	576
Types of Cookies .....	576
Persistent Cart Workflow .....	577
Remember Me .....	578
Continue Persistence After Logout (No) .....	578
Clear Persistence on Logout (Yes) .....	578
Persistent Shopping Cart Configuration .....	579
<b>CHAPTER 42: Order Fulfillment .....</b>	<b>583</b>
Order Workflow .....	584
Order Status .....	585
Custom Order Status .....	586
Invoice an Order .....	588
Print Invoices .....	591
Ship an Order .....	591
Print Packing Slips .....	594
Review Transactions .....	596
<b>CHAPTER 43: Store Credit and Refunds .....</b>	<b>597</b>
Product Return Workflow .....	598
Create a Credit Memo .....	599
Print a Credit Memo .....	603
<b>CHAPTER 44: Sales Document Setup .....</b>	<b>605</b>
PDF Logo Requirements .....	606
Add Reference IDs to Header .....	608
PDF Invoice with Logo .....	610
Customer Address Templates .....	611
<b>Payments .....</b>	<b>613</b>
<b>CHAPTER 45: Basic Payment Methods .....</b>	<b>615</b>
Merchant Location .....	616
Bank Transfer Payment .....	617
Cash On Delivery .....	619

Check / Money Order .....	620
Purchase Order .....	622
Zero Subtotal Checkout .....	623
Saved Credit Cards .....	625
<b>CHAPTER 46: PayPal Payment Solutions .....</b>	<b>627</b>
Overview .....	627
PayPal Express Checkout .....	627
PayPal Credit .....	627
All-In-One Solutions .....	628
Payment Gateways .....	628
PayPal Access .....	629
PayPal Business Account .....	629
PayPal Payments Advanced .....	630
Checkout Workflow .....	630
Order Processing Workflow .....	630
Merchant Requirements .....	631
Setting Up PayPal Payments Advanced .....	631
PayPal Payments Pro .....	632
Checkout Workflow .....	632
Order Processing Workflow .....	632
Requirements .....	633
Setting Up PayPal Payments Pro .....	633
PayPal Payments Standard .....	634
Checkout Workflow .....	634
Merchant Requirements .....	634
Setting Up PayPal Payments Standard .....	635
PayPal Express Checkout .....	636
Checkout Workflow .....	636
Requirements .....	637
Setting Up PayPal Express Checkout .....	637
Save Customer Billing Address .....	648
Billing Address Workflow .....	648
Managing Order Transactions .....	649
Payment Action Set to “Order” .....	650

PayPal Credit .....	651
Billing Agreements .....	654
Customer Account Workflow .....	654
Sales Order Workflow .....	655
Settlement Reports .....	657
PayPal Payflow Pro .....	660
Customer Workflow .....	660
Order Processing Workflow .....	660
PayPal Payflow Link .....	661
Customer Workflow .....	661
Order Workflow .....	661
PayPal Fraud Management Filters .....	662
PayPal Solutions by Country .....	663
<b>CHAPTER 47: Payment Solutions &amp; Gateways .....</b>	<b>665</b>
Payment Solutions by Region .....	666
Worldwide .....	666
Europe .....	667
Oceania .....	667
Testing Credentials .....	668
Authorize.Net .....	669
Capture Workflow .....	669
Authorize.Net Configuration .....	671
Partial Authorization with Authorize.Net .....	672
Customer Workflow .....	672
Admin Workflow .....	674
Refund Workflow .....	675
Direct Post .....	676
Admin Workflow .....	676
Customer Workflow .....	676
<b>CHAPTER 48: Payment Services .....</b>	<b>679</b>
3D Secure Credit Card Validation .....	680
Customer Workflow .....	680
Admin Workflow .....	681

## **Shipping .....** 683

<b>CHAPTER 49: Basic Shipping Methods .....</b>	<b>685</b>
Shipping Settings .....	686
Flat Rate .....	688
Free Shipping .....	690
Table Rates .....	692
Setting Up Table Rates .....	693
Online Rates .....	697
Dimensional Weight .....	698

## **CHAPTER 50: Shipping Carriers .....** 699

UPS .....	700
USPS .....	704
FedEx .....	707
DHL .....	712
Package Type by Carrier .....	716

## **CHAPTER 51: Shipping Labels .....** 721

Shipping Label Workflow .....	722
Shipment Workflow .....	722
Tracking Number Workflow .....	722
Shipping Label Setup .....	723
Create Shipping Labels .....	726
Create Packages .....	733

## **Taxes .....** 737

<b>CHAPTER 52: Managing Taxes .....</b>	<b>739</b>
General Tax Settings .....	740
Tax Classes .....	744
Product Tax Classes .....	744
Shipping Tax Class .....	745
Customer Tax Classes .....	746

Tax Zones & Rates .....	747
Import / Export Tax Rates .....	749
Cross-Border Price Consistency .....	753
EU Place of Supply .....	754
Tax Rules .....	755
Fixed Product Tax .....	758
Fixed Product Tax Setup .....	759
Compound Taxes .....	763
<b>CHAPTER 53: Value Added Tax (VAT) .....</b>	<b>765</b>
VAT ID Validation .....	768
Customer Registration Workflow .....	768
Checkout Workflow .....	768
Setting Up VAT ID Validation .....	770
Managing VAT ID Validation .....	774
Customer Address Workflow .....	774
Order Creation Workflow .....	774
Automatic Customer Group Changes .....	775
<b>CHAPTER 54: Tax Quick Reference .....</b>	<b>777</b>
Configuration Options .....	777
Tax Calculation Methods .....	777
Catalog Prices With or Without Tax .....	778
Shipping Prices With or Without Tax .....	778
Tax Amounts as Line Items .....	778
International Tax Configurations .....	779
U.S. Tax Configuration Recommendations .....	780
Tax Classes .....	781
Calculation Settings .....	781
Default Tax Destination Calculation .....	781
Price Display Settings .....	781
Shopping Cart Display Settings .....	782
Orders, Invoices, Credit Memos, Display Settings .....	782
Fixed Product Taxes .....	782
Canada: Example Tax Configuration .....	782

E.U. Example Tax Configuration .....	786
Warning Messages .....	792
Calculation Settings .....	793
Discount Settings .....	794
<b>Store Operations .....</b>	<b>795</b>
<b>CHAPTER 55: Currency Rates .....</b>	<b>797</b>
Currency Configuration .....	798
Currency Symbols .....	800
Updating Currency Rates .....	800
<b>CHAPTER 56: Managing Email Templates .....</b>	<b>803</b>
Supported Email Clients .....	804
Email Template Layout and Styles .....	806
Inline and Non-Inline Styles .....	806
Preparing Your Email Logo .....	806
Supported File Formats .....	807
Image Size .....	807
Magento Upgrades .....	807
Updating Default Templates .....	808
Custom Email Templates .....	812
Email Header .....	812
Email Footer .....	817
Email Body .....	820
Email Template Configuration .....	824
System Configuration Update .....	827
Email Template Reference .....	829
<b>CHAPTER 57: Managing Data Transfer .....</b>	<b>831</b>
Working with CSV Files .....	832
Product CSV Structure .....	832
Customer CSV Structure .....	833
Importing Data .....	834
Importing Product Images .....	836

Import Guidelines .....	837
New Entities .....	837
Existing Entities .....	838
Complex Data .....	838
Invalid Files .....	838
Exporting Data .....	839
Dataflow .....	841
<b>CHAPTER 58: Reports .....</b>	<b>849</b>
Dashboard .....	850
Snapshot Reports .....	851
Dashboard Setup .....	852
Running Reports .....	853
Refreshing Report Statistics .....	857
Available Reports .....	858
<b>CHAPTER 59: Admin Permissions .....</b>	<b>861</b>
Creating New Users .....	862
Creating Custom Roles .....	864
<b>CHAPTER 60: Security .....</b>	<b>867</b>
SOLUTION SERIES: Magento Security Best Practices .....	868
Start Right .....	868
Protect the Environment .....	868
Protect Magento .....	870
Don't be Taken for a Ride .....	871
Be Prepared! .....	872
Monitor for Signs of Attack .....	872
Follow Your Disaster Recovery Plan .....	873
Security Configuration .....	875
CAPTCHA .....	876
Admin CAPTCHA .....	877
Customer CAPTCHA .....	878
Session Validation .....	879
Browser Capabilities Detection .....	881

## **System Operations .....** 883

### **CHAPTER 61: Index Management .....** 885

Manual Reindexing .....	887
Automatic Indexing .....	888
Indexing by Multiple Users .....	888
Index Modes .....	888

### **CHAPTER 62: Cache Storage .....** 893

Clearing Caches .....	894
External Full-Page Cache .....	896

### **CHAPTER 63: Alternate Media Storage .....** 897

Media Storage Database Setup .....	898
Database Workflow .....	898
Media Storage CDN Setup .....	900
CDN Workflow .....	900

### **CHAPTER 64: Magento Connect .....** 903

Upgrading Magento .....	904
Installing Extensions .....	905

### **CHAPTER 65: Web Services .....** 907

Magento Core API Settings .....	908
Activating Web Services .....	909
REST Roles .....	910

### **CHAPTER 66: System Tools .....** 911

Server Backups & Rollback .....	912
Best Practices .....	912
Creating a Backup .....	913
Rolling Back Changes .....	915
SOLUTION SERIES: Installing Magento Patches .....	916
Installing Patches with SSH .....	920
Compilation .....	935

System Log .....	936
System Log Cleaning .....	936
Cron (Scheduled Tasks) .....	938
Magento Test Framework .....	939
Requirements .....	940
Installation .....	941
Configuration .....	942
Non-Firefox Browsers .....	942
Magento URLs .....	942
Configuration Reference .....	943
Running MTF .....	945
Frequently Asked Questions .....	945
Database Repair Tool .....	947
<b>Appendices .....</b>	<b>951</b>
APPENDIX A: Release Notes .....	953
APPENDIX B: Glossary .....	957
APPENDIX C: Editor Toolbar .....	967
APPENDIX D: Configuration Reference .....	975
<b>Index .....</b>	<b>977</b>

## Notes

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



# Getting Started

## In this section...

Welcome to Magento!

About This Release

Your Magento Account


Quick Tour



## CHAPTER 1:

# Welcome to Magento!


Magento Community Edition is a feature-rich eCommerce platform, built on open-source technology that provides online merchants with unparalleled flexibility and control over the look, content, and functionality of their eCommerce store. Magento's intuitive Admin features powerful marketing, search engine optimization, and catalog management tools to give merchants the power to create sites that are tailored to their unique business needs. Designed to be completely scalable, Magento CE offers companies a stable, secure, customizable eCommerce solution.



*Magento Community Edition*


# Resources

Magento provides a wealth of business and technical resources, self-help tools, and services to help you succeed.



## Product Documentation

Whether you're a merchant, designer, developer, or all of the above, this is where you'll gain a deeper insight into how you can leverage the power of Magento to grow your business.



## Commerce Resources

Gain access to expert insight and online business resources to help develop and improve your store. Ebooks, Magento white papers, and webinars.



## Security Center

Join Magento's Security Alert Registry to receive the latest information about potential vulnerabilities and solutions. See also: [Security Best Practices](#).




## Forums

The Magento forums provide access to a network of dedicated Magento enthusiasts who share tips, tricks and support.



## Blog

Check out the Magento blog for the latest information about new features, trends, best practices, upcoming events, and more!



## Webinars

Expand your horizons! Register to attend the upcoming Magento webinar, or catch up on previous, archived webinars.



## Training & Certification

Learn to unleash the power and flexibility of Magento. We provide training for every role in your business, including marketers, designers, developers, and more. Experienced Magento professionals can validate their real-world skills by earning Magento certification.



## Partners

Need help to set up or fine-tune your store? Magento's certified developers and consultants are experts in store setup, design, integration and marketing. Find a certified expert and jumpstart your business today!



## Expert Consulting Services

Magento's Expert Consulting Group (ECG) helps Magento merchants and Solution Partners maximize their success. Our experts offer comprehensive analysis and best practice recommendations, from architecture planning through post-deployment.

## Join the Conversation!

Keep up with the latest news from the ecosystem, and connect with other merchants and developers on social media networks.



### Facebook

---


Find out what's happening and join the discussion on our Facebook page!



### Twitter

---

Follow us on Twitter!



### LinkedIn

---

Join a Magento group on LinkedIn.




## Google+

Add us to your circle on Google+.



## YouTube

Learn while you watch videos on our YouTube channel!



## Meetup

Find a Magento Meetup near you!



## CHAPTER 2:

# About This Release

We are pleased to bring to you Magento Community Edition version 1.9.2.1; a release that includes several significant security enhancements. To learn more, see the [Release Notes](#) in the Appendix of this guide.

**Important!** Use Magento Community 1.9.0 or later for all new installations and upgrades to ensure that you get the latest fixes, features, and security updates.

A screenshot of the Magento Community Edition website. The header features the orange Magento logo and navigation links for PRODUCTS, CUSTOMERS, PARTNERS, TRAINING, RESOURCES, HELP, COMPANY, and BLOG. A search bar and links for FREE DEMO and MY ACCOUNT are also present. The main content area has a white background. On the left, there's a section titled 'MAGENTO PRODUCTS DRIVE BUSINESS GROWTH' with text about the platform's flexibility and enterprise solutions. In the center, there's a photograph of a laptop displaying the Magento admin interface next to an orange 'Magento' coffee mug. Below this, a section for 'Community Edition' is shown with a brief description of the edition's purpose for developers and tech-savvy merchants. It includes a 'LEARN MORE' button and a link to 'VIEW AVAILABLE DOWNLOADS'. To the right, a 'HIGHLIGHTS' sidebar lists three bullet points: 'Open source eCommerce software', 'Free to download', and 'Community-based support'.

*Magento Community Edition*

# System Requirements

## STANDARD SYSTEM REQUIREMENTS

Environment	LAMP (Linux, Apache, MySQL, and PHP) or LNMP stack
Operating System	Linux x 86, x86-64
Web Server	Apache 2.2.x Apache 2.0.x Apache 1.3.x Nginx 1.7.x (for CE1.7 or EE 1.12 or greater)
Server Hosting	<ul style="list-style-type: none"><li>Ability to run scheduled jobs (<code>crontab</code>) with PHP 5.</li><li>Ability to override options in <code>.htaccess</code> files.</li></ul>
PHP	PHP 5.5 PHP 5.2.13 - 5.3.x, 5.4.x with <a href="#">patch</a> . <b>Required extensions:</b> PDO_MySQL                    DOM simplexml                    iconv mcrypt                        curl hash                          SOAP (for Webservices API) GD
<b>Additional configuration:</b> <code>safe_mode off</code> <code>memory_limit no less than 256 MB (512 MB recommended)</code>	
Database	MySQL 5.6 (Oracle or Percona)
SSL	A valid security certificate is required for HTTPS. Self-signed certificates are not supported. We recommend if possible to run both the storefront and Admin on HTTPS.
Browsers	Microsoft Internet Explorer 7 or later Mozilla Firefox 3.5 or later Apple Safari 5 or later (for Mac only) Google Chrome 7 or later Adobe Flash plug-in should be installed

## STANDARD SYSTEM REQUIREMENTS

### Supported Technologies

#### Redis

Redis can be used for session or cache storage.

`redis-server` version 2.6.9 or later

`phpredis` version 2.2.2 or later

#### Memcached

Memcached can be used for session or cache storage.

## Compatibility Check

The `magento-check` script tests your server against the system requirements, and generates a report. You can download the script from our website.

### To check the compatibility of your server:

1. Download the [magento-check](#) file to your computer.
2. Extract the archive anywhere on your computer. Then, upload the extracted file, **`magento-check.php`**, to the Magento directory on your server.
3. Use your browser to navigate to the following page in your Magento directory:

```
magento/magento-check.php
```

## Installing Magento

Magento Community Edition is open source software and can be downloaded for free. Developers can modify the core code and add features and functionality by installing extensions from the [Magento Connect](#) marketplace.


Because Magento does not provide technical support for this software, you can benefit from the knowledge of experts in the community for help with the installation and configuration. Answers to many technical questions can be found on our [user forum](#).

After you verify that your hosting environment meets the [system requirements](#), you can [download Magento Community Edition](#) free of charge from the Magento community site. Although optional, we recommend that you register on our site so you have access to the forums, wiki, groups, screencasts, and other resources the community has to offer.

Magento Community Edition is licensed under the Open Software License (OSL) v3.0, an open source certified license. To learn more, see the [License / Trademark FAQ](#) on our site.

## Part I: Magento Installation

During the first part of the installation, you will download the scripts and sample data files needed to install Magento. You will also set up permissions on the server, and create a new database.



*Downloader*

### Process Overview:

- Step 1: Download the Magento CE Downloader Script
- Step 2: Download the Sample Data
- Step 3: Upload the Downloader Script to Your Server
- Step 4: Grant File Access Permissions
- Step 5: Set Up the Store Database
- Step 6: Upload the Sample Data to Your Server
- Step 7: Run the Magento CE Downloader

## Step 1: Download the Magento CE Downloader Script

1. Go to the Magento Community Edition [download](#) page.
2. In the Downloader section, select one of the following formats for the archived downloader. The archive file name is: magento-downloader-x.x.x.zip (or .tar.gz, or .tar.bz2). The size of the archive is approximately 46K.
  - .zip
  - .tar.gz
  - .tar.bz2
3. Click the **Download** button. While the file is downloading, take a moment to look over the resources on the [Magento Community](#) page.
4. Extract the archive to a directory of your choice on your local computer. The name of the extracted file is: downloader.php


## Step 2: Download the Sample Data

Magento provides sample data with examples of products and basic content pages to help you get started. When you are ready to build your own catalog, you can reinstall Magento without the sample data. This step is recommended, but is not required.

1. In the Sample Data section, **Select your format** for the archived sample data.
2. Click the **Download** button, and **Save** the file anywhere on your local computer. The file name is: magento-sample-data-x.x.x.zip (or .tar.gz, or .tar.bz2). The size of the archive is approximately 10MB.

Magento provides sample data with examples of products and basic content pages to help you get started. When you are ready to build your own catalog, you can reinstall Magento without the sample data. This step is recommended, but is not required.

3. In the Sample Data section, **Select your format** for the archived sample data.
4. Click the **Download** button, and **Save** the file anywhere on your local computer. The file name is: magento-sample-data-x.x.x.zip (or .tar.gz, or .tar.bz2). The size of the archive is approximately 10MB.



*Sample Data Download*

## Step 3: Upload the Downloader Script to Your Server

Use an FTP or SFTP tool to copy the extracted downloader script to the root www directory of the server. (The root www directory is usually named public\_html.) As an alternative, you can copy the file to another subdirectory, such as /store.

## Step 4: Grant File Access Permissions

For the Magento Installer to work correctly, the top-level Magento directory on the server, and all directories beneath it must have correct permissions. To learn more, see the Knowledge Base article: [Recommended File System Ownership and Privileges](#).

## Step 5: Set Up the Store Database

1. Create a new, empty database using one of the following methods:
  - Use phpMyAdmin or a similar tool provided by your hosting company. For instructions, see the documentation for the specific tool.
  - MySQL command line
2. Create a new user with full permissions to the database. Then, write down the following information:

dbname	The database name.
dbuser	The name of the database user.
dbpassword	The password for the database user.

## Step 6: Upload the Sample Data to Your Server

If you want to use the sample data, it must be installed now. If you are ready to add your own products, skip this step. You can use either of the following methods to install the sample data:

### Method 1: FTP or SFTP

1. Extract the sample data archive that you downloaded in Step 2, to a directory of your choice on your local computer. The file name is similar to: magento\_sample\_data\_for\_x.x.x.sql.

The archive contains an SQL script with a dump of the sample data, and a media/catalog folder with category and product images.

Name	Type
media	File folder
catalog	File folder
category	File folder
product	File folder
magento_sample_data_for_1.6.1.0	SQL-Script

*Sample Data Archive*

2. Use an FTP or SFTP tool to copy the media folder and its subdirectories from your local computer to the magento installation directory on the server. Depending on your server, the path will look something like this:

```
/var/www/magento/media  
/var/www/html/magento/media
```

3. Use an FTP or SFTP tool to copy the magento sample data script to the server. A good place to put it is in the media/catalog folder.

```
/var/www/magento/media/catalog  
/var/www/html/magento/media/catalog
```

4. Do one of the following:

- Use phpMyAdmin, or a similar tool to run the sample data script and import the data into the new database.
- On the command line, enter the following:

```
mysql -u <root user> -p <magento-db-name> < <path-and-filename of db-script>
```


## Method 2: Command Line

If you prefer to install the sample data from the command line, see this Knowledge Base article, under the heading: [Installing Optional Sample Data](#).

You're ready to install Magento!


## Step 7: Run the Magento CE Downloader

- From your browser, navigate to the location of the Magento downloader on your server. The Magento Downloader welcome page appears.



*Welcome*

- To validate your server environment, click the Continue button. If error warnings appear, correct the errors and click the Check Again button.



*Validation*

- When you pass the validation test, do the following:
  - Enter the following **Database Connection** information:
    - Host
    - User Name
    - User Password

**Database Connection**

Database Type: MySQL

Host \*: localhost

Database Name \*: magento

User Name \*: magento

User Password: \*\*\*\*\*

Tables Prefix: (Optional. Leave blank for no prefix)

*Database Connection*

- b. Click the **Check InnoDB** button to confirm the connection.
  - c. When you receive confirmation that the credentials are valid, click the **Continue** button.
4. On the Magento Connect Manager Deployment page, do the following:

**Magento Connect Manager Deployment**

**Loader Protocol**  
Magento Connect Channel Protocol: **HTTP**

**Stability**  
Magento Connect Manager Version Stability: **stable**

**Deployment Type**  
 Local Filesystem  
 FTP Connection

**Back** **Continue**

*Magento Connect Manager Deployment*

- a. In the Loader Protocol section, set **Magento Connect Channel Protocol** to one of the following:
  - HTTP (Recommended) HTTP is faster than FTP.
  - FTP Choose FTP if outgoing connections are not allowed in your hosting environment.

Loader Protocol

- b. In the Stability section, set **Magento Connect Manager Version Stability** to “Stable.”

Stability

- c. In the Deployment Type section, select one of the following:

Deployment Type

#### FTP Connection

(Recommended) FTP allows you to upload files to the server without changing read/write/execute permissions. After choosing FTP connection, complete the following with information provided by your FTP server administrator:

##### Host Name

Enter the host name of the FTP server.

##### Credentials

Enter the FTP credentials provided by your FTP server administrator

##### Installation Path


Enter the path where Magento CE will be installed. The installation path points to the same directory that contains the downloader.php file.

#### Local Filesystem

Deploying through the local file system requires the Apache account permissions to be changed. When the installation is complete, contact your server administrator to update the file permissions.

If the web server user can't write to the magento directory, do not proceed. It's most likely an ownership issue, rather than a permissions issue.

- d. To verify the connection, click the **Check FTP** button. You will not be able to continue if any of the deployment parameters are invalid. After the FTP connection is verified, click the **Continue** button.
5. When the Magento Installation Wizard appears, do the following:



*Magento Installation Wizard*

- a. Set **Magento Connect Channel Protocol** to the same protocol you selected in the previous step. (Options include: HTTP/FTP)
- b. Custom permissions determine how read, write, and execute permissions are applied to the downloaded folders and files. Set **Use Custom Permissions** to one of the following:

Yes      The Magento CE administrator can execute, write, and read files in the downloaded folders. In the Folders and Files fields that appear, specify values in the octal number system to denote the permissions that the Magento administrator has for folders and files on the server.


No      Custom permissions are not specified for downloaded folders and files. In this case the system default values are used:

0777      Folder permissions to read, write, and execute.

0666      File permissions to read and write.

- c. Set **Deployment Type** to the type specified in the previous step. (Options include: Local Filesystem/FTP)

- d. When you are ready to start the download, click the **Start the Download Process** button to begin.



*Starting to Download*

- e. When the "Download completed" message appears, click the **Continue to Magento Installation** button.

If you were unable to complete the download process due to a connection error, try to upload the Full Magento Package from the Community [download page](#).

6. Complete [Part II](#) of the installation.

## Part II: Magento Installation

During the second part of the Magento installation, you will complete the initial configuration, and create an admin account.

### Process Overview:

- [Step 1: Run Setup](#)
- [Step 2: License Agreement](#)
- [Step 3: Localization](#)
- [Step 4: Configuration](#)
- [Step 5: Create an Admin Account](#)


## Step 1: Run Setup

From your browser, enter the path to your Magento installation. Depending on the installation location, it is similar to one of the following:

```
http://[your_domain]/magento  
http://www.[your_domain]/magento  
http://www.[your_domain]/[directory]/magento
```

## Step 2: License Agreement

Read the terms of the Magento Community Edition End User License Agreement. If you agree to the terms, click the **Continue** button.



License

## Step 3: Localization

Select the default localization settings for your Magento CE installation. The values can be changed later for specific stores, store views, and websites.

- Locale
- Time Zone
- Default Currency

The screenshot shows a configuration interface titled "Locale settings". It contains three dropdown menus: "Locale" set to "English (United States) / English (United States)", "Time Zone" set to "Central Standard Time (America/Chicago)", and "Default Currency" set to "US Dollar".

*Locale Settings*

## Step 4: Configuration

1. In the Database Connection section, do the following:
  - a. Set **Database Type** to “MySQL.”
  - b. In the **Host** field, enter the server's fully qualified host name or IP address. If your database server is on the same host as your web server, enter “localhost.”
  - c. Refer to the database credentials from [Part 1: Step 5](#), and enter the following:
    - Database Name
    - User Name
    - User Password
  - d. (Optional) The Table prefix is used when there are multiple instances of Magento that share a single database.

The screenshot shows a configuration interface titled "Database Connection". It includes fields for "Database Type" (set to "MySQL"), "Host" (set to "localhost"), "Database Name" (set to "magento"), "User Name" (set to "magento"), and "User Password" (represented by five asterisks). Below the "User Name" field is a note about specifying a server port or socket path.

*Database Connection*

2. In the Web Access Options section, do the following:
  - a. Enter the **Base URL** for the Magento store.
  - b. In the **Admin Path** field, enter the base URL for the store's Admin Panel. (The default value is “admin.”)
  - c. To display charts in the Dashboard, select the **Enable Charts** checkbox.

- d. If you are installing Magento to a development or test environment, and the Web server is not verifiable, select the **Skip Base URL Validation Before the Next Step** checkbox. Otherwise, leave the checkbox unselected.
- e. (Recommended) To enable the Apache mod\_rewrite module, select the **Use Web Server (Apache) Rewrites** checkbox. To learn more, see the Knowledge Base article: [Installing and Configuring Required Prerequisite Software](#).
- f. (Recommended) If your server has a valid security certificate, select the **Use Secure URLs (SSL)** checkbox. Then, complete the following:

Secure Base URL	Enter the complete base URL for the SSL connection.
Run the Admin Interface with SSL	Select the checkbox to run the store admin on the secure channel.

These initial SSL settings can be modified later.

**Web access options**

Base URL \*  
http://10.249.149.45/magento/

Admin Path \*  
admin

Additional path added after Base URL to access your Administrative Panel (e.g. admin, backend, control etc.).

Enable Charts  
Enable this option if you want the charts to be displayed on Dashboard.

Skip Base URL Validation Before the Next Step  
Check this box only if it is not possible to automatically validate the Base URL.

Use Web Server (Apache) Rewrites  
You could enable this option to use web server rewrites functionality for improved search engines optimization.  
Please make sure that `mod_rewrite` is enabled in Apache configuration.

Use Secure URLs (SSL)  
Enable this option only if you have SSL available.

*Web Access Options*

- 3. In the Session Storage Options section, set **Save Session Data In** to one of the following:

**Session Storage Options**

Save Session Data In  
File System

*Session Storage Options*

File System	Stores user session data on the file system in the magento-install-dir/var/session directory. File-based session storage is the most common configuration.
Database	Stores user session data in the database. Choose database storage for a clustered database, or if system access is slow.

4. When the Configuration settings are complete, click the **Continue** button.

## Step 5: Create an Admin Account

1. In the Personal Information section, enter the following:

- First Name
- Last Name
- Email

The screenshot shows a form titled "Personal Information". It contains three input fields: "First Name \*" with the value "Magento", "Last Name \*" with the value "User", and "Email \*" with the value "magentouser@example.com".

*Personal Information*

2. In the Login Information section, do the following:

- a. Enter the **Username** you of the owner of the Magento store.
- b. Enter the **Password** that is associated with your **Admin account**. To confirm, enter it again in the **Confirm Password** field.

The screenshot shows a form titled "Login Information". It contains three input fields: "Username \*" with the value "admin", "Password \*" with the value "\*\*\*\*\*", and "Confirm Password \*" with the value "\*\*\*\*\*".

*Login Information*

3. (Optional) If you already have one, enter the **Encryption Key**. Otherwise, Magento will generate one for you.

The encryption key protects sensitive data such as passwords and personally identifiable customer information. The encryption key is stored on the server at: /app/etc/local.xml

**Important!** When Magento generates your encryption key, write it down and keep it in a safe place. If you ever move your data to another Magento CE site, you will need the encryption key to recover the data.

### *Encryption Key*

4. Click the **Continue** button, and you're all set!
  - To explore your new store, click the **Go to Frontend** button.
  - To explore your store's admin, click the **Go to Backend** button.

## Reinstalling Magento

If you want to repeat the installation of Magento Community Edition on the same server, it is not necessary to download the files again.

### To reinstall Magento:

1. On the server, delete the file: **app/etc/local.xml**
2. Delete any files and directories found in: **var/**
3. With your browser, navigate to your Magento directory. For example:

```
http://www.yourDomain.com/magento-directory
```

The Magento Installation Wizard launches automatically.

## Using a Staging Environment

If you plan to develop your store over a period of time, we recommend that you set up a staging environment where you can test changes before applying them to the live store.

A staging environment is just like any other Magento installation, but is not accessible to the public. You can use a version control tool to keep files synchronized between the staging environment and the live store. We highly recommend that you use a staging environment to test extensions and before updating your live store to a new version of Magento Community Edition.

## Prelaunch Checklist

After you complete the design, development, and testing of your store, check the following configuration settings to make sure everything is correct before the store “goes live.” For a comprehensive description of every configuration setting, see the [Configuration Reference](#).

### General Settings

- Unsecure URL**  
Verify that the Base URL for the storefront is correct for the live environment.
- Secure URL**  
Before launching your store, install a 100% Signed and Trusted Security Certificate for the server that is using a Secure Base URL.
- Store Email Addresses**  
Complete all the email addresses that are used to send and receive email notifications, such as new orders, invoices, shipments, credit memos, product price alerts, newsletters, and so on. Make sure that each field contains a valid business email address.

### Sales Settings

- Sales Document Setup**  
Make sure that your invoices and packing slips include the correct business information and reflect your brand.
- Taxes**  
Make sure that taxes are properly configured according to your business tax rules and local requirements.
- Shipping Methods**  
Enable all carriers and shipping methods to be used by the company.



### Google API

Magento is integrated with Google API to allow your business to use Google Merchant Center, Google Analytics, Google Sitemap, and Google Shopping. Make sure to set up a Google Merchant Account, and then verify and claim your website URL.



### PayPal

If you plan to offer your customers the convenience of paying with PayPal, open a PayPal Merchant Account, and set up a payment method. Run some test transactions in Sandbox Mode before the store goes live.



### Payment Methods

Enable the payment methods that you plan to use, and make sure that they are properly configured. Check the order status settings, accepted currency, allowed countries, and so on.

## System Settings



### Cron

Cron jobs are used to process email, catalog price rules, newsletters, customer alerts, Google sitemaps, update currency rates, the cleaning of database logs, and so on. Make sure that Cron jobs are set to run at the appropriate time interval, in minutes.



### Log Cleaning

Log cleaning must be enabled to make sure that the database log tables are periodically cleaned. If you do not set this to clear your database log\_ tables, your database can grow very large when the store has a full traffic load. Set the number of days the log is saved according to your needs and server capacity.



### Transactional Emails

Update the default email templates to reflect your brand. Make sure to update the configuration if you create new templates.


## Notes



## CHAPTER 3:

# Your Magento Account


Your Magento account has a separate login from your store, and can be accessed from either the Magento website or from your store's Admin. In the dashboard of your Magento account, you can find information that is related to the products and services that you have purchased, as well as your contact and billing information.



*Your Magento Account*

## To create a Magento account:

1. Visit the Magento site: <http://www.magento.com>
2. In the upper-right corner, click **My Account**.
3. Under New Customers, click **Resister**. Then, do the following:



### *Log In to Your Account*

- a. Enter your **First Name, Last Name, and Email Address**.
- b. Set **My Company Primarily** to the best description of what your company does. Then, set **My Role** to the best description of what you do for the company.
- c. Enter a **Screen Name** to identify you in the Magento forums.

Your screen name can be from four to fifteen characters long, can include numbers and the underscore, but must start with a letter.

- d. Enter a **Password** for your account. Then, enter it again to confirm.

Your password can be from eight to sixteen characters long, and must include at least one capital letter, one number, and one special character or one lowercase letter.

- e. When complete, click Submit. Your account dashboard appears.

## To log in to your Magento account:

1. Navigate to the Magento site: <http://www.magento.com>
2. In the upper-right corner, click **My Account**.
3. Enter the **Email** address that is associated with your account. Then, enter your **Password**.
4. When complete, click the **Login** button.


## To receive a new password:

1. If you forget your password, click **Forgot Your Password?** Then, enter the **Email Address** that is associated with your account.
2. Click the **Submit** button.

You will receive an email from Magento with a temporary password that you can use to log into your account. Then, reset your password from the dashboard of your account.

## To reset your password:

1. Log in to your Magento account.
2. In the panel on the left, select **Account Settings**. Then, click **Change Password**.
3. Enter your **Current Password**.  
If you forgot your password, enter the temporary password that was sent to you.
4. Enter your **New Password**. Then, enter it again to confirm.



*Change Password*

5. When complete, click the **Submit** button.

# Sharing Your Account

Your Magento account contains information that can be useful to trusted employees and service providers who help to manage your site. As the primary account holder, you have authority to grant limited access to your account to other Magento account holders. When your account is shared, all sensitive information—such as your billing history or credit card information—remains protected. It is not shared at any time with other users.

All actions taken by users with shared access to your account are your sole responsibility. Magento Inc. is not responsible for any actions taken by users to whom you grant shared account access.

The screenshot shows the 'My Account' page in the Magento admin interface. On the left sidebar, under 'Shared Access', there is a link to 'Manage Permissions' with a 'Add New User' button. The main content area is titled 'Shared Access - Manage Permissions'. It has two sections: 'Granting Permissions to Your Account' and 'Managing Users & Permissions'. The 'Managing Users & Permissions' section displays a table with one row:

MAGENTO ID	FIRST NAME	LAST NAME	SHARENAME	ACTIONS
MAG5000000000	John	Doe	Johns	<a href="#">Edit User</a> <a href="#">X</a>

At the bottom of the page, a note states: 'Users that you grant shared access to will never be able to view your account settings, your billing history or any credit card information that we have associated with your account. Magento Inc. is not responsible for the actions of users that you grant shared access to. Actions taken by users that you have granted permissions to (on your behalf) are your sole responsibility.'

*Shared Access*

## To set up a shared account:

1. Before you begin, get the following information from the new user's Magento account:
  - Account ID
  - Email address
2. Log in to your **Magento account**.
3. In the My Account panel on the left, under Shared Access, click **Add New User**.
4. In the New User Information section, do the following:

- Enter the **Account ID** of the new user's Magento account.
  - Enter the **Email address** that is associated with the new user's Magento account.
5. In the Shared Information section, do the following:
- a. Enter a **Sharename** to identify your shared account. Because the Sharename becomes an option in the Switch Accounts list, it should be something that the other person will recognize as your account.
  - b. To share your personal contact information, select the checkbox of each item that you want to make available to the other person:
    - Your Email
    - Your Phone
6. In the Grant Account Permissions section, select the checkbox of each item that you want to share.
7. When complete, click the **Create Shared Access** button.

You are notified when the new role is saved, and the new user record appears in the Manage Users & Permissions section of the Shared Access page. Magento also sends an email invitation with instructions for accessing the shared account to the new user.

Add a New User


## To access a shared account:

- When you receive the invitation to a shared account, the first thing you must do is to log in to your own Magento account.

Your account dashboard has a new Switch Accounts control in the upper-right corner, with options for “My Account” and the name of the shared account.

- To gain access to the shared account, set **Switch Accounts** to the name of the shared account.

The shared account displays a welcome message and contact information. The left panel includes only the items that you have permission to use.



*Switch Accounts*

- When you are ready to return to your own account, set **Switch Accounts** to “My Account.”



## CHAPTER 4:

# Quick Tour


This quick tour follows the customer-decision journey that leads to a purchase on an eCommerce site powered by Magento Community Edition. Each item is linked to a topic in this guide, where you can learn more about the subject. You can also follow along on your computer with the sample data. The journey begins with your storefront.

### To access your storefront:

Use your browser to navigate to your store. Your URL might look like one of the following:

`http://www.yourdomain.com`

`http://yourdomain.com`




*Home Page*

## Customer Journey



### Attract New Customers

Magento Community Edition includes SEO functionality out of the box. Improve your search ranking and attract the most visitors to your site.



### Engage Your Customers

Design your site with pre-designed templates, or create a custom design with features that invite people to interact with your store.



### Increase AOV

Increase average order value with promotions and content that encourage your customers to shop more.



### Moment of Purchase

---

Give your customers a faster and easier way to check out. Calculate shipping and taxes automatically, and integrate multiple payment methods on a single page.



### Customer Retention

---

Create and manage newsletters and promotions to keep your customers coming back for more.



### Loyalty & Advocacy

---

Encourage customers to write product reviews, create wishlists, and send email about products to their friends. This will strengthen your relationship with your customers, who in return, will speak positively of your business to friends and family.

## Attract New Customers

Magento Community Edition is packed with features that make it easy to create a “search engine friendly” websites and increase the likelihood of bringing the right customers to your site.

### Search Engine Optimization

---

Magento offers powerful, native capabilities to streamline Search Engine Optimization (SEO) practices for content and site exposure that are integrated with the Admin, and tied directly into the user experience.

### Custom URLs

---

Custom URLs are short, clean, and easy to remember. You can also autogenerate search-friendly URLs to streamline your purchase path.

### Meta Data

---

Improve your search engine rankings by choosing specific criteria that helps search engines to find and index your products more easily. Meta data can be entered for product, category, and content pages.

### Sitemap

---

Link to a sitemap from the footer of your store to give customers an overview of the catalog structure, with links to all categories and products in the store. You can also easily integrate your store with Google Sitemap.

### Analytics

---

In addition to monitoring your site from the Admin dashboard, you can integrate third-party analytics tools such as Google Analytics, for detailed statistics on traffic and sales.


## Engage Your Customers

Magento Community Edition makes it easy to create a customized, engaging site experience. Encourage your customers to spend more time exploring your site, and give them the tools to make it easy to find what they want faster.




### Content Management System

Magento's CMS makes it easy to store pages, or parts of pages, that you can use in your store. It's so intuitive that someone without a technology background can create and manage site content.




### Design & Theme

Control the visual elements of your store with a collection of templates and skin files. You can apply these visual elements to all pages in your store, giving your store a cohesive look and feel.



### Multiple Stores, Sites & Views

Control the look and feel of multiple sites, introduce new market and languages, and track analytics from a single Admin.




## Multiple Devices

Magento's powerful features make it easy to create storefronts optimized for iPhone, Android, and Mobile Opera browsers to help you engage consumers with mobile eCommerce now and into the future.



## Shopping Tools

Your store includes a set of shopping tools that create opportunities for your customers to interact with your store, connect on social media, and share with friends.




## Sophisticated Search

Filter product by price, manufacturer, or any other criteria to reduce the time to purchase.

## Increase Average Order Value (AOV)

Magento Community Edition provides a range of tools to help you tailor the shopping experience, and encourage your customers to put more items in their shopping carts and spend more money.




## Promotions

Magento's catalog and shopping cart price rules let you create promotions that kick into gear when a set of conditions is met.




## Coupons

Create limited-time offers and coupons that customers can scan with their phone and apply to a purchase.



## Product Suggestions

Another way to increase AOV is to offer suggestions for related products and opportunities to up-sell and cross-sell at strategic points along the path to conversion.



## User Permissions & Roles

Restrict access to data in the Admin on a "need to know" basis. Create multiple admin roles for read-only or and editing privileges. Track and review all activity at a granular level to specific stores and websites.

## Moment of Purchase

Now that you've given your customer an engaging shopping experience, make it easy for them to complete their purchases. Magento is designed to help you streamline your checkout process experience while boosting conversion rates.

### Order Processing

---

Magento supports a complete order processing workflow. It's easy to customize order statuses and track communications between sales reps and customers.

### Shipping Labels

---

Merchants have complete control over package characteristics such as weight and size. Shipping labels, rate, and barcode information originates directly from the carrier. Labels can be generated for single or multiple orders.

### Multiple Shipping Options

---

Magento supports a variety of shipping methods so you can give your customers a choice at checkout. Customers can see a real-time estimate of shipping charges right from the shopping cart.

### Multiple Payment Options

---

Magento Community Edition supports the payment methods and currencies needed for global commerce. You can choose the ones you want to offer, and at checkout, your customers can choose the ones they prefer.

### PayPal Merchant Solutions

---

It's easy to integrate a PayPal Payments account to provide your customers faster, more secure checkout options.

### Assisted Shopping

---

Assisted shopping makes it easy for customer service reps to create orders for customers. Customer service reps have access to shopping cart contents, and can move items from a wishlist to a shopping cart, apply coupon codes, and more.

### Security

---

Whether an order is fulfilled online or over the phone, Magento provides sophisticated security, including CAPTCHA and SSL encryption, with best-in-breed encryption and hashing algorithms to protect the security of the system.

## Customer Retention

Magento makes it easy for you to get repeat business and build brand loyalty. Magento gives you total control and flexibility over creating and revising goodies like rewards programs, custom coupons and automated emails to keep your customers coming back again and again.

### Custom Coupons



Create coupons codes for social media, email, or print campaigns. You can incorporate coupon codes into any design you like.



### Newsletters

Stay in touch with current customers who've opted to receive newsletters. You can create as many newsletter templates as you want.

## Loyalty & Advocacy

Give customers a direct connection to your brand by allowing them to create customer accounts where they can see their purchase history, wishlist, and newsletter subscriptions. Use product ratings and reviews to give new customers objective product opinions and promote a sense of community. These features turn customer satisfaction into one of the most powerful and cost-efficient marketing tools at your disposal.

### Dashboard Snapshots

---

Knowing what's of interest on your site is crucial to maximize your marketing budget. Use this information to determine what you should cross- and up-sell to loyal customers, or which products to put on sale.

### Customer Accounts

---

Opening an account provides customers with a personalized shopping experience that they can share with their friends. Customers can save their shopping preferences, and manage their own store billing and shipping information.

### Advocacy Tools

---

Customers who share their wishlists with family and friends make a powerful endorsement of your brand. Customers create these personalized lists from products they choose. When shared by email or RSS feed, these simple lists become powerful advocacy tools.

### Reviews & Ratings

---

Product reviews give your customers a way to engage with your brand while fostering a sense of community. You can curate your reviews with tools to help you edit and approve comments for inappropriate content before they go live.

## Success!

Opening your Magento store for business requires the following areas of consideration. While there are virtually any number of customizations you can make to the storefront and Admin, you can use each link in this list as a place to start.




## Implementation

If you need help setting up your store, you can choose from our vast network of Magento Solutions Partners.




## Design

You can design your own home page or work with an experienced Magento designer or Solutions Partner to customize your site.



## Product Catalog

Configure products, create categories, import existing product catalogs, and leverage APIs or third-party data management solutions.




## Payment Methods

Magento supports a wide variety of payment methods, services, and gateways that you can offer for your customers' convenience.




## Shipping Methods

Magento shipping methods are easy to set up and give you the ability to connect with carriers who can ship your products all over the world.



## Taxes

Manage your taxes with our native tools, or add third-party extensions from Magento Connect.



## Thanks for your order!

Magento can help you build relationships with your customers, to bring them back to your store, again and again.



## Basic Configuration

## In this section...

[Store Admin](#)

[Store Details](#)

[Websites, Stores & Views](#)

[Industry Compliance](#)



## CHAPTER 5: Store Admin

Your store Admin is the password-protected back office where you can set up products, promotions, manage orders, and perform other administrative tasks. This chapter provides a high-level overview of management tasks and tools that you might use on a daily basis, including:

- [Admin Login](#)
- [Message Inbox](#)
- [Admin Menu](#)
- [Admin Tools](#)

The screenshot shows the Magento Admin Panel with the following details:

- Header:** Global Record Search, Logged in as admin - Tuesday, April 29, 2014, Tax Magento Go Live First, Log Out.
- Breadcrumbs:** Catalog > Manage Products.
- Left sidebar:** Local Message, Manage Products (selected), Manage Categories, URL Rewrite Management, Choose Store View (All S), Google Content, Google Sitemap.
- Search:** Search Terms, Page 1 of 29 pages.
- Grid:** Total 575 records found | [Sort by Last Stock Item](#).

ID	Name	Type	Attrib. Set Name	SKU	Price	Qty	Visibility	Status	Website	Action
881	Black Nolita Cami-Black-S	Simple Product	Clothing	shb002-Black-S	\$150.00	23	Not Visible Individually	Enabled	Main Website	<a href="#">Edit</a>
880	Black Nolita Cami-Black-XS	Simple Product	Clothing	shb002-Black-XS	\$150.00	23	Not Visible Individually	Enabled	Main Website	<a href="#">Edit</a>
879	Nolita Cami-Pink-L	Simple Product	Clothing	shb002-Pink-L	\$150.00	18	Not Visible Individually	Enabled	Main Website	<a href="#">Edit</a>
878	Black Nolita Cami	Simple Product	Clothing	shb002M	\$150.00	25	Not Visible Individually	Enabled	Main Website	<a href="#">Edit</a>
877	Black Nolita Cami	Configurable Product	Clothing	shb002	\$150.00	0	Catalog, Search	Enabled	Main Website	<a href="#">Edit</a>
875	Elliot Flat	Configurable Shoe	Shoe	shv005	\$250.00	0	Catalog, Search	Enabled	Main Website	<a href="#">Edit</a>
874	Broadway Pump	Configurable Shoe	Shoe	shv004	\$410.00	0	Catalog, Search	Enabled	Main Website	<a href="#">Edit</a>
873	Annie Pump	Configurable Shoes	Shoe	shv003	\$390.00	0	Catalog, Search	Enabled	<a href="#">Edit</a>	
872	Plaza Platforms	Configurable Shoes	Shoe	shv002	\$320.00	0	Catalog, Search	Enabled	<a href="#">Edit</a>	
871	Prima Pump	Configurable Shoes	Shoe	shv001	\$375.00	0	Catalog, Search	Enabled	<a href="#">Edit</a>	
870	Hudson Shakespear Pump	Configurable Shoes	Shoe	shv000	\$375.00	0	Catalog, Search	Enabled	<a href="#">Edit</a>	
869	Yuca Sneaker	Configurable Shoes	Shoe	shm005	\$350.00	0	Catalog, Search	Enabled	<a href="#">Edit</a>	
868	Yule Sneaker	Configurable Shoes	Shoe	shm004	\$410.00	0	Catalog, Search	Enabled	<a href="#">Edit</a>	
- Bottom:** URL: [https://commerce-dev.magento.com/magento/index/index.php/admin/catalog\\_product/index/key/3...](https://commerce-dev.magento.com/magento/index/index.php/admin/catalog_product/index/key/3...)

Store Admin

## Admin Login

All of the basic configuration tasks are performed from the Magento Admin Panel, which is referred to in this guide as your store Admin. The initial Admin login credentials were set up during the Magento installation. For additional security, the Admin login can also be configured to require a [CAPTCHA](#).

If you forget your user name or password, a temporary password can be sent to the email address that is associated with the account.



*Admin Login*

### To log in to the Admin:

1. In the address bar of your browser, enter the URL that was specified during the Magento installation, followed by the [base URL](#) of your store's Admin. The default Admin URL looks like this:

```
http://www.mystore.com/admin
```

You can bookmark the Admin Login page for easy access.

2. Enter the **User Name** and **Password** for the Admin account.
3. Click the **Login** button.

## To receive new login credentials:

1. If you forget your user name or password, click the **Forgot Your Password?** link.



*Forgot user name or password?*

2. Enter the **Email Address** that is associated with the Admin account.
3. Click the **Retrieve Password** button.

If there is an account associated with the email address, an email will be sent to reset your password.

## My Account

Your account information contains your login credentials and personal information that was initially entered during the [Magento Setup](#). You can edit the account information, and also create additional Admin user accounts with various [permission](#) levels.

As a best practice, it's good to have more than one Admin account with full permissions, so if you ever forget your password, you won't be locked out of the Admin.

### To edit your account information:

1. On the Admin menu, select **System > My Account**.
2. Make any changes necessary to the following:
  - User Name
  - First Name
  - Last Name
  - Email
3. To change your Admin password, do the following:
  - a. Enter your **Current Admin Password**.
  - b. Enter your **New Password**. To confirm, enter it again in the **Password Confirmation** field.
4. When complete, click the **Save Account** button.
5. Make sure to update your records so you don't forget the new password. You will need it the next time you log in to the Admin.

The screenshot shows the 'My Account' page in the Magento Admin Panel. The top navigation bar includes links for Dashboard, Sales, Catalog, Customers, Promotions, Newsletter, CMS, Reports, and System. The 'System' link is highlighted in orange. The main content area has a title 'My Account' and a sub-section 'Account Information'. It contains fields for User Name (admin), First Name (John), Last Name (Doe), Email (john.doe@example.com), Current Admin Password, New Password, and Password Confirmation. There are 'Reset' and 'Save Account' buttons at the bottom right of the form.


*My Account*

## Field Descriptions

FIELD	DESCRIPTION
User Name	The user name that is entered to log in to the Admin.
First Name	The first name of the Admin user.
Last Name	The last name of the Admin user.
Email	The email address that is associated with the Admin user account. Each Admin account must have a different email address.
Current Admin Password	Your current Admin password.
New Password	Your new Admin password.
Password Confirmation	Your new Admin password for confirmation.

## Message InBox

Your store has an inbox for the messages received from Magento. The messages are rated by importance, and might refer to updates, patches, new releases, scheduled maintenance, upcoming events, and more. Any message that is considered to be of major importance appears in a pop-up window when you log into your store. You can manage your message inbox much as you would manage your email. Check it often to stay up-to-date on the latest information from Magento!




*Incoming Message*

## To manage incoming messages:

1. When the Incoming Messages box appears, do one of the following:
  - Click the **Read Details** link for more information.
  - Click the **Close** box to remove the popup and continue.

A Latest Message notice also appears to the left, just below the header of your store. As with the popup box, you can click the **Read Details** link for more information.



*Message Notification Below Header*

2. To read your messages, click **Go to messages inbox**.

The messages in your inbox are marked by severity listed with the most recent at the top.

3. After reading a message, you can apply any of the following actions to the message:
  - For more information, click the **Read Details** link.
  - To keep the message, click the **Mark As Read** link.
  - To delete the message from your inbox, click the **Remove** link.

The screenshot shows the 'Messages Inbox' section of the Magento Admin Panel. The interface includes a header with the Magento logo and navigation links for various admin modules. Below the header, there's a search bar and a link to 'Logged in as admin | Monday, April 28, 2014 | Try Magento Go for Free | Log Out'. The main content area is titled 'Messages Inbox' and displays a grid of 128 messages. Each message row contains a checkbox, a severity indicator (e.g., 'NOTICE'), a timestamp, a subject, and a detailed description. To the right of each message, there's a column of three buttons: 'Read Details', 'Mark as Read', and 'Remove'. The 'Actions' button at the top right applies to all selected messages.

### Messages Inbox

## To apply an action to multiple messages:

1. On the Admin menu, select **System > Notifications**.
2. In your message inbox, do one of the following:
  - Select the checkbox at the beginning of each message you want to manage.
  - Click one of the group selection options above the list to select multiple messages.
3. When the messages that you want to manage are selected, set **Actions** to one of the following:
  - Mark as Read
  - Remove
4. Click the **Submit** button to complete the process.

The screenshot shows the Magento Admin Panel's 'Messages' inbox. A 'Group Selection Options' dropdown menu is open at the top left. A 'Checkbox' is highlighted on the left side of the message list. A large callout bubble labeled 'Actions' points to the right side of the screen, where several actions are listed: 'Mark as Read', 'Read Details', 'Delete', 'Read Details | Mark as Read', and 'Delete' again.

Severity	Date	Description	Action Links
Notice	Mar 4, 2014 7:12:26 AM	Adding the PayPal Express Checkout button to your checkout page can help increase sales 18% on average. It's fast and easy and you can do it right now to boost sales. Express Checkout is already seamlessly integrated into Community Edition.	<a href="#">Read Details</a>   <a href="#">Mark as Read</a>
Notice	Jan 21, 2014 12:34:48 AM	Discover Card Validation Patch Available A security patch is available for the Discover credit cards is now available for download at <a href="http://www.magentocommerce.com/download">http://www.magentocommerce.com/download</a> . More information on the patch is available in the Magento Knowledge Base at <a href="http://www.magentocommerce.com/knowledge-base/entry/discover-card-validation">http://www.magentocommerce.com/knowledge-base/entry/discover-card-validation</a> .	<a href="#">Read Details</a>   <a href="#">Mark as Read</a>
Notice	Dec 12, 2013 5:24:39 AM	Important Magento Community Edition Patch A security patch is available for Magento Community Edition 1.4.0.0 through 1.7.0.2; the issue has been fixed in Magento Community Edition 1.8.0.0 and later. It resolves a vulnerability discovered through our quarterly penetration testing process and has not been reported by external parties. We encourage all merchants to apply the patch in their next regularly scheduled maintenance cycle. The patch is available at <a href="http://www.magentocommerce.com/download">http://www.magentocommerce.com/download</a> .	<a href="#">Read Details</a>   <a href="#">Mark as Read</a>
Notice	Dec 10, 2013 9:35:06 PM	Magento Community Edition 1.8.1.0 is here! This new version offers significant tax calculation, product quality, and security enhancements. Be sure to carefully review the upgrade instructions before starting. More information is available at <a href="http://www.magentocommerce.com/blog/comments/magento-community-edition-1810-is-here/">http://www.magentocommerce.com/blog/comments/magento-community-edition-1810-is-here/</a>	<a href="#">Read Details</a>   <a href="#">Mark as Read</a>

*Apply Action*

## Message Importance

SEVERITY	COLOR	DESCRIPTION
Critical	Red	Indicates an important, time-sensitive message.
Major	Orange	The default message severity level.
Notice	Green	Indicates that a routine operation has taken place.

## Notification Setup

You can specify how often your Message Inbox is updated, from one to twenty-four hours. If your store Admin has a secure URL, you must set the notifications to be delivered over HTTPS.

### To configure Admin notifications:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Advanced, select **System**.
3. Click to expand the **Notifications** section, and do the following:
  - a. If your store Admin is running over a [secure URL](#), set **Use HTTPS to Get Feed** to “Yes.”
  - b. Set **Update Frequency** to one of the following:
    - 1 Hour
    - 2 Hours
    - 6 Hours
    - 12 Hours
    - 24 Hours




*Notifications*

4. When complete, click the **Save Config** button.


## Admin Menu

All of the tools you need to manage the operation and maintenance of your store are available in the Admin menu.




### Dashboard

The Dashboard gives you a quick overview of the sales and customer activity in your store. It is usually the first page that appears when you log in to the Admin.



### Sales

The Sales menu is where you can find everything related to processing an order, including current and past orders, invoices, shipments, credit memos, terms and conditions, and taxes.




### Catalog

The Catalog menu controls everything related to your product catalog, including products, categories, attributes, URL rewrites, search terms and indexing, product reviews, tags, and Google Sitemap.




## Mobile

The Mobile menu is where you can configure the templates, content, and apps for various mobile devices and store views.




## Customers

The Customers menu is where you can manage customer accounts, and customer groups. You can even see which customers are online at the moment.




## Promotions

The Promotions menu is where you set up catalog and shopping cart price rules and coupons. Price rules trigger actions when a set of specific conditions is met.




## Newsletter

The Newsletter menu contains the tools you need to publish newsletters and manage your list of subscribers.



## CMS

The CMS menu is where you create and manage content for your store. In addition to content pages, you can create static blocks, “widgets,” and polls.



## Reports

The Reports menu provides a broad selection of reports that give you insight into every aspect of your store, including sales, shopping cart, products, customers, tags, reviews, and search terms.



## System

The System menu includes tools to configure and maintain every aspect of your store. In addition, you can install extensions and manage Web Services for integration with other applications.

## Admin Tools

The Admin includes many lists of data for products, orders, customers, search terms, pages, blocks, and so on. Each list has the same set of tools for finding records, pagination, sorting, filtering, selecting, and applying actions to records.

### Global Search

---

The Global Search box can be used to find any value in the database, including product, customer, and order records.

### Sorting

---

The header of each column can be used to sort the list in ascending or descending order.

### Filters

---

The filters in the header of each column can be used to limit the list to specific values. Some filters have additional options that can be selected from a list box, and for others, you can simply type the value you want to find.

### Pagination

---

The pagination controls are used to view the additional pages of results.

### Selection

---

The Selection controls above the column headers have links to Select All, Unselect All, Select Visible, and Unselect Visible

### Actions

---

The Action control applies an operation to any record with a checkmark in the first column.

## Global Record Search

The global search box is located in the Admin header, and can be used to find any record in the database. The results can include customers, products, orders, or any related attribute.

The screenshot shows the Magento Admin Panel interface. At the top, there's a navigation bar with links like Dashboard, Sales, Catalog, Mobile, Customers, Promotions, Newsletter, and CMS. A red banner at the top indicates a 'Later Message: Reminder: Change Magento's default phone numbers and callbacks before site launch'. The main area has a 'Dashboard' section with summary data: Lifetime Sales (\$39,763.08), Average Orders (\$1,988.15), and Last 5 Orders (listing purchases from John Doe and Jane Smith). Below the dashboard is a 'Last 5 Search Terms' table. On the right side, there's an 'Orders' grid showing several entries for 'Empire Oxford' and 'Broad St Saddle Shoes'. A chart is also visible on the right.

Global Record Search

### To do a global search:

1. Type the first few letters of what you are looking for into the global search box.
2. In the list of closely matching items, click the one that you want to find.

## List Controls

Many pages in the Admin include a list of records displayed in a grid, with controls at the top of each column. The controls can be used to sort the list in ascending, or descending order based on the values in the column. In addition, you can filter the list based on a value in each column.

No	Name	Type	Atrib. Set Name	SKU	Price	Qty	Visibility	Status	Wednesday	Action
Any	From:				From:					
Any	To:				To:					
Any	In:	USD								
231	French Cuff Cotton Twill Oxford	Simple Product	Clothing	msj000	\$190.00	14	Not Visible Individually	Enabled	Main Website	<a href="#">Edit</a>
232	French Cuff Cotton Twill Oxford	Simple Product	Clothing	msj001	\$190.00	25	Not Visible Individually	Enabled	Main Website	<a href="#">Edit</a>
233	French Cuff Cotton Twill Oxford	Simple Product	Clothing	msj002	\$190.00	24	Not Visible Individually	Enabled	Main Website	<a href="#">Edit</a>
234	Slim Fit Dobby Oxford Shirt	Simple Product	Clothing	msj003	\$175.00	29	Not Visible Individually	Enabled	Main Website	<a href="#">Edit</a>
235	Slim Fit Dobby Oxford Shirt	Simple Product	Clothing	msj004	\$175.00	25	Not Visible Individually	Enabled	Main Website	<a href="#">Edit</a>
236	Slim Fit Dobby Oxford Shirt	Simple Product	Clothing	msj005	\$175.00	-3	Not Visible Individually	Enabled	Main Website	<a href="#">Edit</a>
237	Plaid Cotton Shirt	Simple Product	Clothing	msj006	\$160.00	22	Not Visible Individually	Enabled	Main Website	<a href="#">Edit</a>

*Sort Controls*

### To sort the list:

1. In the upper-left corner, set **Choose the Store View** to the define the scope of the data to be retrieved.
2. Click the column name of any header. The arrow indicates the current order as either ascending or descending.
3. Use the pagination controls to view additional pages in the collection.

### To set the pagination controls:

1. Set **View** to the number of records that you want to view per page.
2. In the **Page** box, enter the page number you want to view, or click the arrow button to advance to the next or previous, page.

The screenshot shows the Magento Admin Panel with the Catalog > Manage Products page. At the top, there's a navigation bar with links like Dashboard, Sales, Catalog, Mobile, Customers, Promotions, Newsletter, CMS, Reports, and System. Below the navigation is a message about site launch and a log-in status. The main area is titled 'Manage Products' and shows a grid of products. The grid has columns for ID, Name, Type, Attrb. Set Name, SKU, Price, Qty, Visibility, Status, Website, and Action. A callout bubble labeled 'Pagination Controls' points to the top-left corner of the grid area, specifically to the page number and per-page dropdown.

*Pagination Controls*

### To filter the list:

1. In the box below the column header, either enter or select the value you want to find.
2. Click the **Search** button.

This screenshot is similar to the previous one, showing the Catalog > Manage Products page. The 'Filter Controls' section is highlighted with a callout bubble. It includes dropdown menus for filtering by Type (e.g., Simple Product, Configurable Product), Attrb. Set Name (e.g., Bed & Bath, Accessories), and SKU. There are also date range filters for From and To, and a currency dropdown for In.

*Filter Controls*

## Actions Control

When working with lists of data, you can use the Actions control to apply an operation to a single record, or to multiple records. The Actions control lists the operations that can be applied to the selected records. When working with the Manage Products list, you can use the Actions control to update the attributes of the group of selected products, change their status from “Disabled” to “Enabled,” or delete them from the database. You can make as many changes as necessary, and then update the records in a single step. It’s much more efficient than changing settings individually for each product record.

The selection of available actions varies by list, and additional options may appear, depending on the action selected. For example, when changing the status of a group of records, a Status box appears next to the Actions control with additional options.

	Type	Attrib. Set Name	SKU	Price	Qty	Visibility	Status	Action
<input checked="" type="checkbox"/>	Simple Product	Clothing	msj000	\$190.00	14	Not Visible Individually	Enabled	Main Website <a href="#">Edit</a>
<input checked="" type="checkbox"/>	Simple Product	Clothing	msj001	\$190.00	25	Not Visible Individually	Enabled	Main Website <a href="#">Edit</a>
<input checked="" type="checkbox"/>	Simple Product	Clothing	msj002	\$190.00	24	Not Visible Individually	Enabled	Main Website <a href="#">Edit</a>
<input checked="" type="checkbox"/>	Simple Product	Clothing	msj003	\$175.00	25	Not Visible Individually	Enabled	Main Website <a href="#">Edit</a>
<input checked="" type="checkbox"/>	Simple Product	Clothing	msj004	\$175.00	25	Not Visible Individually	Enabled	Main Website <a href="#">Edit</a>
<input checked="" type="checkbox"/>	Simple Product	Clothing	msj005	\$175.00	-3	Not Visible Individually	Enabled	Main Website <a href="#">Edit</a>
<input checked="" type="checkbox"/>	Simple Product	Clothing	msj006	\$160.00	22	Not Visible Individually	Enabled	Main Website <a href="#">Edit</a>

Applying an Action to Selected Records

### Step 1: Select Records

The checkbox in the first column identifies each record that is a target for the action. The search filters can be used to narrow the list to the records you want to target for the action. Do the following:

1. Select the checkbox of each record that is targeted for the action. Or, use the selection links above the list to the left, to select groups of records. Options include:
  - Select All / Unselect All
  - Select Visible / Unselect Visible
2. If needed, set the search filters at the top of the columns to list the records you want to include.
3. In the first column, set the checkbox state to list “Any” record, or only those that match, or do not match the filter settings.

## Step 2: Apply an Action to Selected Records

- Set the **Actions** control to the operation you want to apply.

### Example: Update Attributes

- In the list, select the checkbox of each record to be updated.
- Set the **Actions** control to “Update Attributes,” and click the **Submit** button.

The Update Attributes page lists all the available attributes, organized by group in the panel on the left.

*Update Attributes*

- Select the **Change** checkbox next to each attribute, and make the necessary changes.
- Click the **Save** button to update the attributes for the group of selected records.

- Click the **Submit** button.

### Checkbox States

STATE	DESCRIPTION
Any	Lists all records, regardless of checkbox status.
Yes	Lists only records with the checkbox selected.
No	Lists only records without the checkbox selected.

**Actions by List**

MENU	LIST	ACTIONS
<b>SALES</b>		
	Orders	Cancel Hold Unhold Print Invoices Print Packingslips Print Credit Memos Print All Print Shipping Labels
	Invoices	PDF Invoices
	Shipments	PDF Packing Slips Print Shipping Labels
	Credit Memos	PDF Credit Memos
	Search Terms	Delete
<b>CATALOG</b>		
	Manage Products	Delete Change Status Update Attributes
	Search Terms	Delete
	Manage Tags	Delete Change Status
	Reviews (All / Pending)	Delete Update Status
	Tags (All / Pending)	Delete Change Status

**Actions by List (cont.)**

MENU	LIST	ACTIONS
<b>CUSTOMERS</b>		
	Manage Customers	Delete Subscribe to Newsletter Unsubscribe from Newsletter Assign a Customer Group
<b>NEWSLETTER</b>		
	Newsletter Subscribers	Unsubscribe Delete



## CHAPTER 6:

# Store Details

The basic information for your store includes the store name and address, telephone number and email address, that appear on email messages, invoices, and other communications sent to your customers.

Topics in this chapter:

- [Store Information](#)
- [Locale Options](#)
- [States Options](#)
- [Countries Options](#)
- [Currency](#)
- [Basic Shipping Settings](#)
- [Store Email Addresses](#)
- [Contact Us](#)

## Store Information

The Store Information section provides the basic information that appears on sales documents and in other communications.


### To enter the store information:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under General, select **Store Information**. Then, do the following:
  - a. Enter the **Store Name** as you want it to appear in all communications.
  - b. Enter the **Store Contact Telephone** number, formatted as you want it to appear in all communications.
  - c. Select the **Country** where your business is located.
  - d. If applicable, enter the **Value Added Tax** number of your store. To verify the number, click the **Validate VAT Number** button.
  - e. In the text box, enter your **Store Contact Address** as you want it to appear on sales documents.
3. When complete, click the **Save Config** button.

*Store Information*

## Locale Options

The locale determines the language, country, tax rate, and other settings used throughout a store. The Locale Options configure the time zone and language of each store, and identify the days of your work week in the area.



*Locale Options*

### To set the store locale:

1. On the Admin menu, select **System > Configuration**.
2. Click to expand the **Locale Options** section.
3. Select your **Timezone** from the list. Then, do the following:
  - a. Set **Locale** to the store language.
  - b. Set **First Day of the Week** to the day that is considered to be the first day of the week in your area.
  - c. In the **Weekend Days** list, select the days which fall on a weekend in your area. (To select multiple options, hold down the Ctrl (PC) or Command (Mac) key.)
4. When complete, click the **Save Config** button.

## States Options

In many countries, the state, province, or region is a required part of a postal address. The information is used for shipping and billing information, to calculate tax rates, and so on. For countries where it is not required, the field can be omitted entirely from the address, or included as an optional field.

Because standard address formats vary from one country to another, you can also edit the address template that determines how the information appears on invoices, packing slips, and shipping labels.



*States Options*

### To set up the state options:

1. On the Admin menu, select **System > Configuration**.
2. Click to expand the **States Options** section, and do the following:
3. In the **State is required for** list, select each country where you want State / Province to be a required entry.


To select multiple options, hold down the Ctrl key (PC) or Command key (Mac), and click each option.

4. Set **Display not required State** to one of the following:

Yes	In countries where the state field is not required, the field is included in the form as an optional entry.
No	In countries where the state field is not required, the field is omitted from the form.
5. When complete, click the **Save Config** button.

## Countries Options

The Countries Options establish the country where your business is located, and the countries from which you accept payment.




*Countries Options*

### To set the country options for your store:

1. From the Admin menu, select **System > Configuration**.
2. Click to expand the **Countries Options** section. Then, do the following:
  - a. Set **Default Country** to the country where your business is located.
  - b. In the **Allow Countries** list, select each country from which you accept orders. By default, all countries in the list are selected. To select multiple countries, hold down the Ctrl (PC) or Command (Mac) key.
  - c. In the **Postal Code is Optional** list, select each country where you conduct business that does not require a ZIP or postal code to be included as part of the street address.
  - d. In the **European Union Countries** list, select each country in the EU where you conduct business. By default, all EU countries are selected.
3. When complete, click the **Save Config** button.


## Currency

Magento Community Edition gives you the ability to accept currencies from more than two hundred countries around the world.



### Setting Up Currency Rates

The Currency Rate configuration defines the base currency of your store, and the currencies that you accept as payment.



### Currency Symbols


Currency symbols appear in product prices and sales documents such as orders and invoices.



### Updating Currency Rates


Currency rates can be updated manually or imported into your store as needed, or according to a predefined schedule.

## Basic Shipping Settings




### Shipping Settings

The Shipping Settings establish the point of origin for all shipments made from your store or warehouse, and also your preference for managing orders that are shipped to multiple addresses.



### Shipping Methods

Magento supports a wide range of built-in shipping methods, including Flat Rate, Free Shipping, Table Rates, and real-time online rates.



### Shipping Carriers

If you have a commercial account with a supported carrier, you can offer your customers the convenience of real-time shipping rates, package tracking, and labels.



### Shipping Labels


You can easily create shipping labels for new and existing orders from the Admin of your store. Labels can be produced at the time a shipment is created, or at a later time. Shipping labels are stored in PDF format and are downloaded to your computer.

# Store Email Addresses

You can have up to five different email addresses to represent distinct functions or departments for each store or view. In addition to the following predefined email identities, there are two custom identities that you can set up according to your needs.

- General Contact
- Sales Representative
- Customer Support

Each identity and its associated email address can be associated with specific automated email messages and appear as the sender of email messages that are sent from your store.




## Store Email Addresses

### Step 1: Set Up the Email Addresses for Your Domain

Before you can configure email addresses for the store, each must be set up as a valid email address for your domain. Follow the instructions from your server administrator or email hosting provider to create the email address you need.

### Step 2: Configure the Email Addresses for Your Store

1. On the Admin menu, select **System > Configuration**.
2. In the Configuration panel on the left, under General, select **Store Email Addresses**. Then, do the following:
  - a. Click to expand the **General Contact** section.
  - b. If you have multiple stores or views, set the **Current Configuration Scope** in the upper-left corner to identify the store or view where the configuration applies. Then, clear the checkbox after each field so new values can be entered.



### General Contact

- c. In the **Sender Name** field, type the name of the person that you want to appear as the sender of all email messages that are associated with the General Contact.
- d. In the **Sender Email** field, type the associated email address.
3. Repeat this process for any other email addresses that you plan to use.
4. When complete, click the **Save Config** button.

### Step 3: Update the Sales Email Configuration as Needed

If you use custom email addresses, make sure to update the configuration of any related email messages, so the correct identity appears as the sender.

1. In the panel on the left, under Sales, select **Sales Email**.
2. Click to expand each section, and make sure that the correct store email is selected as the sender of the message.
3. When complete, click the **Save Config** button.

## Contact Us


The Contact Us link in the footer of each page is an easy way for customers to keep in touch with you. The form is enabled by default, and can be configured to send inquiries to a specific email address and replies from a specific store identity.

The screenshot shows a contact form on a Magento website. At the top, there's a navigation bar with links for WOMEN, MEN, ACCESSORIES, HOME & DECOR, SALE, and VIP. On the left, there's a sidebar with links for COMPANY, ABOUT US, CONTACT US, CUSTOMER SERVICE, and PRIVACY POLICY. The main content area is titled "CONTACT US" and contains four input fields: Name\*, Email\*, Telephone, and Comment\*. A "SUBMIT" button is located below the comment field. To the right of the input fields, there's a note: "Required Fields". At the bottom of the page, there are links for COMPANY, QUICK LINKS, ACCOUNT, CONNECT WITH US, and NEWSLETTER. The "CONNECT WITH US" section includes links for FACEBOOK, TWITTER, YOUTUBE, PINTEREST, and RSS. A newsletter sign-up form with a "SUBSCRIBE" button is also present. The footer contains a copyright notice: "© 2012 Acme Electronics. All Rights Reserved."

*Contact Us*

## To configure the Contact Us form:


1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under General, click **Contacts**.
3. Click to expand the **Contact Us** section, and set **Enable Contact Us** to “Yes.”



The screenshot shows a configuration interface for the 'Contact Us' section. At the top, there is a header bar with the title 'Contact Us'. Below the header, there is a single configuration item: 'Enable Contact Us' with a dropdown menu showing 'Yes'. To the right of the dropdown is a link '[STORE VIEW]'. The entire interface is contained within a light gray border.

*Contact Us*

4. Click to expand the **Email Options** section. Then, do the following:



The screenshot shows the 'Email Options' section of the configuration interface. It contains three fields: 'Send Emails To' with the value 'hello@example.com', 'Email Sender' with the value 'Custom Email 2', and 'Email Template' with the value 'Contact Form (Default Template from Locale)'. Each field has a '[STORE VIEW]' link to its right. The entire section is enclosed in a light gray border.

*Email Options*

- a. In the **Send Emails To** field, enter the email address of the recipient.
  - b. Set **Email Sender** to the store identity you want to use for the replies sent.
  - c. Select the **Email Template** used to format the data sent from the form.
5. When complete, click the **Save Config** button.

## Notes



## CHAPTER 7:

# Websites, Stores & Views

When Magento is installed, a main website, default store, and store view are created. You can create as many additional websites, stores, and store views as you need. Within each website, you can have multiple stores, and within each store, separate views. The term hierarchy refers to the organization of websites, stores, and views in a Magento installation.




## Websites

You can set up as many websites as you need, and each can have a different domain.



## Stores

A single website can have multiple stores—all are managed from the same Admin. Each store can have a different main menu, product selection, and appearance.



## Store Views

Store views are usually used to present the store in different languages, although they can be used for other purposes, as well. Customers use the language chooser in the header to change the store view.

## Setting Up Store Hierarchy

Before you begin, carefully plan your store hierarchy in advance because it is referred to throughout the configuration. Each store can have a separate **root category**, which makes it possible to have an entirely different set of navigation for each store.

Also consider the prices and product attributes that are needed for each store view. Magento allows for only one standard price with a tiered pricing structure, per SKU. If you want to use a different pricing structure for a specific customer group in a store view, you must create a unique SKU for each view.

Website Name	Store Name	Store View Name
Main Website (Code: base)	Magento Island (Root Category: Default Category)	English (Code: default) French (Code: french) German (Code: german)

*Manage Stores*

### To set up a new website:

1. On the Admin menu, select **System > Manage Stores**.
2. From Manage Stores, click the **Create Website** button. Then, do the following:

Website Information	
Name *	<input type="text"/>
Code *	<input type="text"/>
Sort Order	<input type="text"/>

*Website Information*

- a. Enter the **Name** of the website. The name is for internal reference, and can refer to the domain of the site or anything else distinguish it from other sites in the hierarchy.
- b. Enter a **Code** that will be used on the server to point to the domain. The code must begin with a lowercase character, and can include any other combination of letters, numbers, and underscore (\_) character.
- c. (Optional) Enter a **Sort Order** number to determine the sequence in which this site is listed with other sites. Enter a zero to make this site appear at the top of the list.
3. When complete, click the **Save Website** button.

### To set up a new store:

1. Before you begin, set up the root category that will be used for this store.
2. On the Admin menu, select **System > Manage Stores**.

3. From Manage Stores, click the **Create Store** button. Then, do the following:

The screenshot shows the 'New Store' configuration page in the Magento Admin Panel. The 'Website' dropdown is set to 'Main Website'. The 'Name' field contains 'Store2'. The 'Root Category' dropdown is set to 'Default Category'. At the bottom right, there are 'Back', 'Cancel', and 'Save Store' buttons.

*New Store*

- a. Set **Website** to the site that is the parent of this store.
  - b. Enter a **Name** for the store. The name is for internal reference to distinguish it from other stores in the hierarchy. For example: Private Sales Store.
  - c. Set **Root Category** to the root category that will be used for the main navigation of the store. The root category can be the same as used for other stores, or unique to this store. For example: Private Sales Root.
4. When complete, click **Save Store**.

### To set up a new store view:

1. On the Admin menu, select **System > Manage Stores**.
2. From Manage Stores, click the **Create Store View** button. Then, do the following:

The screenshot shows the 'Store View Information' configuration page. The 'Store' dropdown is set to 'Madison Island'. The 'Name' field is empty. The 'Code' field is empty. The 'Status' dropdown is set to 'Disabled'. The 'Sort Order' field is empty. At the bottom right, there are 'Back', 'Cancel', and 'Save Store View' buttons.


*Store View Information*

- a. Set **Store** to the parent store of this view.
  - b. Enter a **Name** for this store view. The name appears in the “language chooser” in the header of the store. For example: French.
  - c. Enter a **Code** in lowercase characters to identify the view. For example: french.
  - d. To activate the view, set **Status** to “Enabled.”
  - e. (Optional) Enter a **Sort Order** number to determine the sequence in which this view is listed with other views.
3. When complete, click the **Save Store View** button.

## Configuration Scope

If your Magento installation has multiple websites, stores, or views, you can set the scope of a configuration parameter to apply to a specific part of your installation. The Current Configuration Scope box in the upper-left corner of the Admin workspace determines the scope of the current settings. By default, the configuration scope is set to “Default Config.” For Admin users with restricted access, the list includes only the areas where the user is granted permission to access.

The configuration scope applies to products categories, attributes, customer management setting, and so on. The scope of each item appears in brackets after the field to indicate the range of the setting.



*Current Configuration Scope*

If your installation includes multiple websites, stores or views, you should always set the scope to identify where you want the settings to apply. The possible settings are: [STORE], [WEBSITE], and [GLOBAL].

Any item with the scope of [STORE] can be set differently for each view. For example, because the scope of a product name and description is [STORE], the fields can have a different value for each language. However, some configuration settings—such as postal code—are [GLOBAL] because the same setting applies throughout the system. The [WEBSITE] scope also applies to the entire site, including all views.

## To set the configuration scope:

Before making a configuration setting that applies only to a specific website, store, or view, do the following:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, select the page with the configuration settings you want to change. If necessary, click to expand the section to be configured. Then, do the following:
  - a. In the upper-left corner of a configuration page, set **Current Configuration Scope** to the website, store, or view where the configuration applies.  
A checkbox appears after each field, and sometimes additional fields become available.
  - b. Clear the **Use Default** checkbox that is after the field that you want to edit. Then, enter the new value.
  - c. Repeat this process for every field that needs to be updated on the page.
3. When complete, click the **Save Config** button.

### Scope Settings


SCOPE	DESCRIPTION
Store	The setting is limited to the store view, which is often used to display a store in multiple languages.
Website	The setting is limited to the website.
Global	The setting applies to the entire installation.

## Adding a Language

Most of the text that appears to be hard-coded on pages throughout your store can be instantly changed to a different language by changing the locale of the view. Changing the locale doesn't actually translate the text word-for-word, but simply references a different translation table that provides the interface text that is used throughout the store. The text that can be changed includes navigational titles, labels, buttons, and links such as "My Cart" and "My Account."

There is a wide selection of language packs available on [Magento Connect](#). You can also use the [Inline Translation](#) tool to touch up any remaining interface text that was not translated for the locale, or to fine-tune the translated text.

After changing the language of the locale, the remaining content that you have created, including product names and descriptions, categories, CMS pages, blocks, and polls must be translated separately for each store view.



Language Packs on Magento Connect

### Step 1: Install a Language Pack

1. Log in to your Magento account.
2. Go to [Magento Connect](#), and find the language pack that you want to download. Read the terms of the license, and click the checkbox to proceed.
3. Click the **Install Now** button. Then, do the following:
  - a. Click the **Get the Extension Key** button.
  - b. Click the **Select** button. Then, copy the license key.

4. Return to the Admin of your store. Then on the Admin menu, select **System > Magento Connect > Magento Connect Manager**.
5. When prompted, log in to Magento Connect Manager. Then, do the following:
  - a. In the **Install New Extensions** section, paste your extension key.
  - b. Click the **Install** button. The language pack you have chosen appears below.

*Install Language Pack*

- c. When ready to begin, click the **Proceed** button.

You can follow the progress in the output frame. During the installation, the language pack is uploaded to the following folder on your server:

[magento] /app/locale

*Output Frame*

6. To return to your store, click the **Return to Admin** link at the top of the page.

## Step 2: Create a Store View for the Language

1. On the Admin menu, select **System > Manage Stores**.
2. From Manage Stores, click the **Create Store View** button. Then, do the following:

The screenshot shows the 'New Store View' configuration page in the Magento Admin Panel. The 'Store View Information' section contains the following data:

- Store: Madison Island
- Name: Spanish
- Code: spanish
- Status: Enabled
- Sort Order: 1

At the bottom of the form are three buttons: 'Back', 'Reset', and 'Save Store View'.


*New Store View*

- a. Select the **Store** that is the parent of the view.
  - b. Enter a **Name** for the store view. For example: Spanish.  
This is the name that appears in the “language chooser” in the header.
  - c. Enter a **Code** in lowercase characters to identify the view. For example: spanish.
  - d. To activate the view, set **Status** to “Enabled.”
  - e. (Optional) Enter a **Sort Order** number to determine the sequence in which this view is listed with other views.
3. When complete, click the **Save Store View** button.

## Step 3: Change the Locale of the Store View

1. On the Admin menu, select **System > Configuration**.
1. In the upper-left corner, set **Current Configuration Scope** to the store view.
2. Click to expand the **Locale Options** section. Then, do the following:
  - a. To the right of the Locale field, clear the **Use Website** checkbox.
  - b. Set **Locale** to the language that you want to assign to the view.

If there are several variations of the language available, make sure to select the one that matches the language pack that you installed. For example, the Spanish language pack downloaded in this example works only when the locale is set to “Spanish (Spain).” You will need a different language pack to support a specific regional variation. You will need a different language pack to support the regional variations of other countries.

*Change the Locale*

- When complete, click the **Save Config** button.

## Store URLs

The URLs that are associated with your store were configured during the [initial installation](#) of Magento. The Web access options that were entered at that time specify both unsecure and secure URLs, and whether or not a security certificate is available.

Magento uses [variables](#) to define internal links in relation to the base URL, which makes it possible to move an entire store from one URL to another without having to update the internal links.

The screenshot shows the 'Web access options' configuration screen. It includes fields for 'Base URL' (set to 'http://10.249.149.45/magento/'), 'Admin Path' (set to 'admin'), and 'Additional path added after Base URL to access your Administrative Panel (e.g. admin, backend, control etc.)'. There are several checkboxes: 'Enable Charts' (checked), 'Skip Base URL Validation Before the Next Step' (unchecked), 'Use Web Server (Apache) Rewrites' (checked), and 'Use Secure URLs (SSL)' (unchecked). A note below the rewrites checkbox says: 'You could enable this option to use web server rewrites functionality for improved search engines optimization. Please make sure that mod\_rewrite is enabled in Apache configuration.'

*Web Access Options*

## Secure and Unsecure Base URLs

Each website in a Magento installation has a base URL that is assigned to the storefront and to the Admin. If you have a security certificate for your domain, you can configure either, or both base URLs to operate over a securely encrypted SSL channel. Unsecure base URLs begin with “http,” and secure base URLs begin with “https.”

Unsecure Base URL      `http://www.yourdomain.com/magento/`

Secure Base URL      `https://www.yourdomain.com/magento/`

URL with IP address      `http://10.9.220.154/magento/`

If Magento was installed before you registered a domain, the base URL might include the IP address of the server. If you don’t yet have security certificate, the store will not be able to switch to secure URLs (https) for transactions that normally take place over the secure socket layer (SSL). These configuration settings can be updated later to reflect the values you need before the store “goes live.”

**Important!** Do not change the Admin URL from the default in the Base URL configuration. To change the Admin URL or path, see: [Using a Custom Admin URL](#).

### To configure the unsecure base URL:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under General, select **Web**.
3. Click to expand the **Unsecure** section. Then, do the following:
4. Enter the unsecure (http) **Base URL** for your store. Make sure to end the URL with a forward slash.



*Unsecure*

For a typical installation, you do not need to update the paths for the skin, media, and JavaScript files. Be careful not to change the **markup tags** in the other fields in the section.

5. If you do not plan to use a secure base URL for the Admin, do the following:

- a. Click to expand the **Secure** section.
- b. Enter your unsecure (http) **Base URL**. The URL should be the same in both the Secure and Unsecure sections.
6. When complete, click the **Save Config** button.


### To configure the secure base URL:

If your domain has a valid security certificate, you can configure the URLs for either the storefront and Admin—or both—to run over a secure (https) channel.

1. Click to expand the **Unsecure** section. Then, do the following:
  - a. To use a secure (https) for the storefront, enter the Base URL, followed by a forward slash.

Typically, you will not need to update the paths for the skin, media, and JavaScript files. Be careful not to change the **markup tags** in the other fields in the section.

  - b. If you want to run the entire storefront over a secure (https) channel, set **Use Secure URLs in Frontend** to “Yes.”
  - c. If you want to run the entire Admin over a secure (https) channel, set **Use Secure URLs in Admin** to “Yes.”



2. When complete, click the **Save Config** button.

## Using a Custom Admin URL

In a typical Magento installation, the Admin URL and path is immediately below the Magento base URL. The path to the store Admin is one directory below the root.

### Default Base URL

```
http://yourdomain.com/magento/
```

### Default Admin URL and Path

```
http://yourdomain.com/magento/admin
```

Although it is possible to change the Admin URL and path to another location, any mistake removes access to the Admin, and must be corrected from the server.

As a precaution, do not try to change the Admin URL by yourself unless you know how to edit configuration files on the server.

### Method 1: Change from the Magento Admin:

1. On the Admin menu, select **System > Configure**.
2. In the panel on the left, under Advanced, select **Admin**.
3. Click to expand the **Admin Base URL** section, and do the following:
  - a. Set **Use Custom Admin URL** to “Yes.” Then, enter the **Custom Admin URL** in the following format:

```
http://yourdomain.com/magento/
```

**Important!** The Admin URL must be in the same Magento installation, and have the same document root as the storefront.

- b. Set **Custom Admin Path** to “Yes.” Then, enter the name of the **Custom Admin Path** in the following format:

```
backend
```

The screenshot shows the 'Admin Base URL' configuration page. It has two main sections. The first section, 'Use Custom Admin URL', has a dropdown set to 'Yes' and a note below it: 'Make sure that base URL ends with '/' (slash), e.g. http://yourdomain/magento/'. The second section, 'Use Custom Admin Path', also has a dropdown set to 'Yes' and a note below it: 'You will have to log in after you save your custom admin path.'

*Admin Base URL*

4. When complete, click the **Save Config** button.

After the changes are saved, you must log in to the Admin using the new Admin URL and path.

## Method 2: Change from the Server Command Line

1. Open the `app/etc/local.xml` file in a text editor, and change the name of the `[admin]` path. Make sure to use only lowercase characters. Then, save the file.

On the server, the admin path is located in the `app/etc/local.xml` file. Look for the `<adminhtml>` argument in the `<admin>` section:

### Default Admin Path

```
# <frontName><![CDATA[admin]]></frontName>
```

### New Admin Path

```
# <frontName><![CDATA[backend]]></frontName>
```

2. Do one of the following methods to clear the Magento cache:

- On the Admin menu, select **System > Cache Management**. Then, click the **Flush Magento Cache** button.
- On the server, navigate to the `var/cache` folder, and delete the contents of the `cache` folder.

## Notes



## CHAPTER 8:

# Industry Compliance

Magento Community Edition offers a range of security and privacy capabilities that meet legal requirements and industry guidelines for online merchants. Some are mandated by the payment card industry, and others are required by law, depending on your location.

Topics in this chapter:

- [PCI Compliance](#)
- [Privacy Policy](#)
- [Cookie Law](#)

You will learn about PCI compliance, and the importance of establishing procedures to protect payment information. You will also learn how to bring your store into compliance with the Cookie Law, which is a requirement in some countries, and considered a “best practice” in others. In addition, you will learn how to customize and maintain a privacy policy for your store.

# PCI Compliance Guidelines

The Payment Card Industry (PCI) has established a set of requirements for businesses that accept payment by credit card over the Internet. In addition to the need to maintain a secure hosting environment, there are additional requirements that merchants must meet to ensure the privacy of cardholder data. Every merchant who handles customer credit card information is required by the Payment Card Industry to conduct business within the following guidelines:

## PCI Requirements

- Install and maintain a firewall configuration to protect cardholder data.
- Do not use vendor-supplied defaults for system passwords and other security parameters.
- Protect stored cardholder data.
- Encrypt transmission of cardholder data across open, public networks.
- Use and regularly update antivirus software.
- Develop and maintain secure systems and applications.
- Restrict access to cardholder data by business need to know.
- Assign a unique ID to each person with computer access.
- Restrict physical access to cardholder data.
- Track and monitor all access to network resources and cardholder data.
- Regularly test security systems and processes.
- Maintain a policy that addresses information security.

As your business grows, you may be required to file a compliance report on an annual basis. PCI reporting requirements increase in proportion to merchant level, but are waived for businesses that process fewer than 20,000 credit card transactions per year. To learn more, visit the [PCI Security Standards Council](#) website.

# Privacy Policy

Your store includes a sample privacy policy that must be updated with your own information. Your privacy policy should describe the type of information that your company collects, and how it is used. It should also list the filenames of cookies that are placed on the computers of people who visit your store. Any additional cookies that are associated with third-party extensions and add-ons should be included in the list. For a complete list of the cookies used by Magento, see [Cookie Restriction Mode](#).

If you change the URL key of the privacy policy, you must also create a [custom URL rewrite](#) to redirect traffic to the new URL key.

**PRIVACY POLICY**

This website ("website") is operated by Madison Island Inc., which includes Madison Island stores, and Madison Island Private Sales. This privacy policy only covers information collected at this website, and does not cover any information collected offline by Madison Island. All Madison Island websites are currently covered by this privacy policy.

**SECURITY**

Personal information provided on the website and online credit card transactions are transmitted through a secure server. We are committed to handling your personal information with high standards of information security. We take appropriate physical, electronic, and administrative steps to maintain the security and accuracy of personally identifiable information we collect, including limiting the number of people who have physical access to our database servers, as well as employing electronic security systems and password protections that guard against unauthorized access. Our website uses encryption technology, like Secure Sockets Layer (SSL), to protect your personal information during data transport. SSL encrypts ordering information such as your name, address, and credit card number. Our Customer Care center and stores also operate over a private, secure network. Please note that email is not encrypted and is not considered to be a secure means of transmitting credit card information.

**PRIVACY POLICY**

To help us achieve our goal of providing the highest quality products and services, we use information from our interactions with you and other customers, as well as from other parties. Because we respect your privacy, we have implemented procedures to ensure that your personal information is handled in a safe, secure, and responsible manner.

We have posted this privacy policy in order to explain our information collection practices and the choices you have about the way information is collected and used.

As we continue to develop our website and take advantage of advances in technology to improve the services we offer, this privacy policy likely will change. We therefore encourage you to refer to this policy on an ongoing basis so that you understand our current privacy policy.

**THE INFORMATION WE COLLECT**

Generally, you may browse the website without providing any personally identifiable information. However, we may ask you to provide personally identifiable information at various times and places on this website. In some cases, if you choose not to provide us with the requested information, you may not be able to access all parts of this website or participate in all of its features.

## Privacy Policy

### To edit your privacy policy:

1. On the Admin menu, select **CMS > Pages > Manage Content**.
2. Find the privacy policy in the list, and click to open the page.
3. In the panel on the left, click **Content**.
4. To work in WYSIWYG mode, click the **Show/Hide Editor** button.
5. Make the necessary changes to the content.
6. When complete, click the **Save Page** button.

## Cookie Law Compliance

Cookies are small files that are saved to the computer of each visitor to your site, and used as temporary holding places for information. Information that is saved in cookies is used to personalize the shopping experience, link visitors to their shopping carts, measure traffic patterns, and improve the effectiveness of promotions. To keep pace with legislation in many countries regarding the use of cookies, Magento offers merchants a choice of methods for obtaining customer consent:

### Implied Consent

---

Implied consent means that visitors to your store have a clear understanding that cookies are a necessary part of operations, and by using your site, have indirectly granted permission to use them. The key to gaining implied consent is to provide enough information for a visitor to make an informed decision. Many stores display a message at the top of all standard pages that provides a brief overview of how cookies are used, with a link to the store's privacy policy. The privacy policy should describe the type of information that your store collects, and how it is used.

### Expressed Consent

---


Operating your store in “[cookie restriction mode](#)” requires visitors to express their consent before any cookies can be saved to their computers. Unless consent is granted, many features of your store will be unavailable. For example, if Google Analytics is available for your store, it can be invoked only after the visitor has granted permission to use cookies.

### Cookie Restriction Mode

When Cookie Restriction Mode is enabled, visitors to your store are notified that cookies are required for full-featured operations. Depending on your theme, the message might appear above the header, below the footer, or somewhere else on the page. The message links to your privacy policy for more information, and encourages visitors to click the Allow button to grant consent. After consent is granted, the message disappears. The Cookie Restriction Mode message resides in a CMS static block, and can be edited to suit your voice and style.


Your privacy policy should include the name of your store and contact information, and explain the purpose of each cookie that is used by your store. See the end of this topic for a complete list of the cookies used. See the end of this topic for a complete list of the cookies used.

If you change the URL key of the privacy policy, you must also create a [custom URL rewrite](#) to redirect traffic to the new URL key. Otherwise, the link in the Cookie Restriction Mode message will return “404 Page Not Found.”

*Cookie Restriction Notice In Footer*

### Step 1: Enable Cookie Restriction Mode


1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under General, click **Web**.
2. Click to expand the **Session Cookie Management** section, and do the following:

*Cookie Session Management*

- a. Enter the **Cookie Lifetime** in seconds.
- b. If you want to make cookies available to other folders, enter the **Cookie Path**. To make the cookies available anywhere in the site, enter a forward slash.
- c. To make the cookies available to a subdomain, enter the subdomain name in the **Cookie Domain** field. (subdomain.yourdomain.com) To make cookies available to all subdomains, enter the domain name preceded by a period. (.yourdomain.com)
- d. To prevent scripting languages such as JavaScript from gaining access to cookies, set **Use HTTP Only** to "Yes."
- e. Set **Cookie Restriction Mode** to "Yes."

## Step 2: Edit the Cookie Restriction Message

1. On the Admin menu, select **CMS > Static Blocks**.
2. Find the **Cookie Restriction Notice**, and click to open the block. Then, do the following:



*Editing the Cookie Restriction Notice*

- a. Select each **Store View** where the notice should appear.
  - b. Set **Status** to “Enabled.”
  - c. In the **Content** box, edit the message as needed.
3. When complete, click the **Save Block** button.

## Step 3: Update Your Privacy Policy

1. On the Admin menu, select **CMS > Pages > Manage Content**.
2. Find your **Privacy Policy** in the list, and click to open the page.
3. In the panel on the left, click **Content**. If necessary, click the **Show/Hide Editor** button to work in WYSIWYG mode.

The screenshot shows the Magento Content Editor interface. The title bar says "Content" and "Privacy Policy". Below the title is a toolbar with various editing icons. The main area contains the following text:

This website ("website") is operated by Madison Island Inc., which includes Madison Island stores, and Madison Island Private Sales. This privacy policy only covers information collected at this website, and does not cover any information collected offline by Madison Island. All Madison Island websites are currently covered by this privacy policy.

**SECURITY**

Personal information provided on the website and online credit card transactions are transmitted through a secure server. We are committed to handling your personal information with high standards of information security. We take appropriate physical, electronic, and administrative steps to maintain the security and accuracy of personally identifiable information we collect, including limiting the number of people who have physical access to our database servers, as well as employing electronic security systems and password protections that guard against unauthorized access. Our website uses encryption technology, like Secure Sockets Layer (SSL), to protect your personal information during transmission. SSL encrypts your address, credit card number, and other sensitive information. Our Customer Care Center and stores also operate over a private, secure network. Please note that email is not encrypted and is not considered to be a secure means of transmitting credit card information.

**PRIVACY POLICY**

To help us achieve our goal of providing the highest quality products and services, we use information from our interactions with you and other customers, as well as from other parties. Because we respect your privacy, we have implemented procedures to ensure that your personal information is handled in a safe, secure, and responsible manner.

We have posted this privacy policy in order to explain our information collection practices and the choices you have about the way information is collected and used.

As we continue to develop our website and take advantage of advances in technology to improve the services we offer, this privacy policy likely will change. We therefore encourage you to refer to this policy on an ongoing basis so that you understand our current privacy policy.

**THE INFORMATION WE COLLECT**

Generally, you may browse the website without providing any personally identifiable information. However, we may ask you to provide personally identifiable information at certain times and when you make purchases or communicate with us. If you do not want to provide this information, please do not use our website. We reserve all rights in this document.

### Privacy Policy

4. Update your privacy policy to describe the information that your company collects, and how it is used. You can include the information from the tables at the end of this topic.
5. When complete, click the **Save Page** button.

## Cookie Reference

### Magento Standard Cookies

COOKIE NAME	COOKIE DESCRIPTION
USER_ALLOWED_SAVE_COOKIE	Indicates if a customer is allowed to use cookies.
external_no_cache	A flag that indicates if caching is disabled.
persistent_shopping_cart	The session key.
Stf	If product links were sent to friends, stores the timestamps in the format: \$timestamp1, \$timestamp2, ..., \$timestampN.
pollN	A poll ID that indicates if a vote has occurred.
frontend	Session ID
guest-view	Allows guests to edit their orders.

### Google Analytics Cookies

COOKIE	DESCRIPTION
_utma	Distinguishes users and sessions.
_utmb	Determines new sessions/visits.
_utmc	Determines if the user was in a new session/visit.
_utmz	Stores the traffic source or campaign that explains how the user reached your site.



# Product Catalog

## In this section...

[Navigation](#)

[Categories](#)

[Attributes](#)

[Using a Flat Catalog](#)

[Creating Products](#)

[Images](#)

[Swatches](#)

[Pricing](#)

[Inventory](#)

[Product Information](#)



## CHAPTER 9: Navigation

The term, navigation refers to the methods shoppers use to move from page to page throughout your store. The main menu, or top navigation of your store is actually a list of category links. The category structure of your catalog is the main way people find products in your catalog. You will also find categories in the breadcrumb trail that runs across the top of most pages, and in the “layered navigation” that appears on the left side of some two- or three-column pages. These are all examples of how categories can be used to navigate throughout your store.

For a product to be visible in your store, it must be assigned to at least one category. Each category can have a dedicated landing page with an image, static block, a description, and list of products. You can also create special designs for category pages that become active for a specific period of time such as for a holiday season or promotion.

The screenshot shows a Magento storefront with the following details:

- Top Navigation:** YOUR LANGUAGE English ▾, WELCOME, ACCOUNT, TOP CART, SEARCH.
- Main Menu:** WOMEN, MEN, ACCESSORIES, HOME & DECOR, SALE, VIP.
- Breadcrumb:** HOME / HOME & DECOR / ELECTRONICS.
- Layered Navigation (left sidebar):**
  - PRICE:** \$0.00 - \$99.99 (4), \$100.00 - \$199.99 (5), \$400.00 - \$499.99 (2), \$700.00 and above (1).
  - COLOR:** Black (9), Charcoal (2).
  - ELECTRONIC TYPE:** Accessories (4), Camera (3), Media Players (2), Speakers + Earphones (1).
- Product Categories (top right):** View All Home & Decor, Books & Music, Bed & Bath, Electronics, Decorative Accents.
- Recent Products (right sidebar):** RECENTLY VIEWED PRODUCTS: FALLING BY J AM NOT LEFTHANDED, CAMERA TRAVEL SET, MADISON ROH400, MADISON LX2200.
- Compare Products (right sidebar):** COMPARE PRODUCTS: You have no items to compare.
- Product Listings:** MADISON LX2200, MADISON RX3400, MP3 PLAYER WITH AUDIO, MADISON 8GB DIGITAL MEDIA PLAYER, MADISON OVEREAR HEADPHONES, MADISON EARBUDS, LARGE CAMERA BAG, 16GB MEMORY CARD.

Categories in Main Menu

## Top Navigation

The main menu of your store displays the selection of categories that are available in your catalog. You can think of the top navigation as different departments in your store. A top-level category serves as landing page for all the subcategories below. The position and presentation of the top navigation might vary by theme, but the way it works is the same.



*Top Navigation*

The first level of categories below the root typically appear as options in the main menu. Below that, you can have as many additional subcategories as needed. The category structure of your catalog can influence how well your site is indexed by search engines. The deeper a category, the less likely it is to be thoroughly indexed. As a general rule, anywhere between one and three levels is considered to be the best. You can set the [maximum number of levels](#) that are available in your top navigation in the system configuration.

## Breadcrumb Trail

A breadcrumb trail is a set of links that shows where you are in relation to other pages in the store. You can click any link in the breadcrumb trail to return to a previous page. Here's an example of a breadcrumb trail from the Magento Demo Store:

HOME/ACCESSORIES/JEWELRY/PEARL STUD EARRINGS

The breadcrumb trail can be configured to appear on CMS content pages, as well as catalog pages. The format and position of the breadcrumb trail varies by theme, but it is usually located in the upper-left, just below the header.



*Breadcrumb Trail*

### To add breadcrumbs to CMS pages:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under General, select **Web**. Then, do the following:
  - a. Click to expand the **Default Pages** section.
  - b. Set **Show Breadcrumbs for CMS Pages** to "Yes."
3. When complete, click the **Save Config** button.


Default Pages		
Default Web URL	cms	[STORE VIEW]
CMS Home Page	Madison Island	[STORE VIEW]
Default No-route URL	cms/index/noRoute	[STORE VIEW]
CMS No Route Page	404 Not Found 1	[STORE VIEW]
CMS No Cookies Page	Enable Cookies	[STORE VIEW]
Show Breadcrumbs for CMS Pages	Yes	[STORE VIEW]

*Default Pages*

# Product List Configuration

Product listings can be configured to appear by default as either a list or grid. You can also determine how many products appear per page, and which attribute is used to sort the list. Each product list has a set of page controls that can be used to sort the products, change the **format** of the list, sort by **attribute**, and **advance** from one page to the next.

- |         |  |
|---------|--|
| View As | Displays the list in either a Grid or List format. |
| Sort By | Changes the sort order of the list.                |



Products Displayed as a Grid

## To configure product listings:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Catalog, select **Catalog**.
2. Click to expand the **Frontend** section.
3. Set the default **List Mode** to one of the following:
  - Grid Only
  - List Only
  - Grid (default) / List
  - List (default / Grid

The screenshot shows the 'Frontend' configuration panel in the Magento Admin. It contains several settings related to product listing:

- List Mode:** Grid (default) / List [STORE VIEW]
- Products per Page on Grid:** 9,15,30 [STORE VIEW]
  - Allowed Values: Comma-separated.
- Products per Page on Grid Default Value:** 9 [STORE VIEW]
  - Must be in the allowed values list.
- Products per Page on List:** 5,10,15,20,25 [STORE VIEW]
  - Allowed Values: Comma-separated.
- Products per Page on List Default Value:** 10 [STORE VIEW]
  - Must be in the allowed values list.
- Allow All Products per Page:** No [STORE VIEW]
  - Whether to show "All" option in the "Show X Per Page" dropdown.
- Product Listing Sort by:** Best Value [STORE VIEW]
- Use Flat Catalog Category:** Yes [GLOBAL]
- Use Flat Catalog Product:** Yes [GLOBAL]
  - Enable for reindexing a big number of SKUs.
- Allow Dynamic Media URLs in Products and Categories:** Yes [STORE VIEW]
  - E.g. {{media url="path/to/image.jpg"}} {{skin url="path/to/picture.gif"}}. Dynamic directives parsing impacts catalog performance.

*Frontend*

Then, do the following:


- a. In the **Products per Page on Grid Allowed Values** field, enter the number of products that you want to appear per page when shown in grid format. To enter a selection of values, separate each number by a comma.
- b. In the **Products per Page on Grid Default Value** field, enter the default number of products to appear in the grid per page.
- c. In the **Products per Page on List Allowed Values** field, enter the number of products that you want to appear per page when shown in list format. To enter a selection of values, separate each number by a comma.
- d. In the **Products per page on List Default Value** field, enter the default number of products that appear in the list, per page.
4. To give customers the option to list all products, set **Allow All Products on Page** to “Yes.”
5. Set **Product Listing Sorted** by to the default attribute that is initially used to sort the list.
6. If using a [flat catalog](#), do the following:
  - a. To display a flat category listing of products, set **Use Flat Catalog Category** to “Yes.”
  - b. To display a flat product listing, set **Use Flat Catalog Product** to “Yes.”
7. If you want to allow [dynamic references](#) to media assets in category and product URLs, set **Allow Dynamic Media URLs in Products and Categories** to “Yes.”
8. When complete, click the **Save Config** button.

## Pagination Controls

The Pagination settings control the format of the pagination links in product listings. You can set the number of links that appear in the control, and configure the Next and Previous links. For the pagination links to appear, there must be more products in the list than are allowed per page in the [product list configuration](#).

Show per Page      Determines how many products appear per page.


Pagination Links      Navigation links to other pages.



*Pagination Control*

## To configure the pagination control:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under General, select **Design**.
2. Click to expand the **Pagination** section. Then, do the following:



### Pagination

- a. In the **Pagination Frame** field, enter the number of links that you want to appear in the control.
  - b. In the **Pagination Frame Skip** field, enter the number of links to skip ahead to display the next set of links in the control.  
  
For example, if the pagination frame has five links, and you want to jump to the next five links, how many links do you want to skip ahead? If you set this to four, then the last link from the previous set will be the first link in the next set.
  - c. In the **Anchor Text for Previous** field, enter the text that you want to appear for the Previous link. Leave blank to use the default arrow.
  - d. In the **Anchor Text for Next** field, enter the text that you want to appear for the Next link. Leave blank to use the default arrow.
3. When complete, click the **Save Config** button.

# Layered Navigation

Layered navigation makes it easy to find products based on category, price range, or any other available attribute. Layered navigation usually appears in the left column of search results and category pages and sometimes on the home page. The standard navigation includes a “Shop By” list of categories and price range. You can configure the display of layered navigation, including product count and price range.

The following instructions show how to set up basic layered navigation. For advanced layered navigation with price steps, see [Price Navigation](#).

The screenshot shows a Magento website interface. On the left, there is a sidebar titled "Layered Navigation" with several filters: Price (\$0.00 - \$99.99, \$200.00 - \$299.99, \$300.00 and above), Color (Blue, Indigo, White), Occasion (Casual, Evening), Type (Dresses, Knits, Tops), Sleeve Length (Short Sleeve, Sleeveless), and Size (XS). The main content area features a "NEW ARRIVALS" section with a promotional image and text: "IN THE NOW" and "a first look at first-class spring staples". Below this, three products are listed: TOR TANK (blue tank top, \$60.00), ELIZABETH KNIT TOP (white knit top, \$210.00), and LAFAYETTE CONVERTIBLE DRESS (blue convertible dress, \$340.00). Each product has a "VIEW DETAILS" button and options to "Add to Wishlist" and "Add to Compare". To the right, there is a "RECENTLY VIEWED PRODUCTS" section with items like "FALLING BY I AM NOT LEFTHANDED", "CAMERA TRAVEL SET", "HADESON RX3400", and "HADESON LX2200". A "COMPARE PRODUCTS" section indicates no items are currently compared.


*Layered Navigation by Category and Price*

## Step 1: Configure Attributes and Anchor Categories

Make sure that the [attribute properties](#) and the [anchor categories](#) that are required for layered navigation are configured correctly.

## Step 2: Set Up Basic Layered Navigation

1. On the Admin menu, select **System Configuration**. Then in the panel on the left, under Catalog, select **Catalog**.
2. Click to expand the **Layered Navigation** section. Then, do the following:



*Layered Navigation*


- a. To display the number of products found for each attribute, set **Display Product Count** to “Yes.”
  - b. Set **Price Navigation Step Calculation** to “Automatic (equalize price ranges).”
3. When complete, click the **Save Config** button.

## Filterable Attributes

Layered navigation can be used to search for products by category or by attribute. For example, when a shopper chooses the Apparel/Shoes category from the top navigation, the initial results include all products in the shoes category. The list can be filtered further by choosing a specific color or size, or by specifying values for both color and size. For an attribute to be included in layered navigation, its property settings must be set to make it filterable.

Anchor categories can be set to appear in an additional section that filters the list by attribute value. The attribute section appears only if a category is set to “Is Anchor.” Each attribute can be configured to display the number of matching records found.

The attribute properties, combined with the product properties, determine which attributes can be used as filters for layered navigation. Only those with the catalog input type of Dropdown, Multiple Select or Price can be used as filterable attributes.



Filterable Attributes In Layered Navigation

## Step 1: Set the Attribute Properties

1. On the Admin menu, select **Catalog > Attributes > Manage Attributes**.
2. Click to open the attribute in edit mode, and do the following:
  - a. Scroll down to the Frontend Properties section, and set **Use In Layered Navigation** to one of the following:
    - Filterable (with results)
    - Filterable (no results)
  - b. Set **Use In Search Results Layered Navigation** to “Yes.”

## Step 2: Make the Category an Anchor

1. On the Admin menu, select **Catalog > Manage Categories**.
2. In the Categories panel on the left, click to open the category.
3. On the **Display Settings** tab, set **Is Anchor** to “Yes.”
4. Click the **Save Category** button.
5. To test the setting, go to your store and select the category in the top navigation. The selection of filterable attributes for the products in the category appears in the layered navigation.

## Price Navigation

Price navigation can be used to distribute products by price range in layered navigation. You can also split each range in intervals. There are ways to calculate price navigation:

- Automatic (Equalize Price Ranges)
- Automatic (Equalize Product Counts)
- Manual

With the first two methods, the navigation steps are calculated automatically. The manual method lets you specify a division limit for price intervals. The following example shows the difference between price navigation steps of 10 and 100.

Iterative splitting provides the best distribution of products among price ranges. With iterative splitting, after a customer chooses to view the \$0.00-\$99 range, the customer can drill-down through several sub-ranges of prices. Price-range splitting stops when the number of products reaches the threshold set by the Interval Division Limit.

### Example: Price Navigation Steps

PRICE STEP BY 10	PRICE STEP BY 100
\$20.00 - \$29.99 (1)	\$0.00 - \$99.99 (4)
\$30.00 - \$39.99 (2)	\$100 - \$199.99 (5)
\$70.00 - \$79.99 (1)	\$400.00 - \$499.99 (2)
\$100.00 - \$109.99 (1)	\$700.00 and above (1)
\$120.00 - \$129.99 (2)	
\$150.00 - \$159.99 (1)	
\$180.00 - \$189.99 (1)	
\$420.00 - \$429.99 (1)	
\$440.00 - \$449.99 (1)	
\$710.00 and above (1)	

## To configure price layered navigation:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Catalog, select **Catalog**.
2. In the upper-left corner, set **Current Configuration Scope** to the store view to be configured.
3. Click to expand the **Layered Navigation** section.



*Layered Navigation*

4. If you want to display the number of products in parentheses after each filtered item, set **Display Product Count** to "Yes."
5. Set **Price Navigation Steps Calculation** to one of the following methods:

### Method 1: Automatic (equalize price ranges)

Set **Price Navigation Steps Calculation** to "Automatic (equalize price ranges.)" This setting uses the existing price layered navigation algorithm, and is similar to the Automatic option in earlier versions of Magento.



*Layered Navigation*

## Method 2: Automatic (equalize product counts)

1. Set **Price Navigation Steps Calculation** to “Automatic (equalize product counts).”
2. Set **Display Price Interval as One Price** to “Yes” if you want to display a single price when multiple products with the same price.
3. In the **Interval Division Limit** field, enter the threshold for a number of products within a price range. The range cannot be further split beyond this limit., The default value is 9.

The screenshot shows the 'Layered Navigation' configuration window. It includes fields for 'Display Product Count' (set to 'Yes'), 'Price Navigation Step Calculation' (set to 'Automatic (equalize product counts)'), 'Display Price Interval as One Price' (set to 'No'), and 'Interval Division Limit' (set to '9'). There are also '[STORE VIEW]' buttons next to each setting.

*Automatic (equalize product counts)*

## Method 3: Manual

1. Set **Price Navigation Steps Calculation** to “Manual.”
2. Enter a value to determine the **Default Price Navigation Step**.
3. Enter the **Maximum Number of Price Intervals** allowed, up to 100.

The screenshot shows the 'Layered Navigation' configuration window. It includes fields for 'Display Product Count' (set to 'Yes'), 'Price Navigation Step Calculation' (set to 'Manual'), 'Default Price Navigation Step' (set to '100'), and 'Maximum Number of Price Intervals' (set to '10'). There are also '[STORE VIEW]' buttons next to each setting.

*Manual*

6. When complete, click the **Save Config** button.



## CHAPTER 10:

# Categories

Before you add products to your catalog, you must first establish the basic category structure of your catalog. Every product in your catalog must be assigned to at least one category.

Topics in this chapter:

- [Creating Categories](#)
- [Modifying Categories](#)
- [Root Categories](#)
- [Hidden Categories](#)
- [General Information](#)
- [Display Settings](#)
- [Custom Design](#)
- [Category Products](#)

A screenshot of a Magento storefront. At the top, there's a navigation bar with links for 'WELCOME', 'ACCOUNT', 'LOGOUT', and a search bar. Below the navigation is a main menu with categories like 'WOMEN', 'MEN', 'ACCESSORIES', 'HOME &amp; DECOR', 'SALE', and 'VIP'. A callout bubble points to the 'HOME &amp; DECOR' link in the main menu. On the left side, there are filters for 'SHOP BY PRICE' (ranging from \$0.00 to \$700.00 and above), 'COLOR' (Black, Charcoal), and 'ELECTRONIC TYPE' (Accessories, Camera, Media Players, Speakers + Earphones). The central content area shows a grid of products: MADISON LX2200 camera, MADISON RX3400 camera, MP3 PLAYER WITH AUDIO, MADISON RGB DIGITAL MEDIA PLAYER, MADISON OVEREAR HEADPHONES, MADISON EARBLUDS, LARGE CAMERA BAG, and 16GB MEMORY CARD. Each product has a small image, a name, a price, and a rating. Buttons for 'ADD TO CART', 'VIEW DETAILS', and 'COMPARE' are also visible.

*Categories in Main Menu*

# Category Levels

The number of subcategory levels that you can have in the top navigation is set in the system configuration. By default, there is no limit to the number of levels of subcategories you can set up. In the following image, the Home & Decor category has a depth of two levels.



*Subcategory Levels*

## To set the depth of the top navigation:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Catalog, select **Catalog**.
2. Click to expand the **Category Top Navigation** section.

A screenshot of the "Category Top Navigation" configuration screen in the Magento Admin. It shows a single input field labeled "Maximal Depth" with the value "0" entered. To the right of the input field is a "[GLOBAL]" button.

*Category Top Navigation*


3. To place a limit on the number of subcategories that can be used in the top navigation, enter the number in the **Maximal Depth** field.

The default Maximal Depth value is 0, which does not limit the number of subcategory levels you can have.

4. When complete, click the **Save Config** button.

# Creating Categories

When working in the Admin, the category structure is like an upside-down tree, with the root at the top. Each section of the tree can be expanded and collapsed. Any disabled or hidden categories are grayed out.



## Process Overview:


- Step 1: Create a Category
- Step 2: Complete the General Information
- Step 3: Complete the Display Settings

## Step 1: Create a Category

1. On the Admin menu, select **Catalog > Manage Categories**.
2. Before you begin, set **Choose Store View** to the store or view. By default, the scope of the category configuration is set to “All Store Views.”
3. In the category tree, click the category that is to be the parent of the new category. The parent is the level just above the new category.

If you’re starting from the beginning without any data, there might be only two categories in the list: “Default Category,” which is the root, and an “Example Category.”

4. Click the **Add Subcategory** button.



Category Tree

## Step 2: Complete the General Information

1. In the General Information section, do the following:
  - a. (Required) Type the **Name** of the category.
  - b. (Required) To enable the category, set **Is Active** to “Yes.”
  - c. You can enter a **URL Key** for the category, or let the system automatically create one that is based on the category name.
2. If supported by your theme, you can display a **Thumbnail** image in the main menu for each category. Click the **Choose File** button and select the image to upload.
3. In the **Description** box, enter a paragraph or two of descriptive text for the category landing page.
4. To display an **Image** at the top of the category landing page, click the **Choose File** button and select the image to upload.
5. Complete the category meta data:
  - Page Title
  - Meta Keywords
  - Meta Description
6. (Required) To include the category in the main menu, set **Include in Navigation Menu** to “Yes.”
7. Click the **Save Category** button. Then, take note of the following:

- The new category now appears in the tree. If it's not in the correct position, you can drag it to another location in the tree.
- In addition to the category name, it has an ID number shown in parentheses, just after the name at the top of the page.
- A URL Key that is based on the category name can be automatically generated for the category.

General Information		
Name *	My Category	[STORE VIEW]
Is Active *	Yes	[STORE VIEW]
URL Key	my-category	[STORE VIEW]
<input checked="" type="checkbox"/> Create Custom Redirect for old URL		

*Category URL Key*

### Step 3: Complete the Display Settings

You can configure the category landing page to display both a static block and product list, or one or the other. A static block can provide additional information, including text, images, and even embedded video.

Display Settings		
Display Mode	Static block only	[STORE VIEW]
CMS Block	Category Landing Page Women	[STORE VIEW]
Is Anchor	Yes	[GLOBAL]
Available Product Listing Sort By *	Best Value Name Price	<input checked="" type="checkbox"/> Use All Available Attributes [STORE VIEW]
Default Product Listing Sort By *	Best Value	<input checked="" type="checkbox"/> Use Config Settings [STORE VIEW]
Layered Navigation Price Step		<input checked="" type="checkbox"/> Use Config Settings [STORE VIEW]

*Display Settings*

- On the **Display Settings** tab, do the following:
  - Set **Display Mode** to one of the following:
    - Products Only
    - Static Block Only
    - Static Block and Products
  - If applicable, set **CMS Block** to the static block that you want to appear on the category page.
  - If you want this category page to display the “Filter by Attribute” section of layered navigation, set **Is Anchor** to “Yes.”

- d. Clear the checkbox under **Default Product Listing Sort By**. Then select one of the available values to sort the list. By default, all available attributes are listed. The default values typically include:
  - Best Value
  - Name
  - Price
2. When complete, click the **Save Category** button.

## Modifying Categories

After a category is established, it can be edited, moved to another position in the category tree, or deleted from the catalog. However, if your catalog is live, you should consider how the change might impact any existing links to products in the category. For example, if your product URLs include the category path, and the category name is changed, any existing links to products in the category will be broken. To avoid this problem, you can configure your catalog to automatically create a permanent redirect if the URL key changes. You can also use the [URL Rewrite](#) tool to redirect traffic from an old URL to a new one.

### To move a category:

1. On the Admin menu, select **Catalog > Manage Categories**.
2. To move a category, simply drag-and-drop it to a new location. Category order changes are saved automatically.


### To delete a category:

1. On the Admin menu, select **Catalog > Manage Categories**.
2. Click to select the category you want to delete.

A deleted category cannot be restored, so make sure that you have selected the correct category before proceeding.
3. Click the **Delete Category** button to save your changes.

## Root Categories

The category structure is like an upside-down tree, with the root on top. All categories in your catalog are nested below the root. Because the root category is the highest level of the catalog, your store can have only one root category active at a time. You can, however, create additional root categories for alternate catalog structures, different stores, and views. The root category is not visible to customers in the store, and does not have a URL key.



*Root Categories*

### Step 1: Create a New Root Category

1. On the Admin menu, select **Catalog > Manage Categories**.
2. In the upper-left of the Manage Categories page, click the **Add Root Category** button. Then, complete the following required fields:
  - a. Enter a **Name** for the root category.
  - b. Set **Is Active** to “Yes.”
  - c. If you want this root category to be in the main menu, set **Include in Navigation Menu** to “Yes.”
3. Complete the remaining optional fields as needed:
  - a. Click the **Choose File** to upload a **Thumbnail Image** for the root category.
  - b. Enter a **Description** of the root category.
  - c. Click the **Choose File** button to upload an **Image** to the root category.
  - d. Complete the following meta data:

- Page Title
  - Meta Keywords
  - Meta Description
4. Click the **Display Settings** tab. Then, set **Is Anchor** to “Yes.”
  5. When complete, click the **Save Category** button.

## Step 2: Add Subcategories to the New Root

1. On the Categories page, click the **General** tab.
2. In the category tree on the left, click to select the new root category you created in the last step.
3. Click the **Add Subcategory** button.
4. Give the subcategory a **Name**, and set **Is Active** to “Yes.”
5. Click the **Save Category** button.
6. Repeat this process to create as many subcategories as you need.

## Step 3: Apply the New Root Category to Your Store

1. On the Admin menu, select **System > Manage Stores**.
2. On the Manage Stores page, under Store Name, click the **Main Store** link.
3. Change **Root Category** to the new root category.
4. Click the **Save Store** button.

## Hidden Categories

There are many ways to use hidden categories. You might want to create additional category levels for your own internal purposes, but show only the higher-level categories to your customers. Or, you might want to link to a category that is not included in the navigation menu.

### To create hidden categories:

1. On the Admin menu, select **Catalog > Manage Categories**.
2. In the category tree, select the category you want to hide.
3. On the **General Information** tab, do the following:
  - a. Set **Is Active** to “No.”
  - b. Set **Include in Navigation Menu** to “No.”
4. On the **Display Settings** tab, set **Is Anchor** to “No.”
5. Although the category is hidden, you can still create additional subcategories beneath it, and make them active. Complete the following settings for each hidden subcategory:
  - a. On the **General Information** tab, set **Is Active** to “Yes.”
  - b. On the **Display Settings** tab, set **Is Anchor** to “Yes.”

As active categories, you can now link to them from other places in your store, but they will not appear in the navigation menu.

6. When complete, click the **Save Category** button.

## General Information

On the General Information tab, complete the basic information about the category you are creating or editing. You can enter keywords to improve the way the category is indexed by search engines, create a URL key for the category, and activate or deactivate the category.

The screenshot shows the 'General Information' tab of a Magento category configuration screen. The form contains the following fields:

- Name \***: Accessories [STORE VIEW]
- Is Active \***: Yes [STORE VIEW]
- URL Key**: accessories [STORE VIEW]  
Checkboxes: Create Custom Redirect for old URL
- Thumbnail Image**: Choose File [STORE VIEW] No file chosen
- Description**: WYSIWYG Editor [STORE VIEW]
- Image**: Choose File [STORE VIEW] No file chosen
- Page Title**: [STORE VIEW]
- Meta Keywords**: [STORE VIEW]
- Meta Description**: [STORE VIEW]
- Include in Navigation Menu \***: Yes [STORE VIEW]

*General Information*

## Field Descriptions

FIELD	SCOPE	DESCRIPTION
Name	Store View	(Required) The category name appears in the navigation, and also in the URL key of the category page and associated product pages.
Is Active	Store View	(Required) To make this category available, select “Yes.” Options include: Yes / No
URL Key	Store View	The URL Key is a relative path to the category, and is automatically generated when the category is saved. The URL Key must be all lower-case characters, with no spaces. As a best practice, each word is separated by a hyphen. If you edit the default URL key, a custom redirect is created automatically. A root category does not have a URL key.
Thumbnail Image	Store View	If supported by your theme, a thumbnail image can be associated with each category and appear as part of the option in the main menu of the store.
Description	Store View	The category description, if used, appears below the category image- and before the product list.
Image	Store View	The category image, if used, appears at the top of the category page, before the description and product list.  As an alternative, you can display a CMS static block in place of the description and image. (See <a href="#">Category Display Settings</a> .)
Page Title	Store View	The category page title appears in the browser tab and title bar. As a best practice, the title should be not more than twelve words in length, and should include a combination of primary and secondary keywords.
Meta Keywords	Store View	Keywords are used by some search engines, and not by others. You can use a keyword search tool to identify high value keywords that relate to your category. A general rule is to use no more than thirty keywords, or 180 characters. Avoid repeats, and empty words such as “a,” “an,” “or” and “that.”

### Field Descriptions (cont.)

FIELD	SCOPE	DESCRIPTION
Meta Description	Store View	Enter a description of the category, using approximately twenty-five words or 150 characters.
Include in Navigation Menu	Store View	(Required) Determines if the category is included in the main menu. Options include:
	Yes	Include this category in the top navigation, select "Yes."
	No	Hides the category, although it is active. Hidden categories do not appear in the top navigation, but are included in layered navigation.

## Display Settings

The Display Settings determine which content elements appear on a category page and the order that products are listed. You can enable CMS blocks, set the anchor status of the category, and manage sorting options from this page.

The screenshot displays the 'Display Settings' configuration page in the Magento Admin Panel. It includes fields for Display Mode (set to 'Static block only'), CMS Block (set to 'Category Landing Page Women'), Is Anchor (set to 'Yes'), Available Product Listing Sort By (with options 'Best Value', 'Name', and 'Price'), Default Product Listing Sort By (set to 'Best Value'), and Layered Navigation Price Step (with a checkbox for 'Use Config Settings').

*Display Settings*

## Field Descriptions

FIELD	SCOPE	DESCRIPTION
Display Mode	Store View	Determines the content elements displayed on the category page. Options include: Products Only Static Block Only Static Block and Products
CMS Block	Store View	To display a CMS static block at the top of the category page, select the name of the block from the list.
Is Anchor	Global	When set to “Yes,” includes the “filter by attribute” section in the layered navigation. Options include: Yes / No
Available Product Listing Sort By	Store View	(Required) The default values are Value, Name, and Price. To customize the sorting option, clear the Use All Available Attributes checkbox and select the attributes you want to use. You can define and add attributes as needed.
Default Product Listing Sort By	Store View	(Required) To define the default “Sort By” option, clear the “Use Config Settings” checkbox and select an attribute.
Layered Navigation Price Step	Store View	By default, Magento displays the price range in increments of 10, 100, and 1000, depending on the products in the list. To change the Price Step range, clear the “Use Config Settings” checkbox.

## Custom Design

The Custom Design tab gives you control over the look and feel of a category and all assigned product pages, including the content blocks and page layout. You can customize a category page its assigned products for a promotion or to differentiate the category from others and increase sales. For example, you might develop distinctive design for a brand or special line of products.

The screenshot shows the 'Custom Design' configuration interface. It includes fields for 'Use Parent Category Settings' (set to 'No'), 'Apply To Products' (set to 'No'), 'Custom Design' (set to 'Please Select'), 'Active From' and 'Active To' (both with calendar icons), 'Page Layout' (set to '1 column'), and a 'Custom Layout Update' section containing XML code: <reference><remove name='right.poll'></reference>. There are also several '[STORE VIEW]' buttons on the right side of the form.

*Custom Design*

### To create a custom category design:

1. If the parent category of the selected category has already been customized and you want to use same settings, set **Use Parent Category Settings** to “Yes.”
2. To apply the custom design to all the products assigned to the category, set **Apply to Products** to “Yes.” Otherwise, the customization applies to only the category page.
3. To apply a different theme to the category, select the theme you want to use from the **Custom Theme** list.
4. To apply the category design to a specific range of time, click the calendar to select both the **Active From** and **Active To** dates. Otherwise, the design will take effect when you save the changes to the category.
5. Click the **Save Category** button to save your changes.

## Field Descriptions

FIELD	SCOPE	DESCRIPTION	
Use Parent Category Settings	Store View	Allows the current category to inherit the design settings from the parent category. Options include: Yes / No	
Apply to Products	Store View	Applies the custom settings to all products in the category. Options include: Yes / No	
Custom Theme	Store View	Applies a custom theme to the category.	
Active From	Store View	The beginning of a date range that specifies the first day the theme is to be used in the store. The date can be entered or selected from the calendar.	
Active To	Store View	The end of a date range that specifies the last day the theme is to be used in the store. The date can be entered or selected from the calendar	
Page Layout	Store View	Applies a different layout to the category page. Options include:	
	No layout updates	Pre-selected by default, and does not apply layout changes to the category page.	
	Empty	Use to define your own page layout.(Requires an understanding of XML.)	
	1 column	Applies a one-column layout to the category page.	
	2 columns with left bar	Applies a two-column layout with a left sidebar to the category page.	
	2 columns with right bar	Applies a two-column layout with a right sidebar to the category page.	
	3 columns	Applies a three-column layout to the category page.	
Custom Layout Update	Store View	Updates the theme layout with custom XML code.	

# Category Products

The Category Products tab lists the products that are currently assigned to the category. From the list, you can easily add and remove products from the category.

The screenshot shows a grid of product items under the 'Category Products' tab for the 'Women' category (ID: 4). The grid includes columns for ID, Name, SKU, Price, and Position. A search bar at the top right allows filtering by name, price range, and position. The grid displays 20 products per page, with a total of 575 records found across 29 pages. The products listed include various apparel and accessories like 'Black Nolita Cami-Black-S', 'Black Nolita Cami-Black-XS', 'Nolita Cami-Pink-L', 'Black Nolita Cami', 'Ellis Flat', 'Broadway Pump', 'Annie Pump', 'Plaza Platform', 'Prima Pump', 'Hudson Snakeskin Pump', 'Yuca Sneaker', 'Studio Dress Shop', 'Lenox Boot', 'Empire Oxford', 'Broad St Saddle Shoes', 'Mercer Loafer', 'Studio Dress Shoe', 'Brooklyn Jean Jacket', and 'Noa Sheer Blouse'. Each item has a checkbox next to its ID for selection.

ID	Name	SKU	Price	Position
851	Black Nolita Cami-Black-S	wbk002c-Black-S	\$150.00	
850	Black Nolita Cami-Black-XS	wbk002c-Black-XS	\$150.00	
879	Nolita Cami-Pink-L	wbk000c-Pink-L	\$150.00	
876	Black Nolita Cami	wbk002M	\$150.00	
877	Black Nolita Cami	wbk002c	\$150.00	
875	Ellis Flat	shw005	\$250.00	
874	Broadway Pump	shw004	\$410.00	
873	Annie Pump	shw003	\$390.00	
872	Plaza Platform	shw002	\$320.00	
871	Prima Pump	shw001	\$375.00	
870	Hudson Snakeskin Pump	shw000	\$375.00	
859	Yuca Sneaker	shm005	\$350.00	
868	Studio Dress Shop	shm004	\$410.00	
867	Lenox Boot	shm003	\$550.00	
866	Empire Oxford	shm002	\$410.00	
865	Broad St Saddle Shoes	shm001	\$390.00	
864	Mercer Loafer	shm000	\$310.00	
853	Studio Dress Shoe	shm009	\$410.00	
838	Brooklyn Jean Jacket	Pwt007	\$320.00	
837	Noa Sheer Blouse	Pwt006	\$175.00	

*Category Products*

## To assign products to a category:

1. From the category record, click the **Category Products** tab. Then, do the following:
  - a. Use the filters and checkbox control to find the products you want to assign:
    - To display all products currently assigned to the category, set the checkbox control to “Yes.”
    - To display all products that are not assigned to the category, set the checkbox control to “No.”
    - To display all products, set the checkbox control to “Any.”
  - b. Press the **Search** button.
  - c. To list all products again, click the **Reset Filter** button.
2. Select the checkbox of each product you want to assign to the category.
3. When complete, click the **Save Category** button.



## CHAPTER 11:

# Attributes

Attributes are the building blocks of your product catalog, and describe specific characteristics of a product. Here are a few ways you can use attributes to enhance the shopping experience:

- Input controls for product options
- Provide additional information on product pages
- Search parameters
- In product comparison reports
- As layered navigation “Shop By” parameters
- In catalog and shopping cart price rules

Each attribute contains a value that describes a characteristic of a product, such as “color” or “fabric.” The “color” attribute with the “dropdown” input type might contain many values, although only a few apply to any given product. Because a single attribute can be used with multiple products, your store needs to have only one attribute for color. You can create as many attributes as you need, and assign the most common value as the default, to make it easy for your customers to select the option.

The attributes that make up a product are combined into an attribute set, which is used as template to create new products. The attribute set determines which fields are included in a product, and how they are grouped in the Product Information panel. Magento has a default attribute set with a standard selection of product attributes such as Name, Price, Description, and so on. If you want to keep it simple, you can use the default attribute set for your entire catalog.


## Attribute Input Types

When viewed from the Admin, attributes are the fields that you complete when you create a product. The input type that is assigned to an attribute determines the type of data that can be entered and the format of the field or input control. From the standpoint of the customer, attributes provide information about the product, and are the options and data entry fields that must be completed to purchase a product.

PROPERTY	DESCRIPTION
Text Field	A single line input field for text.
Text Area	A multiple-line input field for entering paragraphs of text such as a product description. You can use the WYSIWYG Editor to format the text with HTML tags, or type the tags directly into the text.
Date	Date values can be entered by making a selection from a drop-down list, or from a popup calendar. Depending on your system configuration, dates can be typed directly into a field, or selected from the calendar or list. To format date and time values, see: <a href="#">Date &amp; Time Custom Options</a> .
Yes/No	Displays a drop-down list with pre-defined options of “Yes” and “No.”
Dropdown	Displays a drop-down list of values. Only one item can be selected at a time. The Dropdown input type is a key component of configurable products.
Multiple Select	Displays a drop-down list of values. To select more than one option, hold the Ctrl key down and click each item.
Price	This input type is used to create price fields that are in addition to the predefined attributes, Price, Special Price, Tier Price and Cost. The currency used is determined by your system configuration.
Media Image	Associates an additional image with a product, such as a product logo, care instructions, or ingredients from a food label. When you add a media image attribute to the attribute set of a product, it becomes an additional image type, along with Base, Small, and Thumbnail. The media image attribute can be excluded from the thumbnail gallery, but can still be used.
Fixed Product Tax	Lets you define FPT rates based on the requirements of your locale. To learn more, see: <a href="#">General Tax Settings</a> .

## Date & Time Custom Options

You can customize the format of date and time fields, and select the input control used for dates. Dates values can be selected from a drop-down list, or from a popup JavaScript calendar. The following page has an example of each type of date input control.



*Date Input Controls*

### To format date/time fields:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Catalog, select **Catalog**.
2. Click to expand the **Date & Time Custom Options** section. Then, do the following:

The screenshot shows the 'Date & Time Custom Options' configuration screen in the Magento Admin. It includes the following settings:
 

- 'Use JavaScript Calendar': Set to 'No'.
- 'Date Fields Order': Set to 'Month / Day / Year'.
- 'Time Format': Set to '12h AM/PM'.
- 'Year Range': A field with 'from' and 'to' dropdowns, and a note: '▲ Use four-digit year format.'

 There are also '[STORE VIEW]' buttons next to each setting.

*Date & Time Custom Options*

- a. To display the JavaScript calendar as an input control for date fields, set **Use JavaScript Calendar** to “Yes.”
  - b. To establish the **Date Fields Order**, set each to one of the following:
    - Month
    - Day
    - Year
  - c. Set your preferred **Time Format** to one of the following:
    - 12h AM/PM
    - 24h
  - d. To set the **Year Range** for the drop-down year values, enter the year in YYYY format to establish the beginning and ending **from** and **to** dates.
- If left blank, the field defaults to the current year.

3. When complete, click the **Save Config** button.

## Creating Attributes

The properties of an attribute determine how it can be used in your catalog and how it appears throughout your store. In addition to the basic properties, there are additional properties for drop-down and multiple-select input types, their values, and associated labels. The title, or label, identifies the attribute in the Admin and your storefront. If your store is available in multiple languages, you can enter a different translated label for each language. Attributes can be created with the Manage Attributes tool, and also from inside a product record.

Attribute Code	Attribute Label	Required	System	Visible	Scope	Searchable	Use in Layered Navigation	Comparable
accessories_size	Accessories Size	No	No	No	Global	Yes	Filterable (with results)	No
accessories_type	Accessories Type	No	No	No	Global	Yes	No	No
appare_type	Type	Yes	No	Yes	Global	Yes	Filterable (with results)	No
author_artist	AuthorArtist	No	No	Yes	Global	Yes	No	No
bag_luggage_type	Bag & Luggage Type	No	No	No	Global	Yes	Filterable (with results)	No
bedding_pattern	Bedding Pattern	No	No	No	Global	Yes	No	No
bed_bath_type	Bed & Bath Type	No	No	Yes	Global	No	Filterable (with results)	No
books_music_type	Books & Music Type	No	No	Yes	Store View	Yes	No	No
camera_megapixels	Camera Megapixels	No	No	No	Global	Yes	No	No
camera_type	Camera Type	No	No	No	Global	Yes	No	No
color	Color	No	No	Yes	Global	Yes	Filterable (with results)	Yes
cost	Cost	No	No	No	Website	No	No	No
country_of_manufacture	Country of Manufacture	No	Yes	No	Website	No	No	No
custom_design	Custom Design	No	Yes	No	Store View	No	No	No
custom_design_from	Active From	No	Yes	No	Store View	No	No	No
custom_design_to	Active To	No	Yes	No	Store View	No	No	No
custom_layout_update	Custom Layout Update	No	Yes	No	Store View	No	No	No
decor_type	Decor Type	No	No	Yes	Global	Yes	Filterable (with results)	No
description	Description	Yes	Yes	No	Store View	Yes	No	Yes
electronic_type	Electronic Type	No	No	Yes	Global	Yes	Filterable (with results)	No

Manage Attributes

**Process Overview:****Step 1: Assign the Attribute Properties****Step 2: Define the Label and Values**

## Step 1: Assign the Attribute Properties

1. On the Admin menu, select **Catalog > Attributes > Manage Attributes**. Then, click the **Add New Attribute** button.
2. In the Attribute Properties section, complete the following required (\*) properties:
  - a. Enter a unique **Attribute Code** to identify the attribute internally. The code should be all lowercase characters without spaces.
  - b. In the **Apply To** list, choose each product type that is associated with the attribute.

The screenshot shows the 'Attribute Properties' configuration screen. The fields and their current values are:

Field	Value
Attribute Code *	[Empty]
Scope	Store View
Catalog Input Type for Store Owner	Text Field
Default Value	[Empty]
Unique Value	No
Values Required	No
Input Validation for Store Owner	None
Apply To *	All Product Types

*Attribute Properties*


3. Complete the remaining **Attribute Properties** as needed.
  - a. Set **Scope** to the indicate where the attribute can be used.
  - b. Set **Catalog Input Type for Store Owner** to the type of **input control** used by the store administrator during data entry.
  - c. If you want to prevent duplicate values from being entered in this field, set **Unique Value** to "Yes."
  - d. To require that a value must be entered in the field before the record can be saved, set **Values Required** to "Yes."
  - e. To run a validity test of data entered into the field, set **Input Validation for Store Owner** to the type of data the attribute should contain.
4. In the **Frontend Properties** section, complete as many of the settings as needed.

Frontend Properties	
Use in Quick Search	No
Use in Advanced Search	No
Comparable on Front-end	No
Use In Layered Navigation	No
	<small>↳ Can be used only with catalog input type Dropdown, Multiple Select and Price</small>
Use In Search Results Layered Navigation	No
	<small>↳ Can be used only with catalog input type Dropdown, Multiple Select and Price</small>
Use for Promo Rule Conditions	No
Position	
	<small>↳ Position of attribute in layered navigation block</small>
Allow HTML Tags on Frontend	Yes
Visible on Product View Page on Front-end	No
Used in Product Listing	No
	<small>↳ Depends on design theme</small>
Used for Sorting in Product Listing	No
	<small>↳ Depends on design theme</small>

Frontend Properties

## Step 2: Define the Label and Values

1. In the Attribute Information panel on the left, select **Manage Label / Options**. Then, do the following:
  - a. In the Manage Titles section, under Admin, enter a descriptive label to identify the field during data entry.
  - b. The next column determines how the label appears in your storefront. You can leave the box blank to use the Admin label as the default.
  - c. If your store is available in multiple languages, enter a translated label into each box, as needed.
2. For drop-down or multiple-select input types, do the following:
  - a. In the Manage Options section, click the **Add Option** button.
  - b. In the new row, under **Admin**, type the value you want to use in your store's Admin.
  - c. Enter the value you want your customers to see. (Leave blank to use the Admin value as the default.)
  - d. If applicable, enter a translated value for each language supported.
  - e. Enter a number to determine the **Position** of this value in relation to other options in the list.
  - f. Select **Is Default** to automatically select this value.
  - g. Repeat these steps for each value you want to add to the list.



*Manage Label / Options for Dropdown Input Type*

3. When complete, click the **Save Attribute** button.

The attribute appears in the Manage Attributes list, sorted in alphabetical order by Attribute Code. Use the [Page controls](#) to view each page of the list.

## Deleting Attributes


If you used sample data while setting up your store, you might have attributes that aren't needed for your catalog. When an attribute is deleted, it is removed from any related products and attribute sets. System attributes are part of the core functionality of your store and cannot be deleted.

### To delete an attribute:

1. On the Admin menu, select **Catalog > Attributes > Manage Attributes**.
2. In the list, find the attribute and click to open the record.
3. Click the **Delete Attribute** button.
4. When prompted to confirm, click **OK**.

## Creating an Attribute Set

One of the first steps when creating a product is to choose the attribute set that is used as a template for the product record. The attribute set determines the fields that are available during data entry, and the values that appear to the customer.



Manage Attribute Sets

Your store comes with an initial attribute set called “default” which contains a set of commonly-used attributes. If you would like to add only a small number of attributes, you can add them to the default attribute set. However, if you sell products that require specific types of information, such as cameras, it might be better to create a dedicated attribute set that includes the special attributes (fields) needed to describe the product.

A single attribute can be used by as many different attribute sets as is necessary. For example, the attribute “color” can be included in an attribute set for clothing, paint, or for any number of different products.

### To create an attribute set:

1. On the Admin menu, select **Catalog > Attributes > Manage Attribute Sets**.
2. Click the **Add New Set** button. Then, do the following:



Edit Set Name

- a. Enter a **Name** for the attribute set.
- b. In the **Based On** field, select another attribute set from which this attribute set is to inherit attributes. This option enables you to reuse the attributes already defined in a set to build other attribute sets. The simple option is to leave the Default option that appears in this field.

3. Click the **Save Attribute Set** button. The next page displays the following:
  - The top left of the page shows the name of the attribute set defined earlier. You have the option to edit the name because this value is for internal use.
  - The center of the page shows a hierarchical tree representing Groups for attributes.
  - The right side of the page shows a list of defined attributes that are not assigned to this attribute set.
4. Select the attribute to be assigned to this Group by dragging them from the **Unassigned Attributes** area on the right into the relevant **Group** in the middle of the page.
5. When the attribute set is complete, click the **Save Attribute Set** button.

The screenshot shows the 'Edit Attribute Set' page in the Magento Admin Panel. On the left, there's a sidebar with 'Edit Set Name' and a 'Groups' section containing a tree view of attribute categories. In the center, there's a large 'Groups' section where users can drag attributes from the 'Unassigned Attributes' list on the right into specific groups. A message at the top of the page indicates that the attribute set has been saved. The 'Unassigned Attributes' list includes items like 'accessories\_size', 'accessories\_type', 'apparel\_type', etc.

*Edit Attribute Set*

System Attributes are marked with a dot and cannot be removed from the Groups list.  
However, you can drag them to another Group in the attribute set.

### To create a new attribute group:

1. In the Groups section of the attribute set, click the **Add New** button.
2. Enter a **Name** for the new group, and click **OK**.
3. Do either of the following:
  - Drag **Unassigned Attributes** to the new group.
  - Drag attributes from any other group to the new group.

The new group becomes a section in the Product Information panel for any product that is based on this attribute set.

# Attribute Quick Reference

## Product Type Properties

PROPERTY	DESCRIPTION
Apply To	Identifies the product types that can use the attribute. Visibility must be set to include the catalog.
Use to Create Configurable Product	Identifies an attribute that is used to create a drop-down list of options for a configurable product.

## Data Entry Properties

PROPERTY	DESCRIPTION
Default Value	Displays a common entry as a starting value.
Unique Value	Prevents duplicate values from being entered.
Values Required	Requires a value to be entered before the record can be saved.
Input Validation	Performs a validation check of the data, based on data type, or format.

## Search and Navigation Properties

PROPERTY	DESCRIPTION
Use in Quick Search	Lets customers use the Search box to find items based on the value of the attribute.
Use in Advanced Search	Includes the attribute as a field on the Advanced Search form.
Use in Layered Navigation	Includes the attribute in the layered navigation that is displayed for category lists.
Use in Search Results Layered Navigation	Includes the attribute in the layered navigation that is displayed for search results lists.
Position	Determines the position of the attribute when listed with others in the layered navigation list.
Use in Product Listing	(Depending on theme) Includes the attribute in the product listing.
Use for Sorting in Product Listing	(Depending on theme) Includes this attribute as an option in the Sort By list, which can be used to sort a product list.

## Rules and Comparison Properties

PROPERTY	DESCRIPTION
Comparable on Front-end	Includes the attribute in the Compare Products report.
Use for Promo Rule Conditions	Allows the attribute to be used as the basis of a condition that triggers a promotional Price Rule or Shopping Cart rule.

## Presentation Properties

PROPERTY	DESCRIPTION
Visible on Product View Page	Includes the attribute on the Additional Information tab of the product view page.
Allow HTML Tags on Frontend	Permits text fields and areas to be manually tagged with HTML.
Enable WYSIWYG Editor	Makes the WYSIWYG Editor available for tagging a text field or text area with HTML.

# Attribute Properties

The Attribute Properties define the individual characteristics that determine how an attribute can be used in the product catalog.

<b>Attribute Properties</b>	
<b>Attribute Code *</b>	<input type="text"/> <small>▲ For internal use. Must be unique with no spaces. Maximum length of attribute code must be less than 30 symbols</small>
<b>Scope</b>	<input type="text" value="Store View"/> <small>▲ Declare attribute value saving scope</small>
<b>Catalog Input Type for Store Owner</b>	<input type="text" value="Text Field"/> <small>▼</small>
<b>Default Value</b>	<input type="text"/> <small>▼</small>
<b>Unique Value</b>	<input type="text" value="No"/> <small>▲ Not shared with other products ▼</small>
<b>Values Required</b>	<input type="text" value="No"/> <small>▼</small>
<b>Input Validation for Store Owner</b>	<input type="text" value="None"/> <small>▼</small>
<b>Apply To *</b>	<input type="text" value="All Product Types"/> <small>▼</small>

## *Attribute Properties*

## Property Descriptions

PROPERTY	DESCRIPTION
Attribute Code	(Required) A unique identifier for internal use. The Attribute Code must begin with a letter, but can include a combination of lowercase letters (a-z) and numbers (0-9). The code must be less than thirty characters in length and cannot include any special characters or spaces, although an underscore (_) can be used to indicate a space.
Scope	Limits the use of an attribute to a specific store view or website.
	Options include:
	Store View
	Website
	Global
Catalog Input Type for	Determines the data type and input control that is used to
Store Owner	manage the product from the store Admin. Options include:
	Text Field
	A single line input field for text.
	Text Area
	A multiple-line input field that can
	display paragraphs of text
	formatted with HTML.

## Property Descriptions (cont.)

PROPERTY	DESCRIPTION
Date	An input field for date values. The date can be typed directly into the field, or selected from a list or calendar.
Yes/No	A drop-down list with pre-defined options of “Yes” and “No.”
Dropdown	A drop-down list of configurable options, from which only one can be selected.
Multiple Select	Displays a drop-down list of configurable options. To select more than one option, hold down the Ctrl key and click each item.
Price	An input type that can be used to create price fields in addition to the predefined attributes: Price, Special Price, Tier Price and Cost.
Media Image	An additional image that can be included in the attribute set of a product.
Fixed Product Tax	An input type that gives you the ability to define FPT rates based on the requirements of your locale.
Default Value	Assigns a starting value to the attribute to help during data entry. To assign a default value for Multiple Select or Dropdown input types, see: <a href="#">Creating Attributes</a> .
<p style="border: 1px solid #ccc; padding: 5px;">A default value cannot be set for Multiple Select, Dropdown, or Fixed Product Tax input types.</p>	
Unique Value	To prevent duplicate values in a data entry field, set Unique Value to “Yes.” Options include: Yes / No

## Property Descriptions (cont.)

PROPERTY	DESCRIPTION
Values Required	To require that a value to be entered in this field before the record can be saved, set Values Required to “Yes.” Options include: Yes / No
Input Validation for Store Owner	<p>Performs a validation check of the data entered in the field, based on the following options:</p> <ul style="list-style-type: none"> <li>None</li> <li>Decimal Number</li> <li>Integer Number</li> <li>Email</li> <li>URL</li> <li>Letters</li> <li>Letters (a-z, A-Z) or Numbers (0-9)</li> </ul>
Apply To	<p>(Required) Identifies the product types to which this attribute applies. Options include:</p> <ul style="list-style-type: none"> <li>All Product Types</li> <li>Selected Product Types</li> <li>Simple Product</li> <li>Grouped Product</li> <li>Configurable Product</li> <li>Virtual Product</li> <li>Bundle Product</li> </ul>
Use to Create Configurable Product	(Dropdown input type only) Select “Yes” if this attribute will be used to create a drop-down list for a configurable product. Options include: Yes / No

## Attribute Frontend Properties

The Frontend Properties determine how an attribute can be used in your store. You can specify how attributes are used in search, layered navigation, product comparisons, price rules, and sorting. For text attributes, you can enable the WYSIWYG editor and specify if HTML tags can be used to format the value.

Frontend Properties	
Use in Quick Search	No
Use in Advanced Search	No
Comparable on Front-end	No
Use In Layered Navigation	No
	<small>▲ Can be used only with catalog input type Dropdown, Multiple Select and Price</small>
Use In Search Results Layered Navigation	No
	<small>▲ Can be used only with catalog input type Dropdown, Multiple Select and Price</small>
Use for Promo Rule Conditions	No
Position	
	<small>▲ Position of attribute in layered navigation block</small>
Allow HTML Tags on Frontend	Yes
Visible on Product View Page on Front-end	No
Used in Product Listing	No
	<small>▲ Depends on design theme</small>
Used for Sorting in Product Listing	No
	<small>▲ Depends on design theme</small>

*Frontend Properties*

### Property Descriptions

PROPERTY	DESCRIPTION
Use in <a href="#">Quick Search</a>	Select “Yes” if you want people to be able to search the catalog based on the value of this attribute. Options include: Yes / No
Use in <a href="#">Advanced Search</a>	Gives shoppers the ability to enter their search criteria through a form. Options include: Yes / No
	<div style="border: 1px solid #ccc; padding: 5px; background-color: #f9f9f9;">Using too many attributes can slow down search.</div>
Comparable on Front-end	Select “Yes” to include this attribute as a row in the Compare Products report. Options include: Yes / No
Use In <a href="#">Layered Navigation</a>	(Dropdown, Multiple Select and Price input types only) Includes the attribute as a filter in the “Shop By” section of layered navigation. Options include:
No	The attribute is not used in layered navigation.

## Property Descriptions (cont.)

PROPERTY	DESCRIPTION
Filterable (with results)	Lists only products that match the filter value.
Filterable (no results)	Lists all attribute values, even those that do not apply to any product in the list. Layered navigation appears on a category page only if there are filterable attributes available.
Use In Search Results Layered Navigation	To include the attribute in the layered navigation for search results, select “Yes.” Options include: Yes / No
Use for Promo Rule Conditions	To make the attribute available for use in price rules, select “Yes.” Options include: Yes / No
Position	Determines the position of the attribute in layered navigation in relation to other filterable attributes.
Enable WYSIWYG	(Text Area input type only) To display the editor when entering or editing the attribute value, select “Yes.” The editor can be used to format field descriptions with HTML tags. Options include: Yes / No
Allow HTML Tags on Frontend	(Text Field and Text Area input types only) To be able to format the attribute value with HTML tags, select “Yes.” Options include: Yes / No
Visible on Product View Page on Front-end	(Simple and virtual products only) To include the attribute on the Additional Information tab of the product page, select “Yes.” Options include: Yes / No
Used in Product Listing	Depends on the theme. To include the attribute in product summaries that appear in catalog listings, select “Yes.”
Used for Sorting in Product Listing	(Depends on theme) To include this attribute as a “Sort By” option for catalog listings, select “Yes.”



## CHAPTER 12:

# Flat Catalog

Magento typically stores catalog data in multiple tables, based on the Entity-Attribute-Value (EAV) model. Because attributes are stored in many tables, SQL queries are sometimes long and complex.

In contrast, a flat catalog creates new tables on the fly, where each row contains all the necessary data about a product or category. The flat catalog is updated automatically—either every minute, or according to your cron job. Flat catalog indexing also applies to catalog and shopping cart price rules. A catalog with as many as 500,000 SKUs can be indexed quickly as a flat catalog. To learn more, see: [Setting Up a Flat Catalog](#).

The screenshot shows the 'Frontend' configuration section of the Magento Admin. A callout box highlights the 'Allow All Products' dropdown, which is set to 'Yes'. A curved arrow points from this highlighted setting to the 'Best Value' dropdown under 'Product Listing Sort by', which is also set to 'Yes'. Other visible settings include 'List Mode' (Grid (default) / List), 'Products per Page on Grid' (9, 15, 30), 'Products per Page on List' (9, 10, 15, 20, 25), and 'Allow Dynamic Media URLs in Products and Categories' (Yes).

*Frontend*

# Setting Up a Flat Catalog

Before you enable a flat catalog for a live store, make sure to test the configuration in a development environment.


## Process Overview:

Step 1: [Enable the Flat Catalog](#)

Step 2: [Verify the Results](#)

## Step 1: Enable the Flat Catalog

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Catalog, select **Catalog**.
2. Click to expand the **Frontend** section. Then, do the following:



Frontend

- a. Set **Use Flat Catalog Category** to “Yes.”
- b. Set **Use Flat Catalog Product** to “Yes.”
3. When complete, click the **Save Config** button.
4. When prompted to refresh the indexes, click the **Index Management** link in the message at the top of the workspace and follow the instructions to reindex the data.

The screenshot shows the Magento Admin Panel's 'Index Management' section. It lists various indexes with their descriptions, update requirements, and last updated times. A callout box highlights the 'Category Flat Data' row, which has a status of 'REINDEX REQUIRED' and was last updated on April 25, 2013, at 11:19:05 PM. Other indexes shown include Product Attributes, Product Prices, Catalog URL Rewrites, and Stock Status.

Index	Description	Update Required	Updated At	Action
Product Attributes	Index product attributes for layered navigation building	NEEDS REINDEX	May 5, 2014 10:47:35 AM	<a href="#">Reindex Data</a>
Product Prices	Index product prices	NEEDS REINDEX	May 5, 2014 2:01:36 AM	<a href="#">Reindex Data</a>
Catalog URL Rewrites	Indexes product and categories URLs rewrites	NEEDS REINDEX	May 5, 2014 10:47:35 AM	<a href="#">Reindex Data</a>
<b>Category Flat Data</b>	Reorganize EAV product structure to flat structure	<b>REINDEX REQUIRED</b>	Apr 25, 2013 11:19:05 PM	<a href="#">Reindex Data</a>
Category Flat Data	Reorganize EAV category structure to flat structure	NEEDS REINDEX	Apr 12, 2013 9:19:07 PM	<a href="#">Reindex Data</a>
Category Products	Indirect categories/products association	NEEDS REINDEX	May 5, 2014 10:47:35 AM	<a href="#">Reindex Data</a>
Catalog Search Index	Rebuild Catalog product/facet search index	NEEDS REINDEX	May 5, 2014 10:47:35 AM	<a href="#">Reindex Data</a>
Stock Status	Index Product Stock Status	NEEDS REINDEX	May 5, 2014 10:58:43 AM	<a href="#">Reindex Data</a>
Tag Aggregation Data	Rebuild Tag aggregation data	NEEDS REINDEX	May 5, 2014 10:47:35 AM	<a href="#">Reindex Data</a>

*Reindex Required*

## Step 2: Verify the Results


### Method 1: Verify the Results for a Single Product

1. On the Admin menu, select **Catalog > Manage Products**. Then, do the following:
  - a. Choose a product to modify. Then, open the product in edit mode.
  - b. In the **Name** field, add the text “\_DEMO” to the product name.
2. Click the **Save** button.
3. On a new browser tab, navigate to the home page of your store.
4. Search for the product you edited, and browse to its assigned category.


If necessary, refresh the page to verify the results. The change will appear within the minute or according to your cron job schedule.

### Method 2: Verify the Results for Multiple Products

1. On the Admin menu, select **Catalog > Categories > Manage Categories**.
2. In the upper-left corner, set **Current Configuration Scope** to one of the following:
  - All Store Views
  - A specific store view
3. In the panel on the left, select an existing category. Click the **Add Subcategory** button, and do the following:
  - a. In the **Name** field, enter “Test Category.”
  - b. Set **Is Active** to “Yes.”
  - c. Click the **Save Category** button.

*New Subcategory*

- d. Click the **Category Products** tab. Then, click the **Reset Filter** button to display all products.
- e. Select the checkbox of several products to add them to the new category. Then, click the **Save Category** button.

*Category Products*

4. On a new browser tab, navigate to the home page of your store. then, Find the category you created.

If necessary, refresh the page to verify the results. The change will appear within the minute or according to your cron job schedule.



## CHAPTER 13:

# Creating Products


Choosing a product type is one of the first things you must do to create a new product. In this chapter, you will learn how to create a product of each type. To learn more about all the available options, see [Product Information](#).

If you are just starting out, you can create a few sample products and experiment with each type. Before building your catalog, make sure to read [Navigation by Category](#) and [Catalog URL Options](#). This material will give you a good understanding of the relationship between your store's navigation, the categories in your catalog.

A screenshot of a Magento storefront. The top navigation bar includes 'YOUR LANGUAGE English ▾', 'WELCOME', 'ACCOUNT', and 'CART'. The main menu has links for 'WOMEN', 'MEN', 'ACCESSORIES', 'HOME &amp; DECOR', 'SALE', and 'VIP'. Below the menu, the breadcrumb path shows 'HOME / HOME &amp; DECOR / ELECTRONICS'. On the left, a sidebar titled 'SHOP BY' offers filters for 'PRICE' (ranging from '\$0.00 - \$99.99' to '\$700.00 and above'), 'COLOR' (Black (9), Charcoal (2)), and 'ELECTRONIC TYPE' (Accessories (4), Camera (3), Media Players (2), Speakers + Earphones (3)). The main content area is titled 'ELECTRONICS' and displays a grid of 12 items. Each item has a thumbnail, the product name, a price range, a star rating, and buttons for 'ADD TO CART', 'Add to Wishlist', 'Add to Compare', and 'VIEW DETAILS'. The items shown include cameras, media players, headphones, earbuds, a camera bag, and a memory card.


*Products in Catalog*

# Product Types



## Simple Product

A simple product is a physical item with a single SKU. Simple products have a variety of pricing and of input controls which makes it possible to sell variations of the product. Simple products can be used in association with grouped, bundle, and configurable products.




## Grouped Product

A grouped product presents multiple, standalone products as a group. You can offer variations of a single product, or group them for a promotion. The products can be purchased separately, or as a group.




## Configurable Product

A configurable product appears to be a single product with lists of options for each variation. However, each option represents a separate, simple product with a distinct SKU, which makes it possible to track inventory for each variation.




## Virtual Product

Virtual products do not have a physical presence, and are typically used for such things as services, warranties, and subscriptions. Virtual products can be used in association with grouped and bundle products.



## Bundle Product

A bundle product let customers “build their own” from an assortment of options. The bundle could be a gift basket, computer, or anything else that can be customized. Each item in the bundle is a separate, standalone product.




## Downloadable

A digitally downloadable product that consists of one or more files that are downloaded. The files can reside on your server or be provided as URLs to any other server.

# Simple Product

One of the keys to harnessing the power of product types is learning how and when to use a simple, standalone product. Simple products can be sold individually, or as part of a grouped, configurable, or bundle product. A simple product with [custom options](#) is sometimes referred to as a composite product.



## Simple Product

The following instructions take you through the process of creating a simple product with the basic fields. Each required field is marked in the Admin with a red asterisk (\*). After you complete the required settings and save the product, you can add images and complete the remaining [product information](#) as needed.

### Process Overview:

- Step 1: [Choose the Attribute Set](#)
- Step 2: [Complete the Basic Information](#)
- Step 3: [Complete the Remaining Product Information](#)

## Step 1: Choose the Attribute Set

The first step is to choose the attribute set, which is used as a template for the product record. The product in this example is based on the Default attribute set, which includes a standard set of fields that can be used for most products.

1. On the Admin menu, go to **Catalog > Manage Products**.
2. In the upper-right corner of the Manage Products page, click the **Add Product** button.
3. In the Create Product Settings section, do the following:
  - a. Accept the “default” **Attribute Set**, or select another.
  - b. Set **Product Type** to “Simple,” and click the **Continue** button.



Create Product Settings	
Attribute Set	Default
Product Type	Simple Product
<b>Continue</b>	

*Create Product Settings*

## Step 2: Complete the Basic Information

The basic set of required fields must be completed before the product record can be saved. The Product Information panel groups related fields by topic and the required fields are marked with a red asterisk (\*).

1. In the Product Information panel, select **General**. Then, complete the required fields as follows:
  - a. Enter the product **Name** as you want it to appear in all catalog listings.
  - b. In the **Description** box, enter the main description that will appear on the Product Detail page.
  - c. Enter a **Short Description** of the product.
  - d. Assign a unique **SKU** for the product.
  - e. Enter the **Weight** of the product, which is used to calculate shipping.
  - f. Set **Status** to “Enabled.”
  - g. Set **Visibility** to “Catalog, Search.”

The screenshot shows the 'General' tab of a product configuration interface. It includes fields for basic product information like name, description, and short description, each with a WYSIWYG editor button. Below these are fields for SKU, weight, and various dates. A dropdown menu for status is shown, along with URL key, visibility, and country of manufacture settings. Each field has a dropdown menu for selecting a store view or website.

*General*

2. In the Product Information panel, select **Prices**. Then, complete the required fields as follows:
  - a. Enter the **Price** that you will charge for the product.
  - b. Set **Tax Class** to the appropriate tax classification for the product.

The screenshot shows the 'Prices' tab of a product configuration interface. It includes fields for price, group price, special price, tier price, and tax class, each with a dropdown for selecting a store view or website. There are also dropdowns for applying MAP and displaying actual price.

*Prices*

3. In the Product Information panel, select **Inventory**. Then, do the following:

- If you do not need to keep track of inventory for the product, set **Manage Stock** to “No.”

Depending on the configuration, you might need to clear the Use Config Settings checkbox.

Setting	Value	Scope
Manage Stock	No	(GLOBAL)
Minimum Qty Allowed in Shopping Cart	1	(GLOBAL)
Maximum Qty Allowed in Shopping Cart	10000	(GLOBAL)
Enable Qty Increments	10	(GLOBAL)

*Inventory with No Stock Management*

- If you want to keep track of inventory, set **Manage Stock** to “Yes.” Then, do the following:
  - In the **Qty** field, type the quantity of the item that is currently in stock.
  - Set **Stock Availability** to “In Stock.”

Setting	Value	Scope
Manage Stock	Yes	(GLOBAL)
Qty	100	(GLOBAL)
Qty for Item's Status to Become Out of Stock	0	(GLOBAL)
Minimum Qty Allowed in Shopping Cart	1	(GLOBAL)
Maximum Qty Allowed in Shopping Cart	10000	(GLOBAL)
Qty Uses Decimals	No	(GLOBAL)
Cart is Divided into Multiple Boxes for Shipping	No	(GLOBAL)
Backorders	No Backorders	(GLOBAL)
Notify for Quantity Below	1	(GLOBAL)
Enable Qty Increments	10	(GLOBAL)
Stock Availability	In Stock	(GLOBAL)

*Inventory with Stock Management*

- To be visible in your catalog, the product must be assigned to a category. To assign the product to a category, do the following:
  - In the Product Information panel, select **Categories**.
  - In the category tree, click to expand the section where the item belongs.
  - Select the checkbox of each category where you want the product to appear.
- If your Magento installation has multiple websites, the product must be assigned to each one where the product is available for sale. (This option appears only if multiple websites exist in the [store hierarchy](#).) To configure the scope of the product, do the following:

- a. In the Product Information panel, select **Websites**.
  - b. On the Websites tab, select the checkbox of each website where the product is available for sale.
6. After completing these steps, click the **Save and Continue** button.

At this point, the product should be visible on the assigned category page of your catalog. Until the product image is uploaded, a **placeholder** appears in its place.

### Step 3: Complete the Product Information


Although not required, there is still more product information to complete. At the very least, you will want to upload product **images** and complete the **meta data**. In addition, you can create additional **custom options**.

#### THINGS TO REMEMBER

-  A simple product can have custom options with a variety of input controls, which makes it possible to sell many product variations from a single SKU.
-  Custom options are not tracked as separate inventory items.
-  A simple product that is included in a configurable, or bundle product type cannot have custom options.

# Grouped Product

A grouped product is made up of multiple, standalone products that are presented as a group. You can offer variations of a single product, or group them by season or theme to create a coordinated set. Each product can be purchased separately, or as part of the group.



*Grouped Product*

The following instructions take you through the process of creating a grouped product with the basic fields. Each required field is marked in the Admin with a red asterisk (\*). After you complete the required settings and save the product, you can add images and complete the remaining [product information](#), as needed.

#### Process Overview:

- Step 1: Create the Grouped Product
- Step 2: Add the Associated Products
- Step 3: Configure the Shopping Cart Thumbnails

## Step 1: Create the Grouped Product

The first step is to choose the attribute set, which is used as a template for the product record. The product in this example is based on the Default attribute set, which includes a standard set of fields that can be used for most products.

1. On the Admin menu, select **Catalog > Manage Products**. Then, click the **Add Product** button.
2. In the Create Product Settings section, do the following:
  - a. Select the **Attribute Set** you want to use as a template for the product.
  - b. Set **Product Type** to “Grouped Product,” and click the **Continue** button.



*Create Product Settings*

3. Complete the main configuration settings as you would for a [simple product](#), with the following exceptions:
  - A grouped product does not have price options because the price of each item in the group originates from the associated product.
  - On the Inventory tab, you can set quantity increments and stock availability for the group as a whole, but the inventory of individual items is managed by the individual associated products.
4. Click the **Save and Continue** button.

## Step 2: Add the Associated Products

- In the Product Information panel on the left, select **Associated Products**. Then, do the following:

ID	Name	SKU	Price	Default Qty	Position
878	Black Notta Cami	vba002M	\$110.00	From:	To:
807	Elm Flat	vba001G	\$250.00	From:	To:
699	Heeler Ankle Pant	Peb00632	\$260.00	From:	To:
549	Blue Horizons Bracelets	aqz0009	\$55.00	From:	To:

*Associated Products*

- To display the complete unfiltered list, click the **Reset Filter** button.
  - If you need help finding the products you want, use the **filter controls** at the top of a column.
  - Select the **checkbox** of each product that you want to include.
  - To list only the products you have selected, set the filter control at the top of the checkbox column to “Yes.” Then, click the **Search** button.
- Click the **Save** button to save your changes.

## Step 3: Configure the Shopping Cart Thumbnails

- On the Admin menu, select **System > Configuration**.
- In the Configuration panel on the left, under Sales, select **Checkout**.
- Click to expand the **Shopping Cart** section. Then, set **Grouped Product Image** to one of the following:
  - Product Thumbnail Itself
  - Parent Product Thumbnail

Shopping Cart		
Quote Lifetime (days)	30	[WEBSITE]
After Adding a Product Redirect to Shopping Cart	Yes	[STORE VIEW]
Grouped Product Image	Product Thumbnail Itself	[STORE VIEW]
Configurable Product Image	Parent Product Thumbnail	[STORE VIEW]

### Shopping Cart

- Click the **Save Config** button to save the setting.


#### THINGS TO REMEMBER

- A grouped product is essentially a collection of simple associated products.
- Simple and virtual products associated with a grouped product cannot have custom options.
- Each item purchased appears individually in the shopping cart, rather than as part of the group.
- The thumbnail image in the shopping cart can be set to display the image from the grouped product record, or from the associated product.

## Configurable Product

A configurable product looks like a single product with drop-down lists of options for each variation. Each option is actually a separate simple product with a unique SKU, which makes it possible to track inventory for each product variation. You could achieve a similar effect by using a simple product with custom options, but without the ability to track inventory for each variation. Products with multiple options are sometimes referred to as composite product.

Although a configurable product uses more SKUs, and may initially take a little longer to set up, it can save you time in the long run. If you plan to grow your business, the configurable product type might be a better choice for a product with multiple options.



*Configurable Product*

The following instructions take you through the process of creating a configurable product with the basic fields. Each required field is marked in the Admin with a red asterisk (\*). After you complete the required settings and save the product, you can add images and complete the remaining **product information**, as needed.

**Process Overview:**

- Step 1: Create Attributes for Drop-down Options
- Step 2: Create the Attribute Set
- Step 3: Create the Configurable Product
- Step 4: Add the Associated Products
- Step 5: Make Any Necessary Price Adjustments
- Step 6: Configure the Shopping Cart Thumbnails

## Step 1: Create Attributes for Drop-Down Options

Create an attribute for each drop-down list of options that you want to include in the configurable product. If the attribute already exists and has the correct properties, you can add it to the attribute set in the next step. To learn more, see: [Creating Attributes](#).

### Required Attribute Properties


PROPERTY	SETTING
Scope	Global
Catalog Input Type for Store Owner	Dropdown
Apply to	Configurable Product or All Product Types
Use to Create Configurable Product	Yes

## Step 2: Create the Attribute Set

1. On the Admin menu, select **Catalog > Attributes > Manage Attribute Sets**. Then, click the **Add New Set** button.
2. Assign a **Name** to the attribute set.
3. In the **Based On** list, select an existing attribute set, such as “Default,” to use as a template. Then, click the **Save Attribute Set** button.
4. Starting from the list of **Unassigned Attributes**, drag and drop each attribute you want to include in the product to the center column. You can arrange them in any order.
5. To group the attributes in their own section of the Product Information panel, do the following:
  - a. In the Groups section, click the **Add New** button.

If prompted by your browser, select “Temporarily Allow Scripted Windows” to continue. Then, click the Add New button again.

- b.** When prompted, enter a **Name** for the new group. Then, click the **OK** button.
- The new group appears at the bottom of the Groups column.
- c.** Drag and drop each attribute that you created for the drop-down options to group where you want them to appear.

*Attribute Set*

- 6.** Click the **Save Attribute Set** button.
- 7.** When prompted to update your cache, click the link in the message and refresh the invalid cache.


### Step 3: Create the Configurable Product

1. On the Admin menu, select **Catalog > Manage Products**. Then, click the **Add Product** button.
2. In the Create Product Settings section, do the following:
  - a.** Select the **Attribute Set** that you created for the product.
  - b.** Set **Product Type** to “Configurable Product,” and click the **Continue** button.

The screenshot shows the 'Create Product Settings' form. It has two dropdown menus: 'Attribute Set' (set to 'My Attribute Set') and 'Product Type' (set to 'Configurable Product'). At the bottom is a large orange 'Continue' button.

*Create Product Settings*

- 3.** In the Select Configurable Attributes section, select the checkbox of each attribute that you want to include in the product. Then, click the **Continue** button.



Select Attributes

4. Complete the Product Information as you would for a [simple product](#), with the exception of the following fields:
  - On the **Prices** tab, the Price is a required field, but is used as a default price. The price of each individual associated product can be adjusted accordingly.
  - On the **Inventory** tab, **Manage Stock** is set to “No” by default, because inventory is managed by each associated product.
5. When complete, click the **Save and Continue Edit** button.

#### Step 4: Add the Associated Products

##### Process Overview:

Method 1: [Quick Simple Product Creation](#)

Method 2: [Create Empty](#)

Method 3: [Copy from Configurable](#)

1. In the panel on the left, select the last option, **Associated Products**.
2. Then, use one of the following methods to add the associated products.

#### Method 1: Quick Simple Product Creation

This method automatically creates the associated products and optionally, assigns a Name and SKU to each one.

1. In the Quick Simple Product Creation section, the Name and SKU are set to Autogenerate, which makes it easy to see which products belong to the configurable product,. However, if you want to change the default value, you can clear the checkbox and enter a different value.
2. For each associated product that you want to create, do the following:
  - a. Enter the **Weight**.
  - b. Set **Status** to “Enabled.”
  - c. To prevent the associated products from being listed individually in the catalog, set **Visibility** to “Not Visible Individually.”

3. To complete the fields for the drop-down lists, do the following:
  - a. For each of the configurable attributes that you set up, select the values that apply to the first product.
  - b. Enter the **Qty**, and set **Stock Availability** to “In Stock.”
  - c. Click the **Quick Create** button to create the associated product record.

The screenshot shows the 'Quick simple product creation' dialog box. It contains fields for Name, SKU, Weight, Status, Visibility, Color, Size, Qty, and Stock Availability. The Stock Availability dropdown is set to 'In Stock'. At the bottom is a 'Quick Create' button.

*Quick Simple Product Creation*

4. To create additional associated products, do the following:
  - a. Select the value for each configurable attribute.
  - b. If there is an extra charge for the selection, enter the adjustment in the **Price** field.
  - c. Click the **Quick Create** button.

Repeat this step to create as many associated product as you need. As each associated products is created, it appears in the list at the bottom of the page.

The screenshot shows a grid titled 'List of Associated Products' with three records found. The columns are: ID, Name, Attrb. Set Name, SKU, Price, Inventory, Color, Size, and Action. The data is as follows:

ID	Name	Attrb. Set Name	SKU	Price	Inventory	Color	Size	Action
884	My Configurable Product-Black-6	My Attribute Set	ABC 456-Black-6	\$50.00	In Stock	Black	6	<a href="#">Edit</a>
885	My Configurable Product-Black-8	My Attribute Set	ABC 456-Black-8	\$50.00	In Stock	Black	8	<a href="#">Edit</a>
886	My Configurable Product-Black-10	My Attribute Set	ABC 456-Black-10	\$50.00	In Stock	Black	10	<a href="#">Edit</a>

*List of Associated Products*

## Method 2: Create Simple Associated Product

This method opens a blank Product Information form, which you can complete for each associated product.

1. In the Create Simple Associated Product section, click the **Create Empty** button. A pop-up window with a blank Product Information form appears.
2. Complete the required fields as you would for any simple product.
3. Click the **Save** button to add the associated product.

## Method 3: Copy from Configurable

This method opens a Product Information form that contains the values already entered for the configurable product. The only fields that need to be completed are the Name, SKU, and values for each drop-down attribute.

1. In the Create Simple Associated Product section, click the **Copy From Configurable** button. A pop-up window with the basic Product Information from the configurable product appears.
2. Complete the following required fields:
  - SKU
  - Weight
3. Complete the fields with values for each drop-down list.
4. Click the **Save** button to add the associated product to the configurable product record.

## Step 5: Make Any Necessary Price Adjustments

Use the Super Products Attributes Configuration section to make price adjustments to a specific associated product. The adjustment can be entered as a fixed value or percentage, and is made in relation to the price of the configurable product.

The screenshot shows the 'Super product attributes configuration' dialog box. At the top, a yellow banner displays a warning: 'Price values for options should be specified in system base currency. Attribute names can be specified per store.' Below the banner, there are two sections: 'Color' and 'Size'. The 'Color' section has an 'Attribute Name' dropdown set to 'Color', an 'Option' dropdown set to 'Black', and a 'Price' dropdown set to 'Fixed'. The 'Size' section has an 'Attribute Name' dropdown set to 'Size', three 'Option' dropdowns set to '6', '8', and '10', and three 'Price' dropdowns all set to 'Fixed'.

*Super Products Attributes Configuration*

## Step 6: Configure the Shopping Cart Thumbnails

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Sales, select **Checkout**.
2. Click to expand the **Shopping Cart** section. Then, set **Configurable Product Image** to one of the following:
  - Product Thumbnail Itself
  - Parent Product Thumbnail



*Shopping Cart*

3. Click the **Save Config** button to save the setting.

### THINGS TO REMEMBER


- A configurable product allows the shopper to select options from drop-down lists.  
Each option is actually a separate, simple product.
- The drop-down list values are based on attributes that must be set up in advance with required settings. The attribute Scope must be set to “Global,” and Use to Create Configurable Product must be “True.” The drop-down attributes must be included in an attribute set, which is then used as a template for the configurable product.
- The simple products associated with a configurable product cannot include custom variants or options, and must be based on the same attribute set that is used to create the configurable product. The associated products can be generated automatically from inside with configurable product record.
- The thumbnail image in the shopping cart can be set to display the image from the configurable product record, or from the associated product.

# Virtual Product

Although virtual products are not physical in nature, they do represent something that can be sold, such as a membership, service, warranty, or subscription. Virtual products can be sold individually, or included as part of the following product types:

- **Grouped Product**
- **Bundle Product**

The process of creating a virtual product and a simple product is nearly the same. However, because a virtual product is not shipped, there is no Weight field or option to include a gift card.



*Virtual Product*

The following instructions take you through the process of creating a virtual product with the basic fields. Each required field is marked in the Admin panel with a red asterisk (\*). After you complete the required settings and save the product, you can complete the remaining **product information** as needed.

**Process Overview:**

- Step 1: [Choose the Attribute Set](#)
- Step 2: [Complete the Required Fields](#)
- Step 3: [Complete the Remaining Product Information](#)

## Step 1: Choose the Attribute Set

1. On the Admin menu, select **Catalog > Manage Products**.
2. In the upper-right corner of the Manage Products page, click the **Add Product** button.
3. In the Create Product Settings section, do the following:
  - a. Accept the “default” **Attribute Set**, or select another.
  - b. Set **Product Type** to “Virtual Product,” and click the **Continue** button.



*Create Product Settings*

## Step 2: Complete the Required Fields

Complete the required fields as you would for a [simple product](#). The only difference is that a virtual product has no weight. All required fields are marked with a red asterisk (\*).

1. On the **General** tab, complete the required fields as follows:
  - a. Type the product **Name** as you want it to appear in all catalog listings.
  - b. In the **Description** box, enter the main description that will appear on the product view page.
  - c. Enter a **Short Description** of the product.
  - d. Assign a unique **SKU** to the product.
  - e. Set **Status** to “Enabled.”
  - f. Set **Tax Class** to the appropriate setting for your area.
  - g. Set **Visibility** to “Catalog, Search.”
2. On the **Prices** tab, enter the Price you intend to charge for the product or service.
3. If you’re not going to manage your inventory, you can skip this section. Otherwise, complete the required fields on the **Inventory** tab as follows:

- a. Under Manage Stock, clear the **Use Config Settings** checkbox. Then, set **Manage Stock** to “Yes.”
  - b. In the **Qty** field, enter the quantity of the item currently in stock.
  - c. Set **Stock Availability** to “In Stock.”
4. If applicable, on the **Website** tab, select the checkbox for the website where the product or service will be available for sale.
  5. On the **Categories** tab, assign the product to the appropriate categories, as follows:
    - a. In the Product Category tree, click to expand the section where the item belongs.
    - b. Select the checkbox to assign the product to each category where you want the product to be listed in the catalog.
  6. When the required fields are complete, click the **Save and Continue** button.

### Step 3: Complete the Product Information

You have now completed the required fields. The next step is to complete the rest of the [product information](#) as needed for this product. The [meta information](#) and [product images](#) are a good place to start.

#### THINGS TO REMEMBER



Virtual products can be used for anything that is not physical in nature, such as services, subscriptions, and warranties.



Virtual products are much like simple products, but without the Weight and Allow Gift Message fields.




Shipping Options appear during checkout only if there is also a physical product in the cart.

## Bundle Product

A bundle is a “build your own,” customizable product. Each item in a bundle can be based on one of the following product types:

- Simple Product
- Virtual Product



*Bundle Product*

The following instructions take you through the process of creating a bundle product with the basic fields. Each required field is marked with a red asterisk (\*). After you complete the required settings and save the product, you can complete the remaining [Product Information](#) as needed.

**Process Overview:**

- Step 1: Create the Bundle Product
- Step 2: Complete the Product Information
- Step 3: Add Bundle Items

## Step 1: Create the Bundle Product

1. On the Admin menu, select **Catalog > Manage Products**. Then, click the **Add Product** button.
2. In the Create Product Settings section, select the **Attribute Set** for the product.
3. In the Create Product Settings section, do the following:
  - a. Accept the “default” **Attribute Set**, or select another.
  - b. Set **Product Type** to “Bundle Product.” Then, click the **Continue** button.



*Create Product Settings*

## Step 2: Complete the Product Information


1. Complete the product information as you would for a simple product, with the exception of the following:
  - a. On the **General** tab, set both the **SKU** and **Weight** fields to one of the following:
    - Dynamic
    - FixedIf using a fixed SKU or Weight, enter the actual value in the field to the right.



*Dynamic SKU and Weight*

- b. On the **Prices** tab, set **Price** to one of the following:
    - Dynamic
    - FixedIf using a fixed price, enter the actual value in the field to the right.

**Minimum Advertised Price (MAP) is not available for Bundle products with dynamic pricing.**



*Dynamic Price*

- c. Then, set **Price View** to one of the following:
  - As Low as
  - Price Range
2. Click the **Save and Continue Edit** button.

### Step 3: Add Bundle Items

1. In the Product Information panel on the left, select the last option, **Bundle Items**.
2. Then in the Shipment section, set **Ship Bundle Items** to one of the following:
  - Together
  - Separately


Shipment	
Ship Bundle Items	Together

*Shipment*

3. In the Bundle Items section, click the **Add New Option** button.
4. In the **Default Title** box, enter a label for the bundle item, as you want it to appear on the Customize Product page. Then, do the following:

*Bundle Items*

- a. Set **Input Type** to one of the following:
    - Drop-down
    - Radio Buttons
    - Checkbox
    - Multiple Select
  - b. Set **Is Required** as needed.
  - c. In the **Position** field, enter the order that you want this item listed in relation to other items included in the bundle.
5. Click the **Add Selection** button. Then, do the following:

*Select Products*

- a. Click the **Reset Filter** button to display the unfiltered list of products.
  - b. Select the checkbox of each product that you want to include in this item.
  - c. In the **Qty to Add** column, enter the quantity of each item to be included.
6. Click the **Add Selected Product(s) to Option** button. When the items appear in the Bundle Items list, do the following:
- a. Set **User Defined Qty** to one of the following:
 

Yes	Displays an input box so the customer can change the quantity.
No	Prevents the customer from changing the default quantity.
  - b. Enter a number in the **Position** column of each item to determine its place in relation to other items.

- c. To make an item the default selection, select the **Default** option of the item to be pre-selected in the form.

Name	SKU	Default Qty	User Defined Qty	Position	Default
Ellis Flat	shw0056	1	Yes	0	<input type="radio"/>
Ellis Flat	shw0057	1	Yes	0	<input type="radio"/>
Ellis Flat	shw0058	1	Yes	0	<input checked="" type="radio"/>
Ellis Flat	shw0059	1	Yes	0	<input type="radio"/>
Ellis Flat	shw0050	1	Yes	0	<input type="radio"/>

*Bundle Items*

7. Repeat steps 3-7 for each bundle item you want to include.
8. When complete, click the **Save** button to save the bundle product.

## Field Descriptions

FIELD	DESCRIPTION
SKU	Determines if each item is assigned a variable, dynamic SKU, or if a fixed SKU is used for the bundle. Options include: Fixed / Dynamic.
Weight	Specifies the weight is calculated based on the items selected, or is a fixed weight for the entire bundle. Options include: Fixed / Dynamic.
Price View	Determines if the product price is shown as a range, from the least expensive to the most expensive (Price Range), or with the least expensive shown (As Low As). Options include: Price Range / As Low As.
Ship Bundle Items	Specifies if individual items can be shipped separately.


### THINGS TO REMEMBER

-  A bundle is a “build your own” product.
-  Bundle items can be simple or virtual products without custom options.
-  The Price View can be set to a price range or “As Low As.”
-  SKU and Weight can be either “Fixed” or “Dynamic.”
-  The Quantity can be set to a pre-set or user-defined value.
-  Items can be shipped together or separately.

## Downloadable Product

A downloadable product can be anything that you can deliver as a file, such as an eBook, music, video, software application, or an update. You can offer an album for sale, and sell each song individually. You can also use a downloadable product to deliver an electronic version of your product catalog.

Because the actual download doesn't become available until after the purchase, you can provide samples, such as an excerpt from a book or a clip from an audio file, that the customer can try from the product page.



### Download with Sample

Downloadable products can be configured to require that the customer log in to an account to receive the link, or can be sent by email and shared with others. The status of the order before the download becomes available, default values, and other delivery options are set in the [configuration](#).

The files for download can be either uploaded to your server, or linked to on a different server on the Internet.

Downloadable product file names can include letters and numbers. You can use either a dash or underscore character to represent a space between words. Any invalid characters in the file name are replaced with an underscore.

The following instructions take you through the process of creating a downloadable product with the basic fields. Each required field is marked in the Admin with a red asterisk (\*). After you complete the required settings and save the product, you can add images and complete the remaining [product information](#) as needed.

**Process Overview:**

- Step 1: [Choose the Attribute Set](#)
- Step 2: [Complete the Basic Product Information](#)
- Step 3: [Complete the Download Information](#)
- Step 4: [Complete the Samples Information](#)
- Step 5: [Complete the Remaining Product Information](#)

## Step 1: Choose the Attribute Set

The first step is to choose the attribute set, which is used as a template for the product record. The product in this example is based on the Default attribute set, which includes a standard of set of fields that can be used for most products.

1. On the Admin menu, go to **Catalog > Manage Products**.
2. In the upper-right corner of the Manage Products page, click the **Add Product** button.
3. In the Create Product Settings section, do the following:
  - a. **Attribute Set** is currently set to “Default.” You can leave it as it is, or select another.
  - b. Set **Product Type** to “Downloadable Product,” and click the Continue button.



Create Product Settings	
Attribute Set	Default
Product Type	Downloadable Product

*Create Product Settings*

## Step 2: Complete the Basic Product Information

The basic set of required fields must be completed before the product record can be saved. The Product Information panel groups related fields by topic and the required fields are marked with a red asterisk (\*).

1. In the Product Information panel, select **General**. Then, complete the required fields as follows:
  - a. Enter the product **Name** as you want it to appear in all catalog listings.
  - b. In the **Description** box, enter the main description that will appear on the Product Detail page.

- c. Enter a **Short Description** of the product.
  - d. Assign a unique **SKU** for the product.
  - e. Set **Status** to “Enabled.”
  - f. Set **Visibility** to “Catalog, Search.”
2. In the Product Information panel, select **Prices**. Then, complete the required fields as follows:
  - a. Enter the **Price** that you will charge for the product.

The price entered here becomes the base price of the download and is listed in the catalog before the customers selects items for download. Any additional price that is associated with an individual download is added to the base price.
  - b. Set **Tax Class** to the appropriate tax classification for the product.
3. In the Product Information panel, select **Inventory**. Then, do the following:
  - a. If you do not need to keep track of inventory for the product, set **Manage Stock** to “No.”
  - b. If you do need to keep track of inventory, set **Manage Stock** to “Yes.” Then, do the following:
    - Set **Manage Stock** to “Yes.”
    - In the **Qty** field, type the quantity of the item that is currently in stock.
    - Set **Stock Availability** to “In Stock.”
4. In the Product Information panel, select **Categories**. Then, do the following:
  - a. In the category tree, click to expand the section where the item belongs.
  - b. Select the checkbox of each additional category where you want the product to appear.
5. To make the product available on multiple websites, it must be assigned to each one. (This option appears only if you have multiple websites.) To configure the scope of the product, do the following:
  - a. In the Product Information panel, select **Websites**.
  - b. Select the checkbox of each website where the product will be available for sale.
6. After completing these steps, click the **Save and Continue Edit** button.

### Step 3: Complete the Download Information

1. In the Product Information panel, select **Downloadable Information**.
2. In the Links section, do the following:
  - a. Enter a **Title** for the list of downloadable products.
  - b. Set **Links can be purchased separately** to one of the following:
    - If you want to offer multiple download links, such as to sell individual songs on an album, select “Yes.”
    - To offer a single download of this item, select “No.”
3. Click the **Add New Row** button, and do the following:
  - a. Enter the **Title** and **Price** of the download.
  - b. To limit the number of downloads a customer can make, enter the number in the **Max number of downloads** field. To allow unlimited downloads, select the **Unlimited** checkbox.
  - c. Set **Sharable** to your preference.
    - To require that customers log in to their accounts to access the download link, select “No.”
    - To send the link by email, which the customer can then share with others, select “Yes.”
4. Under **Sample**, use one of the following methods to deliver a sample of the downloadable product.
  - Select the **File** option. Then, click the **Browse**  button, and select the sample file to upload to the server.
  - Select the **URL** option. Then, paste the full **URL** of the sample file.
5. Under **File**, use one of the following methods to deliver the actual downloadable product.
  - Select the **File** option. Then, click the **Browse**  button, and select the file to upload.
  - Select the **URL** option. Then, paste the full **URL** of the file that is available for download.
6. In the **Sort Order** field, enter a number to indicate the sequence that this download will be listed with other downloads on the product page.
7. To add another download, click the **Add New Row** button, and repeat the process.

The screenshot shows the 'Links' configuration interface. At the top, there are fields for 'Title' (set to 'Check Items to Download') and 'Price' (set to '0.00 [USD]'), along with a 'Max. Downloads' field (set to '0') and a 'Shareable' checkbox (unchecked). Below these are two radio buttons for 'Sample': one for 'File' (selected, pointing to 'falling\_x\_i\_am\_nr' which is 2.25 MB) and one for 'URL' (unchecked). There is also a 'Use config' dropdown set to 'No'. At the bottom of the table are buttons for 'Add New Row' and 'Upload Files'.

*Links*

- 8.** When complete, if uploading files to the server, click the **Upload Files** button.
- 9.** Click the **Save and Continue Edit** button.

#### Step 4: Complete the Samples Information

- 1.** Click to expand the **Samples** section.
- 2.** Enter a **Title** for the section of samples on the product page.
- 3.** Click the **Add New Row** button. Then, do one of the following:
  - Select the **File** option. Then, click the **Browse** button, and select the sample file to upload.
  - Select the **URL** option. Then, paste the full **URL** of the sample file.

The screenshot shows the 'Samples' configuration interface. At the top, there is a 'Title' field containing 'Samples' and a '[STORE VIEW]' dropdown. Below is a table with columns for 'Title' and 'Sort Order'. A new row is being added, indicated by a placeholder 'Title' field. At the bottom of the table are buttons for 'Add New Row' and 'Upload Files'.

*Add New Sample*

- 4.** To add a new row, click the **Add New Row** button, and repeat the process.
- 5.** When complete, click the **Save** button.
- 6.** When prompted to refresh the index and cache, click the links in the message at the top of the workspace, and follow the instructions.

At this point, the product should be visible on the assigned category page of your catalog. Until a product image is uploaded, a placeholder appears in its place.

## Step 5: Complete the Product Information

Although not required, there is other product information to complete. At the very least, you will want to upload product [images](#) and complete the [meta data](#).

### THINGS TO REMEMBER

- Downloadable products can be uploaded to the server, or linked to from another server on the Internet.
- You can determine the number of times a customer can download a product.
- Customers purchasing downloadable products can be required to log in before going through checkout.
- The delivery of a downloadable product can be made when the order is in either a "Pending" or "Invoiced" state.

## Downloadable Product Options

The configuration settings determine guest checkout, default values, and delivery options for downloadable products.

### To configure downloadable options:

1. On the Admin menu, select **System > Configure**. Then in the panel on the left, under Catalog, select **Catalog**.
2. Click to expand the **Downloadable Product Options** section. Then do the following:

Downloadable Product Options	
Order Item Status to Enable Downloads	Invoiced [WEBSITE]
Default Maximum Number of Downloads	0 [WEBSITE]
Shareable	No [WEBSITE]
Default Sample Title	Samples [STORE VIEW]
Default Link Title	Links [STORE VIEW]
Open Links in New Window	Yes [WEBSITE]
Use Content-Disposition	inline [STORE VIEW]
Disable Guest Checkout if Cart Contains Downloadable Items	Yes [WEBSITE]

*Downloadable Product Options*

- a. To determine the status an order must have to access available downloads, set **Order Item Status to Enable Downloads** to one of the following:
  - Pending
  - Invoiced

- b.** Enter the **Default Maximum Number of Downloads** that a customer can purchase in a single order.
  - c.** To determine if customers must log in to their accounts to access the download link, set **Shareable** to one of the following:

Yes	Allows the link to be sent by email, which can then be shared with others.
No	Prevents guest purchases by requiring customers to log in to their accounts to access the download link.
  - d.** Enter a **Default Sample Title** to be used for all downloadable files.
  - e.** Enter a **Default Link Title** to be used for all download links.
  - f.** If you want download links to open in a new window, set **Open Links in New Window** to “Yes.”
  - g.** To specify how the download link is to be delivered, set **Use Content Disposition** to one of the following:

Attachment	Delivers the download link as an email attachment.
Inline	Delivers the download link as an inline link on a web page.
- 3.** When complete, click the **Save Config** button.

## Notes




## CHAPTER 14:

# Swatches

Swatches provide an alternate way to display the selection of options for **configurable products**. Rather than choosing an option from a drop-down list, customers can make their selection by clicking a swatch. Configurable swatches can be used on the product page, product list, and in **layered navigation**.

In this chapter , you will learn how to use swatches to make the presentation of configurable products more appealing and informative. Topics include:

- [How Swatches are Used](#)
- [Swatch Configuration](#)
- [Adding New Attribute Values](#)
- [Preparing Swatch Images](#)
- [Uploading Swatch Images](#)
- [Swatch Images Cache](#)



*Color and Size Swatches on Product Page*

## Swatch Workflow

On the product page, swatches can be used to indicate the combinations of color and size that are currently available. Any option that is not available is crossed out. In the following example, the pistachio loafer is available only in size 8, so the rest of the sizes are crossed out. You can click each color swatch to see the available sizes, and click each size swatch to see the available colors. When a swatch is selected, the value appears in the input field, and the selected swatch is outlined as the current selection.



*Unavailable Size Swatches Crossed Out*

Swatches can be set up to display the corresponding product image when the swatch is clicked. For example, from the product list or product page, you can click the swatch to change the color of the main image.

## Text-Based Swatches


If there isn't an image available for a swatch, the attribute value appears as text. A text-based swatch is like a button with a text label, and behaves in the same way as a swatch with an image. In the following example, the color swatches are identified with a text label for the color name, just as the shoe size swatches have a text label for the size. If the size attribute values were "Small," "Medium," and "Large," rather than numbers, then that text would appear in the swatches instead.



*Text-Based Color and Size Swatches*

## Swatches in Layered Navigation

Swatches can also be used in layered navigation, if the [Use in Layered Navigation](#) property of the corresponding attribute is set to “Yes.” The following example shows both text-based and color image swatches in layered navigation.



*Color Swatches in Layered Navigation and Product List*

## Swatch Configuration

This discussion begins with the understanding that you already have [configurable products](#) in your catalog. If you do not have working configurable products, you will need to set them up to continue.


### Process Overview:

Step 1: Complete the Configuration

Step 2: Test the Swatches In Your Store

### Step 1: Complete the Configuration

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Catalog, select **Configurable Swatches**.
2. Click to expand the **General Settings** section. Then, do the following:



### General Settings

- a. Set Enabled to “Yes.”
- b. In the list of **Products Attributes to Show as Swatches in Product Detail**, select each attribute whose values you want to appear as a swatch.

The list includes only the attributes that can be used to create configurable products. The attribute must be the Dropdown type, and Use to Create Configurable Product must be set to “Yes.”

- c. Select the **Product Attribute to Use for Swatches in Product Listing**.

Because of the limited space in the product listing, only one attribute can chosen to appear as a swatch in the product list.

3. To set the size of the swatches used on the product detail page, do the following:
  - a. Click to expand the **Swatch Dimensions on Product Detail Page** section.
  - b. Enter the **Width** and **Height** in pixels.

Just for reference, the swatches in the product page examples in this guide are 35 pixels square.



### Swatch Dimensions on Product Detail Page

4. To set the size of the swatches used in the product listing, do the following:
  - a. Click to expand the **Swatch Dimensions in Product Listing** section.
  - b. Enter the **Width** and **Height** in pixels.

Swatch Dimensions in Product Listing

Innermost dimensions, not including border, in pixels

Width	15	[STORE VIEW]
Height	15	[STORE VIEW]

*Swatch Dimensions in Product Listing*

5. To set the size of the swatches used in layered navigation, do the following:
  - a. Click to expand the **Swatch Dimensions in Layered Navigation** section.
  - b. Enter the **Width** and **Height** in pixels.

Swatch Dimensions in Layered Navigation

Innermost dimensions, not including border, in pixels

Width	15	[STORE VIEW]
Height	15	[STORE VIEW]

*Swatch Dimensions in Layered Navigation*

6. When complete, click the **Save Config** button.
7. If prompted that the cache needs to be refreshed, click the **Cache Management** link in the message at the top of the workspace. Select the checkbox of each invalid cache. Then, with the **Actions** control set to “Refresh,” click the **Submit** button.


While you’re in Cache Management, notice the Flush Swatch Images Cache button in the Additional Cache Management section at the bottom of the page. If you ever need to update or replace existing swatches, this is how you can clear all cached swatches.

## Step 2: Test the Swatches In Your Store

1. Verify that the swatches work correctly from your storefront. Even without any swatch images, the text-based swatches should appear in the store, and work correctly.
2. If any drop-down options from the configurable product are missing from layered navigation, do the following:
  - Verify that the attribute frontend property, **Use in Layered Navigation** is set to “Yes.”
  - Return to **Cache Management** and click the **Flush Magento Cache** button.

## Adding Swatch Attribute Values

As you add products to your catalog, you will need to update the attribute values that correspond to each swatch. For example, if you sell clothing, you will need to add new colors to the color attribute to match the products. You can add as many values as you need to any **attribute** that is represented by a swatch. We use color as an example, but the process is the same for any attribute you might use.



Add New Color Value

### To add new colors:

1. On the Admin menu, select **Catalog > Attributes > Manage Attributes**.
2. In the list, open the color attribute in edit mode.
3. In the panel on the left, click **Manage Label / Options**. Then, do the following:
  - a. In the list under Manage Options, click the **Add Option** button.
  - b. Under Admin, enter the names of the color as you want it to appear when working from the Admin. Then, enter the name of the color for each language supported, as you want it to appear in the storefront.
  - c. To determine the order in which the colors appear, enter a number in the position column.
  - d. Repeat this process for as many colors as you need.
4. Click the **Save Attribute** button.
5. When prompted to refresh the cache, click the **Cache Management** link. Then, refresh any cache that is invalid.

## Preparing Swatch Images

A swatch image can provide an accurate representation of color, and also illustrate a pattern or texture. There are two different methods you can use to create swatches for your products. You can use either method, or a combination of both.

- The default method is to create global swatches that represent a plain color, and [upload them to Media Storage](#).
- You can also create custom swatches that illustrate a fabric or texture, and upload them to a specific product.

The size of the swatch that is set in the configuration, and the size of the uploaded image determine the level of detail that can be seen in the swatch. To show a pattern clearly, make sure that the image is large enough to capture the essence of the design. To show a fabric weave, texture, or grain of leather, capture the image at as high a resolution as possible, and crop the image as close to the display size of the swatch as possible. Any reduction in size makes the detail harder to see.



*Capture Swatch from Product Image*


To capture a swatch, you can open the main product image in a photo editor, and crop a section from the image. You can also use the eyedropper tool to pick up the exact color you need, and fill the swatch with the selected color. If you have the product available, you can take a photograph of the fabric with your camera. The swatches below were captured from the side of a shoe in the main product image.



*Swatch Samples*

## Uploading Swatch Images

The swatches folder in [Media Storage](#) is the most common place where uploaded swatch images are stored. Swatch images that are uploaded to Media Storage are globally available and can be used by any product. The name of each uploaded image file must exactly match the attribute value that it represents. In this example, each file name is a color.



*Swatches in Media Storage*

Swatches can also be associated with a specific product, and uploaded directly to the product's [thumbnail gallery](#). Swatches that are uploaded directly to a product do not appear in the gallery or in layered navigation. However, in some cases, there are advantages to using this method. It is also the recommended method for languages with a non-Latin character set, such as Arabic, Chinese, Cyrillic, or Japanese.

The system uses a “fall back” method to locate swatches. It looks first to see if there are any swatches associated with the product image. If it doesn't find a swatch, it then looks in Media Storage.

If you use a language other than English for attribute values, it is recommended that you upload swatch images to each configurable product, rather than to Media Storage. Files uploaded to Media Storage can only include the characters a-z and 0-9. Characters from non-Latin alphabets, such as Arabic, Chinese, Cyrillic, and Japanese are not recognized by the system. To learn more, see the developer documentation.

## Method 1: Upload Swatches to Media Storage

Before uploading swatch images, make sure that the file names exactly match the corresponding attribute values. For example, if you upload a file named “gray.png,” it will match the attribute value “Gray,” but not “Grey.”

All file names are converted to lowercase. In addition, any characters other than a-z and 0-9 are replaced with a hyphen. Therefore, the swatch name “Royal Blue” becomes “royal-blue.”

If you have access to the server, swatch files can be uploaded to the following location:


```
[Magento install directory]/media/wysiwyg/swatches
```

1. On the Admin menu, select **CMS > Pages > Manage Content**.
2. In the list, click to open any page in edit mode.

The purpose of this step is to launch the editor. **Media Storage** can be accessed from any place the **editor** is used.

3. In the panel on the left, select **Content**.
4. From the editor, click the **Insert Image** button. In the directory tree on the left, click the **swatches** folder, and do the following:
  - a. Click the **Browse** button, and locate the swatch image files that you want to upload.  
You can upload individual images, or multiple images at the same time.
  - b. Click the **Upload Files** button to copy the file to Media Storage.

Newly uploaded images appear at the bottom of the list.




*Uploading Multiple Swatches*

5. When you are done, click the **Close** button in the upper-left corner of the Media Storage window. Then, click the **Back** button to exit the editor.
6. If prompted to refresh the cache, click the **Cache Management** link in the message at the top of the workspace, and refresh any cache that is invalid.
7. Go to your storefront to verify that the swatches work correctly. The text-based swatches should now be replaced with the swatch images that you uploaded.
8. If any drop-down options from the configurable product are missing from layered navigation, return to **Cache Management** and click the **Flush Magento Cache** button.

## Method 2: Upload Swatches as Product Images

Use this method to associate swatch images with a specific product. Swatches uploaded with this method take precedence over those uploaded to Media Storage.

1. On the Admin menu, select **Catalog > Manage Products**.
2. Find the product the configurable product in the list, and open the record in edit mode.
3. If the image is intended for a specific store **view**, set **Choose Store View** to the store view where the images will be used.
4. In the panel on the left, click **Images**. Then, do the following:
  - a. Click the **Browse Files** button, and select the images files to upload to your store.
  - b. Click the **Upload Files** button to upload the selected images to your store.



*Product Swatch with Label*

- c. Enter a **Label** for each swatch image uploaded, in the following format: color name, followed by a hyphen, and the word “swatch.” This label identifies the image as a swatch that is associated with this specific variation of the product.

color-swatch

Do not select any of the remaining options. It is not necessary to select the Exclude checkbox, because by default, Swatch images do not appear in the thumbnail gallery.

5. When complete, click the **Save** button.
6. When prompted to clear the cache, click the **Cache Management** link in the message at the top of the workspace, and refresh any cache that is invalid.

## Setting Up Dynamic Images

Dynamic images change when the corresponding swatch is clicked, and can be used on the product and product listing pages. The easiest way to understand this is to see how the products are set up.




*Swatches*

With this technique, each associated product must have an image that depicts the variation, even if the products are different sizes of the same color. These are the images that appear dynamically when the swatch is clicked. As with all swatch images, the dynamic image does not appear in the thumbnail gallery.


### Method 1: Upload Images to Configurable Product

When you view this product in the store and click a swatch, the corresponding product appears as the main product image. You can click any swatch to change the image. Also, notice in the example below that the fourth swatch is a miniature version of the Royal Blue product image. Because there isn't a Royal Blue swatch available, the fall-back method used the product image with the "Royal Blue" label.




*Dynamic Product Image*

1. Each associated simple product has a single product image that depicts the variation. Because these images are not swatches, they do not need the “-swatch” suffix. The product variations used in this example are labeled “Royal Blue,” “Pink,” and “Red.”



*Image Uploaded to Associated Simple Product*

2. The Color attribute for each variation is set to the correct color.



*Set Value of Color Attribute*


3. In addition to the standard product images, images for each product variation are also uploaded to the configurable product, and given labels that exactly match the corresponding color attribute values. No options are selected for the product variations. Although these images are not swatches, they will be used if no other swatch is available.

Image	Label	Sort Order	Base Image [STORE VIEW]	Small Image [STORE VIEW]	Thumbnail [STORE VIEW]	Exclude	Remove
No image		1	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>
		2	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>
		3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Royal Blue	5	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>


*Images Uploaded to Configurable Product*

## Method 2: Upload Swatches to Configurable Product

This method features custom swatches that are uploaded to the configurable product. Each associated product has a product image that depicts the variation. When you click each swatch, the corresponding product image appears.


*Dynamic Image*

1. An image is uploaded to each associated product that shows the product variation.



*Image Uploaded to Associated Simple Product*

2. The Color attribute of the product variation is set to the correct color.



*Set Value of Color Attribute*

3. In addition to the standard product images, a complete set of the swatch images is uploaded to the configurable product, and labeled as a swatch for each variation. In this example, the swatches are named:

- Royal Blue-swatch
- Charcoal-swatch
- Red-swatch
- Khaki-swatch

Images							
⚠ Image type and information need to be specified for each store view.							
Image	Label	Sort Order	Base Image [STORE VIEW]	Small Image [STORE VIEW]	Thumbnail [STORE VIEW]	Exclude	Remove
No image		1	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>
		2	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>
		3	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Royal Blue-swatch	4	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Charcoal-swatch	5	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Red-swatch	6	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Khaki-swatch	7	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>
<a href="#">Browse Files...</a> <a href="#">Upload Files</a>							

*Images Uploaded to Configurable Product*

## Swatch Localization

If you use a language other than English for attribute values, it is recommended that you upload swatch images to each configurable product record, rather than upload the images to Media Storage. Swatch image file names that are uploaded to Media Storage are also used as CSS classes, and can only include the characters a-z, A-Z, and 0-9. Characters from non-Latin alphabets, such as Arabic, Chinese, Cyrillic, and Japanese are not recognized by the system.

### English as Primary Language

By default, the same swatch image can be used for all languages. The easiest way to localize a swatch is to simply translate the attribute label that appears in the store. However, if the translated labels include accented characters, see the next section.

The system uses a simple fallback strategy to locate a suitable swatch. The system looks first for a swatch image that is based on the current language. If no image is found, the system looks next for an attribute label that is associated with the configurable product option.

Using Manage Attribute / Labels, you can enter a translated label for each language supported. For example, the label for the color value “Red” would be entered as “Rot” for German. The following table shows the relationship between the attribute label, the product image label, and the image file name:

#### Label Translation

ATTRIBUTE LABEL	IMAGE LABEL	IMAGE FILE NAME
Red	Red-swatch	media/wysiwyg/swatches/red.png
Rot	Rot-swatch	media/wysiwyg/swatches/rot.png

### Other Primary Languages

If possible, we recommend that you upload swatch images from the Magento Admin, which allows you to use any character in the image file name. However, if either of the following is true, you must upload swatches directly to the server:

- If you use a language other than English and the translated labels have Latin characters with diacritics (that is, accented characters)
- Your localized images have names that do not transliterate from UTF-8 to ASCII using PHP.

Swatch images are located on the server in the following directory:  
media/wysiwyg/swatches/. If you choose to upload images directly to the server, you must understand how attribute labels are converted to image names.

- 1.** The label is transliterated from UTF-8 to ASCII.
  - a.** If the label contains Latin characters with diacritics, many of the characters are transliterated to ASCII. For example, Ô is converted to ^O.
  - b.** If the label cannot be transliterated into ASCII, no swatch images can be uploaded from media/wysiwyg/swatches/. Languages with characters that cannot be transliterated include Cyrillic, Chinese, Japanese, and Arabic.
  - c.** If the language contains characters that cannot be transliterated to ASCII, do one of the following:
    - Upload all swatch images to each configurable product
    - In the Admin, change the attribute values to English as the primary language, and set up the swatch files in English.
- 2.** The label is converted to lowercase.
- 3.** Any characters other than 0-9 and a-z are replaced with the dash character (-).

### Conversion Examples

LABEL	CONVERTS TO
Königsblau	media/wysiwyg/swatches/k-onigsblau.png
Weiß	media/wysiwyg/swatches/weiss.png
красный	(No transliteration is possible, and no image is uploaded.)

### Common Transliteration Values

CHARACTER	TRANSLITERATION	REPLACEMENT
<b>French</b>		
À	'A	-a
Â	^A	-a
Æ	AE	ae
Ä	"A	-a
Ç	C	c
É	'E	-e
È	`E	-e
Ê	^E	-e

**Common Transliteration Values (cont.)**

CHARACTER	TRANSLITERATION	REPLACEMENT
Ë	"E	-e
Î	^I	-i
Ï	"I	-i
Ô	^O	-o
Œ	OE	oe
Ö	"O	-o
Ù	'U	-u
Û	^U	-u
Ü	"U	-u
Ý	"Y	-y

**German**

Ä	"A	-a
Ö	"O	-o
Ü	"U	-u
ß	ss	ss

**Spanish**

Ñ	~N	-n
Á	'A	-a
É	'E	-e
Í	'I	-i
Ó	'O	-o
Ú	'U	-u

# Clearing the Swatch Cache

Swatch images are resized and cached before they are used. Swatch images are stored on the server in the Magento installation directory, at the following location:

[Magento install directory]/media/catalog/swatches/

Whenever changes are made to existing swatch images, the swatch cache must be flushed before the changes can be seen in the store.

## To flush the swatch cache:

1. On the Admin menu, select **System > Cache Management**.
2. In the Additional Cache Management Section, click the **Flush Swatch Images Cache** button.

The screenshot shows the 'Cache Storage Management' section of the Magento Admin Panel. It lists various cache types with their descriptions and status. The 'Actions' column includes buttons for 'Flush' and 'Delete'. Below this, the 'Additional Cache Management' section contains three buttons: 'Flush Catalog Images Cache', 'Flush Swatch Images Cache' (which is highlighted with a callout bubble), and 'Flush JavaScript/CSS Cache'. The 'Flush Swatch Images Cache' button is described as regenerating configurable swatch image files.

Cache Type	Description	Associated Tag	Status
Configuration	System(config xml, local +ml) and modules configuration files(config xml)	CONFIG	ENABLED
Layouts	Layout building instructions.	LAYOUT_GENERAL_CACHE_TAG	ENABLED
Block HTML output	Page block HTML.	BLOCK_HTML	ENABLED
Translations	Translator files	TRANSLATE	ENABLED
Collections Data	Collection data files	COLLECTION_DATA	ENABLED
EAV types and attributes	Entity types declaration cache	EAV	ENABLED
Web Services Configuration	Web Services definition files (api.xml)	CONFIG_API	ENABLED
Web Services Configuration	Web Services definition files (api2.xml)	CONFIG_API2	ENABLED

*Flush Swatch Images Cache*



## CHAPTER 15:

# Product Images

Using images of consistent quality, size, and proportion gives your product catalog a professional look with commercial appeal. If you have a large catalog with several images per product, you can easily have hundreds, if not thousands of product images to manage. Before you get started, it's a good idea to establish a naming convention for your image files, and organize them so you can find the originals if you ever need them.


The Images tab in the Product Information panel is used to upload and manage individual images for the current product. You can upload multiple images for each product, with different images for each website or store view. However, if you have a large quantity of images to manage, it is more efficient to import, rather than upload each one individually. To learn more, see: [Importing Product Images](#).

A screenshot of the Magento Admin Panel. The top navigation bar shows 'Catalog' as the active tab. The main content area is titled 'Retro Chic Eyeglasses (Accessories)'. On the left, there is a sidebar with a 'Choose Store View' dropdown and a 'Product Information' section containing links like General, Prices, Meta Information, and Images. The 'Images' link is selected. The main right-hand panel is titled 'Images' and contains a table with two rows of image entries. Each row has columns for 'Image' (showing small versions of the eyeglasses), 'Label' (containing '1' and '2'), 'Sort Order' (with values 1 and 2), and three checkboxes for 'Base Image [STORE VIEW]', 'Small Image [STORE VIEW]', and 'Thumbnail [STORE VIEW]'. There are also 'Exclude' and 'Remove' checkboxes. At the bottom of the table are 'Save &amp; Continue Edit' and 'Save &amp; Close' buttons.

*Product Images*

## Thumbnail Gallery

The thumbnail gallery on the product page can be used to display multiple images of the product. Although the position of the gallery varies by theme, it is usually just below the main image on the product page. Click each image to browse through the thumbnail gallery.



*Image Zoom*

## Light Boxes and Sliders

Some stores use third-party light boxes or sliders to replace the default product image display. You will find a variety of light box and slider extensions available in [Magento Connect](#).

### Image Zoom

Magento displays a magnified portion of the image on mouseover, provided that you have uploaded a larger image that can be used to zoom in for a closer look. When zoom is activated, you can click the main image and move the cursor around to magnify different parts of the image. The magnified selection appears to the right of the image.

## Image Size and Type

As a best practice, you should standardize the size of your images so they appear at the highest possible resolution. A single product image can be displayed in several different sizes throughout your catalog. In addition to the main image on the product page, there are smaller images and thumbnails.

Image types are used in different places in your catalog. If you have only one product image, you can use the same image for each type. If you do not assign an image to each type, a placeholder image is used to mark its place in the catalog.

### To configure product images:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Catalog, select **Catalog**.
2. Click to expand the **Product Image** section, and do the following:

Product Image	
Base Image Width	<input type="text" value="1800"/> [STORE VIEW] ▲ Maximum width base product image will be scaled down to in pixels
Small Image Width	<input type="text" value="210"/> [STORE VIEW] ▲ Maximum width small product image will be scaled down to in pixels

*Product Image*


- a. In the **Base Image Width** field, enter the maximum width that the base image is to be rendered.
  - b. In the **Small Image Width** field, enter the maximum width that the small image is to be rendered.
3. When complete, click the **Save Config** button.

## Image Types

IMAGE TYPE	DESCRIPTION
Thumbnail	Thumbnail images appear in the thumbnail gallery, shopping cart, and in some blocks such as Related Items. Example size: 50 x 50 pixels
Small Image	The small image is used for the product images in listings on category and search results pages, and to display the product images needed for sections such as for Up-sells, Cross-sells, and the New Products List. Example size: 470 x 470 pixels
Base Image	The base image is the main image on the product detail page. Image zoom is activated if you upload an image that is larger than the image container. Example sizes: 470 x 470 pixels (without Zoom) 1100 x 1100 pixels (with Zoom)
Media Image	(Optional) A media image you the ability to associate additional images with a product, that are other than a product image. For example, you might include the product logo, care instructions, or an image of the ingredients from a food label.  If you add a media image attribute to the attribute set of a product, it is listed as an additional image type, along with Base, Small, and Thumbnail. You can set it to "Exclude" so it doesn't appear in the gallery.

## Adding Product Images

The Images tab is used to upload and manage images for a single product. You can upload multiple images for the product, and maintain different images for each website or store view. However, if you have many images to manage, you might prefer to [import](#) them, rather than upload product images individually.



*Adding Product Images*

### To add product images:

1. If the images are to be used for only a specific store [view](#), set **Choose Store View** in the upper-left corner to identify the view where the images will be used.
2. In the panel on the left, click **Images**.
3. Click the **Browse Files** button, and select the product images files you want to upload to your store.
4. Click the **Upload Files** button to upload the selected images to your store. Then, for each image, do the following:
  - a. Enter a descriptive **Label** for the image. This text appears on mouseover and can improve indexing by search engines.
  - b. If using multiple images, enter a numeric value in the **Sort Order** field to determine the sequence in which they appear in the thumbnail gallery.
  - c. To prevent an image from being included in the thumbnail gallery, click the **Exclude** checkbox. For example, if the product has only one image, there's no reason to include it in the gallery.
  - d. To delete any image, select the **Remove** checkbox.
5. When complete, click the **Save and Continue Edit** button.

## To add images to the gallery:


Follow the same process to add a new product image. For best results, gallery image files should be the same size and proportion as the main product image.

### Field Descriptions

FIELD	SCOPE	DESCRIPTION
Image		On mouseover, a thumbnail of each uploaded image appears.
Label		The label is the descriptive “Alt” text that appears on mouseover. Including a label for each image improves indexing by search engines, and accessibility for people who use screen readers.
Sort Order		Determines the order in which images are displayed in the gallery.
Thumbnail	Store View	The Thumbnail image is used in the shopping cart and in some blocks, such as Related Items.
Small Image	Store View	The Small Image is used in product listings on the category and search results pages, and to display product images in additional sections such as Up-sells, Cross-sells, and the New Products List.
Base Image	Store View	The Base Image is the main image on the product page, and is also used to produce the magnified area displayed during image zoom.
Media Image	Store View	(Optional) The Media Image appears only if an attribute of the Media Image type is included in the attribute set.
Exclude		Select the Exclude checkbox to prevent the image from being listed in the thumbnail gallery.
Remove		Select the Remove checkbox to delete the image. Selected images are deleted when the product record is saved.

# Placeholders

Magento uses a temporary image as a placeholder until permanent product images are available. The initial placeholder image is the Magento logo, which you can replace with placeholder images of your own design.



*Placeholder*

## To upload placeholder images:

1. On the Admin menu, select **System > Configuration**. Then in the Configuration panel on the left under Catalog, select **Catalog**.
2. Click to expand the **Product Image Placeholders** section. Then, do the following:



*Product Image Placeholders*


- a. For each image type, click the **Choose File** button to navigate to, and upload the placeholder image you want to use for the **Base Image**, **Small Image**, and **Thumbnail** images. You can use the same image, or upload a different image for each type.
- b. When complete, click the **Save Config** button.

## Watermarks

If you go to the expense of creating your own original product images, there is not much you can do to prevent unscrupulous competitors from stealing them with the click of a mouse. However, you can place a watermark on each image to identify it as your property and make it a less attractive target. A watermark file can be either a .jpg (jpeg), .gif, or .png image.

### Example: Watermark Positions

The watermark used in these examples is a .png file 470 x 470 pixels square, with a black logo and transparent background. The size and opacity were later adjusted to 100 x 100 pixels at 10% using the watermark configuration settings in the Admin panel. You can experiment with different watermark settings until you find the look you want.



*None*

*Tile*

*Top Left*

*Top Right*



*Bottom Left*

*Bottom Right*

*Center*

*Stretch*

## To place watermarks on product images:

1. On the Admin menu, select **System > Configuration**. Then in the Configuration panel on the left under General, select **Design**.
2. Click to expand the **Product Image Watermarks** section.

The screenshot shows the 'Product Image Watermarks' configuration page. It contains three main sections for different image sizes: Base Image Watermark, Small Image Watermark, and Thumbnail Watermark. Each section includes fields for Default Size (with example values like '200x300'), Opacity (Percent), and Watermark file selection (using 'Choose File' and 'Allowed file types: jpeg, gif, png'). The 'Position' dropdown for each section has 'Stretch' selected. There are also 'STORE VIEW' buttons next to each input field.

*Product Image Watermarks*

3. Complete the following steps for the Base, Small, and Thumbnail images:
  - a. Enter the **Watermark Default Size**, in pixels. For example: 200 x 300
  - b. Enter the **Watermark Opacity**, as a percentage. For example: .40
  - c. Click the **Browse** button and select the Watermark image file to upload.
  - d. Set **Watermark Position** to your preference.
4. When complete, click the **Save Config** button.


# Shopping Cart Thumbnails

The thumbnail images in the shopping cart give customers a quick overview of the items they are about to purchase. However, for products with multiple options, the standard product image may not match the actual item being purchased. If the customer purchased a pair of red shoes, ideally, the thumbnail in the shopping cart should show the product in the same color.

The thumbnail image for both grouped and configurable products can be set to display the image from either the “parent” product record or associated product. The setting applies to all grouped or configurable products in the current store view.

## To configure shopping cart thumbnails:

1. On the Admin menu, select **System > Configuration**. Then in the Configuration panel on the left under Sales, select **Checkout**.
2. Click to expand the **Shopping Cart** section, do the following:



### Shopping Cart

- a. Set **Grouped Product Image** to one of the following:
  - Product Thumbnail Itself
  - Parent Product Thumbnail
- b. Set **Configurable Product Image** to one of the following:
  - Product Thumbnail Itself
  - Parent Product Thumbnail
3. When complete, click the **Save Config** button.



## CHAPTER 16:

# Product Pricing

Magento Community Edition supports a number of pricing options that you can use for promotions, and to meet minimum advertised price requirements.

Topics in this chapter:

- [Prices](#)
- [Special Price](#)
- [Tier Price](#)
- [Package Price](#)
- [Minimum Advertised Price](#)
- [Product Group Price](#)

## Prices

The Prices tab is used to establish the pricing structure of the product. Options include special and tier pricing, and manufacturer's suggested retail price.

The screenshot shows the 'Prices' configuration page in the Magento Admin. At the top right is a button labeled 'Create New Attribute'. Below it are several input fields and dropdown menus. A prominent orange 'Add Group Price' button is located in the middle of the page. Another orange 'Add Tier' button is also visible. The fields include 'Price' (set to 295.00 USD), 'Group Price' (with a table for Website, Customer Group, Price, and Action), 'Special Price' (with a table for Website, Customer Group, Qty, Price, and Action), 'Special Price From Date' and 'Special Price To Date' (date range fields), 'Tier Price' (with a table for Website, Customer Group, Qty, Price, and Action), 'Apply MAP' (dropdown), 'Display Actual Price' (dropdown), 'Manufacturer's Suggested Retail Price' (set to [USD]), and 'Tax Class' (set to Taxable Goods). Labels for 'GLOBAL', '[WEBSITE]', and '[GLOBAL]' are placed next to some fields.

*Prices*

### Field Descriptions


FIELD	SCOPE	DESCRIPTION
Price	Global	The retail price of the product.
Group Price	Global	Sets up promotional prices for specific customer groups within the selected website.
Special Price	Website	To offer a Special Price, enter a discounted price and complete the date range fields to establish when the promotion goes into effect.  When available, the retail price is crossed out and the special price appears below in a large, bold font.
Special Price From Date	Website	Sets the beginning date for the range of time the Special Price is offered.
Special Price To Date	Website	Sets the ending date for the range of time the Special Price is offered.
Tier Price	Website	Tier pricing is used to offer a quantity discount. The discount can be applied to specific customer groups within the selected website.

### Field Descriptions (cont.)

FIELD	SCOPE	DESCRIPTION	
Apply MAP	Website	When applied, hides the actual product price from the customer. Options include: Yes / No / Use Config	
Display Actual Price	Website	Determines when the customer can see the actual product price. Options include:	
	In Cart	Displays the actual product price in the shopping cart.	
	Before Order Confirmation	Displays the actual product price only at the end of the checkout process, just before the order is confirmed.	
	On Gesture	Displays the actual product price	
	Use Config	Displays the actual price according to the configuration setting.	
Manufacturer's Suggested Retail Price	Global	The retail price as suggested by the manufacturer (MSRP).	
Tax Class		The tax class associated with the product.	

## Special Price

To offer a Special Price, enter a discounted price and complete the date range fields to establish when the promotion goes into effect. On both the catalog list and product pages, the regular price is crossed out, and the Special Price appears in bold red.




*Special Pricing*

### To display a special price:

1. In the Product Information panel on the left, select **Prices**.
2. Enter the amount of the **Special Price**.
3. Complete the **Special Price From Date** and **Special Price To Date** to define the period of time that the special price is in effect. You can pick the dates from the **Calendar** icon to the right of each field.
4. Click the **Save** button to save your changes.
5. When prompted to update the cache and indexes, follow the instructions at the top of the page.

## Tier Price

Tier pricing lets you offer a quantity discount from the catalog list and product detail pages. The discount can be applied to a specific store view or customer group.




*Tier Price “As Low as”*

- On the catalog page, the product price includes the words, “As Low As,” followed by the lowest tier price.
- On the product page, the calculated quantity discount has the message:


Buy 2 for \$\_\_\_. each and save \_\_%

The prices in the storefront take precedence from the highest to the lowest quantity. Therefore, if you have a tier for the quantity 5 and one for the quantity 10 and a customer adds 5, 6, 7, 8 or 9 items to the shopping cart, then the customer gets the discounted price that you specified for the quantity 5 tier. As soon as the customer adds the 10th item, the discounted price specified for the quantity 10 tier supersedes the quantity 5 tier and that discounted price (of 10) applies instead.

*Tier Price on Product Page*

### To display a tier price:

1. In the Product Information panel on the left, select **Prices**.
2. In the Tier Price section, click the **Add Tier** button. Then, do the following:

*Tier Pricing*

- a. Select the **Website** to which the tier pricing applies.
- b. Select the **Customer Group** for whom the tier pricing is available.

To apply a tier to multiple groups, but not all groups, create multiple tiers, each with the same Qty and Price information and select a different customer group for each.

- c. In the **Qty** field, enter the quantity that must be ordered to receive the discount.
  - d. In the **Price** field, enter the adjusted price of the item.
3. When complete, click the **Save** button.
4. When you are prompted to update the cache and indexes, follow the instructions in the message at the top of the workspace.

## Quantity Increments Packaging

Unlike a unit price, a package price refers to multiple items of the same product that are packaged together and sold as a single unit. A six-pack of soft drinks is an example of package pricing.

### How to sell multiple products as a package:

1. On the Admin menu, select **Catalog > Manage Products**.
2. In the list, click to select the product you want to sell as a package.
3. In the Product Information panel on the left, select **Inventory**. Then, do the following:
  - a. Set **Qty for Item's Status to Become Out of Stock** to the lowest inventory threshold for this item. (If necessary, clear the **Use Config Settings** checkbox.)  
The number should be a multiple of the number of items in the package. For example, for a six-pack, the threshold might be 6, 12, 18, and so on.
  - b. Set **Enable Qty Increments** to “Yes.”
  - c. Set **Qty Increments** to the number of units included in the package. For example, 6.
4. When complete, click the **Save Config** button.

## Minimum Advertised Price

MERCHANTS ARE SOMETIMES PROHIBITED FROM DISPLAYING A PRICE THAT IS LOWER THAN THE MANUFACTURER'S SUGGESTED RETAIL PRICE (MSRP). MAGENTO'S MINIMUM ADVERTISED PRICE (MAP) GIVES YOU THE ABILITY TO REMAIN IN COMPLIANCE WITH THE MANUFACTURER'S REQUIREMENTS WHILE OFFERING YOUR CUSTOMERS A BETTER PRICE. BECAUSE REQUIREMENTS DIFFER FROM ONE MANUFACTURER TO ANOTHER, YOU CAN CONFIGURE YOUR STORE TO PREVENT THE DISPLAY OF YOUR ACTUAL PRICE ON PAGES WHERE IT IS NOT ALLOWED TO APPEAR ACCORDING TO THE TERMS OF THE MANUFACTURER.

The screenshot shows a Magento storefront with a search bar and navigation links for WOMEN, MEN, ACCESSORIES, HOME & DECOR, SALE, and VIP. The current category is ELECTRONICS. On the left, there are filters for PRICE (\$0.00 - \$99.99, \$100.00 - \$199.99, \$400.00 - \$499.99, \$700.00 and above), COLOR (Black, Charcoal, Green), and ELECTRONIC TYPE (Accessories, Camera, Media Players, Speakers + Earphones). The main content area displays four products: MADISON LX2200, MADISON RX3400, MP3 PLAYER WITH AUDIO, and MADISON 8GB DIGITAL MEDIA PLAYER. The MADISON RX3400 product card is expanded, showing a 'Click for Price' button with a tooltip explaining the price is lower than the manufacturer's minimum advertised price. Below the product cards, there is a note about the obligation to purchase if the price is lower than MAP. To the right, there is a sidebar for RECENTLY VIEWED PRODUCTS (CHELSEA TEE, SLIM FIT DOBBY OXFORD SHIRT, JACKIE O ROUND SUNGLASSES) and a COMPARE PRODUCTS section.

*"Click for Price" Gesture with Popup*

## MAP Logic

For products that allow configuration from the storefront, with prices that depend on a selected option, (such as custom options, or simple products with their own SKUs and stock management), the following logic is implemented:

- MAP is applied to the main price. The prices of options, bundle items, and associated products (which add or subtract from the main price) appear normally.
- If a product does not have a main price, and its price is derived from the associated product prices (such as in a grouped product), the MAP settings of the associated products are applied.
- If a product in the cart has the Manufacturer's Suggested Retail Price (MSRP) specified, the price is not crossed-out.

For other price settings, the following MAP logic is used:

- If tier pricing is set, the tier price appears according to the Display Actual Price setting.
- If a special price is set, it is considered to be the actual price for MAP.

In the order management and customer management tools, as well as in the reports sections of the Admin, only the actual price appears.

### Using MAP with Product Types

PRODUCT TYPE	DESCRIPTION
Simple, Virtual	The actual price does not automatically appear on catalog list and product pages, but is included only according to the Display Actual Price setting. Custom option prices appear normally.
Grouped	The prices of associated simple products do not automatically appear on catalog list and product pages, but are included only according to the Display Actual Price setting.
Configurable	The actual price does not automatically appear on catalog list and product pages, but is included only according to the Display Actual Price setting. Option prices appear normally.
Bundle with fixed price	The actual price does not automatically appear on catalog pages, but is included only according to the Display Actual Price setting. The prices of bundle items appear normally.
<div style="border: 1px solid #ccc; padding: 5px; text-align: center;">MAP is not available for <a href="#">bundle products</a> with dynamic pricing.</div>	
Downloadable	The actual price does not automatically appear on catalog list and product pages, but is included only according to the Display Actual Price setting. The price associated with each download link appears normally.


## Using MAP with Price Settings

PRICE SETTING	DESCRIPTION
Tier Price	If tier pricing is set, the tier pricing message is not displayed in the catalog. On the product page a notification is displayed that indicates that the price can be lower when ordering more than a certain quantity, but the discount is displayed in percentages only. For associated products of a grouped product, the discounts are not displayed on the product page.  The tier price is shown according to the Display Actual Price setting.
Special Price	If the Special price is specified, the special price is displayed according to the Display Actual Price setting.

## MAP Configuration

MAP can be configured at both the global and product levels. There are a variety of configuration options that you can use to remain in compliance with the terms of your agreement with the manufacturer, while still offering your customers a better price. Your store's MAP settings can be applied to all products in your catalog or configured for only specific products.

On the global level, you can enable or disable MAP, apply it to all products, define how the actual price is displayed, and edit the text of the related messages and information tips that appear in the store. When MAP is enabled globally, product-level MAP settings become available. For a product you can choose to apply MAP, specify the MSRP, and define how the actual price is displayed. Product-level MAP settings override the global MAP settings.



*Minimum Advertised Price*

## To configure MAP globally:

1. On the Admin menu, select **System > Configuration**.
2. If applicable, in the upper-right corner, set **Current Configuration Scope** to the website where the configuration applies.
3. In the panel on the left, under Sales, select **Sales**. Then, click to expand the **Minimum Advertised Price** section.
4. To activate MAP, set **Enable MAP** to “Yes.”
  - a. Set **Apply MAP (Default Value)** to one of the following:
    - To apply MAP to certain products, select “No.”
    - To apply MAP by default to all products and hide all prices throughout the site, select “Yes.”
  - b. To determine when and where you want your actual price to be visible to the customer, set **Display Actual Price** to one of the following:
    - In Cart
    - Before Order Confirmation
    - On Gesture (on click)
5. When complete, click the **Save Config** button.

## To configure MAP for a specific product:

1. On the Admin menu, select **System > Configuration**.
2. In the Configuration panel on the left, under Sales, click to expand the **Minimum Advertised Price** section. Then, do the following:

*Minimum Advertised Price Configuration*

- a. Set **Enable MAP** to “Yes.”
  - b. Set **Apply MAP (Default Value)** to “No.”
  - c. Complete the remaining settings as needed. Then, click the **Save Config** button.
3. Select **Catalog > Manage Products**, and open the product record.
  4. In the Product Information panel on the left, select **Prices**. Then, do the following:
    - a. Enter your **Price** that is lower than the manufacturer’s minimum advertised price.
    - b. Set **Apply MAP** to “Yes.”
    - c. Set **Display Actual Price** according to your preference.
    - d. Enter the **Manufacturer’s Suggested Retail Price**.
  5. When complete, click the **Save** button.

## Product Group Price

Product Group Price enables you to set promotional prices for different customer groups at the product level. Group price can be used with the following product types:

- [Simple](#)
- [Configurable](#)
- [Virtual](#)
- [Bundle](#)
- [Downloadable](#)

For Bundle products, the group price is specified as a discount percentage. If bundle items have their own group prices set for the same customer group, then the discount specified for the entire Bundle applies to the group prices.

For Grouped products, the Group Price is not applied, even if the product type is selected in the Apply To field of the group\_price attribute. In this case, the Group Price field does not appear in the Prices section of Product Information.

## Product Group Price Setup

The display of group prices in the store follows the general logic used for Magento pricing. If, in addition to the regular price, a product has promotional price(s), the lowest price appears in the storefront. If a product custom option has price set as a percentage, then the lowest promotional price is used as base for the calculation. The same logic applies when the associated products (the options) of a configurable product have prices set as a percentage.

### Examples: Promotional Prices in Storefront

The following table illustrates how the minimum promotional price logic is implemented.

The table provides several examples, but it is not an exhaustive list of possible combinations.

### Promotional Pricing

ADMIN PRICE	STOREFRONT PRICE
Price = \$4	For customers from the tier price group(s): \$ 4
Special Price = \$5	As low as: \$3
Tier Price = \$3	For customers from other groups: \$4
Price = \$5	For all customers:
Special Price = \$3	Regular Price: \$5
Tier Price = \$4	Special Price: \$3
Price = \$5	For customers from the catalog price rule group:
Special Price = \$3	<del>Regular Price: \$5</del>
Tier Price = \$4	Special Price: \$2
Price after a catalog price rule applied = \$2	For customers from other groups:
	<del>Regular Price: \$5</del>
	Special Price: \$3
Price = \$5	For customers from the price group:
Special Price = \$4	<del>Regular Price: \$5</del>
Group Price = \$3	Special Price: \$3
	For customers from other groups:
	<del>Regular Price: \$5</del>
	Special Price: \$4

**Important!** When a group price is set for a product, the catalog price rules for the corresponding customer groups are applied to the group price, not to the regular price.

### To set up a group price for a product:

- On the Admin menu, select **Catalog > Manage Products**. Then in the list, click to open the product in edit mode.
- In the panel on the left, click **Prices**. Then, do the following:
  - In the Group Price field, click the **Add Group Price** button.
  - Select the target **Customer Group** and enter the product **Price** for the group. The Website column defines the scope of the Group Price field.
- When complete, click the **Save** button.

## Group Price Attribute

The `group_price` attribute gives you the ability to offer a different price to members of a **customer group** for any product type that is specified in the attribute's Apply To property.

*Attribute Properties*

### To set up a group price:

1. On the Admin menu, select **Catalog > Manage Products**. Then, open the product in edit mode.
2. In the panel on the left, select **Prices**. Then, do the following:

*Group Price*

- a. Under Group Price, click the **Add Group Price** button.
- b. Select the **Website** to determine the scope of the setting.
- c. Choose the **Customer Group** that is eligible for the group price.
- d. Enter the **Price** of the product for members of the selected group.
3. When complete, click the **Save** button.



## CHAPTER 17:

# Inventory

Managing stock creates opportunities for customer engagement by displaying stock availability messages in your store, and giving your customers the opportunity to receive product alerts. Even if your store doesn't have a large inventory of products, your customers can benefit from the way you manage your inventory.

Inventory settings can be made for the catalog as a whole, and fine tuned for each individual product. In addition to controlling stock levels, the inventory settings determine how backorders and returned items are managed. If your needs are simple, you might choose not to manage inventory at all. However, inventory management is more than just keeping track of how many products you have on hand.

Topics in this chapter:

- [Inventory Configuration](#)
- [Managing Stock](#)
- [Stock Availability Messages](#)
- [Out of Stock Threshold](#)
- [Product Alerts](#)

# Inventory Configuration

The Product Stock Items configuration determines the default product inventory settings. The configuration applies to individual products, rather than to the contents of the cart as a whole.

## To configure the default inventory settings:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Catalog, select **Inventory**.
2. Click to expand the **Product Stock Options** section, and do the following:

*Product Stock Options*

- a. Set **Manage Stock** to one of the following:

Yes	Activates full inventory control to keep track of the number of items currently in stock.
-----	---

No	Does not keep track of the number of items currently in stock.
----	--

- b. Set **Backorders** to one of the following:

No Backorders	Does not accept backorders when product is out of stock.
---------------	--

Allow Qty Below 0	Accepts backorders when the quantity falls below zero.
-------------------	--

Allow Qty Below 0 and Notify Customer	Accepts backorders when the quantity falls below zero, but notifies customers that orders can still be placed.
---------------------------------------	--

- c. In the **Maximum Qty Allowed in Shopping Cart** field, enter the default maximum quantity of any product that a customer can place into the shopping cart.
- d. In the **Qty for Item's Status to Become Out of Stock** field, enter the stock level that indicates a product to be out of stock.

3. At the **Minimum Qty Allowed in Shopping Cart** field, click the **Add Minimum Qty** button. Then, do the following:
  - a. Select the **Customer Group**.
  - b. Enter the default **Minimum Quantity** for members of the group.

Repeat these steps as needed.
4. In the **Notify for Quantity Below** field, enter the stock level that triggers a notification to be sent that a product has fallen below the threshold.
5. If you want to sell product packaged as multiples—such as a six-pack—set **Enable Qty Increments** to “Yes.” Then, enter the number of **Qty Increments** to be sold together as a package.
6. If you want to return any item that appears on a credit memo back to inventory, set **Automatically Return Credit Memo Item to Stock** to “Yes.”
7. When complete, click the **Save Config** button.

## Managing Stock

Each product in your catalog has both a short and long version of the Inventory options, depending on whether you need to manage inventory for the product. To take full advantage of Magento's advanced inventory management capabilities, Manage Stock must be enabled. .

To set up a simple catalog without stock management, complete the Inventory short form. For full inventory management, complete the long form. The initial values reflect the default Product Stock Options set in the configuration.

Inventory		
Manage Stock	<input type="text" value="No"/> [GLOBAL] <input type="checkbox"/> Use Config Settings	
Minimum Qty Allowed in Shopping Cart	<input type="text" value="1"/> [GLOBAL] <input checked="" type="checkbox"/> Use Config Settings	
Maximum Qty Allowed in Shopping Cart	<input type="text" value="10000"/> [GLOBAL] <input checked="" type="checkbox"/> Use Config Settings	
Enable Qty Increments	<input type="text" value="No"/> [GLOBAL] <input checked="" type="checkbox"/> Use Config Settings	

*Inventory (Short Form)*

### To set up a product without stock management:

1. On the Admin menu, select **Catalog > Manage Products**. Then, open the product in edit mode.
2. In the panel on the left, under Catalog, select **Inventory**. Click to expand the **Product Stock Options** section.
3. To change the default setting of any field, first clear the **Use Config Settings** checkbox. Then, do the following:
  - a. Set **Manage Stock** to “No.”
  - b. In the **Minimum Qty Allowed in Shopping Cart** field, enter the minimum quantity of the product that a customer can place into the shopping cart.
  - c. In the **Maximum Qty Allowed in Shopping Cart** field, enter the maximum quantity of the product that a customer can place into the shopping cart.
  - d. If you want to sell this product packaged in multiples, such as a six-pack, set **Enable Qty Increments** to “Yes.”
4. When complete, click the **Save Config** button.

### To set up a product with full inventory control:

1. On the Admin menu, select **Catalog > Manage Products**. Then, open the product in edit mode.
2. In the panel on the left, under Catalog, select **Inventory**. Click to expand the **Product Stock Options** section.
3. If necessary, clear the checkbox below the **Manage Stock** field. Then, set **Manage Stock** to “Yes.”

Inventory		
Manage Stock	<input type="button" value="Yes"/> <input checked="" type="checkbox"/> Use Config Settings	[GLOBAL]
Qty*	<input type="text" value="0"/>	[GLOBAL]
Qty for Item's Status to Become Out of Stock	<input type="text" value="0"/> <input checked="" type="checkbox"/> Use Config Settings	[GLOBAL]
Minimum Qty Allowed in Shopping Cart	<input type="text" value="1"/> <input checked="" type="checkbox"/> Use Config Settings	[GLOBAL]
Maximum Qty Allowed in Shopping Cart	<input type="text" value="10000"/> <input checked="" type="checkbox"/> Use Config Settings	[GLOBAL]
Qty Uses Decimals	<input type="button" value="No"/> <input checked="" type="checkbox"/> Use Config Settings	[GLOBAL]
Can be Divided into Multiple Boxes for Shipping	<input type="button" value="No"/> <input checked="" type="checkbox"/> Use Config Settings	[GLOBAL]
Backorders	<input type="button" value="No Backorders"/> <input checked="" type="checkbox"/> Use Config Settings	[GLOBAL]
Notify for Quantity Below	<input type="text" value="1"/> <input checked="" type="checkbox"/> Use Config Settings	[GLOBAL]
Enable Qty Increments	<input type="button" value="No"/> <input checked="" type="checkbox"/> Use Config Settings	[GLOBAL]
Stock Availability	<input type="button" value="Out of Stock"/>	[GLOBAL]

*Inventory (Long Form)*

4. To change the default setting of any field, first clear the **Use Config Settings** checkbox. Then, do the following:
  - a. In the **Qty** field, type the number of units you currently have in stock.
  - b. In the **Qty For Item's Status to become Out of Stock** field, enter the stock level that indicates the item is considered to be out of stock.
  - c. In the **Minimum Qty Allowed in Shopping Cart** field, enter the default maximum quantity of any product that a customer can place into the shopping cart.
  - d. In the **Maximum Qty Allowed in Shopping Cart** field, enter the default maximum quantity of any product that a customer can place into the shopping cart.
  - e. If the quantity of the product is indicated with decimal precision, set **Qty Uses Decimals** to “Yes.”
    - If the product can be shipped in separate boxes, set **Can be divided into Multiple Boxes for Shipping** to “Yes.”
  - f. Set **Backorders** to one of the following:
 

No Backorders	Does not accept backorders when product is out of stock.
Allow Qty Below 0	Accepts backorders when the quantity falls below zero.
Allow Qty Below 0 and Notify Customer	Accepts backorders when the quantity falls below zero, but notifies customers that orders can still be placed.
  - g. In the **Notify for Quantity Below** field, enter the stock level that triggers a notification to be sent that a product has fallen below the threshold.

- h.** If you want to sell product packaged as multiples—such as a six-pack—set **Enable Qty Increments** to “Yes.” Then in the **Qty Increments** field, enter the number of products that are packaged together.

- i.** Set **Stock Availability** to one of the following:

In Stock	Makes the product available for purchase.
Out of Stock	Unless Backorders are activated, prevents the product from being available for purchase and removes the listing from the catalog.

- 5.** When complete, click the **Save** button.

### Field Descriptions

FIELD	SCOPE	DESCRIPTION
Manage Stock	Global	Determines if you use full inventory control to manage the items in your catalog. Options include:
		<p>Yes      Activates full inventory control to keep track of the number of items currently in stock. (To change the setting, clear the Use Config Settings checkbox and select “Yes.”)</p> <p>No      Does not keep track of the number of items currently in stock. (This is the default setting.)</p>
Qty	Global	(Required) The quantity of the item in stock.
Qty For Item’s Status to become Out of Stock	Global	Determines the stock level at which a product is considered to be out of stock.
Minimum Qty Allowed in Shopping Cart	Global	Determines the minimum amount of this item that is available for purchase. By default, the minimum quantity is set to 1.
Maximum Qty Allowed in Shopping Cart	Global	Determines the maximum number of this item that can be purchased in a single order. By default, the maximum quantity is set to 10,000.

### Field Descriptions (cont.)


FIELD	SCOPE	DESCRIPTION	
Qty Uses Decimals	Global	Determines if customers can use a decimal value rather than a whole number when entering the quantity ordered. Options include:	
		Yes	Permits values to be entered as decimals, rather than whole numbers, which is suitable for products sold by weight, volume or length.
		No	Quantity values must be entered as whole numbers.
Can be divided into Multiple Boxes for Shipping	Global	Determines if parts of the product can be shipped separately. Options include: Yes / No	
Backorders	Global	Determines how your store manages backorders. A backorder does not change the processing status of the order. Funds are still authorized or captured immediately when the order is placed, regardless of whether the product is in stock. When the product becomes available, it will be shipped. Options include:	
		No Backorders	Does not accept backorders when product is out of stock
		Allow Qty Below 0	Accepts backorders when the quantity falls below zero.
		Allow Qty Below 0 and Notify Customer	Accepts backorders when the quantity falls below zero, but notifies customers that orders can still be placed.

### Field Descriptions (cont.)

FIELD	SCOPE	DESCRIPTION	
Notify for Quantity Below	Global	Determines the stock level at which notification is sent that the inventory has fallen below the threshold.	
Enable Qty Increments	Global	Determines if the product can be sold in quantity increments. Options include: Yes / No	
Qty Increments	Global	Establishes the number of products that make up a quantity increment.	
Stock Availability	Global	Determines the current availability of the product. Options include:	
	In Stock	Makes the product available for purchase.	
	Out of Stock	Unless Backorders are activated, prevents the product from being available for purchase and removes the listing from the catalog.	

## Stock Options


The Stock Options settings determine if items are removed from stock when an order is placed, and returned to stock if an order is canceled. The Stock Options determine if out-of-stock products are included in the catalog, and control the display of the “In Stock,” “Out of Stock,” and “Only x left” messages.



*Only 1 Left*

## To configure stock options:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Catalog, select **Inventory**.
2. Click to expand the **Stock Options** section. Then, do the following:



*Stock Options*

- a. To return items to stock if an order is cancelled, **Set Items Status to be in Stock When Order in Cancelled** to “Yes.”
- b. To adjust the quantity on hand when an order is placed, set **Decrease Stock When Order is Placed** to “Yes.”
- c. Set **Display Out of Stock Products** to “Yes” to continue to display products in the catalog that are no longer in stock.

If **price alerts** are enabled, customers can sign up to be notified when the product is back in stock.

- d. To display the message, “Only x left,” enter the number in the **Display X left Threshold** field.

The message begins to appear when the quantity in stock reaches the threshold. For example, if set to 3, the message “Only 3 left” appears when the quantity in stock reaches 3. The message adjusts to reflect the quantity in stock, until the quantity reaches zero.


- e. To display an “In Stock” or “Out of Stock” message on the product page, set **Display products availability in stock in the frontend** to “Yes.”
3. When complete, click the **Save Config** button.

## Stock Availability

You can define an inventory level that becomes the threshold to determine when an item needs to be reordered. The out of stock threshold can be set to any number greater than zero.

Another way you can use the stock availability threshold is to manage products that are in high demand. If you want to capture new customers, rather than sell to high-quantity buyers, you can set a maximum quantity to prevent a single buyer from taking out your entire inventory.

Your catalog can be configured to display the availability of each item as “In Stock” or “Out of Stock” on the product page. The configuration setting applies to the catalog as a whole, and the message changes according to the stock status of the product. There are several display variations possible, including how “out of stock” products are managed in the catalog and search results lists.



*"In Stock" Message on Product Page*

### Process Overview:

- Step 1: Configure the Inventory Stock Options
- Step 2: Set the Product to Manage Stock
- Step 3: Set the “Out of Stock” Threshold

## Step 1: Configure the Inventory Stock Options

1. On the Admin menu, select **System > Configuration**. Then in the Configuration panel on the left, under Catalog, select **Inventory**.
2. Click to expand the **Stock Options** section. Then, do the following:

Stock Options		
Set Items' Status to be In Stock When Order is Cancelled	Yes	[STORE VIEW]
Decrease Stock When Order is Placed	Yes	[GLOBAL]
Display Out of Stock Products	No	[GLOBAL] Products will still be shown by direct product URLs.
Only X left Threshold	0	[WEBSITE]
Display products availability in stock in the frontend	Yes	[STORE VIEW]

*Stock Options*

- a. To configure how “out of stock” products are handled in the category and search results lists, set **Display Out of Stock Products** to one of the following:

Yes	Includes “out of stock” products on catalog pages.
No	Omits “out of stock” products from catalog pages.
  - b. To configure the stock availability message on the product page, set **Display products availability in stock in the frontend** to one of the following:

Yes	Displays an availability message indicating the product stock status.
No	Does not display an availability message.
  3. Click the **Save Config** button to save the setting.
- ## Step 2: Set the Product to Manage Stock
1. On the Admin menu, select **Catalog > Manage Products**.
  2. In the list, click to open the product. Then in the Product Information panel on the left, select **Inventory**.
  3. If necessary, clear the **Use Config Settings** checkbox, and set **Manage Stock** to “Yes.” Then, complete the inventory settings as needed.
  4. Make sure that **Stock Availability** is set to “In Stock.”
  5. Click the **Save** button to save the product settings.


### Step 3: Set the "Out of Stock" Threshold

1. On the Inventory tab, set the **Qty for Item's Status to Become Out of Stock** to a value above zero.
2. To set the quantity of the product that is allowed in the cart, set the following fields to the appropriate values for your product, store, and strategy:
  - Minimum Quantity Allowed in Shopping Cart
  - Maximum Quantity Allowed in Shopping Cart
3. To be notified when stock drops below the threshold, clear the **Use Config Settings** checkbox. Then, set **Notify for Quantity Below** to a number to establish the threshold. The default the value is 1.

If you need time to restock your inventory, you can use this value to indicate when it is time to replenish.

## Message Scenarios


You can use a combination of configuration settings to control stock availability messages on product pages and in listings of products on catalog pages.



Grouped Product with Both Messages

## Product Page

There are several variations of messaging available for the product page, depending on the combination of Manage Stock and Stock Availability settings.



*“Out of Stock” Message*

### Example 1: Show Availability Message

**Scenario 1:** This combination of settings causes the availability message to appear on the product page, according to the stock availability of each product.

STOCK OPTIONS	MESSAGE		
Display product availability in stock in the frontend:	Yes		
<b>Product Inventory</b>			
Manage Stock	Yes		
Stock Availability	In Stock	In Stock	“Availability: In Stock”
	Out of Stock	Out of Stock	“Availability: Out of Stock”

**Scenario 2:** When stock is not managed for a product, this combination of settings can be used to display the availability message on the product page.

STOCK OPTIONS	MESSAGE	
Display product availability in stock in the frontend:	Yes	
<b>Product Inventory</b>		
Manage Stock	No	“Availability: In Stock”

## Example 2: Hide Availability Message

**Scenario 1:** This combination of configuration and product settings prevents the availability message from appearing on the product page.


STOCK OPTIONS	MESSAGE	
Display product availability in stock in the frontend:	No	
<b>Product Inventory</b>		
Manage Stock	Yes	
Stock Availability	In Stock	None
	Out of Stock	None

**Scenario 2:** When stock is not managed for a product, this combination of configuration and product settings prevents the availability message from appearing on the product page.

STOCK OPTIONS	MESSAGE	
Display product availability in stock in the frontend:	No	
<b>Product Inventory</b>		
Manage Stock	No	None

## Catalog Page

The following display options are possible for the category and search results lists, depending on the product availability and configuration settings.



*“Out of Stock” Message on Category Page*

### Example 1: Show Product with “Out of Stock Message”

This combination of configuration settings includes out of stock products in the category and search results lists, and displays an “out of stock” message.

STOCK OPTIONS	MESSAGE
Display Out of Stock Products	Yes
Display product availability in stock in the frontend	Yes “Out of stock”
Display Out of Stock Products	Yes
Display product availability in stock in the frontend	No None

### Example 2: Show Product without “Out of Stock Message”

This combination of configuration settings includes out of stock products in the category and search results lists, but does not display a message.

STOCK OPTIONS	MESSAGE
Display Out of Stock Products	Yes None
Display product availability in stock in the frontend	No

### Example 3: Hide Product Until Back in Stock

This configuration setting omits out of stock products entirely from the category and search results lists, until they are back in stock.

STOCK OPTIONS	MESSAGE
Display Out of Stock Products	No None

### Out of Stock Threshold

You can define an inventory level that becomes the threshold to determine when an item needs to be reordered. The out of stock threshold is set to a number above zero.

#### To set the out of stock threshold:

1. In the Product Information panel, select **Inventory**.
2. Set the **Qty for Item's Status to Become Out of Stock** to a value above zero.

#### To change the quantity allowed in cart:

This option is helpful for products in high demand. If you want to capture a larger number of new customers rather than selling high volumes to high-quantity buyers, you can set a maximum quantity to prevent a high-quantity buyer from taking out your entire inventory.


1. In the Product Information panel, select **Inventory**.
2. Change the **Minimum** and **Maximum Quantity Allowed in Shopping Cart** fields to appropriate values for your product, store, and strategy.

#### To be notified when stock drops below threshold:

1. In the Product Information panel, select **Inventory**.
2. Clear the **Use Config Settings** checkbox, and set **Notify for Quantity Below** to indicate the level when you want to be notified. By default, the value is set to 1.

## Product Alerts

You can enable your customers to subscribe to two types of customer alerts by email: price change alerts and in-stock alerts. For each alert type, choose whether to enable users to subscribe to it, and select the email template to use. Also, select a sender display name, which applies to both alert types.



*Sign Up for Price Alert*

When price change alerts are enabled, a “Sign up for price alert” link appears on every product page. Customers can click the link to subscribe to alerts related to the product. Guests are prompted to open an account with your store. Whenever the price changes, or the product goes on special, everyone who has signed up to be notified receives an email alert.

The in-stock alert creates a link called “Sign up to get notified when this product is back in stock” for every product that is out of stock. Customers can click the link to subscribe to the alert. When the product is back in stock, customers receive email notification that the product is available. Products with alerts have a Product Alerts tab in the Product Information panel that lists the customers who have subscribed to an alert.

The screenshot shows the Magento Admin Panel interface. The top navigation bar includes links for Dashboard, Sales, Catalog, Customers, Promotions, Newsletter, CMS, Reports, and System. The Catalog link is highlighted in orange. Below the navigation is a search bar labeled "Global Record Search" and a status message "Logged in as admin | Monday, April 6, 2015 | Log Out". The main content area has a title "Pearl Stud Earrings (Jewelry)" with options to Back, Print, Delete, Duplicate, Save, or Save and Continue Edit. A "Price alert subscription was saved." message is displayed above a table showing a single record: First Name (Clare), Last Name (Condra), Email (clare@magento.com), Price (\$110.00), Date Subscribed (Apr 7, 2015), Last Notification (0), and Send Count (0). Below this is another table with a message "Stock notification was saved." and a note stating "There are no customers for this alert." The left sidebar contains a "Product Information" section with various categories like General, Prices, Meta Information, Images, Recurring Profile, Design, Gift Options, Jewelry, Inventory, Websites, Categories, Related Products, Up-sells, Cross-sells, and Product Alerts. The "Product Alerts" category is expanded, and a callout bubble points to it.

*List of Price Alert Subscriptions*

## To set up product alerts:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Catalog, select **Catalog**.
2. Click to expand the **Product Alerts** section, and do the following:

The screenshot shows the "Product Alerts" configuration screen. It contains five input fields with dropdown menus for selecting store views:
 

- Allow Alert When Product Price Changes: Set to "No".
- Price Alert Email Template: Set to "Product price alert (Default Template from Loc...".
- Allow Alert When Product Comes Back in Stock: Set to "No".
- Stock Alert Email Template: Set to "Product stock alert (Default Template from Loc...".
- Alert Email Sender: Set to "General Contact".

*Product Alerts*

- a. To offer price change alerts to your customers, set **Allow Alert When Product Price Changes** to "Yes."
- b. Set **Price Alert Email Template** to the template that you want to use for the price alert notifications.
- c. To offer alerts when out-of-stock products become available again, set **Allow Alert When Product Comes Back in Stock** to "Yes."

The "Sign up to get notified when this product is back in stock" message appears only when Inventory Stock Options - Display Out of Stock Products is set to "Yes."

- d. Set **Stock Alert Email Template** to the template that you want to use for product stock alerts.

- e. Set **Alert Email Sender** to the [store contact](#) that you want to appear as the sender of the email alert.
3. When complete, click the **Save Config** button.

### Field Descriptions


FIELD	SCOPE	DESCRIPTION
Allow Alerts When Product Price Changes	Store View	Determines if email alerts are available for product price changes. Options include: Yes / No
Price Alert Email Template	Store View	Identifies the template that is used for product price change email alerts. Default template: Product price alert
Allow Alert When Product Comes Back in Stock	Website	Determines if customers can choose to receive an alert when the product comes back in stock. Options include: Yes / No
Stock Alert Email Template	Store View	Identifies the template that is used for stock alert email notifications. Default template: Product stock alert
Alert Email Sender	Store View	Determines the store contact that appears as the sender of the product alert email message.

## Scheduling Product Alerts

These settings enable you to select how often Magento checks for changes that require alerts to be sent. Additionally, you can select the recipient, sender, and template for emails that are sent if the sending of alerts fails.

### To set up product alerts:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Catalog, select **Catalog**.
2. Click to expand the **Product Alerts Run Settings** section. Then, do the following:



Product Alerts Run Settings		
Frequency	Daily	[GLOBAL]
Start Time	00 : 00 : 00	[GLOBAL]
Error Email Recipient		[GLOBAL]
Error Email Sender	General Contact	[GLOBAL]
Error Email Template	Product alerts Cron error (Default Template from)	[GLOBAL]

*Product Alert Run Settings*

- a. To determine how often product alerts are sent, set **Frequency** to one of the following:
    - Day
    - Week
    - Month
  - b. To determine the time of day product alerts are sent, set **Start Time** to the hour, minute, and second.
  - c. In the **Error Email Recipient** field, enter the email of the person to be contacted if an error occurs.
  - d. In the **Error Email Sender** field, select the store identity that appears as the sender of the error notification.
  - e. Set **Error Email Template** to the transactional email template to be used for the error notification.
3. When complete, click the **Save Config** button.

## Managing Stock for Configurable Products

By default, Manage Stock is turned off for a configurable product, because the inventory is managed through each associated product. However, at times it may be necessary to apply inventory settings to a configurable product as a whole, such as to set quantity increments and change the stock availability.

### To enable quantity increments:

1. On the Inventory tab of the configurable product, clear the **Use Config Settings** checkbox, and set **Manage Stock** to “Yes.” The Enable Qty Increments field appears.
2. To sell the product in quantity increments, do the following:
  - a. Below the Enable Qty Increments field, clear the **Use Config Settings** checkbox. Then, set **Enable Qty Increments** to “Yes.”
  - b. In the **Qty Increments** field, enter the number of products that you want to sell together as a single batch.

### To set product as “Out of Stock:”

1. On the Inventory tab of the configurable product, clear the **Use Config Settings** checkbox, and set **Manage Stock** to “Yes.” The Stock Availability field appears.
2. To temporarily remove the product from sale, set **Stock Availability** to “Out of Stock.”
3. When you are ready to offer the product for sale, set **Stock Availability** to “In Stock.”



## CHAPTER 18:

# Product Information

The Product Information panel provides access to the full range of settings that make up a product record. The information in this section can be used for reference when creating a product of any type.

The selection of Product Information tabs, and the organization of the fields on each page is determined by the attribute set that was used to create the product.

A screenshot of the Magento Admin Panel showing the 'Product Information' screen for a product named 'Retro Chic Eyeglasses'. The left sidebar lists various tabs under 'Product Information' such as General, Prices, Meta Information, Images, Recurring Profile, Design, Gift Options, Accessories, Inventory, Websites, Categories, Related Products, Up-sells, Cross-sells, Product Reviews, Product Tags, Customers Tagged Product, and Custom Options. The main content area shows the 'General' tab selected. It includes fields for 'Name' (Retro Chic Eyeglasses), 'Description' (Acetate frame. Polycarbonate lenses.), 'Short Description' (Madison Island Retro chic lenses are stylish on both men and women.), 'SKU' (sew002), 'Weight' (1.0000), 'Status' (Enabled), 'URL Key' (retro-chic-eyeglasses), and 'Visibility' (Catalog, Search). There are also sections for 'WYSIWYG Editor' and 'Media'. A message at the top right says 'You have 1 critical, 8 major, 19 minor and 169 notice unread messages! Get notifications'.

*Product Information*

## General

Use the General tab to enter information about the product. In addition to providing basic information about the product, this section determines the product's visibility in the catalog and search.

The selection, order, and grouping of the fields is determined by the [attribute set](#) that was used to create the product. As a result, the product attributes might differ from what is shown in the example.

The screenshot shows the 'General' tab of a product edit screen in the Magento Admin. At the top right is a 'Create New Attribute' button. Below it are several input fields: 'Name' (Isla Crossbody Handbag), 'Description' (Pebbled leather. Contrast stitching. Fold over flap with Fasteen closure. Crossbody strap. 6" x 8" x 0.75"), 'Short Description' (Form follows function with this decidedly chic mini bag.), 'SKU' (ab1000), 'Weight' (1.0000), 'Status' (Enabled), 'URL Key' (isla-crossbody-handbag), and 'Visibility' (Catalog, Search). On the right side of the form, there are dropdown menus for 'GLOBAL', 'WEBSITE', and 'STORE VIEW' settings. Below the form, the text 'General Information' is centered.

*General Information*

### Button Descriptions

FIELD	DESCRIPTION
Create New Attribute	Gives you the ability to create a new attribute while working in product edit mode. Although you can save the new attribute, it is not automatically included in the attribute set that is associated with the current product.
WYSIWYG Editor	Opens the editor so you can format the description fields with HTML. The <a href="#">frontend properties</a> of the description attributes must be set to allow HTML.

## Field Descriptions

FIELD	SCOPE	DESCRIPTION
Name	Store View	(Required) The name of the product you want to appear in catalog. The name is also used to auto-generate the URL Key.
Description	Store View	(Required) The main product description that appears on the product page.  The text should be plain ASCII text. HTML tags can be used to format the description if permitted by the attribute properties.  Do not paste text directly from a word processor, because the text might include print control codes that will not render correctly. To strip out any control codes, save the file as a .txt file before copying and pasting the text into the product description.
Short Description	Store View	(Required) Depending on the theme, the Short Description might appear on catalog pages. Because of its length, it is often used for RSS feeds.
SKU	Global	(Required) The Stock Keeping Unit is a unique identifier for each individual product or service provided.
Weight	Global	(Required) The weight of the product is a decimal value used for shipping calculations, and refers to the standard measurement system used by shipping carriers in your locale. In the United States, weight is measured in pounds and ounces, whereas countries on the metric system measure weight in grams and kilograms.
Set Product as New from Date	Website	Sets the beginning date for the range of time the product is featured in the “New Product” block on the Home page. The date can be typed directly into the box, or selected from the calendar.
Set Product as New to Date	Website	Sets the ending date for the range of time the product is featured in the “New Product” block on the Home page.

### Field Descriptions (cont.)

FIELD	SCOPE	DESCRIPTION								
Status	Website	(Required) The Status indicates when the product is ready to be offered for sale in your store. Options include: Enabled / Disabled.								
URL Key	Store View	<p>Determines the online address of the product. It is added to the base URL of the store, and appears in the address bar of a browser.</p> <p>The URL Key should be all lowercase characters, with hyphens instead of spaces. Magento initially creates a default, “search engine friendly” URL, based on the product name.</p> <p>Do not type the suffix .html in the URL Key, because use of the suffix is controlled by your store configuration. To learn more, see , SEO URL Options.</p>								
Visibility	Store View	<p>(Required) Determines the level of visibility the product has throughout the store. Options include:</p> <table> <tr> <td>Not Visible Individually</td><td>The product may be associated with a one-to-many product, but is not listed in the catalog.</td></tr> <tr> <td>Catalog</td><td>The product appears in the catalog listing, but is not included in Search results.</td></tr> <tr> <td>Search</td><td>The product appears in search results, but is not listed in the catalog.</td></tr> <tr> <td>Catalog, Search</td><td>The product is listed in the catalog and search results.</td></tr> </table>	Not Visible Individually	The product may be associated with a one-to-many product, but is not listed in the catalog.	Catalog	The product appears in the catalog listing, but is not included in Search results.	Search	The product appears in search results, but is not listed in the catalog.	Catalog, Search	The product is listed in the catalog and search results.
Not Visible Individually	The product may be associated with a one-to-many product, but is not listed in the catalog.									
Catalog	The product appears in the catalog listing, but is not included in Search results.									
Search	The product appears in search results, but is not listed in the catalog.									
Catalog, Search	The product is listed in the catalog and search results.									
Country of Manufacture	Website	Select the manufacturer of the product. To add new options to the list, see Manage Label / Options.								

## Product Meta Data

Meta data is your first level of contact with potential customers who are searching for a product. Your title and description are selling tools that will either help to motivate a visitor to click your link or not. It is wise to use a descriptive title and a description that includes relevant words that a potential customer might search.

The information is read by search engines that index your site. Although Google no longer places a value on meta keywords, other search engines continue to use the information. It's a good practice to incorporate high-value keywords in your product titles and related content.

The screenshot shows the 'Meta Information' section of the Magento Admin Panel. It contains three main input fields: 'Meta Title', 'Meta Keywords', and 'Meta Description'. Each field has a 'STORE VIEW' dropdown menu to its right. A note at the bottom left of the form states 'Maximum 255 chars'.

*Meta Information*

### Field Descriptions

FIELD	SCOPE	DESCRIPTION
Meta Title	Store View	The title appears in the title bar and tab of your browser, and is also used as the title on a search engine results page (SERP).
Meta Keywords	Store View	Relevant keywords for the product. Consider using keywords that customers might use to find the product.
Meta Description	Store View	A few sentences that describe the product. Although not visible to the customer, some search engines include the meta description on the search results page.

## Recurring Profile

Recurring Profiles are most often used for subscriptions or products with installment payment plans. When such a product is purchased from your store, the customer is redirected to a third-party payment system. The customer enters into a recurring payment agreement to authorize the payment system to charge the customer account according to the recurring profile settings.

When a customer purchases a product with recurring payments, the profile parameters specified from Magento are transferred to the payment system. Magento supports recurring profiles for items paid with PayPal Express Checkout.

For example, to set up a product with monthly subscription payments, the following parameters are specified in the recurring profile of the product. The customer is charged by the payment system once a month, for a year.

Billing Period Unit: Month

Billing Frequency: 1

Maximum Billing Cycles: 12

You can also set up a trial period where the customer pays a special, introductory price for a period of time. When the trial ends, the customer is charged the regular amount.

Creating a recurring profile for a product does not create additional sales orders.

In the third-party payment system, a recurring profile is an accounting record that captures payments on a regular basis and according to the payment schedule defined in the recurring profile. A recurring profile submits the information about the frequency of a payment being initiated to the payment system.

The Recurring Profile tab appears by default for simple and virtual products. However you can configure it to become available for other product types by changing the Apply To property of the recurring\_profile attribute. To learn more about recurring profiles, see: [Working with Recurring Profiles](#) in the knowledge base.

## To set up a recurring profile:

1. On the Admin menu, select **Catalog > Manage Products**. Find the product in the list, and click to open it in edit mode.
2. In the panel on the left, select **Recurring Profile**.
3. Set **Enable Recurring Profile** to “Yes.” The section expands to include additional options.

Recurring Profile

4. In the Schedule section, do the following:

Schedule

- a. To let the customer determine the starting date for the payments, set **Customer Can Define Start Date** to “Yes.”
- b. In the **Schedule Description** field, enter a brief description of the recurring payment. The description is used as the name of the recurring payment on the Review Information page.
- c. In the **Maximum Payment Failures** field, enter the number of times payment can fail before the recurring profile is suspended.
- d. To automatically initiate a payment transaction at the end of the next billing cycle, set **Auto Bill on Next Cycle** to “Yes.”
5. In the Billing section, do the following:

The screenshot shows the 'Billing' section of a configuration interface. It includes three main fields: 'Billing Period Unit' (dropdown menu with placeholder 'Please Select'), 'Billing Frequency' (text input), and 'Maximum Billing Cycles' (text input). Below each field is a tooltip providing additional context: 'Unit for billing during the subscription period.' for the unit dropdown, 'Number of billing periods that make up one billing cycle.' for the frequency input, and 'The number of billing cycles for payment period.' for the maximum cycles input.

*Billing*

- a. Set **Billing Period Unit** to the period of time that defines the billing cycle.
- b. Set **Billing Frequency** to how often a payment transaction is initiated during the billing cycle.
- c. In the **Maximum Billing Cycles** field, enter the maximum number of payments allowed for the recurring profile. If left blank, the customer will continue to be charged until the recurring profile is canceled.
6. In the Trial Period section, do the following:

The screenshot shows the 'Trial Period' section of a configuration interface. It includes four main fields: 'Trial Billing Period Unit' (dropdown menu with placeholder 'Not Selected'), 'Trial Billing Frequency' (text input), 'Maximum Trial Billing Cycles' (text input), and 'Trial Billing Amount' (text input). Each field has a tooltip below it: 'Unit for billing during the trial period.' for the unit dropdown, 'Number of billing periods that make up one trial billing cycle.' for the frequency input, 'The number of billing cycles for payment period.' for the maximum cycles input, and 'The product price during the trial period.' for the amount input.

*Trial Period*

- a. Set **Trial Billing Period Unit** to the period of time that defines the billing cycle during the trial period.
- b. Set **Trial Billing Period Frequency** to how often a payment transaction is initiated during the trial billing cycle.
- c. In the **Trial Billing Period Cycles** field, enter the maximum number of payments allowed during the trial period.
- d. In the **Trial Billing Amount** field, enter the product price during the trial period.

The trial billing period parameters are optional, but if specified, make sure that all fields are complete. Otherwise, the payment system will not authorize the payment.

7. In the Initial Fees section, do the following:

Initial Fees	
Initial Fee	<input type="text"/> ▲ Initial non-recurring payment amount due immediately upon profile creation.
Allow Initial Fee Failure	No ▲ Whether to suspend the payment profile if the initial fee fails or add it to the outstanding balance.

*Initial Fees*

- a. In the **Initial Fees** field, enter the amount that the customer is charged at the time of purchase. The initial fee is paid only once during the life of a subscription.
  - b. If you want to cancel the recurring if the initial payment fails, set **Allow Initial Fee Failure** to “Yes.” If set to “No,” the initial fee is added to the customer’s outstanding amount and is charged by the payment system as soon as the customer account has a sufficient amount.
8. When complete, click the **Save** button.

**Field Descriptions**

FIELD	SCOPE	DESCRIPTION
<b>SCHEDULE</b>		
Customer Can Define Start Date	Global	Determines if the customer can set the starting date for the payments. Options include:
	Yes	Displays the Recurring Profile Start Date as an option on the product page.
	No	The customer cannot set the start date.
Schedule Description	Global	A brief description of the recurring payment. The description appears as the name of the recurring payment on the review information page of the payment system. If left empty, the name of the selected product appears as the name of the recurring profile.
Maximum Payment Failures	Global	Determines the number of failed scheduled payments before the recurring profile is automatically suspended.

### Field Descriptions (cont.)

FIELD	SCOPE	DESCRIPTION
Auto Bill on Next Cycle	Global	<p>Determines if the payment system automatically initiates a payment transaction after the regular billing cycle.</p> <p>In the event of a number of payment failures and the customer has an outstanding amount, the customer is charged in the next billing cycle.</p> <p>Options: Yes / No</p>

#### BILLING

Billing Period Unit	Global	<p>Determines the period of time included in a subscription billing cycle, and how frequently a payment transaction is initiated. Options include:</p> <ul style="list-style-type: none"> <li>Day</li> <li>Week</li> <li>Two Weeks</li> <li>Month</li> <li>Year</li> </ul>
Billing Frequency	Global	<p>Determines how often within the billing period a payment transaction is initiated for the recurring profile.</p>
Maximum Billing Cycles	Global	<p>Limits the number of payments that can be made during a billing cycle. If you do not specify the maximum of billing cycles, the recurring profile remains permanently active and the customer is charged by the payment system until the recurring profile is suspended or canceled.</p>

#### TRIAL PERIOD

Trial Billing Period Unit	Global	<p>Determines the period of time included in a trial subscription billing cycle, and how frequently a payment transaction is initiated. Options include:</p> <ul style="list-style-type: none"> <li>Day</li> <li>Week</li> <li>Two Weeks</li> <li>Month</li> <li>Year</li> </ul>
---------------------------	--------	--

### Field Descriptions (cont.)

FIELD	SCOPE	DESCRIPTION
Trial Billing Frequency	Global	Determines how often during the billing period a payment transaction is initiated for the recurring profile.
Maximum Trial Billing Cycles	Global	Limits the number of recurring payments that can be made during a trial billing cycle.
Trial Billing Amount	Global	The price of the product during the trial period.
<b>Initial Fees</b>	Global	
Initial Fee	Global	The amount the customer is charged at the time of purchase. The initial fee is paid only once during the life of a subscription.
Allow Initial Fee Failure	Global	Determines if the payment profile is suspended if the initial fee payment fails. In case the field is set to No, Options include:  Yes      The payment profile is suspended if the initial fee fails.  No      The initial fee is added to the customer's outstanding amount and is charged by the payment system as soon as the customer account has the sufficient amount.

# Design

The Design page gives you the ability to apply a different theme to the product page, and make updates to the XML code that controls the page layout.

The screenshot shows the 'Design' configuration page in the Magento Admin. At the top right is a red 'Create New Attribute' button. Below it are several dropdown menus and input fields:

- 'Custom Design': A dropdown menu showing 'Please Select'.
- 'Active From': A date input field with a calendar icon.
- 'Active To': A date input field with a calendar icon.
- 'Custom Layout Update': A large empty text area.
- 'Page Layout': A dropdown menu showing 'No layout updates'.
- 'Display Product Options In': A dropdown menu showing 'Block after Info Column'.

Each field has a '[STORE VIEW]' link next to it. At the bottom right are 'Save' and 'Cancel' buttons.

*Product Design*

## Field Descriptions

FIELD	SCOPE	DESCRIPTION		
Custom Design	Store View	To apply a custom theme, select the one you want from the list of available themes.		
Active From	Store View	If applying a custom theme for a period of time, enter the beginning date, or select the date from the Calendar.		
Active To	Store View	If applying a custom theme for a period of time, enter the ending date, or select the date from the Calendar.		
Custom Layout Update	Store View	You can further customize the theme with XML coding.		
Page Layout	Store View	To apply a different layout to the product page, select one of the following:		
		<table><tr><td>No layout updates</td><td>This option is preselected by default and does not apply layout changes.</td></tr></table>	No layout updates	This option is preselected by default and does not apply layout changes.
No layout updates	This option is preselected by default and does not apply layout changes.			

### Field Descriptions (cont.)

FIELD	SCOPE	DESCRIPTION
	Empty	This option lets you define your own layout, such as a 4-column page. Requires an understanding of XML.
	1 column	Applies the 1-column layout.
	2 columns with left bar	Applies the 2 column layout.
	2 columns with right bar	Applies the 2-columns with right bar layout.
Display product options in	3 columns	Applies the 3 column layout.
Store View		Options include: Product Info Column / Block after Info Column

## Gift Options

Gift Options determine if customers have the option to add a gift message and to gift wrap the product during checkout. To configure gift options for the store, see: Gift Options Configuration.

### To set up gift options for a product:

1. On the Admin menu, select **Catalog > Manage Products**. Then, click to open the product in edit mode.
2. In the panel on the left, select **Gift Options**. Then, do the following:

The screenshot shows the 'Gift Options' configuration screen. It has two main input fields: 'Allow Gift Message' (set to 'Yes') and 'Price for Gift Wrapping' (set to '\$0.00'). There is also a checked checkbox labeled 'Use Config Settings'. At the bottom, there are 'Save' and 'Cancel' buttons.

*Gift Options*

- a. The Allow Gift Message reflects the default configuration. To override the setting, clear the **Use Config Settings** checkbox. Then, change the value as needed.
  - b. To charge for gift wrapping, enter the amount in the **Price for Gift Wrapping** field, as a decimal, without the currency symbol.
3. When complete, click the **Save** button.

## Websites

If your Magento installation has multiple websites, stores, or views, you can set the scope of a configuration setting, product, category, or attribute to apply to a specific website, store, or store view. To learn more, see: [Websites, Stores & Views](#).




*Product Information: Websites*

### To assign a product to a store view:

1. In the Product Information panel on the left, select **Websites**.
2. Select the checkbox for each store view where the product is offered for sale.
3. When complete, click the **Save** button.

# Categories

Every product in your catalog must be assigned to at least one category. Before you can add products to your catalog, you must first establish its basic category structure. A product cannot be saved until after it has been assigned to at least one category.




*Product Categories*

## To set up the product categories:

1. In the Product Information panel on the left, select **Categories**.
  2. In the category tree, select the checkbox of each category to which you want to associate the product. Click the plus [+] icon to show any available subcategories.
- A single product can be assigned to more than one category.
3. When complete, click the **Save** button.

## Related Products

Related products are meant to be purchased in addition to the item the customer is viewing. Simply click the checkbox of a product to place it in the shopping cart. The placement of the Related Products block varies according to theme and page layout. In the example below, it appears at the bottom of the Product View page. With a 2 column layout, the Related Product block often appears in the right column.



*Related Products*

### To set up related products:

1. In the Product Information panel on the left, click **Related Products**.
2. Click the **Reset Filter** button in the upper-right to list all the available products, or use the search filters at the top of each column to find specific products.
3. In the list, select the checkbox in the first column of any product you want to feature as a related product.


Page 1 of 1 pages   View 20 per page   Total 3 records found											Reset Filter	Search
	ID	Name	Type	Attrib. Set Name	Status	Visibility	SKU	Price	Position			
Yes	554	Swiss Movement Sports Watch	Simple Product	Jewelry	Enabled	Catalog, Search	acj005	\$500.00	0   0			
Yes	553	Silver Desert Necklace	Simple Product	Jewelry	Enabled	Catalog, Search	acj000	\$210.00	0   0			
Yes	546	Pearl Strand Necklace	Configurable Product	Jewelry	Enabled	Catalog, Search	acj001c	\$250.00	0   0			

*Select Related Products*

4. When complete, click the **Save** button.

## Up-sells

Up-sell products are items that your customer might prefer instead of the product currently viewed. An item offered as an up-sell might be of a higher quality, more popular, or have better profit margin. Up-sell products appear on the product page, under a heading such as, “You may also be interested in the following product(s).”



*Up-Sell on Product Page*

### To select up-sell products:

1. In the Product Information panel, select **Up-sells**.
2. Click the **Reset Filter** button in the upper-right to list all the available products, or use the search filters at the top of each column to find specific products.
3. In the list, select the checkbox in the first column of any product you want to feature as an up-sell.
4. When complete, click the **Save** button.

## Cross-sells

Cross-sells are similar to impulse purchases in the checkout line of a grocery store. Cross-sell products appear on the shopping cart page, just before the customer begins checkout.

The screenshot shows a shopping cart page for a 'MADISON RX3400' camera. The cart total is \$773.99. A 'Cross-sell' callout box points to a section titled 'BASED ON YOUR SELECTION, YOU MAY BE INTERESTED IN THE FOLLOWING ITEMS.' It lists a '3-YEAR WARRANTY' for \$75.00. The page includes standard payment options like 'Check out with PayPal' and 'PROCEED TO CHECKOUT' buttons.

*Cross-sell Offered During Checkout*

### To set up cross-sell products:

1. In the Product Information panel on the left, click **Cross-sells**.
2. Click the **Reset Filter** button to list all the available products, or use the filters at the top of each column to find specific products.
3. Select the checkbox in the first column of any product you want to feature as a cross-sell.


The screenshot shows the 'Cross-Sell Product' configuration screen for a 'Blue Horizons Bracelets (Jewelry)' product. It displays a grid of products with columns for ID, Name, Type, Attrib. Set Name, Status, Visibility, SKU, Price, and Position. A checkbox in the first column of a row for 'Jackie O Round Sunglasses' is selected. The top of the screen shows navigation buttons like Back, Reset, Delete, Duplicate, Save, and Save and Continue Edit.

*Cross-Sell Product*

4. When complete, click the **Save** button.

# Custom Options

Custom options are an easy way to offer a selection of product variations that do not rely on attributes. The limitations are that you cannot track inventory based on any variation, and that a product with custom options cannot be used with a configurable, grouped, or bundle product. Custom options are a good solution if your inventory needs are simple.



Custom Options on Product Page

## To create custom options:

1. On the Admin menu, select **Catalog > Manage Products**.
2. In the list, open the product record in edit mode.
3. In the panel on the left, select **Custom Options**.
4. In the upper-right corner, click the **Add New Option** button. Then, do the following:
  - a. In the **Title** field, enter a name for the property.
  - b. Set the **Input Type** you want to use for data entry.
  - c. Set **Is Required** to "Yes" if the option must be selected before the product can be purchased.
  - d. In the **Sort Order** field, enter a number to indicate the order of this item in the list of options. Enter the number 1 to display this option first.

The screenshot shows the 'Custom Options' configuration screen. At the top right is a red 'Add New Option' button. Below it is a table with columns: 'Title \*', 'Input Type \*', 'Is Required', and 'Sort Order'. In the 'Input Type' dropdown, 'Please select...' is chosen. A dropdown menu is open, listing various input types: Text, Field, Area, File, File Select, Select, Drop-down, Radio Buttons, Checkbox, Multiple Select, Date, Date, Date & Time, and Time.

*Custom Options*

5. Click the **Add New Row** button. Then, complete the following:

The screenshot shows the 'Custom Options' configuration screen after adding a new row. The table now has two rows. The first row has 'Finish' in the Title field, 'Drop-down' in the Input Type field, and 'Yes' in the Is Required field. The second row has 'Silver' in the Title field, 'Fixed' in the Price Type field, and 'SLVR' in the SKU field. The third row has 'Gold' in the Title field, 'Fixed' in the Price Type field, and 'GOLD' in the SKU field. At the bottom right is a red 'Add New Row' button.


*Add New Row*

- a. In the **Title** field, enter a name for this option.
- b. In the **Price** field, enter any markup or markdown from the base product price that applies to this option.
- c. Set **Price Type** to one of the following:
 

Fixed	The price of the variation differs from the price of the base product by a fixed monetary amount, such as \$1.
Percentage	The price of the variation differs from the price of the base product by a percentage, such as 10%.
- d. Enter a **SKU** for the option. The option SKU is a suffix to the product SKU.
- e. In the **Sort Order** field, enter a number to indicate the order of this item in the list of options. Enter the number 1 to display this option first.
6. When complete, click the **Save** button.

# Translating Products

If your store has **multiple views** in different languages, the same products are available in each store view. You can use the same basic product information, such as SKU, price, and inventory level, regardless of language. Then, translate only the product name, description fields, and meta data as needed for each language.



Change the Product Scope to Store View

## Step 1: Translate Product Fields

1. On the Admin menu, select **Catalog > Manage Products**.
2. In the list, find the product and click **Edit** to open.
3. In the upper-left corner set **Choose Store View** to the view where the changes you make will be visible. When prompted to confirm, click **OK**.  
Only fields with a scope of [STORE VIEW] can be edited separately for each view or language.
4. For each field to be edited, do the following:
  - a. Clear the **Use Default Value** checkbox to the right of the field.
  - b. Either paste or type the translated text into the field.
5. When complete, click the **Save** button.

## Step 2: Translate Field Labels

1. On the Admin menu, select **Catalog > Attributes**.
2. In the list, find the attribute and click to open in edit mode.
3. In the panel on the left, select **Manage Label / Options**.
4. In the Manage Titles section, enter the translated label text for each store view.

The screenshot shows the Magento Admin Panel with the title 'Edit Product Attribute "Description"'. The 'Catalog' tab is selected in the top navigation. On the left, the 'Manage Label / Options' link is underlined. The main content area shows a table for managing titles across four store views: Admin, English, French, and German. A note at the top right says: 'If you do not specify an option value for a specific store view then the default [Admin] value will be used.' Buttons for 'Save Attribute' and 'Save and Continue Edit' are visible at the bottom right.

Manage Titles (Size, Color, etc.)			
Admin	English	French	German
Description	Descriptor		Beschreibung

*Enter Translated Labels*

5. When complete, click the **Save Attribute** button.

## Notes



Search & SEO

## In this section...

[Storefront Search Tools](#)

[Managing Search Terms](#)

[SEO Best Practices](#)

[Managing URL Rewrites](#)



## CHAPTER 19:

# Storefront Search Tools

Research shows that people who use search are more likely to make a purchase than those who rely on navigation alone. In fact, according to some studies, people who use search are nearly twice as likely to make a purchase.

Magento Community Edition has a powerful search engine that you can use as is, or enhance to make even more effective. In this chapter, we will examine the search tools that are available to your customers while shopping in your store, including:

- [Quick Search](#)
- [Advanced Search](#)
- [Search Results](#)


In addition, Magento's [layered navigation](#) gives your customers the ability to filter product options by price, manufacturer, or any other criteria to reduce the time it takes to make a purchase.

## Quick Search

The Quick Search box in the upper-right corner helps visitors find products in your catalog. The search text can be the full or partial product name, or any other word or phrase that describes the product.


### To do a quick search:

1. Type the first few letters of what you are looking for into the search box.
2. Press either the **Enter** key or the button to the right of the search box to retrieve a list of matching products from the catalog.



## Advanced Search

Advanced Search lets shoppers search through your catalog by entering values into a form. Because the form contains multiple fields, a single search can include several parameters. The result of the search is a list of the products that match the search criteria. A link to Advanced Search is in the footer of your store.



*Advanced Search*

Each field in the form corresponds to an attribute from your product catalog. You can determine which fields to include by setting the attribute frontend properties to “Include in Advanced Search.” As a best practice, you should include only the fields that your customers are most likely to use to find a product, because too many can slow down the search.

### To use advanced search:

1. In the footer of the store, click the **Advanced Search** link.
2. In the Search Settings form, enter any value you want to match in as many fields as necessary. You can find records based on a full or partial match.
3. Click the **Search** button at the bottom to display the results.

The screenshot shows the 'Catalog Advanced Search' page. In the 'Name' field, 'pear' is entered. The 'Description' field is empty. Under 'Price', there is a range input from \$0 to \$100 (USD). The 'Color' dropdown includes Black, Blue, Brown, and Charcoal. The 'Size' dropdown includes 0, 11, 7, and 9. The 'Gender' dropdown includes Female, Male, and Male or Female. A 'SEARCH' button is at the bottom right.

*Search Settings*

4. If you don't see what you are looking for in the search results, click **Modify your search** and try another combination of values.

The screenshot shows the search results for 'pear'. It displays three items: 'PEARL STRAND NECKLACE' (\$250.00), 'PEARL STUD EARRINGS' (\$110.00), and 'PEARL NECKLACE SET' (\$110.00). Each item has a small image, price, and a 'Modify Your Search' callout. Below each item are buttons for 'Add to Cart', 'Add to Wishlist', and 'Add to Compare'. The interface includes a 'RECENTLY VIEWED PRODUCTS' sidebar and a 'COMPARE PRODUCTS' section.

*Search Results*

## Search Results

The Search Results list includes all products that match the search parameters entered through the Quick Search box or the Advanced Search form. Any page in the catalog that lists products has essentially the same controls. The only difference is that one is the result of a search query, and the other is the result of navigation.


*Search Results with Pagination Controls*

The results can be formatted as either a grid or list, and the records can be sorted by a selection of attributes. Controls can be used to sort the list and change the format from a list to a grid. [Page links](#) appear when there are more products than can fit on the page, and allow you to move from one page to the next. Depending on the layout, the left column of the page might also include [layered navigation](#) under the “Shop By” heading, with products listed by category and attribute.

## Popular Search Terms

The Search Terms link in the footer of your store displays the search terms that have been used by visitors to your store, and ranks them by popularity. Search terms appear in a “tag cloud” format, where the size of the text indicates the popularity of the term.


By default, Popular Search Terms is enabled as a search engine optimization tool, but has no direct connection to the catalog search process. Because the Search Terms page is indexed by search engines, any terms included on the page will help improve your search engine ranking and the visibility of your store.



*Popular Search Terms*

## To configure Popular Search Terms:

1. On the Admin menu, select **System > Configuration**. Then in the Configuration panel on the left under Catalog, select **Catalog**.
2. Click to expand the **Search Engine Optimizations** section.



*Search Engine Optimizations*

3. Set **Popular Search Terms** to “Enable.”
4. When complete, click the **Save Config** button.

# Catalog Search Configuration

By adjusting the Catalog Search configuration, you can control the behavior of the search operations and determine the size of valid query text, and the display of search recommendations.

## To configure catalog search:

1. On the Admin menu, select **System > Configuration**.
2. In the Configuration panel on the left, under Catalog, select **Catalog**. Then, click to expand the **Catalog Search** section.



*Catalog Search*

3. To limit the length and word count of search query text, do the following:
  - a. Set **Minimal Query Length** to the minimum number of characters that can be submitted in a query.
  - b. Set **Maximum Query Length** to the maximum number of characters that can be submitted in a query.
  - c. Set **Maximum Query Words Count** to the maximum number of words that can be submitted in a query.
4. Set **Search Type** to one of the following:

Like	Performs a search based on individual keywords.
Fulltext	Performs a search based on the full text of each attribute and ranks each by relevance.
Combine (Like and Fulltext)	This combination of Like and Fulltext matches by keyword, but takes into consideration its relevance.
5. To limit the number of records that can be used with layered navigation, enter the maximum number allowed in the **Apply Layered Navigation if Search Results are Less Than** field. To allow any number of records, enter zero (0).
6. When complete, click the **Save Config** button.



## CHAPTER 20:

# Managing Search Terms

You can learn what your customers are looking for by examining the search terms they use to find products in your store. If enough people are looking for a product that you don't carry, perhaps it's time to add it to your catalog. Meanwhile, rather than have them leave them empty handed, why not redirect them to another product in your catalog? Here are a few ways you can leverage customer search terms:

## Landing Page

The landing page for a search term can be a content page, a category page, a product detail page, or even a page on a different site.

## Synonyms

One way to improve the effectiveness of catalog search is to include different terms that people may use to describe the same item. You don't want to lose a sale just because someone is looking for a "sofa," and your product is listed as a "couch." You can capture a broader range of search terms by entering the words, "sofa" "davenport," and "loveseat" as synonyms for "couch," and direct them to the same landing page.

## Misspelled Words

Use search terms to capture common misspellings and redirect them to the appropriate page. For example, if you sell wrought iron patio furniture, you know that many people misspell the term as "rod iron," or even "rot iron." You can enter each misspelled word as a search term, and make them synonyms for "wrought iron." Even though the word is misspelled, the search will be directed to the page for "wrought iron."

## Adding Search Terms

As you learn new words that people use to search for products in your catalog, you can add them to your search terms list to direct people to the closely matching products in your catalog.

Search Query	Store	Results	Number of Users	Synonyms For	Redirect	Display in Suggested Terms	Action
classic	Main Website Madison Island English	21	1		Yes	<a href="#">Edit</a>	
Portable media Player	Main Website Madison Island English	8	1		Yes	<a href="#">Edit</a>	
Espresso Cup - Block 3dm	Main Website Madison Island English	48	1		Yes	<a href="#">Edit</a>	
Pleated Layer Top	Main Website Madison Island English	16	1		Yes	<a href="#">Edit</a>	
elizabeth	Main Website Madison Island English	1	2		Yes	<a href="#">Edit</a>	
nolta	Main Website Madison Island English	1	8		Yes	<a href="#">Edit</a>	
audio	Main Website Madison Island English	5	2		Yes	<a href="#">Edit</a>	
magazine	Main Website Madison Island English	0	1		Yes	<a href="#">Edit</a>	
luggage set	Main Website Madison Island English	15	1		Yes	<a href="#">Edit</a>	

Search Terms

### To add a new search term:

1. On the Admin menu, select **Catalog > Search Terms**.
2. Click the **Add New Search Term** button. Then, do the following:
  - a. In the General Information section, in the **Search Query** box, type the word or phrase that you want to add as a new search term.

General Information	
Search Query *	<input type="text"/>
Store *	<input type="text"/>
Synonyms For	<input type="text"/> = Will make search for the query above return results for this search.
Redirect URL	<input type="text"/> = ex. http://domain.com
Display in Suggested Terms	<input type="text"/>

General Information

- b. Select the **Store** where the search term will be used. If your store is available in multiple languages, select the applicable store view.

- c. If this term is a synonym for another search term, enter the other term in the **Synonym For** field. Any search for the synonym will be automatically redirected to the page for the other term.
  - d. To redirect the search results to another page in your store, or to another website, type the full URL of the target page in the **Redirect URL** field.
  - e. If you want this term to be available for use as a suggestion whenever a search returns no results, set **Display in Suggested Terms** to “Yes.”
3. When complete, click the **Save Search** button.

#### To edit a search term:

1. On the Admin menu, select **Catalog > Search Terms**.
2. Click the row of any record to open the search term in edit mode.
3. Make the necessary changes.
4. When complete, click the **Save Search** button.

#### To delete a search term:

1. In the list, select the checkbox of the term to be deleted.
2. In the upper-right corner of the list, set the **Actions** control to “Delete.”
3. When complete, click the **Submit** button.

## Notes



## CHAPTER 21:

# SEO Best Practices

Search engine optimization is the practice of fine-tuning the content and presentation of a site to improve the way the pages are indexed by search engines. Magento Community Edition includes a number of features that support your ongoing effort to improve the indexing of your site, such as:


- [Meta Information](#)
- [Sitemap](#)
- [Catalog URL Options](#)
- [Dynamic Media URLs](#)
- [Canonical Meta Tag](#)
- [URL Rewrites](#)

### Commerce Resources

See the latest [Magento eBooks](#) to gain access to expert insight and online business resources to help develop and improve your store.

## Meta Information


Your store is loaded with places where you can enter keyword-rich meta data to improve the way search engines index your site. While setting up your store, you might enter preliminary meta data, with the intention of finishing it later. Over time, you can fine-tune the meta data to target the buying patterns and preferences of your customers.



### Meta Title

The meta title appears in the title bar and tab of your browser, and search results listings. The meta title should be unique to the page, and less than 70 characters in length.

retro, hipster, frames, glasses, eyeglasses



### Meta Keywords


Although some search engines ignore meta keywords, others continue to use them. The current best practice is to incorporate high-value keywords in the meta title and meta description.

### Meta Description

Meta descriptions provide a brief overview of the page for search results listings. Ideally, a meta description should be between 150-160 characters in length, although the field will accept up to 255 characters.

# Sitemap

The default Magento sitemap has links to every product and category in your store, and can help improve the way your products are indexed by some search engines. Like a table of contents, the sitemap also gives visitors a quick overview of the organization of your catalog. To switch between the category and product lists, click the link on the right. By default, the footer of your store includes a link to the sitemap.




*Sitemap*

The sitemap can be formatted as a nested, tree-like structure, or as a simple list. The number of lines included per page, and the use of indentation is set in your system configuration.

Because the Magento sitemap does not include CMS pages, it is not a complete index to the content on your site. In addition to the default sitemap, it is recommended that you also generate a Google sitemap that can be used for reference when your site is indexed by Google.

## To set up the sitemap:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Catalog, select **Catalog**.
2. Click to expand the **Sitemap** section. Then, set the following options according to your preference:
  - Use Tree Like Category Sitemap
  - Minimum Lines per Page



*Sitemap*

3. Scroll down the page and click to expand the **Search Engine Optimizations** section. Then, set **Autogenerated Site Map** to “Enable.”
4. When complete, click the **Save Config** button.

## Catalog URLs

The URLs you assign to products and categories play a major role in determining how well your site is indexed by search engines. Before you start building your catalog is an ideal time to consider the available options.

### Dynamic URL

A dynamic URL is created “on the fly,” and might include a query string with variables for the product ID, sort order, and the page where the request was made. When a customer searches for a product in your store, the resulting URL might look something like this:

```
http://mystore.com/catalogsearch/result/?q=tee+shirt
```

### Static URL

A static URL is a fixed address for a specific page. A static URL can be displayed in a search-engine friendly format, or one that references products and categories by ID. Search-engine friendly URLs include words that people might use to look for a product, and are created by enabling Web Server Rewrites.

```
http://mystore.com/accessories/eyewear.html
```


```
http://mystore.com/catalog/product/view/id/409/s/chelsea-tee-  
409/category/16/
```

### URL Key

The URL key is the part of a static URL that describes the product or category. When you create a product or category, an initial URL key is automatically generated based on the name. The URL key should consist of lowercase characters with hyphens to separate words. A well-designed, “search engine friendly” URL key might include the product name and key words to improve the way it is indexed by search engines. The URL key can be configured to create an automatic redirect if the URL key is changed.

### Store Code

The store code can be included in the URL. However, it might cause problems if third-party services, such as PayPal, are configured to work with a URL that does not include the code. By default, the store code is not included in URLs.



*URL Options*

## HTML Suffix

Your catalog can be configured to either include or exclude the .html suffix as part of category and product URLs. There are various reasons why people might choose to use or to omit the suffix. Some believe that the suffix no longer serves any useful purpose, and that pages without a suffix are indexed more effectively by search engines. However, your company might have a standardized format for URLs, that requires a suffix.

The most important thing to understand is that the suffix is controlled by your system configuration. Never type the suffix directly into the URL key of a category or product. (Doing so will result in a double suffix at the end of the URL.) Whether you decide to use the suffix or not, be consistent and use the same setting for all your product and category pages. Here are examples of a category URL with, and without, the suffix.

```
http://mystore.com/accessories/eyewear.html  
http://mystore.com/accessories/eyewear/retro-chic-eyeglasses
```

## Category Path

You can configure the URL to either include or exclude the category path. By default, the category path is included in all category and product pages. The following examples show the same product URL with, and without, the category path.

```
http://mystore.com/accessories/eyewear/retro-chic-eyeglasses  
http://mystore.com/retro-chic-eyeglasses
```

To prevent search engines from indexing multiple URLs that lead to the same content, you can exclude the category path from the URL. Another method is to use a [canonical meta tag](#) to let search engines know which URLs to index and which to ignore.


## URL Options

Catalog URLs play a major role in how well your store is indexed by search engines. All of the following options use [web server rewrites](#) to change the format of the URL.

URL Suffix	Determines if a suffix, such as “html” or “htm,” is used for category URLs. Do not enter a period before the suffix, because it is applied automatically.
Store Code	Inserts the <a href="#">Store Code</a> of the current view in the URL immediately after the magento root.
Category Path	Determines if category paths are included in product URLs. However, doing so can impact SEO by creating <a href="#">multiple URLs</a> that give the appearance of duplicate content.

### To configure the URL suffix:

- On the Admin menu, select **System > Configuration**. Then in the panel on the left under Catalog, select **Catalog**.
- Click to expand the **Search Engine Optimizations** section. Then, do the following:



### Search Engine Optimizations

- Set **Product URL Suffix** to “html” or “htm.” Do not include a period before the suffix.
  - Set **Category URL Suffix** to “html” or “htm.” Do not include a period before the suffix.
  - Set the category path to your preference. To omit the category path from product URLs, set **Use Categories Path for Product URLs** to “No.”
- When complete, click the **Save Config** button.
  - After the setting is saved, you will be prompted to refresh the cache. Click the **Cache Management** link in the message at the top of the workspace. Then, follow the instructions to refresh the cache.

## To include the store code in URLs:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under General, select **Web**.
2. Click to expand the **URL Options** section.



*URL Options*

3. Set **Add Store Code** to your preference.

### URL with Store Code

```
http://www.yourdomain.com/magento/store-view/index.php/url-identifier
```

### URL without Store Code

```
http://www.yourdomain.com/magento/index.php/url-identifier
```

4. When complete, click the **Save Config** button.
5. After the setting is saved, you will be prompted to refresh the cache. Click the **Cache Management** link in the message at the top of the workspace. Then, follow the instructions to refresh the cache.

## To include the category path in URLs:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Catalog, select **Catalog**.
2. Click to expand the **Search Engine Optimizations** section.

Search Engine Optimizations		
Autogenerated Site Map	Enable	[STORE VIEW]
Popular Search Terms	Enable	[STORE VIEW]
Product URL Suffix	html Cache refresh needed.	[STORE VIEW]
Category URL Suffix	html Cache refresh needed.	[STORE VIEW]
Use Categories Path for Product URLs	Yes	[STORE VIEW]
Create Permanent Redirect for URLs if URL Key Changed	Yes	[STORE VIEW]
Page Title Separator	-	[STORE VIEW]
Use Canonical Link Meta Tag For Categories	Yes	[STORE VIEW]
Use Canonical Link Meta Tag For Products	Yes	[STORE VIEW]

### Search Engine Optimizations

3. Set **Use Categories Path for Product URLs** to “Yes.”

#### URL with Category Path

```
http://mystore.com/furniture/living-room/microfiber-sofa-sleeper
```

4. When complete, click the **Save Config** button.
5. After the setting is saved, you will be prompted to refresh the cache. Click the **Cache Management** link in the message at the top of the workspace. Then, follow the instructions to refresh the cache.

## Dynamic Media URLs


A dynamic media URL is a relative reference to an image or other media asset. When enabled, dynamic media URLs can be used to link directly to assets on your server, or even on a CDN. As with all **markup tags**, the code is enclosed in double curly braces. The format of a dynamic media URL looks like this:

```
{ {media url="path/to/image.jpg"} }
```

If you prefer to use a static URL, you can change the configuration setting. If dynamic media URLs are included in your catalog, but later the setting is disabled, each reference in your catalog will appear as a broken link. However, the links can be restored by again enabling dynamic media URLs. Using dynamic media URLs can enhance your catalog, but can also impact the performance of catalog search.

### To configure dynamic media URLs:

1. On the Admin menu, select **System > Configuration**. Then in the Configuration panel on the left under Catalog, select **Catalog**.
2. Click to expand the **Frontend** section.




*Frontend*

3. Then, set **Allow Dynamic Media URLs in Products and Categories** to either "Yes" or "No."
4. Click the **Save Config** button to save the setting.

## To use static URLs by default for media files:

By default, images inserted into the catalog from media storage have relative, dynamic URLs. If you prefer to use a static URL, you can change the configuration setting.

1. On the Admin menu, select **System > Configuration**. Then in the Configuration panel on the left under General, select **Content Management**.
2. Click to expand the **WYSIWYG Options** section.



*WYSIWYG Options*

3. Set **Use Static URLs for Media Content in WYSIWYG for Catalog** to "Yes."
4. When complete, click the **Save Config** button.

## Canonical Meta Tag

Some search engines penalize websites that have multiple URLs that point to the same content. The canonical meta tag tells search engines which page to index when multiple URLs have identical or very similar content. Using the canonical meta tag can improve your site ranking and aggregate pageviews. The canonical meta tag is placed in the <head> block of a product or category page. It provides a link to your preferred URL, so search engines will give it greater weight.

### Example 1: Category Path Creates Duplicate URLs

For example, if your catalog is configured to include the category path in product URLs, your store will generate multiple URLs that point to the same product page.

```
http://mystore.com/furniture/living-room/microfiber-sofa-sleeper  
http://mystore.com/microfiber-sofa-sleeper
```

### Example 2: Category Page Full URL

When canonical meta tags for categories are enabled, the category page of your store includes a canonical URL to the full category URL:

```
http://mystore.com/furniture/living-room/microfiber-sofa-sleeper
```

### Example 3: Product Page Full URL

When canonical meta tags for products are enabled, the product page includes a canonical URL to the domain-name/product-url-key because product URL keys are globally unique.


```
http://mystore.com/microfiber-sofa-sleeper
```

If you also include the category path in product URLs, the canonical URL remains domain-name/product-url-key. However, the product can also be accessed using its full URL, which includes the category. For example, if the product URL key is microfiber-sofa-sleeper and is assigned to the Furniture > Living-Room category, the product can be accessed using either URL.

You can avoid being penalized by search engines by omitting the category from the URL, or by using the canonical meta tag to direct search engines to index either by product or category. As a best practice, it is recommended that you enable canonical meta tags for both categories and products.

## To enable the canonical meta tag:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Catalog, select **Catalog**.
2. Click to expand the **Search Engine Optimizations** section.



*Search Engine Optimizations*

3. If want search engines to index only pages that have a full category path, do the following:
  - a. Set **Use Canonical Link Meta Tag for Categories** to “Yes.”
  - b. Set **Use Canonical Link Meta Tag for Products** to “No.”
4. If you want search engines to index only product pages, do the following:
  - a. Set **Use Canonical Link Meta Tag for Products** to “Yes.”
  - b. Set **Use Canonical Link Meta Tag for Categories** to “No.”
5. When complete, click the **Save Config** button.

## Notes



## CHAPTER 22:

# Managing URL Rewrites

The URL Rewrite tool lets you change any URL that is associated with a product, category, or CMS page. When the rewrite goes into effect, any links that point to the previous URL are redirected to the new address.

The terms *rewrite* and *redirect* are often used interchangeably, but refer to slightly different processes. A URL rewrite changes the way a URL appears in the browser. A URL redirect, on the other hand, updates the URL that is stored on the server. A URL redirect can be either temporary or permanent. Your store uses URL rewrites and redirects to make it easy for you to create search engine friendly URLs and to preserve existing links.

A screenshot of the Magento Admin Panel. The left sidebar shows navigation options like Dashboard, Sales, Catalog, Mobile, Customers, Promotions, Newsletters, CMS, Reports, and System. The main content area shows a product named 'Chelsea Tee (Clothing)'. The 'General' tab is selected. The product details include: Name: 'Chelsea Tee', Description: 'Ultra soft, lightweight V-neck tee. 100% cotton. Machine wash.', Short Description: 'Minimalist style and maximum comfort meet in this lightweight tee.', SKU: 'mth004c', Status: 'Enabled', URL Key: 'chelsea-tee', and Visibility: 'Catalog, Search'. A callout bubble points to the 'Create Permanent Redirect' button, which is located next to the URL Key field. The URL Key field has a checked checkbox labeled 'Create Permanent Redirect for old URL'. The bottom right corner of the interface shows 'GLOBAL' and 'WEBSITE' buttons.


Create Permanent Redirect for Old URL

## Automatic Product Redirects

Your store can be configured to automatically generate a permanent redirect whenever the URL key of a product changes. In the product record, the checkbox below the URL key indicates if permanent redirects are enabled for your catalog. If your store is already configured to automatically redirect catalog URLs, making a redirect is as easy as updating the URL key.

### To set up automatic redirects:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Catalog, select **Catalog**.
2. Click to expand the **Search Engine Optimizations** section.



*Search Engine Optimizations*

3. Set **Create Permanent Redirect for URLs if URL Key Changed** to "Yes."
4. When complete, click the **Save Config** button.

### To automatically redirect catalog URLs:

1. On the Admin menu, select **Catalog > Manage Products**.
2. Find the product in the list, and click to open the record.
3. In the **URL Key** field, do the following:
  - a. Make sure that the **Create Permanent Redirect for old URL** checkbox is selected. If not, complete the instructions to enable automatic redirects.
  - b. Update the **URL Key** as needed, using all lowercase characters and hyphens instead of spaces.
4. When complete, click the **Save** button.

5. When prompted to refresh the cache and index, click the links in the messages that appear at the top of the workspace. Follow the instructions.

The permanent redirect is now in effect for the product and any associated category URLs.

6. To view the redirect records, select **Catalog > URL Rewrite Management**. The most recent permanent redirects are at the top of the list.

## Creating URL Rewrites

The URL Rewrite tool can be used to create product and category rewrites, and custom rewrites for any page in your store. When the rewrite goes into effect, any existing links that point to the previous URL are seamlessly redirected to the new address. The following instructions show how to use the URL Rewrite tool to create three different kinds of rewrites:

- [Product Rewrite](#)
- [Category Rewrite](#)
- [Custom Rewrite](#)

All rewrites reference a “Target Path” and “Request Path,” as shown in the following examples. The “Request Path” is the old URL, and the “Target Path” is where you want the URL to go from now on.

### Example: Permanent 301

**Target Path:** category-1.html  
**Request Path:** catalog/category/id/6  
**Redirect Type:** Permanent 301

### Example: Temporary 302

**Target Path:** catalog/category/id/6  
**Request Path:** product.html  
http://magentocommerce.com  
**Redirect Type:** Temporary 302

You can use rewrites to create additional URLs for items, as a temporary seasonal change, or as a permanent change. Rewrites can be created for any valid path, including CMS content pages. Internally, the system references products and category by ID. No matter how often the URL changes, the ID remains the same. Here are some ways you can use URL rewrites:

#### Original URL

```
http://www.example.com/peripherals/ergonomic-keyboard.html
```

#### Additional Product URL

```
http://www.example.com/best-keyboard.html
```

#### Additional Category URL

```
http://www.example.com/all-on-sale.html
```

```
http://www.example.com/save-now/spring-sale
```

ID	Store View	Type	ID Path	Request Path	Target Path	Options	Action
112623	Main Website Madison Island German	System	product/882	my-downloadsable-product.html	catalog/product/view/id/882		<a href="#">Edit</a>
112622	Main Website Madison Island German	System	product/882/22	home-decor-books-music-my-downloadsable-product.html	catalog/product/view/id/882/category/22		<a href="#">Edit</a>
112621	Main Website Madison Island German	System	product/882/7	home-decor-my-downloadsable-product.html	catalog/product/view/id/882/category/7		<a href="#">Edit</a>
112620	Main Website Madison Island French	System	product/882	my-downloadsable-product.html	catalog/product/view/id/882		<a href="#">Edit</a>
112619	Main Website Madison Island French	System	product/882/22	home-decor-books-music-my-downloadsable-product.html	catalog/product/view/id/882/category/22		<a href="#">Edit</a>
112618	Main Website Madison Island French	System	product/882/7	home-decor-my-downloadsable-product.html	catalog/product/view/id/882/category/7		<a href="#">Edit</a>
112617	Main Website Madison Island English	System	product/882	my-downloadsable-product.html	catalog/product/view/id/882		<a href="#">Edit</a>
112616	Main Website Madison Island English	System	product/882/22	home-decor-books-music-my-downloadsable-product.html	catalog/product/view/id/882/category/22		<a href="#">Edit</a>
112615	Main Website Madison Island English	System	product/882/7	home-decor-my-downloadsable-product.html	catalog/product/view/id/882/category/7		<a href="#">Edit</a>
112614	Main Website Madison Island German	Custom	12354700_1387982685	black-nolta-cam-879.html	black-nolta-cam-890.html	RP	<a href="#">Edit</a>
112574	Main Website Madison Island German	Custom	84151800_1387982684	classic-hardshell-suitcase-577.html	classic-hardshell-suitcase-584.html	RP	<a href="#">Edit</a>

*URL Rewrite Management*

## Configuring URL Rewrites

URL rewrites make it possible to make “search engine friendly” URLs by adjusting the format and content. Initially, all Magento URLs include a file called “index.php” that resides in the root folder. By default, the file name appears in the URL just after the name of the root folder. When Web Server Rewrites are enabled, the system rewrites the URL to omit “index.php.” The rewrite has no impact on performance or site rank, and is more of a usability issue than anything else.

### URL without Web Server Rewrite


```
http://www.yourdomain.com/magento/index.php/storeview/url-identifier
```

### URL with Web Server Rewrite

```
http://www.yourdomain.com/magento/storeview/url-identifier
```

### To enable URL rewrites:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under General, select **Web**.
2. Click to expand the **Search Engine Optimization** section.



Search Engines Optimization		
Use Web Server Rewrites	Yes	[STORE VIEW]

*Search Engine Optimization*

3. Set **Use Web Server Rewrites** to “Yes.”
4. When complete, click the **Save Config** button.

## Product Rewrite

Before you begin, you should know exactly what you want the redirect to accomplish. Just remember—the “Request Path” is the old URL, and the “Target Path” is where you want the URL to go from now on. To manage multiple paths that lead to the same product, see: [Canonical Meta Tag](#).

The screenshot shows the 'URL Rewrite Management' section of the Magento Admin. A 'New Rewrite' button is highlighted with a callout, and a 'Permanent Rewrite Type' is also highlighted. The table lists various URL rewrites with columns for ID, Store View, Type, Request Path, Target Path, Options, and Action.

ID	Store View	Type	Request Path	Target Path	Options	Action
114423	Main Website Madison Island English	Custom	product/339	retro-chic-eyeglasses-redirected.html		<a href="#">Edit</a>
112623	Main Website Madison Island German	System	product/882	my-downloadable-product.html	catalog/productViewid/882	<a href="#">Edit</a>
112622	Main Website Madison Island German	System	product/882/22	home-decor/books-music/my-downloadable-product.html	catalog/productViewid/882/category/22	<a href="#">Edit</a>
112621	Main Website Madison Island German	System	product/882/?	home-decor-my-downloadable-product.html	catalog/productViewid/882/category/?	<a href="#">Edit</a>
112620	Main Website Madison Island French	System	product/882	my-downloadable-product.html	catalog/productViewid/882	<a href="#">Edit</a>
112619	Main Website Madison Island French	System	product/882/22	home-decor/books-music/my-downloadable-product.html	catalog/productViewid/882/category/22	<a href="#">Edit</a>
112618	Main Website Madison Island French	System	product/882/?	home-decor-my-downloadable-product.html	catalog/productViewid/882/category/?	<a href="#">Edit</a>
112617	Main Website Madison Island English	System	product/882	my-downloadable-product.html	catalog/productViewid/882	<a href="#">Edit</a>

New Product Rewrite

### Process Overview:

- Step 1: Get the Product ID of the Target URL
- Step 2: Create the Product Rewrite
- Step 3: Refresh the Index
- Step 4: Test the Rewrite

### Step 1: Get the Product ID of the Target URL

1. On the Admin menu, select **Catalog > Manage Products**.
2. Find the product in the list that is the destination of the rewrite and take note of its product ID.

### Step 2: Create the Product Rewrite

1. On the Admin menu, select **Catalog > URL Rewrite Management**.
2. In the upper-right corner, click the **Add URL Rewrite** button.
3. Set **Create URL Rewrite** to “For product.”

Create URL Rewrite:  For product

*Create URL Rewrite for Product*

4. In the list, find the product that you want to redirect, and click the record.
5. Scroll down to the bottom of the Select Category tree, and click the **Skip Category Selection** button.
6. In the URL Rewrite Information section, do the following:


*URL Rewrite Information*

- a. If you have multiple stores, set **Store** to the specific view where the rewrite applies.
  - b. In the **Request Path** field, enter the URL key of the page to be redirected.
  - c. Set **Redirect** to one of the following:
    - Temporary (302)
    - Permanent (301)
  - d. For your own reference, enter a brief description of the rewrite.
7. When complete, click the **Save** button.

Your new product rewrite now appears at the top of the list.

### Step 3: Refresh the Index

1. On the Admin menu, select **System > Index Management**.
2. Select the **Catalog URL Rewrites** checkbox.
3. Set the **Actions** control to “Reindex Data,” and click the **Submit** button.



## *Refresh Catalog URL Rewrite Index*

## Step 4: Test the Rewrite

Test the rewrite from your store, to make sure that it works correctly.

## Field Descriptions


FIELD	DESCRIPTION
Create URL Rewrite	Indicates the type of rewrite to be made. The type cannot be changed after the rewrite is created. Options include: For Category For Product Custom
ID Path	The ID of the target page. The ID Path and Target Path refer to the same page.
Request Path	The URL of the page that is to be redirected. Depending on your configuration, the Request Path might include the .html suffix and category. For example:  brandname brand/brandname catalog/category/view/id/56 private-sale-shoes/prima-pump.html brand/brandname.html  A Request Path must be unique, and must not have been used previously. If you have made several attempts to redirect the same page, delete any unsuccessful redirects and refresh the cache.
Target Path	The URL that points to the destination page. The Target Path can be a different CMS page, or the result of a search.  To avoid getting a 404 "Page Not Found" error, the path must exactly match what the system expects to find. The following examples are valid target paths:

### Field Descriptions (cont.)

FIELD	DESCRIPTION
	brandname
	brand/brandname
	catalog/category/view/id/52
	catalogsearch/advanced/result/?brand=brandname
	http://magentocommerce.com
Redirect	Indicates whether the rewrite is temporary or permanent. Options include:
	No No redirect is specified.
	Temporary (302) Indicates to search engines that the rewrite is for a limited duration. Search engines do not preserve page rank information for temporary rewrites. In the URL Rewrite Management list, temporary redirects have the letter "R" in the Options column.
	Permanent (301) Indicates to search engines that the rewrite is permanent. Search engines generally preserve page rank information for permanent rewrites. In the URL Rewrite Management list, permanent redirects have the letters "RP" in the Options column.
Description	Describes the purpose of the rewrite. This field is for reference and is not visible to customers.

## Category Rewrite

If a category changes, or no longer exists, you can use a category rewrite to redirect links that point to the previous category to another URL. It is possible to have multiple URLs that point to the same product, if your store is configured to include categories in the [URL key](#). To manage multiple paths that lead to the same product, see: [Canonical Meta Tag](#).



Select Category

### Process Overview:

Step 1: Get the Category ID of the Target URL

Step 2: Create the Category Rewrite

Step 3: Refresh the Index

Step 4: Test the Rewrite

### Step 1: Get the Category ID of the Target URL

1. On the Admin menu, select **Catalog > Categories > Manage Categories**.
2. In the category in the tree, find the target category and click to open the record.
3. Take note of its category ID at the top of the page.

### Step 2: Create the Category Rewrite

1. On the Admin menu, select **Catalog > URL Rewrite Management**.
2. In the upper-right corner, click the **Add URL Rewrite** button.

3. By default, **Create URL Rewrite** is set to “For category.” In the category tree, click to select the category to be redirected.
4. In the URL Rewrite section, do the following:
  - a. If you have multiple stores, select the **Store** where the rewrite applies.
  - b. In the **Request Path** field, enter the URL key of the category to be redirected.
  - c. Set **Redirect** to one of the following:
    - Temporary (302)
    - Permanent (301)
  - d. For your own reference, enter a brief description of the rewrite.
5. When complete, click the **Save** button.

The screenshot shows the 'Add URL Rewrite for a Category' form in the Magento Admin Panel. The 'Type' dropdown is set to 'Custom'. The 'Store' dropdown is set to 'English'. The 'ID Path' input field contains 'Category18'. The 'Request Path' input field contains 'eyewear.html'. The 'Target Path' input field contains 'catalog/category/viewid/18'. The 'Redirect' dropdown is set to 'No'. There is a large empty text area for 'Description'.

*Category URL Rewrite Information*

Your new category rewrite now appears at the top of the list of rewrites.

The screenshot shows the 'URL Rewrite Management' grid. The first row of the table is highlighted. It has the following columns: ID (118185), Store View (Main Website), Type (Custom), ID Path (category18), Request Path (eyewear.redirected.html), Target Path (catalog/category/viewid/18), Redirect Type (Temporary), and Action (Edit). Other rows show various rewrites for different products and categories.

ID	Store View	Type	ID Path	Request Path	Target Path	Redirect Type	Action
118185	Main Website Maison Island English	Custom	category18	eyewear.redirected.html	catalog/category/viewid/18	Temporary	Edit
114423	Main Website Maison Island English	Custom	product139	retro-chic-eyeglasses-redirected.html	retro-chic-eyeglasses.html	Temporary	Edit
112623	Main Website Maison Island German	System	product882	my-downloadable-product.html	catalog/product/viewid/882	Temporary	Edit
112622	Main Website Maison Island German	System	product882/22	home-decor/books-music-my-downloadable-product.html	catalog/product/viewid/882/category/22	Temporary	Edit
112621	Main Website Maison Island German	System	product882/7	home-decor/my-downloadable-product.html	catalog/product/viewid/882/category/7	Temporary	Edit
112620	Main Website Maison Island French	System	product882	my-downloadable-product.html	catalog/product/viewid/882	Temporary	Edit
112619	Main Website Maison Island French	System	product882/22	home-decor/books-music-my-downloadable-product.html	catalog/product/viewid/882/category/22	Temporary	Edit

*New Category Rewrite*

6. Test the rewrite from your store, to make sure that it works correctly.

### Step 3: Refresh the Index

1. On the Admin menu, select **System > Index Management**.
2. Select the **Catalog URL Rewrites** checkbox.
3. Set the **Actions** control to “Reindex Data,” and click the **Submit** button.

*Refresh Catalog URL Rewrite Index*

### Step 4: Test the Rewrite

Test the redirect from your store, to make sure that it works correctly. Make sure that the URL you test goes directly to the category, rather than to a subcategory. For example:

```
http://yourstore.com/catalog/category/view/id/56
http://yourstore.com/catalog/category/view/s/my-category/id/56/
```

## Custom Rewrite

You can use a custom rewrite to redirect CMS pages, or any other type of page. For example, if you change the URL key of the privacy policy from `privacy-policy-cookie-restriction-mode` to `privacy-policy`, the link in the **cookie restriction mode** will return “404 - Page Not Found.” To redirect traffic to the new URL key, create a custom rewrite with the following settings:

ID Path:	privacy-policy
Request Path:	privacy-policy-cookie-restriction-mode
Target Path:	privacy-policy
Redirect:	Permanent (301)

Before you begin, figure out the URL keys that you need for the ID Path, Request Path, and Target Path. Just remember—the “Request Path” is the old URL, and the “ID Path” and “Target Path” are the new URL.

ID	Store View	Type	ID Path	Request Path	Target Path	Options	Action
116810	Main Website Madison Island English	Custom	my-page	about-magento-demo-store	my-page	R	<a href="#">Edit</a>
114423	Main Website Madison Island English	Custom	product/339	new-releases	glasses.html	RP	<a href="#">Edit</a>
112623	Main Website Madison Island German	System	product/82	neuheiten	slideviewid/82	L	<a href="#">Edit</a>
112622	Main Website Madison Island German	System	product/882/22	home-decorbooks-musik-downloads-tablet-product.html	catalog/productViewid/882/category/22		<a href="#">Edit</a>
112621	Main Website Madison Island German	System	product/862/7	home-decorbooks-musik-downloads-tablet-product.html	catalog/productViewid/862/category/7		<a href="#">Edit</a>

## New Custom Rewrite

## Process Overview:

- Step 1: Establish the Request and Target Paths
  - Step 2: Create the Custom Rewrite
  - Step 3: Refresh the Index
  - Step 4: Test the Rewrite

## Step 1: Establish the Request and Target Paths

Before you begin, write down the URL key of the page to be redirected (Request Path), and the target page where it will be redirected (Target Path).

## Step 2: Create the Custom Rewrite

1. On the Admin menu, select **Catalog > URL Rewrite Management**.
2. In the upper-right corner, click the **Add URL Rewrite** button.
3. Set **Create URL Rewrite** to “Custom.”



The screenshot shows a dialog box with a title bar containing the text "Create URL Rewrite:" followed by a dropdown menu set to "Custom".

*Custom URL Rewrite*

4. In the URL Rewrite Information section, do the following:
  - a. If you have multiple stores, select the **Store** where the rewrite applies.
  - b. In the **ID Path** field, enter the relative path of the destination page.
    - To redirect to another CMS page in your store, enter the relative path to the page, without a leading forward slash.
    - To redirect to a page on a different site, enter the fully qualified URL of the new destination.

new-page

URL key of target page.

somewhere/new-page

Relative path to target page, without leading forward slash.

http://magento.com

Fully qualified URL of target page on external website.

- c. In the **Request Path** field, enter the relative path of the page to be redirected.
- d. In the **Target Path** field, enter the valid URL of an existing page that will be the new destination. This refers to the same page as the ID Path.
- e. Set **Redirect** to one of the following:
  - Temporary (302)
  - Permanent (301)
- f. For your own reference, enter a brief **Description** of the rewrite.

In the following illustration, the CMS page “about-magento-demo-store” is temporarily redirected to the target, “my-page.”

*Custom URL Rewrite Information*

- When complete, click the **Save** button.

Your new rewrite now appears at the top of the list.

### Step 3: Refresh the Index

- On the Admin menu, select **System > Index Management**.
- Select the **Catalog URL Rewrites** checkbox.
- Set the **Actions** control to “Reindex Data,” and click the **Submit** button.

*Refresh Catalog URL Rewrite Index*

### Step 4: Test the Rewrite

Test the rewrite from your store, to make sure that it works correctly.

## Notes



Marketing & Promotions

## In this section...

Promotions

Shopping Tools

Newsletters

Sales Channels

Google Tools



## CHAPTER 23:

# Promotions


In this chapter, you will learn how to set up product relationships, and use price rules to trigger discounts based on a variety of conditions. Here are a few ways you can use price rules to offer incentives to your customers:

- Send your best customers a coupon for a discount on a specific product
- Offer free shipping for purchases over a certain amount
- Schedule a promotion for a period of time

With price rules, you can set up your promotions in advance, so they spring into action whenever the required conditions are met.


# Product Relationships

An easy way to promote products throughout your catalog is to establish relationships between products. The options available are: Up-sell products, Related products, and Cross-sell products.



## Related Products

Related products are meant to be purchased in addition to the item the customer is viewing. They compliment, enhance, or add optional features to the product.



## Up-sells

Up-sell products are items that are similar, but are perhaps of a higher-quality, more popular, or have a better profit margin than the item the customer is considering.



## Cross-sells

Cross-sell products are offered on the shopping cart page as last-minute purchases before the checkout process begins.

# Catalog Price Rules

Catalog price rules can be used to selectively put products on sale under certain conditions. Catalog price rules do not use coupon codes, because they are triggered before a product is placed into the shopping cart.

ID	Rule Name	Date Start	Date Expire	Status	Website
7	Get up to 50% off on Candle Holders	May 3, 2013	—	Active	Main Website
5	25% off on Cardigan	May 3, 2013	—	Active	Main Website
8	45% off on Boyfriend Jean	May 3, 2013	—	Active	Main Website
6	Get Briefcase for \$170 less	May 3, 2013	—	Active	Main Website
8	Get Travel wallet for \$150	May 3, 2013	—	Active	Main Website
10	Get Vase at \$80 less than the original price	May 3, 2013	—	Active	Main Website

*Catalog Rules*

## Process Overview:

- Step 1: Add a New Rule
- Step 2: Define the Conditions
- Step 3: Define the Actions
- Step 4: Apply the Rule

## Step 1: Add a New Rule

1. On the Admin menu, select **Promotions > Catalog Price Rules**.
2. In the upper-right corner, click the **Add New Rule** button.

The options in the panel on the left include Rule Information, Conditions, and Actions.

The screenshot shows the 'Catalog Price Rule' configuration screen. On the left, there's a sidebar with tabs: 'Rule Information', 'Conditions', and 'Actions'. The main area is titled 'New Rule' and contains the following fields:

- Rule Name \***: A text input field.
- Description**: A text area.
- Status \***: A dropdown menu set to 'Inactive'.
- Websites \***: A dropdown menu listing 'Main Website', 'Website2', and 'Website3'.
- Customer Groups \***: A dropdown menu listing 'NOT LOGGED IN', 'General', 'Wholesale', 'VIP Member', and 'Private Sales Member'.
- From Date**: A date picker.
- To Date**: A date picker.
- Priority**: A text input field.

*Rule Information*

3. On the Rule Information page, do the following:
    - a. Complete the **Rule Name** and **Description** fields. These fields are for your internal reference only.
    - b. Set **Status** to “Active.”
    - c. Select the **Websites** where the rule will be available.
    - d. Select the **Customer Groups** to which this rule applies.
- To select multiple options, hold down the Ctrl key (PC) or Command key (Mac), and click each option.
- e. Set **From Date** and **To Date** to define the range of dates when the rule will be in effect. If you leave the dates blank, the rule is enabled as soon as the price rule is saved.
  - f. Enter a number to establish the **Priority** of this rule in relation to other rules.

## Step 2: Define the Conditions

Most of the available conditions are based upon existing attribute values. If you want to apply the rule to all products, leave the conditions blank.

1. In the panel on the left, select **Conditions**. The first rule begins:

The screenshot shows the 'Conditions' panel. It has a header 'Conditions (leave blank for all products)' and a sub-header 'If **ALL** of these conditions are **TRUE**:'. Below this is a single condition line:

```

| ( )

```

*Condition - Line 1*


The statement has two underlined links, which when clicked, display the options for that part of the statement. If you save the condition without making additional selections, the rule will apply to all products.

- Click the **ALL** link, and select “ALL” or “ANY.”
- Click the **TRUE** link and select “TRUE” or “FALSE.”
- Leave the condition unchanged to apply the rule to all products.

You can create different conditions by changing the combination of these values.

If ALL of these conditions are TRUE:

2. Click the **Add**  button at the beginning of the next line.
  - In the list under **Product Attribute**, select the attribute that you want to use as the basis of the condition. For this example, the selected condition is “Attribute Set.”



*Condition Line 2, Part 1*


For an attribute to appear in the list, it must be configured to be used in promo rule conditions. To learn more, see: [Attribute Frontend Properties](#).

The selected condition appears in the statement, followed by two more underlined links. The statement now says:

If ALL of these conditions are TRUE:

Attribute Set is ...

- Click the **is** link, and select the comparison operator that is needed to describe the condition to be met. In this example, the options are “IS” or “IS NOT.”
- Then, click the ... “more” link, and choose the attribute set upon which the condition is based.

*Condition Line 2, Part 3*

The selected item appears in the statement to complete the condition.

```
If ALL of these conditions are TRUE:
Attribute Set is Eyewear
```

3. To add another line to the statement, click the **Add**  button, and choose one of the following:
  - Conditions Combination
  - Product Attribute

Then, repeat the process until the condition is complete.

If at any time you want to delete part of the statement, click the **Delete**  button at the end of the line.

### Step 3: Define the Actions

1. In the panel on the left, select **Actions**.

Update Prices Using the Following Information	
Apply	By Percentage of the Original Price
Discount Amount *	10
Enable Discount to Subproducts	No
Stop Further Rules Processing	Yes

*Actions*

2. In the Update Prices Using the Following Conditions section, set **Apply** to one of the following options:

By Percentage of the  
Original Price

Discounts item by subtracting a percentage from the original price. For example:

	Enter 10 in Discount Amount for an updated price that is 10% less than the original price.
By Fixed Amount	Discounts item by subtracting a fixed amount from original price. For example: Enter 10 in Discount Amount for an updated price that is \$10 less than the original price.
To Percentage of the Original Price	Discounts item by defining the final price based on percentage. For example: Enter 10 in Discount Amount for an updated price that is 10% of the original price.
To Fixed Amount	Sets the price to a fixed amount.

3. Do one of the following:
  - Enter the **Discount Amount**.
  - To apply the discount amount to associated products, set **Enable Discount to Subproducts** to “Yes.” Then, enter the **Discount Amount** to apply.
4. If you want to stop the processing of other rules after this rule has been applied, set **Stop Further Rules Processing** to “Yes.” This safeguard prevents customers from receiving multiple discounts for the same product.
5. Click the **Save and Continue Edit** button to save your changes.

#### Step 4: Apply the Rule

As new rules are added, the prices and the priorities are recalculated accordingly.

1. To apply a new rule immediately, do one of the following:
  - Click the **Save and Apply** button.
  - From the Catalog Price Rules list, click the **Apply Rules** button.
2. When you create a new price rule, it might take an hour or so for it to become available. Allow enough time for it to get into the system. Then, test the rule to make sure that it works correctly. Unless otherwise specified, price rules are automatically processed with other system rules each night.

## Price Rule with Multiple SKUs

A single price rule can be applied to multiple SKUs, which makes it possible to create a variety of promotions based on a product, brand, or category. In the following illustration, multiple products are selected for a catalog price rule.

	ID	Type	Attribute Set Name	SKU	Product Name
Yes	381	Simple Product	Home & Decor	Hdb005	Titan Raw Silk Pillow
Yes	388	Simple Product	Home & Decor	Hdb006	Herald Glass Vase
Yes	399	Simple Product	Home & Decor	Hdb005	Fragrance Diffuser Reeds
Yes	391	Simple Product	Home & Decor	Hdb006	Geometric Candle Holders


Selecting Multiple SKUs for a Price Rule Condition

### To apply a price rule to multiple SKUs:

1. On the Admin menu, select **Promotions > Catalog Price Rules**.
2. Do one of the following:
  - Follow the instructions to create a [catalog price rule](#).
  - In the list, click to open the catalog price rule that you want to change.
3. In the panel on the left, select **Conditions**. Then, do the following:
  - a. In the first line, set the first parameter to “ANY.”

If ANY of these conditions are TRUE

- b. If the price rule doesn't have a line for SKU, Click the **Add** button at the beginning of the next line. Then, in the list under Product Attribute, select **SKU**.

*Choose the Condition*

- c. Click the ... “more” link to display more options. Then, click the **Chooser**  button to display the list of available products.

*SKU IS*

- d. In the list, select the checkbox of each product that you want to include. Then, click the **Select**  button to add the SKUs to the condition.


*Multiple SKUs Added to Condition*

4. Complete the rule, including any **Actions** to be taken when the conditions are met.
5. To apply the rule, click the **Save Rule** button.
6. When you create a new price rule, it might take an hour or so for it to become available. Allow enough time for it to get into the system. Then, test the rule to make sure that it works correctly. Unless otherwise specified, price rules are automatically processed with other system rules each night.

# Shopping Cart Price Rules

Shopping cart price rules create discounts for orders at the checkout level, based on a set of conditions. The discount can be applied automatically when the conditions are met, or be applied when the customer enters a valid coupon code. When applied, the discount appears on the shopping cart page under the subtotal.

Once established, the price rule can be used as needed for a season or promotion by changing its status and date range.



*Apply Coupon in Shopping Cart*

## Process Overview:

- Step 1: Add a New Rule
- Step 2: Define the Conditions
- Step 3: Define the Actions
- Step 4: Complete the Labels
- Step 6: Apply the Rule

## Step 1: Add a New Rule

- On the Admin menu, select **Promotions > Shopping Cart Price Rules**. Then, click the **Add New Rule** button.

The screenshot shows the Magento Admin Panel with the 'Promotions' tab selected. The 'Shopping Cart Price Rules' grid displays 12 records. A callout bubble points to the 'Add New Rule' button located at the top right of the grid area.

*Shopping Cart Price Rules*

The options in the panel on the left include Rule Information, Conditions, Actions, and Labels.

The screenshot shows the 'New Rule' configuration page. The 'General Information' section is highlighted. It includes fields for Rule Name, Description, Status (set to Active), Websites (Main Website, Website2, Website3), Customer Groups (NOT LOGGED IN, General, Wholesale, VIP Member, Private Sales Member, New Retail Customer Group), Coupon (No Coupon), and Priority.

*Shopping Cart Price Rule General Information*

- Under General Information, complete the **Rule Name** and **Description**. These fields are for internal reference only.
- If you want the rule to go into effect immediately, set **Status** to “Active.”
- To establish the **scope** of the rule, do the following:

- a. Select the **Websites** where the promotion is to be available.
  - b. Select the **Customer Groups** to which the promotion applies.
    - To make the promotion available only to registered customers, do not select the “NOT LOGGED IN” option.
    - To select multiple options, hold down the Ctrl key (PC) or Command key (Mac), and click each option.
5. To associate a [coupon](#) with the price rule, set **Coupon** to “Specific Coupon.” Then, do the following:
- a. Enter a numeric **Coupon Code** that the customer must enter to receive the discount.
  - b. To set a limit on the number of times the coupon can be used, complete the following:
- |                   |   |
|-------------------|---|
| Uses per Coupon   | Determines how many times the coupon code can be used. If there is no limit, leave the field blank.   |
| Uses per Customer | Determines how many times the coupon code can be used by the same registered customer who belongs to any of the selected customer groups. The setting does not apply to guest shoppers who are members of the NOT LOGGED IN customer group, or to customers who shop without logging in to their accounts. If there is no limit, leave the field blank. |
6. To define the “good through” date range for the promotion, do the following:
- a. Click the **Calendar**  button next to the **From Date** field, and choose the first date. The promotion will start at the beginning of that day.
  - b. Click the **Calendar**  button next to the **To Date** field, and choose the last date. The promotion will stop at the end of that day.
7. Enter a number to determine the **Priority** of this price rule in relation to the Action settings of other price rules that might be active at the same time. (Number 1 has the highest priority.)
8. To apply the rule to published listings in [RSS feeds](#), set **Public In RSS Feed** to “Yes.”

## Step 2: Define the Conditions

In this step, the conditions are described that must be met for an order to qualify for the promotion. The rule goes into action whenever the set of conditions is met.

1. In the panel on the left, select **Conditions**. The first rule appears by default, and states:

If ALL of these conditions are TRUE:

The statement has two underlined links which when clicked, display the selection of options for that part of the statement. You can create different conditions by changing the combination of these values. Do any of the following:

- Click the **ALL** link, and select “ALL” or “ANY.”
- Click the **TRUE** link and select “TRUE” or “FALSE.”
- Leave the condition unchanged to apply the rule to all products.

Apply the rule only if the following conditions are met (leave blank for all products)

If ALL of these conditions are TRUE:



Condition - Line 1

2. Click the **Add** button at the beginning of the next line. Then, choose one of the following options from the list to describe the condition that you want to set for the rule.
  - Product attribute combination
  - Products subselection
  - Conditions combination
  - Cart Attribute

Apply the rule only if the following conditions are met (leave blank for all products)

If ALL of these conditions are TRUE:

If an item is FOUND in the cart with ALL of these conditions true:



Condition - Line 2, Part 1

## Example 1: Regional Price Rule

To create a regional price rule, select one of the following cart attributes:

- Shipping Postcode
- Shipping Region
- Shipping State/Province
- Shipping Country


## Example 2: Shopping Cart Totals

To base the condition on shopping cart totals, select one of the following cart attributes:

- Subtotal
- Total Items Quantity
- Total Weight

When you make a selection, the basic structure of the statement appears in the box with additional links to mark where you can select information. Each underlined word is a building block that describes a different aspect of the condition.

3. In the list under **Product Attribute**, select the attribute upon which the condition is based. For this example, the selected condition is “Attribute Set.”



Condition - Line 2, Part 1

For an attribute to appear in the list, its [Use for Promo Rules Conditions](#) property must be set to “Yes.”

The condition appears in the statement, followed by two more underlined links. The statement now says:

Apply the rule only if the following conditions are met (leave blank for all products)

If ALL of these conditions are TRUE:

If an item is FOUND in the cart with ALL of these conditions true:

Attribute Set is ...

*Condition - Line 2, Part 2*

If ALL of these conditions are TRUE:

If an item is FOUND in the cart with ALL of these conditions true

Attribute Set is ...

4. Click the is link, and select the comparison operator that is needed to describe the condition to be met. In this example, the options are “IS” and “IS NOT.”
5. Click the ... “more” link, and choose the attribute set upon which the condition is based. The selected item appears in the statement to complete the condition.

Apply the rule only if the following conditions are met (leave blank for all products)

If ALL of these conditions are TRUE:

If an item is FOUND in the cart with ALL of these conditions true:

Attribute Set is Electronics

*Completed Condition*

If ALL of these conditions are TRUE:

Attribute Set is Electronics


6. To add more conditions, click the **Add** button and again, choose one of the following:
  - Conditions Combination
  - Product Attribute

Then, repeat the process until the condition is complete.

If at any time you want to delete part of the statement, click the **Delete** button at the end of the line.

## Step 3: Define the Actions

The shopping cart price rule actions describe how prices are updated when the conditions of the rule are met.



*Shopping Cart Price Rule Actions*

1. In the panel on the left, select **Actions**.
2. Set **Apply** to one of the following discount options:

Percent of product price discount      Discounts item by subtracting a percentage from the original price. The discount applies to each qualifying item in the cart. For example:

Enter 10 in Discount Amount for an updated price that is 10% less than the original price.

Fixed amount discount      Discounts item by subtracting a fixed amount from original price. The discount applies to each qualifying item in the cart. For example:

Enter 10 in Discount Amount for an updated price that is \$10 less than the original price.

Fixed amount discount for whole cart      Discounts the entire cart by subtracting a percentage from the cart total. For example:

Enter 10 in Discount Amount to subtract 10% from the cart total.

**Buy X get Y free**      Defines a quantity that the customer must purchase to receive a quantity for free. (The Discount Amount is Y.)

3. Enter the **Discount Amount** as a number, without symbols. For example, depending on the discount option selected, the number 10 might indicate a percentage, a fixed amount, or a quantity of items.

4. In the **Maximum Qty Discount is Applied To** field, enter the largest number of the same product that can qualify for the discount.
5. To determine how **free shipping** is applied, set **Free Shipping** to one of the following:

No	Free shipping is not available for the promotion.
For matching items only	Free shipping is available only for specific items in the cart that match the rule.
For shipment with matching items	Free shipping is available for the entire cart when a coupon that is based on the rule is used.
6. Set **Stop Further Rules Processing** to “Yes” to stop processing other rules as soon as this one is applied. This safeguard prevents customers from receiving multiple discounts for the same purchase.
7. To define an additional action that applies to specific items in the cart, only when a specific set of conditions is met, click the **Add**  button. Then, choose an item from the following sections in the list:
  - Cart item attribute
  - Price in cart
  - Quantity in cart
  - Row total in cart
  - Product attribute (from all available in your catalog)Add as many levels as you need to describe the conditions to be met.
8. When complete, click the **Save Rule** button.

#### Step 4: Complete the Labels

The label appears on the order below the subtotal to identify the discount. You can enter a default label for all store views, or enter a different label for each view.

1. In the panel on the left, select **Labels**.
2. In the Default Label section, enter the text for the **Default Rule Label for All Store Views**.



The screenshot shows a user interface for configuring a default label. At the top, there is a dark blue header bar with the text "Default Label". Below this, a white form area contains a single input field. The field has a placeholder text "Default Rule Label for All Store Views" and a text cursor inside it. The entire form is enclosed in a thin black border.

3. In the Store View Specific Labels section, enter the label text for each store view. For example, if each store view is in a different language, enter the label translation for each view.

Label	Store View
Main Website	
Madison Island	English French German
Private Sales Website	
Private Sales Store	Private Sales View

*Store View Specific Labels*

### Step 5: Apply the Rule

1. When complete, click the **Save Rule** button.
2. When you create a new price rule, it might take an hour or so for it to become available. Allow enough time for it to get into the system. Then, test the rule to make sure that it works correctly. Unless otherwise specified, price rules are automatically processed with other system rules each night. As new rules are added, Magento recalculates the prices and the priorities accordingly.

## Field Descriptions

FIELD	DESCRIPTION	
<b>RULE INFORMATION</b>		
Rule Name	(Required) The name of the rule is for internal reference.	
Description	A description of the rule should include the purpose of the rule, and explain how it is used.	
Status	(Required) Determines if the rule is currently active in the store. Options: Active / Inactive	
Websites	(Required) Identifies the websites where the rule can be used.	
Customer Groups	(Required) Identifies the customer groups to which the rule applies.	
Coupon	(Required) Indicates if a coupon is associated with the rule. Options:	
	No Coupon	No coupon is associated with the rule.
	Specific Coupon	A specific coupon is associated with the rule.
	Coupon Code	When prompted, enter the Coupon Code that the customer must enter to take advantage of the promotion.
	Use Auto Generation	Select the checkbox to automatically generate multiple coupon codes which can be used with the promotion.
Uses per Coupon	The number of times the coupon code can be used.	

## Field Descriptions (cont.)

FIELD	DESCRIPTION								
Uses per Customer	Determines how many times the coupon code can be used by the same registered customer who belongs to any selected customer group. Does not apply to guest shoppers who are members of the NOT LOGGED IN customer group, or to customers who shop without logging in to their accounts. For no limit, leave blank.								
From Date	The first date the coupon can be used.								
To Date	The last date the coupon can be used.								
Priority	A number that indicates the priority of this rule in relation to others. The highest priority is number 1.								
Public in RSS Feed	Determines if the promotion is included in your store's public RSS feed. Options: Yes / No.								
ACTIONS									
Apply	<p>Determines the type of calculation that is applied to the purchase. Options:</p> <table> <tr> <td>Percent of product price discount</td><td>Discounts item by subtracting a percentage from the original price.  For example: Enter 10 in Discount Amount for an updated price that is 10% less than the original price.</td></tr> <tr> <td>Fixed amount discount</td><td>Discounts item by subtracting a fixed amount from original price.  For example: Enter 10 in Discount Amount for an updated price that is \$10 less than the original price.</td></tr> <tr> <td>Fixed amount discount for whole cart</td><td>Discounts the entire cart by subtracting a percentage from the cart total.  For example: Enter 10 in Discount Amount to subtract 10% from the cart total.</td></tr> <tr> <td>Buy X Get Y Free (discount amount is Y)</td><td>Defines a quantity that the customer must purchase to receive a quantity for free. (The Discount Amount is Y.)</td></tr> </table>	Percent of product price discount	Discounts item by subtracting a percentage from the original price.  For example: Enter 10 in Discount Amount for an updated price that is 10% less than the original price.	Fixed amount discount	Discounts item by subtracting a fixed amount from original price.  For example: Enter 10 in Discount Amount for an updated price that is \$10 less than the original price.	Fixed amount discount for whole cart	Discounts the entire cart by subtracting a percentage from the cart total.  For example: Enter 10 in Discount Amount to subtract 10% from the cart total.	Buy X Get Y Free (discount amount is Y)	Defines a quantity that the customer must purchase to receive a quantity for free. (The Discount Amount is Y.)
Percent of product price discount	Discounts item by subtracting a percentage from the original price.  For example: Enter 10 in Discount Amount for an updated price that is 10% less than the original price.								
Fixed amount discount	Discounts item by subtracting a fixed amount from original price.  For example: Enter 10 in Discount Amount for an updated price that is \$10 less than the original price.								
Fixed amount discount for whole cart	Discounts the entire cart by subtracting a percentage from the cart total.  For example: Enter 10 in Discount Amount to subtract 10% from the cart total.								
Buy X Get Y Free (discount amount is Y)	Defines a quantity that the customer must purchase to receive a quantity for free. (The Discount Amount is Y.)								

### Field Descriptions (cont.)

FIELD	DESCRIPTION
Discount Amount	(Required) The amount of discount that is offered.
Maximum Qty Discount is Applied To	Sets the maximum number of products that the discount can be applied to in the same purchase.
Discount Qty Step (Buy X)	Sets the number of products represented by "X" in a "Buy X Get Y Free" promotion.
Apply to Shipping Amount	Determines if the discount can be applied to the cost of shipping. Options: Yes / No.
Free Shipping	Determines if free shipping is included in the promotion, and if so, for which items. Options:  No                      Free shipping is not available when a coupon that is based on the rule is used. For matching items only      Free shipping is available only for specific items in the cart that match the rule. For shipment with matching items      Free shipping is available for the entire cart when a coupon that is based on the rule is used.
Stop Further Rules Processing	Determines if additional rules can be applied to this purchase. To prevent multiple discounts from being applied to the same purchase, select "Yes." Options: Yes / No
DEFAULT LABEL	
Default Rule Label for All Store Views	A default label that identifies the discount and can be used for all store views.
Store View Specific Labels	If applicable, a different label that identifies the discount for each store view.

## Coupon Codes


Coupons codes can be associated with [shopping cart price rules](#) to apply a discount when a set of conditions is met. For example, a coupon code can be created for a specific customer group, or for anyone who makes a purchase over a certain amount. To apply the coupon to a purchase, the customer can enter the coupon code from the shopping cart page, or possibly at the cash register of your “brick and mortar” store.



Here are a few ways that you can use coupons in your store:

- Email coupons to customers
- Produce printed coupons
- Create in-store coupons for mobile users

Coupon codes can be sent by email, or included in newsletters, catalogs, and advertisements. You can even create in-store coupons with a quick response code that shoppers can scan with their smart phones. The QR code links to a page on your site with more information about the promotion.



*Enter Coupon Code in Shopping Cart*

### To set up a coupon code:

1. Follow the instructions to create a [shopping cart price rule](#).
2. On the General Information page, do the following:
  - a. Set **Coupon** to “Specific Coupon.”
  - b. Do one of the following:
    - Enter a numeric **Coupon Code** to be used with the promotion.
    - Select the **Use Auto Generation** checkbox.
  - c. To limit the number of times the coupon can be used, complete the following:
    - Uses per Coupon
    - Uses per Customer
 For unlimited use, leave these fields blank.
  - d. To make the coupon valid for a limited period of time, complete the **From Date** and **To Date** fields. To select the date, click the **Calendar**  button next to each field. If you leave the date range empty, the rule will never expire.

Coupon \*

Coupon Code \*

Use Auto Generation  
If you select and save the rule you will be able to generate multiple coupon codes.  
**Important:** If this shopping cart price rule has been used in an automated email reminder rule it will be automatically unassigned after shopping cart price rule is saved.

Uses per Coupon

Uses per Customer

From Date

To Date

Priority

Public In RSS Feed

*Price Rule Coupon Code Settings*

- Follow the standard instructions to complete the [shopping cart price rule](#).

## Auto-Generated Coupon Codes

Batches of discount coupon codes can be formatted and generated automatically. Coupon codes can also be exported, and incorporated into other applications. For example, you might use a series of auto-generated coupon codes to produce printed coupons with unique codes.

100 Coupon(s) have been generated

**Edit Rule 'Get 10% off on shipping in NJ'** | Back | Reset | Delete | Save | Save and Continue Edit

Coupon Information																																																		
Coupon Qty *	100																																																	
Code Length *	12	+ Excluding prefix, suffix and separators.																																																
Code Format *	Alphanumeric																																																	
Code Prefix																																																		
Code Suffix																																																		
Dash Every X Characters	0	+ If empty no separation.																																																
<b>Generate</b>																																																		
Page: 1 of 5 pages   View 20 per page   Total 100 records found																																																		
<a href="#">Smart Filter</a>   <a href="#">Advanced Filter</a>   <a href="#">Search</a>   <a href="#">Export</a>   <a href="#">New Filter</a>   <a href="#">Search</a>																																																		
<table border="1"> <thead> <tr> <th>Coupon Code</th> <th>Created On</th> <th>Used</th> <th>Times used</th> </tr> </thead> <tbody> <tr> <td>3MYXEN44PGZC</td> <td>May 1, 2014 2:48:22 PM</td> <td>No</td> <td>0</td> </tr> <tr> <td>4UNWNERRQJDN</td> <td>May 1, 2014 2:48:22 PM</td> <td>No</td> <td>0</td> </tr> <tr> <td>70NQD29VQDPO</td> <td>May 1, 2014 2:48:22 PM</td> <td>No</td> <td>0</td> </tr> <tr> <td>VCOVOPVKTEA3</td> <td>May 1, 2014 2:48:22 PM</td> <td>No</td> <td>0</td> </tr> <tr> <td>E0669XRZ21B7</td> <td>May 1, 2014 2:48:22 PM</td> <td>No</td> <td>0</td> </tr> <tr> <td>ZLJKtUY7QfTP</td> <td>May 1, 2014 2:48:22 PM</td> <td>No</td> <td>0</td> </tr> <tr> <td>FY717OY557AZ</td> <td>May 1, 2014 2:48:22 PM</td> <td>No</td> <td>0</td> </tr> <tr> <td>EJUCEU04ALP9</td> <td>May 1, 2014 2:48:22 PM</td> <td>No</td> <td>0</td> </tr> <tr> <td>E5D9VULRPNHU</td> <td>May 1, 2014 2:48:22 PM</td> <td>No</td> <td>0</td> </tr> <tr> <td>NNQ2C3JUZTNH</td> <td>May 1, 2014 2:48:22 PM</td> <td>No</td> <td>0</td> </tr> <tr> <td>PKSJCB8PTKE3</td> <td>May 1, 2014 2:48:22 PM</td> <td>No</td> <td>0</td> </tr> </tbody> </table>			Coupon Code	Created On	Used	Times used	3MYXEN44PGZC	May 1, 2014 2:48:22 PM	No	0	4UNWNERRQJDN	May 1, 2014 2:48:22 PM	No	0	70NQD29VQDPO	May 1, 2014 2:48:22 PM	No	0	VCOVOPVKTEA3	May 1, 2014 2:48:22 PM	No	0	E0669XRZ21B7	May 1, 2014 2:48:22 PM	No	0	ZLJKtUY7QfTP	May 1, 2014 2:48:22 PM	No	0	FY717OY557AZ	May 1, 2014 2:48:22 PM	No	0	EJUCEU04ALP9	May 1, 2014 2:48:22 PM	No	0	E5D9VULRPNHU	May 1, 2014 2:48:22 PM	No	0	NNQ2C3JUZTNH	May 1, 2014 2:48:22 PM	No	0	PKSJCB8PTKE3	May 1, 2014 2:48:22 PM	No	0
Coupon Code	Created On	Used	Times used																																															
3MYXEN44PGZC	May 1, 2014 2:48:22 PM	No	0																																															
4UNWNERRQJDN	May 1, 2014 2:48:22 PM	No	0																																															
70NQD29VQDPO	May 1, 2014 2:48:22 PM	No	0																																															
VCOVOPVKTEA3	May 1, 2014 2:48:22 PM	No	0																																															
E0669XRZ21B7	May 1, 2014 2:48:22 PM	No	0																																															
ZLJKtUY7QfTP	May 1, 2014 2:48:22 PM	No	0																																															
FY717OY557AZ	May 1, 2014 2:48:22 PM	No	0																																															
EJUCEU04ALP9	May 1, 2014 2:48:22 PM	No	0																																															
E5D9VULRPNHU	May 1, 2014 2:48:22 PM	No	0																																															
NNQ2C3JUZTNH	May 1, 2014 2:48:22 PM	No	0																																															
PKSJCB8PTKE3	May 1, 2014 2:48:22 PM	No	0																																															

*Generated Coupon Codes*

## To configure auto-generated codes:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Customers, select **Promotions**.
2. Click to expand the **Auto Generated Specific Coupon Codes** section.

The screenshot shows a configuration interface for generating specific coupon codes. It includes fields for Code Length (set to 12), Code Format (set to Alphanumeric), Code Prefix, Code Suffix, and Dash Every X Characters. Each field has a note below it: 'Excluding prefix, suffix and separators.' for the length field, and 'If empty no separation.' for the dash separator field.

*Auto Generated Specific Coupon Codes*

3. To create a specific format for your codes, enter the following:
  - Code Length
  - Code Format
  - Code Prefix
  - Code Suffix
  - Dash Every X Characters
4. When complete, click the **Save Config** button.

These settings can be overridden from the Shopping Cart Price Rule page.

## To generate a batch of coupon codes:

1. On the Admin menu, select **Promotions > Shopping Cart Price Rules**.
2. Select an existing rule, or create a new one.
3. Set **Coupon** to “Specific Coupon.” Then, do the following:
  - a. Select the **Use Auto Generation** checkbox.
  - b. Complete the other rule settings as needed.
4. Click the **Save and Continue Editing** button.
5. In the panel on the left, select **Manage Coupon Codes**. Then, do the following:
  - a. In the **Coupon Qty** field, enter the number of codes to be generated.
  - b. Adjust the code format settings, as needed.
  - c. Click the **Generate** button.

The generated coupon codes appear below. The list shows how many times each coupon code has been used.

### To delete coupon codes:

1. In the list, select the checkbox of each code that you want to delete.
2. Set the **Actions** control to “Delete.”
3. Click the **Submit** button. When prompted, click **OK** to confirm.

### To export coupon codes:

1. In the list of generated codes, use the filter controls at the top of each column to display the codes that you want to export.
2. Set **Export to** to the file format that you want to use for the data file.
3. Click the **Export** button.

### Field Descriptions

FIELD	SCOPE	DESCRIPTION	
Code Length	Global	Defines the length of the coupon code, excluding the prefix, suffix and separators.	
Code Format	Global	Defines the coupon code format. Options:	
		Alphanumeric	Any combination of letters and numbers.
		Alphabetical	Letters only.
		Numeric	Numbers only.
Code Prefix	Global	A value appended to the beginning of all coupon codes. Leave blank to omit the prefix.	
Code Suffix	Global	A value appended to the end of all codes. Leave blank to omit the suffix.	
Dash Every X Characters	Global	An interval where a dash (-) can be inserted into all coupon codes. If you do not want to use a dash, leave the field blank.	

Coupon codes that differ by only a dash are considered to be different codes.

## Coupon Report

To learn how your coupons are used, you can run a detailed coupon usage report for each website, store, or view.

### To generate a coupon report:

1. On the Admin menu, select **Reports > Sales > Coupons**.
2. In the upper-right corner, set **Show Report For** to define the scope of the report.
3. Set the filters as needed. Then, do one of the following:
  - To include coupon codes from all price rules in the report, set **Shopping Cart Price Rule** to “Any.”
  - To include coupon codes related to specific rules, set **Shopping Cart Price Rule** to “Specified.” Then, select the rules that you want to include in the report.
4. When complete, click the **Show Report** button.

The screenshot shows the 'Coupons Usage Report' page in the Magento Admin Panel. At the top, there's a message about timezone configuration. Below that, the 'Show Report For' dropdown is set to 'All Websites'. The 'Filter' section includes fields for 'Match Period To' (set to 'Order Created Date'), 'Period' (set to 'Day'), 'From' (set to '19/1/2011'), 'To' (set to '5/1/2014'), 'Order Status' (set to 'Any'), 'Empty Rows' (set to 'No'), and 'Shopping Cart Price Rule' (set to 'Any'). The main area shows a table of data with columns: Period, Coupon Code, Shopping Cart Price Rule, Number of Users, Sales Subtotal Amount, Sales Discount Amount, Sales Total Amount, Subtotal Amount, Discount Amount, and Total Amount. The data includes rows for various dates, coupon codes like 'WHL20OFF', and shopping cart rules like 'RTL25OFF'.

Period	Coupon Code	Shopping Cart Price Rule	Number of Users	Sales Subtotal Amount	Sales Discount Amount	Sales Total Amount	Subtotal Amount	Discount Amount	Total Amount
Apr 11, 2013	WHL20OFF	provide 20% off on the product discount and 4 reward points	1	\$6,788.00	\$1,357.20	\$5,420.80	\$6,788.00	\$1,357.20	\$5,420.80
Apr 17, 2013	WHL20OFF	provide 20% off on the product discount and 4 reward points	1	\$6,600.00	\$1,320.00	\$5,280.00	\$6,600.00	\$1,320.00	\$5,280.00
Apr 22, 2013	GEN25OFF	Provide 25% off on the product	1	\$485.00	\$121.25	\$363.75	\$0.00	\$0.00	\$0.00
	VIP25OFF	Provide \$25 off on whole shopping cart	1	\$550.00	\$25.00	\$525.00	\$0.00	\$0.00	\$0.00
<b>Subtotal</b>									
Apr 23, 2013	RTL25OFF	Provide 25% off on the product price discount	1	\$1,400.00	\$350.00	\$1,050.00	\$0.00	\$0.00	\$0.00
	RTL45OFF	\$45 fixed amount discount on the whole cart	1	\$980.00	\$45.00	\$935.00	\$0.00	\$0.00	\$0.00
	WHL20OFF	provide 20% off on the product discount and 4 reward	1	\$13,365.00	\$2,771.00	\$10,594.00	\$0.00	\$0.00	\$0.00

*Coupon Usage Report*

## Free Shipping Promotion

Free shipping can be offered as a promotion, either with, or without a [coupon](#). A free shipping coupon, or voucher, can also be applied to customer pick-up orders, so the order can be invoiced and “shipped” to complete the [workflow](#).

Some shipping carrier configurations give you the ability of offer free shipping based on a minimum order. To expand upon this basic capability, you can use shopping cart price rules to create complex conditions based on multiple product attributes, cart contents, and customer groups.

### Process Overview:

- Step 1: [Enable Free Shipping](#)
- Step 2: [Create the Shopping Cart Price Rule](#)
- Step 3: [Test the Rule](#)

### Step 1: Enable Free Shipping

1. Enable the [Free Shipping](#) method in the configuration of your store.
2. Complete the free shipping settings for any [carrier service](#) that you want to use for free shipping.

### Step 2: Create the Shopping Cart Price Rule

1. On the Admin menu, select **Promotions > Shopping Cart Price Rules**.
2. Follow the steps below to set up the type of free shipping promotion that you want to offer.
3. When complete, click the **Save Rule** button.

When you create a new price rule, it might take an hour or so for it to become available. Allow enough time for it to get into the system. Then, test the rule to make sure that it works correctly. Unless otherwise specified, price rules are automatically processed with other system rules each night.

### Example 1: Free Shipping for Any Order

1. Complete the **General Information** settings as follows:
  - a. Enter a **Rule Name** for internal reference.
  - b. Set **Status** to “Active.”
  - c. Set **Website** to “Main Website.” (Click to make sure the entry is selected.)
  - d. Select the **Customer Groups** to which the rule applies.

- e. Do one of the following:
  - To offer a free shipping promotion without a coupon, accept the default, “No Coupon” setting.
  - To use a coupon with the price rule, set **Coupon** to “Specific Coupon.” If necessary, complete the instructions to set up a [coupon](#).
2. In the panel on the left, select **Actions**. Then, do the following:
  - a. Set **Apply** to “Percent of product price discount.”
  - b. Set **Apply to Shipping Amount** to “Yes.”
  - c. Set **Free Shipping** to “For shipment with matching items.”

Update prices using the following information	
Apply	Percent of product price discount
Discount Amount *	0
Maximum Qty Discount is Applied To	
Discount Qty Step (Buy X)	
Apply to Shipping Amount	Yes
Free Shipping	For shipment with matching items
Stop Further Rules Processing	No
Add Reward Points	

*Price Rule Action*

3. In the panel on the left, select **Labels**. Then, do one of the following:
  - Enter a **Default Rule Label for All Store Views**. This label is visible to the customer.
  - If your store is available in multiple stores, enter a label for each view, as needed.
4. When complete, click the **Save Rule** button.

## Example 2: Free Shipping for Orders Over \$Amount

1. Complete the **General Information** settings as follows:
  - a. Enter a **Rule Name** for internal reference.
  - b. Set **Status** to “Active.”
  - c. Set **Website** to “Main Website.” (Click to make sure the entry is selected.)
  - d. Select the **Customer Groups** to which the rule applies.
  - e. Do one of the following:

- To offer a free shipping promotion without a coupon, accept the default, “No Coupon” setting.
  - To use a coupon with the price rule, set **Coupon** to “Specific Coupon.” If necessary, follow the instructions to set up a [coupon](#).
2. In the panel on the left, select **Conditions**.
  3. Click the **Add**  button to insert a condition. Then, do the following:
    - a. In the list under Cart Attribute, click **Subtotal**.
    - b. Click the underlined **is** link, and select “equals or greater than.”
    - c. Click the ... “more” link, and enter a threshold value for the Subtotal, such as 100, to complete the condition.
  4. In the panel on the left, select **Actions**. Then, do the following:
    - a. Set **Apply** to “Percent of product price discount.”
    - b. Set **Apply to Shipping Amount** to “Yes.”
    - c. Set **Free Shipping** to “For shipment with matching items.”
  5. In the panel on the left, select **Labels**. Then, do one of the following:
    - Enter a **Default Rule Label for All Store Views**. The label is visible to the customer during checkout.
    - If your store is available in multiple views, enter a label for each view, as needed.
  6. When complete, click the **Save Rule** button.

### Step 3: Test the Rule

When you create a new price rule, it might take an hour or so for it to become available. Allow enough time for it to get into the system. Then, test the rule to make sure that it works correctly. Unless otherwise specified, price rules are automatically processed with other system rules each night.

## Buy X Get Y Free

This example shows how to set up a [shopping cart price rule](#) for a “Buy X, Get Y Free” promotion. The format of the discount is as follows:

Buy X quantity of product, get Y quantity for free.

### Process Overview:

- Step 1: [Create a Shopping Cart Price Rule](#)
- Step 2: [Define the Conditions](#)
- Step 3: [Define the Actions](#)
- Step 4: [Complete the Label](#)
- Step 5: [Apply the Rule](#)

### Step 1: Create a Shopping Cart Price Rule

Complete [Step 1](#) of the shopping cart price rule instructions to create a shopping cart rule with the general information.

### Step 2: Define the Conditions

Complete [Step 2](#) of the shopping cart instructions to define the conditions for the price rule. The conditions can be triggered by purchasing a specific product, making a purchase of a certain amount, or any other scenario.

### Step 3: Define the Actions

1. In the panel on the left, select **Actions**. Then, do the following:
  - a. Set **Apply** to “Buy X get Y free (discount amount is Y).”
  - b. Set **Discount Amount** to 1. This is the quantity the customer will receive for free.
  - c. To limit the number of discounts that can be applied when the condition is met, enter the number in the **Maximum Qty Discount is Applied To** field. For example, enter “1” to discount only one item.
  - d. In the **Discount Qty Step (Buy X)** field, enter the quantity that the customer must purchase to qualify for the discount.

Update prices using the following information

Apply	Buy X get Y free (discount amount is Y)
Discount Amount *	1
Maximum Qty/Discount is Applied To	0
Discount Qty Step (Buy X)	3
Apply to Shipping Amount	Yes
Free Shipping	For shipment with matching items
Stop Further Rules Processing	No
Add Reward Points	

*Buy X Get Y Free*

- Click the **Save and Continue Edit** button. Then, complete the rest of the rule as needed.

#### Step 4: Complete the Label

Complete [Step 4](#) of the shopping cart price rule instructions to enter the label that appears during checkout.

#### Step 5: Apply the Rule

- When complete, click the **Save Rule** button.
- When you create a new price rule, it might take an hour or so for it to become available. Allow enough time for it to get into the system. Then, test the rule to make sure that it works correctly. Unless otherwise specified, price rules are automatically processed with other system rules each night.

## Discount with Minimum Purchase

Shopping cart price rules can be used to offer a percentage discount based on a minimum purchase. In the following example, a 25% discount is applied to all purchases over \$200.00 in a specific category. The format of the discount is as follows:

X% off all Y (category) over \$Z dollars

### Process Overview:

Step 1: Create a Shopping Cart Rule

Step 2: Define the Conditions


Step 3: Define the Actions

### Step 1: Create a Shopping Cart Rule

Follow the basic [instructions](#) to create a shopping cart rule.

### Step 2: Define the Conditions

1. In the panel on the left, select **Conditions**.
2. Click the **Add**  button at the beginning of the next line, and select **Product Attribute Combination**.




*Product Attribute Combination*

3. Click the **Add**  button at the beginning of the next line.



*If an Item is FOUND*

4. In the list under Product Attribute, click **Category**.



*Choose Condition to Add*

- a. Click the ... “more” link to display additional options.



*Category IS*

- b. Click the **Chooser** button to display the available categories. Then in the category tree, select the checkbox of each category that you want to include.



*Category Tree*

- c. Click the **Select** button at the end of the line to add the categories to the condition.

Apply the rule only if the following conditions are met (leave blank for all products)

If **ALL** of these conditions are **TRUE**:

If an item is **FOUND** in the cart with **ALL** of these conditions true:

Category **is 19**

*Category Condition*

5. Click the **Add** button at the beginning of the next line, and do the following:
  - a. In the list under Product Attribute, select **Price**.
  - a. Click the first underlined parameter, **IS**. Then in the list, select “equals or greater than.”

Apply the rule only if the following conditions are met (leave blank for all products)

If **ALL** of these conditions are **TRUE**:

If an item is **FOUND** in the cart with **ALL** of these conditions true:

Category **is 19**

Price **is**

**equals or greater than**

equals or less than  
greater than  
less than  
contains  
does not contain  
is one of  
is not one of

*Price Equals or Greater Than*

- b. Click the **...** “more” link to display the price field. Then, enter the amount that the price must be to meet the condition. For example, enter **200.00**.

Apply the rule only if the following conditions are met (leave blank for all products)

If **ALL** of these conditions are **TRUE**:

If an item is **FOUND** in the cart with **ALL** of these conditions true:

Category **is 19**

Price **is 200**

*Enter the Price to Complete the Condition*

6. Click the **Save and Continue Edit** button.

### Step 3: Define the Actions

1. In the panel on the left, select **Actions**. Then, do the following:

The screenshot shows a configuration panel titled "Update prices using the following information". The "Actions" section is highlighted with a red box. It contains the following fields:

- Apply: Percent of product price discount
- Discount Amount \*: 25
- Maximum Qty Discount is Applied To: 0
- Discount Qty Step (Buy X): 0
- Apply to Shipping Amount: No
- Free Shipping: No
- Stop Further Rules Processing: Yes
- Add Reward Points: (empty field)

*Actions*

- a. Set **Apply** to “Percent of product price discount.”
  - b. Enter the **Discount Amount**. For example, enter **25** for a twenty-five percent discount.
  - c. If you want to prevent the purchase from qualifying for additional promotions, set **Stop Further Rules Processing** to “Yes.”
2. Click the **Save and Continue Edit** button. Then, complete the rule as needed.



## CHAPTER 24:

# Shopping Tools

Your store includes a set of shopping tools that create opportunities for your customers to interact with your store, and to share the experience with friends.


Topics in this chapter :

- [Wishlists](#)
- [Compare Products](#)
- [Recently Viewed / Compared Products](#)
- [Product Reviews](#)
- [Tags](#)
- [Polls](#)
- [Email a Friend](#)
- [Gift Options](#)

### Commerce Resources


See the latest [Magento eBooks](#) to gain access to expert insight and online business resources to help develop and improve your store.

## Customer Engagement



### Wishlist

The Wishlist block displays the items from the customer's wishlist.




### Compare Products

The Compare Products block lets your customers quickly compare the features of one product with another.




### Product Reviews

Product reviews help build a sense of community, and are considered to be more credible than any advertising money can buy.




### Tags

Tags help customers organize and remember the products that they have seen, offer quick navigation, and help search engines index your store.



## Polls

The Poll block displays a series of polls or surveys that you can use to learn more about your customers.



## Email a Friend

The Email a Friend link makes it easy for your customers to share links to products with their friends.

## Wishlists

A wishlist is a list of products that registered customers can share with friends or transfer to their shopping carts at a later date. When wishlists are enabled, the Add to Wishlist link appears on the category and product pages of your store. Depending on the theme, it might be a text link or a graphic image.

The screenshot shows a Magento Jewelry category page. On the left, there are filters for Price (\$0.00 - \$99.99, \$100.00 - \$199.99, \$200.00 - \$299.99, \$500.00 and above), Color (Blue, Indigo, Ivory, Silver), Style (Bangle, Clean, Drop, Statement, Strand, Stud), Gender (Female, Male), and Jewelry Type (Bracelets). The main area displays six products: Pearl Strand Necklace, Blue Horizons Bracelets, Pearl Stud Earrings, Swing Time Earrings, Silver Desert Necklace, and Swiss Movement Sports Watch. Each product card includes a detailed description, price, star rating, and three buttons: 'ADD TO CART', 'Add to Wishlist', and 'Add to Compare'. A callout bubble highlights the 'Add to Wishlist' button for the first product. On the right side, there is a 'RECENTLY VIEWED PRODUCTS' section showing 'BLUE HORIZONS BRACELETS' and a 'COMPARE PRODUCTS' section stating 'You have no items to compare.'

*Add to Wishlist Links on Category Page*

## Wishlist Workflow

Shared wishlists are sent from a store email address, but the body of the message contains a personalized note from the customer. You can customize the email template that is used for the notification message when wishlists are shared, and choose the store contact that appears as the sender.

Each wishlist can be maintained in the customer's [account dashboard](#), where it can be updated, and used to add products to the shopping cart. Wishlists can be set to public or private, and shared with friends. Items can be transferred between the wishlist and shopping cart by the customer or from the Admin. When a product with multiple options is added to a wishlist, any options that have been selected by the customer are included in the wishlist item description. For example, if the customer adds the same pair of shoes, but in three different colors, each pair appears as a separate wishlist item. On the other hand, if the customer adds the same product to the wishlist multiple times, the product

appears in the wishlist only once, but with an updated quantity that reflects the number of times the product was added. Customers can update their wishlists from their account dashboard. Merchants can also update a customer's wishlist from the Admin.

## Updating Wishlists

Customers can manage their wishlist from the customer account dashboard. Store administrators can manage customer wishlists from the Admin.

### To update the wishlist from “My Account”:

1. From the customer account dashboard, in the panel on the left, click **Wishlists**.
2. To view the current options for an item, point to **View Details**.
3. To update the selection of product options, click **Edit**.
4. On the product page, update the quantity and selected options as needed.
5. When complete, click **Update Wishlist**.

If the options don't appear in the wishlist, return to the product page to make sure that they are selected.

The screenshot shows the Magento Customer Dashboard. On the left, there is a sidebar with links like 'WELCOME, JANE SMITH!', 'LANGUAGE', 'MY ACCOUNT', 'WOMEN', 'MDN', 'ACCESSORIES', 'HOME & DECOR', 'SALE', 'VIP', and 'MY ACCOUNT' (underlined). The main content area has a header 'MADISON ISLAND'. Below it, there are two sections: 'MY ACCOUNT' (with links to 'ACCOUNT DASHBOARD', 'ACCOUNT INFORMATION', 'ADDRESS BOOK', 'MY ORDERS', 'BILLING AGREEMENTS', 'RECURRING PROFILES', 'ORDER BY SKU', 'MY PRODUCT REVIEWS', 'MY TAGS', 'WISHLISTS' (which is underlined), 'MY APPLICATIONS', 'NEWSLETTER SUBSCRIPTIONS', 'MY DOWNLOADABLE PRODUCTS', 'MY STORE CREDITS', and 'GIFT CARDS') and 'WISHLISTS' (with a sub-section for 'WISHLIST(1 ITEM)'. It shows a product card for 'LUGGAGE SET' with a 'Heavy duty, hard shell Luggage' image, a 'Please enter your comments' input field, and buttons for 'MOVE TO WISHLIST', 'COPY TO WISHLIST', 'ADD TO CART', 'REMOVE', 'UPDATE LIST', 'ADD ALL TO CART', and 'SHARE LIST').

*Customer Dashboard with Wishlist*

### To update wishlist items from the Admin:

1. On the Admin menu, select **Customers > Manage Customers**.
2. Find the customer in the list, and click to open the record.
3. In the Customer Information panel on the left, click **Wishlist**.
4. Find the item to be edited in the list. Any options selected for the product appear below the product name. To edit the product options, do one of the following:
  - Select the checkbox for the item. Then, set the **Action** control to "Configure" and click **Submit**.
  - Click the **Configure** link.
5. On the product page, update the **Quantity** and selected options as needed.
6. When complete, click **Update Wishlist**.

### Wishlist Reports

A customer Wishlist report includes the following information for each wishlist the customer has created:

- The date when a product was added
- The customer name
- The wishlist name and status (public or private)
- The product name and SKU
- Customer comments
- Quantity of the product in the Wishlist, quantity currently available in the store, and the difference between these two values.


You can choose to see a report for the entire website or for an individual store view. The scope is selected in the Show Report For field. The report can be exported to .csv or Excel .xml format.

### To generate a wishlist report:

On the Admin menu, select **Reports > Customers > Customers Wishlist**.

## Compare Products

The Compare Products block usually appears in the far right column, or sidebar of the category page, and can be used to generate a detailed, side-by-side comparison of two or more products. You can customize the report to include additional attributes or remove ones that you don't want to include. Depending on the theme, the Add to Compare link can be represented by an icon or a link.



*Compare Products*

### To compare products:

1. From your storefront, find the products that you want to compare, and click the **Add to Compare** link for each.
2. In the Compare Products block in the right sidebar, click the **Compare** button. The Compare Products report opens in a new window.
3. To print the report, click **Print This Page**.
4. To clear the Compare Products list, click the **Clear All** link.

---

## COMPARE PRODUCTS

[Print This Page](#)



LINEN BLAZER

1 Review(s)

**\$455.00**

[ADD TO CART](#)

[Add to Wishlist](#)



STRETCH COTTON BLAZER

**\$490.00**

[ADD TO CART](#)

[Add to Wishlist](#)

---

DESCRIPTION	Linen Blazer	Stretch Cotton Blazer
Single vented, notched lapels. Flap pockets. Tonal stitching. Fully lined. Linen. Dry clean.	Two button, single vented, notched lapels. Slim cut through the shoulders chest and waist. Flap pockets, welt inside chest pockets. Cotton/lycra. Dry clean.	
SHORT DESCRIPTION	In airy lightweight linen, this blazer is classic tailoring with a warm weather twist.	Sleek and modern, our form flattering blazer carries a slightly relaxed, yet structured shape. Timeless in any time zone.
SKU	msj012c	msj015c
COLOR	No	No
	<b>\$455.00</b>	<b>\$490.00</b>
	<a href="#">ADD TO CART</a>	<a href="#">ADD TO CART</a>
	<a href="#">Add to Wishlist</a>	<a href="#">Add to Wishlist</a>

---

*Compare Products Report*

## Recently Viewed/Compared Products

The Recently Viewed and Recently Compared blocks usually appear in the right sidebar of a catalog page. The number of products listed in each block can be configured for each website, store, or store view.

The screenshot shows a Magento catalog page for 'WOMEN / NEW ARRIVALS'. On the left, there's a sidebar with 'SHOP BY' filters for PRICE (\$0.00 - \$99.99, \$200.00 - \$299.99, \$300.00 and above), COLOR (Blue, Indigo, White), OCCASION (Casual, Evening), TYPE (Dresses, Knits, Tops), SLEEVE LENGTH (Short Sleeve, Sleeveless), and SIZE (XS). The main content area features a 'NEW ARRIVALS' section with a banner 'IN THE NOW' and the text 'a first look at first-class spring staples'. Below the banner, three items are displayed: 'TOR TANK' (\$60.00), 'ELIZABETH KNIT TOP' (\$210.00), and 'LAFAYETTE CONVERTIBLE DRESS' (\$340.00). Each item has a 'VIEW DETAILS' button and an 'Add to Wishlist' or 'Add to Compare' link. In the top right corner, there's a 'RECENTLY VIEWED PRODUCTS' block containing 'NOLITA CAMI' and 'BLUE HORIZONS BRACELETS'. A speech bubble points to this block with the text 'Recently Viewed'.

*Recently Viewed*

## To configure Recently Viewed/Compared Products:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Catalog, select **Catalog**.
2. Click to expand the **Recently Viewed/Compared Products** section. Then, do the following:

Show for Current	<input type="button" value="Website"/> [WEBSITE]
Default Recently Viewed Products Count	<input type="text" value="4"/> [STORE VIEW]
Default Recently Compared Products Count	<input type="text" value="4"/> [STORE VIEW]


### *Recently Viewed/Compared Products*

- a. Set **Show for Current** to the website, store, or store view where the configuration applies.
  - b. In the **Default Recently Viewed Products Count** field, enter the number of recently viewed products to appear in the list.
  - c. In the **Default Recently Compared Products Count**, enter the number of recently compared products to appear in the list.
3. When complete, click the **Save Config** button.

## Product Reviews

Product reviews help to build a sense of community, and are considered more credible than any advertising money can buy. In fact, some search engines give sites with product reviews a higher ranking than those without. For those who find your site by searching for a specific product, a product review is essentially the landing page of your store. Product reviews help people find your store, keep them engaged, and often lead to sales.

The configuration determines whether customers must open an account with your store to be write a product review, or can submit a review as a guest. Requiring reviewers to open an account with your store can improve the quality of reviews by preventing anonymous submissions.



*Add Your Review*


Customers can write reviews for any product in your catalog. Reviews can be written from the product page by clicking the “Add Your Review” link. For products that haven't been reviewed, the link says, “Be the first to review this product.”

The number of stars indicates the satisfaction rating. Visitors can click the link to read the reviews and write their own. As an incentive, customers can receive reward points for submitting a review.

When a review is submitted, it is sent to the Admin for moderation. When approved, the review is published in your store.

## To configure product reviews:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Catalog, select **Catalog**.
2. Click to expand the **Product Reviews** section.



*Product Reviews*

3. Set **Allow Guests to Write Reviews** according to your preference.
4. When complete, click the **Save Config** button.

The screenshot shows a product review form for a 'SUMMER BLAZER'. At the top, there is a review from a guest: 'Perfect Summer Blazer. I bought it for my boyfriend and he loved it!' Below this, there are sections for rating: 'VALUE' (5 stars), 'QUALITY' (5 stars), and 'PRICE' (5 stars). There is also a section for rating 'QUALITY', 'PRICE', and 'VALUE' on a scale from 1 to 5. Below these are fields for 'LET US KNOW YOUR THOUGHTS', 'SUMMARY OF YOUR REVIEW', and 'WHAT'S YOUR NICKNAME?'. A blue 'SUBMIT REVIEW' button is at the bottom.

*Write a Product Review*

## To moderate reviews:

- On the Admin menu, select **Catalog > Reviews and Ratings > Customer Reviews > Pending Reviews.**

The screenshot shows the 'Pending Reviews' section of the Magento Admin Panel. The grid displays 50 records found. The columns include ID, Customer Name, Review, Status, and Action buttons. One review is selected, highlighted in blue.

ID	Customer Name	Review	Status	Action
80	Jun 18, 2013 4:40:05 AM	Approved	Great Candle Holders	<a href="#">Edit</a>
79	May 29, 2013 10:59:07 AM	Approved	Summer Blazer	<a href="#">Edit</a>
78	May 28, 2013 12:19:44 AM	Approved	Liked it, would like to have chosen color	<a href="#">Edit</a>
77	May 28, 2013 12:19:16 AM	Approved	Good battery life	<a href="#">Edit</a>
76	May 28, 2013 12:18:52 AM	Approved	Thank you!	<a href="#">Edit</a>
75	May 28, 2013 12:18:08 AM	Approved	Son is Happy	<a href="#">Edit</a>

Pending Reviews

- In the list, click a pending review to view the details, and edit if necessary.
- To approve a pending review, change the **Status** from “Pending” to “Approved.” To reject a review, select “Not Approved.”
- When complete, click the **Save Review** button.

## Custom Ratings

By default, customer can rate the quality, price, and value of a product. In addition, you can add your own custom ratings that relate to your products and customers. The average rating for each product appears in catalog lists and on the product page.

The screenshot shows the 'Manage Ratings' section of the Magento Admin Panel. The grid displays 3 records found. The columns include ID, Rating Name, and Sort Order. The ratings listed are Price, Quality, and Value.

ID	Rating Name	Sort Order
3	Price	0
1	Quality	0
2	Value	0

Manage Ratings

## To create your own ratings:

1. On the Admin menu, select **Catalog > Reviews and Ratings > Manage Ratings**.
2. In the upper-right corner, click the **Add New Rating** button.
3. In the Rating Title section, enter the **Default Value** for the new rating. Then, enter the translation for each language supported by your store.

*Rating Title*

4. In the Rating Visibility section, set **Visibility In** to the store view where the rating will be used. (Hold down the Ctrl key to select multiple options.)
5. In the **Sort Order** field, enter a number to determine the sequence that this rating appears in the list of ratings.


*Rating Visibility*

6. When complete, click the **Save Rating** button.

## Tags

Tags are one-word descriptors that are used as keywords for your catalog. Tags can be assigned to products by registered customers who are logged in, and also by guests. Tags help customers organize and remember the products that they have seen, offer quick navigation, and help search engines index your store. The tags that customers assign to a product appear on the Customers Tagged Product tab of the product record. The detail includes the tag, the customer name, and email address.


A tag cloud typically appears in the Popular tags block in the right sidebar of catalog pages. The size of the text indicates the popularity of the tag. Each product page has an “Tag this Product” section at the bottom of the page, where shoppers can enter their own tags. As an incentive, customers can earn reward points for tagging a product.



Popular Tags

### To add a tag from the store:

- From any product page, scroll down to the **Tag this Product** section.



Tag this Product

- In the **Add a Tag** text box, type the tag you want to associate with the product.
  - To enter multiple tags, separate each with a blank space.
  - To enter a phrase, enclose the text in single quotes.
- Click the **Add Tags** button.

The tag will be submitted for review and published on the site when approved.

## Products Tagged by Administrators

There's no reason to wait for customers to tag products. The store administrator can apply new tags to products, and reuse existing tags.

Products Tagged by Administrators									
	ID	Name	Name in English	Type	Attrib. Set Name	SKU	Price	Visibility	Status
Yes ▾	From:								
To:									
<input checked="" type="checkbox"/>	877	Black Nolita Cami	Black Nolita Cami	Configurable Product	Clothing	wbh002c	\$150.00	Catalog, Search	Enabled
<input checked="" type="checkbox"/>	875	Ellis Flat	Ellis Flat	Configurable Product	Shoes	shw005	\$250.00	Catalog, Search	Enabled

*Products Tagged by Administrators*

### To add a new tag:

1. On the Admin menu, select **Catalog >Tags > All Tags**.
2. In the upper-right corner, click the **Add New Tag** button. Then, do the following:
  - a. Enter the **Tag Name**.
  - b. Set **Status** to "Approved."
  - c. In the **Base Popularity** field, enter a numeric value to assign a weight to the tag. The number assigns a base value to the tag and increases its size in the tag cloud.
3. When complete, click the **Save Tag** button.


### To apply an existing tag to specific products:

1. In the Manage Tags list, click to open the tag.
2. Click to expand the **Products Tagged by Administrators** section. Then, do the following:
  - a. Click the **Reset Filter** button to display all product records.
  - b. Select the checkbox of each product that you want to tag.
3. When complete, click the **Save Tag** button.

The products now appear in the list of Products Tagged by Administrators.

## Moderating Tags

After a customer submits a product tag, an administrator must approve the tag before it becomes visible in the store. After a tag has been approved, it can be used for other products without further approval.



*Changing the Status of Pending Tags*

The remaining sections give you a snapshot of the tag activity, including which customers have used the tag, and products tagged by the store administrator and customers.

ID	First Name	Last Name	Product Name	Product SKU
100	Jane	Smith	Linen Blazer	msj012c

*Customers Submitted this Tag*

You can jump to a specific customer or product by clicking its row in the list.

ID	Product Name	# of uses	SKU
408	Linen Blazer	1	msj012c


*Products Tagged by Customers*

### To approve multiple tags:

1. On the Admin menu, select **Catalog > Tags > Pending Tags**. Then in the list, click to open a pending tag.
2. In the list, select the checkbox of each tag that you want to approve.
3. Set the **Actions** control to “Change Status.” Then, set the **Status** control to “Approved.”
4. When complete, click the **Submit** button.

## To manage a single tag:

1. On the Admin menu, select **Catalog >Tags > Pending Tags**. Then in the list, click to open a pending tag.




*Editing a Tag*

2. If necessary, you can edit the text as needed. Then, do one of the following:
  - To approve and publish the pending tag, set **Status** to “Approved.”
  - To reject the tag, set **Status** to “Disapproved.”
3. When complete, click the **Save Tag** button.

## Polls

Polls make it easy to learn about your customers’ opinions and preferences. The poll occupies a small amount of space and is usually placed in the right sidebar of a catalog page. Poll results appear immediately after a response is submitted. If you create multiple polls, a new poll appears each time the page is refreshed.



*Original Poll and Results*

## To create a poll:

1. On the Admin menu, select **CMS > Polls**.
2. In the upper-right corner of the Poll Manager, click the **Add New Poll** button.
3. In the Poll Information section, do the following:

Poll information

Poll Question:

Status:

Visible In:   
Main Website  
English  
French  
German  
Private Sales Website  
Private Sales Store  
Private Sales View

*Poll Information*

- a. Enter the **Poll Question**.
- b. By default, **Status** is set to “Open.” If you later want to remove the poll from your store, set **Status** to “Closed.”
- c. Set **Visible In** to the store view where you want the poll to appear.
4. In the panel on the left, select **Poll Answers**. Then, for each answer, do the following:
  - a. Click the **Add New Answer** button. Then, do the following:

Assigned Answers

Answer Title:

Votes Count:

*Assigned Answers*

- a. In the **Answer Title** field, enter the answer as you want it to appear in the poll.
- b. To weight an answer, enter a number in the **Votes Count** field. The number will increment each time a customer chooses the answer.
5. Click the **Save Poll** button to save your poll.

## To prevent multiple voting:

You can protect the poll results by preventing people from voting multiple times from the same computer.

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under General, select **Web**.
2. Click to expand the **Polls** section.



3. Set **Disallow Voting in a Poll Multiple Times from Same IP Address** to “Yes.”
4. When complete, click the **Save Config** button.

## To edit a poll:


1. From the Poll Manager list, click to open the poll in edit mode. Then, make the necessary changes.
  - To close the poll so that it no longer appears in the store, set **Status** to “Closed.”
  - To see the vote count for each answer, click **Poll Answers** in the panel on the left.
2. When complete, click the **Save Poll** button.

Answer Title *	Votes Count *
Green	8
Red	3
Black	1
Magenta	4

*Poll Answer Count*

## Email a Friend

The Email a Friend link makes it easy for your customers to share links to products with their friends. In the Magento demo store, the Email a Friend link appears as an envelope icon. The automated message that is sent from your store is referred to as transactional email. The message template can be customized for your voice and brand. To prevent spamming, you can limit the number of recipients for each email, and the number of products that can be shared over a one-hour period.



*Email a Friend*

### To configure email to a friend:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Catalog, select **Email to a Friend**.
2. Click to expand the **Email Templates** section. Then, do the following:

Email Templates		
Enabled	Yes	[STORE VIEW]
Select Email Template	Send product to a friend (Default Template from)	[STORE VIEW]
Allow for Guests	No	[STORE VIEW]
Max Recipients	5	[STORE VIEW]
Max Products Sent in 1 Hour	5	[STORE VIEW]
Limit Sending By	Cookie (unsafe)	[STORE VIEW]

*Email Templates*

- a. Set **Enabled** to “Yes.”
- b. Set **Select Email Template** to the template you want to use as the basis of the messages.
- c. If you want to require that only registered customers can send email to friends, set **Allow for Guests** to “No.”
- d. In the **Max Recipients** field, enter the maximum number of friends who can be on the distribution list for a single message.
- e. In the **Max Products Sent in One Hour** field, enter the maximum number of products that can be shared by a single user with friends over a one-hour time period.
- f. Set **Limit Sending By** to one of the following methods to identify the sender of emails:

IP Address	(Recommended) Identifies the sender by the IP address of the computer that is used to send the emails.
Cookie (unsafe)	Identifies the sender by browser cookie. This method is less effective because the sender can delete the cookie to bypass the limit.

3. When complete, click the **Save Config** button.

### To send email to a friend:

1. On a catalog page, click the **Email a Friend** link. When prompted, either log into your customer account or register to open an account.
2. Complete the **Message** and enter the recipient **Name** and **Email Address**.  
To send the message to more than one person, click the **Add Another Recipient** link and complete the information for each person.
3. When ready to send the message, click the **Send Email** button.

*Email to a Friend Form*

## **Gift Options**

At checkout, customers are presented with the available gift options during the Shipping Method step of the process. If the customer chooses to add gift options, two groups of checkboxes appear: Gift Options for Entire Order and Gift Options for Individual Items.

The Gift Options configuration determines if customers have the option to add a gift message for the complete order, and for individual items. The gift options must be configured first for the website, and can then be overridden at the product level.

*Gift Options During Checkout*

## To enable gift options:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Sales, select **Sales**.
2. Click to expand the **Gift Options** section.



3. Set the following options according to your preference:
  - Allow Gift Messages on Order Level
  - Allow Gift Messages for Order Items
4. When complete, click the **Save Config** button.



## CHAPTER 25:

# Newsletters

Publishing a regular newsletter is considered to be one of the most powerful and affordable marketing tools available. Magento Community Edition gives store administrators the ability to publish and distribute newsletters to customers who have registered to receive them, plus all the tools necessary to Promote your newsletter, build and manage your list of subscribers, develop content, maintain an archive of back issues, and drive traffic to your store.

Topics in this chapter:

- [Newsletter Setup](#)
- [Newsletter Templates](#)
- [Newsletter Queue](#)

# Newsletter Configuration

The first step in creating newsletters is to configure the newsletter settings for your site. You can require customers to confirm the registration by clicking a confirmation link sent by email. This technique is called double opt-in, because customers must confirm twice that they want to receive a newsletter. This method reduces the number of customers that might otherwise consider your newsletter as spam.

## To configure subscription options:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Customers, select **Newsletter**.
2. Click to expand the **Subscription Options** section. Then, do the following:


Subscription Options		
Success Email Template	Newsletter subscription success (Default Tem ▾)	[STORE VIEW]
Unsubscription Email Sender	Customer Support ▾	[STORE VIEW]
Unsubscription Email Template	Newsletter unsubscription success (Default Te ▾)	[STORE VIEW]
Success Email Sender	General Contact ▾	[STORE VIEW]
Confirmation Email Template	Newsletter subscription confirmation (Default T ▾)	[STORE VIEW]
Need to Confirm	No ▾	[STORE VIEW]
Confirmation Email Sender	Customer Support ▾	[STORE VIEW]
Allow Guest Subscription	Yes ▾	[STORE VIEW]

*Subscription Options*

- a. Confirm the email templates and senders of the following email messages sent to subscribers:
  - Success email
  - Confirmation email
  - Unsubscription email
- b. To require people to double-opt in to confirm their subscription, set **Need to Confirm** to “Yes.”
- c. To allow people who do not have an account with your store to subscribe to the newsletter, set **Allow Guest Subscriptions** to “Yes.”
- d. When complete, click the **Save Config** button.

# Newsletter Templates

Before sending a newsletter, create a newsletter template. You can create and save as many of these as required for any situation, from an annual holiday newsletter to a weekly product update.



*Newsletter Template*

## To create a newsletter template:

1. On the Admin menu, select **Newsletter > Newsletter Templates**. The page lists the available newsletter templates. You can edit an existing template or create a new one.
2. To add a new template, click the **Add New Template** button. Then, do the following:
  - a. In the **Template Name** field, specify a unique and indicative name for this template. This value is not visible for customers.
  - b. In the **Template Subject** field, specify the subject of the email to be sent to your customers.
  - c. In the **Sender Name** and **Sender Email** fields, specify the name and email of the sender of the email to be sent to your customers.
  - d. In the **Template Content** field, use the WYSIWYG editor to compose the body of the email. Note that this field is pre-filled with tags showing an unsubscribe link in the email. We recommend that you do not remove this link so that all emails that are sent enable your customers to unsubscribe from the newsletter.
  - e. Click **Preview Template**, to display the content with the formatting as it will be viewed by your subscribers.
3. When complete, click the **Save Template** button.

After you have saved a template, a Save As button appears when you edit this template. You can use the Save As button, so you can make changes and save it as a new template, without affecting the original. This can save you time because you will not need to re-enter

all the template information in order to create a new template. If you already have an existing template that is similar to the new template, simply edit the fields that you require, and then use the Save As button to create a new template.

## Newsletter Queue

A newsletter that has many recipients must be sent in stages. The process of sending the newsletter is managed by a queue. After you start the queue, Magento sends the emails in packs. To ensure delivery of your newsletters, it is recommended that you integrate your Magento installation with a third-party newsletter provider. These services are “white listed” by email service providers. Look for newsletter providers in [Magento Connect](#).

### To send your newsletter using a queue:

1. On the Admin menu, select **Newsletter > Newsletter Templates**.
2. Set the **Actions** control to the relevant template. Then, select **Queue Newsletter**.
3. In the **Queue Date Start** field, specify when the newsletter will start being sent.
4. In the **Subscribers From** field, select one or more store views whose customers this newsletter will be sent to.
5. Review the template and parameters and then click the **Save Newsletter** button to schedule sending the newsletter.



## CHAPTER 26:

# Sales Channels

Publishing your catalog through multiple channels is an effective way to widen your distribution without much effort. You can start by syndicating your content with RSS feeds, and then expand by sending your catalog data to shopping aggregators and marketplaces.

Topics in this chapter:


- [Google Shopping](#)
- [RSS Feeds](#)
- [Social Marketing](#)

# Google Shopping

[Google Shopping](#) is a Google AdWords service that publishes product feeds from merchant catalogs. Any Simple product from your catalog can be uploaded to Google Shopping.

Each product attribute is mapped to Google and used as search parameters by customers who are searching for products. After mapping the product attributes to synchronize with Google Content attributes, you can publish products from your store on Google Shopping. To use Google Shopping, you need both a Google Merchant account and a Google AdWords account. To learn more, visit the [Google Ads Shopping](#) page on their site.

The following instructions show how to set Google Content for your store. You can also find extensions on [Magento Connect](#) that might streamline the process.




*Google Shopping*

## Process Overview

- Step 1: Set Up Your Google Accounts
- Step 2: Configure Your Store for Google Shopping
- Step 3: Map Your Product Attributes
- Step 4: Add Your Google Content Items
- Step 5: Manage Your Content

## Step 1: Set Up Your Google Accounts

1. Visit [Google Merchant Center](#), and sign up for an account. Complete the following steps in the Beginner's Guide:
  - Open your Merchant account
  - Set up your account
  - Verify and claim your website URL




*Google Merchant Center Help*

2. Write down the following information from your Google account:
  - Account ID
  - Account Login
  - Account Password
  - Account Type
  - Target Country

## Step 2: Configure Your Store for Google Shopping

1. Log in to the Admin of your store. Then on the Admin menu, select **System > Configuration**.
2. In the panel on the left under Sales, select **Google API**.
3. Click to expand the **Google Shopping** section, and do the following:

- a. Enter the following information from your Google merchant account:
    - Account ID
    - Account Login
    - Account Password
    - Account Type
    - Target Country
  - b. Set **Update Google Shopping Item When Product Is Updated** to “Yes.”
  - c. Set **Debug** to “No.” You can change this setting later, if necessary.
  - d. Under Destinations, select each place where you want your products to be listed. Each destination can be set to Default, Required, or Excluded.
    - Google Product Search
    - Product Ads
    - Commerce Search
- |          |   |
|----------|---|
| Default  | Your updates are submitted using the Google default settings.   |
| Required | The update must be submitted to the required destination. If the update does not pass Google’s validation rules, you receive notification of validation errors, and the update is not submitted to any destination. |
| Excluded | The update is not submitted to this destination, but it can still be submitted to other destinations, depending on the settings.  |



The screenshot shows the 'Google Shopping' configuration window. It contains fields for Account ID, Account Login, Account Password, Account Type (set to 'Hosted or Google'), Target Country (set to 'United States'), and two dropdowns for 'Update Google Shopping Item when Product is Updated' (set to 'No') and 'Debug' (set to 'No'). Below these, there's a section titled 'Destinations' with three entries: 'Google Product Search' (set to 'Default'), 'Product Ads' (set to 'Default'), and 'Commerce Search' (set to 'Default'). Each destination entry includes a 'STORE VIEW' button.

#### Google Shopping

4. When complete, click the **Save Config** button.

## Step 3: Map Your Product Attributes

In this step, you will map your attribute sets to match Google item types and attributes, so Google can retrieve your product information. During the process, you will add the attributes you want to upload from your catalog to Google Content.


In addition to the two required attributes, Product Type and Product Condition, it is recommended that you include the Title, Description and Price in the attribute section. In addition to these, you should include any other attributes that will help people find the product. To learn more about mapping different product types, see Google's [Summary of Attribute Requirements](#).

### Product Attributes

REQUIRED	RECOMMENDED
Product Type	Title
Condition	Description
	Price

Because Condition is a required field, why not [create a drop-down attribute](#) called "condition" with the values "New" and "Used" before you begin? Then, add it to the [attribute set](#) that you are mapping.

1. On the Admin menu, select **Catalog > Google Content > Manage Attributes**.
2. Click the **Add Attribute Mapping** button. Then do the following:
  - a. Select the **Target Country** where your business is located.
  - b. In the Attribute Set list, select the first attribute set you want to map. For example: Clothing.



*Add Attribute Mapping*

3. To begin mapping attributes, click the **Add New Attribute** button. Then do the following:
  - a. Set **Target Country** to where the products are available for sale.
  - b. Choose the first **Attribute Set** from your catalog that you want to map.
  - c. Set the **Google Product Category** to the best match for your catalog's attribute set. For example, the closest match for "Clothing" is "Apparel & Accessories."

The screenshot shows a 'Attribute set mapping' interface. It includes dropdown menus for 'Target Country' (United States), 'Attribute Set' (Clothing), and 'Google Product Category' (Apparel & Accessories). Below these are buttons for 'Attributes' and 'Add New Attribute'.

*New Attribute Set Mapping*

4. When that attribute set is mapped, click the **Add New Attribute** button to map the individual attributes. Then, do the following:
  - a. Select an **Attribute** from your store. Then, find the **Google Content Attribute** that is the best match.
  - b. Click **Add New Attribute** to map the next attribute that you want to use.
  - c. Repeat these steps until you have mapped all the attributes that you need.

The screenshot shows an 'Attribute Mapping' interface. It features a table with two columns: 'Attribute' and 'Google Content Attribute'. A single row is displayed, mapping the attribute 'Allow Gift Wrapping' to 'Custom attribute, no mapping'. There is also a 'Remove' button for this mapping.

*Attribute Mapping*

5. When complete, click the **Save Mapping** button.

Attributes		Add New Attribute
Attribute	Google Content Attribute	<input type="button" value="Remove"/>
Size	Size	<input type="button" value="Remove"/>
Attribute	Google Content Attribute	<input type="button" value="Remove"/>
Name	Title	<input type="button" value="Remove"/>
Attribute	Google Content Attribute	<input type="button" value="Remove"/>
Short Description	Description	<input type="button" value="Remove"/>
Attribute	Google Content Attribute	<input type="button" value="Remove"/>
Price	Price	<input type="button" value="Remove"/>
Attribute	Google Content Attribute	<input type="button" value="Remove"/>
Condition	Condition	<input type="button" value="Remove"/>
Attribute	Google Content Attribute	<input type="button" value="Remove"/>
Type	Product Type (Category)	<input type="button" value="Remove"/>

*Mapping Complete*

## Step 4: Add Your Google Content Items

After you finish mapping, the next step is to select the products that you want to publish to Google Content. From this page, you can publish, delete, and synchronize your products to Google Content. After the products are synchronized, you can view the status and expiration date of each product, the number of clicks and impressions it has received.

1. On the Admin menu, select **Catalog > Google Content > Manage Items**.
2. Use the [list and filter controls](#) to find the products that you want. Then, select the checkbox of each product you want to add to Google Content.
3. When you finish selecting products, set the **Actions** control to “Add to Google Content.” Then click the **Submit** button.

The screenshot shows the Magento Admin Panel interface. At the top, there's a navigation bar with links like Dashboard, Sales, Catalog, Customers, Promotions, Newsletter, CMS, Reports, and System. A message bar at the top right says "Latest Message: Reminder: Change Magento's default phone numbers and callouts before site launch". Below the navigation, there are two main sections:

- Google Content Items:** This section has a table with columns for Product Name, Expires, From:, and To:. It shows a message "No records found".
- Available Products:** This section has a table with columns for Attrb. Set Name, SKU, and Price. It shows a message "6 items selected". A callout bubble with the text "Action" points to a checkbox in the first row of the table, which is checked. The table lists products with IDs 540, 539, 304, 303, and 302, all labeled "Racer Back Maxi Dress".

*Add Your Products*

## Step 5: Manage Your Content

It can take up to twenty-four hours for a product to be published in Google Content, and products do not immediately appear in the Manage Items list. Changes also can take up to a day to process. After you make changes, you can synchronize your content Google Shopping.

After completing the configuration, return to your Google merchant account to make sure that your products appear. If they don't appear, make sure that the Country setting in the upper-right corner is correct.

When your product feed is live, you can view the number of impressions and clicks from the Manage Items page.

# Social Media


There are many [social marketing extensions](#) that can be added to your store. To learn more, see: [Magento Connect](#).

The screenshot shows the Magento Connect website interface. The top navigation bar includes links for Customer Experience, Site Management, Integrations, Marketing, Utilities, Themes, and MY ACCOUNT. A search bar at the top right allows users to search for extensions. Below the search bar, a dropdown menu shows 'All Platforms' selected. The main content area displays a grid of social marketing extensions. One extension, 'Facebook Connect and Like Free' by BEVCO, is highlighted with a large thumbnail. Other extensions shown include 'beetailer - Social Commerce Platform', 'Facebook store application' by StoreYa, 'Facebook Products Tab' by aheadWorks, 'Facebook and Twitter widget. Comment and share your products' by aheadWorks, and 'Facebook Link by aheadWorks'. Each extension listing includes its name, developer, rating (based on reviews), and whether it is 'FREE'.

*Social Marketing Extensions*

## Adding Facebook Plugins


Facebook has a number of [social plugins](#) that can easily be added to your store. The following example shows how to add a Like Button to your store.



*Facebook Plugins*

### Step 1: Get the Button Code

1. On the Facebook site, go to the [button setup](#) page.
2. In the **URL to Like** field, enter the URL of the page in your store that you want people to Like. For example, enter the URL of your store's home page. Then, do the following:
  - a. Choose the **Layout** for the button.
  - b. Enter the **Width** in pixels that is available on your site for the button and any associated text message.
  - c. Set **Action Type** to one of the following:
    - Like
    - Recommend
3. Click the **Get Code** button to copy the generated code to the clipboard.



*Like Button Setup*

## Step 2: Create a Static Block

1. Return to your store. On the Admin menu, select **CMS > Static Blocks**.
2. In the upper-right corner, click the **Add New Block** button. Then, do the following:
  - a. Enter a descriptive **Block Title**. For example: Facebook Like Button.
  - b. Assign a unique **Identifier** to the block, using all lowercase characters, with underscores instead of spaces. For example: facebook\_like\_button.
  - c. Select the **Store View(s)** where you want the block to appear.
  - d. Set **Status** to “Enabled.”
  - e. Paste the snippet of code that you copied from Facebook into the **Content** box.
3. When complete, click the **Save Block** button.


## Step 3: Place the Block

1. On the Admin menu, select **CMS > Widgets**.
2. In the upper-right corner, click the **Add New Widget Instance** button.
3. In the Settings box, do the following:


A screenshot of the Widget Settings interface. It shows a 'Settings' section with two dropdown menus: 'Type' (set to 'CMS Static Block') and 'Design Package/Theme' (set to 'rwd / default'). At the bottom is a 'Continue' button.

*Widget Settings*

- a. Set **Type** to “CMS Static Block.”
  - b. Set **Design Package/Theme** to your current [theme](#).
  - c. Click the **Continue** button.
4. In the Frontend Properties box, do the following:
- a. Enter the **Widget Instance Title** to appear in the list of widgets that are available in your store. For example: Facebook Like Button.
  - b. If you want the button to appear in all views of your store, set **Assign to Store Views** to “All Store Views.”
  - c. You can leave **Sort Order** blank for now.

*Frontend Properties*

5. In the Layout Updates section, click the **Add Layout Update** button. Then, do the following:

*Layout Updates*


- a. Set **Display On** to “All Pages.”
- b. Set **Block Reference** to the place on the page where you want the button to appear. For a diagram of block references, see: [Standard Block Layout](#).

In general, either the header or footer are good places for a Like button because it will appear in the same place on every page of the store. Depending on your store, you

might need to update the Sort Order field to position the button in relation to other content that is assigned to the same place on the page. You can try several settings to see what works best.

- c. Click **Save and Continue Edit**.
6. In the panel on the left, select **Widget Options**. Then, do the following:

  - a. Click the **Select Block** button.



Select Block


- b. In the list, find the block that you created for the Facebook Like button, and select the block.
- c. When complete, click **Save**.
7. When prompted, follow the instructions in the message at the top of the workspace to update the index and page cache.

#### Step 4: Verify the Location in Your Store

Return to your storefront to make sure that the Facebook Like button is in the right location. If you want to try a different place, reopen the widget and change the block reference.

## Facebook Open Graph

The Facebook Open Graph 2.0 extension is a tool developers can use to add custom social networking buttons to your store. The extension uses the new Facebook Open Graph 2.0 protocol.



*Facebook Open Graph*

When the Facebook Open Graph 2.0 extension is successfully installed and all configuration is complete, the Facebook buttons appear on each product page in the store, along with the Facebook blocks that provide information about other Facebook users and friends who have clicked the social buttons. The information provided in the blocks depends on the customer who is logged in to Facebook and whether friends have performed actions with your app, such as clicked a social button.

### Process Overview

- Step 1: Download and install the extension
- Step 2: Create an application on the Facebook Developer site
- Step 3: Configure Magento

### Step 1: Download and Install the Extension

The Facebook Open Graph 2.0 extension is free of charge and can be downloaded from [Magento Connect](#). Copy the **Extension Key** to the clipboard.

1. On the Admin menu, select **System > Magento Connect > Magento Connect Manager**.
2. When prompted, enter your Admin credentials, and click the **Log In** button.
3. Paste the **Extension Key**, and click the **Install** button.

## Step 2: Create Application on Facebook Developer Site

The current implementation of the Facebook Open Graph 2.0 extension requires an application to be created manually on the Facebook Developers site.

1. Navigate to: <https://developers.facebook.com/>
2. In the main menu, click **Apps**.
3. Click **Create New Application** and perform all of the steps of the app creation wizard.

The App Namespace value that you entered will be used in the Magento configuration.

4. In the left column, select **Settings > Basic**. Under the “Select how your app integrates with Facebook” heading, select **Website**. Then in the **Site URL** field, enter your store address.

**Important!** Your website and store should have one domain name.

- a. For Action Types in the Advanced settings in the Graph API URL field enter own, want or other action you want to be associated with a social networking button on your product pages. This title is for internal use.

The “dislike” action is not supported by Facebook Open Graph 2.0.

- b. The Object Type you create should have the following Object Properties:
  - URL (page URL)
  - Title (product title)
  - Image (image URL)
  - Description (product description)
  - Price

By default, a new Object Type has only the first four properties. To add the Price property, use the Add Another Property button on the Object Type page.

## Step 3: Configure Magento

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Social, select Facebook.  
If the extension is installed, the Social tab appears in the Configuration panel.
3. Set **Current Configuration Scope** to your website.
4. In the Facebook Config section, do the following:

- a. To display Facebook buttons in the store, set **Enable Facebook on Frontend** to “Yes.”
- b. Enter the **App Namespace** value of your application. You can find it in the Basic Settings section of your app on the Facebook Developers site.
- c. Specify the **App ID** and **App Secret** values of your application. You can find them in the Basic Settings section of your app on the Facebook Developers site.
- d. Enter the **Open Graph Type** value of your **Object Type**. To find it on the Facebook Developers site, open the settings of your application, navigate to Open Graph > Dashboard, click your object type, and expand the Advanced settings.

On the page header, the system will display the Apps > %Your Facebook Application Name% > Open Graph > Object Type: %Object name%.

- e. To add and configure a social networking button, click **Add Action Button** and complete the setup for each button. The action settings can be different for each store view.

Action	In the Action column, specify the internal button action title, for example, own or want. This value should correspond to the value you have specified in the Graph API URL field on the Facebook Developers site. The Graph API URL field is available in the Advanced section of the Action Type settings.
Button Title	In the Button Title column, specify the name of the social networking button as you want it to appear in the frontend.
Enable Friend Box	In the Enable Friend Box column decide if you want to display in the frontend the related Facebook block, which contains the count and the pictures of friends.
Count Friend Box	In the Count in Friend Box column, set the maximum number of friends that can be displayed in the related Facebook block. By default, it is set to 3. If you set zero value (0) or leave the field empty, then the default value is applied.

5. When complete, click **Save Config** button.

The social network buttons you have created and the corresponding Facebook blocks now appear on the product pages of your store.

# Setting Up RSS Feeds

RSS (Really Simple Syndication) is an XML-based data format that is used to distribute information online. Your customers can subscribe to your RSS feeds and be notified of new products and promotions. RSS Feeds can also be used to publish your product information to shopping aggregation sites, and can also be included in newsletters.



When RSS feeds are enabled, any additions to products, specials, categories, and coupons in your store are automatically sent to the subscribers of each feed. A link to all the RSS feeds that you publish is in the footer of your store.

The software that is used to read an RSS feed is called a feed reader, and allows people to subscribe to headlines, blogs, podcasts, and much more. Google Reader is one of the many feed readers which are available online for free.


## To set up RSS feeds for your store:

1. From the Admin menu, select **System > Configuration**.
2. In the upper-right corner, set **Current Configuration Scope** to the store view where you want the feeds to be available.
3. In the panel on the left, under Catalog, select **RSS Feeds**.

*RSS Feeds*

4. In the Rss Config section, set **Enable RSS** to “Enable.” Then, in each section below, set the feeds that you want to activate to “Enable.”
  - a. In the Wishlist section, set **Enable RSS** to “Enable.”
  - b. In the Catalog section, set any, or all, of the following feeds to “Enable.”

- New Products
- Special Products
- Coupons/Discounts
- Tags Products
- Top Level Category
- Top Level Category

*Catalog*

- c.** In the Order section, set **Customer Order Status Notification** to “Enable.”
5. When complete, click the **Save Config** button.

### Types of RSS Feeds

RSS FEED	DESCRIPTION
Wishlist	When enabled, an RSS feed link appears at the top of customer wishlist pages. Additionally, the wishlist sharing page includes a checkbox that lets you include a link to the feed from shared wishlists.
New Products	Publishes notification of new products added to the catalog.
Special Products	Publishes notification of any products with special pricing.
Coupons / Discounts	Publishes notification of any special coupons or discounts that are available in the store.
Tags Products	Publishes notification of new product tags.
Top Level Category	Publishes notification of any change to the top-level category structure of your catalog, which is reflected in the main menu.
Customer Order Status	Gives customers the ability to track their order status by RSS feed. When enabled, an RSS feed link appears on the order.




## CHAPTER 27:

# Google Tools

Your store includes a number of tools to help optimize your content, analyze your traffic, and connect your catalog to shopping aggregators and marketplaces.

Topics in this chapter:

- [Google Merchant Center](#)
- [Google Sitemap](#)
- [Google Universal Analytics](#)
- [Google “Classic” Analytics](#)



*Google Merchant Center Login*

## Google Merchant Center

Google Merchant Center helps you manage Google's shopping tools and services from a single dashboard. In addition to the following services, you can also link Google Analytics to your Merchant Center account.

### Google Shopping

---

Google Shopping is a commercial service that helps shoppers find products on Google, compare products, and connect with merchants.

### Product Listing Ads

---

Your product listings can include rich information, such as product image, price, and merchant name. Whenever a user enters a search query on Google.com that is relevant to an item you are trying to sell, Google will automatically show the most relevant products along with the associated image, price, and product name.

#### Process Overview:

- Step 1: Open a Google Merchant Account
- Step 2: Verify Your Website URL
- Step 3: Claim Your Website URL

#### Step 1: Open a Google Merchant Account

1. Visit the [Google Merchant Center](#), and do one of the following:
  - If you have a Google account, enter your **Email address** and **password**, and click the **Sign In** button.
  - Click the **Sign Up** button, and follow the instructions to create an account.

The screenshot shows the Google Merchant Center Dashboard for the account 'EdCon Trial' (Account ID 8771684). On the left, a sidebar lists options: Dashboard, Data feeds, Products, Data quality, API Dashboard, and Settings (which is expanded to show Subscriptions, General, FTP, Google Cloud Storage, Tax and shipping, AdWords, Trusted Stores, and Users). The main area has a yellow banner stating: 'You have set up a Product Listing Ads campaign. If you are submitting product listings for multiple countries, please make sure that the Product Listing Ads campaign covers all targeted countries. This ensures that all your items can continue to show up on Google Shopping.' Below this are three cards: 'Products overview' (You don't have any items yet), 'Performance' (You don't have any items yet), and 'Data feeds' (Filename: Schedule: Status: All data feeds). A Data quality section shows: Last data snapshot: Sep 24, 2013 11:11 pm PDT and No issues with your data have been found at this time. At the bottom, there's a footer with copyright information: © 2013 Google Inc. - Google Merchant Center Home - Privacy Policy - Terms of Service - Program Policies - Google Home.

### *Google Merchant Center Dashboard*

2. In the panel on the left, click to expand **Settings**, and select **General**.
3. Enter your **Store name** and **Description**.
4. Enter the full **Website URL** for your store. Depending on your domain, the URL might be formatted as one of the following:

http://mystore.com  
 http://www.mystore.com

At this time, your Website URL is unclaimed and unverified.

The screenshot shows the 'General settings' page for the account 'My Store' (Account ID: \*\*\*\*\*). The left sidebar shows the same navigation as the dashboard. The main area has a heading 'General settings'. It contains fields for 'Store name (Required)' (set to 'My Store'), 'Description' (empty), and 'Website URL' (set to 'http://mystore.com'). Below the URL field is a note: '⚠ To use this site first save your settings, then verify and claim the URL. Learn more' and 'Unverified - Unclaimed'. There's also a checkbox for 'This site contains non-family-safe or adult products as defined by our policy. Learn more' which is unchecked.


### *Website URL Unverified - Unclaimed*

5. Complete the remaining General settings information, and **Save Changes**.

## Step 2: Verify Your Website URL

In this step, you will use Google Webmaster Tools to verify that you have the right to upload product listings from your store.


1. On a new browser tab, go to [Google Webmaster Tools](#). Then, do the following:
  - a. Click the **Add a Site** button. When prompted, enter the URL of your store, and click **Continue**.
  - b. When prompted to verify that you are the owner of the site, click the **Alternate methods** tab.
  - c. Select the **HTML tag** method, and press **Ctrl + C** to copy the meta tag code to the clipboard.




*HTML Meta Tag Code*

1. Return to your store's Admin, and select **System > Configuration**. Then in the panel on the left under General, select **Design**.
2. Click to expand the **HTML Head** section. Then, do the following:

- a. Scroll down to the **Miscellaneous Scripts** box and press **Ctrl + V** to paste the verification code from the clipboard.

*HTML Head*

- b. When complete, click the **Save Config** button.
3. Return to [Google Webmaster Tools](#), and click the **Verify** button. When prompted, click **Continue**. Your site is now verified.

*Google Webmaster Tools - Site Verified*

### Step 3: Claim Your Website URL

In this final step, you will establish the connection between your site and your Google Merchant account.

1. Return to the Google Merchant Center. The General Settings now show that your site is verified, but not claimed.

The screenshot shows the 'General settings' section of the Google Merchant Center. On the left, there's a sidebar with links like Dashboard, Data feeds, Products, Data quality, API Dashboard, Settings (which is expanded), General, FTP, Google Cloud Storage, Tax and shipping, AdWords, Trusted Stores, and Users. The 'General' link under 'Settings' is highlighted. In the main area, there's a 'Store name (Required)' field containing 'My Store'. Below it is a 'Description' field. Under 'Website URL', there's a field with 'http://mystore.com/' and a note below it: '⚠ To use this site, claim this website URL. Learn more'. A blue call-to-action button labeled 'Claim this URL' is positioned over this note. At the bottom, there's a checkbox for non-family-safe products and a link to learn more.

*Google Merchant Center- Claim this URL*

2. Click the **Claim this URL** link. Your Website URL is now both verified and claimed.

This screenshot shows the same 'General settings' page after the URL has been claimed. The 'Website URL' field still contains 'http://mystore.com/'. Below it, there's a note with a checkmark: '✓ Verified and claimed'. The rest of the page remains the same, with the 'General' link still highlighted in the sidebar.

*Website URL Verified and Claimed*

Now that your site is verified, you can submit a [sitemap](#) to Google. You can also set up a [Google Analytics](#) account, and link it to your Merchant Center Dashboard.

# Google Sitemap

Google Sitemap improves the way your store is indexed by their search engine, and is specifically designed to find pages which might otherwise be overlooked. As with the standard Magento sitemap, Google Sitemap is an index of all the pages on your site. However, unlike the Magento sitemap, the Google Sitemap is not visible to customers.

## Process Overview:

- Step 1: Remove any "robots.txt" Restrictions
- Step 2: Generate the Sitemap
- Step 3: Submit Your Sitemap to Google
- Step 4: Restore Previous "robots.txt" Restrictions

## Step 1: Remove any "robots.txt" Restrictions

When first setting up your Google Sitemap, you must provide full access for Google to index your site. If you have a robots.txt file, make sure that it includes the following instruction:

```
User-agent:*
Disallow:
```

After your sitemap has been successfully submitted to Google, you can restore any instructions to exclude certain locations of your site. If you have not yet set up a robots.txt file, you can do so after you finish the sitemap.

## Step 2: Generate the Sitemap

1. On the Admin menu, select **Catalog > Google Sitemap**.
2. In the upper-right corner, click the **Add Sitemap** button. Then, do the following:
  - a. In the **Filename** field, enter: "sitemap.xml"
  - b. Enter the path to a writable location on your server for the sitemap.
    - To put the sitemap in a folder, enter the path to the folder: /sitemaps
    - To put the sitemap at the base path of your store, enter a forward slash: /
  - c. Set **Store View** to the view where the sitemap will be used.

*Configure Google Sitemap*


3. Click the **Save & Generate** button to create the sitemap.

The sitemap appears in the list, with a link to sitemap.xml file. From here, you can do the following:

- To view the sitemap, click the hyperlink in the **Link for Google** column. This is the link that you will later submit to Google.
- To update the sitemap, click the **Generate** link.

### Step 3: Submit Your Sitemap to Google

1. Go to **Google Webmaster Tools** and do one of the following:
  - Log in to your existing account.
  - Create a new account, and log in.
2. Click the **Add a Site** button.

*Add a Site*

3. When prompted to enter your store address, enter the full URL of your store, such as:  
<http://www.mystore.com>


Then, click the **Continue** button.

- 4.** To verify that you are the owner of the site, click the **Alternate Methods** tab. Then, choose one of the following methods:

- Add a DNS record to your domain's configuration
- Add a meta tag to your site's home page

To verify your site with a meta tag, do the following:

- a.** Open two tabs on your browser; one for Google Webmaster Central, and the other that is logged in to the Admin of your store.
- b.** Follow the instructions on Webmaster Central to copy the full text of the Google site verification meta tag.
- c.** On the Admin menu, select **System > Configuration**. In the Configuration panel on the left, under General, click **Design**.
- d.** In the **HTML Head** section, scroll down to **Miscellaneous Scripts** and paste the site verification meta tag. Then, click the **Save Config** button.
- e.** Return to **Google Webmaster Central**, and click **Verify**.




### Google Site Verification

- 5.** After your site is verified and appears in your Google dashboard, do the following:
- a.** Click the name of your store. Then, click the **Sitemaps** button.
  - b.** In the upper-right corner, click the **Add/Test Sitemap** button.
- 6.** Return to your store Admin, and copy the path to your Google sitemap. If necessary, log back in and do the following:

- a. Go to **Catalog > Google Sitemap**.
- b. In the **Link for Google** column, right-click the link to your sitemap. Then on the context menu, click **Copy Shortcut**.
- c. Open a text editor and paste the link. Then, copy the part of the link that comes after the “dot com.” It looks like this:

```
/media/s4d71280645299/sitemaps/sitemap.xml
```

7. Return to **Google Webmaster Tools** and paste the text into the box to complete the address of your sitemap. Then, click the **Submit Sitemap** button.



*Submit Google Sitemap*

8. Make sure that the link to your sitemap is working correctly, and that your Google dashboard shows the number of pages indexed.

#### Step 4: Restore Previous "robots.txt" Restrictions

If you changed your robots.txt file to make it fully accessible, you can now restore the previous instructions to disallow access to certain areas of your site.

## Google Sitemap Configuration

Your Google sitemap should be updated as frequently as the content on your site changes, which could be daily, weekly, or monthly. The configuration lets you set the frequency and priority for each type of content separately.

### Step 1: Complete the Generation Settings

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Catalog, select **Google Sitemap**.
2. Click to expand the **Generation Settings** section.

Generation Settings	
Enabled	No [STORE VIEW]
Start Time	00 : 00 : 00 [STORE VIEW]
Frequency	Daily [STORE VIEW]
Error Email Recipient	[STORE VIEW]
Error Email Sender	General Contact [WEBSITE]
Error Email Template	Sitemap generate Warnings (Default Template fr) [WEBSITE]

*Generation Settings*

3. To activate Google Sitemap, set **Enabled** to “Yes.” Then, do the following:
  - a. Set **Start Time** to the hour, minute and second that you want the sitemap to be updated.
  - b. Set **Frequency** to one of the following:
    - Daily
    - Weekly
    - Monthly
  - c. In the **Error Email Recipient** field, enter the email address of the person who is to receive notification if an error occurs during a sitemap update.
  - d. Set **Error Email Sender** to the store contact who appears as the sender of the error notification.
  - e. Set **Error Email Template** to the template used for the error notification.

## Step 2: Set the Frequency and Priority of Content Updates

1. Click to expand the **Categories Options** section. Then, do the following:
  - a. Set **Frequency** to one of the following:
    - Always
    - Hourly
    - Daily
    - Weekly
    - Monthly
    - Yearly
    - Never
  - b. In the **Priority** field, enter a value between 0.0 and 1.0. Zero has the lowest priority.

The screenshot shows a configuration window titled "Categories Options". It contains two fields: "Frequency" with the value "Daily" and "Priority" with the value "0.5". There is also a note at the bottom stating "Valid values range: from 0.0 to 1.0".

*Categories Options*

2. Click to expand the **Products Options** section. Then, complete the **Frequency** and **Priority** settings as needed.

The screenshot shows a configuration window titled "Products Options". It contains two fields: "Frequency" with the value "Daily" and "Priority" with the value "1". There is also a note at the bottom stating "Valid values range: from 0.0 to 1.0".

*Products Options*

3. Click to expand the **CMS Pages Options** section. Then, complete the **Frequency** and **Priority** settings as needed.

The screenshot shows a configuration window titled "CMS Pages Options". It contains two fields: "Frequency" with the value "Daily" and "Priority" with the value "0.25". There is also a note at the bottom stating "Valid values range: from 0.0 to 1.0".

*CMS Pages Options*

4. When complete, click the **Save Config** button.

# Google Universal Analytics

Google Universal Analytics gives you the ability to define additional custom dimensions and metrics for tracking. Universal Analytics supports offline and mobile app interactions, and includes access to ongoing updates.

The Google Analytics section of the configuration supports two different account types:

- [Google Universal Analytics](#)
- [Google Analytics](#)

Because Google will soon retire their “classic” tracking codes, we encourage you to upgrade your existing Google Analytics account to Universal Analytics.

## Process Overview:

[Step 1: Sign Up or Upgrade to Google Universal Analytics](#)

[Step 2: Complete the Magento Configuration](#)

## Step 1: Sign Up or Upgrade to Google Universal Analytics

Do one of the following:

- Sign up for a new [Google Universal Analytics](#) account.
- [Upgrade](#) your classic Google Analytics account to Universal Analytics.

During the first part of the upgrade process, your existing account properties and tracking code are converted to the Universal Analytics format, but your data and settings are preserved. In the second part of the process, your tracking code is converted to the Universal Analytics format.

Before beginning the upgrade, visit the [Universal Analytics Upgrade Center](#), and read the [Upgrade Guide](#). Take note of the Important Considerations section at the bottom of the page.

## Step 2: Complete the Magento Configuration

1. Return to your store, and log in to the Admin. Then on the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Sales, select **Google API**.
3. Click to expand the **Google Analytics** section, and do the following:
  - a. Set **Enable** to “Yes.”
  - b. Set **Type** to “Universal Analytics.” Then, enter your Universal Analytics **Account Number**.
  - c. To anonymize part of your visitor’s IP address before it is sent to Google, set **Enable IP Anonymization** to “Yes.”

According to Google, anonymizing IP addresses can reduce the accuracy of geographic data in the Analytics report.

Google Analytics	
Enable	No [STORE VIEW]
Type	Universal Analytics [STORE VIEW] The tracking code to use.
Account Number	[STORE VIEW]
Enable IP anonymization	No [STORE VIEW]

*Google Analytics*

4. When complete, click the **Save Config** button.

## Google “Classic” Analytics

The following instructions walk you through the process of setting up a basic Google Analytics account. Because this version of Google Analytics is being discontinued, we strongly recommend that you install a [Google Universal Analytics](#) account instead.

### Process Overview:

- Step 1: Set Up a Google Merchant Account
- Step 2: Turn On Ecommerce Tracking
- Step 3: Complete the Magento Configuration


### Step 1: Set Up a Google Merchant Account

1. The first step is to establish a Google merchant account, and then verify and claim your website URL. For detailed instructions, see: [Google Merchant Center](#).
2. When you sign up for an account, a report appears that shows your new Google Analytics account number in the following format: UA-XXXXXXX-1. Write this number down, because it is required to complete the configuration for your store.

### Step 2: Turn On Ecommerce Tracking


1. Sign in to your [Google Analytics](#) account.
2. On the main menu, select **Admin**.

The options in the Administration section are organized into three columns under Account, Property, and View. If you have multiple accounts or stores, make sure that the Account button is set to the correct account, and that the Property button is set to the correct store.



Google Analytics Admin

3. In the View column, select the **View Settings** option.
4. In the panel on the left, select **Ecommerce Settings**. Then, do the following:
  - a. Click the **Status** switch to turn on Ecommerce Tracking. Then, click the **Next step** button.
  - b. Click the **Submit** button to save the setting. When the Success message appears at the top of the page, you are done.

*Ecommerce Tracking On*

### Step 3: Complete the Magento Configuration

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Sales, select **Google API**.
2. Click to expand the **Google Analytics** section, and do the following:

Google Analytics		
Enable	<input type="text" value="No"/>	[STORE VIEW]
Type	<input type="text" value="Universal Analytics"/>	[STORE VIEW]
Account Number	<input type="text"/>	[STORE VIEW]
Enable IP anonymization	<input type="text" value="No"/>	[STORE VIEW]

*Google Analytics*

3. Set **Enable** to “Yes.”
4. Set the **Type** of Google Analytics service to one of the following:
 

Universal	Google’s advanced service that is paid by subscription.
Analytics	
Google Analytics	Google’s basic free service.
5. In the **Account Number** field, enter the Google Analytics account number, or tracking code that you wrote down when you signed up for the service.

6. To render as anonymous part of your visitors' IP addresses before the data is sent to Google, set **Enable IP Anonymization** to "Yes."

According to Google, anonymizing IP addresses can reduce the accuracy of geographic data in the Analytics report.

7. When complete, click the **Save Config** button.



## Content Elements

## In this section...

[Magento CMS](#)

[Content Pages](#)

[Blocks](#)

[Widgets](#)

[Variables](#)

[Markup Tags](#)



## CHAPTER 28:

# Magento CMS

The old adage, “content is king” is more true now than ever before. The term, content marketing refers to the art of promoting your products or services by providing valuable information to your customers at no charge. The quality of your content helps distinguish your store from others, increases your visibility to search engines, and provides support to your customers. This soft-sell approach is often more effective than advertising, builds credibility and trust, and can turn your store into a destination.


Your content should reflect the branding of your store, and be delivered with your distinctive visual presentation and voice to convey your message. Use pictures to tell a story. Educate, inspire, and entertain. With quality content, sometimes less is more.

Magento Community Edition includes a powerful content management system (CMS) that you can use to create rich content for your store. In this chapter, you will learn how to create new content, and incorporate existing content to create a compelling experience that will bring your customers back to your store for more.

### Commerce Resources


See the latest [Magento eBooks](#) to gain access to expert insight and online business resources to help develop and improve your store.

## CMS Menu




### Pages

Create pages with text, images, blocks, variables, and widgets, that can be incorporated into the navigation of your store, and linked to other pages.




### Static Blocks

The CMS makes it easy to create blocks of content without writing any code. Blocks can contain text, images, and even video, and can be assigned to any part of the page layout.



### Widgets

Use the Widget tool to display dynamic data and add blocks, links, and interactive elements most anywhere in your store.



### Polls

Create polls to learn about your customers' opinions and preferences. They're fun to take and see the results!



## CHAPTER 29:

# Content Pages

All content can be viewed in terms of its shelf life, just as any product in a store. Did you know that the shelf life of social media content is less than twenty-four hours? The potential shelf life of the content you create can help you decide where to invest your resources.


Content with a long shelf life is sometimes referred to as evergreen content. Examples of evergreen content include customer success stories, "how to" instructions, and Frequently Asked Questions (FAQ.) Other content is perishable by nature, such as events, industry news, and press releases.

Topics in this chapter:

- [Core Content](#)
- [Creating a Page](#)
- [Using the Editor](#)
- [Media Storage](#)
- [Translating Pages](#)


## Core Content

The Magento demo store has examples of core content pages that can help you get started. Take a look at the following pages in your store, to make sure that they convey your message and brand.



### Home

The demo “Home” page includes a banner, an image carousel, several static blocks with links, and a list of new products.



### About Us

The “About Us” page is linked from the footer of your store. You can include images, video, links to press releases and announcements. The sample page has an image on the right, and one of a decorative sort to indicate the end of the page.




### Customer Service

The “Customer Service” page is another node in the page hierarchy. The two headers on the page have content that only becomes visible when the header is clicked.



## Privacy Policy

Your store's "Privacy Policy" page should be updated with your own information. As a best practice, your privacy policy should explain to your customers the type of information that your company collects and how it is used.



## Page Not Found

The "404 Page Not Found" page is named for the response code that is returned when a page cannot be found. URL redirects reduce the number of times that this page appears. However, for those times when it is necessary, you might as well take advantage of the opportunity to offer some links to products that the customer might find interesting.



## Enable Cookies

The "Enable Cookies" page appears when visitors to your site do not have cookies enabled in their browsers. The page provides step-by-step, illustrated instructions to enable cookies for the most popular browsers.



## Service Unavailable

The "503 Service Unavailable" page is named for the response code that is returned when the server is unavailable.

## Default Pages

The Default Pages configuration determines the landing page that is associated with the [base URL](#), and the corresponding CMS [home page](#). It also determines which CMS page appears when a “404 Page Not Found” error occurs, and if a [breadcrumb trail](#) appears at the top of CMS pages.

### To configure the default pages:

1. On the Admin menu, select **System > Configuration**.
2. If necessary, set **Current Configuration Scope** in the upper-left corner to the store view where the setting applies.
3. In the panel on the left under General, select **Web**.
4. Click to expand the **Default Pages** section. Then, do the following:

Default Pages	
Default Web URL	<input type="text" value="cms"/> [STORE VIEW]
CMS Home Page	<input type="text" value="Madison Island"/> [STORE VIEW]
Default No-route URL	<input type="text" value="cms/index/noRoute"/> [STORE VIEW]
CMS No Route Page	<input type="text" value="404 Not Found 1"/> [STORE VIEW]
CMS No Cookies Page	<input type="text" value="Enable Cookies"/> [STORE VIEW]
Show Breadcrumbs for CMS Pages	<input type="text" value="Yes"/> [STORE VIEW]

*Default Pages*

- a. In the **Default Web URL** field, enter the relative path to the folder in the Magento installation that contains the landing page. The default value is “cms.”

For a specific store view, clear the **Use Default** checkbox next to the Default Web URL field, and any other default fields to be changed.
  - b. Set **CMS Home Page** to the CMS page to be used as the home page.
  - c. In the **Default No-route URL** field, enter the relative path to the folder in the Magento installation where the page is redirected when a “404 Page Not Found” error occurs. The default value is “cms/index/noRoute.”
  - d. Set **CMS No Route Page** to the CMS page that appears when a “404 Page Not Found” error occurs.
  - e. Set **CMS No Cookies Page** to the CMS page that appears when cookies are disabled in the browser.
  - f. If you want a breadcrumb trail to appear at the top of all CMS pages, set **Show Breadcrumbs for CMS Pages** to “Yes.”
5. When complete, click the **Save Config** button.

# Creating a Page

The process of adding a new content page to your store is essentially the same for any type of page you might want to create. You can include text, images, blocks of content, variables, and widgets. Most content pages are designed to be read by search engines first, and by people second. Keep the needs of each of these two very different audiences in mind when choosing the page title and URL, composing the meta data, and writing the content.

## Process Overview:

- Step 1: [Add a New Page](#)
- Step 2: [Select the Page Layout](#)
- Step 3: [Complete the Content](#)
- Step 4: [Complete the Meta Data](#)
- Step 5: [Publish the Page](#)
- Step 6: [Make a New Home Page \(Optional\)](#)

## Step 1: Add a New Page

1. On the Admin menu, select **CMS > Pages > Manage Content**.
2. Click the **Add New Page** button.
3. In the Page Information section, do the following:


The screenshot shows the 'Page Information' form. It includes fields for 'Page Title' (with a required asterisk), 'URL Key' (with a note about being relative to the website base URL), 'Store View' (set to 'All Store Views' with 'Main Website' selected), and 'Status' (set to 'Enabled').

*Page Information*

- a. Enter a **Title** for the new page.
  - b. Enter a **URL Key** for the page that is based on the Title. It should be all lowercase characters, with hyphens instead of spaces.  
The URL Key is added to the base URL to create the online address for the page.
  - c. In the **Store View** list, select each view where this page will be available.
  - d. Set **Status** to "Disabled." (This will be changed when the page is ready to publish.)
4. With the required fields complete, click the **Save and Continue Edit** button.

## Step 2: Select the Page Layout

1. In the Page Information panel on the left, select **Design**.
2. In the Page Layout section, set **Layout** to one of the following:
  - 1 column
  - 2 columns with left bar
  - 2 columns with right bar
  - 3 columns




*Page Layout*

## Step 3: Complete the Content

1. In the Page Information panel on the left, select **Content**.
2. In the **Content Heading** box, type the text you want to appear as the main heading at the top of the page.

Complete the remaining content, as you want it to appear in the main content column, according to the page layout selected. The content can include text, images, variables, and widgets with dynamic data.

3. Click the **Show / Hide Editor** button to display the WYSIWYG editor. You can format the text with the toolbar buttons.



WYSIWYG Editor

4. Click the **Show / Hide Editor** button again to return to the HTML mode. You can work in either mode that you prefer.



HTML Mode

5. Click the **Save and Continue Edit** button.

#### Step 4: Complete the Meta Data

1. In the panel on the left, select **Meta Data**.
2. Complete the **Keywords** and **Description** for the page. This information is used by search engines to index the page.

#### Step 5: Publish the Page

1. In the panel on the left, select **Page Information**.
2. Set **Status** to “Published.”
3. Click the **Save Page** button.

When the page is complete, it can be added to the navigation of your store, linked to other pages, or added as a link in the footer.


### **Step 6: Make a New Home Page (Optional)**

1. Complete the steps to create a new page.
  2. On the Admin menu, select **System > Configuration**.
  3. In the panel on the left under General, select **Web**. Then, click to expand the **Default Pages** section.
  4. Set **CMS Home Page** to the new page.
  5. Click the **Save Config** button.
  6. In the message at the top of the workspace, click the **Cache Management** link.
  7. Select the checkbox for the invalid **Layout** cache. Then, click the **Submit** button to refresh the cache.

## Using the Editor

The WYSIWYG editor gives you the ability to enter and format while working in a “What You See Is What You Get” view of the content. If you prefer to work directly with the underlying HTML code, you can easily change modes. The editor can be used to create content for pages, blocks, and product descriptions. When working in the product catalog, the editor is accessed by clicking the WYSIWYG Editor button.


For a complete list of toolbar buttons, see the [Editor Toolbar](#) in the appendix of this guide.



## *Editor Toolbar*

## Inserting a Link

The easiest way to insert a link is to use the Link button in the editor toolbar. It doesn't require any knowledge of HTML and the result is the same.




*Link Button*

### To insert a link:

1. Highlight the text where you want to create the link. Then, in the editor toolbar, click the **Link** button.
2. In the **Link URL** field, enter one of the following:
  - The **URL Key** of a page in your store.
  - The full **URL** of an external page to be linked.
3. Set **Target** to one of the following:
  - Open link in the same window
  - Open in a new window
4. In the **Title** field, enter the tooltip text that appears when someone hovers over the link.
5. Click the **Insert** button to create the link.

## Inserting Images

From the editor, you can insert an online image that resides on another server, or display an image that has been uploaded to [Media Storage](#).



*Media Storage*


### Method 1: Insert an Image from Media Storage

1. If necessary, click the **Show / Hide Editor** button to display the code.
2. Position the cursor where you want the code to be inserted. Then, click the **Insert Image** button.
3. Select the image that you want to use, and click the **Insert File** button.
4. To view the image in WYSIWYG mode, click the **Show / Hide Editor** button.

## Method 2: Insert an Image from Another Server

Use this method to insert an image that is available online, but resides on another server. You must have the full URL of the image to complete the process.

1. Click the **Show / Hide Editor** button to work in WYSIWYG mode.
2. Position your cursor where you want the image to appear.
3. On the Editor toolbar, click the **Insert Image** button. Then, do the following:



*Insert Image Button*

- a. In the **Image URL** field, paste the full Web address to the image.
  - b. In the **Image Description** field, write a brief description of the image.
  - c. In the **Title** field, write a relevant title for the image.
4. Click the **Insert button** to complete the process.

## Adding a Widget

The [Widget](#) tool can be used to add a variety of content elements to the page, including links to any content page or node, product, or category. Links can be positioned on the page by block reference or incorporated directly into CMS content and email templates. You can create links to the following types of content:

- [CMS Pages](#)
- [Catalog Categories](#)
- [Catalog Products](#)

Links can be displayed as a block, or used inline and incorporated into existing text. By default, a link inherits its style from the location ([block reference](#)) according to the style sheet (styles.css) of the theme.

### To add a widget to a page:

1. Open the CMS page to be edited.
2. In the panel on the left, select **Content**. Then, use either of the following methods:

#### Method 1: WYSIWYG Mode


1. Click the **Show / Hide Editor** button to display the page in WYSIWYG mode.
2. Position the cursor in the text where you want the widget to appear.
3. On the editor toolbar, click the **Insert Widget**  button.

#### Method 2: HTML Mode

From the HTML editor, click the **Insert Widget** button.


**3.** Do the following:

- a. When prompted, select the **Widget Type**. In this example, we insert a link to a product.
- b. You can leave the **Anchor Custom Text** field empty to use the product name.
- c. Enter a **Anchor Custom Title** for best SEO practice. (The title isn't visible on the page.)
- d. Set **Template** to one of the following:
  - To incorporate the link into text, select “Product Link Inline Template.”
  - To place the link on a separate line, select “Product Link Block Template.”



**4.** Click the **Select Product** button, and do the following:


- a. In the tree, navigate to the category you want.
- b. In the list, click the product that you want to include in the link.



*Select the Product*

- c. Click the **Insert Widget** button to place the link on the page. The link **markup tag** is enclosed in double curly braces.


- d. If needed, use Cut (Ctrl + x) and Paste (Ctrl + v) to position the markup tag in the code where you want the link to appear.



*Widget Link Code*


5. Click the **Show / Hide Editor** button to see the link in WYSIWYG mode.

Now you can continue editing the page, and incorporate the links into the rest of the content.



## Media Storage

Media storage is a tool you can use to organize and access miscellaneous media files on the server. The path to the physical location of the files is determined by the [Base URL](#) configuration. Files in media storage can be accessed from the editor while working on pages and static blocks. Media storage is usually located in the file system on the same server as the Magento program files. Alternatively, the files can be managed in a [database](#), or located on a separate server or [content delivery network](#).



Media Storage

### To upload an image to media storage:

1. From the [editor](#), do the following:
  - a. Click the **Browse Files** button. Find the file on your computer, and click to select it. Then, click the **Open** button to copy the file to Media Storage.
  - b. Click the **Upload File** button to add the image to Media Storage.
2. To link the image to a file, click to select the image. Then, click the **Insert File** button.
3. To complete the **Alt** tag, place the cursor between the double-quotes, and enter the alt text.
4. To see the image in WYSIWYG mode, click the **Show / Hide Editor** button.

## Translating Pages

If your store has **multiple views** in different **languages**, and you have set the locale for each view to a different language, the result is a partially translated site.

The next step is to create a translated version of each page that is available only from the specific store view. The **Store View** column of the Manage Pages list shows each view that has a translated version of the page. In the following example, the About Us page is available in for the English, French, and German store views, but not Spanish.

To translate a CMS page, you must create a new page that has the same URL Key as the original, but is assigned to the specific store view. Then, update the page with the translated text. The following example shows how to create a translated version of the About Us page for the Spanish store view.

Title	URL Key	Layout	Store View	Status	Date Created	Last Modified	Action
About Us	about-magento-demo-store	2 columns with left bar	Main Website Madison Island English French German	Enabled	Jan 14, 2013 2:12:50 AM	May 20, 2015 10:22:52 AM	<a href="#">Preview</a>
Sobre Nosotros	about-magento-demo-store	2 columns with left bar	Main Website Madison Island Spanish	Enabled	May 20, 2015 10:05:27 AM	May 20, 2015 10:58:01 AM	<a href="#">Preview</a>

Original “About Us” and Translated Page

## To create a translated page for a view:

1. On the Admin menu, select **CMS > Pages**.
2. From the Manage Pages list, open the page to be translated and copy the **URL Key** to the clipboard. Then, press the **Back** button to return to the Magage Pages list.
3. Click the **Add New Page** button. Then, do the following:
  - a. Enter the translated **Page Title**.
  - b. Paste the **URL Key** that you copied from the original page.
  - c. In the **Store View** box, select the store view where the page will be available, which in this case is “Spanish.”

The screenshot shows the 'Page Information' dialog box. It has fields for 'Page Title' (Sobre Nosotros), 'URL Key' (about-magento-demo-store), and 'Status' (Enabled). The 'Store View' field is expanded, showing a list of store views: 'All Store Views', 'Main Website', 'Madison Island', 'English', 'French', 'German', and 'Spanish'. The 'Spanish' option is highlighted with a gray background. A small blue circular icon with a question mark is visible on the right side of the dialog.

*Translated Page Information*

- d. In the panel on the left, select **Contents**. Then, complete the translated text for the page.
- e. On the Design tab, set the column **Layout** for the page.
- f. On the Meta Data tab, enter the translated text for the **Keywords** and **Description**.
4. When complete, click the **Save Page** button.

5. If prompted to refresh the cache, click the link at the top of the page. Then, refresh any invalid caches.
6. Return to the storefront and select the view from the language chooser.

Notice that there are still some elements on the page that need to be translated, including the company footer links [block](#), which on this page, appears in the left sidebar, the [welcome message](#), and [product information](#).

The screenshot shows a Magento storefront in Spanish. At the top, there's a navigation bar with links for WOMEN, MEN, ACCESSORIES, HOME & DECOR, VENTA, and VIP. On the far left, a sidebar menu includes COMPANY, ABOUT US, CONTACT US, CUSTOMER SERVICE, and PRIVACY POLICY. A callout bubble points to the 'COMPANY' link with the text 'Not Yet Translated'. The main content area features a section titled 'NUESTRA HISTORIA' with a sub-section 'Translated Page'. Below this, there's a paragraph of text followed by a photograph of a store interior and the text 'MADISON ISLAND BOUTIQUE EN NYC'. Another callout bubble points to the word 'Translated' in the 'Translated Page' heading with the text 'Translated Page'.

*Translated Page*



## CHAPTER 30:

# Blocks

A block is a modular unit of content that can be positioned most anywhere on the page. Blocks can be used to display static information such as text, images, and embedded video, as well as dynamic information.

You can use Magento Community Edition's content management system to create custom blocks of content without writing any code. Blocks can contain text, images, and even video, and can be assigned to any part of the page layout.


In addition, your store includes a selection of built-in blocks that make it easy to add features and functionality to your store. Some built-in blocks are required components of your store, while others are shopping tools that can be enabled or disabled according to your preference. Many of the built-in blocks can be added to your store with the [Widget](#) tool. Blocks can also be defined and positioned by entering XML code in the Layout Update box on the target page..

Topics in this chapter:

- [Creating a Static Block](#)
- [Positioning Blocks by Reference](#)

## Creating a Static Block


Custom, static blocks of content can be added to any page, group of pages, or even to another block. The carousel image slider on the home page of the demo store is generated by code that is placed in a static block. The three smaller blocks below are also static blocks that link to other pages. Although they look like graphic images, they are actually defined using HTML and CSS.



*Static Blocks on Home Page*

## To create a block:

1. On the Admin menu, select **CMS > Static Blocks**.
2. In the upper-right corner, click the **Add New Block** button. Then, do the following:
  - a. Assign a descriptive **Block Title**.
  - b. Assign a unique **Identifier** to the block. Use all lowercase characters, with underscores instead of spaces. The identifier is used for internal reference.
  - c. Select the **Store View(s)** where this content block will be visible.
  - d. Set **Status** to “Enabled” to make the block visible in the store.
  - e. Complete the **Content** for the block. You can use the Editor to format text, create links and tables, add images, video, and audio.
3. When complete, click the **Save Block** button.



*General Information*

# Positioning Blocks

The code that controls the page layout and placement of blocks is written in XML. You may have noticed references to [XML Page Layout Updates](#) throughout the Admin of your store. Every product, category, and piece of content—whether it's a page, block, or widget—has a section where you can update the XML code that controls the positioning of the item. The selection of available block references that is available varies by page type, and whether the customer is logged in, or is visiting the as a guest.

[Widgets](#) make it easy to position a block at a specific place on the page, and even for a specific product or category. You can select each option from a list, rather than trying to remember all of the possible combinations.

## Category and CMS Pages

BLOCK REFERENCE	POSITION
Breadcrumbs	The navigation aid at the top of many pages that shows your current location as a link. Any additional content placed in the Breadcrumbs reference floats to the right of the breadcrumbs, if displayed.
Left Column	Content is added to the left column.
Main Content Area	Content is added to the main content area.
My Cart Extra Actions	Content appears below the Cart Subtotal in the My Cart popup located within the top link.
Navigation Bar	Content appears below the main navigation bar.
Page Bottom	Content appears at the bottom of the page.
Page Footer	Content appears above the footer of the page.
Page Header	Content appears below the header of the page.
Page Top	Content appears at the top of the page.
Right Column	Content appears in the right column.
Store Language	Content appears in the upper-left corner of the header.

## Product Page

BLOCK REFERENCE	POSITION
Alert URLs	Content appears below the title of the product on the product detail page.
Bottom Block Options Wrapper	If custom options are added, content appears below the Add to Cart button.
Breadcrumbs	Content appears to the right of breadcrumbs—the navigation aid that provides links as a path—that's showcased below the navigation bar.
Info Column Options Wrapper	If a custom options are added, content appears to the right. The same location applies to configurable options.
Left Column	Content appears below the left column blocks.
Main Content Area	Content appears below the main content area.
My Cart Extra Actions	Content appears below the Cart Subtotal in the My Cart popup located within the top link.
Navigation Bar	Content appears below the main navigation bar.
Page Bottom	Content appears at the bottom of the page.
Page Footer	Content appears above the footer of the page.
Page Header	Content appears below the header of the page.
Page Top	Content appears at the top of the page.
PayPal Express Checkout (Payflow Edition) Shortcut Wrapper	If the PayPal payment method is enabled, content appears below the PayPal buy button.
PayPal Express Checkout Shortcut Wrapper	If the PayPal payment method is enabled, content appears below the PayPal buy button.
Product Tags List	Content appears below the products tag bar.
Product View Extra Hint	Content appears below the main top price of the product.
Right Column	Content appears below the right column blocks.
Store Language	Content appears to the right of the language chooser.
Tags List Before	Content appears above the Add Your Tags field.

## Notes



## CHAPTER 31:

# Widgets

A widget is a snippet of code that makes it possible to display a wide range of content and place it at specific block references in your store. Many widgets display real-time, dynamic data and create opportunities for your customers to interact with your store. The Widget tool makes it easy to place existing content such as static blocks with images and text, and interactive elements most anywhere in your store.

You can use widgets to create landing pages for marketing campaigns, display promotional content at specific locations throughout the store. Widgets can also be used to add interactive elements and action blocks for external review systems, video chats, voting, and subscription forms, or to provide navigation elements for tag clouds and image sliders.

Topics in this chapter:

- [Widget Types](#)
- [Creating a Widget](#)
- [Static Block Widget](#)
- [New Products List](#)
- [Mini Shopping Cart](#)

# Widget Types

## CMS Page Link

---

Displays a link to a selected page. Allows you to specify custom text and title. When the link is complete, it can be used in content pages and blocks.

## CMS Static Block

---

Displays a block of content at a specific location on a page.

## Catalog Category Link

---

Displays either an inline or block-style link to a selected catalog category. When the link is complete, it can be used in content pages and blocks.

## Catalog New Products List

---

Displays a block of products which have been designated as new, for the duration of time specified in the product record.

## Catalog Product Link

---

Displays either an inline or block-style link to a selected catalog product. When the link is complete, it can be used in content pages and blocks.

## Orders and Returns

---

The Orders and Returns widget gives customers the ability to submit their own requests for return merchandise authorization.

## Recently Compared Products

---

Displays the built-in block of recently compared products. You can specify the number of products included, and format them as a list or product grid.

## Recently Viewed Products

---

Displays the built-in block of recently viewed products. You can specify the number of products included, and format them as a list or product grid.

## Mini Shopping Cart

---

If the store has a [responsive theme](#), the Mini Shopping Cart widget can be used to display additional information, such as a banner or contact information, in the mini shopping cart.

# Creating a Widget


The process of creating a widget is nearly the same for each type. You can follow the first part of the instructions, which is the same for all types, and then complete the last part that is specific to the type of widget you want to create.

## Process Overview:

- Step 1: Choose the Widget Type
- Step 2: Specify Where It Goes
- Step 3: Complete the Widget Options
- Step 4: Check It Out!


## Step 1: Choose the Widget Type

1. On the Admin menu, select **CMS > Widgets**.
2. Click the **Add New Widget Instance** button. Then, do the following:
  - a. In the Settings section, select the **Type** of widget you want to create.
  - b. Select the **Design Package/Theme** that will be used with the widget.
3. Click the **Continue** button.



*Widget Settings*

4. In the Frontend Properties section, do the following:



*Frontend Properties*

- a. In the **Widget Instance Title** field, enter a descriptive title for the widget. This title is for internal use only, and won't be visible to your customers.
- b. Set **Assign to Store Views** to "All Store Views," or to the view where the widget to be available. To select more than one, hold the Ctrl key down, and select each option.
- c. Enter a number in the **Sort Order** field to determine the order of the block when listed with others in the column. The top position is zero.

## Step 2: Specify Where It Goes

1. In the Layout Updates section, click the **Add Layout Update** button.
2. Set **Display On** to the type of category or product page where you want the widget to appear.
3. In the **Block Reference** list, select the block or section of your page layout where you want the widget to appear.



*Layout Updates*

4. If the widget is a link, set **Template** to one of the following:

Block Template	Formats the content so it can be placed as standalone unit on the page.
----------------	---


Inline Template	Formats the content so it can be placed inside other content. For example, a link that goes inside a paragraph of text.
-----------------	---

5. Click **Save and Continue Edit** to save your changes and continue editing.

## Step 3: Complete the Widget Options

The options for each type vary slightly, but the process is essentially the same. The following instructions show how to place a CMS Static Block.

1. In the panel on the left, select **Widget Options**.
2. Click the **Select Block** button.
3. In the list, click to select the block you want to place.



Select Block

4. When complete, click the **Save** button.

The widget appears in the Manage Widget Instances list.

5. When prompted, follow the instructions at the top of the workspace to update the cache, as needed.

## Step 4: Check It Out!

Return to your storefront to verify that the block is in the correct location. To move the block to a different location, you can reopen the widget and try a different page or block reference.

## CMS Static Block Widget

The CMS Static Block widget gives you the ability to place an existing [CMS block](#) most anywhere in your store.

### Process Overview:

- Step 1: [Choose the Widget Type](#)
- Step 2: [Complete the Layout Updates](#)
- Step 3: [Place the Block](#)

### Step 1: Choose the Widget Type

1. On the Admin menu, select **CMS > Widgets**.
2. Click the **Add New Widget Instance** button.
3. In the Settings section, set **Type** to “CMS Static Block.” Then, click the **Continue** button.
4. In the Frontend Properties section, do the following:
  - a. In the **Widget Instance Title** field, enter a descriptive title for the widget. This title is for internal use only, and is not visible to your customers.
  - b. Enter a number in the **Sort Order** field to determine the order of the block when listed with others in the column. The top position is zero.
  - c. Set **Assign to Store Views** to “All Store Views,” or to the view where the app will be available. To select more than one, hold the Ctrl key down, and select each option.

### Step 2: Complete the Layout Updates

1. In the Layout Updates section, set **Display On** to the category, product, or page where you want the block to appear.
2. To complete the Layout Updates, do the following:
  - a. Select the **Page** where you want the block to appear.
  - b. Select the **Block Reference** to identify the place on the page where the block will appear
  - c. Accept the default setting for **Template**, which is set to "CMS Static Block Default Template."
  - d. Click **Save and Continue Edit**.

### Step 3: Place the Block

1. In the panel on the left, select **Widget Options**.

2. Click the **Select Block** button.

Then in the list, click to select the block you want to place.

3. When complete, click the **Save** button.


The app appears in the Manage Widget Instances list.

4. When prompted, follow the instructions at the top of the workspace to update the index and page cache.

5. Return to your storefront to verify that the block is in the correct location. To move the block, you can reopen the widget and try a different page or block reference.

## New Products List

The list of new products is an example of dynamic content, and consists of live data that is pulled from your product catalog. By default, the “New Products” list includes the first eight of the most recently added products. However, it can also be configured to include only products within a specified date range.



*New Products List on Home Page*


#### Process Overview:

- Step 1: Set the Date Range for Each Product
- Step 2: Create a Working Copy of the Widget
- Step 3: Select the Location for the List
- Step 4: Configure the List
- Step 5: Preview Your Work

## Step 1: Set the Date Range for Each Product

To make a product appear in the list by date range, the dates must be specified in the product record. The product then appears in the New Products list during the date range specified.

1. On the Admin menu, select **Catalog > Manage Products**.
2. Find the product you want to feature, and open the record. Then, do the following:
  - a. In the **Set Product as New From Date** field, click the calendar button and select the first date that you want the product to be featured.
  - b. In the **Set Product as New To Date** field, click the calendar button and select the last date that you want the product to be featured.



*"Set Product As New " Date Range*

3. When complete, click the **Save** button.
4. When you are prompted to reindex and refresh the page cache, click the links at the top of the workspace, and follow the instructions.

The product will now appear in the New Products list during this date range. Repeat this step for each product that you want to feature.

## Step 2: Create a Working Copy of the Widget

The code that determines the content of the list and its placement in your store is generated by the Widget tool. To create your own working copy of the New Products list, simply save a copy of the existing widget. Your working copy is a new “instance” of the widget, and any changes you make will not affect the original.

1. On the Admin menu, select **CMS > Widgets**.
2. In the upper-right corner, click the **Add New Widget Instance** button.
3. In the Settings section, do the following:
  - a. Set **Type** to “Catalog New Products List.”
  - b. Select the **Design Package/Theme** that is used by the store.
4. Then, click the **Continue** button.

*Widget Type*


5. In the Frontend Properties section, complete the following fields:

Widget Instance Title	Enter a descriptive title for your widget. This title is visible only from the Admin.
Assign to Store Views	Select the store views where the widget will be visible. You can select a specific store view, or "All Store Views."
Sort Order	(Optional) Enter a number to determine the order this items appears with others in the same part of the page. (0 = first, 1 = second, 3= third, and so on.)

*Widget Frontend Properties*

### Step 3: Select the Location for the List

1. In the Layout Updates section, click the **Add Layout Update** button. Then, do the following:
  - a. Set **Display On** to “Specified Page.”
  - b. Set **Page** to “CMS Home Page.”
  - c. Set **Block Reference** to “Main Content Area.”
  - d. Set **Template** to one of the following:
    - New Product Lists Templates
    - New Products Grid Template



*Layout Updates*

2. Click the **Save and Continue Edit** button to save your changes.

### Step 4: Configure the List

1. In the panel on the left, select **Widget Options**. Then, do the following:
2. Set **Display Products** to one of the following:

All Products	Lists products in sequence, starting with those most recently added.
New Products	Lists only the products which are identified as “New.” A product is considered to be new during the date range specified in the “Set Product As New From” date and “Set Product As New To” date. fields of the product. The list will be blank if the date range expires and no additional products have been set as “New.”

3. Complete the remaining information as follows:

- a. To provide navigation control for lists with multiple pages, set **Display Page Control** to “Yes.” Then, in the **Number of Products per Page** field, enter the number of products you want to appear on each page.
- b. Set **Number of Products to Display** to the number of new products you want to include in the list. The default setting is 10.
- c. In the **Cache Lifetime (Seconds)** field, select how often you want to refresh the list of new products. By default, the cache is set to 86400 seconds, or 24 hours.

The screenshot shows the 'Widget Options' configuration interface. It includes the following settings:

- Display Type \***: New products (dropdown menu with options: All products - recently added products, New products - products marked as new)
- Display Page Control**: No (dropdown menu with options: Yes, No)
- Number of Products to Display \***: 10
- Cache Lifetime (Seconds)**: 86400 (note: 86400 by default, if not set. To refresh instantly, Clear the Blocks HTML Output Cache.)

*Widget Options*

4. When complete, click the **Save** button.
5. When prompted to refresh the cache, click the link in the message at the top of the workspace, and follow the instructions.


## Step 5: Preview Your Work

1. On the Admin menu, select **CMS > Pages > Manage Content**.
2. Find the published page in the list, where you placed the New Products list. Then, in the **Action** column, click the **Preview** link.

## Mini Shopping Cart Widget

You can use a widget to show relevant information to your customers when the mini shopping cart is displayed in your store. For example, you might want to display a promotional message, or you could provide a phone number or other contact information.

The mini shopping cart widget can be used only with **responsive web design** themes.



Widget in Mini Shopping Cart

### Process Overview:

- Step 1: Choose the Widget Type
- Step 2: Complete the Layout Updates
- Step 3: Place the Block


### Step 1: Choose the Widget Type

1. On the Admin menu, select **CMS > Widgets**.
2. Click the **Add New Widget Instance** button.
3. In the Settings section, do the following:
  - a. Set **Type** to “CMS Static Block.”
  - b. Set **Design Package/Theme** to any responsive web design (RWD) theme. You must select a responsive package/theme to use the mini cart widget.
  - c. Click the **Continue** button.



Widget Settings

4. In the Frontend Properties section, do the following:
  - a. In the **Widget Instance Title** field, enter a descriptive title for the widget. This title is for internal use only, and is not visible to your customers.
  - b. Enter a number in the **Sort Order** field to determine the order of the block when listed with others in the column. The top position is zero.
  - c. Set **Assign to Store Views** to “All Store Views,” or to the view where the block will be available. To select more than one, hold the Ctrl key down and select each option.



Frontend Properties

## Step 2: Complete the Layout Updates

1. In the Layout Updates section, set **Display On** to the category, product, or page where you want the block to appear.
2. To complete the Layout Updates, do the following:
  - a. Select the **Page** where you want the block to appear.
  - b. Set **Block Reference** to “Mini-cart promotion block.”
  - c. Accept the default **Template** setting, “CMS Static Block Default Template.”
  - d. Click **Save and Continue Edit**.

### Step 3: Place the Block

1. In the panel on the left, select **Widget Options**.
2. Click the **Select Block** button. Then in the list, click to select the block you want to place.
3. When complete, click the **Save** button.

The block appears in the Manage Widget Instances list.

4. When prompted, follow the instructions at the top of the workspace to update the index and page cache.
5. Return to your storefront to verify that the block is in the correct location.



## CHAPTER 32:

# Variables

Variables are reusable pieces of information that can be created once and used in multiple places, such as email templates, blocks, and content pages. Your Magento store includes a large number of predefined attributes, and also gives you the ability to create your own custom variables.

Topics in this chapter:


- [Predefined Variables](#)
- [Custom Variables](#)

# Predefined Variables

Predefined variables are easy to add to content pages, blocks, and email templates.

## To add a variable to a page:

1. On the Admin menu, select **CMS > Pages > Manage Content**. Then, click to open the page.
2. In the Page Information panel on the left, select **Content**. Then from the editor, do one of the following:
  - Click the **Insert Variable** button.
  - If you prefer to work with the code, click the **Show / Hide Editor** button.
3. Position the insertion point in the text where you want the variable to appear. Then, click the **Insert Variable** button.
4. In the list of available store contact variables, click the one you want to use.



*Insert Variable*

5. When complete, click the **Save** button.

## To add a variable to a block:

1. On the Admin menu, select **CMS > Static Block**. Then, click to and open the block.
2. From the editor, do one of the following:
  - Click the **Insert Variable** button.
  - If you prefer to work with the code, click the **Show / Hide Editor** button.

3. Position the insertion point in the text where you want the variable to appear. Then, click the **Insert Variable** button.
4. In the list of available variables, click to select the one you want to use.
5. When complete, click the **Save Block** button.

### To add a variable to an email template:

1. On the Admin menu, select **System > Transactional Emails**.
2. Do one of the following:
  - Click to edit a predefined template.
  - Click the **Add New Template** button to create a new one.
3. In the **Template Content** box, position the insertion point where you want the variable to appear. Then, click the **Insert Variable** button.
4. In the list of available variables, click to select the one you want to use.
5. When complete, click the **Save Template** button.

### Predefined Variables

#### STORE CONTACT VARIABLES

Store Contact Information  
Base Unsecure URL  
Base Secure URL  
General Contact Name  
General Contact Email  
Sales Representative Contact Name  
Sale Representative Contact Email  
Custom 1 Contact Name  
Custom 1 Contact Email  
Custom 2 Contact Name  
Custom 2 Contact Email  
Store Name  
Store Contact Telephone  
Store Contact Address


## Custom Variables

If you know a little basic HTML, you can create custom variables and incorporate them into pages, blocks, banners, and email templates. When a variable is inserted into HTML, it is formatted as a **markup tag**, and enclosed in double curly braces.

```
{ {CustomVar code= "store_hours" } }
```

### To create a custom variable:

1. On the Admin menu, select **System > Custom Variable**.
2. Click the **Add New Variable** button.
3. Enter an identifier in the **Variable Code** field. Use all lowercase characters, without spaces.
4. Enter a **Variable Name**, which is used for internal reference. Then, do one of the following:
  - In the **Variable HTML Value** text field, enter any content you want to include, using basic HTML tags. This option allows you to format the value.
  - In the **Variable Plain Value** field, enter the variable value as plain text.



New Custom Variable

5. When complete, click the **Save** button.



## CHAPTER 33:

# Markup Tags

A markup tag is a snippet of code that contains a relative reference to an object in your store, such as a page, block, or image. Markup tags can be incorporated into the HTML content of CMS pages, blocks, images, and email templates.

Topics in this chapter:

- [Markup Tag Syntax](#)
- [Using Markup Tags in Links](#)

## Markup Tag Syntax

Markup tags are enclosed in double, curly braces, and can be generated by the Widget tool, or typed directly into HTML content. For example, rather than hard-coding the full path to a page, you can use a markup tag to represent the store URL. The markup tags featured in the following examples include:

### Store URL

The Store URL markup tag represents the base URL of your website, and is used as a substitute for the first part of a full URL, including the domain name. There are two versions of this markup tag: One that goes directly to your store, and the other with a forward slash at the end that is used when a path is added.

```
 {{store url='apparel/shoes/womens'}}
```

### Media URL

The **dynamic media** URL markup tag represents the location and file name of an image that is stored on a content delivery network (CDN). The tag can be used to place an image on a page, block, banner, or email template.

```
 {{media url='shoe-sale.jpg'}}
```

### Block ID

The Block ID markup tag is one of the easiest to use, and can be used to place a block directly on a CMS page, or even nested inside another block. You can use this technique to modify a block for different promotions or languages. The Block ID markup tag references a block by its identifier.

```
 {{block id='block-id'}}
```

### Template Tag

A template tag references a PHTML template file, and can be used to display the block on a CMS page or static block. The code in the following example can be added to a page or block to display the Contact Us form.

#### “Contact Us” Template Tag

```
 {{block type="core/template" name="contactForm"
template="contacts/form.phtml"}}
```

The code in the next example can be added to a page or block to display the a list of products in a specific category, by category ID.

#### “Category Product List” Template Tag

```
 {{block type="catalog/product_list" category_id="22"
template="catalog/product/list.phtml"}}
```

## Non-Inline CSS Tag

Because many email clients do not support CSS, this markup tag provides a way to convert the CSS styles that are used in email and newsletter templates to inline styles. The tag references the `non_inline_styles` variable to point to a CSS file on the server for the styles to be converted. The styles that are non-inline are copied to the `<styles>` tag of each message or newsletter that is sent. This tag can be used only with templates for transactional email and newsletters. To learn more, see the developer documentation.

```
 {{var non_inline_styles.css}}
```

## Widget Code

The Widget tool can be used to display lists of products, or to insert complex links, such as one that goes to a specific product page, based on product ID. The code that is generated includes the block reference, location of the code module, and corresponding PHTML template. After the code is generated, you can copy and paste it from one place to another.

The code in the following example can be added to a page or block to display the list of new products.

#### “New Products Grid” Code

```
 {{widget type="catalog/product_widget_new"
display_type="new_products" products_count="10"
template="catalog/product/widget/new/content/new_grid.phtml"}}
```

The code in the next example can be added to a page or block to display a link to a specific product, by product ID.

#### “Link to Product” Code

```
 {{widget type="catalog/product_widget_link" anchor_text="My Product Link"
title="My Product Link" template="catalog/product/widget/link/link_
block.phtml" id_path="product/31"}}
```

## Using Markup Tags in Links

You can use markup tags with HTML anchor tags, and link directly to any page in your store. The link can be incorporated into CMS content, such as a page, static block, banner, or email template. You can also use this technique to link an image to a specific page.

### Process Overview:

- Step 1: Identify the Destination URL
- Step 2: Add the Markup to the URL
- Step 3: Complete the Anchor Tag

### Step 1: Identify the Destination URL

If possible, navigate to the page that you want to link to, and copy the full URL from the address bar of your browser. The part of the URL that you need comes after the “dot com forward slash.” Otherwise, copy the URL Key from the CMS page that you want to use as the link destination.

#### Full URL to Category Page

```
http://mystore.com/apparel/shoes/womens  
http://mystore.com/apparel/shoes/womens.html
```

#### Full URL to Product Page

```
http://mystore.com/apparel/shoes/womens/nine-west-pump  
http://mystore.com/apparel/shoes/womens/nine-west-pump.html
```

#### Full URL to CMS Page

```
http://mystore.com/about-us
```

### Step 2: Add the Markup to the URL

The Store URL tag represents the base URL of your website, and is used as a substitute for the “http address” part of the store URL, including the domain name and “dot com.” There are two versions of the tag, which you can use, depending on the results you want to achieve.

store direct_url	Links directly to a page.
store url	Places a forward slash at the end, so additional references can be appended as a path.

In the following examples, the URL Key is enclosed in single quotes, and the entire markup tag is enclosed in double curly braces. When used with an anchor tag, the markup tag is placed inside the double quotes of the anchor. To avoid confusion, you can alternate using single-and double quotes for each nested set of quotes.

1. If you are starting with a full URL, delete the “http address” part of the URL, up through and including the “dot.com forward slash.” In its place, type the Store URL markup tag, up through the opening single quote.

#### Store URL Markup Tag

```
http://mystore.com/apparel/shoes/womens  
{{store url='apparel/shoes/womens'}}
```

Otherwise, type the first part of the Store URL markup tag, and paste the URL key or path that you copied earlier.

#### Store URL Markup Tag with URL Key

```
{{store url='  
{{store url='apparel/shoes/womens'}}
```

2. To complete the markup tag, type the closing double quotes and double braces.

### Step 3: Complete the Anchor Tag

1. Wrap the completed markup tag inside an anchor tag, using the markup tag instead of the target URL. Then, add the link text, and closing anchor tag.

#### Markup in Anchor Tag

```
<a href="{{markup tag goes here}}>Link Text</a>
```


2. Paste the completed anchor tag into the code of any CMS page, block, banner, or email template, where you want the link to appear.

#### Complete Link with Markup

```
<a href="{{store url='apparel/shoes'}}>Shoe Sale</a>
```

## Category Listing on Home Page

By default, Magento uses a CMS page for the home page. You can add a markup tag to the content of your home page to display a product list from a specific category.



*Home Page with Category Listing*

### To list a category on the home page:

1. On the Admin menu, select **Catalog > Manage Categories**.
2. In the category tree, select the category that you want to use. Take note of the category **ID** that appears in parentheses after the category title. For example: (ID:4)
3. On the Admin menu, select **CMS > Pages**. Then, open your home page and do the following:
  - a. In the panel on the left, select **Content**.
  - b. In the editor, “comment out” the current code by enclosing it in beginning and ending comment tags.

```
<!--  
(your current home page code)  
-->
```

- c.** Paste the following markup tag into the editor, substituting the **ID** of the category that you want to appear:


```
{ {block type="catalog/product_list" name="home.catalog.product.list"
alias="products_homepage" category_id="4"
template="catalog/product/list.phtml"} }

<!--

(your current home page code)

-->
```

If you ever want to restore your previous home page, simply remove the comment tags from the original code, and comment out the markup tag. If you don't plan to ever use the original code, it can be deleted from the page.



*Home Page Content*

- 4.** Click the **Save Page** button.
- 5.** In the message at the top of the workspace, click the **Cache Management** link.
- 6.** Select the checkbox for the invalid **Layout** cache. Then, click the **Submit** button to refresh the cache.

## Notes



Design & Theme

## In this section...

Your Store Design

Page Layout

Layout Updates

Page Setup

Your Store's Theme



## CHAPTER 34:

# Your Store Design

Magento provides a variety of easy-to-use design options that you can use to apply your own customized look-and-feel to your store. To learn more advanced techniques, such as how to use themes, skins, layouts, and blocks, see the [Magento Design Guide](#).

Magento is an object-oriented environment with pages that are assembled from separate components. For some, this approach requires a slightly different way of thinking, because there isn't a single HTML page that corresponds to any given page. After you understand the basics, you'll appreciate working in such a flexible and fluid environment!

Topics in this chapter:

- [Uploading Your Logo](#)
- [Uploading a Favicon](#)
- [Welcome Message](#)
- [Store Demo Notice](#)

# Uploading Your Logo

The size of the logo in the header is determined by your theme. If your theme has a sample logo, right-click and download the logo to make sure the new logo is the same size.



*Logo In Header*

The logo image path points to its location on the server. What is actually a long path is entered as a short path that is relative to the theme. For example:

**Actual path:** skin/frontend/base/default/images/logo.gif

**Relative path:** images/logo.gif

The header image filename is hard-coded into some theme files. If you change the name of the logo file, you will have to make updates to some source files. For non-programmers, the easiest approach is to use the default filename, "logo.gif," and write over the existing file.

## To change the logo:

1. On the server, copy your new logo file to the images folder of your theme. For example:  
skin/frontend/base/default/images/logo.gif
2. On the Admin menu, select **System > Configuration**. Then in the panel on the left under General, select **Design**.
3. If you have multiple stores or views, set the **Current Configuration Scope** in the upper-left corner to the store or view where the configuration applies. Then, clear the checkbox after each field so new values can be entered.
4. Click to expand the **Header** section. Then, do the following:



*Header*

- a. If the path or filename has changed, enter it in the **Logo Image Src** field.
  - b. In the **Logo Image Alt** field, enter the alt text for the image. If the configuration is for a different language view, enter the alt text in the appropriate language.
  - c. If your store uses a [responsive theme](#), in the **Small Logo Image Src** field, enter the path to a version of the logo that is optimized for small devices.
5. When complete, click the **Save Config** button.

## Uploading a Favicon

Favicon is short for “favorite icon,” and refers to the little icon on the tab of each browser page. Depending on the browser, the favicon also appears in address bar, just before the URL.

Favicons are generally 16 x 16 pixels or 32 x 32 pixels in size. Although Magento accepts .ico, .png, .jpg, .jpeg, .apng, and .svg file types, not all browsers support these formats. The most widely-supported file format to use for a favicon is .ico. There are many free tools available online that you can use to generate an .ico image or convert an exiting image to the .ico format.



Favicon in Address Bar

### Process Overview:

- Step 1: Create a Favicon
- Step 2: Upload the Favicon to Your Store
- Step 3: Refresh the Cache

### Step 1: Create a Favicon

1. Create a 16x16 or 32x32 graphic image of your logo, using the image editor of your choice.
2. (Optional) Use one of the available online tools to convert the file to the .ico format. Then, save the file to your computer.

## Step 2: Upload the Favicon to Your Store

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under General, select **Design**.
2. Click to expand the **HTML Head** section. Then, do the following:



- a. Click the **Choose File** button. Then, select the favicon file that you prepared.
- b. If you want to delete the current favicon, select the **Delete Image** checkbox.
3. When complete, click the **Save Config** button.

## Step 3: Refresh the Cache

1. As soon as the favicon is uploaded, you are prompted to refresh the cache. Click the **Cache Management** link in the message at the top of the workspace.
2. In the list, select the **Page Cache** checkbox that is marked “Invalidate.”
3. In the upper-right corner, set **Actions** to “Refresh” and click the **Submit** button.
4. To view the new favicon, return to your storefront and press **F5** to refresh the browser.

# Changing the Welcome Message

The "Welcome" message in the upper-left corner expands to include the name of customers who are logged in. You can change the text for each store or store view.



*Welcome Message*

## To change the welcome message:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under General, select **Design**.
2. If you have multiple stores or views, set the **Current Configuration Scope** in the upper-left corner to the store or view where the configuration applies. Then, clear the checkbox after each field so new values can be entered.
3. Click to expand the **Header** section.




*Header*

4. In the Welcome text box, enter the text that you want to appear in the header,
5. When complete, click the **Save Config** button.
6. When prompted to update the Page Cache, click the **Cache Management** link at the top of the workspace. Then, follow the instructions to refresh the cache.

## Store Demo Notice


If you are using a store as a demo, or if it is online but still “under construction,” you can display a store demo notice at the top of the page. When you are ready to “go live” with the store, simply remove the message.



*Store Demo Notice*

### To set the store demo notice:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under General, select **Design**.
2. Click to expand the **HTML Head** section.



*HTML Head*

3. Scroll down to the bottom, and set the **Display Store Demo Notice** to your preference.
4. When complete, click the **Save Config** button.

## Copyright Notice

Your Magento store has a copyright notice in the footer of each page in the storefront, as well as the Admin. As a best practice, the copyright notice should include the current year, and identify your company as the legal owner of the site. The &Copy; character code is used to insert the copyright symbol, as shown in the following examples:

### Long Format Example

Copyright &Copy; 2015 Magento, Inc. All rights reserved.

### Short Format Example

&Copy; 2015 Magento, Inc. All rights reserved.

### To change the copyright notice:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under General, select **Design**.
2. Click to expand the **Footer** section.



*Footer*

3. In the **Copyright** box, enter the copyright notice that you want to appear in the footer of each page. Use the &Copy; character code to insert a copyright symbol.
4. When complete, click the **Save Config** button.

## Notes



## CHAPTER 35:

# Page Layout


The layout of each page in your store consists of distinct sections, or containers, that define the header, footer, and content areas of the page. Depending on the layout, each page might have one, two, three columns, or more. You can think of the layout as the “floor plan” of the page.

Content blocks float to fill the available space, according to the section of the [page layout](#) where they are assigned to appear. You will discover that if you change the layout from a three-column to a two-column layout, the content of the main area expands to fill the available space, and any blocks that are associated with the unused side bar seem to disappear. However, if you restore the three-column layout, the blocks reappear. This fluid approach, or liquid layout, makes it possible to change the page layout without having to rework the content. If you are used to working with individual HTML pages, you will discover that this modular, “building block” approach requires a different way of thinking.

Topics in this chapter:

- [Standard Layouts](#)
- [Storefront Examples](#)
- [Layout Updates](#)


## Standard Layouts



### 1 Column

---


The “1 Column” layout can be used to create a dramatic home page with a large image or focal point. It’s also a good choice for a landing page, or any other page that has a combination of text, images, and video.



### 2 Columns with Left Bar

---


The “2 Columns with Left Bar” layout is often used for pages with navigation on the left, such as a catalog or search results pages with layered navigation. It is also an excellent choice for home pages that need additional navigation or blocks of supporting content on the left.



## 2 Columns with Right Bar

---


With a “2 Columns with Right Bar” layout, the main content area is large enough for an eye-catching image or banner. This layout is also often used for Product pages that have blocks of supporting content on the right.



## 3 Columns

---

The “3 Column” layout has a center column that is wide enough for the main text of the page, with room on each side for additional navigation and blocks of supporting content.



## Empty

---

The “Empty” layout can be used to define custom page layouts. To learn more, see the [Magento Design Guide](#).


## Storefront Examples

The column dimensions are determined by style sheet of the theme. Some themes apply a fixed pixel width to the page layout, while others use percentages to make the page respond to the width of the window or device.

Most desktop themes have a fixed width for the main column, and all activity takes place within this enclosed area. Depending on your screen resolution, there is empty space on each side of the main column.

### 1 Column Layout

The content area of a “1 Column” layout spans the full-width of the main column. This layout is often used for a home page with a large banner or slider, or pages that require no navigation, such as a login page, splash page, video, or full-page advertisement.



*1 Column Layout*

## 2 Columns with Left Bar

The content area of this layout is divided into two columns. The main content column floats to the right, and the side bar floats to the left.

YOUR LANGUAGE English ▾

WELCOME JANE DOE

ACCOUNT CART (1)

**Magento®**

WOMEN MEN ACCESSORIES HOME & DECOR SALE VIP

HOME / MEN / SHIRTS

SHOP BY

PRICE  
\$140.00 - \$149.99 (1)  
\$160.00 - \$169.99 (1)  
\$190.00 and above (1)

COLOR  
Blue (1)  
Charcoal (1)  
White (1)

OCCASION  
Career (1)  
Casual (1)  
Evening (1)

TYPE  
Shirts (3)

SLEEVE LENGTH

**SHIRTS**

SORT BY Position ▾ VIEW AS ▾ 3 Item(s) SHOW 12 ▾

Product Image	Product Name	Price	Actions
	FRENCH CUFF COTTON TWILL OXFORD	\$190.00	<a href="#">VIEW DETAILS</a> <a href="#">Add to Wishlist</a> <a href="#">Add to Compare</a>
	SLIM FIT DOBBY OXFORD SHIRT	\$175.00 \$140.00	<a href="#">VIEW DETAILS</a> <a href="#">Add to Wishlist</a> <a href="#">Add to Compare</a>
	PLAID COTTON SHIRT	\$160.00	<a href="#">VIEW DETAILS</a> <a href="#">Add to Wishlist</a> <a href="#">Add to Compare</a>

SORT BY Position ▾ VIEW AS ▾ 3 Item(s) SHOW 12 ▾

*2 Columns Left Bar*

## 2 Columns with Right Bar

This layout is a mirror image of the other two-column layout. This time, the side bar floats to the right, and the main content column floats to the left.

YOUR LANGUAGE English ▾

WELCOME JANE DOE

ACCOUNT CART (1)

**Magento®**

WOMEN MEN ACCESSORIES HOME & DECOR SALE VIP

HOME / HOME & DECOR / BOOKS & MUSIC

BOOKS & MUSIC

SORT BY Position ▾ VIEW AS ▾ 9 Item(s) SHOW 12 ▾

Product Image	Product Name	Price	Actions
	A TALE OF TWO CITIES \$10.00		<a href="#">VIEW DETAILS</a> <a href="#">Add to Wishlist</a> <a href="#">Add to Compare</a>
	ALICE'S ADVENTURES IN WONDERLAND LEWIS CARROLL \$5.00		<a href="#">VIEW DETAILS</a> <a href="#">Add to Wishlist</a> <a href="#">Add to Compare</a>
	AROUND THE WORLD IN 80 DAYS JULES VERNE \$5.00		<a href="#">VIEW DETAILS</a> <a href="#">Add to Wishlist</a> <a href="#">Add to Compare</a>
	FALLING BY I AM NOT LEFTHANDED \$2.00		<a href="#">ADD TO CART</a> <a href="#">Add to Wishlist</a> <a href="#">Add to Compare</a>
	HERALD GLASS VASE		
	BODY WASH WITH LEMON FLOWER EXTRACT AND ALOE VERA		
	MADISON RX3400		
	SLIM FIT DOBBY OXFORD SHIRT		

RECENTLY VIEWED PRODUCTS

HERALD GLASS VASE

BODY WASH WITH LEMON FLOWER EXTRACT AND ALOE VERA

MADISON RX3400

SLIM FIT DOBBY OXFORD SHIRT

COMPARE PRODUCTS

You have no items to compare.

*2 Columns Right Bar*

## 3 Columns

A 3-column layout has a main content area with two side columns. The left side bar and main content column are wrapped together, and float as a unit to the left. The other side bar floats to the right.

The screenshot shows a Magento storefront with a 3-column layout. The left sidebar contains navigation links for WOMEN, MEN, ACCESSORIES, HOME & DECOR, SALE, and VIP. It also features a 'SHOP BY' section with dropdown menus for PRICE (\$0.00 - \$99.99, \$200.00 - \$299.99, \$300.00 and above), COLOR (Blue, Indigo, White), OCCASION (Casual, Evening), TYPE (Dresses, Knits, Tops), SLEEVE LENGTH (Short Sleeve, Sleeveless), and SIZE (XS, 2). The main content area displays a promotional banner 'IN THE NOW' with the text 'a first look at first-class spring staples'. Below the banner is a grid of three products: TOR TANK (blue tank top, \$60.00), ELIZABETH KNIT TOP (white knit top, \$210.00), and LAFAYETTE CONVERTIBLE DRESS (blue convertible dress, \$340.00). Each product has a 'VIEW DETAILS' button and an 'Add to Wishlist' or 'Add to Compare' link. To the right of the main content is a 'RECENTLY VIEWED PRODUCTS' sidebar showing items like HERALD GLASS VASE, BODY WASH WITH LEMON FLOWER EXTRACT AND ALOE VERA, MADISON RX3400, and SLIM FIT DOBBY OXFORD SHIRT. At the bottom of the sidebar is a 'COMPARE PRODUCTS' section stating 'You have no items to compare.'

3 Columns

## Layout Updates

Before you begin working with custom layout updates, it is important to understand how the pages of your store are constructed, and the difference between the terms *layout* and *layout update*. The term layout refers to the visual and structural composition of the page. However, the term layout update refers to a specific set of XML instructions that determines how the page is constructed.

The XML layout of your Magento Community Edition store is a hierarchical tree of blocks. Some elements appear on every page, and others appear only on specific pages. You can see how these structural blocks are referenced by examining the layout update code for your home page. To do so, simply open your CMS home page in edit mode, and select the Design tab to view the Page Layout section. Depending on the theme, it might contain instructions to remove blocks, unset blocks, and add blocks by referencing specific areas of the page layout.

In many cases, the same result can be achieved with a widget. To place a CMS static block of content with a widget, you must identify the page, and location on the page, where you want the block to appear. You can use the Widget tool to place a block on any generic page of your store, including the home page and all CMS pages. However, to place a block in the sidebar of a specific CMS page, you must make a layout update.

## Placing a Block with a Layout Update

Blocks can be placed in the left or right column of a specific page by making a layout update to the XML code. With a few simple changes to the code, you can position the block in either column, and control its position in relation to other blocks.

As you work with the underlying code, you will encounter slightly different terminology. For example, the term callout is sometimes used to refer to a block that is defined as a layout update with XML code. The term sidebar refers to the left or right columns of the page layout. For our general discussion, we use the terms block and column. However, when entering layout update code, make sure to follow the syntax exactly as shown in the example.

### To place a block in a side column:

1. On the Admin menu, select **CMS > Pages > Manage Content**.
2. Click to open the CMS page. Then, in the panel on the left, select **Design**.
3. In the Layout Update XML box, enter the code for the right or left sidebar, as shown in example. Then, do the following:
  - a. Change the **reference name** to identify either the “right” or “left” column.
  - b. Change the **block\_id** to the identifier of the block to be placed.

#### Code for CMS Block in Side Column

```
<reference name="right">
<block type="cms/block" name="right.permanent.callout">
<action method="setBlockId"><block_id>your-block-id</block_id></action>
</block>
</reference>
```

4. When complete, click the **Save Page** button.

## Controlling Block Order

To control the order of blocks in an XML layout update, include a “before” or “after” positioning property in the code. To place a block—either before, or after a specific block—replace the hyphen with the block identifier, as shown in the following examples:

`before="–"` Places the block at the top of the sidebar, before other blocks.


`after="–"` Places the block at the bottom of the sidebar, after other blocks.

### Code to Position CMS Blocks

```
<block type="cms/block" before="–" name="left.permanent.callout">
<block type="cms/block" before="some-other-block"
name="left.permanent.callout">
<block type="cms/block" after="–" name="left.permanent.callout">
<block type="cms/block" after="some-other-block"
name="left.permanent.callout">
```

## Standard Block Layout

In the following diagram, the block names that can be used to refer to a block in the layout are black, and the block types, or block class paths, are blue.



*Standard Block Layout*

## Block Descriptions

BLOCK TYPE	DESCRIPTION
page/html	There can be only one block of this type per page. The block name is "root," and, it is one of the few root blocks in the layout. You can also create your own block and name it "root," which is the standard name for blocks of this type.
page/html_head	There can be only one block of this type per page. The block name is "head," and it is a child of the root block. This block must not be removed from layout.
page/html_notices	There can be only one block of this type per page. The block name is "global_notices," and it is a child of the root block. If this block is removed from the layout, the global notices will not appear on the page.
page/html_header	There can be only one block of that type per page. The block name is "header," and it is a child of the root block. This block corresponds to the visual header at the top of the page, and contains several standard blocks. This block must not be removed.
page/html_wrapper	Although included in the default layout, this block is deprecated, and only is included to ensure backward compatibility. Do not use blocks of this type.
page/html_breadcrumbs	There can be only one block of this type per page. The name of this block is "breadcrumbs," and it is a child of the header block. This block displays breadcrumbs for the current page.
page/html_footer	There can be only one block of this type per page. The block name is "footer," and it is a child of the root block. The footer block corresponds to the visual footer at the bottom of the page, and contains several standard blocks. This block must not be removed.
page/template_links	There are two blocks of this type in the standard layout. The "top.links" block is a child of the header block, and corresponds to the top navigation menu. The "footer_links" block is a child of the footer block, and corresponds to the bottom navigation menu. It is possible to manipulate the template links, as shown in the examples.

## Block Descriptions (cont.)

BLOCK TYPE	DESCRIPTION
page/switch	There are two blocks of this type in a standard layout. The "store_language" block is a child of the header block, and corresponds to the top language switcher. The "store_switcher" block is a child of the footer block, and corresponds to the bottom store switcher.
core/messages	There are two blocks of this type in a standard layout. The "global_messages" block displays global messages. The "messages" block is used to display all other messages. If you remove these blocks, the customer won't be able to see any messages.
core/text_list	This type of block is widely used throughout Magento, and is used as a placeholder for rendering children blocks.
core/profiler	There is only one instance of this type of block per page. It is used for the internal Magento profiler, and should not be used for other purposes.

## Layout Update Syntax

Custom layout updates can be applied to product category pages, product pages, and CMS page to achieve a variety of results, such as:

- <block> Create new block.
- <reference> Update existing content.
- <action> Assign actions to blocks.
- <remove> Remove blocks.

Any change made to the layout is applied when the associated entity—which can be either a product, category, or CMS page—becomes active in the frontend of the store.

Custom layout update instructions consist of well-formed XML tags, without the <?xml ...> declaration and root tag. As with normal XML, every tag must either be empty or properly closed, as shown in the following examples:

```
<tag attribute="value" />  
<tag attribute="value"> ... </tag>
```

## <block>

Creates a new block within the current context. Layout block nesting defines the ordering of block initialization location of the blocks on the page.

### Syntax

NAME	VALUE
type	* block class path An identifier of the block class path that corresponds to the class of the block. See the list of the available block types below.
name	* block name identifier A name that can be used to address the block in which this attribute is assigned. If you create a new block with the name that is the same as one of the existing blocks, your newly created block substitutes the previously existing block. See the list of names of existing blocks below.
before	block name   '-' Is used to position the block before a block with the name specified in the value. If "-" value used the block is positioned before all other sibling blocks.
after	block name   '-' Is used to position the block after a block with the name specified in the value. If "-" value used the block is positioned after all other sibling blocks.
template	template filename A template filename used for the specific block type. As you have no way to see the list of template files, use whatever template value is demanded for every block type listed below.
as	block alias An alias name by which a template calls the block in which this attribute is assigned. Sometimes it's necessary to specify the alias for a specific block type.

## <reference>

Changes the context for all included instructions to a previously defined block. An empty <reference> tag is of no use, because it affects only the instructions which are children.

### Syntax

NAME	VALUE
name	* block name A name of a block to reference.

## <action>

Used to access block API, in other words, call block's public methods. It is used to set up the execution of a certain method of the block during the block generation. Action child tags are translated into block method arguments. The list of all available methods depends on the block implementation (e.g. public method of the block class).

### Syntax

NAME	VALUE
method	* block method name A name of the public method of the block class this instruction is located in that is called during the block generation.

## <remove>

Removes an existing block from the layout.

### Syntax

NAME	VALUE
name	* block name The name of the block to be removed.

## <extend>

This instruction performs final modifications to blocks which are already part of the layout. Every attribute in the <block> instruction—except for the block name—is subject for change. In addition, the special attribute *parent* can be used to change the parent of the block. Simply put the name of the new parent block into the <extend> instruction, and the parent of the block that is referenced will be changed in the layout.

## Syntax

NAME	VALUE
name	* block name The name of any block to be extended.
*	any other Any other attribute specific for the <block> instruction.
parent	block name The name of the block that should become a new parent for the referenced block.

\* Indicates a required value

## Layout Update Examples

The following blocks types can be manipulated with custom layout instructions. Each action must be specified using the full syntax of the instruction. In the following examples, a simplified notation is used to refer to each action, which corresponds to the full syntax of the instruction.

### Full Syntax

```
?  
  
<!-- Action can be specified inside either a <block>  
or <reference> instruction. -->  
  
<action method="someActionName">  
    <arg1>Value 1</arg1>  
    <arg2>Value 2</arg2>  
    <!-- -->  
    <argN>Value N</argN>  
  </action>  
  
<!-- -->
```

### Simplified Syntax

```
?  
  
someActionName ($arg1, $arg2, ..., $argN)
```

## page/template\_links

### Syntax

ACTION	DESCRIPTION
addLink(\$label, \$url, \$title, \$prepare)	Adds another link to the end of the list of existing links. Just specify the \$label (link caption), \$url (link URL) and \$title (link tooltip), and you'll see a new link in the corresponding place. The \$prepare parameter must be "true" if you want the URL to be prepared, or converted to the full URL from the shortened URL. For example, the new page becomes BASE_URL/newpage if prepared.
removeLinkByUrl(\$url)	Removes a link from the block by its URL. Note that the URL must be properly specified and exactly match corresponding URL of the link you want to remove.

## cms/block

### Syntax

ACTION	DESCRIPTION
setBlockId(\$blockId)	Specifies the ID of a CMS block, so its content can be fetched and displayed when the page is rendered.

```
?  
<!--...-->  
  
<reference name="content">  
    <block type="cms/block" name="additional.info" as="additionalInfo">  
        <action method="setBlockId"><id>additional_info</id></action>  
    </block>  
</reference>  
<!-- -->
```

## core/text

A core/text block can be used to enter free form text directly into the template.

### Syntax

ACTION	DESCRIPTION
addText (\$textContent)	Specifies text to be rendered as the block's content. After the text is specified, the layout update instructions must continue to be a valid XML statement. If you use HTML tags as part of the text, it is recommended to use: <code>&lt;![CDATA[...]]&gt;</code>

```
?  
<!--...-->  
  
<reference name="content">  
    <block type="core/text" name="test.block">  
        <action method="addText">  
            <txt><![CDATA[<h2>ATTENTION!</h2><p>Check your options  
carefully before you submit.</p>]]></txt>  
        </action>  
    </block>  
</reference>  
<!-- -->
```

## page/html\_welcome

This block can be used to duplicate the “Welcome, <USERNAME>!” message that appears in the header block. When the user is not logged in, the [welcome message](#) specified in the configuration appears.

## XML Load Sequence

For developers, it is important to understand that blocks and layout updates must be loaded in the correct order, in keeping with the rules of precedence and load sequence which determine how the page is rendered. Magento supports the following page layout scenarios:

### Default Layout

---

The default layout consists of the visual elements that are visible from every page of the store. Whether it is a menu item, or a shopping cart block, each item has a handle in the default section of the layout definition.

### Changes to Specific Pages

---

The second case allows you to create a different layout for a specific page. The XML layout for specific pages is constructed in the same sequence that Magento loads modules, and is determined by the system configuration.

In addition to the instructions in the layout update files which are specific to each module, you can make a custom layout update that applies to a special case in the backend, and is merged each time the special case occurs.



## CHAPTER 36:

# Page Setup

The main sections of the page are controlled, in part, by a set of standard HTML tags. Some of these tags control the selection of fonts, color, size, and background colors and images that appear in each section of the page. Other settings control page elements such as the logo that appears in the header, and the copyright notice in the footer. The basic page properties can be set for the following sections of an HTML page from the Admin:

- [HTML Head](#)
- [Header](#)
- [Footer](#)

# HTML Head

The settings in the HTML Head section correspond to the <head> tag of an HTML page and can be configured for each store view. In addition to meta data for the page title, description, and keywords, the section includes a link to the favicon, and miscellaneous scripts. Instructions for search engine robots and the display of the store demo notice are also configured in this section.

## To configure the HTML Head:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under General, select **Design**.
2. If you have multiple stores or views, set the **Current Configuration Scope** in the upper-left corner to the store or view where the configuration applies. Then, clear the checkbox after each field so new values can be entered.
3. Update the fields as needed.
4. When complete, click the **Save Config** button.

The screenshot shows the 'HTML Head' configuration screen. It contains several input fields and dropdown menus:

- Favicon Icon:** A file upload field with a 'Browse...' button. A note says: "Allowed file types: ICO, PNG, GIF, JPG, JPEG, APNG, SVG. Not all browsers support all these formats!"
- Default Title:** A text input field containing "Magento Commerce".
- Title Prefix:** An empty input field.
- Title Suffix:** An empty input field.
- Default Description:** A text area containing "Default Description".
- Default Keywords:** A text area containing "Magento, Varien, E-commerce".
- Default Robots:** A dropdown menu set to "INDEX, FOLLOW".
- Miscellaneous Scripts:** A large text area for additional scripts.
- Display Demo Store Notice:** A dropdown menu set to "Yes".

Each field has a "[STORE VIEW]" link next to it, indicating it's a multi-store configuration. The entire window has a title bar "HTML Head".

*HTML Head*

## Field Descriptions

FIELD	SCOPE	DESCRIPTION
Favicon Icon	Store View	Uploads the small graphic image that appears in the address bar and tab of the browser.
Default Title	Store View	The title that appears at the title bar of each page when viewed in a browser. The default title is used for all pages, unless another title is specified for individual pages.
Title Prefix	Store View	A prefix can be added before the title to create a two- or three-part title. A vertical bar or colon can be used as a separator at the end of the prefix to differentiate it from the text of the main title.
Title Suffix	Store View	A suffix can be added after the title to create a two- or three part title. A vertical bar or colon can be used as a separator at the end of the prefix to differentiate it from the text of the main title.
Default Description	Store View	The description provides a summary of your site for search engine listings and should not be more than 160 characters in length.
Default Keywords	Store View	A series of keywords that describe your store, each separated by a comma.
Default Robots	Store View	Instructions that tell search engines how to index your site. Options include: INDEX, FOLLOW NOINDEX, FOLLOW INDEX, NOFOLLOW NOINDEX, NOFOLLOW
Miscellaneous Scripts	Store View	An input box that where you can upload miscellaneous scripts to the server. For example, any third-party JavaScript that must be placed before the <body> tag, can be entered here.
Display Demo Store Notice	Store View	Controls the display of the demo store notice at the top of the page. Options include: Yes / No

## Header

The Header section identifies the path to the [logo](#) file, and specifies the logo alt text and [welcome](#) message.



*Header*

### To configure the header:


1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under General, select **Design**.
3. Click to expand the **Header** section. Then, make any changes necessary.
4. When complete, click the **Save Config** button.

### Field Descriptions

FIELD	SCOPE	DESCRIPTION
Logo Image Src	Store View	Identifies the path to the logo that appears in the header.
Logo Image Alt	Store View	The Alt text that is associated with the logo.
Small Logo Image Src	Store View	Identifies the path to a smaller version of the logo that is used with responsive themes and optimized for a small screen.
Welcome Text	Store View	The welcome message appears in the header of the page and includes the name of customers who are logged in.

## Footer

The Footer configuration section is where you can update the copyright statement that appears at the bottom of the page, and enter miscellaneous scripts.



*Footer*

### Field Descriptions

FIELD	SCOPE	DESCRIPTION
Copyright	Store View	The copyright statement that appears at the bottom of each page. To include the copyright symbol, use the HTML character entity: &copy;
Miscellaneous HTML	Store View	An input box where you can upload miscellaneous scripts to the server. For example, third-party JavaScript—such as an analytics tracking code—that must be placed after the <body> tag, can be entered here.

## Notes



## CHAPTER 37:

# Your Store's Theme

A theme is a collection of files that determines the visual presentation of your store. You might think of a theme as the “window dressing” of your store. When you first install Magento Community Edition, the design elements of the store are based on the “Default” Theme. In addition to the initial default theme that comes with your Magento installation, there is a wide variety of themes that are available “off the shelf” on Magento Connect.

Magento themes include layout files, template files, translation files, and skins. A skin is a collection of supporting CSS, images, and JavaScript files that together, create the visual presentation and interactions that your customers experience when they visit your store. Themes and skins can be modified and customized by a developer or designer who has knowledge of Magento theme design and access to your server. To learn more, see the [Designer’s Guide to Magento](#).


Topics in this chapter:

- [Responsive Web Design](#)
- [Using the Default Theme](#)
- [Installing a New Theme](#)

## Design Packages

A design package is simply a collection of related themes. There can be any number of design packages installed, but there must always be one that serves as the base package for the installation. The base package is named “default.”

Each package contains a default theme. In addition, the package might contain any number of variations of the default theme. Themes contain the files that determine the visual presentation of each page, and how the elements on the page interact with the user. Magento themes contain templating information (layout files, template files, theme-specific translation files) and skinning information (CSS files, images, and theme-specific JavaScript files). Each theme can belong to only one design package.



*Packaging Variations*

You can also set up exceptions to dynamically change the package when a specific user agent, such as a mobile device, tablet, or desktop browser, is detected. Exceptions can also be applied at the theme level. The names that are used to identify user agents are constantly evolving, along with the technology. You can search on the Internet for a list of user agent strings.

For an installation with multiple stores, each store in the [hierarchy](#) can have a separate theme, share the same theme, or a combination of both. The design package and theme can be assigned at either the website and/or store view level. If you assign a package at the website level, all stores in the website inherit the package. To override the default package, you can assign a different package at the store, or store view level. If no additional packages are available, the system falls back to the default package.

Before a design package can be assigned, it must be copied to the server. If you purchase and install a design package or theme from [Magento Connect](#), the necessary files are copied to your server automatically. However, it might need to update the configuration with the name of the package, theme, or both. The developer of any design package or theme typically provides specific configuration instructions.


### To assign a design package:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under General, select **Design**.
2. Click to expand the **Package** section, and do the following:



*Package*

- a. To assign the package to a specific store view, set the Current Configuration Scope in the upper-left corner to the store view where the configuration applies. Then, clear the Use Default checkbox next to the Current Package Name field.
- b. Enter the **Current Package Name** in lower-case characters.
3. To add an exception for a specific user agent, click the **Add Exception** button. Then, do the following:
  - a. In the **Matched Expression** field, enter the standard name for the user agent to be matched. For multiple entries, separate each with a vertical bar.
  - b. In the **Value** field, enter the name of the package to be used as the exception.
  - c. Repeat these steps to add as many exceptions as necessary.




*Add Exception*

4. When complete, click the **Save Config** button.
5. When prompted to update the cache, click the [Cache Management](#) link and follow the instructions.

## Theme Assets

The assets associated with a theme are organized in the skin folder. JavaScript libraries which are shared across themes, are placed in the js/ directory at the Magento root.



FILE TYPE	DESCRIPTION
CSS	Directory that contains the CSS files that control the visual styling that is associated with the skin. Location on server: <code>[magento]/skin/frontend/[designPackage]/[theme]/css</code>
Images	Directory that contains all images used by the theme, including buttons, background textures, and so on. Location on server: <code>[magento]/skin/frontend/[designPackage]/[theme]/images</code>
JS	Directory that contains theme-specific JavaScript routines and callable functions. Location on server: <code>[magento]/skin/frontend/[designPackage]/[theme]/js</code>

## CSS Settings

As part of an effort to optimize your site and reduce page load time, you can reduce the number of separate CSS files by merging them into a single condensed file. If you open a merged CSS file, you'll find one continuous stream of text, with line breaks removed. Because you can't edit the merged file, it's best to wait until you are out of the development mode, and no longer making frequent changes to the CSS.

### To merge CSS files:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Advanced, select **Developer**.
2. Click to expand the **CSS Settings** section.




3. Set **Merge CSS Files** to "Yes."
4. When complete, click the **Save Config** button.

## JavaScript Settings

Multiple JavaScript files can be merged into a single, condensed file to reduce page load time. If you open a merged JavaScript file, you'll find one continuous stream of text, with line breaks removed. If you are finished with the development process, and the code contains no errors, you might consider merging the files.

### To merge JavaScript files:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Advanced, select **Developer**.
2. Click to expand the **JavaScript Settings** section.



3. Set **Merge JavaScript Files** to "Yes."
4. When complete, click the **Save Config** button.

## Responsive Web Design

Responsive design is an approach to web page creation that flows the page layout to fit the visitor's screen size and orientation, and changes the layout accordingly. The Magento default responsive theme features style sheets that support flexibility for layouts and images, and helps provide a pleasing experience for site visitors using mobile devices. By comparison, non-responsive sites or sites not optimized for smaller screens or mobile devices are often slow or difficult to read, and offer a clunky mobile eCommerce experience.



*Responsive Theme on Tablet and Smartphone*

Benefits of using the Magento default responsive theme include:

- You can get a tablet and smart phone friendly responsive site in about half the time as before, speeding time to market and freeing up resources for other projects.
- Your responsive site makes you better able to participate in the fast growing mobile commerce space, and gives you the ability to create a website that is more easily adapted to new opportunities and less expensive to maintain. A responsive site also offers potential search engine optimization (SEO) benefits from using Google's preferred approach to mobile-optimizing sites.
- You no longer need to develop separate content per device. The default theme is easy to customize for simple sites, and provides a powerful starting point for developing themes for more complex sites.

To learn more about creating custom responsive themes, see the [Responsive Theme Developer's Guide](#).

## Using the Default Theme

The default Magento Community Edition theme is based on a responsive design that renders the display of your storefront for different devices. The theme incorporates best practices for mobile sites and experiences.

Technologies used in Magento's default responsive theme include Sass/Compass and jQuery in noConflict() mode. Additional JavaScript libraries are discussed in more detail in the [Responsive Theme Developer's Guide](#). The responsive theme code is located on the server in the following directories, relative to your Magento installation:

### Code Location

```
app/design/frontend/rwd  
skin/frontend/rwd
```

### To view the default theme:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under General, select **Design**.
2. Click to expand the **Package** section. The new responsive theme is enabled by default, and the default package name is “rwd.”



*Package*

3. Click to expand the **Themes** section. The Default theme name is “default” (although the field appears blank).




*Themes*

4. When complete, click the **Save Config** button.

# Installing a New Theme

When you first install Magento, the design elements of the store are based on the “Default” Theme. You can modify the theme, add themes created by others, or create new ones. To learn more, see the [Designer’s Guide to Magento](#).

**Magento Connect** contains hundreds of extensions, which are add-ons to Magento that can extend the functionality or enhance the appearance of your store. The following example shows how to add a mobile theme from Magento Connect.



*Magento Connect*

## To install a new theme:

1. Go to [Magento Connect](#).
2. In the upper-right corner, click to extend the **All Platforms** list, and choose **Enterprise**.
3. You can browse through the available themes based on price or popularity, or do a keyword search. For more information, click the thumbnail of any theme.
4. To get the registration key, you must be a registered Magento Community Edition owner and be logged into your account. Then, click the **Install Now** button to get the license key.




*Install Now*

5. To complete the process, follow the [instructions](#) to install an extension from Magento Connect.

### To activate the theme for your store:

1. On the Admin menu, select **System > Configuration**. In the panel on the left under General, select **Design**.
2. Click to expand the **Themes** section. Then, do the following:




*Themes*

3. In the **Default** field, enter the name of the theme. The name of the Magento demo store theme is "mds."

4. If you want to use an alternate them for different browsers or devices, do the following:

- a. Click the **Add Exception** button.

The Add Exception button is used to use a different theme for specific browsers. For example, a theme that is optimized for mobile can be used whenever a mobile device is detected.



*Add Exception*

- b. In the **Matched Expression** field, enter the name of the browser or device that triggers the use of the alternate theme. If there are multiple browsers, separate the name of each with a vertical bar. For example, because the mobile theme can be used with multiple devices, you can enter them all in the Match Expression field, as follows:

Android|Blackberry|Googlebot-Mobile|iPhone|iPod|mobi|Palm|Opera  
Mini|Windows Mobile

- c. In the **Value** field, enter the name of the theme. In this example, the value is "Mobile."

5. Click the **Save Config** button on the top right of the page.

6. Test the new theme from your store. If you installed an exception for different browsers, view the store with each browser or device.

If the new theme uses a different page layout than your current home page, you might need to change its [page layout setting](#) to match the theme.

# Changing UI Text

You can use the Translate Inline tool to touch up the text in the interface to reflect your voice and brand. When the Translate Inline mode is activated, all text on the page that can be edited is outlined in red. It's easy to edit field labels, messages, and other text that appears throughout the storefront and Admin. For example, many themes use terminology such as "My Account," "My Wishlist," and "My Dashboard," to help customers find their way around. However, you might prefer to simply use the words "Account," "Wishlist," and "Dashboard."

If your store is available in multiple languages, you can make fine adjustments to the translated text for the locale. On the server, interface text is maintained in a separate CSV file for each output block, and is organized by locale. As an alternate approach, rather than use the Translate Inline tool, you can also edit the CSV files directly on the server.

To use the Translate Inline tool, your browser must allow pop-ups.

## Step 1: Add Your IP Address to the Developer Mode Whitelist

To use the Inline Translator without disrupting the shopping experience of customers in the store, add your IP address to the [Developer Client Restrictions](#) whitelist. If you don't know your IP address, you can search for it online.

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Advanced, select **Developer**.
2. Click to expand the **Developer Client Restrictions** section.




*Developer Client Restrictions*

3. In the **Allow IPs** field, enter your IP address. If access is needed from multiple IP addresses, separate each with a comma.
4. When complete, click the **Save Config** button.

## Step 2: Disable Output Caches

1. On the Admin menu, select **System > Cache Management**.
2. Select the following checkboxes:
  - Blocks HTML output
  - Translations


- Set the **Actions** control to “Disable.” Then, click the **Submit** button.



*Disable Output Caches*

### Step 3: Activate the Translate Inline Tool

- On the Admin menu, select **System > Configuration**.
- To work with a specific store view, set **Current Configuration Scope** to the store view to be updated.
- In the panel on the left under Advanced, select **Developer**.
- Click to expand the **Translate Inline** section. Then, do the following:



*Translate Inline*

- Set **Enabled for Frontend** to “Yes.”

For a specific store view, you must first clear the **Use Website** checkbox. The Enabled for Admin option is not available when editing a store view.

- When complete, click the **Save Config** button.


### Step 4: Update the Text

- Open your storefront in a browser, and go to the page that you want to edit. If necessary, select the store view from the language switcher in the upper-left corner.

Each string of text that can be translated is outlined in red. When you hover over any text box, a book icon appears.

*Translatable Text*

2. Click the book icon to open the Translation window. Then, do the following:
  - a. If the change is for a specific store view, select the **Store View Specific** checkbox.
  - b. Enter the **Custom** text.
  - c. Click the **Submit** button.

*Enter Custom Text*

3. To see your changes in the store, press the **F5** key to refresh the browser.
4. Repeat this process for any elements in the store to be changed.

## Step 5: Restore Original Settings

1. On the Admin menu, select **System > Developer**.
  - a. In the panel on the left under Advanced, select **Developer**.
  - b. Click to expand the **Translate Inline** section.



*Translate Inline*

- a. Set **Enabled for Frontend** to “No.”
  - b. Click the **Save Config** button.
2. On the Admin menu, select **System > Cache Management**. Then, do the following:
  - a. Select the following checkboxes:
    - Blocks HTML output
    - Translation
  - b. Set the **Actions** control to “Enable.” Then, click the **Submit** button.

Cache Type	Description	Associated Tags	Status
Configuration	System(config.xml, local.xml) and modules configuration files(config.xml)	CONFIG	ENABLED
Layouts	Layout building instructions.	LAYOUT_GENERAL_CACHE_TAG	ENABLED
Blocks HTML output	Page blocks HTML.	BLOCK_HTML	DISABLED
Translations	Translation files	TRANSLATE	DISABLED
Collections Data	Collection data files	COLLECTION_DATA	ENABLED
EAV types and attributes	Entity types declaration cache	EAV	ENABLED
Web Services Configuration	Web Services definition files (api.xml).	CONFIG_API	ENABLED
Web Services Configuration	Web Services definition files (api2.xml).	CONFIG_API2	ENABLED

*Enable Output Caches*



Customers

## In this section...

[Customer Accounts](#)

[Customer Groups](#)



## CHAPTER 38:

# Customer Accounts

The header of every page in your store extends an invitation for shoppers to “Log in or register” for an account with your store. Customers who open an account with your store enjoy a range of benefits, including:

## Faster Checkout

Registered customers move through checkout faster because much of the information is already in their accounts.

## Ability to Self-Serve

Registered customers can update their information, check the status of orders, and even reorder from their account dashboard.

## Account Configuration

The customer account settings determine the information that you collect during customer registration, and the experience customers have during the process. Topics in this section include:

- [Account Scope](#)
- [Login Landing Page](#)
- [Basic Account Options](#)
- [Name and Address Options](#)
- [Password Options](#)

## Customer Account Scope

The scope of customer accounts can be limited to the website where the account was created, or shared with all websites and stores in the [store hierarchy](#).

### To set the scope of customer accounts:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Customers, select **Customer Configuration**.
3. Click to expand the **Account Sharing Options** section.



*Account Sharing Options*

4. Set **Share Customer Accounts** to one of the following:

Global	To share customer account information with every website and store in the Magento installation.
Per Website	To limit customer account information to the website where the account was created.
5. When complete, click the **Save Config** button.

## Login Landing Page

Depending on the configuration, customers can be redirected to their account dashboard, or continue shopping after they log in to their accounts.



*Login Options*


### To set the login landing page:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Customers, select **Customer Configuration**.
3. Click to expand the **Login Options** section.
4. Set **Redirect Customer to Account Dashboard after Logging in** to one of the following:

Yes	The account dashboard appears when customers log in to their accounts.
No	Customers can continue shopping after logging in to their accounts.
5. When complete, click the **Save Config** button.

## New Account Options

In the customer configuration, the basic account options are combined with advanced options related to VAT ID Validation. The following instructions show how to complete only the basic customer account options, which are highlighted in the following screenshot. To learn about the advanced options, see: [VAT ID Validation](#).



*Create New Account Options*

### To set up the basic customer account options:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Customers, select **Customer Configuration**.
3. Click to expand the **Create New Account Options** section. Then, do the following:
  - a. Set **Default Group** to the customer group that is assigned to new customers when an account is created.
  - b. Enter the **Default Email Domain** for the store. For example: mystore.com
  - c. Set **Default Welcome Email** to the template that is used for the Welcome email sent to new customers.
  - d. Set **Email Sender** to the store contact that appears as the sender of the Welcome email.
  - e. To require that customers must confirm their request to open an account with your store, set **Require Emails Confirmation** to “Yes.” Then, set **Confirmation Link Email** to the template that is used for the confirmation email.
  - f. Set **Welcome Email** to the template that is used for the Welcome message that is sent after the account is confirmed.
4. When complete, click the **Save Config** button.

## Name and Address Options

The fields that are included in the customer registration form, and the format of the street address are set in the Customer Configuration. When all fields are used, the registration form includes the full name, including the middle initial, with drop-down lists for the prefix and suffix. The registration form can also include the date of birth, gender, and Tax ID or VAT number.

### To configure the customer name and address:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Customer, select **Customer Configuration**.
3. Click to expand the **Name and Address Options** section.

The screenshot shows the 'Name and Address Options' configuration page. It contains several sections with dropdown menus and explanatory text:

- Number of Lines in a Street Address:** Set to 2. [WEBSITE] button.
- Show Prefix:** Set to No. [WEBSITE] button. Description: ▲ The title that goes before name (Mr., Mrs., etc.)
- Prefix Dropdown Options:** Text input field. Description: ▲ Semicolon (;) separated values. Put semicolon in the beginning for empty first option. Leave empty for open text field.
- Show Middle Name (initial):** Set to No. [WEBSITE] button. Description: ▲ Always optional.
- Show Suffix:** Set to No. [WEBSITE] button. Description: ▲ The suffix that goes after name (Jr., Sr., etc.)
- Suffix Dropdown Options:** Text input field. Description: ▲ Semicolon (;) separated values. Put semicolon in the beginning for empty first option. Leave empty for open text field.
- Show Date of Birth:** Set to No. [WEBSITE] button.
- Show Tax/VAT Number:** Set to No. [WEBSITE] button.
- Show Gender:** Set to No. [WEBSITE] button.

*Name and Address Options*

4. Enter the **Number of Lines in a Street Address**. If left blank, the street address defaults to 2.
5. To include a prefix before the name, do the following:
  - a. Set **Show Prefix** to one of the following:
    - Optional
    - Required
  - b. In the **Prefix Dropdown Options** field, enter each prefix that you want to appear in the list, separated by a semicolon. Place a semicolon before the first value to display an empty value at the top of the list.
6. To include a suffix after the name, do the following:
  - a. Set **Show Suffix** to one of the following:
    - Optional
    - Required
  - b. In the **Suffix Dropdown Options** field, enter each prefix that you want to appear in the list, separated by a semicolon. Place a semicolon before the first value to display an empty value at the top of the list.
7. To include additional fields, do the following:
  - a. Set **Show Date of Birth** to “Yes.”
  - b. Set **Show Tax/VAT Number** to “Yes.”
  - c. Set **Show Gender** to “Yes.”
8. When complete, click the **Save Config** button.

## Password Options

The customer password options determine the email templates that are used when customers forget their passwords, and the lifetime of the password recovery link. You can allow customers to change their own passwords, or require that only store administrators can do so.

### To configure customer password options:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left under Customers, select **Customer Configuration**.
3. Click to expand the **Password Options** section. Then, do the following.


Password Options		
Forgot Email Template	Forgot Password (Default Template from Locale)	[STORE VIEW]
Remind Email Template	Remind Password (Default Template from Locale)	[STORE VIEW]
Forgot and Remind Email Sender	Customer Support	[STORE VIEW]
Recovery Link Expiration Period (days)	1	[GLOBAL] ▲ Please enter a number 1 or greater in this field.
Require admin user to change user password	Yes	[GLOBAL]

*Password Options*

- a. Set **Forgot Email Template** to the template that is used for the email sent to customers who have forgotten their passwords.
  - b. Set **Remind Email Template** to the template that is used when a password hint is sent to customers.
  - c. Set **Forgot and Remind Email Sender** to the [store contact](#) that appears as the sender of the Forgot Email and Remind Email notifications.
  - d. In the **Recovery Link Expiration Period** field, enter the number of days before the password recovery link expires.
  - e. To require that only the store administrator can change customer passwords, set **Require admin user to change user password** to "Yes."
4. When complete, click the **Save Config** button.

# Customer Account Login

Customers have easy access to their accounts from every page in your store. Depending on the configuration, customers can be redirected to their account dashboard, or continue shopping after they log in to their accounts. When customers forget their passwords, a reset link is sent to the email address that is associated with the account.



Account Login

## To log in to your customer account:

1. From the header of your store, click the **Log in** link.
2. When prompted, enter the **Email Address** that is associated with your account, and your **Password**. Then, click the **Log In** button.

## To reset your password:

1. From the Login page, click the **Forgot Your Password?** link.
2. When prompted, enter the **Email Address** that is associated with your account, and click the **Submit** button.  
If the email address you entered matches the one that is associated with the account, you will receive a "Password Reset Confirmation" email with a link to reset your password.
3. Click the link in the email, and when prompted, enter your **New Password**. Enter it again to confirm, and click the **Reset a Password** button.

Your new password must be six or more characters in length, without spaces.

After you are notified that the password has been updated, you can use the new password to log in to your account.

# Account Dashboard

Customers can access their account dashboard by clicking the “My Account” link in the header of the store. They can use their account dashboard to view and modify their information, including past and current addresses, billing and shipping preferences, newsletter subscriptions, wishlist, and more.

The screenshot shows the Magento Account Dashboard. At the top, there's a navigation bar with links for WOMEN, MEN, ACCESSORIES, HOME & DECOR, SALE, and VIP. On the left, a sidebar titled 'MY ACCOUNT' lists options like ACCOUNT DASHBOARD, ACCOUNT INFORMATION, ADDRESS BOOK, MY ORDERS, BILLING AGREEMENTS, RECURRING PROFILES, MY PRODUCT REVIEWS, MY WISHLIST, MY APPLICATIONS, NEWSLETTER SUBSCRIPTIONS, and MY DOWNLOADABLE PRODUCTS. The main content area is titled 'MY DASHBOARD' and greets the user with 'Hello, Jane Doe!'. It provides a summary of recent account activity and links to edit account information. Below this, sections for 'ACCOUNT INFORMATION', 'CONTACT INFORMATION', 'NEWSLETTERS', 'ADDRESS BOOK', 'MANAGE ADDRESSES', 'DEFAULT BILLING ADDRESS', 'EDIT ADDRESS', and 'DEFAULT SHIPPING ADDRESS' are shown, each with a note about the current status of the address. A search bar and a cart icon are at the top right.

Account Dashboard

## Account Information

Customers can update their account information and change their password, as needed.

### Address Book

The customer address book includes the default billing and shipping address, and additional address entries.

### My Orders

Displays a list of all customer orders, with a link to each. If enabled in the configuration, any order can be reordered by simply clicking the Reorder link.

### Billing Agreements

Displays a list of any customer billing agreements.

### Recurring Profiles

Displays a list of any products that are purchased on a recurring basis, as a subscription.

## My Product Reviews

Displays a list of all product reviews submitted by the customer, with a link to each.

## My Wishlist

Displays the customer's wishlist. Products from the wishlist can be added to the cart.

## My Applications

This section is a placeholder for [API applications](#) that link the customer account to other applications or extensions.

## Newsletter Subscriptions

Lists all available newsletters,. Those to which the customer is currently subscribed have a checkmark.

## My Downloadable Products

Lists all downloadable products the customer has purchased, with a link to each.

## Notes



## CHAPTER 39:

# Customer Groups

The customer group determines which discounts are given to a customer, as defined by price rules, and the tax class that is associated with the group. The default customer groups are General, Not Logged In, and Wholesale.

In this chapter:

- [Creating a Customer Group](#)

# Creating a Customer Group

Customer groups can be referenced in promotional [price rules](#) and associated with specific [tax classes](#). Follow these steps to create the customer groups you need for your store.

## To create a customer group:

1. On the Admin menu, select **Customers > Customer Groups**.

Customer Groups		<a href="#">Add New Customer Group</a>
Page	1	of 1 pages   View <input type="button" value="25"/> per page   Total 5 records found
ID	Group Name	<a href="#">Reset Filter</a> <a href="#">Search</a>
		Tax Class
1.	General	Retail Customer
2.	Not LOGGED IN	Not Logged-in
5.	Private Sales Member	Private Sales
4.	VIP Member	Retail Customer
2.	Wholesale	Wholesale Customer

## *Customer Groups*

- 2.** To create a new group, click the **Add New Customer Group** button. Then, do the following:

  - a.** Enter a unique **Group Name** to identify the group from the Admin. The name must be less than 32 characters.
  - b.** Select the **Tax Class** that applies to the group.

<b>Group Information</b>	
<b>Group Name *</b>	<input type="text"/> <small>Maximum length must be less than 32 symbols</small>
<b>Tax Class *</b>	<input type="text" value="Retail Customer"/>

### *Group Information*

- 3.** When complete, click the **Save Customer Group** button.

### To edit a customer group:

1. On the Admin menu, select **Customers > Customer Groups**.
  2. In the list, click to open the record.
  3. Make the necessary changes.
  4. When complete, click the **Save Customer Group** button.



Sales & Orders

## In this section...

[Managing Orders](#)

[Assisted Shopping](#)

[Order Fulfillment](#)

[Store Credit & Refunds](#)

[Sales Document Setup](#)



## CHAPTER 40:

# Managing Orders

In this chapter , we explore what happens after a customer places an order, and the time the order is delivered. You will learn how to offer shopping cart assistance, fulfill orders, print invoices, collect payment, process credit memos, manage returns, and more.

Topics in this chapter:

- [Order Process Overview](#)
- [Order Stages](#)
- [Guest Checkout](#)
- [Minimum Order Amount](#)
- [Terms and Conditions](#)

### Commerce Resources

See the latest [Magento eBooks](#) to gain access to expert insight and online business resources to help develop and improve your store.

# Order Process Overview

## Order Submitted

---

During checkout, the customer reviews the order, agrees to the Terms and Conditions, and clicks the Place Order button. Customers receive a confirmation of their orders, with a link to their customer account.

## Order "Pending"

---

Before payment is processed the status of a sales order is "Pending." At this point, the order can still be canceled.

## Payment Received

---

Depending on the payment method, you, may be notified when the transaction is authorized and in some cases, processed. The status of the invoice is now "Processing."

## Order Invoiced

---

Sometimes an order is invoiced before payment is received. In this example, the invoice is generated and submitted after the credit card payment has been authorized and processed. After the invoice is generated and submitted, a copy is sent by email to the customer.

## Order "Processing"

---

When the customer logs into his account to check on the order, the status is still "Processing."


## Order Shipped

---

The shipment is submitted, and packing slips printed. You ship the package, and the customer is notified by email. Congratulations! You're in business.


## Order Stages

The Sales menu lists transactions according to where they are in the order workflow. You might think of each of these as a possible stage in the life of an order.




### Orders

When an order is created, either from the storefront or in the Admin, a sales order is created as a temporary record of the transaction. Sales orders can be seen from the Admin by selecting the Orders option from the Sales menu. Payment has not yet been processed and the order can still be canceled.




### Invoices

An invoice is a record of the receipt of payment for an order. Creating an invoice converts the temporary sales order into a permanent record of an order, which can no longer be canceled. Multiple invoices can be created for a single order, each containing as much or as few of the purchased products that you specify. Depending on the payment action, payment can be automatically captured when the invoice is generated.



### Shipments

A shipment is a record of the products in an order that have been shipped. As with invoices, multiple shipments can be associated with a single order, until all of the products in the order are shipped.



## Credit Memos

A credit memo is a record of a refund. A product cannot be refunded until it has been paid (which means that it has been invoiced). This means that you are not able to create a credit memo before an invoice has been created. The credit memo serves as a record of a refund, but it is not a record of the actual return of funds to the customer.



## Transactions

The Transactions page lists all payment activity that has taken place between your store and a payment system, and provides access to more detailed information.

## Guest Checkout

Your store can be configured to require that customers open an account before making a purchase, or to allow unregistered guests to go through checkout.

### To allow guest checkout:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left under Sales, select **Checkout**.
3. Click to expand the **Checkout Options** section.
4. Set **Allow Guest Checkout** to “Yes.”


Checkout Options		
Enable Onepage Checkout	Yes	[STORE VIEW]
Allow Guest Checkout	Yes	[STORE VIEW]
Enable Terms and Conditions	Yes	[STORE VIEW]

*Checkout Options*

5. Click the **Save Config** button.

## Minimum Order Amount

Order subtotals can be required to meet a minimum amount, after any discounts have been applied. Orders shipped to multiple address can be required to meet the minimum order amount per address. The Proceed to Checkout button becomes available only when the minimum order amount is reached.



*Default Minimum Order Message in Shopping Cart*

### To configure the minimum order amount:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Sales, select **Sales**.
3. Click to expand the **Minimum Order Amount** section. Then, do the following:
  - a. To require a minimum order amount, set **Enable** to “Yes.”
  - b. Enter the **Minimum Amount** required for the subtotal, after discounts are applied.
  - c. To display a message at the top of the shopping cart that differs from the default, enter the text in the **Description Message** box. Leave blank to use the default message.
  - d. To display an error message that differs from the default, enter the text in the **Error to Show in Shopping Cart** box.
  - e. To require that each address in a multi-address order meet the minimum order amount, set **Validate Each Address Separately in Multi-address Checkout** to “Yes.”
  - f. To display a message at the top of the shopping cart that differs from the default for orders shipped to multiple addresses that do not meet the minimum order requirement, enter the test in the **Multi-address Description Message** box.

- g.** To display an error message that differs from the default for orders shipped to multiple addresses that do not meet the minimum order amount, enter the text in the **Multi-address Error to Show in Shopping Cart** box.
- 4.** When complete, click the **Save Config** button.

**Minimum Order Amount**

Enable	<input type="text" value="No"/> [WEBSITE]
Minimum Amount	<input type="text"/> ▲ Subtotal after discount.
Description Message	<input type="text"/> [STORE VIEW] ▲ This message will be shown in shopping cart when subtotal after discount less than minimum amount.
Error to Show in Shopping Cart	<input type="text"/> [STORE VIEW]
Validate Each Address Separately in Multi-address Checkout	<input type="text"/> [WEBSITE]
Multi-address Description Message	<input type="text"/> [STORE VIEW] ▲ If empty, the default description above will be used.
Multi-address Error to Show in Shopping Cart	<input type="text"/> [STORE VIEW] ▲ If empty, the default error above will be used.

### Minimum Order Amount

## Terms and Conditions

When Terms and Conditions are enabled, customers must select a checkbox to verify that they agree to the terms and conditions of the sale. The Terms and Conditions message and checkbox appear during Order Review between the Totals section and the Place Order button. The transaction cannot be finalized until the customer selects the checkbox to agree to the terms and conditions of the sale.

The screenshot shows the 'ORDER REVIEW' page. At the top right, there is shipping and payment information: '10441 Jefferson Blvd.', 'Culver City, California, 90230', 'United States', 'T: 888-888-8888', 'Free Shipping - Free \$0.00', and 'CASH ON DELIVERY'. Below this is a table of items:

PRODUCT	PRICE	QTY	SUBTOTAL
HERALD GLASS VASE	\$110.00	1	\$110.00
ANN ANKLE BOOT Color: Black Shoe size: 9	\$470.00	1	\$470.00
BLUE HORIZONS BRACELETS Finish: Sterling Silver	\$115.00	1	\$115.00

Below the table is a 'Subtotal' of '\$695.00', 'Shipping & Handling (Free Shipping - Free)' of '\$0.00', 'Tax' of '\$62.55', and a 'Grand Total' of '\$757.55'. A callout bubble labeled 'Terms and Conditions' points to a modal window titled 'Terms and Conditions of Sale'. The modal contains the text: 'These Terms and Conditions May Change. My Company reserves the right to update or modify these Terms and Conditions at any time without prior notice.' At the bottom of the modal is a checkbox labeled 'I agree to these terms:' followed by a 'PLACE ORDER' button and a link 'Forgot an item? Edit Your Cart'.


*Terms and Conditions at Checkout*

### Process Overview:

- Step 1: Enable Terms and Conditions
- Step 2: Describe Your Terms and Conditions
- Step 3: Format the Content

## Step 1: Enable Terms and Conditions

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Sales, select **Checkout**. Then, click to expand the **Checkout Options** section.



*Checkout Options*

3. Make sure that **Enable Onepage Checkout** is set to “Yes.” Otherwise, the Terms and Conditions checkbox will not appear during checkout.
4. To display the terms and conditions checkbox during checkout, set **Enable Terms and Conditions** to “Yes.”
5. When complete, click the **Save Config** button.

## Step 2: Describe Your Terms and Conditions

1. On the Admin menu, select **Sales > Terms and conditions**.
2. In the upper-right corner, click the **Add New Condition** button.
3. In the Terms and Conditions Information section, complete the following:
  - a. Enter the **Condition Name**. The name is for internal reference only.
  - b. Set **Status** to “Enabled.”

**Condition Name:** My Company Terms and Conditions of Sale

**Status:** Enabled

**Show Content as:** Text

**Store View:** All Store Views  
Main Website  
Madison Island

**Checkbox Text:** I agree to these terms.

**Content:**

Terms and Conditions of Sale  
These Terms and Conditions May Change  
My Company reserves the right to update or modify these Terms and Conditions at any time without prior notice

Governing Terms  
All products and services offered for sale by My Company, Inc. ("My Company") are subject to the terms and conditions stated herein. These terms and conditions shall apply to the sale of the products and services offered in the My Company Catalogue. Other documents offered from time to time on the website or otherwise attached to or incorporated by reference. Except as expressly agreed by an authorized representative of My Company in writing, no other terms and conditions, including any terms and conditions attached to or contained within, Buyer's request for quotation, acknowledgment, purchase order or other contract documentation shall apply. Buyer's acceptance of the products or services delivered by My Company shall constitute an affirmation by Buyer that the terms and conditions set forth herein govern the purchase and sale of the goods or services. THESE TERMS AND CONDITIONS SHALL OPERATE ANY ADDITIONAL, DIFFERENT OR CONFLICTING TERMS PROPOSED BY BUYER OR CONTAINED ON BUYER'S PURCHASE ORDER OR ANY DOCUMENT OR INSTRUMENT SUBMITTED BY BUYER.

**Prices, Taxes and Payment:**  
All prices are firm unless otherwise agreed to in writing. My Company reserves the right to change the prices and specifications of its products at any time without notice. Any tax, duty, or other charges imposed by law or regulation shall be paid by the Buyer. Payment terms shall be net 30 days after shipment to the point of delivery or invoice. In the event My Company is required to pay any such tax, Buyer will reimburse My Company. Payment terms shall be net 30 days after shipment by My Company. An interest charge equal to 1 1/2% per month (18% per year) will be added to invoices outstanding beyond 30 days after shipment. In addition My Company reserves the right to require pre-delivery payment terms from any Buyer whose account is overdue for a period of more than 60 days or who has an unsatisfactory credit or payment record. My Company may also refuse to sell to any person until overdue accounts are paid in full.

**Content Height (css):** 225px

### Terms and Conditions Information

## Step 3: Format the Content

- Set **Show Content as** to one of the following:

Text	Displays the terms and conditions content as unformatted text.
HTML	Displays the terms and conditions content as HTML, which can be tagged and formatted.

- Identify the **Store View** where the Terms and Conditions will appear.
- Enter the **Checkbox Text** that you want to appear as a label with the checkbox. For example, you could use "I understand and accept these terms and conditions of the sale."
- In the **Content** field, either type or paste enter the full text of the terms and conditions of the sale.
- (Optional) Enter the **Content Height (css)**, in pixels, to determine the height of the text box in which the terms and conditions statement appears during checkout. For example, if you want the text box to be one inch high, enter 96, which is the equivalent value in pixels.
- When complete, click the **Save Condition** button.

## Setting Up Sales Email

A number of transactional email messages are triggered by events related to an order, and the configuration is similar for each. You must identify the store contact that appears as the sender of the message, the email template to be used, and who else is to receive a copy of the message.

*Sales Emails*

### Step 1: Update the Email Templates

Make sure that you have updated each [email template configuration](#) with your store logo, and have made any other changes necessary to the content of each template to reflect your store and brand. For a complete list of templates, see: [Email Template Reference](#).

### Step 2: Configure the Sales Emails

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left under Sales, select **Sales Emails**. Then, do the following:
3. Click to expand the **Order** section. Then, do the following:

*Order*

- a. Verify that **Enabled** is set to “Yes.”
- b. Set **New Order Confirmation Email** to the store contact that appears as the sender of the message.
- c. Set **New Order Confirmation Template** to the template that is used for the email that is sent to registered customers.
- d. Set **New Order Confirmation Template for Guest** to the template that is used for the email that is sent to guests who do not have an account with your store.
- e. In the **Send Order Email Copy To** field, enter the email address of anyone who is to receive a copy of the new order email. If sending a copy to multiple recipients, separate each address with a comma.
- f. Set **Send Order Email Copy Method** to one of the following:

Bcc                    Sends a “blind courtesy copy” by including the recipient in the header of the same email that is sent to the customer. The BCC recipient is not visible to the customer.

Separate Email      Sends the copy as a separate email.

4. Click to expand the **Order Comments** section, and repeat these steps.

The screenshot shows the 'Order Comments' configuration window. It contains the following fields:

Order Comments		
Enabled	Yes	[STORE VIEW]
Order Comment Email Sender	Sales Representative	[STORE VIEW]
Order Comment Email Template	Order Update (Default Template from Locale)	[STORE VIEW]
Order Comment Email Template for Guest	Order Update for Guest (Default Template from L)	[STORE VIEW]
Send Order Comment Email Copy To	Comma-separated	[STORE VIEW]
Send Order Comments Email Copy Method	Bcc	[STORE VIEW]

*Order Comments*

5. Complete the configuration in a similar manner for the remaining sales emails:
  - Invoice
  - Shipment
  - Credit Memo
6. When complete, click the **Save Config** button.



## CHAPTER 41:

# Assisted Shopping

Customers sometimes need assistance to complete a purchase. Some customers like to shop online, but would rather the order by phone. While you're on the phone, the customer might decide to take advantage of a coupon. To complete the sale, you must know how to edit the contents of the shopping cart, apply the discount from the coupon, and complete the order from the Admin—all while the customer is on the phone. No problem!

You can offer immediate shopping cart assistance to any customer who has registered for an account with your store. The Manage Shopping Cart tool gives you the ability to edit the contents of the customer's shopping cart in real time, from the Admin of your store.

Topics in this chapter:

- [Update a Cart](#)
- [Create a New Order](#)
- [Create a Customer Account](#)
- [Update an Order](#)
- [Persistent Shopping Cart](#)

Customer Service reps can see the contents of a customer's shopping cart while the customer is on the phone, and the changes can be seen by the customer immediately after the page is refreshed.

## Online Customers

You can see who's online in your store at any given time, and examine the contents of the customer's shopping cart, past purchases, and recent activity.

The length of the online session is set in the configuration, and determines how long the customer is visible from the Admin. By default, the online session is set to fifteen minutes.

ID	First Name	Last Name	Email	IP Address	Session Start Time	Last Activity	Type	Last URL
140	Jane	Doe	jdoe@example.com	10.245.37.232	May 2, 2014 5:52:01 PM	May 2, 2014 5:53:32 PM	Customer	http://10.249.149.45/magento/van/frontend/base/default/images/logo_small.png
n/a	Guest	n/a	n/a	10.245.37.232	May 2, 2014 5:52:01 PM	May 2, 2014 5:52:01 PM	Visitor	

*Online Customers*

### To configure the session length:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Customers, select **Customer Configuration**.
3. Click to expand the **Online Customers Options** section.
4. In the **Online Minutes Interval** field, enter the number of minutes before the online session expires. You can leave the field empty to accept the default of fifteen minutes.

Online Customers Options

Online Minutes Interval

Leave empty for default (15 minutes).

*Online Customers Options*

5. When complete, click the **Save Config** button.

## To see customers online:

1. On the Admin menu, select **Customers > Online Customers**.
2. In the list, click the customer record to view the customer information.
3. To see the contents of the customer's shopping cart, click to expand the **Shopping Cart** section.

The screenshot shows the Magento Admin Panel with the title 'Magento Admin Panel' at the top. The navigation bar includes links for Dashboard, Sales, Catalog, Mobile, Customers (which is highlighted in orange), Promotions, Newsletter, CMS, Reports, and System. Below the navigation is a banner with a reminder about phone numbers and callouts. The main content area is titled 'Customer Information' for 'Jane Doe'. It displays personal information like last login, account creation date, and language. Under 'Sales Statistics', it shows lifetime sales of \$0.00. The 'Recent Orders' section is expanded, showing a single item in the shopping cart: 'Herald Glass Vase' with a quantity of 1 and a total price of \$110.00. A callout bubble points to this section with the text 'Shopping Cart Contents'.

*Customer's Shopping Cart*

## Update a Shopping Cart

To begin an assisted shopping session, the customer must be logged into the account dashboard, so that the information is available. If the customer doesn't have an account, you can [create one](#). What service!

The screenshot shows the Magento Enterprise Admin interface with the title "Shopping Cart for Jane Smith in English". The main area displays a grid of items in the cart, each with a "Configure" button and a quantity input field. At the bottom of the grid, there are buttons for "Clear Shopping Cart" and "Update Items and Qty's". To the left, a sidebar has a section for "Apply Coupon Code" with an input field and an "Apply" button. A large speech bubble labeled "Adjust Quantity" points to the quantity input fields. Another speech bubble labeled "Update Items & Qty" points to the "Update Items and Qty's" button.

*Apply Coupon and Update Qty*

### To offer assisted shopping:

1. On the Admin menu, select **Customers > Online Customers**.
2. In the list, click to open the customer record in edit mode.

When the customer record opens, the first thing you'll notice is that the Last Logged In value is "(Online)."

3. In the panel on the left, select **Shopping Cart**. Then, click the **Manage Shopping Cart** button to enter assisted shopping mode.

### To apply a coupon code:


1. In the Apply Coupon Code section, enter the **Code**.
2. Click the **Apply** button.

### To adjust the quantity ordered:

1. In the **Qty** column of the product to be adjusted, enter the correct amount.
2. Click the **Update Items and Qty's** button.

### To add products to the shopping cart:

1. Click to expand the **Products** section. In the **Qty to Add** column, enter the quantity of the product the customer wants to order.
2. If the product is configurable, click the **Configure** link. Then, select the options the customer wants, and click the **OK** button.




The screenshot shows a grid of products with columns for ID, Product Name, SKU, Price, and Qty To Add. A tooltip with the text "Configure" points to the "Configure" link in the Qty To Add column for a specific product row. The product is a "Black Nolita Cami".

ID	Product Name	SKU	Price	Qty To Add
881	Black Nolita Cami-Black-S	wk0020c-Black-S	\$150.00	<input type="text"/>
880	Black Nolita Cami-Black-XS	wk0020c-Black-XS	\$150.00	<input type="text"/>
879	NoLita Cami-Pink-L	wk0000c-Pink-L	\$150.00	<input type="text"/>
878	Black Nolita Cami	wk0020M	\$150.00	<input type="text"/>
877	Black Nolita Cami	Configure wk0020c	\$150.00	<input checked="" type="checkbox"/> 1
511	NoLita Cami	wk0000d	\$150.00	<input type="text"/>
510	NoLita Cami	wk0000s	\$150.00	<input type="text"/>
417	NoLita Cami	Configure wk0000c	\$150.00	<input type="text"/>
284	Black Nolita Cami	wk0020L	\$150.00	<input type="text"/>
283	NoLita Cami	Configure wk0001	\$150.00	<input type="text"/>
282	NoLita Cami	wk0000	\$150.00	<input type="text"/>

Configure Product Options

### To transfer products from a wishlist:

1. Click to expand the Wishlist section.
2. By default, it is set to transfer all items in the wishlist. If there are multiple items, select the checkbox of the items that you do not want to transfer, and set **Qty to Add** to 0.



The screenshot shows a grid of items from a wishlist with columns for Wishlist name, Product name, Price, and Qty To Add. A tooltip with the text "Add to Cart" points to the "Add to Cart" button in the Qty To Add column for a specific item. The item is a "Racer Back Maxi Dress".

Wishlist (3)	Product name	Price	Qty To Add
CocoPuff's Wishlist	Stone Salt and Pepper Shakers	\$65.00	<input checked="" type="checkbox"/> 0
Coco Puff's Wedding	Body Wash with Lemon Flower Extract and Aloe Vera	\$28.00	<input checked="" type="checkbox"/> 0
Wishlist	Racer Back Maxi Dress	\$280.00	<input checked="" type="checkbox"/> 1

Add to Cart from Wishlist


Customer service reps can remove items from a cart by setting the quantity to 0 and updating the cart. However, only the customer can move items from the cart to the wishlist or to the product compare list.

3. Follow the same procedure to add items from the remaining sections:
    - Products in Comparison List
    - Recently Compared Products
    - Recently Viewed Products
    - Last ordered items
  4. When complete, click the **Add Selected Products to the Shopping Cart** button.
  5. Ask the customer to press F5 to refresh the page, so the products appear in the cart.
- At this point, the customer can continue shopping and checkout unassisted, or have the customer service representative create the order.
6. To create an order, click the **Create Order** button, and follow the normal process to complete the order for the customer.

## Create an Order

For registered customers who need assistance, you can create an entire order directly from the Admin. The Create New Order form includes all the information that is needed to complete the normal checkout process, with activity summaries from the customer's account dashboard.

For existing customers, new orders can be created both from the Manage Customer page and from the Sales Order page. The Sales Order page can also be used to open accounts for new customers.



*Create Order*

### Process Overview:

Step 1: Initiate the Order

Step 2: Add Products to the Order

## Step 1: Initiate the Order

### Method 1: Create New Order from Existing Account

- On the Admin menu, select **Customers > Manage Customers**.
- Find the customer in the list and click to open the record.
- Click the **Create Order** button.

The screenshot shows the 'Create New Order' interface in the Magento Admin Panel. It includes sections for 'Customer's Current Activities' (Shopping Cart), 'Items Ordered' (listing a Black Nolita Cami), 'Apply Coupon Code', 'Account Information' (Group: General, Email: john.doe@example.com), 'Billing Address' (John Doe, 10441 Jefferson Blvd, Suite 200, Culver City, California 90232), and 'Shipping Address' (Same As Billing Address). A callout box points to the 'Add to Order' checkbox for the Black Nolita Cami item in the 'Items Ordered' section.

*New Order Detail*

- To complete the order, do the following:
  - To add products from the Current Activities section, find the product in the list and select the **Add to Order** checkbox. Then, click the **Update Changes** button.

The screenshot shows the 'Create New Order' interface again, focusing on the 'Items Ordered' section. A callout box points to the 'Add to Order' checkbox for the Aviator Sunglasses item in the list.

*New Order Detail*

- To add products from the catalog, click the **Add Products** link. Then, select the checkbox of each product to be added to the cart, and the **Qty** to be purchased.

The screenshot shows the 'Customer's Current Activities' section with a 'Shopping Cart (3)' link. Below it is a 'Wishlist (1)' section. The main area is titled 'Items Ordered' and contains a grid of products. A callout box points to the 'Add Products' button in the top right corner of the grid.

*Add Products*

- c. If the product has multiple options, click the **Configure** button. Complete the options as needed, and click the **OK** button. Then, click the **Add Selected Product(s) to Order** link to update the cart.

The screenshot shows a 'Please Select Products to Add' dialog box. It includes a search bar, a table for selecting products, and a 'Configure Product' section. In the 'Associated Products' section, there is a 'Color' dropdown set to 'Taupe' and a 'Shoe size' dropdown set to '9'. A callout box points to the 'Custom Price' checkbox in this section.

*Configure*

- d. To override the price of an item, select the **Custom Price** checkbox. Then, enter the new price in the box below. Click the **Update Items and Qty's** button to update the cart totals.

The screenshot shows the 'Customer's Current Activities' screen with a 'Shopping Cart (3)' link. The main area is titled 'Items Ordered' and contains a grid of products. A callout box points to the 'Custom Price' field for the 'Barclay d'Orsay pump, Nude' item.

*Custom Price*


- e. Complete the following sections, as needed for the order:
- Apply Coupon Codes
  - Payment Method
  - Shipping Method
- f. In the Order Comments section, enter any comments that you want to accompany the order. To include the comments in the email notification that is sent to the customer, click the **Order Comments** button.

*Order Comments and Email Confirmation*

- g. The **Email Order Confirmation** checkbox is selected by default. If you don't want to send an email confirmation to the customer, clear the checkbox.
5. When complete, click the **Submit Order** button.

## Method 2: Create New Order from Sales

1. On the Admin menu, select **Sales > Orders**.
2. Click the **Create New Order** button.

*Create New Order*

3. Do one of the following:
  - For registered customers, find the customer in the list and click to open the record.
  - For unregistered customers, click the **Create New Customer** button.
4. Complete the order information as you would if going through the checkout process .For a new customer account, complete the following sections:
  - Account Information
  - Billing Address
  - Shipping Address

## Step 2: Add Products to the Order

Products can be added to the order by selecting each item from the catalog, or by transferring the information from a previous order, the customer's wishlist, recently viewed products, or other activities.


1. To add products to the order, do the following:
  - a. Click to the **Add Products** button.
  - b. Click the **Reset Filter** button to list all products. Then, use the filter controls as needed to find the products to be added. Then, click the **Search** button.
  - c. Select the checkbox of each product to be added to the cart and if applicable, enter the **Qty** to be purchased.  
If the product has multiple options, click the **Configure** link. Complete the options as needed and click the **OK** button.
2. Click the **Add Selected Product(s) to Shopping Cart** button to update the cart. The current content of the cart appear in the Items Ordered section.
3. To override the price of an item, select the **Custom Price** checkbox. Then, enter the new price in the box below. Click the **Update Items and Qty's** button to update the cart totals.
4. Complete the following sections, as applicable to the order:
  - Apply Coupon Codes
  - Payment Method
  - Shipping Method
5. When complete, click the **Submit Order** button.

## Update an Order

After a customer has placed an order, it is sometimes necessary to edit the order, place it on hold, or cancel the order entirely. When you make changes to an order, the original order is canceled and a new order is generated. You can, however, make changes to the billing or shipping address without generating a new order.

### To edit an order:

1. On the Admin menu, select **Sales > Orders**.
2. Select the pending order that you want to edit.
3. Click the **Edit** button at the top of the screen. When prompted to confirm, click **OK** to continue.




*Edit Order*

4. Make the necessary changes to the order.
5. When complete, do one of the following:
  - Click **Save** to save changes made to the billing or shipping address.
  - Click **Submit Order** to save changes made to line items, and reprocess the order.

## To place an order on hold:

If the customer's preferred method of payment is not available, or if the item is temporarily out of stock, you can put the order on hold.

1. On the Admin menu, select **Sales > Orders**.
2. In the list, find the pending order that you want to place on hold. Then, click to open the order.
3. Click **Hold** to place the order on hold.



*Hold Order*

4. When you are ready to return the order to an active state, repeat the process and click **Unhold**.

## To cancel an order:

Cancelling an order removes it from the list of pending orders.

1. On the Admin menu, select **Sales > Orders**.
2. Find the pending order that you want to cancel, and click to open the order.
3. In the upper-right corner, click the **Cancel** button to remove this order.

The screenshot shows the 'Order View' page for Order #145000004-1. The order status is 'Pending'. The 'Cancel' button is highlighted with a callout box.

Order Information	
Order Date	May 3, 2014 7:36:47 AM
Order Status	Pending
Purchased From	Main Website Madison Island English

**Billing Address:**  
Jane Doe  
10441 Jefferson Blvd, Suite 200  
Culver City, California, 90232  
United States  
T: 888-888-8888

**Shipping Address:**  
Jane Doe  
10441 Jefferson Blvd, Suite 200  
Culver City, California, 90232  
United States  
T: 888-888-8888

*Cancel Order*

4. The status of the order is now “Cancelled.”

The screenshot shows the 'Orders' grid. The first order listed has a status of 'Cancelled'.

Order #	Purchased From (Store)	Purchased On	Bill to Name	Ship to Name	G.T. (Base)	G.T. (Purchased)	Status	Action
145000004-1	Main Website Madison Island English	May 3, 2014 7:36:47 AM	Jane Doe	Jane Doe	\$975.55	\$975.55	Cancelled	<a href="#">View</a>
145000004	Main Website Madison Island English	May 3, 2014 7:19:24 AM	Jane Doe	Jane Doe	\$372.30	\$372.30	Pending	<a href="#">View</a>
145000003	Main Website Madison Island English	Apr 29, 2014 5:42:23 PM	Jay Smith	Jay Smith	\$372.30	\$372.30	Pending	<a href="#">View</a>

*Canceled Order*

## Create a Customer Account

Customers usually create their own accounts from your store. However, you can also create customer accounts directly from the Admin, which is useful when customers order by phone.

The screenshot shows the 'Manage Customers' page in the Magento Admin Panel. At the top right, there is a callout box with the text 'Add New Customer' pointing to a red-bordered 'Add New Customer' button. The page displays a grid of customer records with columns for ID, Name, Email, Group, Telephone, ZIP, Country, State/Province, Customer Since, Website, and Actions. There are three records listed: Jane Doe, John Doe, and John Smith. Each record includes edit and delete icons.

Add New Customer

### To create a new customer account:

1. On the Admin menu, select **Customers > Manage Customers**.
2. Click the **Add New** button.
3. In the **Associate to Website** list, select one of the following:
  - Admin
  - Main Website

You can associate a customer with the Admin website to require that orders are placed only from the store Admin. Customers associated with the Admin website cannot log in to their accounts from the store.

4. Assign the customer to a **Customer Group**.
5. Complete the remaining customer information.

*Customer Information*

6. In the **Password Management** section, do one of the following
  - Manually assign a password.
  - Select the **Send auto-generated password** checkbox. The new password is generated after the customer information is saved.
7. When complete, click the **Save Customer** button.

### To add a new address to a customer account:

1. On the Admin menu, select **Customers > Manage Customers**. Then, click to open the customer record.
2. In the panel on the left, select **Addresses**. Then, do the following:
  - a. To add a new address, click the **Add New Address** and complete the information.
  - b. To assign a **Default Address** check either the **Default Billing Address** or **Default Shipping Address** as needed.

*Customer Addresses*

3. When complete, click the **Save Customer** button.

### Field Descriptions

FIELD	DESCRIPTION
Associate to Website	Identifies the website associated with the customer account.
Group	Identifies the customer group to which the customer belongs. Select the checkbox to disable automatic group change based on VAT.
Prefix	If used, the prefix that is associated with the customers name. For example: Mr, Mrs. or Dr.
First Name	The customer's first name.
Middle Name / Initial	The customer's middle name or middle initial.
Last Name	The customer's last name.
Suffix	If used, the suffix that is associated with the customer's name. For example: Jr., Sr., or III.
Email	The customer's email address.
Date of Birth	The customer's date of birth.
Tax / VAT Number	The customer's Tax or Value Added Tax number, if applicable.
Gender	Identifies the customer's gender as Male or Female.

## Field Descriptions (cont.)

FIELD	DESCRIPTION
Send Welcome Email	Select the checkbox if you want the system to send the customer a welcome email message.
Send From	If you have multiple stores, select the store from which the welcome message will be sent.

## Update a Customer Account

The panel on the left of the Customer Information page includes information about customer activity, such as when the customer last logged in and out, addresses, order statistics, recent orders, shopping cart contents, product reviews, newsletter subscriptions, and so on.

The screenshot shows the Magento Admin Panel's 'Customer Information' page for a customer named 'Jane Doe'. The page has a sidebar on the left with links like 'Customer View', 'Account Information', 'Addresses', 'Orders', etc. The main content area is titled 'Personal Information' and shows details such as 'Last Logged In: (Offline)', 'Last Logged Out: (American/Los\_Angeles): May 3, 2014 5:34:09 AM (Offline)', 'Default Billing Address: Jane Doe, 10441 Jefferson Blvd, Culver City, California, 90232, United States, T: 888-888-8888'. Below this is a 'Sales Statistics' section with a table for 'All Store Views' showing lifetime sales of '\$0.00' and average sale of '\$0.00'. At the bottom, there are sections for 'Recent Orders', 'Shopping Cart: 2 item(s)', and 'Wishlist: 0 item(s)'. A note at the top right says 'You have 1 critical, 5 major, 19 minor and 121 notice unread message(s). Go to notifications.'

*Customer Account*

### To view customer information:

1. On the Admin menu, select **Customers > Manage Customers**.

The Manage Customers page lists all customers who have opened an account with your store or were added by the administrator .

2. Click to open a customer record.
3. In the panel on the left, select the type of information you need to edit. Then, make the necessary changes.
4. When complete, click the **Save Customer** button.

## Persistent Shopping Cart

A persistent shopping cart keeps track of unpurchased items which are left in the cart, and saves the information for the customer's next visit. Customers who are "remembered" can have the contents of their shopping carts restored the next time they visit your store.

Using a persistent shopping cart can help reduce the number of abandoned shopping carts and increase sales. It is important to understand that the persistent shopping cart does not expose sensitive account information at any time. While the persistent shopping cart is in use, both registered customers and guest shoppers are required to either log in to an existing account, or create a new account before going through checkout. For guest shoppers, a persistent shopping cart is the only way to retrieve information from a previous session.

### Types of Cookies

To use the persistent shopping cart, the customer's browser must be set to allow cookies. During operation, the following cookies are used:



#### Session Cookie

---

A short-term session cookie exists for the duration of a single visit to your site, and expires when the customer leaves, or after a set period of time.



#### Persistent Cookie

---

A long-term persistent cookie continues in existence after the end of the session, and saves a record of the customers' shopping contents for future reference.

## Persistent Cart Workflow

When Persistent Shopping Cart is enabled, the workflow depends on the values of the “Enable Remember Me” and “Clear Persistence on Log Out” settings, the customer’s decision to select or clear the “Remember Me” checkbox, and when the persistent cookie is cleared.

When a persistent cookie is applied, a Not %Jane Smith%? link appears in the page header, to give the customer the ability to terminate the persistent session and start working as a guest, or log in as a different customer. The system retains a record of the shopping cart contents, even if the customer later uses different devices to shop in your store. For example, a customer can add an item to the shopping cart from a laptop, edit the cart contents from a desktop computer, add more items from a mobile device, and complete the checkout process from a tablet.

There is a separate independent persistent cookie for each browser. If the customer uses multiple browsers while visiting your store during a single, persistent session, any changes made in one browser will be reflected in any other browser when the page is refreshed. While the persistent shopping cart is enabled, your store creates and maintains a separate persistent cookie for each browser that is used by a customer to log in or create an account.

### An Open Session on a Shared Computer

Jane is finishing up her holiday shopping with a persistent session, and adds a present for John to her cart, as well as something for her mother. Then she goes to the kitchen for some milk and cookies.

John sits down at the computer to do some quick shopping while Jane’s in the kitchen. Without noticing the “Not %Jane%” link at the top of the page, he finds a nice present for Jane and adds it to the cart. When he goes to checkout and logs in as himself, both the items in Jane’s cart are added to his cart. John’s in such a hurry that he doesn’t notice the additional item during Order Review, and submits the order. Jane’s cart is now empty, and John bought presents for both Jane and her mother.

Jane brings John some milk and cookies, and asks, “What’s up?” He says, “Oh, nothing.”

## Remember Me

Customers can click the “Remember Me” checkbox on the Login page to save the contents of their shopping carts.



**Yes** A persistent cookie is created, and the contents of the shopping cart is saved for the customer's next logged-in session.



**No** If “Remember Me” is not selected or is cleared, a persistent cookie is not created, and the cart information is not saved for the customer's next logged-in session.

## Continue Persistence After Logout (No)



**No** When the customer logs in, the persistent cookie is invoked, in addition to the session cookie which is already in use.



**No** When the customer logs out, the session cookie is deleted, but the persistent cookie remains in effect. The next time the customer logs in, the cart items are restored, or added to any new items that have been placed in the cart.



**No** If the customer does not log out, but the session cookie expires, the persistent cookie remains in effect.

## Clear Persistence on Logout (Yes)



**Yes** When the customer logs in, the persistent cookie is invoked, in addition to the session cookie which is already in use.



**Yes** When the customer logs out, both cookies are deleted.



**Yes** If the customer does not log out, but the session cookie expires, the persistent cookie remains in effect.

## Persistent Cart Settings and Effects

SETTINGS	EFFECT
Enable Remember Me = "No" Clear Persistence on Log Out = any value  Remember Me (not selected)	The Remember Me checkbox is not available on the login and registration page. The persistent cookie is not used.
Enable Remember Me = "Yes" Clear Persistence on Log Out = any value  Remember Me (not selected)	The session cookie is applied as usual; the persistent cookie is not used.
Enable Remember Me = "Yes" Clear Persistence on Log Out = "Yes"  Remember Me = "Yes"	When a customer logs in, both cookies are applied. When a customer logs out, both cookies are deleted. If a customer does not log in, but the session cookie expires, the persistent cookie is still used. Apart from logging out, the persistent cookie is deleted when its lifetime runs out or when the customer clicks the Not %Jane Smith% link.
Enable Remember Me = "Yes" Clear Persistence on Log Out = "No"  Remember Me = "Yes"	When a customer logs in, both cookies are applied. When a customer logs out, the session cookie is deleted, the persistent session continues. The persistent cookie is deleted when its lifetime runs out or when the customer clicks the Not %Jane Smith% link.

## Persistent Shopping Cart Configuration

During the setup of a persistent shopping cart, you can specify the lifetime of the cookies, and which options you want to make available for various customer activities.

If the session cookie expires while the customer is logged in, the persistent cookie remains active.

### To set up a persistent shopping cart:

- On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Customers, select **Persistent Shopping Cart**.
- Click to expand the **General Options** section.

The screenshot shows the 'General Options' configuration screen in the Magento Admin. It includes fields for enabling persistence, setting persistence lifetime in seconds (31536000), enabling 'Remember Me', setting the default value for 'Remember Me' (Yes), clearing persistence on log out (Yes), and persisting the shopping cart (Yes). Each field has a '[WEBSITE]' link next to it.

Setting	Value	[WEBSITE]
Enable Persistence	Yes	[WEBSITE]
Persistence Lifetime (seconds)	31536000	[WEBSITE]
Enable "Remember Me"	Yes	[WEBSITE]
"Remember Me" Default Value	Yes	[WEBSITE]
Clear Persistence on Log Out	Yes	[WEBSITE]
Persist Shopping Cart	Yes	[WEBSITE]

### General Options

3. To enable the persistent shopping cart and to display additional configuration options, set **Enable Persistence** to “Yes.”
4. Do the following:
  - a. Set **Persistence Lifetime (seconds)** to the length of time that you want the persistent cookie to last. The default value 31,536,000 seconds is equal to one year, and is the maximum time allowed.
  - b. Set **Enable “Remember Me”** to one of the following:

Yes	Displays the “Remember Me” checkbox on the Login page of your store, so customers can choose to save their shopping cart information.
No	Persistence can still be enabled, but customers are not given the option to choose if they want to save their information.
  - c. To preselect the “Remember Me” checkbox, set **Remember Me Default Value** to “Yes.”
  - d. Set **Clear Persistence on Log Out** to one of the following:

Yes	The shopping cart is cleared when a registered customer logs out.
No	The shopping cart is saved when a registered customer logs out.

If the session cookie expires while the customer is still logged in, the persistent cookie remains in use.
  - e. Set **Persist Shopping Cart** to one of the following:

Yes	If the session cookie expires, the persistent cookie is preserved. If a guest shopper later logs in or creates a new account, the shopping cart is restored.
No	The shopping cart is not preserved for guests after the session cookie expires.
5. When complete, click the **Save Config** button.

## Field Descriptions

FIELD	SCOPE	DESCRIPTION
Enable Persistence	Website	Determines if the persistence is enabled.
Persistence Lifetime (seconds)	Website	Defines the lifetime of the persistent cookie in seconds. Maximum allowed value is 3153600000 seconds (100 years).
Enable “Remember Me”	Website	Defines whether the “Remember Me” checkbox appears on the login and registration pages of the store. Options include:
	Yes	Displays the “Remember Me” checkbox.
	No	Does not display the “Remember Me” checkbox, and the persistent cookie is used only for customers who already have it.
“Remember Me” Default Value	Website	Defines the default state for the “Remember Me” checkbox.
Clear Persistence on Log Out	Website	Defines whether the persistent cookie is deleted when a store customer logs out.  No matter how Clear Persistence on Log Out is configured, if a customer does not log out, but the session cookie expires, the persistent cookie is still used.
Persist Shopping Cart	Website	Defines whether using the persistent cookie gives access to the shopping cart data of the correspondent account. Options include:
	Yes	The shopping cart contents are saved after the session ends.
	No	The shopping cart contents are not saved after the session ends.

## Notes



## CHAPTER 42:

# Order Fulfillment

When the order is placed, a sales order is created as a temporary record of the transaction. In the Orders list, sales orders are shown with a status of "Pending," and can be canceled at any time until the payment is processed. After payment confirmed, the order can be invoiced and shipped. Topics in this chapter:

- Order Workflow
- Order Status
- Invoice an Order
- Ship an Order
- Transactions

A screenshot of a Magento website's checkout process. The top navigation bar shows 'YOUR LANGUAGE English' and 'WELCOME JANE DOE'. The main menu includes 'ACCOUNT' and 'CART (3)'. The page title is 'CHECKOUT'. On the left, there are five tabs: 'BILLING INFORMATION', 'SHIPPING INFORMATION', 'SHIPPING METHOD', 'PAYMENT INFORMATION', and 'ORDER REVIEW'. The 'ORDER REVIEW' tab is currently selected. It lists three items:

PRODUCT	PRICE	QTY	SUBTOTAL
HERALD GLASS VASE	\$110.00	1	\$110.00
ANN ANKLE BOOT <small>Color: Black Shoe size: 9</small>	\$470.00	1	\$470.00
BLUE HORIZONS BRACELETS <small>Finish: Sterling Silver</small>	\$115.00	1	\$115.00


A summary table at the bottom shows:

	Subtotal	\$695.00
Shipping & Handling (Free Shipping - Free)	\$0.00	
Tax	\$62.55	
Grand Total	\$757.55	

To the right of the review table, there are sections for 'BILLING ADDRESS' and 'SHIPPING ADDRESS', both showing placeholder information for 'Jane Doe'. Below these are 'SHIPPING METHOD' (set to 'Free Shipping - Free \$0.00') and 'PAYMENT METHOD' (set to 'Cash On Delivery'). A 'Terms and Conditions of Sale' pop-up window is visible at the bottom left, containing legal text and a checkbox for accepting terms. At the bottom right, there are 'PLACE ORDER' and 'Forgot an Item? Edit Your Cart' buttons.

*Place Order*

## Order Workflow



## Order Status

All orders have an order status that is associated with a stage in the order processing **workflow**. You can see the status of an order by clicking the control at the top of the Status column.

The screenshot shows the 'Orders' grid in the Magento Admin Panel. A context menu is open over the 'Status' column header, displaying a list of order status options. The options include: Canceled, Canceled Ogone, Closed, Complete, Declined Ogone, Suspected Fraud, On Hold, Payment Review, PayPal Canceled Reversal, PayPal Reversed, Pending, Pending Ogone, Pending Payment, Pending PayPal, Processed Ogone Payment, Processing, Processing Ogone Payment, and Waiting Authorization. The 'Pending' option is highlighted with a blue background.

*Order Status*

Your store has a set of predefined order status and order state settings. The state describes the position of an order in the workflow.


### Order Status and State

ORDER STATUS	ORDER STATE
Canceled	New
Canceled Ogone	Pending Payment
Closed	Processing
Complete	Complete
Declined Ogone	Closed
Suspected Fraud	Canceled
On Hold	On Hold
Payment Review	Payment Review
PayPal Canceled Reversal	
PayPal Reversed	
Pending	
Pending Ogone	
Pending Payment	
Pending PayPal	
Processed Ogone Payment	
Processing	
Processing Ogone Payment	
Waiting Authorization	

## Custom Order Status

In addition to the preset order status values, you can create custom order status values of your own, assign order statuses to order states, and set a default order status for order states. For example, you might need a custom order status for orders, such as “packaging” or “backordered,” or for a status that is specific to your needs. You can create a descriptive name for the custom status, and then assign it to the associated order state in the order processing workflow.

Currently only default custom order status values are applied in the order management workflow. The custom status values that are not set as default are available only in the comments section in the order view in the Admin .



Status	Status Code	Default Status	Action
Processed Ogone Payment	processed_ogone	No	<a href="#">Unassign</a>
Processing	processing	Yes	<a href="#">Unassign</a>
Pending Ogone	pending_ogone	No	<a href="#">Unassign</a>
Pending Payment	pending_payment	Yes	<a href="#">Unassign</a>
Payment Review	payment_review	Yes	<a href="#">Unassign</a>
Suspected Fraud	fraud	No	<a href="#">Unassign</a>
Pending	pending	Yes	<a href="#">Unassign</a>
On Hold	holded	Yes	<a href="#">Unassign</a>
Complete	complete	Yes	<a href="#">Unassign</a>
Closed	closed	Yes	<a href="#">Unassign</a>
Cancelled	cancelled	Yes	<a href="#">Unassign</a>
Waiting Authorization	waiting_authorization		
Declined Ogone	decline_ogone		
PayPal Cancelled Reversal	paypal_cancelled_reversal		
Cancelled Ogone	canceled_ogone		
Processing Ogone Payment	processing_ogone		
PayPal Reversed	paypal_reversed		
Pending PayPal	pending_paypal		

*Order Statuses*

### To create a custom order status:

1. On the Admin menu, select **System > Order Statuses**.
2. In the upper-right corner, click the **Create New Status** button.
3. In the Order Status Information section, do the following:
  - a. Enter a **Status Code**. This value is for internal use only. The first character must be a letter (a-z), and the rest can be any combination of letters and numbers (0-9). You can use the underscore character instead of a space.
  - b. Enter a **Status Label** to identify the status setting in both the Admin and store.



Status Code *	<input type="text"/>
Status Label *	<input type="text"/>

*Order Status Information*

4. In the Store View Specific Labels section, enter any labels that you need for different store views and languages.
5. When complete, click the **Save Status** button.

The new order status now appears in the Order Statuses list.

### To assign an order status to a state:

1. From the Order Statuses list, click the **Assign Status to State** button.
2. In the Assignment Information section, do the following:
  - a. Select the **Order Status** that you want to assign. They are listed by status label.
  - b. Select the **Order State** that represents where the order status belongs in the workflow.
  - c. To make this status the default for the order state, select the **Use Order Status as Default** checkbox.



*Assign Status to State*

3. When complete, click the **Save Status Assignment** button.

### To edit an existing order status:

1. On the Order Statuses page, click to open the status record in edit mode.
2. Update the status labels as needed.
3. When complete, click the **Save Status** button.

### To remove an order status from an assigned state:

1. On the Order Statuses page, find the order status record that you want to unassign.
2. In the Action column on the far right of the row, click the **Unassign** link.

A message appears at the top of the workspace that the order status has been unassigned. Although the order status label still appears in the list, it is no longer assigned to a state. Order statuses cannot be deleted.

## Invoice an Order

An invoice is a record of the receipt of payment for an order. Creating an invoice for an order converts the temporary sales order into a permanent record of the order, which cannot be canceled. A new invoice page looks similar to a completed order page, with some additional fields that can be edited. Every activity that is related to an order is noted in the Comments section of the invoice.

The screenshot shows the Magento Admin Panel's Order View page. At the top, there's a navigation bar with links like Dashboard, Sales, Catalog, Mobile, Customers, Promotions, Newsletter, CMS, Reports, and System. Below the navigation is a message about default phone numbers and callouts. The main content area is titled 'Order View' and shows details for 'Order # 100000211 (the order confirmation email was sent)'. It includes sections for Information (Order Date: May 29, 2013 2:55:38 PM; Order Status: Pending; Purchased From: Main Website - Madison Island - English; Placed from IP: 216.113.168.131), Account Information (Customer Name, Email, Customer Group), Billing Address (John Doe, 10441 Jefferson Blvd, Suite 200, Los Angeles, California, 90232, United States, T: 888-888-8888), Shipping Address (John Doe, 10441 Jefferson Blvd, Suite 200, Los Angeles, California, 90232, United States, T: 888-888-8888), Payment Information (Check / Money order, Order was placed using USD), and Shipping & Handling Information (United Parcel Service - Ground \$0.00). A callout bubble with the word 'Invoice' points to the top right of the main content area.

*Invoice Order*

Multiple invoices can be created for a single order, and each can include as many or as few of the purchased products that you specify. Invoices can be generated for a single order, or for a batch of orders. The payment method determines which invoicing options can be used for the order. For payment methods with Payment Action set to “Authorize and Capture,” the Invoice button does not appear.

Before an invoice can be printed, the invoice must first be generated for the order. To view or print the PDF, you must have a PDF reader. You can download [Adobe Reader](#) at no charge.

The screenshot shows the Magento Admin Panel interface for creating a new invoice. The top navigation bar includes links for Dashboard, Sales, Catalog, Mobile, Customers, Promotions, Newsletter, CMS, Reports, and System. A message at the top left reminds the user to change default phone numbers and emails before site launch. The main content area is titled 'New Invoice for Order #100000211 (the order confirmation email was sent)'. It contains several tabs: Order Information, Account Information, Billing Address, Shipping Address, Payment Information, and Shipping Information. The Payment Information tab shows 'Check / Money order' selected. The Shipping Information tab shows a tracking number for a 'United Parcel Service - Ground Total Shipping Charges: \$0.00' shipment. The Items to Invoice section lists various products with their details and prices. At the bottom, there are buttons for 'Print Copy', 'Paid Amount', 'Refund Amount', 'Shipping Amount', 'Shipping Refund', and 'Order Grand Total (\$995.45)'. The 'Invoice' button is highlighted in orange at the bottom right.

*Invoice*

## To invoice an order:

1. On the Admin menu, select **Sales > Orders**.
2. In the list, find the “Pending” order, and click to open the record.
3. If the items are ready to ship, you can create a packing slip for the shipment with the invoice. To create a packing slip, do the following:
  - a. In the Shipping Information section, select the **Create Shipment** checkbox.
  - b. To include a tracking number, click the **Add Tracking Number** button and enter the **Carrier**, **Title**, and **Number**.

The screenshot shows the 'Shipping Information' section of the order record. It includes fields for Carrier (set to Federal Express), Title (set to 'Federal Express'), Number (set to '2590745601'), and Action (with a 'Delete' button). Below these fields is a button labeled 'Add Tracking Number'. A callout bubble points from the 'Payment Information' section (which shows a 'Check / Money order' payment method) to the 'Shipping Information' section. The 'Shipping Information' button is highlighted in orange at the bottom right.

*Shipping Information*

4. To make a partial invoice scroll down to the Items to Invoice section, and enter the **Qty to Invoice** for each item.
5. Under the Invoice History menu, in the **Invoice Comments** section, complete the comments as needed. Then, in the Invoice Totals section, select the **Append Comments** checkbox to add the comments to the invoice.
6. Select the **Email Copy of Invoice** checkbox to send a copy of the invoice to your customer.
7. Do one of the following:
  - Click the **Submit Invoice** button to process the invoice and capture the sale.
  - If your store requires that you ship before invoicing, click the **Ship** button, complete the shipping information and submit the shipment. When that is complete, you can finish the invoicing steps.

### Payment Actions

PAYMENT ACTION	DESCRIPTION
Capture Online	When the invoice is submitted, the system captures the payment from the third-party payment gateway. You have the ability to create a credit memo and void the invoice.
Capture Offline	When the invoice is submitted, the system does not capture the payment. It is assumed that the payment is captured directly through the gateway, and you no longer have the option to capture this payment through Magento. You have the ability to create a credit memo, but you do not have the option to void the invoice. (Even though the order used an online payment, the invoice is essentially an offline invoice.)
Not Capture	When the invoice is submitted, the system does not capture the payment. It is assumed that you will capture the payment through Magento at a later date. There is a Capture button in the completed invoice. Before capturing, you are able to cancel the invoice. After capturing you are able to create a credit memo and void the invoice. <p><b>Do not select Not Capture unless you are certain that you are going to capture the payment through Magento at a later date. You will not be able to create a credit memo until the payment has been captured using the Capture button.</b></p>

## Print Invoices

You can print an invoice for a single order, or for multiple invoices as a batch, or group. However, before an invoice can be printed, the invoice must first be generated for the order.

To view or print the PDF, you must have a PDF reader. You can download [Adobe Reader](#) at no charge.

### To print invoices:

1. On the Admin menu, select **Sales > Invoices**.
2. In the **Invoices** list, select the checkbox of each invoice that you want to print.
3. Set the **Actions** control to “Print Invoices.”

The screenshot shows the 'Orders' section of the Magento Admin Panel. A callout bubble points to the 'Print Invoices' button in the top right corner of the Actions dropdown menu. The Actions menu also includes options like 'Export', 'Reset Filter', 'Search', 'Actions', and 'Submit'. The main grid displays five order items, each with details such as Order #, Purchased From, Purchased On, Bill To Name, Ship To, Total Amount, and Status.


Order #	Purchased From (Store)	Purchased On	Bill To Name	Ship To	Total	Status
100000211	Main Website Madison Island English	May 29, 2013 2:59:38 PM	John Doe	John Doe	\$595.45	Completed
100000210	Main Website Madison Island English	May 29, 2013 1:47:04 AM	John Doe		\$7.45	Completed
100000208	Main Website Madison Island English	May 29, 2013 1:29:44 AM	John Doe	John Doe	\$741.20	Completed
100000205	Main Website Madison Island English	May 28, 2013 1:28:25 PM	John Doe	John Doe	\$1,247.64	Completed
100000205	Main Website Madison Island English	May 27, 2013 12:19:29 PM	Jane Smith	Jane Smith	\$447.14	Completed

*Print Invoices*

4. Click the **Submit** button to generate the PDF and display the document in a new window.
5. After the file has been downloaded and saved to your computer, you can open and print the document with [Adobe Reader](#).

## Ship an Order

An order that has been paid, but is awaiting shipment has the “Processing” status. The shipment record contains a detailed history of the fulfillment process associated with the order. Partial shipments can be made until the order is fulfilled.



*Ship an Order*

### To ship an order:

1. On the Admin menu, select **Sales > Orders**.
2. In the Orders list, click to open the order to be shipped.
3. In the upper-right corner, click the **Ship** button.
4. If you need to update the billing or shipping address, click the **Edit** link in the upper-right corner of the section. Make the necessary changes, and click the **Save Order Address** button.
5. To have the carrier generate a shipping label, select the **Create Shipping Label** checkbox. Then, do the following:
  - a. To add a tracking number, scroll down to the Shipping Information section, and click the **Add Tracking Number** button.
  - b. Do one of the following:
    - Select the **Carrier**, and enter the tracking **Number**.
    - Set **Carrier** to “Custom Value.” Enter a **Title** for the custom carrier, and enter the tracking **Number**.



*Shipping Information*

6. To make a partial shipment, scroll down to the Items to Ship section, and enter the **Qty to Ship** for each item.
7. To notify customers by email of the shipment, do the following:

- a. Enter any comments you would like to include in the **Shipment Comments** box.
  - b. To include the comments in the notification email that is sent to the customer, select the **Append Comments** checkbox.
  - c. To send a copy of the shipment email to yourself, select the **Email Copy of Shipment** checkbox. The status of an invoice email appears next to the invoice number of the completed invoice as either sent or not sent.
8. When complete, click the **Submit Shipment** button. The status of the order changes from “Processing” to “Complete.”

### To view the shipment detail:

1. On the Admin menu, select **Sales > Shipments**.
2. Find the shipment in the list, and click to open the record.
3. If you want to add a comment to the order, scroll down to the **Comments History** section, and enter the comment in the box.
  - To send the comment to the customer by email, select the **Notify Customer by Email** checkbox.
  - To post the comment in the customer’s account, select the **Visible on Frontend** checkbox.
4. Click the **Submit Comment** button.

## Print Packing Slips

A packing slip is a sales document that accompanies shipments sent from your store, and lists each item included in the package. You can print a packing slip for a single order, or print multiple packing slips as a batch, or group. However, before a packing slip can be printed, it must first be created for the order.


To view or print the PDF, you must have a PDF reader. You can download [Adobe Reader](#) at no charge.

### To print packing slips:

1. On the Admin menu, select **Sales > Shipments**.

#### Method 1: Print Single Packing Slip from Shipment

1. In the Shipments list, open the record that needs a packing slip.
2. In the upper-right corner of the shipment page, click the **Print** button. Look for the download indicator in the lower-left corner of your browser window.



*Packing Slip*

## Method 2: Print Multiple Packing Slips

1. In the Shipments list, select the checkbox of each shipment record that needs a packing slip.
2. In the upper-right corner, set the **Actions** control to “PDFpackingslips” and click the **Submit** button.

The screenshot shows the Magento Admin Panel's Shipment list. A speech bubble points to the 'Select Action' dropdown menu, which is open and displays the 'PDF Packingslips' option. The main grid lists various shipment records with columns for Date Shipped, Order #, Order Date, Ship to Name, and Status. Each row has a checkbox in the first column and a 'View' link in the last column.

Order #	Date Shipped	Order Date	Ship to Name	Status
100000034	May 3, 2014 5:04:43 PM	10000211	John Doe	7 View
100000033	May 3, 2014 4:46:09 PM	10000208	John Doe	1 View
100000032	Jun 18, 2013 9:14:07 AM	10000199	Jane Doe	1 View
100000031	Jun 18, 2013 6:12:29 AM	10000205	Jane Smith	1 View
100000030	May 29, 2013 1:30:27 AM	10000208	John Doe	1 View
100000029	May 29, 2013 12:56:07 AM	10000203	Jane Smith	1 View
100000028	May 29, 2013 12:55:49 AM	10000203	Jane Smith	1 View
100000027	May 28, 2013 12:38:19 AM	10000206	John Doe	5 View
100000015	Apr 25, 2013 5:42:34 AM	10000135	April Berg	52 View
100000013	Apr 24, 2013 10:11:17 AM	10000111	Kip Chee	20 View
400000001	Apr 24, 2013 2:33:27 AM	400000002	Pearl Glory	5 View
100000012	Apr 23, 2013 2:30:09 PM	10000088	Mack Woodland	40 View
100000004	Apr 3, 2013 12:50:13 PM	10000087	Jack Pitt	3 View
100000003	Apr 3, 2013 12:26:25 PM	10000051-1	Rosette Higa	7 View

Printing Multiple Packing Slips

**2.** Do one of the following:


- To save the document, click the **Save** button. Then, follow the prompts to save the file to your computer. When the download is complete, open the PDF in Adobe Reader, and print the document.
- To view the document in Adobe Reader, click the **Open** button. From here, you can either print the packing slip or save it to your computer.

## Review Transactions

The Transactions page lists all payment activity that has taken place between your store and external payment systems, and provides access to detailed information about each transaction.

### To view transactions:

On the Admin menu, select **Sales > Transactions**.



*Transactions*



## CHAPTER 43:

# Store Credit and Refunds


Store credit is an amount to be restored to a customer account. Store credit can be used by customers to pay for purchases, and by administrators as cash refunds. Gift card balances can be credited to the customer's account, instead of using the gift card code for future purchases.

After an order has been paid for and invoiced, all of the order, or a portion of it, can be refunded by issuing a credit memo. A credit memo differs from a refund because the amount of the credit is restored to the customer's account where it can be applied to future purchases, rather than returned to the customer as cash. In some cases, a refund can be given at the same time that a credit memo is issued, just as payment can be made at the time of invoicing. The amount of store credit in a customer's account can be managed from Admin.

Topics in this chapter:

- [Product Return Workflow](#)
- [Create Credit Memo](#)
- [Print Credit Memo](#)

# Product Return Workflow



*Product Return Workflow*

## Create a Credit Memo

A credit memo is a document that lists the amount that is owed to the customer. The amount can be applied toward a purchase, or refunded to the customer. You can print a credit memo for a single order, or for multiple orders as a batch, or group. Before a credit memo can be printed, it must first be generated for the order.

The screenshot shows the Magento Admin Panel with the following details:

- Order #100000208 (the order confirmation email was sent)**
- Customer Information:** Customer Name: John Doe, Email: john.doe@sample.com, Customer Group: General
- Billing Address:** John Doe, 10441 Jefferson Blvd, Suite 200, Culver City, California, 90232, United States, T: 888-888-8888
- Shipping Address:** John Doe, 10441 Jefferson Blvd, Suite 200, Culver City, California, 90232, United States, T: 888-888-8888
- Payment Information:** Check / Money order, Order was placed using USD
- Items to Refund:**

Product	Price	Qty	Return In Stock	Qty to Refund	Subtotal	Tax Amount	Discount Amount	Row Total
Linen Blazer SKU: ms012	\$455.00	1	0	0	\$0.00	\$0.00	\$0.00	\$0.00
Color White		1	0	0				
Size S		1	0	0				
Jackie O Round Sunglasses SKU: ace001	\$225.00	1	0	1	\$225.00	\$20.25	\$0.00	\$245.25
				Shipped: 1				
- Summary:**

Paid Amount: \$741.20	Refund Amount: \$0.00	Shipping Amount: \$0.00	Shipping Refund: \$0.00	Order Grand Total: \$741.20
-----------------------	-----------------------	-------------------------	-------------------------	-----------------------------
- Credit Memo Comments:** Refund for returned damaged merchandise.
- Refund Totals:**

Subtotal: \$225.00	Refund Shipping: \$0
Adjustment Refund: \$0	Adjustment Fee: \$0
Tax: \$20.25	Grand Total: \$245.25

*Credit Memo*

### To create a credit memo:

1. On the Admin menu, select **Sales > Orders**.
2. Find the order in the list, click to open the order.
3. In the upper right corner, click the **Credit Memo** button. (The button appears only if an invoice has been generated for the order.)

The New Credit Memo page looks similar to the completed order page, with an Items to Refund section that lists each item from the invoice.

The screenshot shows the Magento Admin Panel's Order View page. In the center, there's a detailed view of an order. On the right side, under 'Account Information', there's a button labeled 'Credit Memo'. A white callout bubble points directly at this button.

### New Credit Memo

If an online payment method was used, you will not be able to edit these fields.

**4.** Do one of the following:

- If the product is to be returned to inventory, check the **Return to Stock** checkbox.
- If the product will not be returned to inventory, leave the checkbox blank.

The Return to Stock checkbox appears only if you have set the inventory **Stock Options** to “Decrease Stock When Order Is Placed.”

Product	Price	Qty	Ordered	Invoiced	Shipped	Subtotal	Tax Amount	Discount Amount	Total
Line Blazer SKU: msj12 Color: White Size: S Jackie O Round Sunglasses SKU: ace01	\$455.00			<input checked="" type="checkbox"/> Return to Stock		\$455.00	\$40.95	\$0.00	\$495.95
	\$225.00		1	<input type="checkbox"/>	1	\$225.00	\$20.25	\$0.00	\$245.25

### Return to Stock

**5.** Complete the following:

- a. In the **Qty to Refund** box, type the number of items to be returned and press the **Enter** key to record the change. The **Update Qty's** button appears.
- b. Set the **Qty to Refund** of any items not to be refunded to 0.
- c. Click the **Update Qty's** button to recalculate the total. (The amount to be credited cannot exceed the maximum quantity that is available for refund.)

Items to Refund	Price	Qty	Return to Stock	Qty to Refund	Subtotal	Tax Amount	Discount Amount	Row Total
Linen Blazer SKU: msj012 Color: White Size: S	\$455.00	Ordered 1	<input type="checkbox"/>	0	\$0.00	\$0.00	\$0.00	\$0.00
Jackie O Round Sunglasses SKU: ace001	\$225.00	Ordered 1	<input checked="" type="checkbox"/>	1	\$225.00	\$20.25	\$0.00	\$245.25

*Update Quantities*

6. In the **Refund Totals** section, do the following, as applicable:

- a. In the **Refund Shipping** field, enter the amount that is to be refunded from the shipping fee. This field initially displays the total shipping amount from the order that is available for refund. It is equal to the full shipping amount from the order, less any shipping amount that has already been refunded. Like the quantity, the amount can be reduced, but not increased.
- b. In the **Adjustment Refund** field, enter a value to be added to the total amount refunded as an additional refund that does not apply to any particular part of the order (shipping, items, or tax). The amount entered cannot raise the total refund higher than the paid amount.
- c. In the **Adjustment Fee** field, enter a value to be subtracted from the total amount refunded. This amount is not subtracted from a specific section of the order such as shipping, items, or tax.

Credit Memo Comments	Refund Totals												
<input type="text"/>	<div style="border: 1px solid #ccc; padding: 5px; width: 150px; margin-bottom: 5px;">Update Refund Totals</div> <table> <tr> <td>Subtotal</td> <td>\$225.00</td> </tr> <tr> <td>Refund Shipping</td> <td><input type="text" value="0"/></td> </tr> <tr> <td>Adjustment Refund</td> <td><input type="text" value="0"/></td> </tr> <tr> <td>Adjustment Fee</td> <td><input type="text" value="0"/></td> </tr> <tr> <td>Tax</td> <td>\$20.25</td> </tr> <tr> <td>Grand Total</td> <td><b>\$245.25</b></td> </tr> </table> <p><input type="checkbox"/> Append Comments <input type="checkbox"/> Email Copy of Credit Memo <input style="background-color: orange; color: white; border: none; padding: 2px 10px; font-weight: bold;" type="button" value="Refund Offer"/></p>	Subtotal	\$225.00	Refund Shipping	<input type="text" value="0"/>	Adjustment Refund	<input type="text" value="0"/>	Adjustment Fee	<input type="text" value="0"/>	Tax	\$20.25	Grand Total	<b>\$245.25</b>
Subtotal	\$225.00												
Refund Shipping	<input type="text" value="0"/>												
Adjustment Refund	<input type="text" value="0"/>												
Adjustment Fee	<input type="text" value="0"/>												
Tax	\$20.25												
Grand Total	<b>\$245.25</b>												

*Update Quantities*

- d. If the purchase was made using store credit, select the **Refund to Store Credit** checkbox, to credit the amount back to the customer's account balance.
- e. To add a comment, type the text in the **Credit Memo Comments** box.
- f. To send an email notification to the customer, select the **Email Copy of Credit Memo** checkbox.
- g. If you want to include the comments you have entered, check the **Append Comments** checkbox.

The status of a credit memo notification appears in the completed credit memo next to the credit memo number.

Refund Totals	
Subtotal	\$25.00
Discount (\$register10)	-\$0.22
Tax	\$2.23
Refund Shipping	0
Adjustment Refund	0
Adjustment Fee	0
<b>Grand Total</b>	<b>\$27.01</b>

Append Comments  Email Copy of Credit Memo  Refund to Store Credit  27.01 **Refund Offline**

*Refund Totals*

7. To complete the process and generate the credit memo, select one of the following refund option buttons, depending on the payment type:
  - Refund Offline
  - Refund Online
8. To add a comment to the completed credit memo, scroll down to the Comments History section, and enter the comment in the box.
  - To send the comment to the customer by email, select the **Notify Customer by Email** checkbox.
  - To post the comment in the customer's account, select the **Visible on Frontend** checkbox.

Below the credit memo is a complete list of all activity related to the order.

9. Click the **Submit Comment** button.

Order Totals	
Subtotal	\$600.00
Shipping & Handling	\$0.00
Tax	\$61.20
<b>Grand Total</b>	<b>\$741.20</b>
Total Paid	\$741.20
Total Refunded	\$245.25
Total Due	\$0.00

Comments History  
Add Order Comments  
Status: Complete   
Comment: Refund check issued.  
 Notify Customer by Email  
 Visible on Frontend  
  
May 4, 2014 5:15:12 AM | Complete  
Customer Notified ✓  
  
May 4, 2014 5:15:12 AM | Processing  
Customer Notification Not Applicable  
Refunded amount of \$245.25 offline.

**Submit Comment**

*Credit Memo Submit Comment*

## Print a Credit Memo

To print or view the completed credit memo, you must have a PDF reader installed on your computer. You can download [Adobe Reader](#) at no charge.

Order #	Created At	Order #	Order Date	Bill to Name	Status	Refunded
100000008	May 4, 2014 5:15:12 AM	100000208	May 29, 2013 1:29:44 AM	John Doe	Refunded	\$245.25
100000007	Jun 18, 2013 8:09:07 AM	100000209	May 28, 2013 1:28:25 PM	John Doe	Refunded	\$302.57
100000006	May 29, 2013 1:55:47 AM	100000203	May 27, 2013 1:28:47 PM	Jane Smith	Refunded	\$134.23
100000005	May 29, 2013 1:38:28 AM	100000206	May 28, 2013 1:28:25 PM	John Doe	Refunded	\$315.09

*Credit Memos*

### To print a credit memo:

1. On the Admin menu, select **Sales > Credit Memos**.

*Selected Credit Memo with Action*

2. Use one of the following methods to print the credit memo:

#### Method 1: Open the Credit Memo

1. In the list, click to open the credit memo.
2. Click the **Print** button to print the PDF document.

#### Method 2: Use the Action Control

1. In the list, select the checkbox of each credit memo that you want to print.
2. Set the **Actions** control to “PDF Credit Memos,” and click the **Submit** button.
3. When prompted, do one of the following:

- To save the document, click **Save**. Then, follow the prompts to save the file to your computer. When the download is complete, open the PDF in Adobe Reader, and print the document.
- To view the document, click **Open**. The printed-ready PDF credit memo opens in Adobe Reader. From here, you can either print the credit memo or save it to your hard disk.

Credit Memo # 100000008 Order # 100000208 Order Date: May 29, 2013						
Sold to:	Ship to:					
John Doe 10441 Jefferson Blvd, Suite 200 Culver City, California, 90232 United States T: 888-888-8888	John Doe 10441 Jefferson Blvd, Suite 200 Culver City, California, 90232 United States T: 888-888-8888					
Payment Method	Shipping Method:					
Check / Money order	United Parcel Service - Ground  (Total Shipping Charges \$0.00)					
Products	SKU	Total (ex)	Discount	Qty	Tax	Total (inc)
Jackie O Round Sunglasses	ace001	\$225.00	\$0.00	1	\$20.25	\$245.25
					Subtotal:	\$225.00
					Tax:	\$20.25
					Grand Total:	\$245.25

PDF Credit Memo



## CHAPTER 44:

# Sales Document Setup

Your store generates invoices, packing slips, and credit memos in both HTML and PDF formats. Before your store goes live, make sure to update these documents with your logo and store address. You can customize the address format, and also include the Order ID for reference.

Topics in this chapter:

- [PDF Logo Requirements](#)
- [Show Order ID and IP Address](#)
- [PDF Invoice with High-Resolution Logo](#)

## PDF Logo Requirements

The logo that is used for PDF print-outs can be a high-resolution, 300 dpi image, but must be a specific size. However, the size of the logo that appears in the HTML print view version of sales documents is determined by your theme.



One way to resize your logo to fit the required size is to create a new, blank image with the correct dimensions. Then, paste your logo image and resize it to fit the height. With most image editing programs, you can preserve the aspect ratio by holding down the shift key as you resize the image. The following image is a 200px by 50px .png file with a transparent background, (which is represented by the checkerboard pattern). The same image is used for the high-resolution image on the PDF invoice, but saved as a 300 dpi jpg.

### To set up your sales documents:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Sales, select **Sales**.
2. Click to expand the **Invoice and Packing Slip Design** section, and do the following:

A screenshot of the "Invoice and Packing Slip Design" configuration screen in the Magento admin. The screen has three main sections:

- Logo for PDF Print-outs (200x50)**: A file input field with the path "C:\Users\ccondra\Docum" and a "Browse..." button. Below it is a checkbox for "Delete Image". A note says: "Default logo, will be used in PDF and HTML documents. (jpeg, tiff, png) If you see image distortion in PDF, try to use larger image".
- Logo for HTML Print View**: A file input field with the path "C:\Users\ccondra\Docum" and a "Browse..." button. Below it is a checkbox for "Delete Image". A note says: "Logo for HTML documents only. If empty, default will be used. (jpeg, gif, png)".
- Address**: A text input field containing the address "10441 Jefferson Blvd, Suite 200 Culver City, CA 902". To the right is a "[STORE VIEW]" button.

*Invoice and Packing Slip Design*

- a. To upload the **Logo for PDF Print-outs**, click the **Browse** button. Then, select the logo that you have prepared and click **Open**. The path to the file appears in the text box.
  - b. To upload the **Logo for HTML Print View**, click the **Browse** button. Then, select the logo that you have prepared and click **Open**. The path to the file appears in the text box.
3. Enter your address as you want it to appear on invoices and packing slips.
  4. When complete, click the **Save Config** button.

For reference, a thumbnail of the uploaded image appears before each field. Unless the uploaded image is square, the thumbnail appears distorted. The proportion of the logo will be correct on the invoice.

### To replace an image:


1. Click the **Browse** button and select the new logo.
2. Select the **Delete Image** checkbox for the image you want to replace.
3. Click the **Save Config** button.

### Image Formats

FORMAT	REQUIREMENTS
<b>PDF</b>	
File Format	jpg (jpeg), png, tif (tiff)
Image Size	200 pixels wide x 50 pixels high
Resolution	300 dpi recommended
<b>HTML</b>	
File Format	jpg (jpeg), png,gif
Image Size	Determined by theme.
Resolution	72 or 96 dpi

## Add Reference IDs to Header


The order ID and customer IP address can be included in the header of sales documents that accompany an order. Follow the instructions below to include either, or both of these identifiers for reference in the header of invoices, shipment packing slips, and credit memos.



*PDF Print-outs*

### To show the Order ID:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Sales, select **PDF Print-outs**.
2. Click to expand the **Invoice** section.




*Invoice*

3. To include the Order ID in the header, Set **Display Order ID in Header** to "Yes."
4. Repeat these steps for the **Shipment** and **Credit Memo** sections.
5. When complete, click the **Save Config** button.

### To show the customer IP address:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Sales, select **Sales**.
3. Click to expand the **General** section.




*General*

4. To show the IP address of the computer that was used to place the order, set **Hide Customer IP** to "No."
5. When complete, click the **Save Config** button.

## PDF Invoice with Logo

This print-ready invoice has a high-resolution, 300 dpi logo that reproduces well with the text on the page.



The image shows a PDF invoice for Madison Island. The header features the company logo 'MADISON ISLAND' in blue and green. The address '10441 Jefferson Blvd, Suite 200 Culver City, CA 90232' is listed at the top right. The invoice details include an order number (100000211), date (May 29, 2011), and payment method (Check / Money order). The shipping method is United Parcel Service - Ground. The total shipping charge is \$0.00. The products section lists items like Isla Crossbody Handbag, Bath Minerals and Salt, Virtual and Physical Gift Card, Blue Horizons Bracelets, and Madison Earbuds, along with their respective SKUs, prices, quantities, taxes, and subtotals. The grand total is \$595.45.

Sold to:	Ship to:				
John Doe 10441 Jefferson Blvd, Suite 200 Culver City, California, 90232 United States T: 888-888-8888	John Doe 10441 Jefferson Blvd, Suite 200 Culver City, California, 90232 United States T: 888-888-8888				
Payment Method	Shipping Method:				
Check / Money order	United Parcel Service - Ground				
	(Total Shipping Charges \$0.00)				
Products	SKU	Price	Qty	Tax	Subtotal
Isla Crossbody Handbag	abl000	\$340.00	1	\$30.60	\$340.00
Monogramming					
John Doe					
Bath Minerals and Salt	ldb001	\$25.00	3	\$6.75	\$75.00
Virtual and Physical Gift Card	gif001	\$50.00	1	\$0.00	\$50.00
Blue Horizons Bracelets	aci900068	\$55.00	1	\$4.95	\$55.00
Madison Earbuds	lde010	\$35.00	1	\$3.15	\$35.00
				Subtotal:	\$555.00
				Discount (0):	-\$5.00
				Tax:	\$45.45
				Grand Total:	\$595.45

PDF Invoice with High-Resolution Logo

## Customer Address Templates

The store administrator can modify the address templates that control the format of the customer billing and shipping addresses that appear in the following locations:

- General customer billing and shipping address format
- Shipping and billing addresses in customer's address book (available during the shopping cart checkout)
- Address format for PDF sales documents, such as invoices, shipments, and refunds

### Example 1: Text Templates

#### For Text, Text One Line, HTML and PDF Address Templates

```
 {{depend address attribute code}} a space, a character, or UI label  
 {{/depend}};  
  
 {{if address attribute code}} {{var address attribute code}} a space, a  
 character, or UI label  
  
 {{/if}}
```

### Example 2: JavaScript Template

#### For JavaScript Address Template

```
#{{address attribute code}} or User Interface label #{{address attribute code}}
```



## *Address Templates*

## To change the order of address fields:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Customers, select **Customer Configuration**.
  2. Click to expand the **Address Templates** section. The section includes a separate set of formatting instructions for each of the following:
    - Text
    - Text One Line
    - HTML
    - PDF
    - JavaScript Template
  3. Edit each template as needed, using the examples below for reference.
  4. When complete, click the **Save Config** button.



Payments

## In this section...

[Basic Payment Methods](#)

[PayPal Payment Solutions](#)

[Payment Solutions & Gateways](#)

[Payment Services](#)



## CHAPTER 45:

# Basic Payment Methods

Magento Community Edition supports a wide variety of payment methods, services, and gateways that you can offer for your customers' convenience. In addition to the payment methods in this guide, other solutions can be downloaded from [Magento Connect](#).

Topics in this chapter:


- [Merchant Location](#)
- [Bank Transfer Payment](#)
- [Cash On Delivery](#)
- [Check / Money Order](#)
- [Purchase Order](#)
- [Zero Subtotal Checkout](#)
- [Saved Credit Card](#)

## Merchant Location

Setting the merchant location is the first step to configure any payment method.

### To set the merchant location country:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Sales, select **Payment Methods**.
2. In the upper-right corner, set **Current Configuration Scope** to either your website or leave it set to “Default Config.”
3. If necessary, click to expand the **Merchant Location** section.



The screenshot shows a configuration interface for 'Merchant Location'. At the top, there's a header bar with the title 'Merchant Location'. Below it, a section labeled 'Merchant Country' contains a dropdown menu set to 'United States'. To the right of the dropdown is a note: 'If not specified, Default Country from General Config will be used.' and a link '[WEBSITE]'. The entire interface has a clean, modern design with a light gray background and white text.

*Merchant Location*

4. Set **Merchant Country** to your country.
5. When complete, click the **Save Config** button.

# Bank Transfer Payment

Magento Community Edition lets you accept payments transferred directly from customers' bank accounts to your merchant bank account.

The screenshot shows the 'Bank Transfer Payment' configuration page. It includes fields for enabling the method, setting a title, defining new order status, specifying payment countries, providing instructions, and setting minimum and maximum order totals. A scrollable list of countries is shown under 'Payment from Specific Countries'.

Bank Transfer Payment	
Enabled	<input type="text" value="Yes"/>
Title	<input type="text" value="Bank Transfer Payment"/>
New Order Status	<input type="text" value="Pending"/>
Payment from Applicable Countries	<input type="text" value="All Allowed Countries"/>
Payment from Specific Countries	<input type="text" value="Afghanistan"/> <input type="text" value="Aland Islands"/> <input type="text" value="Albania"/> <input type="text" value="Algeria"/> <input type="text" value="American Samoa"/> <input type="text" value="Andorra"/> <input type="text" value="Angola"/> <input type="text" value="Anguilla"/> <input type="text" value="Antarctica"/> <input type="text" value="Antigua and Barbuda"/>
Instructions	<input type="text"/>
Minimum Order Total	<input type="text"/>
Maximum Order Total	<input type="text"/>
Sort Order	<input type="text"/>

## Bank Transfer Payment

### To set up bank transfer payments:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Sales, select **Payment Methods**.
2. Click to expand the **Bank Transfer Payment** section. Then, do the following:
  - a. To activate Bank Transfer Payment, set **Enabled** to "Yes."
  - b. Enter a **Title** to identify Bank Transfer Payment during checkout.
  - c. Set **New Order Status** to "Pending" until payment is authorized.
  - d. Set **Payment from Applicable Countries** to one of the following:

All Allowed Countries      Customers from all **countries** specified in your store configuration can use this payment method.

Specific Countries      After choosing this option, the Payment from Specific Countries list appears. Select each country in the list where customers can make purchases from your store.

- e. Enter the **Instructions** your customers must follow to set up a bank transfer. Depending on the country where your bank is located and your bank's requirements, you might need to include the following information:

- Bank account name
- Bank account number
- Bank routing code
- Bank name
- Bank address

- f. Set **Minimum Order Total** and **Maximum Order Total** to the amounts required to qualify to use this payment method.

An order qualifies if the total falls between, or exactly matches, the minimum or maximum total values.

3. Enter a **Sort Order** number to determine the position of Bank Transfer Payment in the list of payment methods during checkout. (0 = first, 1 = second, 2 = third, and so on.)
4. When complete, click the **Save Config** button.

## Cash On Delivery

Magento Community Edition allows you to accept COD payments from your customers. With a cash on delivery payment, the customer pays at the time of delivery. The customer pays the order amount to the shipping carrier, who sends a check to you. Shipping carriers typically charge an extra fee for COD service. You can account for this fee in your shipping and handling charges.

### *Cash On Delivery Payments*

#### To set up cash on delivery payments:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Sales, select **Payment Methods**.
2. Click to expand the **Cash on Delivery Payments** section. Then, do the following:
  - a. To activate Cash on Delivery Payments, set **Enabled** to “Yes.”
  - b. Enter a **Title** to identify the COD method during checkout.
  - c. Set **New Order Status** to “Pending” until receipt of payment is confirmed.
  - d. Set **Payment from Applicable Countries** to one of the following:

All Allowed Countries	Customers from all <b>countries</b> specified in your store configuration can use this payment method.
-----------------------	--

**Specific Countries**

Select each country in the list where customers can make purchases from your store.

- e. Enter **Instructions** for making a COD payment.
  - f. Set **Minimum Order Total** and **Maximum Order Total** to the order amounts which are required to qualify for COD payment.
- An order qualifies if the total is between, or matches, the minimum or maximum order total.
- g. Enter a **Sort Order** number to determine the sequence in which COD is listed with other payment methods during checkout. (0 = first, 1 = second, 2 = third, and so on.)
3. When complete, click the **Save Config** button.

## Check / Money Order

Magento Community Edition allows you to accept payments by either check or money order. The Check / Money Order payment method is enabled for your store by default.

The screenshot shows the 'Check / Money Order' configuration page. The 'Enabled' field is set to 'Yes'. The 'Title' is 'Check / Money order'. The 'New Order Status' is 'Pending'. The 'Payment from Applicable Countries' dropdown is set to 'All Allowed Countries'. The 'Payment from Specific Countries' dropdown lists several countries: Afghanistan, Åland Islands, Albania, Algeria, American Samoa, Andorra, Angola, Anguilla, Antarctica, and Antigua and Barbuda. The 'Make Check Payable to' and 'Send Check to' fields are empty. The 'Minimum Order Total' and 'Maximum Order Total' fields are empty. The 'Sort Order' field is empty. There are three '[WEBSITE]' buttons next to the dropdowns for 'New Order Status', 'Payment from Applicable Countries', and 'Sort Order'.

*Check / Money Order*

## To set up payment by check or money order:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Sales, select **Payment Methods**.

2. Click to expand **Check / Money Order**, and do the following:

- a. To activate the Check / Money Order payment method, set **Enabled** to "Yes."
- b. Enter a **Title** to identify Check / Money Order during checkout.
- c. Set **New Order Status** to "Pending" until receipt of payment is confirmed.
- d. Set **Payment from Applicable Countries** to one of the following:

All Allowed Countries	Customers from all <b>countries</b> specified in your store configuration can use this payment method.
-----------------------	--

Specific Countries	After choosing this option, the Payment from Specific Countries list appears. Select each country in the list where customers can make purchases from your store.
--------------------	---

- e. In the **Make Check Payable To** field, enter the name of the party to whom the check must be payable.
- f. In the **Send Check To** field, enter the street address or PO Box where the checks are mailed.
- g. Set **Minimum Order Total** and **Maximum Order Total** to the order amounts required to qualify for this payment method.

An order qualifies if the total falls between, or exactly matches, the minimum or maximum total values.

- h. Enter a **Sort Order** number to determine the position of Check / Money Order in the list of payment methods that appears during checkout. (0 = first, 1 = second, 2 = third, and so on.)
3. When complete, click the **Save Config** button.

## Purchase Order

A purchase order (PO) allows commercial customers to pay for purchases with prior authorization by referencing the PO number. During checkout, the customer is prompted to enter the purchase order number as the method of payment.

Always establish the credit worthiness of a customer before accepting payment by purchase order.

For example, your customer represents the company that sells computers and needs to buy some monitors from your store. In their accounting system, the customer creates a purchase order that is assigned a unique PO number. The customer places an order in your store using the Purchase Order payment method and references the PO number from their accounting system. All order-related documents, including the order confirmation email, invoice, shipment, and credit memo, will have the PO number on them. The company's accounting department can reference the PO number on the Magento sales order to track the order. When the customer receives your invoice, the payment is processed in their accounts payable system.

The screenshot shows the 'Purchase Order' configuration page. It includes fields for 'Enabled' (set to 'Yes'), 'Title' ('Purchase Order'), 'New Order Status' ('Pending'), 'Payment from Applicable Countries' ('All Allowed Countries'), 'Payment from Specific Countries' (a dropdown menu listing countries like Afghanistan, Åland Islands, Albania, Algeria, American Samoa, Andorra, Angola, Anguilla, Antarctica, Antigua and Barbuda), 'Minimum Order Total' (empty), 'Maximum Order Total' (empty), and 'Sort Order' (empty). Each field has a '[WEBSITE]' link next to it.

*Purchase Order*

### To set up payment by purchase order:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Sales, select **Payment Methods**.
2. Click to expand the **Purchase Order** section. Then, do the following:
  - a. To activate the Purchase Order payment method, set **Enabled** to "Yes."
  - b. Enter a **Title** to identify Purchase Order during checkout.
  - c. Set **New Order Status** to "Pending" until payment is authorized.
  - d. Set **Payment from Applicable Countries** to one of the following:

All Allowed Countries      Customers from all **countries** specified in your store configuration can use this payment method.

Specific Countries      After choosing this option, the Payment from Specific Countries list appears. Select each country in the list where customers can make purchases from your store.

- e. Set **Minimum Order Total** and **Maximum Order Total** to the amounts required to qualify for this payment method.

An order qualifies if the total falls between, or exactly matches, the minimum or maximum total values.

- f. Enter a **Sort Order** number to determine the position of Purchase Order in the list of payment methods during checkout. (0 = first, 1 = second, 2 = third, and so on.)
3. When complete, click the **Save Config** button.

## Zero Subtotal Checkout

Zero Subtotal Checkout is available only for orders created from the Admin. It can be used for orders with a subtotal of zero that are taxed after any discount has been applied. This situation might occur when a discount covers the entire price of the purchase, and there is no additional charge for shipping. To save time, these orders can be set to invoice automatically.

Unlike other payment methods for which you can set order amount filters, this method contains an intrinsic order amount filter, so that the method appears only when the subtotal equals zero. Zero Subtotal Checkout can be used when:

- The product that the customer adds to the shopping cart is of the **Downloadable** or the **Virtual** product type and the price equals zero.
- The price of a **Simple** product is zero and the **Free Shipping** method is available.
- A **coupon code** that covers the full price of products and shipping is applied in the shopping cart.

### To set up Zero Subtotal Checkout:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Sales, select **Payment Methods**.
2. Click to expand the **Zero Subtotal Checkout** section. Then, do the following:

Zero Subtotal Checkout		
Title	<input type="text" value="No Payment Information Required"/>	[STORE VIEW]
Enabled	<input checked="" type="checkbox" value="Yes"/>	[WEBSITE]
New Order Status	<input type="text" value="Pending"/>	[WEBSITE]
Payment from Applicable Countries	<input type="text" value="All Allowed Countries"/>	[WEBSITE]
Payment from Specific Countries	<input type="text" value="Afghanistan&lt;br/&gt;Aland Islands&lt;br/&gt;Albania&lt;br/&gt;Algeria&lt;br/&gt;American Samoa&lt;br/&gt;Andorra&lt;br/&gt;Angola&lt;br/&gt;Anguilla&lt;br/&gt;Antarctica&lt;br/&gt;Antigua and Barbuda"/>	[WEBSITE]
Sort Order	<input type="text" value="1"/>	[WEBSITE]

## *Zero Subtotal Checkout*

- a. Enter a **Title** to identify the Zero Subtotal Checkout payment method during checkout from the Admin.
  - b. Set **Enabled** to “Yes” to activate Zero Subtotal Checkout.
  - c. Set **New Order Status** to “Pending” until payment is authorized.

Pending The order is waiting for authorization.

**Processing** Payment has been authorized, and the transaction is being processed.

- d. Set **Automatically Invoice All Items** to “Yes” if you want to automatically invoice all items with a zero balance.
  - e. Set **Payment from Applicable Countries** to one of the following:

All Allowed Countries Customers from all **countries** specified in your store configuration can use this payment method

Specific Countries After choosing this option, the Payment from Specific Countries list appears. Select each country in the list where customers can make purchases from your store.

- f. Enter a **Sort Order** number to determine the position of Zero Subtotal Checkout in the list of payment methods during checkout from the Admin. (0 = first, 1 = second, 2 = third, and so on.)

- 3.** When complete, click the **Save Config** button.

## Saved Credit Cards

This option gives you the ability store credit card numbers to process offline. This method is useful when you have a card terminal in a “brick and mortar” store, or have access to a virtual terminal. As with all online payment methods, it is highly recommended that you configure an SSL certificate for your store.

**Important!** Saving customer card data is discouraged unless absolutely necessary. Even though the data is encrypted, being in possession of the data increases your security risk. If you save customer credit card numbers online, your store will be out of compliance with [Payment Card Industry \(PCI\) requirements](#).

Enabled	No	[WEBSITE]
Title	Credit Card (saved)	[STORE VIEW]
New Order Status	Pending	[WEBSITE]
Credit Card Types	American Express Visa MasterCard Discover JCB Switch/Maestro Solo Other	[WEBSITE]
Request Card Security Code	No	[WEBSITE]
3D Secure Card Validation	No	[WEBSITE]
Payment from Applicable Countries	All Allowed Countries	[WEBSITE]
Payment from Specific Countries	Afghanistan Åland Islands Albania Algeria American Samoa Andorra Angola Anguilla Antarctica Antigua and Barbuda	[WEBSITE]
Minimum Order Total		[WEBSITE]
Maximum Order Total		[WEBSITE]
Sort Order		[WEBSITE]

*Saved CC*

## To set up the Saved Credit Cards:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Sales, select **Payment Methods**.
2. Click to expand the **Saved CC** section. Then, do the following:
  - a. To activate the Saved CC payment method, set **Enabled** to “Yes.”
  - b. Enter a **Title** to identify Saved CC as a payment method during checkout.
  - c. Select the **New Order Status** to be assigned to all purchases made with Saved CC. The default value is “Pending.”
  - d. In the **Credit Card Types** list, select each credit card that you accept for payment by Saved CC.
    - e. Request Card Security Code
    - f. 3D Secure Card Validation
    - g. Severe 3D Secure Card Validation
    - h. Sentinel API URL
    - i. Payment from Applicable Countries
    - j. Payment from Specific Countries
    - k. Minimum Order Total
    - l. Maximum Order Total
    - m. Sort Order
  3. Complete each field in this section, using the following field descriptions for reference.
  4. When complete, click the **Save Config** button.



## CHAPTER 46:

# PayPal Payment Solutions

PayPal is a global leader in online payments and a fast and secure way for your customers to pay online. With PayPal and Magento Community Edition, you can accept payments from all major debit and credit cards, and PayPal account holders. Since customers don't even need a PayPal account to pay with PayPal, both you and your customers can get extra convenience without extra effort.

The PayPal payment methods that are available in Magento, and the method names, are different depending on merchant location. For country-specific PayPal methods, see the list at the end of this chapter. The two PayPal payment methods that can be used all over the world are Express Checkout and PayPal Payments Standard.

PayPal payment methods are mutually exclusive, with the exception of PayPal Express Checkout. You cannot have more than one method enabled at a time. PayPal Express Checkout can be used with other PayPal payment methods except PayPal Payments Standard. PayPal Payments Standard cannot be enabled simultaneously with any other method, including Express Checkout.

## Overview

### PayPal Express Checkout

With [PayPal Express Checkout](#) enabled, customers can click the “Checkout with PayPal” button to make a secure payment from the PayPal site. You can use Express Checkout as a standalone solution, or in combination with one of the other solutions.

### PayPal Credit

For US merchants, [PayPal Credit](#) is now a payment option during checkout. PayPal Credit, (formerly Bill Me Later) offers your customers access to financing, so they can buy now and pay later, at no additional cost to you. You are not charged when customers choose PayPal Credit, and only pay your normal PayPal transaction fee. You can also use free, ready-made banner ads and a prominent PayPal Credit button in checkout, to tell your customers while they shop that financing is available.

## All-In-One Solutions

PayPal offers a variety of PCI-compliant solutions to meet the needs of your growing business.

### [PayPal Payments Advanced](#)

---

(Includes Express Checkout) PayPal Payments Advanced offers your customers a secure checkout experience without leaving your site. Flexible templates and a low monthly fee make this an ideal choice for merchants who want to create a more customized checkout experience.

### [PayPal Payments Pro](#)

---

PayPal Payments Pro brings you all the benefits of a merchant account and payment gateway in one, plus the ability to create your own, fully customized checkout experience.

- PayPal Payments Pro Hosted Solution (Includes Express Checkout)
- PayPal Payments Pro Payflow Edition (Includes Express Checkout) (UK only)

### [PayPal Payments Standard](#)

---

PayPal Payments Standard is the easiest way to accept payments online. You can offer your customers the convenience of payment by credit card and PayPal by simply adding a checkout button to your site. During checkout, customers are redirected to PayPal to complete the payment part of the checkout process. There are no lengthy applications to complete, or monthly charges to set up in advance. When you make your first sale, PayPal will guide you through the process of setting up your account.

## Payment Gateways

PayPal offers a choice of two payment gateway solutions for your business. You can let PayPal host your checkout on its secure payment site, or you can take control of the entire payment experience with a completely customizable solution.

### [PayPal Payflow Pro](#)

---

PayPal Payflow Pro is a fully customizable payment gateway that can be used with any Internet merchant account to process credit card transactions online. Payflow Pro can also be used to process PayPal Express Checkout transactions.

### [PayPal Payflow Link](#)

---

PayPal Payflow Link is a hosted payment gateway with an embedded checkout that keeps customers on your site. It's the fast and easy way to add transaction processing to your site.

## PayPal Access

The [PayPal Access Card](#) is like a debit card that can be used to spend or withdraw money from the PayPal balance of the cardholder. It can be used to make purchases online, or anywhere else that MasterCard is accepted. It's like having your PayPal account in your wallet.

PayPal Access streamlines the process of opening an account with your store. When customers with PayPal Access register with your store, their address and contact information is read directly from their PayPal account.

## PayPal Business Account

PayPal payment methods that are integrated with Magento require the merchant to have a PayPal business account and/or a PayPal Payflow account. The type of PayPal account that is required is specified in the description of each method.

Customers who make purchases using Express Checkout and the Express Checkout for Payflow Pro must have buyer accounts with PayPal to pay for their purchases. PayPal Payments Standard (and Website Payments Standard) can work either directly or through a buyer account, if the PayPal Account Optional parameter is enabled in the Premier or Business account of the merchant. By default, this parameter is enabled and customers can choose to enter their credit card information and the billing and shipping addresses and pay the order amount, or to create a buyer account with PayPal and then pay the order amount. When the parameter is disabled, the customer must create a buyer account with PayPal before paying for the order.

Website Payments Pro, Website Payments Pro Payflow Edition, Payflow Pro Gateway, and Payflow Link require the customer to enter credit card information during checkout.

Fraud filters can be managed from your PayPal [merchant account](#).

## PayPal Payments Advanced

PayPal Payments Advanced is a [PCI-compliant](#) solution that lets your customers pay by debit or credit card without leaving your site. It includes an embedded checkout page that can be customized to create a seamless and secure checkout experience.

Even customers without a PayPal account can make purchases through PayPal's secure payment gateway. Accepted cards include Visa, MasterCard, Switch/Maestro, and Solo credit cards in the United States and United Kingdom. For additional convenience, PayPal Express Checkout is included with PayPal Payments Advanced.

You can have two PayPal solutions active at the same time: Express Checkout, plus any All-In-One or Payment Gateway solution. If you change payment solutions, the one used previously is disabled.

### Checkout Workflow

With PayPal Payments Advanced, your customer stays on your site during the checkout process. The customer selects the PayPal Payments Advanced payment method on the Payment Information checkout step and clicks Continue.

The Order Review step appears, with the Pay Now button, instead of the Place Order button. After the customer clicks the Pay Now button, a PayPal-hosted form opens in the customer's browser. The customer specifies the card information and clicks Verify Card. If the transaction is successful, the customer is redirected to the order confirmation page. The form also includes the Pay with PayPal button, which redirects the customer to the PayPal site, where payment can be made with PayPal Express Checkout.

If the transaction fails for any reason, an error message appears on the checkout page and the customer is directed to repeat the checkout process. These issue are managed by PayPal.

### Order Processing Workflow

Processing orders with PayPal Payments Advanced is the same as processing any regular order with PayPal. An invoice, shipment, and credit memo (online/offline refund) can be created. Multiple online refunds are not available for the PayPal Payments Advanced payment method.

With PayPal Payments Advanced, an order is created in the Admin when a customer clicks the Place Order button. The order status can be any of the following, depending on the response from PayPal.

Processing	The transaction was successful.
Pending Payment	The system did not receive any response from PayPal.

Canceled	The transaction was not successful for some reason.
Suspected Fraud	The transaction did not pass some of the <a href="#">PayPal fraud filters</a> ; the system receives the response from PayPal that the transaction is under review by Fraud Service.

PayPal Payments Advanced cannot be used for orders created from the Admin of your store.

## Merchant Requirements



[PayPal Business Account](#)



If you manage multiple Magento websites, you must have a separate PayPal merchant account for each.

## Setting Up PayPal Payments Advanced

For step-by-step configuration instructions, see [PayPal Payments Advanced](#) in the Magento Community Edition online user guide.

*Setting Up PayPal Payments Advanced*

## PayPal Payments Pro

PayPal Payments Pro brings you all the benefits of a merchant account and payment gateway in one, plus the ability to create your own, fully customized checkout experience. PayPal Express Checkout is automatically enabled with PayPal Payments Pro, so you can tap into more than 110 million active PayPal users.

For merchants outside the US, this method is called “PayPal Website Payments Pro.”

You can have two PayPal solutions active at the same time: PayPal Express Checkout, plus any one of the All-In-One solutions. If you change payment solutions, the one used previously is automatically disabled.

### Checkout Workflow

After customers add products to their shopping carts, they can go to checkout by clicking the Proceed to Checkout button. In the Payment Information checkout section, they select the PayPal Direct Payment option, and enter the credit card information.

- PayPal Payments Pro lets your customer stay on your site during the checkout process.
- PayPal Express Checkout redirects your customer to the PayPal site to complete the transaction

### Order Processing Workflow

If Payment Action is set to “Authorize,” Magento creates a sales order with the “Processing” status. In this case, the amount of money to be authorized is pending approval. With PayPal Payments Pro, you can process the payment online from either the Admin of your store, or from your PayPal merchant account. If Payment Action is set to “Sale,” Magento creates both a sales order and invoice.

When checking out products from the shopping cart to multiple addresses simultaneously, customers can choose to pay with PayPal Payments Pro. At the customer’s request, the store administrator can also create an order from the Admin, and process the transaction with PayPal Payments Pro.

An order can be voided online at any time until the order amount is fully invoiced. If required, the order can be online partially invoiced for a specified quantity of products. For each partial invoice submitted through the PayPal payment system, a separate transaction record with a unique ID and of the Capture transaction type will become available on the Transaction tab, and a separate invoice document will be created on the Invoices tab. The payment transaction of the type “Authorization” is closed only after the full order amount is captured.

When capturing the payment transaction, PayPal transfers the order amount from the buyer's balance, bank account or credit card to the merchant's account. If for any reason the customer returns the purchased products and claims a refund, as with order amount capturing and invoice creation, you can create an online refund either from the Admin or from your PayPal merchant account.

Make sure that instant payment notifications are enabled in your PayPal merchant account. An invoice is created in Magento only after an instant payment notification message is delivered to Magento from PayPal. Based on these notifications, you can receive detailed payment information on each transaction from PayPal after you click the Fetch button on the Transaction page of an order.

## Requirements



[PayPal Business Account](#) (with Direct Payments Activated)

## Setting Up PayPal Payments Pro

For step-by-step configuration instructions, see [PayPal Payments Pro](#) in the Magento Community Edition online user guide.

The screenshot shows the Magento Community Edition User Guide interface. On the left, there is a sidebar with various navigation links. In the center, the main content area displays the 'PayPal Payments Pro' configuration page. The title 'PayPal Payments Pro' is at the top, followed by a brief description of the feature. Below the description, there is a section titled 'Requirements' which lists the requirement for a 'PayPal Business Account (with Direct Payments Activated)'. At the bottom of the page, there is a section titled 'Setting Up PayPal Payments Pro' with five numbered steps: Step 1: Configure Your PayPal Account, Step 2: Complete the Required Settings, Step 3: Complete the Basic Settings, Step 4: Complete the Advanced Settings, and Step 5: Configure PayPal Express Checkout.

*Setting Up PayPal Payment Pro*

## PayPal Payments Standard

PayPal Payments Standard is the easiest way to accept payments online. You can offer your customers the convenience of payment both by credit card and PayPal by simply adding a checkout button to your store.

For merchants outside the US, this method is called “PayPal Website Payments Standard.”

With PayPal Payments Standard, you can swipe credit cards on mobile devices. There is no monthly fee, and you can get paid on eBay. Supported credit cards include Visa, MasterCard, Discover, and American Express. In addition, customers can pay directly from their personal PayPal accounts. PayPal Payments Standard is available in all countries on the PayPal worldwide reference list.

### Checkout Workflow

During checkout, the customer is redirected to the PayPal site to complete the transaction. PayPal Payments Standard is a one-step process for customers whose credit card information is up-to-date in their personal PayPal accounts. All the customer needs to do is click the “Pay Now” button to complete the purchase.

### Merchant Requirements




PayPal Business Account

## Setting Up PayPal Payments Standard

PayPal Payments Standard cannot be enabled simultaneously with any other PayPal method, including Express Checkout. If you change payment solutions, the one you used previously is disabled.

For step-by-step configuration instructions, see [PayPal Payments Standard](#) in the online user guide.



*Setting Up PayPal Payments Standard*

## PayPal Express Checkout

PayPal Express Checkout helps boost sales by giving your customers the ability to pay by credit card or from the security of their personal PayPal accounts. During checkout, the customer is redirected to the secure PayPal site to complete the payment information. The customer is then returned to your store to complete the remainder of the checkout process. Choosing Express Checkout adds the familiar PayPal button to your store, which has been reported to increase sales.\*


Customers with current PayPal accounts can make a purchase in a single step, by clicking the “Check out with PayPal” button. Express Checkout can be added as a standalone, or added to an existing PayPal solution. If you already accept credit cards online, you can offer Express Checkout as an additional option to attract new customers who prefer to pay with PayPal. PayPal Express Checkout can be used as a standalone, or in combination with one of PayPal’s All-In-One solutions.

### Checkout Workflow

With Express Checkout, the customer is redirected to the PayPal site to complete the transaction. Unlike other payment methods, PayPal Express Checkout allows the customer to check out at the beginning of the usual checkout flow. With the PayPal Express Checkout enabled, the “Check out with PayPal” button is available on the product page, in the shopping cart, and mini shopping cart. Clicking the button redirects the customer to the PayPal website to review the purchase information. Customers must log in to their PayPal accounts to complete the transaction. The payment system uses the customer’s billing and shipping information from the customer’s PayPal account. The customer is then redirected back to the Magento Review Order page. After the customer places the order in Magento, the payment information is submitted to PayPal and the payment transaction is settled.

If the customer uses the one-page checkout and selects the Express Checkout payment method, the customer is redirected to PayPal during the Payment Review process, just before the sales order is submitted.

Express Checkout method of payment is unavailable if the customer chooses to check out the products from the shopping cart to multiple addresses. The store administrator cannot place an order using the Express Checkout method of payment, because it is also unavailable from the Admin.



*Check Out with PayPal*

## Requirements

- Merchant: Personal PayPal Account
- Customer: Personal PayPal Account

## Setting Up PayPal Express Checkout

You can have two PayPal solutions active at the same time: Express Checkout, plus an All-In-One solution. If you enable a different solution, the one used previously is automatically deactivated.

### Process Overview:

- Step 1: Configure Your PayPal Account
- Step 2: Complete the Required Settings
- Step 3: Complete the Basic Settings
- Step 4: Complete the Advanced Settings

## Step 1: Configure Your PayPal Account

1. Before you begin, you must configure your PayPal merchant account on the PayPal website.
  - a. Log in to your PayPal Advanced account at [manager.paypal.com](https://manager.paypal.com).
  - b. Go to **Service Settings > Hosted Checkout Pages > Set Up**, and make the following settings:

AVS	No
CSC	No
Enable Secure Token	Yes
  - c. **Save** the settings.
2. PayPal recommends that you set up an additional user on your account. To set up an additional user, do the following:
  - a. Go to [manager.paypal.com](https://manager.paypal.com) and log in to your account.
  - b. Follow the instructions to set up an additional user.
  - c. **Save** the changes.


## Step 2: Complete the Required Settings

1. On the Admin menu, select **System > Configuration**.
2. In the Configuration panel on the left, under Sales, select **Payment Methods**.
3. If your Magento installation has multiple websites, stores or views, set the **Current Configuration Scope** box in the upper-left corner to the target configuration.
4. In the Merchant Location section, select the **Merchant Country** where your business is located.

The screenshot shows a configuration window titled "Merchant Location". Inside, there is a dropdown menu labeled "Merchant Country" with "United States" selected. Below the dropdown, a note reads: "If not specified, Default Country from General Config will be used."

*Merchant Location*

5. If necessary, click to expand the **PayPal Express Checkout** section. Then, click the **Configure** button.



### *PayPal Express Checkout*

6. Under Required PayPal Settings, in the Express Checkout section, complete the following:

- a. Enter the **Email Address** that is associated with your PayPal merchant account.

**Important!** Email addresses are case sensitive. To receive payment, the email address you enter must match the email address specified in your PayPal merchant account.

- b. Set **API Authentication Methods** to one of the following:

- API Signature
- API Certificate

- c. If necessary, click the **Get Credentials from PayPal** button. Then, complete the following:

- API Username
- API Password
- API Signature

- d. If you are using credentials from your sandbox account, set **Sandbox Mode** to “Yes.”

If necessary, click the **Sandbox Credentials** button and follow the instructions to set up your testing environment.

- e. If your system uses a proxy server to establish the connection between Magento and the PayPal payment system, set **API Uses Proxy** to “Yes.” Then,, complete the following:

- Proxy Host
- Proxy Port

7. When these sections are complete, set **Enable this Solution** to “Yes.”

8. To offer financing through PayPal to your customers, see [PayPal Credit](#) to learn more.

You have now completed the Required PayPal Settings. At this point, you can either continue with the Basic and Advanced Settings, or click the **Save Config** button. You can return later fine-tune the configuration.

The screenshot shows the 'Required PayPal Settings' configuration page. Under the 'Express Checkout' tab, it lists several fields: 'Email Associated with PayPal Merchant Account' (with a note to 'Start accepting payments via PayPal!'), 'API Authentication Methods' set to 'API Signature', 'API Username', 'API Password', 'API Signature', 'Sandbox Mode' set to 'Yes', and 'API Uses Proxy' set to 'No'. Below these, 'Enable this Solution' is set to 'No'. In the 'Enable Paypal Credit' section, there is a note about giving customers financing through PayPal Credit®. At the bottom, there is a 'Advertise Paypal Credit' section.

*PayPal Express Checkout Required Settings*

### Step 3: Complete the Basic Settings

1. If your store has multiple views, make sure to set the **Current Configuration Scope** box in the upper-left corner to the view where these settings apply.
2. In the Basic Settings - PayPal Express Checkout section, complete the following:
  - a. Enter a **Title** to identify this payment method during checkout. It is recommended to set the title to “PayPal” for each store view.
  - b. If you offer multiple payment methods, enter a number in the **Sort Order** field to determine the sequence in which PayPal Payments Standard is listed with the other methods. Payment methods appear in ascending order based on the Sort Order value.
  - c. Set **Payment Action** to one of the following:

Authorization	Approves the purchase, but puts a hold on the funds. The amount is not withdrawn until it is “captured” by the merchant.
Sale	The amount of the purchase is authorized and immediately withdrawn from the customer’s account.

Order      The amount of the order is neither captured nor authorized in the customer's balance, bank account, or credit card at PayPal. The Order payment action represents an agreement between the PayPal payment system and the merchant, which enables the merchant to capture one or more amounts up to the "ordered" total from the customer's buyer account, over a maximum of 29 days. After the funds are "ordered," the merchant can capture them at any time during the following 29 days. Capturing of the order amount can be done only from the Magento backend, by creating one or more invoices.

- d.** If **Payment Action** is set to "Order," complete the following fields:

Authorization Honor Period (days)	Defines how long the primary authorization stays valid. The value should be equal to the corresponding value in your PayPal merchant account. The default value in your PayPal merchant account is 3. To increase this number you need to contact PayPal. The authorization becomes invalid at 11:49 p.m., U.S. Pacific Time, of the last day.
Order Valid Period (days)	Defines how long the order remains valid. When the order becomes invalid, you can no longer create invoices for it. Specify the value equal to the Order Valid Period value in your PayPal merchant account. The default value in your PayPal merchant account is 29. To change this number, you need to contact PayPal.
Number of Child Authorizations	Defines the maximum number of authorizations for one order; that is, the maximum number of the online partial invoices you can create for one order. The number in this field should be equal to the corresponding setting in your PayPal merchant account. The default number of child authorizations in your PayPal account is 1. To increase this number, you need to contact PayPal.

- e.** To display the "Check out with PayPal" button on the product page, set **Display on Product Details Page** to "Yes."

The screenshot shows the 'Basic Settings - PayPal Express Checkout' configuration screen. It includes fields for 'Title' (PayPal Express Checkout), 'Sort Order', 'Payment Action' (set to 'Authorization'), and 'Display on Product Details Page' (set to 'Yes'). There is also a note about setting the title to 'PayPal' per store views. At the bottom, there is a link labeled 'Advanced Settings ▾'.

*Basic Settings - PayPal Express Checkout*

## Step 4: Complete the Advanced Settings

1. At the bottom of the Basic Settings section, click to expand **Advanced Settings**. Then, complete the following:
  - a. Set **Payment Applicable From** to one of the following:

All Allowed Countries	Accepts payment from the countries already specified in your configuration.
Specific Countries	Accepts payments from only the countries you specify. Hold the Ctrl key down and in the Payment Applicable From list, click each country where you accept payment.
  - b. Set **Debug Mode** to "Yes" to write communications with the payment system into the log file. The log file for PayPal Payments Advanced is payments\_payflow\_advanced.log.

In accordance with PCI Data Security Standards, credit card information is not recorded in the log file.

- c. To enable host authenticity verification, set **Enable SSL Verification** to "Yes."
  - d. To display a full summary of the customer's order by line item from the PayPal site, set **Transfer Cart Line Items** to "Yes."
- To include up to ten shipping options in the summary, set **Transfer Shipping Options** to "Yes." (This option appears only if line items are set to transfer.)
- e. To determine the type of image used for the PayPal acceptance button, set **Shortcut Button Flavor** to one of the following:

Dynamic (Recommended) Displays an image that can be dynamically changed from the PayPal server.

Static Displays a specific image that cannot be dynamically changed.

- f. To allow customers without PayPal accounts to make purchases with this method, set **Enable PayPal Guest Checkout** to “Yes.”

- g. Set **Require Customer's Billing Address** to one of the following:

Yes	Requires the customer's billing address for all purchases.
No	Does not require the customer's billing address for any purchases.
For Virtual Quotes Only	Requires the customer's billing address for virtual quotes only.

- h. To specify whether the customer can sign a [billing agreement](#) with your store in the PayPal payment system when there are no active billing agreements available in the customer account, set **Billing Agreement Signup** to one of the following:

Auto	The customer can either sign a billing agreement during the Express Checkout flow or use another method of payment.
Ask Customer	The customer can decide whether to sign a billing agreement during the Express Checkout flow.
Never	The customer cannot sign a billing agreement during the Express Checkout flow.

The store owner needs to apply to PayPal Merchant Technical Support to enable billing agreements. The Billing Agreement Signup parameter must be enabled only after PayPal confirms that billing agreements are enabled for your merchant account.

- i. To allow the customer to complete the transaction from the PayPal site without returning to your Magento store for Order Review, set **Skip Order Review Step** to “Yes.”

**Advanced Settings ▾**

Display on Shopping Cart	<input type="button" value="Yes (PayPal recommends this option)"/> [STORE VIEW]
Payment Applicable From	<input type="button" value="All Allowed Countries"/> [WEBSITE]
Debug Mode	<input type="button" value="Yes"/> [WEBSITE]
Enable SSL verification	<input type="button" value="Yes"/> [WEBSITE]
Transfer Cart Line Items	<input type="button" value="Yes"/> [WEBSITE]
Transfer Shipping Options	<input type="button" value="No"/> [WEBSITE]
Shortcut Buttons Flavor	<input type="button" value="Static"/> [STORE VIEW]
Enable PayPal Guest Checkout	<input type="button" value="No"/> [WEBSITE]
Require Customer's Billing Address	<input type="button" value="No"/> [WEBSITE]
Billing Agreement Signup	<input type="button" value="Ask Customer"/> [WEBSITE]
Skip Order Review Step	<input type="button" value="No"/> [WEBSITE]

*PayPal Express Checkout Advanced Settings*

2. Complete the following sections as needed for your store:

## PayPal Billing Agreement Settings

A **billing agreement** is a sales agreement between the merchant and customer that has been authorized by PayPal for use with multiple orders. During the checkout process, the Billing Agreement payment option appears only for customers who have already entered into a billing agreement with your company. After PayPal authorizes the agreement, the payment system issues a unique reference ID to identify each order that is associated with the agreement. Similar to a purchase order, there is no limit to the number of billing agreements a customer can set up with your company.

1. To make billing agreements available to your customers, click to expand the **PayPal Billing Agreement Settings** section.
2. Set **Enabled** to “Yes.” Then, do the following:
  - a. Enter a **Title** to identify the PayPal Billing Agreement method during checkout.
  - b. If you offer multiple payment methods, enter a number in the **Sort Order** field to determine the sequence in which Billing Agreement appears when listed with other payment methods during checkout.
  - c. Set **Payment Action** to one of the following:

Authorization

Approves the purchase, but puts a hold on the funds. The amount is not withdrawn until it is “captured” by the merchant.

**Sale** The amount of the purchase is authorized and immediately withdrawn from the customer's account.

- d. Set **Payment Applicable From** to one of the following:

All Allowed Countries Accepts payment from the countries already specified in your configuration.

Specific Countries Accepts payments from only the countries you specify. Hold the Ctrl key down and in the Payment Applicable From list, click each country where you accept payment.

- e. To record communications with the payment system in the log file, set **Debug Mode** to "Yes."

The log file is stored on the server and is accessible only to developers. In accordance with PCI Data Security Standards, credit card information is not recorded in the log file.

- f. To enable SSL verification, set **Enable SSL verification** to "Yes."
- g. To display a summary of each line item in the customer's order on your PayPal payments page, set **Transfer Cart Line Items** to "Yes."
- h. To allow customers to initiate a billing agreement from the dashboard of their customer account, set **Allow in Billing Agreement Wizard** to "Yes."

PayPal Billing Agreement Settings		
Enabled	Yes	[WEBSITE]
▲ Will appear as a payment option only for customers who have at least one active billing agreement.		
Title	PayPal Billing Agreement	[STORE VIEW]
Sort Order		[STORE VIEW]
Payment Action	Authorization	[WEBSITE]
Payment Applicable From	All Allowed Countries	[WEBSITE]
Debug Mode	No	[WEBSITE]
Enable SSL verification	No	[WEBSITE]
Transfer Cart Line Items	No	[WEBSITE]
Allow in Billing Agreement Wizard	Yes	[WEBSITE]

*PayPal Billing Agreement Settings*

## Settlement Report Settings

1. Click to expand the **Settlement Report Settings** section.
2. If you have signed up for PayPal's Secure FTP Server, enter the following SFTP login credentials:

- Login
  - Password
3. To run test reports before “going live” with Express Checkout on your site, set **Sandbox Mode** to “Yes.”
  4. Enter the **Custom Endpoint Hostname or IP Address**. By default, the value is: reports.paypal.com
  5. Enter the **Custom Path** where reports are saved. By default, the value is: /ppreports/outgoing
  6. To generate reports according to a schedule, under Scheduled Fetching, make the following settings:
    - a. Set **Enable Automatic Fetching** to “Yes.”
    - b. Set **Schedule** to one of the following:
      - Daily
      - Every 3 Days
      - Every 7 Days
      - Every 10 Days
      - Every 14 Days
      - Every 30 Days
      - Every 40 Days

PayPal retains each report for forty-five days.

- c. Set **Time of Day** to the hour, minute, and second when you want the reports to be generated.

Settlement Report Settings		
<b>SFTP Credentials</b>		
Login	<input type="text"/>	[WEBSITE]
Password	<input type="password"/>	[WEBSITE]
Sandbox Mode	<input checked="" type="checkbox"/> No	[WEBSITE]
Custom Endpoint Hostname or IP-Address	<input type="text"/> reports.paypal.com	[WEBSITE]
Custom Path	<input type="text"/> /ppreports/outgoing	[WEBSITE]
<b>Scheduled Fetching</b>		
Enable Automatic Fetching	<input checked="" type="checkbox"/> No	[WEBSITE]
Schedule	<input checked="" type="checkbox"/> Daily	[GLOBAL]
Time of Day	<input type="text"/> 00 : 00 : 00	[GLOBAL]

*PayPal Settlement Report Settings*

## Frontend Experience Settings

The frontend experience settings give you the opportunity to choose which PayPal logos appear on your site, and to customize the appearance of your PayPal merchant pages.

1. Click to expand the **Frontend Experience Settings** section.
2. Select the **PayPal Product Logo** that you want to appear in the PayPal block in your store. The PayPal logos are available in four styles and two sizes. Options include:
  - No Logo
  - We Prefer PayPal (150 x 60 or 150 x 40)
  - Now Accepting PayPal (150 x 60 or 150 x 40)
  - Payments by PayPal (150 x 60 or 150 x 40)
  - Shop Now Using PayPal (150 x 60 or 150 x 40)
3. To customize the appearance of your PayPal merchant pages, do the following:

- a. Enter the name of the **Page Style** that you want to apply to your PayPal merchant pages. Options include:

paypal	Uses the PayPal page style.
--------	-----------------------------

primary	Uses the page style that you identified as the “primary” style in your account profile.
---------	---

your_custom_value	Uses a custom payment page style, which is specified in your account profile.
-------------------	---

- b. In the **Header Image URL** field, enter the URL of the image that you want to appear in the upper-left corner of the payment page. The maximum file size is 750 pixels wide by 90 pixels high.

PayPal recommends that the image be located on a secure (<https://>) server. Otherwise, the customer’s browser may warn that “the page contains both secure and nonsecure items.”

- c. Enter the six-character hexadecimal code, without the “#” symbol, for each of the following:

Header Background Color	Background color for the checkout page header
-------------------------	---

Header Border Color	2-pixel border around the header.
---------------------	-----------------------------------

Page Background Color	Background color for the checkout page and around the header and payment form.
-----------------------	--

The screenshot shows the 'Frontend Experience Settings' configuration screen. It includes a section for 'PayPal Product Logo' with a dropdown menu set to 'No Logo' and a note that it displays on catalog pages and homepage. Below this is a section for 'PayPal Merchant Pages Style' with five input fields: 'Page Style', 'Header Image URL', 'Header Background Color', 'Header Border Color', and 'Page Background Color', each with a '[STORE VIEW]' link.

*PayPal Frontend Experience Settings*

- When complete, click the **Save Config** button.

## Save Customer Billing Address

The complete billing address of the customer can be saved when the customer pays with PayPal Express Checkout. The billing address can be received from PayPal, and can be edited by the customer. Make sure that your PayPal merchant account is configured to save the customer billing address. Contact PayPal technical support for more information.

### Billing Address Workflow

When customers choose to pay using PayPal Express Checkout, they are redirected to PayPal. After logging in to PayPal and reviewing the payment information, they are redirected back to the Order Review page of your store, where they can complete the checkout process and place the order.

If you have set up your PayPal Express Checkout Advanced settings to skip the order review step, the customer can pay for the order on the PayPal site by clicking the Pay Now button.

If a billing address cannot be received from PayPal because of your configuration or due to any other reasons, the billing address fields on the Order Review page are prepopulated with the shipping address values. A customer can edit them if necessary.

If a customer leaves the billing and shipping addresses without changes, the Place Order button is enabled when the customer selects the shipping method in the Shipping Method field.

If the customer edits the billing or shipping address, the Place Order button is disabled. The customer needs to click the Update Order Data button first. The system will update the information, including the available shipping methods, and the Place Order button will be enabled.

After the customer clicks Place Order, the order is created in Magento, and PayPal performs the related transaction(s). The complete billing and shipping addresses are saved in the order record in Magento.

### To save the customer billing address:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Sales, select **Payment Methods**.
3. Under PayPal Express Checkout, click the **Configure** link, and do the following:
  - a. Set **Require Customer's Billing Address** to "Yes."
  - b. To request the customer's billing address only for orders with downloadable and/or virtual products, set **Require Customer's Billing Address** to "For Virtual Quotes Only."
4. Click the **Save Config** button.

## Managing Order Transactions

Magento includes the option to use the Order payment action for the PayPal Express Checkout payment method. When a store customer submits an order, having paid using the PayPal Express Checkout payment method, for which the Order payment action is set, the funds on the customer's card are authorized. If the authorization times out before you capture all payment, the authorization is voided, and a new authorization and capture are conducted when you create an invoice. Only the amount equal to the invoice total is authorized and captured. The maximum number of these authorizations for one order, and the periods for which the first authorization and the order in general stay valid, depend on your PayPal merchant account settings. These parameters need to be specified in the Magento Admin Panel as well. Capturing can be done only from the Magento Admin Panel, by creating one or more invoices.

Situations in which using the Order transaction may be appropriate include the following:

- Back orders, in which available items are sent immediately, and the remaining part of the order is sent when available; this may include more than two shipments
- Split orders, in which ordered items are sent in more than one shipment, perhaps to different addresses, and you want to collect a payment for each shipment
- Drop shipments, which are shipments from other vendors for which you accept the payment

Using the Order payment action does not influence the checkout process for store customers.

## Payment Action Set to “Order”

When the store customer submits the order, having paid using the PayPal Express Checkout payment method, for which the Order payment action is set, the order (with Processing status) is created in the Admin. Two transactions are created for this order: one with type Order and one with type Authorization.

The funds on the customer’s account are put on hold, and you can capture the payment only from the Admin. To capture, you need to create an online invoice. When you choose to create an online invoice, Magento determines whether the number of days passed from the first authorization exceeds the Order Valid Period value. If more days have passed, you cannot create an online invoice for this order.

If the order is valid, Magento determines whether the first authorization is valid, comparing the number of days passed with the Authorization Honor Period value. If the authorization is valid, the necessary sum is captured; the rest is left on hold, and the number of captures is not limited. If the authorization is not valid anymore, it is voided. A new authorization and capture are created, but for the invoice total (not the order total). From this moment, each time you create an online invoice for this order, a new authorization and capture will be conducted only for invoice totals.

Also, Magento will determine whether the number of the conducted captures is equal to the Number of Child Authorizations value each time. If the number specified there is already reached, creating online invoices for the order will not be possible.

## PayPal Credit

For US merchants, PayPal Credit is now a payment option during checkout. PayPal Credit, (formerly Bill Me Later) offers your customers access to financing, so they can buy now and pay later, at no additional cost to you. You are not charged when customers choose PayPal Credit, and only pay your normal PayPal transaction fee. You can also use free, ready-made banner ads and a prominent PayPal Credit button in checkout, to tell your customers while they shop that financing is available.



*PayPal Credit*

According to an August 2013 Forrester Consulting study commissioned by PayPal, PayPal Credit (Bill Me Later) can increase sales up to 18%, with about one-third resulting from the six months' same-as-cash payment option. To learn more, visit the [PayPal](#) site.

Before you configure PayPal Credit in your store, make sure it is enabled in your PayPal account .

### To enable PayPal Credit:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Sales, select **Payment Methods**.
3. Under PayPal Express Checkout, or one of the All-In-One solutions that includes PayPal Express Checkout, click the **Configure** link. Then, do the following:
  - a. Click to expand **Required PayPal Settings**.
  - b. Set **Enable PayPal Credit** to “Yes.”
4. Click the **Save Config** button.

The screenshot shows the 'Express Checkout' configuration page in the Magento Admin. It includes fields for API authentication methods (API Signature selected), sandbox mode (Yes), and proxy usage (No). A 'Learn More' button is highlighted with a callout.

*Learn More about PayPal Credit*


### To enable PayPal Credit banners:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Sales, select **Payment Methods**.
3. Under PayPal Express Checkout, click the **Configure** link.
4. Click to expand **Required PayPal Settings** section. Then, click to expand **Advertise PayPal Credit** section.

The screenshot shows the 'Advertise PayPal Credit' configuration page. It includes a 'Why Advertise Financing?' section with a 'Learn More' link, a Publisher ID field, and a 'Get Publisher ID from PayPal' button. Below is a dropdown menu for selecting pages where the banner will appear.

*Advertise PayPal Credit*

5. Click the **Get Publisher ID from PayPal** button and follow the directions to get your account information. Then, enter your **Publisher ID**.
6. Click to expand the **Home Page** section. Then, do the following:
  - a. To place a banner on the page, set **Display** to “Yes.”
  - b. Set **Position** to one of the following:
    - Header (center)
    - Sidebar (right)
  - c. Set **Size** to one of the following:
    - 190 x 100
    - 234 x 60
    - 300 x 50
    - 468 x 60
    - 728 x 90
    - 800 x 66
7. Repeat the previous step for each of the following sections:
  - Catalog Category Page
  - Catalog Product Page
  - Checkout Cart Page
8. When complete, click the **Save Config** button.



These examples do not represent the actual size of the banners, but show their relative shape and proportion.

## Billing Agreements

The Billing Agreement functionality enables customers to sign an agreement with the payment system and eases the process of checkout because customers do not need to specify payment information again and again. During the shopping cart checkout, the customer can simply choose a billing agreement as a payment method and based on its number; the payment system will charge the customer's account. The store administrator can manage customer's billing agreements from both the Customer and Sales sections of the Admin menu.

### Sales Management

---

The list of all billing agreements for all customers is available under Sales > Billing Agreements. Here, the store administrator can filter the records by the customer or billing agreement information including billing agreement reference ID, status, and creation date. A specific record provides general information about the selected billing agreement and about all sales orders that relate to it. The store administrator can view, cancel, or delete a customer's billing agreements in the Sales Management area. Billing agreements can be canceled or deleted by clicking the corresponding buttons located in the upper right part of the Billing Agreement page. An already canceled billing agreement can only be deleted by the store administrator.

### Customer Management

---

Billing agreements created by a single customer can be seen on the Billing Agreements tab of the customer account page in the Admin (Customers > Manage Customers). From here, the store administrator can open a required billing agreement to view its general information and sales orders relating to it, cancel a billing agreement, or delete it.

## Customer Account Workflow

Customers can create billing agreements by signing in to their customer accounts, selecting the billing agreement payment method, and initiating the Billing Agreement process. When a billing agreement is created, it is submitted to the PayPal payment system and recorded in the customer account, along with reference information. There is no limit to the number of billing agreements a customer can create. The customer can also cancel some, or all of the billing agreements on the Billing Agreement page of the customer account. The status of each billing agreement is shown as either "Active" or "Canceled." When a billing agreement is canceled, it cannot be reactivated.

When checking out products from the shopping cart, a customer who has already entered into a billing agreement with PayPal can choose the PayPal Billing Agreement payment method in the Payment Information section of the checkout page, and select the billing agreement reference ID from the list. When the customer places the order, the billing

agreement reference ID and sales order payment details are transferred to the PayPal payment system. After the payment system confirms the payment, a sales order is created in Magento.

## Sales Order Workflow

Customers who do not yet have a billing agreement with PayPal can choose PayPal Express Checkout, and select “Sign a billing agreement” to streamline the process. They are then redirected to the PayPal payment system where the billing agreement can be signed. After the billing agreement is signed, the customer returns to the checkout page, where the order is placed. A corresponding record appears in the billing agreements list.

Customers can also sign a billing agreement from the mini shopping cart or product page by clicking the “Check out with PayPal” button. When making a purchase with PayPal Express Checkout, the customer can choose to enter into a billing agreement PayPal. If the customer cancels creating a billing agreement, the order is created through the normal PayPal payment process.

Customers with one or more billing agreements can still create a new billing agreement from their customer account, but cannot enter into a new billing agreement through PayPal Express Checkout.

When the customer signs a billing agreement during checkout, PayPal creates a payment transaction through PayPal Express Checkout, and a billing agreement reference ID is sent to the customer and to the store. The current order is not related to the billing agreement that is signed. Related billing agreement order records are created the next time the customer chooses to use the billing agreement as a payment method to place an order.

### To enable billing agreements:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Sales, select **Payment Methods**.
3. Click the **Configure** button for one of the following PayPal solutions:
  - PayPal Express Checkout
  - PayPal Payments Advanced (includes Express Checkout)
  - PayPal Payments Pro (includes Express Checkout)
4. Scroll down to the PayPal Billing Agreement Settings section, and do the following:
  - a. Set **Enabled** to “Yes.”
  - a. Enter a **Title** to identify the PayPal Billing Agreement method during checkout.
  - b. If you offer multiple payment methods, enter a number in the **Sort Order** field to determine the sequence in which Billing Agreement appears when listed with other payment methods during checkout.

- c.** Set **Payment Action** to one of the following:

Authorization	Approves the purchase, but puts a hold on the funds. The amount is not withdrawn until it is “captured” by the merchant.
---------------	--

Sale	The amount of the purchase is authorized and immediately withdrawn from the customer’s account.
------	---

- d.** Set **Payment Applicable From** to one of the following:

All Allowed Countries	Accepts payment from the countries already specified in your configuration.
-----------------------	---

Specific Countries	Accepts payments from only the countries you specify. Hold the Ctrl key down and in the Payment Applicable From list, click each country where you accept payment.
--------------------	--

- e.** To record communications with the payment system in the log file, set **Debug Mode** to “Yes.”

The log file is stored on the server and is accessible only to developers. In accordance with PCI Data Security Standards, credit card information is not recorded in the log file.

- f.** To enable SSL verification, set **Enable SSL verification** to “Yes.”
- g.** To display a summary of each line item in the customer’s order on your PayPal payments page, set **Transfer Cart Line Items** to “Yes.”
- h.** To allow customers to initiate a billing agreement from the dashboard of their customer account, set **Allow in Billing Agreement Wizard** to “Yes.”

- 5.** When complete, click the **Save Config** button.

PayPal Billing Agreement Settings		
Enabled	<input checked="" type="checkbox" value="Yes"/> Yes	[WEBSITE]
	<small>▲ Will appear as a payment option only for customers who have at least one active billing agreement.</small>	
Title	<input type="text" value="PayPal Billing Agreement"/>	[STORE VIEW]
Sort Order	<input type="text"/>	[STORE VIEW]
Payment Action	<input type="text" value="Authorization"/>	[WEBSITE]
Payment Applicable From	<input type="text" value="All Allowed Countries"/>	[WEBSITE]
Debug Mode	<input type="text" value="No"/>	[WEBSITE]
Enable SSL verification	<input type="text" value="No"/>	[WEBSITE]
Transfer Cart Line Items	<input type="text" value="No"/>	[WEBSITE]
Allow in Billing Agreement Wizard	<input type="text" value="Yes"/>	[WEBSITE]

*PayPal Billing Agreement Settings*

## Settlement Reports

The PayPal Settlement report provides the store administrator with the information about each transaction that affects the settlement of funds.

Before generating settlement reports, the store administrator must contact PayPal Merchant Technical Services to create an SFTP user account, and enable settlement reports and SFTP for the PayPal business account.

After configuring and enabling settlement reports in the PayPal merchant account, Magento will start generating reports within twenty-four hours.

The store administrator can fetch the most recent settlement reports by clicking the Fetch Updates button located in the upper right part of the page. After clicking it, a dialog box appears, stating that the system will connect to the PayPal SFTP server to fetch the reports. When all recent reports are added to the list, the Infolog message appears, stating the number of reports fetched. The report includes the following additional information for each transaction:

### To enable settlement reports:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Sales, select **Payment Methods**.
2. Click the **Configure** button for one of the following PayPal solutions:
  - PayPal Express Checkout
  - PayPal Payments Advanced (includes Express Checkout)
  - PayPal Payments Pro (includes Express Checkout)
3. Scroll down to the Settlement Report Settings section, and do the following:

The screenshot shows the 'Settlement Report Settings' configuration page. It is divided into two main sections: 'SFTP Credentials' and 'Scheduled Fetching'.  
**SFTP Credentials:** This section contains fields for 'Login' and 'Password' (both with '[WEBSITE]' placeholder text), 'Sandbox Mode' (set to 'No'), 'Custom Endpoint Hostname or IP-Address' (with a note: 'By default it is "reports.paypal.com".'), and 'Custom Path' (with a note: 'By default it is "/ppreports/outgoing".').  
**Scheduled Fetching:** This section contains 'Enable Automatic Fetching' (set to 'No'), 'Schedule' (set to 'Daily' with a note: 'PayPal retains reports for 45 days.'), and 'Time of Day' (set to '00 : 00 : 00').

*Settlement Report Settings*

- a.** Enter your **SFTP Credentials**.
  - b.** Complete the remaining information according to your business requirements

For detailed configuration instructions, see the knowledge base article for your PayPal solution.

- c. When complete, click the **Save Config** button.

**To view the settlement reports:**

On the Admin menu, select **Reports > Sales > PayPal Settlement Reports**.

## Field Descriptions

## Settlement Report

FIELD	DESCRIPTION
Report Date	The date when the settlement report was generated.
Merchant Account	The encrypted merchant account number generated by PayPal.
Transaction ID	The identification of a transaction of the money moving event. Transaction ID is generated by PayPal and cannot be changed by the merchant.
Invoice ID	The identification of an invoice generated within Magento. The field can be populated with either an invoice ID sent with the capture request or with the value of the invoice ID (if any) from the authorizing transaction.
PayPal Reference ID	The identification of a related, pre-existing transaction or event.
Event Code	The code assigned to the transaction according to the event that has initiated it. Among these can be website payments standard payment, express or direct checkout API, pre-approved payment, subscription payment, and so on.
Initiation Date	The date and time the transaction was initiated.
Completion Date	The date and time the transaction was completed.
Gross Amount	The amount of the payment between the two parties and before fees.
Fee Amount	The amount of fee associated with the settlement. All transaction fees are included in this amount. Fees are never amortized across several transactions.

## PayPal Payflow Pro

PayPal Payflow Pro gateway, formerly known as Verisign, is a payment method available for customers of the USA, Canada, Australia, and New Zealand. Similar to other PayPal payment methods that are provided in Magento, PayPal Payflow Pro Gateway requires that the store owner have a merchant account at PayPal. The PayPal Payflow Pro gateway links the merchant account at PayPal and the merchant's website, and acts both as a gateway and a merchant account. With PayPal Payflow Pro Gateway, payments are processed directly on the merchant websites and customers are not redirected to PayPal. Unlike other PayPal payment methods, the pricing for using the Payflow Pro Gateway method of payment is fixed no matter how many transactions are submitted. That is, merchants pay a fixed monthly fee plus a fixed fee for each transaction regardless of their number.

PayPal Payflow Pro allows customers to enter their credit card information during checkout, without leaving the store checkout page and without using PayPal hosted forms. Additionally, payments are accepted through PayPal Payflow Pro at the time an order is placed. PayPal Payflow Pro does not require customers to have buyer accounts at PayPal; but depending on the merchant country, customers may use their PayPal buyer accounts for paying through the gateway. You can view all Payflow Pro Gateway transactions in your [PayPal business account](#).

### Customer Workflow

After customers add products to their shopping carts and proceed to the checkout, they specify their billing and/or shipping addresses and the shipping method. Then, in the Payment Information section of the Checkout page, they can select the Payflow Pro payment method, enter the type of credit card, its number, expiration date, and the card verification number. Customers are not redirected to the PayPal website when they choose to pay with Payflow Pro Gateway. Depending on the payment action selected in the configuration of the payment method, either a sales order or a sales order and an invoice is created.

### Order Processing Workflow

Orders paid with Payflow Pro Gateway can be processed online only from Magento. Here, you can submit an online invoice and as a result a corresponding transaction and an invoice will be created. Regarding order amount refunds, you can also submit them online from the created invoice.

Partial invoices are not available when using PayPal Payflow Pro. The Qty to Invoice field is unavailable for editing. The partial refund is unavailable as well.

## PayPal Payflow Link

PayPal PayFlow Link is available for merchants in the United States and Canada only; this method requires a Payflow merchant account. PayFlow Link cannot be used for orders created from the Admin.

In general, order processing with PayPal PayFlow Link is the same as processing orders with PayPal. An invoice, shipment, and credit memo (online/offline refund) can be created. PayPal Payflow Link passes the card information directly to PayPal. It is never stored in Magento system. The customer is not required to have a PayPal account to use this method. Multiple online refunds are not available with PayPal PayFlow Link.

### Customer Workflow

The customer selects the PayFlow Link payment method on the Payment Information checkout step and clicks Continue. The Order Review step appears, where the Pay Now button is available instead of the usual Place Order button. After the customer clicks Pay Now, the PayPal-hosted form, where the credit card information can be entered, loads in the checkout page. The customer specifies the card information and clicks Pay Now. If the transaction is successful, the customer is redirected to the order confirmation page.

The Cancel Payment link redirects the customer to the Payment Information step of the checkout, with the payment method selected. If the transaction fails on any reason, an error message appears on the checkout page and the customer is directed to repeat the checkout process. These situations are managed by PayPal.

### Order Workflow

When a customer clicks the Pay Now button on the last checkout step, the order is created with a “Pending Payment” status. After the customer enters the card information and clicks the Pay Now button on the PayPal site, the status of the order changes, depending on the response the system receives from PayPal. If the customer clicks the Cancel Payment link, the order status changes to Canceled. The new order is created when a customer proceeds with the checkout.

Processing	The transaction was successful.
Pending Payment	The system did not receive any response from PayPal.
Canceled	The transaction was not successful for some reason.
Suspected Fraud	The transaction did not pass some of the <a href="#">PayPal fraud filters</a> . The system receives the response from PayPal that the transaction is under review by Fraud Service.

## PayPal Fraud Management Filters

Magento Community Edition supports PayPal fraud management filters for owners of Website Payments Pro PayPal accounts. The filters can be used for orders that are paid by PayPal Express Checkout or PayPal Website Payments Pro. Fraud management filters are managed through your PayPal merchant account.

PayPal fraud management filters make it easier to detect and respond to fraudulent transactions, and can be configured to flag, hold for review, or deny riskier payments. Magento order status values changed according to the fraud filter settings.

### Filter Actions

ACTION	DESCRIPTION
Review	<p>If you set the filter action to “Review,” the suspected order receives the status “Payment Review” when the order is placed. You can review the order and approve, or cancel the payment in the Admin, or on the PayPal side. When you click the Accept Payment or the Deny Payment buttons, no new transactions for the order are created.</p> <p>If you change the status of the transaction on the PayPal site, you must click the Get Payment Update button in the upper-right corner of the Order page in the Admin to apply the changes. If you click Accept Payment or Deny Payment, the changes made at the PayPal site are applied.</p>
Deny	<p>If you set the filter action to “Deny,” the suspected order cannot be placed by the customer, because the corresponding transaction is rejected by PayPal.</p> <p>To deny the payment from the Admin, click the Deny Payment button in the upper-right corner of the page. The order status changes to “Canceled,” the transaction is reverted, and funds are released on the customer’s account. The corresponding information is added in the Comments History section of the order view.</p>
Flag	<p>If you set the filter action to “Flag”, the suspected order gets the status “Processing” when it is placed. The corresponding transaction is marked with a “flag” in the list of the merchant account transactions.</p>

# PayPal Solutions by Country

## PayPal Solutions

COUNTRY	PAYPAL PAYMENT SOLUTION
United States	PayPal Payments Advanced (Includes Express Checkout) PayPal Payments Pro (Includes Express Checkout) PayPal Payments Standard+ PayPal Payflow Pro (Includes Express Checkout) PayPal Payflow Link (Includes Express Checkout) PayPal Express Checkout
Canada	PayPal Payments Pro (Includes Express Checkout) PayPal Payments Standard PayPal Payflow Pro PayPal Payflow Link (Includes Express Checkout) PayPal Express Checkout
Australia	PayPal Payments Standard PayPal Payflow Pro PayPal Payments Pro Hosted Solution PayPal Express Checkout
United Kingdom	PayPal Express Checkout PayPal Payments Standard PayPal Payments Pro Payflow Edition (Includes Express Checkout) PayPal Payments Pro Hosted Solution
Japan	PayPal Express Checkout PayPal Payments Standard PayPal Website Payments Plus (PayPal Payments Pro Hosted Solution)
France	PayPal Express Checkout PayPal Payments Standard PayPal Integral Evolution (PayPal Payments Pro Hosted Solution)
Italy	PayPal Express Checkout PayPal Payments Standard PayPal Pro (PayPal Payments Pro Hosted Solution)

**PayPal Solutions (cont.)**

COUNTRY	PAYPAL PAYMENT SOLUTION
Spain	PayPal Express Checkout PayPal Payments Standard PayPal Pasarela integral (PayPal Payments Pro Hosted Solution)
Hong Kong	PayPal Express Checkout PayPal Payments Standard PayPal Payments Pro Hosted Solution
New Zealand	PayPal Express Checkout PayPal Payments Standard PayPal Payflow Pro
Others	PayPal Express Checkout PayPal Payments Standard



## CHAPTER 47:

# Payment Solutions & Gateways

Magento Community Edition supports a wide range of payment solutions and gateways that offer merchant services in all parts of the world. Unlike some payment solutions that transfer control to complete the transaction on another site, a payment gateway makes it possible for you to accept credit card payments directly from your store.

A screenshot of the Magento Checkout Payment Information page. The page header shows 'WELCOME, JANE SMITH' and 'LANGUAGE'. The top navigation bar includes 'MY ACCOUNT', 'MY CART (1)', and 'CHECKOUT'. Below the header, the store name 'MADISON ISLAND' is displayed, along with menu links for 'WOMEN', 'MEN', 'ACCESSORIES', 'HOME & DECOR', 'SALE', and 'VIP'. The main content area is titled 'CHECKOUT' and features tabs for 'BILLING INFORMATION', 'SHIPPING INFORMATION', 'SHIPPING METHOD', 'PAYMENT INFORMATION', and 'ORDERS REVIEW'. The 'PAYMENT INFORMATION' tab is active. On the left, there is a section for 'PAYPAL PAYMENTS PRO' with fields for 'Card Type' (dropdown, showing 'Please Select...'), 'Card Number' (text input), 'Expiration Date' (dropdowns for 'Month' and 'Year'), and 'CCV' (text input). Below these fields are two checkboxes: one for 'WHAT IS PAYPAL?' and another for 'CASH ON DELIVERY'. A note states 'To add or remove gift cards, click here.' On the right, there are sections for 'BILLING ADDRESS' (showing 'Jane Smith, Main Street, Los Angeles, California, 90065, United States, T: 888-888-8888') and 'SHIPPING ADDRESS' (showing the same information). Below these are sections for 'SHIPPING METHOD' (listing 'FedEx - Total Fee \$5.00') and 'PAYMENT METHOD'. At the bottom of the form, a note says '\* Required Fields'. There are 'BACK' and 'CONTINUE' buttons at the bottom right.

*Checkout Payment Information*

# Payment Solutions by Region

## Worldwide

### [Amazon Simple Pay](#)

---

Amazon offers easy payment and checkout solutions for physical goods retailers that allow customers to use their Amazon.com accounts as a payment method. Magento Community Edition supports the following payment solutions from Amazon:

- [Amazon Simple Pay](#)
- [Checkout by Amazon](#)

### [PayPal](#)

---

With PayPal's deep integration with Magento, you can easily accept credit cards and PayPal payments using PayPal, all while keeping customers on your site. Already have a merchant account? Add PayPal Express checkout to increase conversion.

### [Authorize.Net](#)

---

Authorize.Net includes free fraud tools, free customer support, a free website seal, and the ability to accept multi-channel payments: online, mail order/telephone order, retail and mobile. Trusted by 300,000 customers.

### [ChronoPay](#)

---

Established in Amsterdam in 2003, ChronoPay offers payment solutions for the global market. The company has a large presence in the Russian market. Magento Community Edition supports the following ChronoPay payment solutions:

- ChronoPay Standard
- ChronoPay Gateway

### [CyberSource](#)

---

CyberSource, a wholly-owned subsidiary of Visa Inc., is a payment management company. Over 330,000 businesses worldwide use CyberSource to process online payments, streamline fraud management, and simplify payment security.

### [First Data](#)

---

Fast, convenient, and secure. With over forty years of industry leading experience Express Merchant Processing Solutions (EMPS) powered by First Data helps millions of businesses like yours bring safe, easy, cost-effective payments to their customers with affordable support, regardless of size.

## Europe

### CyberMut Payment

CyberMut is a secure payment service operated by the French Bank, Crédit Mutuel. To use CyberMut, you must open a business account with the bank.

### iDEAL

iDEAL is a collection of technical agreements between banks and transaction processors (a protocol) and not a centralized electronic payment system. The iDEAL protocol provides an immediate online transfer from the buyer's bank account to the bank account of the online store. Magento Community Edition support the following iDEAL payment solutions:

- iDEAL Basic
- iDEAL Advanced

### Ogone

Ogone Payment Services delivers non-face-to-face businesses the payment solutions platform, added value opportunities and technology advancements that become essential for the way payments are performed, managed and secured today.

### Paybox

Paybox Services provides merchant accounts and eCommerce payment services for merchants in Europe. Magento Community Edition supports the following Paybox payment methods:

- Paybox Direct
- Paybox System

### Protx Standard

Protx is one of the largest payment processors in the United Kingdom. In 2006, Protx was acquired by Sage Pay.

## Oceania

### eWAY Direct

Focusing on high-level standards in technology, innovations and customer care, eWay has become Australia's award-winning payment gateway. eWAY specializes in delivering successful eCommerce payment gateway services to thousands of merchants. Magento Community Edition supports the following eWAY payment methods:

- eWAY Direct
- eWAY Shared
- eWAY 3D Secure

## Flo2Cash Payment Web Service

New Zealand-based Flo2Cash provides and approves Credit Card and Direct Debit facilities and is a leading provider of payment processing services and solutions, which enables businesses of all sizes to streamline their payment processes; this in turn improves cash flow and reduces operating expense.

## Testing Credentials

When testing the configuration of a payment gateway, use the following credentials for test transactions.

Visa	4111111111111111
MasterCard:	5555555555554444
American Express:	378282246310005
Expiration Date:	Any future date
CVV/CVC:	123 or 000

## Authorize.Net

Authorize.Net gives merchants the ability to accept credit card and payments through the Authorize.Net payment gateway. It processes the credit card information entered during checkout, and creates a transaction either for the payment authorization or for the payment authorization and a capture of the funds, depending on the configuration.

Authorize.Net can be used to pay for purchases made from the storefront or for orders placed from the Admin. Orders that use the Authorize.Net payment method can be processed from your store's Admin and also from the Authorize.Net merchant account. Based on the response that Magento receives from Authorize.Net, an order is created in Magento with an assigned Authorize.Net transaction number.

### Capture Workflow

Authorize.Net does not allow partial invoices to be created from Magento. The Qty to Invoice field cannot be edited on the New Invoice for Order page. When an invoice is captured online, a corresponding document with status of "Paid" is created and appears in the list of Invoices. In addition, a Capture transaction is added to the list of Transactions.

You can partially capture the order amount from the Authorize.Net merchant account. However, Authorize.Net does not allow for the remaining amount to be captured. In the case of a partial capture from Authorize.Net, no invoice or transaction is created in Magento for the order.

#### To find an order:

1. On the Admin menu, select **Sales > Orders**.
2. In the list, click to open the order.
3. On the order detail page, click the **Invoice** button.

The Amount field of the order has the following payment actions:

## Payment Actions

PAYMENT ACTION	DESCRIPTION
Capture Online	<p>When an invoice is submitted, the system captures the payment amount through the external payment gateway. In this case, an invoice and a transaction of the “Capture” type are added to the order detail page. If a payment is captured online, you can later create an online credit memo from the invoice, if required.</p> <div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"><p>A payment capture transaction can be voided only from your Authorize.Net merchant account.</p></div>
Capture Offline	<p>When an invoice is submitted using this option, the does not capture the payment, and only an offline invoice is created in Magento. It is assumed that the payment will be captured directly through the payment gateway, and you do not have the option to capture the payment online through Magento.</p> <div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"><p>If the invoice is captured online, you cannot create an online refund from Magento.</p></div>
Not Capture	<p>When an invoice is submitted using this option, Magento does not capture the payment, and no corresponding transaction is created in the Authorize.Net merchant account. However, it is assumed that you will capture the payment online through Magento at a later date. Therefore, the Capture button is available in the completed invoice, which has a status temporarily set to “Pending.”</p> <div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"><p>The order can be canceled at any time before the payment is captured. After the payment has been captured, a credit memo must be generated to cancel the order.</p></div>

## Authorize.Net Configuration

The Authorize.Net payment gateway gives you the ability to accept credit card and electronic check payments in USD, quickly and inexpensively.

### To configure Authorize.Net:

See the [step-by-step instructions](#) in the online user guide. For field descriptions, click the link below the screenshot.

The screenshot shows the 'Authorize.net' configuration page within the Magento Admin. It includes fields for payment method settings, payment action, API login ID, merchant's email, title, transaction key, gateway URL, payment update URL, new order status, test mode, debug, accepted currency, email customer, and credit card types. A dropdown for 'Credit Card Types' lists 'American Express', 'Visa', 'MasterCard', 'Discover', and 'Other'. Another dropdown for 'Payment from Applicable Countries' shows 'Specific Countries'. A scrollable list of countries includes Afghanistan, Aland Islands, Albania, Algeria, American Samoa, Andorra, Angola, Anguilla, Antarctica, and Antigua and Barbuda. Fields for minimum and maximum order totals, sort order, and allow partial authorization are also present. The '3D Secure' section includes fields for 3D secure card validation and severe 3D secure card validation, with a note about severe validation removing chargeback liability on the merchant. A 'Centinel API URL' field is at the bottom with a note about default values.

Authorize.net	
<a href="#">Click here to sign up for an Authorize.net account</a>	
Enabled	<input type="text" value="Yes"/> [WEBSITE]
Payment Action	<input type="text" value="Authorize Only"/> [WEBSITE]
API Login ID	<input type="text"/>
Merchant's Email	<input type="text"/>
Title	<input type="text" value="Credit Card (Authorize.net)"/> [STORE VIEW]
Transaction Key	<input type="text"/>
Gateway URL	<input type="text" value="https://secure.authorize.net/gateway/transact.dll"/> [WEBSITE]
Payment Update URL	<input type="text" value="https://api.authorize.net/xml/v1/request.api"/> [WEBSITE]
New Order Status	<input type="text" value="Processing"/> [WEBSITE]
Test Mode	<input type="text" value="Yes"/> [WEBSITE]
Debug	<input type="text" value="No"/> [WEBSITE]
Accepted Currency	<input type="text" value="US Dollar"/> [WEBSITE]
Email Customer	<input type="text" value="No"/> [WEBSITE]
Credit Card Types	<input type="text" value="American Express&lt;br/&gt;Visa&lt;br/&gt;MasterCard&lt;br/&gt;Discover&lt;br/&gt;Other"/>
Payment from Applicable Countries	<input type="text" value="Specific Countries"/> [WEBSITE]
Credit Card Verification	<input type="text" value="Yes"/> [WEBSITE]
Payment from Specific Countries	<input type="text" value="Afghanistan&lt;br/&gt;Aland Islands&lt;br/&gt;Albania&lt;br/&gt;Algeria&lt;br/&gt;American Samoa&lt;br/&gt;Andorra&lt;br/&gt;Angola&lt;br/&gt;Anguilla&lt;br/&gt;Antarctica&lt;br/&gt;Antigua and Barbuda"/>
Minimum Order Total	<input type="text"/>
Maximum Order Total	<input type="text"/>
Sort Order	<input type="text"/>
Allow Partial Authorization	<input type="text" value="No"/> [WEBSITE]
<b>3D Secure</b>	
3D Secure Card Validation	<input type="text" value="Yes"/> [WEBSITE]
Severe 3D Secure Card Validation	<input type="text" value="Yes"/> [WEBSITE] <small>▲ Severe Validation Removes Chargeback Liability on Merchant</small>
Centinel API URL	<input type="text"/> <small>▲ If empty, a default value will be used. Custom URL may be provided by CardinalCommerce agreement.</small>

*Authorize.net*

## Partial Authorization with Authorize.Net

Authorize.Net gives you the ability to accept multiple credit cards as payment for a single order. If there isn't enough remaining balance on a single card to cover the purchase, the amount can be distributed across multiple cards. Up to five credit cards can be used to pay for a single order. Partial authorization can be activated in the Authorize.Net configuration at either the global, or website level.

The screenshot shows the 'Payment Information' step of the Magento Checkout process. On the left, there are sections for 'Billing Address', 'Shipping Address', and 'Shipping Method'. The 'Payment Method' section is currently active, showing a dropdown for 'Credit Card Type' (set to 'Please Select'), a field for 'Credit Card Number', and a field for 'Expiration Date' (with dropdowns for Month and Year). Below these fields is a message: 'Please enter another credit card number to complete your purchase.' At the bottom right of the form is a 'CONTINUE' button.

*Partial Authorization During Checkout*

## Customer Workflow

During the checkout process, the customer selects Authorize.Net, enters the card information, and proceeds to Order Review. When the customer clicks the Place Order button, the request is sent to Authorize.Net. If the amount available on the card is not enough to cover the order total, the following message appears:

The amount on your credit card is insufficient to complete your purchase. The available amount has been put on hold. To complete your purchase, click Continue and specify additional credit card number. To cancel the purchase and release the amount on hold, click Cancel.

If the customer chooses to continue, the Payment Information checkout step reappears, and the customer is prompted to enter another credit card. The information about the previously used credit cards appears as well.

If the customer clicks the Cancel button, all authorizations are reversed. The customer can then choose another payment method to complete the purchase. If the customer closes the browser window, the authorizations remain active until they expire. The term of each authorization depends on the bank that issued the credit card. An order is created only after the total amount of the order is captured.

If the customer reaches the limit of five cards that can be used for one order, the following message appears during Order Review:

You have reached the maximum number of credit cards that can be used for the payment.

When the customer clicks the OK button, the Payment Information checkout step reappears, with the following message:

You have reached the maximum number of credit cards that can be used for one payment. The available amounts on all used cards were insufficient to complete payment. The payment has been canceled and amounts on hold have been released.

The system sends a request to Authorize.Net to void all authorizations of this payment. The customer can now choose another payment method, or try a different credit card.

During partial authorization, the bank might reject the transaction. For example, the daily limit for the card might be exceeded. In this case, Authorize.Net sends the appropriate response to Magento and the following message appears:

Your credit card has been declined. Click Continue to specify another credit card to complete your purchase. Click Cancel to release the amount on hold and select another payment method.

If the customer decides to reverse the payment and clicks Cancel, the payment is reversed, and a request is sent to Authorize.Net to release the amounts on hold from the previously entered cards. The customer can then select another payment method. If the customer chooses to continue, the Payment Information checkout step reappears, and the customer is prompted to enter another credit card.

Before the order is placed, the customer can click the Cancel button from the Payment Information step to reverse all authorizations and release all amounts.

If the customer changes any order information after having started the partial authorization process, an error will occur when the order is submitted. In such a case, all authorizations are released, and the customer is redirected to the Payment Information checkout step.

## Admin Workflow

Partial authorization can be applied to new orders and recorders from the Admin. After you choose the Authorize.Net payment method, enter the card information, and click the Submit Order button, the request is sent to Authorize.Net. If the amount on the card is not enough to cover the order, the available funds are put on hold, and the partial authorization is triggered. A message appears on the Create New Order page, asking if you want to continue. If you choose to continue, the system displays the information about the previously used credit cards, and prompts you to enter another credit card. If you click the Cancel button, all authorizations are reversed.

If you close the browser window during the partial authorization process, the authorizations remain active until they expire. The term of authorization depends on the bank that issued the credit card.

If payment is not complete, you can click the Cancel button in the upper-right corner. Magento then sends a request to Authorize.Net to void the authorization for all cards that were entered during the process, and the amounts on hold are released. If the payment gateway is not able to void authorization for some transactions, the order is canceled by the system only.

Do not change any order information after the partial authorization process begins. Otherwise, an error occur when you submit the order, and all authorizations are released automatically.

## Refund Workflow

When processing a refund for an order that was paid with partial authorizations, Magento refunds the correct captured amount to each card. The process is managed by the system, and requires no action on your part.

When initiating an online invoice or refund, and some authorizations fail, the system proceeds with the remaining authorizations, but does not generate the invoice or refund. After all authorizations have been processed, information about the successful authorizations, as well as any that failed, appears in the header of the order. The same information is added to the order comments section of the order. The administrator is then prompted to process the failed authorizations manually, by creating an offline invoice or offline refund in Magento.

For a partial refund, the amounts are refunded to the cards from which they originated, in the order of authorization. The amount captured from the first card is the first to be refunded. In this order, it is possible for the amount reversed on the last card to be less than what was captured during the partial authorization process. In this case the transaction for the card remains open, and can be closed in the next partial refund.

Magento stores only the last four digits of the credit card number. For a period of 120 days after the payment, Authorize.Net allows merchant systems to submit a refund using the last four digits of the credit card. After 120 days have passed, you cannot process an online refund for an order that was paid with Authorize.Net.

Because American Express does not support authorization reversals, it is not possible to create an online refund for any purchases paid for with this method. In such a case, you can create an offline refund, and settle the situation by releasing the customer's funds through the appropriate merchant account, outside of the Magento system.

### To enable partial authorization:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left under Sales, select **Payment Methods**. Then, click to expand the **Authorize.Net** section.
3. Set **Allow Partial Authorization** to “Yes.”
4. When complete, click the **Save Config** button.

## Direct Post

Magento Community Edition incorporates the Direct Post method for payments made through Authorize.Net. When payments are made with Direct Post, Authorize.Net handles all steps in the transaction process—such as payment data collection, data submission, and response to the customer—while the customer remains in your store.

The screenshot shows the Magento Checkout process. The top navigation bar includes links for 'MY ACCOUNT', 'MY WISHLIST', 'MY CART (1)', and 'CHECKOUT'. A search bar with placeholder text 'Enter search keyword' and a 'GO' button are also present. The main content area is titled 'Checkout' and displays the 'Your Checkout Progress' section. It lists four steps: 'CHECKOUT METHOD', 'BILLING INFORMATION', 'SHIPPING INFORMATION', and 'PAYMENT INFORMATION'. Below this, the 'Order Review' section shows a single item: 'Red Currant' with a price of '\$15.65'. The total summary at the bottom right shows a subtotal of '\$15.65', shipping of '\$5.00', and a grand total of '\$20.65'. On the left side, there are sections for 'Billing Address', 'Shipping Address', 'Shipping Method', and 'Payment Method', each with a 'change' link. The 'Payment Method' section is set to 'Credit Card Direct Post (Authorize.net)'. At the bottom, there is a 'Credit Card Information' form with fields for 'Credit Card Type' (dropdown menu), 'Credit Card Number' (text input), 'Expiration Date' (dropdowns for Month and Year), and 'Card Verification Number' (text input). A 'PLACE ORDER' button is located at the bottom right. A note at the bottom left says 'Forgot an item? [Edit Your Cart](#)'.

*Checkout Using Authorize.Net Direct Post*

## Admin Workflow

Authorize.Net Direct Post can be used with orders created from the Admin as well as from the store. When creating an order, you can select it in the Payment Method section. After selecting the option, the credit card data entry fields appear. If the transaction fails, an error message appears, and you can select another payment method or try again with another card. The order process is similar to the standard [order workflow](#). As with other orders, and invoice, shipment, and credit memo can be created.

## Customer Workflow

When Direct Post is enabled, the customer can select it in the Payment Information section of the checkout process. After the customer clicks the corresponding option button and clicks Continue, the Order Review section of the checkout appears, with fields to enter the credit card information. The customer then specifies the card information and clicks the Place Order button.

If the transaction is successful, the customer is redirected to the order confirmation page. If the transaction fails on some reason, an error message is displayed in a dialog box and the customer may then select another payment method or try Authorize.Net Direct Post with another card.

### To configure Authorize.net Direct Post:

See the [step-by-step instructions](#) in the online user guide. For field descriptions, click the link below the screenshot.

**Authorize.net Direct Post**

Enabled	No	[WEBSITE]
Payment Action	Authorize Only	[WEBSITE]
Title	Credit Card Direct Post (Authorize.net)	[STORE VIEW]
API Login ID		[WEBSITE]
Transaction Key		[WEBSITE]
Merchant MD5		[WEBSITE]
New Order Status	Processing	[WEBSITE]
Test Mode	Yes	[WEBSITE]
Gateway URL	<a href="https://secure.authorize.net/gateway/transact.dll">https://secure.authorize.net/gateway/transact.dll</a>	[WEBSITE]
Accepted Currency	US Dollar	[WEBSITE]
Debug	No	[WEBSITE]
Email Customer	No	[WEBSITE]
Merchant's Email		[WEBSITE]
Credit Card Types	American Express Visa MasterCard Discover Other	[WEBSITE]
Credit Card Verification	No	[WEBSITE]
Payment from Applicable Countries	All Allowed Countries	[WEBSITE]
Payment from Specific Countries	Afghanistan Åland Islands Albania Algeria American Samoa Andorra Angola Anguilla Antarctica Antigua and Barbuda	[WEBSITE]
Minimum Order Total		[WEBSITE]
Maximum Order Total		[WEBSITE]
Sort Order		[WEBSITE]

*Authorize.net Direct Post*

## Notes



## CHAPTER 48:

# Payment Services

Your Magento Community Edition includes support for the following service to provide an additional layer of protection against fraudulent charges and chargebacks for sales.

### 3D Secure Credit Card Validation

3D Secure Credit Card Validation provides an additional layer of protection against fraudulent charges and chargebacks for sales. The service is available only for eligible payment gateways, and must be enabled in the gateway configuration.

### PayPal Fraud Management Filters

Magento Community Edition includes support for PayPal fraud management filters available for Website Payments Pro PayPal accounts, and orders that are paid with either PayPal Express Checkout or Website Payments Pro.

## 3D Secure Credit Card Validation

Magento Community Edition includes the option to use 3D Secure authentication for payment transactions made with Authorize.Net. Cardinal Sentinel® is the company that provides the 3D Secure Credit Card Validation service.

During checkout, the customer is prompted to enter a secret code that is assigned to the card, which is then used to confirm the identity of the cardholder. The bank also provides additional data elements to confirm the cardholder's identity. The service provider arranges the communication between the banks and payment systems. 3D Secure authentication can be used for orders placed from the store, or from the Admin.

### Customer Workflow

During the checkout process, the customer selects the Authorize.Net payment method, enters the credit card information, and clicks the Continue button. During Order Review, the bank that issued the credit card displays a form to verify the customer's identity. Depending on the bank's requirements, the customer might be required to enter a secret code, log in to an account, or complete another activity.

After submitting the form, the customer is returned to Order Review. The customer clicks the Place Order button. If the authentication succeeds, the customer proceeds to the order confirmation page. If the authentication fails for any reason, an error message appears and the customer can select another payment method or try again with Authorize.Net.

The screenshot shows the Magento Checkout process at the Order Review step. On the left, the 'Your Checkout Progress' sidebar lists steps: CHECKOUT METHOD, BILLING INFORMATION, SHIPPING INFORMATION, SHIPPING METHOD, PAYMENT INFORMATION, and Order Review (which is highlighted in red). The main content area shows shipping and payment method details. A 'Card Verification' dialog from 'YourBank' is overlaid. The dialog features the 'Verified by VISA' logo and asks for a password. It displays transaction details: Merchant: Magento, Amount: \$20.65USD, Date: 01/21/2011, and Card Number: \*\*\*\*0002. A personal message states: 'Personal Message: Password is "1234"'. Below the dialog, there are fields for User Name (test1) and Password, along with links for 'New User / Forget your password?', 'Submit', 'Help', and 'Exit'.

*3D Secure Authentication with Verified by VISA*

## Admin Workflow

When creating an order from the Admin that uses 3D Secure with Authorize.Net, a form appears with the fields to enter the credit card information, and a Start/Reset Validation button. After you complete the credit card information, and click the Start/Reset Validation button, the bank that issued the credit card displays a form to verify the customer's identity. Depending on the bank's requirements, you might be required to enter a secret code, log in to an account, or complete another activity on behalf of the customer. If successful, a message indicates that the transaction has been validated, and you can proceed with the order.

The screenshot shows the 'Payment Method' configuration screen. It lists several payment options, with 'Credit Card (Authorize.net)' selected. Under this option, a credit card is entered with the number 4000000000000002 and an expiration date of 01-January-2011. At the bottom, there is a prominent orange 'Start/Reset Validation...' button.

*3D Secure Authentication from the Admin*

### To configure 3D Secure Credit Card Validation:

See the [step-by-step instructions](#) in the online user guide. For field descriptions, click the link below the screenshot.

The screenshot shows the '3D Secure Credit Card Validation' configuration page. It contains five input fields: 'Processor ID', 'Merchant ID', 'Password', 'Test Mode' (with a dropdown menu showing 'No'), and 'Debug Mode' (with a dropdown menu showing 'No'). Below the 'Test Mode' field, a note states: 'Overrides API URL that may be specified by a payment method.'

*3D Secure Credit Card Validation*

## Notes



Shipping

## In this section...

[Basic Shipping Methods](#)

[Shipping Carriers](#)

[Shipping Labels](#)



## CHAPTER 49:

# Basic Shipping Methods

Magento Community Edition supports a wide range of shipping methods and carriers. This section shows how to configure the following basic shipping methods.

Topics in this chapter:

- [Shipping Settings](#)
- [Flat Rate](#)
- [Free Shipping](#)
- [Table Rates](#)
- [Online Rates](#)
- [Dimensional Weight](#)

Before you proceed, make sure that you have completed the [Shipping Settings](#) to establish the point of origin for your store, and your preference for handling orders shipped to multiple addresses.

## Shipping Settings

The Shipping Settings establish the point of origin for all shipments made from your store or warehouse, and determine if you support shipments to multiple addresses. The point of origin also determines the store tax rate for products sold.

Origin		
Country	United States	[WEBSITE]
Region/State	California	[WEBSITE]
ZIP/Postal Code	90232	[WEBSITE]
City	Culver City	[WEBSITE]
Street Address	10441 Jefferson Blvd, Suite 200	[WEBSITE]
Street Address Line 2		[WEBSITE]

*Origin*

### To establish the point of origin:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Sales, click **Shipping Settings**.
2. Click to expand the **Origin** section, and complete the following:
  - Country
  - Region / State
  - ZIP / Postal Code
  - City
  - Street Address (and line 2, if needed)
3. When complete, click the **Save Config** button.

### To support shipments to multiple addresses:

1. Continuing in the Shipping Settings section, click to expand the **Options** section, and complete the following:
2. Set **Allow Shipping to Multiple Addresses** to “Yes.”
3. To limit the number of address you accept per shipment, enter the number in the **Maximum Qty Allowed for Shipping to Multiple Addresses** field.

The screenshot shows a configuration window titled "Options". It contains two settings: "Allow Shipping to Multiple Addresses" set to "Yes" and "Maximum Qty Allowed for Shipping to Multiple Addresses" set to "100". Both fields have "[WEBSITE]" next to them.

Options	
Allow Shipping to Multiple Addresses	Yes [WEBSITE]
Maximum Qty Allowed for Shipping to Multiple Addresses	100 [WEBSITE]

*Options*

4. When complete, click the **Save Config** button.

## Flat Rate

Flat rate is a fixed, predefined charge that can be applied per item, or per shipment. Flat rate is a simple solution, especially when used with the flat-rate packaging that is available from some carriers.

The screenshot shows the 'Flat Rate' configuration screen in the Magento Admin. The 'Enabled' field is set to 'No'. The 'Title' is 'Flat Rate'. The 'Method Name' is 'Fixed'. The 'Type' is 'Per Item'. The 'Price' is '5.00'. The 'Calculate Handling Fee' is 'Fixed'. The 'Handling Fee' field is empty. The 'Displayed Error Message' contains a note: 'This shipping method is currently unavailable. If you would like to ship using this shipping method, please contact us.' Under 'Ship to Applicable Countries', it says 'All Allowed Countries'. Under 'Ship to Specific Countries', there is a dropdown menu showing a list of countries: Afghanistan, Aland Islands, Albania, Algeria, American Samoa, Andorra, Angola, Anguilla, Antarctica, Antigua and Barbuda. A 'Sort Order' field is at the bottom.

*Flat Rate*

### To set up flat rate shipping:

1. On the Admin menu, select **System > Configuration**. In the panel on the left under Sales, select **Shipping Methods**.
2. Click to expand the **Flat Rate** section. Then, do the following:
  - a. Set **Enabled** to "Yes."  
Flat Rate appears as an option in the Estimate Shipping and Tax section of the shopping cart, and also in the Shipping section during checkout.
  - b. Enter a descriptive **Title** for this shipping method. The default is "Flat Rate."
  - c. Enter a **Method Name** that appears next to the calculated rate in the shopping cart. The default method name is "Fixed." If you charge a handling fee, you can change the Method Name to "Plus Handling" or something else that is suitable.
  - d. To describe how flat rate shipping can be used, set **Type** to one of the following:

None	Disables the payment type. The Flat Rate option is listed in the cart, but with a rate of zero—which is the same as free shipping.
Per Order	Charges a single flat rate for the entire order.
Per Item	Charges a single flat rate for each item. The rate is multiplied by the number of items in the cart, regardless of whether there are multiple quantities of the same, or of different items.

- e. Enter the **Price** to be charged for the flat rate fee.
- f. If charging a handling fee, set **Calculate Handling Fee** to one of the following:
  - Fixed
  - Percent

Then, enter the **Handling Fee** rate according to the method used to calculate the fee. For example, if the fee is calculating based on a percentage, enter 0.06 for 6 percent. If using a fixed amount calculation, enter the fee as a decimal.

- g. In the **Displayed Error Message** box, type the message that appears if this method becomes unavailable.
- h. Set **Ship to Applicable Countries** to one of the following:

All Allowed Countries	Customers from all <b>countries</b> specified in your store configuration can use this shipping method.
Specific Countries	After choosing this option, the Ship to Specific Countries list appears. Select each country in the list where this shipping method can be used.

- i. Enter a **Sort Order** number to determine the position of Flat Rate in the list of shipping methods during checkout. (0 = first, 1 = second, 2 = third, and so on.)
3. When complete, click the **Save Config** button.

## Free Shipping

Free shipping is one of the most effective promotions you can offer. It can be based on a minimum purchase, or set up as a shopping cart **price rule** that applies when a set of conditions is met. If both apply to the same order, the configuration setting will take precedence over the shopping cart rule.

Check your shipping carrier configuration for any additional settings that may be required for free shipping.

The screenshot shows the 'Free Shipping' configuration window. It includes fields for 'Enabled' (set to 'No'), 'Title' ('Free Shipping'), 'Method Name' ('Free'), 'Minimum Order Amount' ('2000'), and a 'Displayed Error Message' box containing a placeholder message. Below these are dropdowns for 'Ship to Applicable Countries' ('All Allowed Countries') and 'Ship to Specific Countries', which lists various countries. A 'Sort Order' field is also present at the bottom.

*Free Shipping*

### To set up free shipping:

1. On the Admin menu, select **System > Configuration**. In the panel on the left, under Sales, select **Shipping Methods**.
2. Click to expand the **Free Shipping** section. Then, do the following:
  - a. Set **Enabled** to "Yes."
  - b. Enter a **Title** for this shipping method that will be displayed during checkout.
  - c. Enter a descriptive **Method Name** to identify the Free Shipping method.
  - d. Enter the **Minimum Order Amount** to qualify for free shipping.

To use Free Shipping with [Table Rates](#), you must enter a Minimum Order Amount so high that it is never met. This prevents Free Shipping from going into effect, unless triggered by a price rule.

- e. In the **Displayed Error Message** box, type the message to appear if this method becomes unavailable.

- f. Set **Ship to Applicable Countries** to one of the following:

All Allowed Countries	Customers from all <a href="#">countries</a> specified in your store configuration can use this shipping method.
Specific Countries	After choosing this option, the Ship to Specific Countries list appears. Select each country in the list where this shipping method can be used.

- g. Set **Show Method if Not Applicable** to one of the following:

Yes	Always shows the Free Shipping method, even when not applicable.
No	Shows the Free Shipping method only when applicable.

- h. Enter a **Sort Order** number to determine the position of Free Shipping in the list of shipping methods during checkout. (0 = first, 1 = second, 2 = third, and so on.)
3. When complete, click the **Save Config** button.
4. Make sure that you complete any configuration that is required for each carrier that you plan to use for free shipping. For example, assuming that your UPS configuration is complete, make the following settings to enable and configure free shipping:
- a. From the Shipping Methods configuration, click to expand the **UPS** section.
  - b. In the UPS section, set **Free Method** to “Ground.”
  - c. To require a minimum order for free shipping, set **Free Shipping with Minimum Order Amount** to “Enable.”
  - d. Enter the required amount in the **Minimum Order Amount for Free Shipping** field.
5. When complete, click the **Save Config** button.

## Table Rates

The table rate shipping method lets you set up a table to calculate shipping rates for a combination of conditions. The shipping rate can be based on the following:

- Weight v. Destination
- Price v. Destination
- # of Items v. Destination

If your warehouse is located in Los Angeles, it costs less to ship to San Diego than to Vermont. You can use table rate shipping to pass the savings on to your customer.

### Example 1: Price v. Destination

This example uses the Price v. Destination condition to create a set of three different shipping rates based on the amount of the order subtotal for the continental United States, Alaska, and Hawaii. The asterisk (\*) is a wildcard that represents all values.

COUNTRY	REGION / STATE	ZIP / POSTAL CODE	ORDER SUBTOTAL (and above)	SHIPPING PRICE
USA	*	*	0	15
USA	*	*	50	10
USA	*	*	100	5
USA	AK	*	0	20
USA	AK	*	50	15
USA	AK	*	100	10
USA	HI	*	0	20
USA	HI	*	50	15
USA	HI	*	100	10

### Example 2: Restrict Free Shipping to the Continental United States

You can use table rates to limit free shipping to only the continental United States, while excluding Alaska and Hawaii.

1. Create a tablerates.csv file that includes all the state destinations to which you are willing to provide free shipping.
2. Complete the table rate configuration with the following settings:

SETTING	VALUE
Condition	Price v. Destination
Method Name	Free Shipping
Ship to Applicable Countries	Specific Countries
Ship to Specific Countries	Select only United States
Show method if not applicable	No

3. Set **Current Configuration Scope** to the main website. Then, click the **Import** button to import the `tablesrates.csv` file.




Table Rate in Shopping Cart

## Setting Up Table Rates

The data that is used to calculate the rate is prepared in a spreadsheet and imported into your store. When the customer requests a quote, the results appear in the shipping estimate section of the shopping cart.

Only one set of table rate data can be active at a time.

### Process Overview:

- Step 1: Complete the Default Settings
- Step 2: Prepare the Table Rate Data
- Step 3: Import the Table Rate Data

## Step 1: Complete the Default Settings

The first step is to complete the default settings for table rates. You can complete this step without changing the scope of the configuration.

1. On the Admin menu, select **System > Configuration**.
2. In the Configuration panel on the left, under Sales, select **Shipping Methods**.
3. Click to expand the **Table Rates** section. Then, do the following:
  - a. Set **Enabled** to “Yes.”
  - b. Enter a **Title** for the section of table rates that appears during checkout. (The default title is “Best Way.”)
  - c. Enter the **Method Name** that appears next to the calculated rate in the shopping cart.
  - d. Set **Condition** to one of the following calculation methods:
    - Weight v. Destination
    - Price v. Destination
    - # of Items v. Destination
  - e. For orders that include virtual products, set **Include Virtual Products in Price Calculation** to “Yes” if you want to be able to include the virtual product(s) in the calculation.

Because virtual products—such as services—have no weight, they cannot change the result of a calculation that is based on the Weight v. Destination condition. However, virtual products can change the result of a calculation that is based on either the Price v. Destination or # of Items vs Destination condition.

- f. If charging a handling fee, set **Calculate Handling Fee** to one of the following:
  - Fixed
  - Percent

Then, enter the **Handling Fee** rate according to the method used to calculate the fee.

If the handling fee is based on a percent, enter the whole number *without* the percent sign.

- g. In the **Displayed Error Message** box, type the message that appears when this method is not available.
- h. Set **Ship to Applicable Countries** to one of the following:

All Allowed Countries	Customers from any <b>country</b> specified in your store configuration can use table rate shipping.
-----------------------	--

**Specific Countries**

After choosing this option, the “Ship to Specific Countries” list appears. Select each country where customers can use table rate shipping.

- i.** Enter a **Sort Order** number to determine where table rates appear in the list of shipping methods during checkout. (0 = first, 1 = second, 2 = third, and so on.)
- 4.** When complete, click the **Save Config** button.


*Table Rates***Step 2: Prepare the Table Rate Data**

- 1.** In the upper-left corner, set **Current Configuration Scope** to the “Main Website,” or any other website where you want the configuration to apply.

Export and Import options appear in the Table Rates section, with “Use Default” checkboxes to the right of each option.

To change any of the current settings, you must first clear the “Use Default” checkbox next to the field.

- 2.** If you want to change the **Condition**, clear the **Use Default** checkbox. Then, select another option.
- 3.** Click the **Export CSV** button. Then, save the **tablerates.csv** file to your computer.



Export CSV

4. Open the file in Excel, or any other spreadsheet program.
5. Complete the table with appropriate values for the shipping calculation condition being used.
  - You can use an asterisk (\*) as a wildcard to represent all possible values in any category.
  - The Country column must contain a valid three-character code for each row.

	A	B	C	D	E	F
1	Country	Region/State	Zip/Postal Code	Weight (and above)	Shipping Price	
2	USA	*	*	0	5	
3	USA	*	*	10	10	
4	USA	*	*	20	15	
5						
6						


Weight vs. Destination

6. When complete, save the **tablerates.csv** file.

### Step 3: Import the Table Rate Data

1. Return to the **Table Rates** section of the Shipping Methods configuration.
2. In the upper-left corner, set **Current Configuration Scope** to the website where this method will be used.

3. Next to the **Import** field, click the **Choose File** button. Select your completed **tablerates.csv** file, and import the rates.



*Import Table Rates*

4. When complete, click the **Save Config** button. Then, go through the payment process with different addresses to make sure the shipping and handling rates are correct.

## Online Rates

Magento offers dynamic retrieval of rates from various shipping providers. To enable and configure online rates, see the carrier configuration for the following carriers:

- [UPS](#)
- [USPS](#)
- [FedEx](#)
- [DHL](#)

Setting up online rates is similar to setting up [Flat Rates](#). Because the online rate options differ for each service, contact the carrier for more information.

Most shipping providers require that you open an account with them. Consult your shipping provider for details on how to obtain API credentials.

## Dimensional Weight

Dimensional weight, sometimes called volumetric weight, is a common industry practice that bases the transportation price on a combination of weight and package volume. In simple terms, dimensional weight is used to determine the shipping rate based on the amount of space a package occupies in the cargo area of the carrier. Dimensional weight is typically used when a package is relatively light compared to its volume.

All major carriers now apply dimensional weight to some shipments. However, the manner in which dimensional weight pricing is applied varies from one carrier to another.

- [DHL](#)
- [FedEx](#)
- [UPS](#)
- [USPS](#)

We recommend that you become familiar with the method used by each carrier to determine and apply dimensional weight. If your company has a high volume of shipments, even a slight difference in shipping price can translate to thousands of dollars over the course of a year.

Magento's native shipping configuration does not include support for dimensional weight. However, [WebShopApps](#) has developed a [Dimensional Shipping](#) extension that manages rates for FedEx, UPS, and USPS. WebShopApps is a [Magento Technology Partner](#).



## CHAPTER 50: **Shipping Carriers**

If you have a commercial account with a supported carrier, you can offer your customers the convenience of choosing that carrier during checkout. The rates are automatically downloaded, so you do not need to look up the information.

Before you can offer your customers a selection of shipping carriers, you must first complete the [shipping settings](#) to establish the point of origin for your store. Then, complete the configuration for each carrier service that you want to offer. The configuration options vary for each carrier. However, all require that you first open a shipping account with the carrier, and enter your account number or user ID, and the gateway URL to their system into the configuration of your store. See [Magento Connect](#) for additional shipping services for your Magento Community Edition installation.

### [\*\*UPS\*\*](#)

---

United Parcel Service offers domestic and international shipping services by land and air to more than 220 countries.

### [\*\*USPS\*\*](#)

---

The United States Postal Service is the independent postal service of United States government. USPS offers domestic and international shipping services by land and air.

### [\*\*FedEx\*\*](#)

---

Offers domestic and international shipping services by land and air to more than 220 countries.

### [\*\*DHL\*\*](#)

---

Offers integrated international services and tailored, customer-focused solutions for managing and transporting letters, goods and information.

# UPS

United Parcel Service offers domestic and international shipping services by land and air to more than 220 countries.

UPS now uses [dimensional weight](#) to determine some shipping rates.

## Process Overview:

- Step 1: Open a UPS Shipping Account
- Step 2: Enable UPS for Your Store
- Step 3: Complete the Container Description
- Step 4: Set Up Handling Fees
- Step 5: Specify Allowed Methods and Applicable Countries

## Step 1: Open a UPS Shipping Account

To offer this shipping method to your customers, you must first open an account with UPS.

## Step 2: Enable UPS for Your Store

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Sales, select **Shipping Methods**. Then, click to expand the **UPS** section.
3. Set **Enabled for Checkout** to “Yes.”
4. For a standard UPS account, set **UPS Type** to “United Parcel Service.” Then in the **Gateway URL** field, enter the URL that is used to calculate UPS shipping rates. This field is preset by default, and normally does not need to be changed.

To generate [shipping labels](#), UPS Type must be set to “United Parcel XML.”

5. For a UPS XML account, do the following:
  - a. Set **UPS Type** to “United Parcel Service XML.”
  - b. Enter the following UPS credentials:
    - User ID
    - Access License Number
    - Password

- c. Set **Mode** to “Live” to send data to the UPS shipping system over a secure connection. (Development mode does not send data over a secure connection.)
- d. Verify the **Gateway XML URL** that is required to send requests by XML file.
- e. Set **Order of Shipment** to the region where the shipment originates.
- f. If you have special rates with UPS, set **Enable Negotiated Rates** to “Yes.” Then, enter the six-digit **Shipper Number** assigned to you by UPS.

### Step 3: Complete the Container Description

1. In the **Title** field, type the name of this shipping option that appears during checkout. By default, this field is set to “United Parcel Service.”
2. Set **Packages Request Type** to one of the following:
  - Use origin weight (few requests)
  - Divide to equal weight (one request)
3. In the **Container** field, specify the typical packaging type that is used for shipment.
4. Set **Destination Type** to one of the following:

Residential	Most of your shipments are business to consumer (B2C).
Commercial	Most of your shipments are business to business (B2B).
Define Automatically	UPS determines the destination \as either residential or commercial, and uses the appropriate rate from the merchant’s UPS account.
5. Set **Weight Unit** to the system you use to measure product weight. The weight system supported by UPS varies by country. If in doubt, ask UPS which weight system you should use. Options include:
  - LBS
  - KGS
6. Set **Pickup Method** to one of the following:
  - Regular Daily Pickup
  - On Call Air
  - One Time Pickup
  - Letter Center
  - Customer Counter
7. Enter the **Maximum Package Weight** allowed by the carrier.
8. Enter the **Minimum Package Weight** allowed by the carrier.

## Step 4: Set Up Handling Fees

1. Set **Calculate Handling Fee** to one of the following methods:
  - Fixed
  - Percent
2. To determine how the handling fee is applied, set **Handling Applied** to one of the following:
  - Per Order
  - Per Package
3. Enter the amount of the **Handling Fee** to be charged. To enter a percentage, use the decimal format. For example, enter 0.25 for 25%.

## Step 5: Specify Allowed Methods and Applicable Countries

1. In the **Allowed Methods** list, select each UPS method offered to your customers. The methods appear under UPS during checkout. (Hold the Ctrl key down to select multiple options).
2. Set **Free Method** to the UPS service you want to use for offers of free shipping. Then, do one of the following:
  - Set **Free Shipping with Minimum Order Amount** to “Enable.” Then, enter the **Minimum Order Amount for Free Shipping**.
  - Set **Free Shipping with Minimum Order Amount** to “Disable.”
3. In the **Displayed Error Message** box, type the message customers see if UPS shipping becomes unavailable.
4. Set **Ship to Applicable Countries** to one of the following:

All Allowed Countries	Customers from all <b>countries</b> specified in your store configuration can use this shipping method.
-----------------------	---

Specific Countries	After choosing this option, the Ship to Specific Countries list appears. Select each country in the list where this shipping method can be used.
--------------------	--

5. To create a log file with the details of UPS shipments made from your store, set **Debug** to “Yes.”

**6.** Set **Show Method if Not Applicable** to one of the following:

- |     |  |
|-----|--|
| Yes | To list all UPS shipping methods to customers, regardless of their availability. |
| No  | To list only the methods which are available to customers.                       |

**7.** In the **Sort Order** field, type a numeric value to determine the order in which UPS appears when listed with other shipping methods during checkout. The number with the highest priority is 0, which puts it at the top of the list.

**8.** When complete, click the **Save Config** button.

The screenshot displays the 'UPS' configuration page within the Magento Admin interface. The page is titled 'UPS' and contains several sections of configuration options:

- Enabled for Checkout:** Yes [WEBSITE]
- UPS Type:** United Parcel Service [WEBSITE]
- Title:** United Parcel Service [STORE VIEW]
- Gateway URL:** <http://www.ups.com/usingservices/hsavel/qcostopl.cgi> [WEBSITE]
- Packages Request Type:** Divide to equal weight (one request) [WEBSITE]
- Container:** Customer Packaging [WEBSITE]
- Destination Type:** Residential [WEBSITE]
- Weight Unit:** LBS [WEBSITE]
- Pickup Method:** Customer Counter [WEBSITE]
- Maximum Package Weight:** 150 [WEBSITE]
- Minimum Package Weight:** 0.1 [WEBSITE] (Please consult your shipping carrier for minimum supported shipping weight)
- Calculate Handling Fee:** Fixed [WEBSITE]
- Handling Applied:** Per Order [WEBSITE]
- Handling Fee:** [WEBSITE]
- Allowed Methods:** A dropdown menu showing various shipping methods: Next Day Air Early AM, Next Day Air Early AM Letter, Next Day Air, Next Day Air Letter, Next Day Air Intra (Puerto Rico), Next Day Air Save, Next Day Air Saver Letter, 2nd Day Air AM, 2nd Day Air AM Letter, and 2nd Day Air. The 'Next Day Air Early AM Letter' option is currently selected.
- Free Method:** Ground [WEBSITE]
- Free Shipping with Minimum Order Amount:** Disable [WEBSITE]
- Minimum Order Amount for Free Shipping:** [WEBSITE]
- Displayed Error Message:** This shipping method is currently unavailable. If you would like to ship using this shipping method, please contact us. [STORE VIEW]
- Ship to Applicable Countries:** Specific Countries [WEBSITE]
- Ship to Specific Countries:** A dropdown menu listing countries: Afghanistan, Aland Islands, Albania, Algeria, American Samoa, Andorra, Angola, Anguilla, Antarctica, Antigua and Barbuda. The 'Antigua and Barbuda' option is currently selected.
- Debug:** No [WEBSITE]
- Show Method if Not Applicable:** No [WEBSITE]
- Sort Order:** [WEBSITE]

UPS

## USPS

The United States Postal Service is the independent postal service of United States government, offering domestic and international shipping services by land and air.

### Process Overview:

- Step 1: Open a USPS Shipping Account
- Step 2: Enable USPS for Your Store
- Step 3: Complete the Container Description
- Step 4: Specify Allowed Methods and Applicable Countries

### Step 1: Open a USPS Shipping Account

1. Open a [USPS Web Tools](#) account. After you complete the registration process, you will receive your User ID and a URL to the USPS test server.
2. You can also open a [USPS Web Tools](#) account. After you complete the registration process, you will receive your User ID and a URL to the USPS test server. To learn more about USPS Web Tools, see their [Technical Documentation](#).

### Step 2: Enable USPS for Your Store

1. On the Admin menu, select **System > Configuration**.
2. In the Configuration panel on the left, under Sales, click **Shipping Methods**.
3. Click to expand the **USPS** section. Then, do the following:
  - a. Set **Enabled for Checkout** to "Yes."
  - b. The **Gateway URL** is needed to access USPS shipping rates. The field is preset by default, and normally does not need to be changed.
  - c. Enter a **Title** for this shipping method that will appear during checkout.
  - d. Enter the **User ID** for your USPS account.

### Step 3: Complete the Container Description

1. Set **Container** to the type of packaging usually used to ship products ordered for your store. Options include:
  - Variable
  - Flat-Rate Box
  - Flat-Rate Envelope

- Rectangular
  - Non-Rectangular
2. Set the **Size** of the typical package shipped from your store. Options include:
- Regular
  - Large
  - Oversize
3. Set **Machinable** to one of the following:
- |     |  |
|-----|--|
| Yes | If your typical package can be processed by a machine. |
| No  | If your typical package must be processed manually.    |

## Step 4: Specify Allowed Methods and Applicable Countries

1. In the **Allowed Methods** list, select each USPS offered to your customers. The methods will appear under USPS during checkout. (Hold the Ctrl key down to select multiple options). Then, do the following:
- a. Set the **Free Method** list to the method you want to use for free shipping. You may also select **None**.
  - b. Set the **Free Shipping with Minimum Order Amount** to one of the following:
- |         |   |
|---------|---|
| Enable  | Provides free shipping for orders that meet the minimum monetary amount specified. Then in the field below, enter the Minimum Order Amount for Free Shipping. |
| Disable | Does not provide free shipping based on minimum order amount.   |
2. The **Displayed Error Message** text box is preset with a default message. You can either leave this message or you can type the message you want your customers to see if USPS shipping becomes unavailable.
3. Set **Ship to Applicable Countries** to one of the following:
- |                       |  |
|-----------------------|--|
| All Allowed Countries | Customers from all <b>countries</b> specified in your store configuration can use this shipping method.  |
| Specific Countries    | After choosing this option, the Ship to Specific Countries list appears. Select each country in the list where this shipping method can be used. |
4. Set **Show Method if Not Applicable** to one of the following:

Yes      Lists all available USPS shipping methods during checkout, including those that don't apply to the shipment.

No      Lists only the USPS shipping methods that are applicable to the shipment.

5. Set **Debug** to “Yes” to create a log file with the details of all USPS activity related to your store.
6. In the **Sort Order** field, enter a numeric value to determine the order in which USPS shipping method appears in the list with other shipping methods during checkout. The highest value is zero, which puts it at the top of the list.
7. When complete, click the **Save Config** button.

The screenshot shows the 'USPS' configuration page in the Magento admin. It includes fields for:

- Enabled for Checkout:** Yes (dropdown)
- Gateway URL:** http://production.shippingapis.com/ShippingAPI.dll (text input)
- Secure Gateway URL:** https://secure.shippingapis.com/ShippingAPI.dll (text input)
- Title:** United States Postal Service (text input)
- User ID:** (text input)
- Password:** (text input)
- Mode:** Development (dropdown)
- Packages Request Type:** Divide to equal weight (one request) (dropdown)
- Container:** Variable (dropdown)
- Size:** Regular (dropdown)
- Machinable:** Yes (dropdown)
- Maximum Package Weight:** 70 (text input)
- Calculate Handling Fee:** Fixed (dropdown)
- Handling Applied:** Per Order (dropdown)
- Handling Fee:** (text input)
- Allowed Methods:** A dropdown menu listing various shipping methods: First-Class Mail Large Envelope, First-Class Mail Letter, First-Class Mail Parcel, First-Class Mail Postcards, Priority Mail, Priority Mail Express Hold For Pickup, Priority Mail Express, Standard Post, Media Mail, Library Mail.
- Free Method:** None (dropdown)
- Minimum Order Amount for Free Shipping:** (text input)
- Displayed Error Message:** This shipping method is currently unavailable. If you would like to ship using this shipping method, please contact us. (text area)
- Ship to Applicable Countries:** Specific Countries (dropdown)
- Ship to Specific Countries:** A dropdown menu listing countries: Afghanistan, Aland Islands, Albania, Algeria, American Samoa, Andorra, Angola, Anguilla, Antarctica, Antigua and Barbuda.
- Debug:** No (dropdown)
- Show Method if Not Applicable:** No (dropdown)
- Sort Order:** (text input)
- Free Shipping with Minimum Order Amount:** Disable (dropdown)

**USPS**

## FedEx

FedEx is one of the world's largest shipping service companies, providing air, freight, and ground shipping services with several levels of priorities.

FedEx now uses [dimensional weight](#) to determine some shipping rates.

### Process Overview:

- [Step 1: Register for FedEx Web Services Production](#)
- [Step 2: Enable FedEx for Your Store](#)
- [Step 3: Package Description and Handling Fee](#)
- [Step 4: Allowed Methods and Applicable Countries](#)

### Step 1: Register for FedEx Web Services Production

You must create a [FedEx merchant account](#) and register for FedEx Web Services Production Access. After creating a FedEx account, read through the production account information page, then click the Obtain Production Key link at the bottom of the page to register and obtain a key.

Make sure to copy or write down the authentication key. You will need it to set up FedEx in your Magento shipping settings.

### Step 2: Enable FedEx for Your Store

1. On the Admin menu, select **System > Configurations**. Then in the panel on the left, under Sales, select **Shipping Methods**.
2. Click to expand the **FedEx** section, and do the following:
  - a. To activate the FedEx shipping method, set **Enabled for Checkout** to "Yes."
  - b. Enter an appropriate **Title** to identify this shipping method during checkout.
  - c. Enter the following information from your FedEx account:
    - Account ID
    - Meter Number
    - Key
    - Password
  - d. If you have set up a FedEx sandbox and want to work in the testing environment, set **Sandbox Mode** to "Yes."

Remember to set Sandbox Mode to "No" when you are ready to offer FedEx as a shipping method to your customers.

### Step 3: Package Description and Handle Fee

1. Select the **Packages Request Type** to the option that best describes your preference when splitting an order into multiple shipments:

- Divide to equal weight (one request)
- Use origin weight (few requests)

2. Select the type of **Packaging** typically used to ship products from your store. Options include:

- FedEx Envelope
- FedEx Pak
- FedEx Box
- FedEx Tube
- FedEx 10kg Box
- FedEx 25kg Box
- Your Packaging

3. Set **Dropoff** to the pick-up method that will be used for delivery. Options include:

Regular Pickup	If you have a high volume of shipments, it can be cost effective to make arrangements with FedEx for regular pickups.
Request Courier	You must call and request a FedEx courier to pick-up shipments.
Drop Box	You must drop off shipments at your nearby FedEx drop box.
Business Service Center	You must drop off shipments at your local FedEx business service center.
Station	You must drop off shipments at your local FedEx station.

4. Set **Weight Unit** to the unit of measurement that is used in your locale. Options include:

- Pounds
- Kilograms

5. Enter the **Maximum Package Weight** allowed for FedEx shipments. The default FedEx maximum weight is 150 lbs. Please consult your shipping carrier for more information. We recommend using the default value, unless you have made special arrangements with FedEx. See also: [Dimensional Weight](#).
6. An optional handling fee can be added to the amount charged by FedEx, which is not visible during checkout. If you want to charge a handling fee, do the following:
  - a. Set **Calculate Handling Fee** to one of the following:
    - Fixed Fee
    - Percentage
  - b. In the **Handling Applied** list, choose one of the following methods for managing handling fees:
    - Per Order
    - Per Package
  - c. Enter the **Handling Fee** as either a fixed amount or percentage, depending on the method of calculation.
7. Set **Residential Delivery** to one of the following, depending on whether you sell Business-to-Consumer (B2C) or Business-to-Business (B2B).

Yes	For B2C residential deliveries.
No	For B2B residential deliveries.

#### Step 4: Allowed Methods and Applicable Countries

1. Set **Allowed Methods** to each method of shipment that you want to offer. When choosing methods, take into consideration your FedEx account, the frequency and size of your shipments, and if you allow international shipments. You can offer as many or as few methods as you want. Options include:

Europe First Priority	Ground	International Priority
1 Day Freight	First Overnight	Intl Priority Freight
2 Day Freight	Home Delivery	Priority Overnight
2 Day	International Economy	Smart Post*
2 Day AM	Intl Economy Freight	Standard Overnight
3 Day Freight	International First	Freight
Express Saver	International Ground	National Freight

\* If offering the Smart Post method, enter the **Hub ID**.

2. To set up free shipping through FedEx, do the following:

- a. Set **Free Method** to any shipping method that you want to offer your customers at no charge. You may also select **None**. This is similar to Free Shipping, however it is listed in the FedEx section, so customers will know exactly which method is being used for their order.

- b. The **Free Shipping with Minimum Order Amount** option allows you to offer free FedEx shipping for orders that meet a minimum amount.

Enable	Lets you set the minimum amount for orders to qualify for free shipping. If an order does not meet the minimum amount, FedEx Free Shipping will still appear as an option, however it will be set to an amount determined by FedEx.
Disable	Does not let you set a minimum amount for orders to qualify for free shipping.

- c. If you choose "Enable," enter the minimum order amount in the **Minimum Order Amount for Free Shipping**.
- d. The **Displayed Error Message** text box is preset with a default message. You can leave this as is or edit as needed.
- e. Set **Ship to Applicable Countries** to one of the following:

- All Allowed Countries
- Specific Countries

If applicable, set **Ship to Specific Countries** to each country where your customers are allowed to ship by UPS. (Hold the Ctrl key down to select multiple options.)

- f. Set **Debug** to "Yes" or "No."
  - g. Set **Show Method if Not Applicable** to one of the following:
    - Yes To list all FedEx shipping methods to customers, regardless of their availability.
    - No To list only the methods which are available to customers.
  - h. Enter a **Sort Order** numeric value to determine the sequence in which UPS appears when listed with other shipping methods during checkout. The number with the highest priority is 0, which puts it at the top of the list.
3. When the configuration is complete, click the **Save Config** button.

FedEx

Enabled for Checkout	Yes	[WEBSITE]
Title	Federal Express	[STORE VIEW]
Account ID	Please make sure to use only digits here. No dashes are allowed.	
Meter Number		[WEBSITE]
Key		[WEBSITE]
Password		[WEBSITE]
Sandbox Mode	Yes	[WEBSITE]
Packages Request Type	Divide to equal weight (one request)	[WEBSITE]
Packaging	Your Packaging	[WEBSITE]
Dropoff	Regular Pickup	[WEBSITE]
Weight Unit	Pounds	[WEBSITE]
Maximum Package Weight (Please consult your shipping carrier for maximum supported shipping weight)	150	[WEBSITE]
Calculate Handling Fee	Fixed	[WEBSITE]
Handling Applied	Per Order	[WEBSITE]
Handling Fee		[WEBSITE]
Residential Delivery	No	[WEBSITE]
Allowed Methods	Europe First Priority 1 Day Freight 2 Day Freight 2 Day 2 Day AM 3 Day Freight Express Saver Ground First Overnight Home Delivery	[WEBSITE]
Hub ID		[WEBSITE]
Free Method	Ground	[WEBSITE]
Free Shipping with Minimum Order Amount	Disable	[WEBSITE]
Minimum Order Amount for Free Shipping		[WEBSITE]
Displayed Error Message	This shipping method is currently unavailable. If you would like to ship using this shipping method, please contact us.	
Ship to Applicable Countries	[STORE VIEW]	
Ship to Specific Countries	Specific Countries	[WEBSITE]
	Afghanistan Aland Islands Albania Algeria American Samoa Andorra Angola Anguilla Antarctica Antigua and Barbuda	[WEBSITE]
Debug	No	[WEBSITE]
Show Method if Not Applicable	No	[WEBSITE]
Sort Order		[WEBSITE]

FedEx

## DHL

DHL offers integrated international services and tailored, customer-focused solutions for managing and transporting letters, goods and information.

### Process Overview:

[Step 1: Enable DHL](#)

[Step 2: Enter Package Description and Handling Fee](#)

[Step 3: Specify Allowed Shipping Methods](#)

[Step 4: Specify Applicable Countries](#)

### Step 1: Enable DHL

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Sales, select **Shipping Methods**.
2. Click to expand the **DHL** section. Then, do the following:
  - a. Set **Enabled for Checkout** to "Yes."
  - b. In the **Title** field, type a name that will be used to refer to this shipping method during checkout.
  - c. In most cases, you can accept the default **Gateway URL**. However, if DHL has given you an alternate URL, enter the value in this field.
  - d. Use the credentials provided by DHL to complete the following fields:
    - Access ID
    - Password
    - Account Number

### Step 2: Enter Package Description and Handling Fee

1. In the **Content Type** list, select the option that best describes the type of package you ship:
  - Documents
  - Non documents
2. The handling fee is optional, and appears as an additional charge that is added to the DHL shipping cost. If you want to include a handling fee, do the following:

- a. In the **Calculate Handling Fee** list, select the method you want to use to calculate handling fees:
  - Fixed
  - Percentage
- b. In the **Handling Applied** list, select how you want the handling fees applied:
  - Per Order
  - Per Package
- c. In the **Handling Fee** field, enter the amount to be charged, based on the method you have chosen to calculate the amount. For example, if the charge is based on a fixed fee, enter the amount as a decimal, such as: 4.90. However, if the handling fee is based on a percentage of the order, enter the amount as a percentage. For example, if you are charging six percent of the order, enter the value as: .06.
- d. You can allow the total order weight to be broken up to ensure an accurate calculation of shipping charges. To permit this, set **Divide Order Weight** to "Yes."
- e. Set the **Weight Unit** of the package to one of the following:
  - Pounds
  - Kilograms
- f. Set the **Size** of the package to one of the following:
  - Regular
  - Specific

If you are using **Specific**, enter the **Height**, **Depth**, and **Width** of the package. Specify these numbers in centimeters.

### Step 3: Specify Allowed Shipping Methods

1. In the **Allowed Methods** list, select each shipment method that you support. (Hold the Ctrl key down to select multiple options.)

To display the correct list of shipping methods, you must first specify the Country of Origin in Shipping Settings.
2. Enter the **Ready Time** in hours after submission, that it takes for a package to be ready to ship.
3. Edit the **Displayed Error Message** as needed. This message appears when a selected method is unavailable.
4. In the **Free Method** list, select the shipping method you prefer to use for offers of free shipping. Then, set the **Free Shipping with Minimum Order Amount** to one of the following:

Enable	If offering Free Shipping with Minimum Order, enter the <b>Minimum Order Amount for Free Shipping</b> .
Disable	Does not apply free DHL shipping to any orders.

This is similar to the standard Free Shipping method, but appears in the DHL section so customers know which method is used for their order.

5. Enter the **Minimum Order Amount for Free Shipping** that must be met for a package to qualify.

#### Step 4: Specify Applicable Countries

1. Set **Ship to Applicable Countries** to one of the following:

- All Allowed Countries
- Specific Countries

If shipping to specific countries, select each country from the **Ship to Specific Countries** list.

2. Set **Show Method if Not Applicable** to one of the following:

- |     |  |
|-----|--|
| Yes | Displays all options, even if not applicable to the order. |
| No  | Displays only applicable options.                          |

3. In the **Sort Order** field, type a numeric value to determine the sequence in which DHL appears when listed with other shipping methods during checkout.
4. To create a log file with the details of DHL shipments made from your store, set **Debug** to "Yes."
5. When complete, click the **Save Config** button to save your changes.

DHL

Enabled for Checkout	Yes	[WEBSITE] [STORE VIEW]
Title	DHL	[WEBSITE] [STORE VIEW]
Gateway URL	https://xmlpi-ea.dhl.com/XMLShippingServlet	[WEBSITE] [STORE VIEW]
Access ID		[WEBSITE] [STORE VIEW]
Password		[WEBSITE] [STORE VIEW]
Account Number		[WEBSITE] [STORE VIEW]
Content Type	Documents	[WEBSITE] [STORE VIEW]
Calculate Handling Fee	Fixed	[WEBSITE] [STORE VIEW]
Handling Applied	Per Order	[WEBSITE] [STORE VIEW]
A "Per Order" allows single handling fee for entire order. "Per Package" allows individual handling fee for each package.		
Handling Fee		[WEBSITE] [STORE VIEW]
Divide Order Weight	Yes	[WEBSITE] [STORE VIEW]
Allows breaking total order weight into smaller pieces if it exceeds 70 kg to ensure accurate calculation of shipping charges.		
Weight Unit	Kilograms	[WEBSITE] [STORE VIEW]
Size	Regular	[WEBSITE] [STORE VIEW]
Allowed Methods	Easy ship Sprintline Secureline Express easy Europack Break bulk express Medical express Express worldwide Express worldwide Express 0.00	[WEBSITE] [STORE VIEW]
Ready time		[WEBSITE]
Package ready time after order submission (in hours)		
Displayed Error Message	This shipping method is currently unavailable. If you would like to ship using this shipping method, please contact us.	
Free Method	None	[WEBSITE]
Free Shipping with Minimum Order Amount	Disable	[WEBSITE]
Minimum Order Amount for Free Shipping		[WEBSITE]
Ship to Applicable Countries	Specific Countries	[WEBSITE]
Ship to Specific Countries	Afghanistan Aland Islands Albania Algeria American Samoa Andorra Angola Anguilla Antarctica Anguilla and Barbuda	[WEBSITE]
Show Method if Not Applicable	No	[WEBSITE]
Debug	No	[WEBSITE]
Sort Order		[WEBSITE]

DHL

## Package Type by Carrier

The following tables list the shipping methods and supported package types for U.S. and international shipments, by carrier.

- Custom packaging has been added to each shipping method of each shipping carrier.
- Shipping methods are divided into U.S. and International. Those that are marked as "U.S." are for US domestic shipments only. Those that are marked as "International" can be those shipped from the U.S. to other countries, from other countries to the U.S. and within countries other than the U.S. FedEx does not offer domestic shipments for countries other than the U.S. at this time. USPS offers shipments from the U.S. only for both domestic and international.
- For international shipping, available package types sometimes depend on the country of origin (U.S. or other). If a shipment originates outside of the U.S., the available package types are filtered according to the types that are acceptable. For shipments that originate in countries other than the U.S., the full list of package types available for the selected shipping carrier is provided.

### FedEx (U.S.)

#### Package Types: FedEx (U.S.)

SHIPPING METHOD	PACKAGE TYPE
FedEx First Overnight	FedEx Envelope FedEx Pak FedEx Box FedEx Tube Your Packaging
FedEx Priority Overnight	(same as above)
FedEx Standard Overnight	(same as above)
FedEx 2Day	(same as above)
FedEx Express Saver	FedEx Envelope FedEx Pak Your Packaging
FedEx Ground	Your Packaging
FedEx Home Delivery	
FedEx SmartPost	

## FedEx (International)

### Package Types: FedEx (Int'l)

SHIPPING METHOD	PACKAGE TYPE
FedEx International First	FedEx Envelope FedEx Pak FedEx Box FedEx Tube Your Packaging
FedEx International Priority	FedEx Envelope FedEx Pak FedEx Box FedEx 10 kg Box FedEx 25 kg Box FedEx Tube Your Packaging
FedEx International Ground	Your Packaging
FedEx Europe First Priority	FedEx Envelope FedEx Pak FedEx 10 kg Box FedEx 25 kg Box Your Packaging

## UPS (U.S.)

### Package Types: UPS (U.S.)

SHIPPING METHOD	PACKAGE TYPE
UPS Next Day Air Early AM	Small Express Box Medium Express Box Large Express Box UPS Express Tube UPS Pak UPS Letter Your Packaging
UPS 2nd Day Air	(same as above)

**Package Types: UPS (U.S.) (cont.)**

<b>SHIPPING METHOD</b>	<b>PACKAGE TYPE</b>
UPS Next Day Air	(same as above)
UPS 2nd Day Air AM	(same as above)
UPS 3 Day Select	Your Packaging
UPS Ground	Your Packaging

**UPS (International)****Package Types: UPS (Int'l)**

<b>SHIPPING METHOD</b>	<b>PACKAGE TYPE</b>
UPS Worldwide Express	Small Express Box Medium Express Box Large Express Tube UPS Express Tube UPS 10 kg Box UPS 25 kg Box UPS Pak UPS Letter Customer Packaging
UPS Worldwide Express Plus	(same as above)
UPS Worldwide Saver	(same as above)
UPS Worldwide Expedited	(same as above)
UPS Worldwide Expedited	Small Express Box Medium Express Box Large Express Tube UPS Express Tube UPS 10 kg Box UPS 25 kg Box UPS Pak Customer Packaging

## USPS (International)

### Package Types: USPS (Int'l)

SHIPPING METHOD	PACKAGE TYPE
Express Mail® International Flat Rate Envelope	Express Mail International Flat Rate Envelope
Express Mail Flat Rate Envelope Hold for Pickup	Express Mail International Flat Rate Envelope
Priority Mail International Large Flat Rate Box	Priority Mail International Medium Flat Rate Box
Priority Mail International Small Flat Rate Box	Priority Mail International Small Flat Rate Box
Priority Mail International Flat Rate Envelope	Priority Mail International Flat Rate Envelope
Global Express Guaranteed (GXG)	Large Package/Non-Rectangular (Regular and Medium) Variable
USPS GXG Envelopes	Large Package/Rectangular (Regular and Medium) Large Package/Non-Rectangular (Regular and Medium) Variable
Express Mail International	(same as above)
Priority Mail International	(same as above)
First-Class Mail International Package	(same as above)

## DHL (International)

### Package Types: DHL (Int'l)

SHIPPING METHOD	PACKAGE TYPE
Express	Package
Express International	Letter

## Notes



## CHAPTER 51:

# Shipping Labels

Magento Community Edition has a high level of integration with major shipping carriers that gives you access to carrier shipping systems to track orders, create shipping labels, and more.

Topics in this chapter:

- [Shipping Label Setup](#)
- [Creating Shipping Labels](#)
- [Package Configuration](#)



*USPS Priority Shipping Label*

## Shipping Label Workflow

Shipping labels can be produced at the time a shipment is created, or later. Shipping labels are stored in PDF format and downloaded to your computer. Depending on your browser settings, you can open the file at once and print the labels. Each shipping label appears on a separate page in the PDF file.

### Shipment Workflow

When you create a shipping label, Magento prompts you for information about packaging you want to use (type, size, etc.) and which products go with which package. When you finish, Magento connects to the shipping carrier web-services, creates an order in its system, and receives the shipping label for the shipment. The tracking number(s) are also received and added in the Admin.

After the shipping label is generated, the new shipment is saved and the label can be printed. If the shipping label cannot be created due to problems with connection or any other reason, the shipment is not created.

### Tracking Number Workflow

Magento receives the tracking numbers related to the shipment when labels are generated, and inserts the numbers into the Shipping and Tracking Information section of the order. If you generate the same shipping labels multiple times, the original tracking numbers are preserved.

# Shipping Label Setup

Shipping label settings must be made at the product level, as well as in the configuration of each carrier. Complete the configuration for each carrier that you intend to use to produce shipping labels.

## To configure shipping labels:

1. On the Admin menu, select **Catalog > Manage Products**.
2. The **Country of Manufacture** field is required for each product that is shipped internationally by USPS and FedEx. Update the field for each product record, as needed.

The screenshot shows the 'Edit Product' form in the Magento Admin. The 'Country of Manufacture' field is highlighted with a callout bubble pointing to it. The field has a dropdown menu open, showing 'Catalog, Search' and 'Switzerland' selected. Other fields visible include SKU, Weight, Status, and Visibility.

*Country of Manufacture*

3. When complete, click the **Save** button.

If you have many products that need to be updated with the same information, do the following:

- a. In the Manage Products list, select the checkbox of each product that needs to be updated. For example, all products that are manufactured in China.
- b. Set the **Actions** control to “Update Attributes,” and click the **Submit** button.
- c. In the Update Attributes form, find the **Country of Manufacture** field and select the **Change** checkbox. Then, select the country from the list and click the **Save** button.
4. On the Admin menu, select **System > Configuration**. Then, do the following:

- a. In the panel on the left, under Sales, select **Shipping Settings**. Click to expand the **Origin** section, and verify that the following fields are complete:

Street Address

The street address of the place from which shipments are sent. For example, the location of your company or warehouse. This field is required for shipping labels.

Street Address Line 2

Any additional address information, such as the floor, entrance and so on. We strongly recommend that you use this field.

Origin		
Country	United States	[WEBSITE]
Region/State	California	[WEBSITE]
ZIP/Postal Code	90232	[WEBSITE]
City	Culver City	[WEBSITE]
Street Address	10441 Jefferson Blvd., Suite 200	[WEBSITE]
Street Address Line 2		[WEBSITE]

*Origin*

- b.** In the Configuration panel under Sales, select **Shipping Methods**. Click to expand the **USPS** section, and verify that the following fields are complete:

Secure Gateway URL	This field is pre-populated by Magento.
Password	The password is provided by USPS, and gives you access to their system through Web Services.
Length, Width	The default dimensions of the package. To make these
Height, Girth	fields appear, set Size to “Large.”


- c.** Click to expand the **FedEx** section, and verify that the following fields are complete:

- Meter Number
- Key
- Password

This information is provided by the carrier, and is required to gain access to their system through Web Services.

- d.** In the Configuration panel under General, select **Store Information**. Verify that the fields in this section are complete. If you have multiple stores, and the contact information differs from the default, set **Current Configuration Scope** to the store view and verify that the information is complete. If any of this information is missing, an error message will appear when you try to print shipping labels.

Store Name	The name of the store or store view.
Store Contact Telephone	The telephone number of the primary contact for the store or store view.
Country	The country where your store is based.
VAT Number	If applicable the Value Added Tax number of your store. (Not required for stores based in the U.S.)
Store Contact Address	The street address of the primary contact for the store or store view.



The screenshot shows a 'Store Information' configuration window. It includes fields for 'Store Name', 'Store Contact Telephone', 'Country' (with a dropdown menu showing 'Please Select'), 'VAT Number', and 'Store Contact Address'. A prominent red button labeled 'Validate VAT Number' is positioned between the VAT number field and the address field. Each input field has a corresponding '[STORE VIEW]' button to its right.

*Store Information*

- e. When complete, click the **Save Config** button.

## Carrier Requirements

CARRIER	REQUIREMENTS
USPS	Requires a USPS account.
UPS	Requires a UPS account. Shipping labels are available only for shipments that originate in the U.S. Specific credentials are required for stores outside the US.
FedEx	Requires a FedEx account. For stores outside of the U.S., shipping labels are supported for international shipments only. FedEx does not allow domestic shipments that originate outside of the U.S.
DHL	Requires a DHL account. Shipping labels are supported only for shipments that originate in the U.S.

# Create Shipping Labels

You can easily create shipping labels for new and existing orders from the Admin of your store. To create shipping labels, you must first set up your shipping carrier account to support labels. Then, follow the prompts to enter a description of the package and its contents. Magento contacts the shipping carrier, creates an order in the carrier's system, and receives a shipping label and tracking number for the shipment. An individual order is created for each package shipped. A single shipment with multiple packages receives multiple shipping labels.

## Process Overview:

- Step 1: [Contact Your Shipping Carriers](#)
- Step 2: [Update the Configuration for Each Carrier](#)
- Step 3: [Create Shipping Labels](#)
- Step 4: [Print Shipping Labels](#)

## Step 1: Contact Your Shipping Carriers

Before you begin, make sure that your shipping accounts are set up to process labels. Some carriers might charge an additional fee to add shipping labels to your account.

1. Contact each carrier that you use to activate shipping labels for your store.
2. Follow the instructions provided by each carrier to add shipping label support to your account.

FedEx      Contact [FedEx Web Services](#) regarding their label evaluation process.

USPS      Contact [uspstechsupport@esecurecare.net](mailto:uspstechsupport@esecurecare.net) to request that API Signature Confirmation V3 be enabled for your live USPS API Access account.

UPS      Contact [UPS](#) to confirm your account type supports shipping labels. To generate shipping labels, you must use the UPS XML option.

DHL      Contact the [DHL Resource Center](#) to learn more about their services or send an inquiry through their [Contact Center](#).

## Step 2: Update the Configuration for Each Carrier

1. Make sure that your [Store Information](#) is complete.
2. Follow the instructions below for each carrier account that has been activated for label printing.

### UPS

United Parcel Service ships both domestically and internationally. However, shipping labels can be generated only for shipments that originate within the United States.

1. On the Admin menu, select **System > Configuration**.
2. In the Configuration panel on the left, under Sales, select **Shipping Methods**.
3. Click to expand the **UPS** section. Then, verify that your **UPS Shipper Number** is correct. Your Shipper Number appears only when United Parcel Service XML is enabled.
4. When complete, click the **Save Config** button.

### USPS

The United States Postal Service ships both domestically and internationally.

1. On the Admin menu, select **System > Configuration**.
2. In the Configuration panel on the left, under Sales, select **Shipping Methods**.
3. Click to expand the **USPS** section. Then, do the following:
  - a. Verify that the **Secure Gateway URL** is entered. The correct URL should be entered automatically.
  - b. Enter the **Password** provided to you by USPS.
  - c. Set **Size** to “Large.” Then, enter the following dimensions:
    - Length
    - Width
    - Height
    - Girth
4. When complete, click the **Save Config** button.

### FedEx

FedEx ships domestically and internationally. Stores located outside the United States can create FedEx labels for international shipments only.

1. On the Admin menu, select **System > Configuration**.
2. In the Configuration panel on the left, under sales, select **Shipping Methods**.
3. Click to expand the **FedEx** section. Then, make sure that the following FedEx credentials are correct:
  - Meter Number
  - Key
  - Password
4. When complete, click the **Save Config** button.

## DHL

DHL provides international shipping services.

1. On the Admin menu, select **System > Configuration**.
2. In the Configuration panel on the left, under sales, select **Shipping Methods**.
3. Click to expand the **DHL** section. Then, do the following:
  - a. Verify that the **Gateway URL** is entered. The correct URL should be entered automatically.
  - b. Make sure that the following credentials are complete:
    - Access ID
    - Password
    - Account Number
4. When complete, click the **Save Config** button.

## Step 3: Create Shipping Labels

### Process Overview:

[Method 1: Create Label for New Shipment](#)

[Method 2: Create Label for Existing Shipment](#)

### Method 1: Create Label for New Shipment

1. On the Admin menu, select **Sales > Orders**.
2. Find the order in the list, and click to open the record. The status of the order must be either “Pending” or “Processing.”
3. In the upper-right corner, click the **Ship** button. Then, confirm the shipping information according to carrier requirements.
4. In the lower-right corner, select the **Create Shipping Label** checkbox. Click the **Submit Shipment** button, and do the following:
  - a. To add products from the order to the package, click the **Add Products** button. The Quantity column shows the maximum number of products that are available for the package.
  - b. Select the check box of each product to be added to the package and enter the **Quantity** of each. Then, click the **Add Selected Product(s) to Package** button.
    - To add a new package, click the **Add Package** button.
    - To delete a package, click the **Delete Package** button.

If you use a package type other than the default, or require a signature, the cost of shipping might differ from what you have charged the customer. Any difference is not reflected in your store.

5. When complete, click **OK**.
  - If you need to cancel an order, click the **Cancel** button. A shipping label will not be created, and the Create Shipping Label checkbox is cleared.
6. Magento now connects to the shipping carrier system, submits the order, and receives a shipping label and tracking number for each package.
  - If the label is successfully created, the shipment is submitted, the tracking number appears in the form, and the label is ready to print.
  - If the carrier cannot create the label due to the problems with connection, or for any other reason, the shipment is not processed.

## Method 2: Create Label for Existing Shipment

1. On the Admin menu, select **Sales > Orders**.
2. Find the order in the list and click to open the Shipping form. Then, do the following:
  - a. In the Shipping and Tracking Information section, click the **Create Shipping Label** button.
  - b. Distribute the ordered product(s) to the appropriate package(s), and click **OK**.
  - c. To review the package information, click the **Show Packages** button.

Magento connects to the shipping carrier system, submits an order, and receives a shipping label and a tracking number.

If a shipping label for this shipment already exists in the system, it is replaced with a new one. However, existing tracking numbers are not replaced. Any new tracking number is added to the existing one.

## Step 4: Print Shipping Labels

Shipping labels are generated in PDF format, and can be printed from the Admin panel. Each label includes the order number and package number.

### Process Overview:

- [Method 1: Print Label from Shipment Form](#)  
[Method 2: Print Labels for Multiple Orders](#)

## Method 1: Print Label from Shipment Form

1. On the Admin menu, do one of the following:
  - Select **Sales > Orders**. Find the order in the list, and click to open the record. In the panel on the left, select **Shipments**. Then, click to open the shipment record.
  - Select **Sales > Shipments**. Find the order in the list, and click to open the record.
2. To download the PDF file, go to the Shipping and Tracking section of the form and click the **Print Shipping Label** button. Depending on your browser settings, the shipping labels can be viewed and printed directly from the PDF file.

The Print Shipping Label button appears only after the carrier has generated labels for the shipment. If the button is missing, click the Create Shipping Label button. The button will appear after Magento receives the label from the carrier.

## Method 2: Print Labels for Multiple Orders

1. On the Admin menu, do one of the following:
  - Select **Sales > Orders**.
  - Select **Sales > Shipments**.
2. In the list, select the checkbox of each order that has shipping labels to be printed.
3. In the upper-right corner, set the **Actions** control to "Print Shipping Labels."
4. Click the **Submit** button.

A complete set of labels is printed for each shipment that is related to the selected orders.

### Required Carrier Settings

FIELD	DESCRIPTION
Type	Package types differ by carrier and method. The default package type for each carrier is initially selected. USPS does not require the package type for domestic shipments.
Customs Value	(International shipments only) The declared value or sales price of the contents of an international shipment.
Total Weight	The total weight of all products added to the package is calculated automatically. The value can also be changed manually, and entered as pounds or kilograms.
Length, Width, Height	(Optional) The package dimensions are used for custom packages only. You can specify the measurements units as inches or centimeters.
Signature Confirmation	Indicates if a signature is required to confirm receipt of the package. Although the options vary by carrier and shipping method. Options include:
	Not Required      No confirmation of delivery is sent to the store by the shipping carrier.
	No Signature      A delivery confirmation without the signature of the recipient is sent to the store by the shipping carrier.

### Required Carrier Settings (cont.)

FIELD	DESCRIPTION
Signature Required	The shipping carrier obtains the signature of the recipient and provides the store with a printed copy.
Direct	(FedEx Only) FedEx obtains a signature from someone at the delivery address. If no one is available to sign for the package, the carrier tries to deliver the package at another time.
Indirect	(FedEx Residential Deliveries Only) FedEx obtains the signature of someone, possibly a neighbor or building manager, at the delivery address. The recipient can leave a signed FedEx door tag to authorize the package to be left without anyone present to sign for it.
Contents	(USPS Only) Select one of the following descriptions of the package:  Gift Documents Commercial Sample Returned Goods Merchandise Other
Explanation	(USPS Only) A detailed description of the package contents.
Adult Required	The shipping carrier obtains the signature of an adult recipient and provides the store with a printed copy.

## Create Packages

The Create Packages pop-up window appears if you choose to create a shipping label. You can start configuring the first package at once.



*Create Package*

### To configure a package(s):

1. When the Create Packages window appears, do the following to complete the description of Package 1:

- a. Select the **Type** of packaging. (Not required for UPS domestic shipments.)
- b. Enter the **Total Weight** and verify that the unit of measurement is correct..
- c. Enter the **Length**, **Width**, and **Height** of the package, and verify that the unit of measurement is correct.
- d. Set **Signature Confirmation** as needed.

If you select the non-default value in the Type field or require a signature confirmation, the price of a shipment may differ from the rate you quoted the customer.

- e. To view a list of shipped products and add them to the package, click the **Add Products** button.

The Qty column is pre-populated with the maximum available quantity to add (for the Package 1 this number is equal to the total shipped quantity of the product).

- f. Specify the products and quantities. To add the products to the package, click the **Add Selected Product(s) to Package** button in the header of the grid. The products are added to the package.

2. To view a list of shipped products and add them to the package, click the **Add Products** button.

The Qty column is pre-populated with the maximum available quantity to add (for the Package 1 this number is equal to the total shipped quantity of the product).

3. Specify the products and quantities. To add the products to the package, click the Add Selected Product(s) to Package button in the header of the grid. The products are added to the package.

- To add a new package, click the **Add Package** button in the window header. You can add several packages, and edit them simultaneously.
- To delete a package, click the **Delete Package** button.

After products have been added to the package, the quantity cannot be edited directly.

### To increase the quantity:

1. Click the **Add Selection** button.
2. Enter the additional quantity.

The number is added to the previous quantity of the product in the package.

### To decrease the quantity:

1. Delete the product from the package.
2. Click the **Add Selection** button.
3. Enter the new, smaller value.

After you distribute all products, the total number of the packages you are going to use equals the number of the last package in the list. The **OK** button is disabled until all shipped items are distributed between packages and all necessary information is specified.

4. When complete, click the **OK** button to generate the labels.

If you need to stop the process, click the **Cancel** button. The packages are not saved, and the shipping label creation is canceled.

## Field Descriptions

FIELD	DESCRIPTION						
Type	<p>(Non-domestic only) Identifies the type of a package. Available package types are different for each shipping carrier, and depend on the shipping method selected when the order is created.</p> <p>When the Create Packages pop-up window opens, the default package for the shipping carrier set in system configuration is selected in the Type field. For shipping labels created for DHL, FedEx, and UPS shipments, the “Type of Goods” field is set to “Merchandise.”</p> <p>If you select a package, that is not designed by a shipping carrier, you must enter the package dimensions</p>						
Total Weight	The total weight of a package. The field is pre-populated with the total weight of products in a package, after you add them, but can be edited manually. The measurement units can be specified using the drop-down menu next to the field; select between pounds and kilograms.						
Length	The length of a package, integer and floating point numbers. The field is enabled if the custom package type is used. The measurement units can be specified using the drop-down menu next to the Height field; select between inches and centimeters.						
Width	The width of a package, integer and floating point numbers. The field is enabled if the custom package type is used. The measurement units can be specified using the drop-down menu next to the Height field; select between inches and centimeters.						
Height	The height of a package, integer and floating point numbers. The field is enabled if the custom package type is used. The measurement units can be specified using the drop-down menu next to the Height field; select between inches and centimeters.						
Signature Confirmation	<p>Establishes how delivery is confirmation. Options include:</p> <table> <tr> <td>Not Required</td> <td>No delivery confirmation letter is sent.</td> </tr> <tr> <td>No Signature</td> <td>A delivery confirmation letter without a recipient's signature is sent to you.</td> </tr> <tr> <td>Signature Required</td> <td>The shipping carrier obtains the recipient's signature and provides you with its printed copy.</td> </tr> </table>	Not Required	No delivery confirmation letter is sent.	No Signature	A delivery confirmation letter without a recipient's signature is sent to you.	Signature Required	The shipping carrier obtains the recipient's signature and provides you with its printed copy.
Not Required	No delivery confirmation letter is sent.						
No Signature	A delivery confirmation letter without a recipient's signature is sent to you.						
Signature Required	The shipping carrier obtains the recipient's signature and provides you with its printed copy.						

**Field Descriptions (cont.)**

FIELD	DESCRIPTION
Adult Required	The shipping carrier obtains the adult recipient's signature and provides you with its printed copy.
Direct	(FedEx only) FedEx obtains a signature from someone at the delivery address and reattempts delivery if no one is available to sign for the package.
Indirect	(FedEx only) FedEx obtains a signature in one of three ways: (1) from someone at the delivery address; (2) from a neighbor, building manager or other person at a neighboring address; or (3) the recipient can leave a signed FedEx Door Tag authorizing release of the package without anyone present. Available for residential deliveries only.
	The field availability and options may vary slightly for different shipping methods. For the most up to date information please refer to shipping carrier's resources.
Contents	(USPS only) Description of the package contents. Options include:  Gift Documents Commercial Sample Returned Goods Merchandise Other
Explanation	(USPS only) Detailed description of the package content.



Taxes

## In this section...

[Managing Taxes](#)

[Value Added Tax \(VAT\)](#)

[Quick Reference](#)



## CHAPTER 52:

# Managing Taxes

Magento provides a variety of options to help you meet the tax requirements for your locale. Magento also supports the calculation of Value-Added Tax (VAT) for business-to-business transactions in the European Union. Admin [permissions](#) can be set to restrict access to tax resources, based on the business “need to know.”

Tax classes are used to define “tax rules.” Tax rules incorporate a combination of product class, customer class and tax zone, and rate. Each type of customer can be assigned a customer class when you define them, and each product is assigned a tax class. Magento analyzes the shopping cart of each customer and calculates the appropriate tax according to the class of the customer, the class of the products in the shopping cart, and the region (as determined by the customer’s shipping address, billing address or shipping origin).

**Important!** No guarantee is made regarding any information in this guide. Please contact an expert before making decisions about tax matters.

# General Tax Settings

The following instructions take you through the basic tax setup for your store. Before setting up your taxes, make sure that you are familiar with the tax requirements of your locale. Then, you can complete the tax configuration as needed for your store.

Admin [permissions](#) can be set to restrict access to tax resources, based on the business “need to know.” To create an Admin [role](#) with access to tax settings, select both the Sales/Tax and System/Tax resources. If setting up a website for a region that differs from your default shipping point of origin, you must also allow access to the System/Shipping resources for the role, because the [shipping settings](#) determine the store tax rate used for catalog prices.

## Process Overview:

- Step 1: Set Up Tax Classes
- Step 2: Complete the Calculation Settings
- Step 3: Set Up the Default Tax Destination
- Step 4: Complete the Display Settings

## Step 1: Set Up Tax Classes

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Sales, select **Tax**.
2. If you have multiple websites, set **Current Configuration Scope** to the website where the tax configuration applies.
3. Click to expand the **Tax Classes** section.



4. Set **Tax Class for Shipping** to the appropriate class. The default classes are:
  - Taxable Goods
  - Shipping
  - Tax Exempt

## Step 2: Complete the Calculation Settings

- Click to expand the **Calculation Settings** section.

The screenshot shows the 'Calculation Settings' configuration window. It contains several dropdown menus and explanatory text. The fields include:

- Tax Calculation Method Based On:** Set to "Total".
- Tax Calculation Based On:** Set to "Shipping Address".
- Catalog Prices:** Set to "Excluding Tax".  
A note: "Whether catalog prices entered by admin include tax."
- Shipping Prices:** Set to "Excluding Tax".  
A note: "Whether shipping amounts entered by admin or obtained from gateways include tax."
- Apply Customer Tax:** Set to "After Discount".
- Apply Discount On Prices:** Set to "Excluding Tax".  
A note: "Apply discount on price including tax is calculated based on store tax, if 'Apply Tax after Discount' is selected."
- Apply Tax On:** Set to "Custom price if available".
- Enable Cross Border Trade:** Set to "No".  
A note: "When catalog price includes tax, enable this setting will fix the price no matter what the customer's tax rate is."

*Calculation Settings*


- In the **Tax Calculation Method Based On** field, select whether the tax is based on the price of each unit, or on the “row total” (that is, the total for a line item in the order, accounting for any discounts).
- In the **Tax Calculation Based On** field, select whether the tax is calculated based on the customer’s shipping address, billing address, or your store’s shipping origin.
- In the **Catalog Prices** field, specify whether the catalog prices of items include tax or exclude tax.
- In the **Shipping Prices** field, select whether the shipping amounts include tax or exclude tax.
- In the **Apply Customer Tax** field, select whether tax is applied to the original or discounted price.
- In the **Apply Discount on Prices** field, select whether any discounts applied include the tax or exclude it.
- In the **Apply Tax On** field, select whether tax is applied to custom prices or to original prices.
- In the **Enable Cross Border Trade** field, select “Yes” to use consistent pricing across different tax rates, or select “No” to vary the price by tax rate.

**Important!** If **cross-border trade** is enabled, the profit margin changes by tax rate. Profit is determined by the formula (Revenue - CustomerVAT - CostOfGoodsSold). To enable cross-border trade, set prices to include tax.

### Step 3: Set Up the Default Tax Destination Calculation

1. Click to expand the **Default Tax Destination Calculation** section.
2. Select the **Default Country** to be used for tax calculations.
3. Select the **Default State** to be used for tax calculations.
4. Select the **Default Post Code** to be used for tax calculations.

An asterisk can be used as a wildcard to represent all State and Post Code values.




Default Tax Destination Calculation		
Default Country	United States	[STORE VIEW]
Default State	*	[STORE VIEW]
Default Post Code	*	[STORE VIEW]

*Default Tax Calculation*

### Step 4: Complete the Price Display Settings

**Important!** Some combinations of settings related to a price display that both includes and excludes tax can be confusing to the customer. To avoid triggering a warning message, see the [recommended settings](#).

1. Click to expand the **Price Display Settings** section. Then, do the following:



Price Display Settings		
Display Product Prices In Catalog	Excluding Tax	[STORE VIEW]
Display Shipping Prices	Excluding Tax	[STORE VIEW]

*Price Display Settings*

- a. Set **Display Product Prices in Catalog** to one of the following:
  - Excluding Tax
  - Including Tax
  - Including and Excluding Tax

If you set the Display Product Prices field to “Including Tax,” the tax appears only if there is a tax rule that matches the tax origin, or if Magento detects that the customer address matches the tax rule. This can happen after a customer creates an account, logs in, or uses the Tax and Shipping estimation tool in the cart.

- b.** Set **Display Shipping Prices** to one of the following:
  - Excluding Tax
  - Including Tax
  - Including and Excluding Tax
- 2.** Click to expand the **Shopping Cart Display Settings** section.

For each section listed, chose how you want taxes and prices to be shown for products in a shopping cart, according to the requirements of your store and locale.

Shopping Cart Display Settings		
Display Prices	Excluding Tax	[STORE VIEW]
Display Subtotal	Excluding Tax	[STORE VIEW]
Display Shipping Amount	Excluding Tax	[STORE VIEW]
Display Gift Wrapping Prices	Excluding Tax	[STORE VIEW]
Display Printed Card Prices	Excluding Tax	[STORE VIEW]
Include Tax In Grand Total	No	[STORE VIEW]
Display Full Tax Summary	No	[STORE VIEW]
Display Zero Tax Subtotal	No	[STORE VIEW]

*Shopping Cart Display Settings*

- 3.** Click to expand the **Orders, Invoices, Credit Memos Display Settings** section. Then, select how prices and taxes are displayed in orders, invoices, and credit memos.

Orders, Invoices, Credit Memos Display Settings		
Display Prices	Excluding Tax	[STORE VIEW]
Display Subtotal	Excluding Tax	[STORE VIEW]
Display Shipping Amount	Excluding Tax	[STORE VIEW]
Include Tax In Grand Total	No	[STORE VIEW]
Display Full Tax Summary	No	[STORE VIEW]
Display Zero Tax Subtotal	No	[STORE VIEW]

*Orders, Invoices, Credit Memos Display Settings*

- 4.** When complete, click the **Save Config** button.


## Tax Classes

Every product and customer is assigned to a tax class. Tax classes, in turn, are used to define tax rules. Tax rules are a combination of a customer tax class, product tax class, and tax rates. The two basic types of tax classes are:

- [Product Tax Classes](#)
- [Customer Tax Classes](#)

### Product Tax Classes

Product tax classes can be created and assigned according to the tax requirements of the product. For example, food might not be taxed (or might be taxed at a different rate). If your store charges an additional tax on shipping, you should designate a separate product tax class for shipping.




The screenshot shows the 'Product Tax Classes' section in the Magento Admin Panel. At the top, there's a navigation bar with links like Dashboard, Sales, Catalog, Mobile, Customer, Promotions, Newsletter, CMS, Reports, and System. Below the navigation is a message bar about phone numbers. The main area has a title 'Product Tax Classes' and a 'Add New' button. It includes filters for 'Class Name', 'Shipping', 'Tax Exempt', and 'Taxable Goods'. The grid shows three rows: 'Shipping', 'Tax Exempt', and 'Taxable Goods'. The 'Shipping' row is highlighted with a blue background.

*Product Tax Classes*

#### To define a product tax class:

1. On the Admin menu, select **Sales > Tax > Product Tax Class**.
2. In the upper-right corner, click the **Add New** button.



The screenshot shows the 'Product Tax Class Information' form. It has a header 'Product Tax Class Information' and a single input field labeled 'Class Name' with the value 'Shipping' entered.

*Product Tax Class Information*

3. Enter a **Class Name** for this tax class.

The new tax class now appears as a Tax Class option for product prices.


4. When complete, click the **Save Class** button.

## Shipping Tax Class

A separate product class can be set up for shipping. Then, you must identify it in the configuration as the tax class used for shipping.

### Step 1: Set Up a Product Tax Class for Shipping

1. On the Admin menu, select **Sales > Tax > Product Tax Class**.
2. In the upper-right corner, click the **Add New** button.
3. Enter a **Class Name** for the new tax class. For example, “Shipping.”



4. When complete, click the **Save Class** button.

### Step 2: Configure the Shipping Tax Class


1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Sales, select **Tax**.
3. Click to expand the **Tax Classes** section.
4. Set **Tax Class for Shipping** to the class you created for shipping.



5. When complete, click the **Save Config** button.

## Customer Tax Classes

Customer tax classes are created and assigned by customer type. For example, in some jurisdictions, wholesale transactions are not taxed, although retail transactions are.




The screenshot shows the 'Customer Tax Classes' page in the Magento Admin Panel. At the top, there's a navigation bar with links like 'Dashboard', 'Sales' (which is highlighted in orange), 'Catalog', 'Mobile', 'Customers', 'Promotions', 'Newsletter', 'CMS', 'Reports', and 'System'. Below the navigation is a message bar with a red warning icon and text: 'Latest Message: Reminder: Change Magento's default phone numbers and calbacks before site launch'. It also says 'You have 1 critical, 5 major, 19 minor and 128 notice unread messages.' A yellow 'Go to notifications' button is next to it. The main content area has a title 'Customer Tax Classes' and a sub-section 'Customer Tax Class Information'. It shows a table with one row for each tax class, with columns for 'Class Name' and other details. At the bottom of the table are buttons for 'Reset Filter' and 'Search'. A large orange 'Add New' button is located at the top right of the page.

*Customer Tax Classes*

### To define a customer tax class:

1. On the Admin menu, select **Sales > Tax > Customer Tax Classes**.
2. In the upper-right corner, click the **Add New** button.



The screenshot shows the 'Customer Tax Class Information' form. It has a dark header bar with the title 'Customer Tax Class Information'. Below it is a single input field with the label 'Class Name \*' and a placeholder 'Enter class name'. The rest of the page is blank white space.

*Customer Tax Class Information*

3. Enter a **Class Name** for this tax class.

To link a customer tax class to a customer group, edit the customer group. You can then assign the customer group when creating or editing a customer.

4. When complete, click the **Save Class** button.

## Tax Zones & Rates

Tax rates generally apply to transactions that take place within a specific geographical area. The Tax Zones and Rates tool enables you to specify the tax rate for each geographical area for which you collect and remit taxes. Because you give each tax zone and rate specification a unique identifier, you can have multiple tax rates for a given geographic area (for example, for places that do not tax food or medicine but tax other products).

Store tax is calculated based on the store's address. The actual customer tax for an order is calculated after the customer completes the order information. Magento then calculates the actual tax based upon the tax configuration of the store.

Tax Identifier	Country	State/Region	Zip/Post Code	Rate
US-All States-PrivateSalesShippingRate	United States	*	*	4.92
US-All States-InHouseSaleTaxExemptRate	United States	*	*	0.00
US-All States-TaxableGoodsRate	United States	*	*	8.25
US-CA-^Rate 1	United States	CA	*	9.00
US-CA-^Rate 2	United States	CA	*	8.36
US-CT-^Rate 2	United States	CT	*	6.00
US-CT-^Rate 1	United States	CT	*	6.98
US-FL-^Rate 2	United States	FL	*	8.4
US-FL-^Rate 1	United States	FL	*	7.85
US-IL-^Rate 1	United States	IL	*	7.8
US-IL-^Rate 2	United States	IL	*	8.9
US-MA-^Rate 1	United States	MA	*	7.95
US-MA-^Rate 2	United States	MA	*	7.987
US-MI-^Rate 2	United States	MI	*	6.72
US-MI-^Rate 1	United States	MI	*	7.748
US-NJ-^Rate 1	United States	NJ	*	7.00
US-NJ-^Rate 2	United States	NJ	*	7.67
US-NY-^Rate 1	United States	NY	*	8.375
US-NY-^Rate 2	United States	NY	*	8.78
US-OH-^Rate 2	United States	OH	*	6.00

Manage Tax Zones & Rates

### To define tax zones and rates:

1. On the Admin menu, select **Sales > Tax > Manage Tax Zones & Rates**.
2. In the upper-right corner, click the **Add New Tax Rate** button.

Tax Identifier *	<input type="text"/>
Country *	<input type="text" value="United States"/>
State	<input type="text"/>
Zip/Post code Range	<input type="text" value="No"/>
Zip/Post Code	<input type="text"/>
* "-" matches any, "xyz" - matches any that begins on "xyz" and not longer than 10.	
Rate Percent *	<input type="text"/>


Tax Rate Information

3. In the Tax Rate Information section, do the following:

- a. In the **Tax Identifier** field, enter a unique name for this tax. Do not use spaces. This identifier is not shown in the store if the Tax Titles section is completed, as described below.
- b. Select the location of the **Country** and **State**. (Starting in EE 1.13.1, you can use the wildcard character \* for State.)
- c. Do one of the following:
  - If you want the ZIP or postal code represented as an individual code, set **Zip/Post is Range**, to “No.” Then, enter the **Zip/Post Code**.
  - If you want the ZIP or postal code represented as a range, set **Zip/Post is Range** to “Yes.” Then, enter the **Range From** and **Range To** values.

The wildcard character \* can be used to represent all values. For example, 90\* means all ZIP codes from 90000 through 90999.

- d. In the **Rate Percent** field, enter the percentage of tax.
4. In the **Tax Titles** section, enter a name of this tax for each store view.



The screenshot shows a user interface for defining tax titles across multiple store views. At the top, there are three tabs labeled "English", "French", and "German". Below the tabs, there is a note: "Note: Leave empty to use tax identifier".

*Tax Titles*

5. When complete, click the **Save Rate** button.

## Import / Export Tax Rates

If you have nexuses in several states and ship a large volume of product, you might consider downloading a tax rate by ZIP code data set. The rates can then be imported into Magento. In the following example, we import a set of California tax rates that was downloaded from the [Avalara](#) website. Avalara provides **tax rate tables** that can be downloaded at no charge for every ZIP code in the United States. Avalara is a [Magento Technology Partner](#).

The screenshot shows the Magento Admin Panel interface. The top navigation bar includes links for Dashboard, Sales (highlighted in orange), Catalog, Customers, Promotions, Newsletter, CMS, Reports, and System. Below the navigation is a message about site launch and a notification for 1 critical, 6 major, 19 minor, and 149 notice/unresolved messages. On the left, a sidebar menu under 'Manage Tax' lists options like Orders, Invoices, Shipments, Credit Memos, Transactions, Recurring Profiles (beta), Billing Agreements, Terms and conditions, Manage Tax Rules, Manage Tax Zones & Rates, Import / Export Tax Rates (highlighted with a callout box), Customer Tax Classes, and Product Tax Classes. The main content area displays a grid of tax rates for the United States, with columns for State/Region, Zip/Post Code, Rate, From, and To. The grid shows rates for various states like CT, FL, IL, and CA.


*Import / Export Tax Rates*

### Process Overview:

- Step 1: [Export the Magento Tax Rate Data](#)
- Step 2: [Prepare the Import Data](#)
- Step 3: [Import the Tax Rates](#)

### Step 1: Export the Magento Tax Rate Data

1. On the Admin menu, select **Sales > Tax > Import / Export Tax Rates**.
2. Click the **Export Tax Rates** button. When prompted, click **Save**. Then, open the exported file in OpenOffice Calc.



Export Tax Rates

- 3.** In a second instance of OpenOffice Calc, open the new tax rate data, so you can see both, side by side. The basic Magento tax rate data includes the following columns:

- Code
- Country
- State
- Zip/Post Code
- Rate

A	B	C	D	E	F	G	H	I	J	K	L
Code	Country	State	Zip/Post Code	Rate	Zip/Post Is Range	Range From	Range To	default	french	german	
2 US-All-States-WholesaleTaxExemptRate	US	*	*	0.0000							
3 US-All-States-PrivateSalesShippingRate	US	*	*	4.9200							
4 US-All-States-TaxableGoodsRate	US	*	*	9.2500							
5 US-CA-*Rate 1	US	CA	*	9.0000							
6 US-NY-*Rate 1	US	NY	*	8.3750							
7 US-MA-*Rate 1	US	MA	*	7.9500							
8 US-FL-*Rate 1	US	FL	*	7.8500							
9 US-MI-*Rate 1	US	Mi	*	7.7400							
10 US-OH-*Rate 1	US	OH	*	5.5000							
11 US-NJ-*Rate 1	US	NJ	*	7.0000							
12 US-IL-*Rate 1	US	IL	*	7.0000							

Exported Tax Rate Data

- 4.** In the new tax rate data, take note of any additional tax rate data that you might need to set up in your store before the data is imported. For example, the tax rate data for California also includes:

- TaxRegionName
- CombinedRate
- StateRate
- CountyRate
- CityRate
- SpecialRate

If you need to import additional [tax zones and rates](#), you must first define them from the Admin of your store, and update the [tax rules](#) as needed. Then, export the data, and open the file in OpenOffice Calc, so it can be used for reference. However, to keep this example simple, we will import only the standard tax rate columns.

## Step 2: Prepare the Import Data

You now have two spreadsheets open, side by side. One with the Magento export file structure, and the other with the new tax rate data that you want to import.

1. To create a place to work in the spreadsheet with the new data, insert as many blank columns at the far left as needed. Then, use cut and paste to rearrange the columns so they match the order of the Magento export data.
2. Rename the column headers to match the Magento export data.
3. Delete any columns that have no data. Otherwise, the structure of the import file should match the original Magento export data.
4. Before saving the file, scroll down and make sure that the tax rate columns contain only numeric data. Any text found in a tax rate column will prevent the data from being imported.
5. Save the prepared data as a .CSV file. When prompted, verify that a comma is used a **Field delimiter**, and double quotes as the **Text delimiter**. Then, click **OK**.

Magento requires all text strings to be enclosed in double quotes. Because Microsoft Excel removes the double quotes, we recommend that you use OpenOffice Calc instead.

## Step 3: Import the Tax Rates

1. On the Admin menu, select **Sales > Tax > Import / Export Tax Rates**.
2. Click the **Browse** button, and select the .CSV tax rate file that you prepared to import. Then, click the **Import Tax Rates** button.

It might take several minutes to import the data. When the process is complete, the message, "The tax rate has been imported" appears. If you receive an error message, correct the problem in the data and try again.

*Import Tax Rates*

3. On the Admin menu, select **Sales > Tax > Manage Tax Zones & Rates**. The new data appears in the list. Use the **page controls** to view the new tax rates.

Tax Identifier	Country	State/Region	Zip/Post Code	Rate
AJNR	United States	CA	95361	0.01
LUIS	United States	CA	93475	0.08
AIN	United States	CA	95032	0.01
AGRU	United States	CA	94563	0.01
ANGELES	United States	CA	93599	0.09
AGQA	United States	CA	95521	0.01
AGOQ	United States	CA	93654	0.01
RAFAEL	United States	CA	94015	0.065
RIVERA	United States	CA	90662	0.065
AHW	United States	CA	93960	0.01
AJBR	United States	CA	95011	0.01
CAJON	United States	CA	92022	0.065
AJRZ	United States	CA	93223	0.01
CERRITO	United States	CA	94530	0.065
AJMX	United States	CA	95307	0.01
BRAGG	United States	CA	95427	0.065
ROBLES	United States	CA	93447	0.065
AGHB	United States	CA	95997	0.01
LEANDRO	United States	CA	94579	0.065

*Imported Tax Rates*

4. Run some test transactions in your store with customers from different ZIP codes to make sure that the new tax rates work correctly.

## Cross-Border Price Consistency


Cross-border trade (also referred to as price consistency) supports European Union (EU) and other merchants who want to maintain consistent prices for customers whose tax rates are different than the store tax rate.

Merchants operating across regions and geographies can show their customers a single price. Pricing is clean and uncluttered regardless of tax structures and rates that vary from country to country.

To use cross-border price consistency, your store must include tax in product prices.

### To enable cross-border price consistency:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Sales, select **Tax**.
2. Click to expand the **Calculation Settings** section.



*Calculation Settings*

3. To enable cross-border price consistency, set **Enable Cross Border Trade** to "Yes."

**Important!** If you enable cross-border trade your profit margin changes by tax rate. Profit is determined by the formula: (Revenue - CustomerVAT - CostOfGoodsSold).

4. When complete, click the **Save Config** button.

## EU Place of Supply

European Union (EU) merchants must report their digital goods sold by quarter to each member country. Digital goods are taxed based on the customer's billing address. The law requires merchants to run a tax report and identify the relevant tax amounts for digital goods, as opposed to physical goods.

Merchants must report all digital goods sold by EU member countries on a quarterly basis to a central tax administration, along with payment due for tax collected during the period. Merchants who have not yet reached the threshold (50k/100k Euro of annual business) must continue to report physical goods sold to the EU states where they have registered VAT numbers.

Merchants who are audited for taxes paid for digital goods, must provide two pieces of supporting information to establish the customer place of residence.

- The customer's billing address and a record of a successful payment transaction can be used to establish the customer place of residence. (Payment is accepted only if the billing address matches payment provider information.)
- The information can also be captured directly from the data store in the Magento database tables.

### To collect digital goods tax information:

1. Load the tax rates for all EU member countries.
2. Create a digital goods product [tax class](#).
3. Assign all your digital goods to the digital goods product tax class.
4. Create [tax rules](#) for your physical goods, using physical product tax classes, and associate them with the appropriate tax rates.
5. Create tax rules for your digital goods, using use the product tax class for digital goods, and associate them with the appropriate tax rates for EU member countries.
6. Run the tax report for the appropriate period, and collect the required digital goods information.
7. Export the tax amounts that are related to the tax rates for the digital goods product tax class.

### See also:

[European Commission Taxation and Customs Union](#)

[EU 1015 Place of Supply Changes](#)

## Tax Rules

Tax rules put all the taxation elements together: product tax classes, customer tax classes, and tax zones and rates. Each tax rule consists of a customer tax class, a product tax class, and a tax rate.

When numerous taxes must be defined, you can simplify the process by importing them from a spreadsheet. Select Sales > Tax > Import/Export Tax Rates.

Name	Customer Tax Class	Product Tax Class	Tax Rate	Priority	Subtotal only	Sort Order
Retail Customer - Taxable Good - Rate 1	Retail Customer, General Members Only	Taxable Goods	US-CA~Rate 1, US-CT~Rate 1, US-FL~Rate 1, US-L~Rate 1, US-MA~Rate 1, US-MI~Rate 1, US-NJ~Rate 1, US-NV~Rate 1, US-OH~Rate 1, US-TX~Rate 1	1	0	0
Wholesale Customer - Tax Exempt	Wholesale Customer	Tax Exempt	US-All States-WholesaleTaxExemptRate	0	0	0
Private Sales - Shipping	Private Sales	Shipping	US-All States-PrivateSalesShippingRate	0	0	0
Private Sales - Taxable Goods - Rate 2	Private Sales	Taxable Goods	US-CA~Rate 2, US-CT~Rate 2, US-FL~Rate 2, US-L~Rate 2, US-MA~Rate 2, US-MI~Rate 2, US-NJ~Rate 2, US-NV~Rate 2, US-OH~Rate 2, US-TX~Rate 2	0	0	0
Not Logged In - Taxable Goods	Not Logged-In	Taxable Goods	US-All States-TaxableGoodsRate	0	0	0

*Manage Tax Rules*

### To define tax rules:

1. On the Admin menu, select **Sales > Tax > Manage Tax Rules**.
2. In the upper-right corner, click the **Add New Tax Rule** button. Then, do the following:

**Tax Rule Information**

Name \*

Customer Tax Class \*

Product Tax Class \*

Tax Rate \*

Priority \*

Calculate off subtotal only

Sort Order \*

*Tax Rule Information*

- a. Enter a **Name** for the rule.
- b. Select a **Customer Tax Class**. To select multiple options, hold the Ctrl key down and click each item.
- c. Select a **Product Tax Class**.
- d. Select the **Tax Rate**.

This rule applies the tax rate to customers in the selected customer tax class and to products in the selected product tax class.

- e. In the **Priority** field, enter a number to indicate the priority of this tax, when more than one tax applies. If two tax rules with the same priority apply, then the taxes are added together. If two taxes with different priority settings apply, then the taxes are compounded.
3. In the **Sort Order** field, enter a number to indicate the order in which tax rules are displayed on the Manage Tax Rules page.
4. If you want taxes to be based on the order subtotal, select the **Calculate off Subtotal Only** checkbox.
5. When complete, click the **Save Rule** button.

## Field Descriptions

FIELD	DESCRIPTION
Name	Enter a name for this tax rule to make it easy to identify.
Customer Tax Class	Select the customer tax class associated with this rule.
Product Tax Class	Select the product tax class associated with this rule.
Tax Rate	Select the tax rate that applies to this rule.
Priority	Enter a number to indicate the priority of this tax, when more than one tax applies. Lower numbers have higher priority. If two tax rules with the same priority apply then the taxes are added together. If two taxes with a different priority apply then the taxes are compounded. When taxes are compounded, the first priority tax is calculated on the subtotal amount, and then the second priority tax is calculated on the subtotal plus the first priority tax amount.
Calculate off Subtotal Only	Select this checkbox for taxes to be calculated based on the subtotal of the order. This means that for this tax rule, tax applies only to the subtotal of the order.
Sort Order	Specify the order in which tax rules are displayed on the Manage Tax Rules page. Lower numbers have higher sort order in the list.

## Fixed Product Tax

Some tax jurisdictions have a fixed tax that must be added to certain types of products. You can set up a fixed product tax (FPT) for your store's tax calculations. For example, in some countries FPT can be used to set up a Waste Electrical and Electronic Equipment Directive (WEEE) tax, also known as "ecological tax" or "eco tax," that is collected on certain types of electronics to offset the cost of recycling. This tax is a fixed amount, rather than a percentage of the product price.

Fixed product taxes apply at the item level, based on the product. In some jurisdictions this tax is subject to an additional % tax calculation. Your tax jurisdiction might also have rules about how the product price appears to customers, either with or without tax. Be sure that you understand the rules, and set your FPT display options accordingly.

We recommend that you exercise caution when quoting FPT prices in email, because the difference in price can affect customer confidence in their orders. For example, if you display Order Review prices without showing FPT, customers who buy items with associated FPT will see a total that includes the FPT tax amount, but without an itemized breakdown. The difference in price might lead some customers to abandon their carts because the total differs from the amount expected.

### FPT Display Prices

FPT	DISPLAY SETTING AND CALCULATION	
Not Taxed	Excluding FPT	FPT appears as a separate row in the cart, and the value is used in appropriate tax calculations.
	Including FPT	FPT is added to the base price of an item but is not included in tax-rule-based calculations.
	Excluding FPT, FPT Description, Final Price	Item prices are shown without FPT, FPT amount, and with FPT included. FPT is not included in tax-rule-based calculations.
Taxed	Excluding FPT	FPT appears as a separate row in the cart, and the value is used in appropriate tax calculations.
	Including FPT	FPT is included in the price of an item, and no change to tax calculations is required.
	Excluding FPT, FPT Description, Final Price	Item prices are shown without FPT, FPT amount, and with FPT included. FPT is included in tax-rule-based calculations.

## Fixed Product Tax Setup

The following instructions show how to set up a fixed product tax for your store. An “eco tax” is an example of how you might use FPT. After setting the scope for the tax and the countries and states where the tax applies, and depending on the options you choose, the input fields can change to accommodate the local requirements.

### Process Overview:

- Step 1: [Enable the FPT Tax](#)
- Step 2: [Create an FPT Attribute](#)
- Step 3: [Add the FPT to an Attribute Set](#)
- Step 4: [Apply the FPT to Products](#)

### Step 1: Enable the FPT Tax

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Sales, select **Tax**.
2. Click to expand the **Fixed Product Taxes** section. Then, complete the fields as needed, using the **Field Description** section at the end of this section for reference.

Fixed Product Taxes		
Enable FPT	Yes	[WEBSITE]
Display Prices In Product Lists	Including FPT only	[WEBSITE]
Display Prices On Product View Page	Including FPT only	[WEBSITE]
Display Prices In Sales Modules	Including FPT only	[WEBSITE]
Display Prices In Emails	Including FPT only	[WEBSITE]
Apply Discounts To FPT	No	[WEBSITE]
FPT Tax Configuration	Not Taxed	[WEBSITE]
Include FPT In Subtotal	No	[WEBSITE]

*Fixed Product Taxes*

3. When complete, click the **Save Config** button.

### Step 2: Create an FPT Attribute

1. On the Admin menu, select **Catalog > Attributes > Manage Attributes**.
2. In the upper-right corner, click the **Add New Attribute** button. Then, do the following:

The screenshot shows the 'Attribute Properties' dialog box. It has three sections: 'Attribute Code' (containing 'my\_fixed\_product\_tax' with a note about uniqueness and length), 'Catalog Input Type for Store Owner' (set to 'Fixed Product Tax'), and 'Apply To' (set to 'All Product Types').

*Fixed Product Tax*

- a. In the **Attribute Code** field, specify a unique identifier for this attribute. Do not use spaces or special characters. However, you can use hyphens or underscores. The maximum length is 30 characters.
- b. Set **Scope** to indicate where in your Magento installation the attribute will be available.
- c. Set **Catalog Input Type for Store Owner** to “Fixed Product Tax.”
- d. Set **Apply To** to one of the following:

All Product Types      Makes the FPT attribute available for all product types.

Selected Product Types      If you select this option, select each product type in the list that will use the attribute.

3. In the panel on the left, select **Manage Label / Options**. Then, enter a label to identify the field. If you enter one label for the Admin, it will be used for the other views.

The screenshot shows the 'Manage Labels (Size, Color, etc.)' dialog. It lists four languages: Admin, English, French, and German, each with a corresponding input field below it.


*Manage Label / Options*

4. When complete, click the **Save Attribute** button.

To learn more, see: [Creating Attributes](#).

### Step 3: Add the FPT Attribute to an Attribute Set

1. On the Admin menu, select **Catalog > Attributes > Manage Attribute Sets**.
2. Open the attribute set that needs the FPT attribute.
3. Drag the FPT attribute from the list of Unassigned Attributes on the right to the Groups list. The group folders correspond to sections in the Product Information panel. You can place the attribute wherever you want it to appear.



*Edit Attribute Set*

4. When complete, click the **Save Attribute Set** button.

To learn more, see: [Creating Attribute Sets](#).

### Step 4: Apply the FPT to Products

1. On the Admin menu, select **Catalog > Manage Products**.
2. Find the product that needs the FPT and open it in edit mode.
3. In the product information, find the FPT field that you added to the attribute set. Then, do the following:

The screenshot shows the 'Prices' configuration page in the Magento Admin Panel. It includes fields for Price, Group Price, Special Price, Special Price From Date, Special Price To Date, Tier Price, Apply MAP, Display Actual Price, Manufacturer's Suggested Retail Price, Tax Class, and FTP. A callout bubble points to the 'FTP' field in the Tax Class section, which is a dropdown menu set to 'Taxable Goods'. The 'FTP' field is located under the 'Tax Class' section, which also includes 'Website', 'Country/State', and 'Tax' dropdowns.

*Product Information with FPT Field*

4. Click the **Add Tax** button. Then, do the following:
  - a. Select the **Country/State** where the FPT applies.
  - b. Enter the amount in the **Tax** field.
  - c. To add more FPT taxes, click the **Add Tax** button and repeat the process.
5. When complete, click the **Save** button.

## Compound Taxes

For compound taxes, the total cost of a product or service is taxed at one rate, and then the total of that amount, including the first tax amount, is taxed a second time. Compound tax is also known as stacked tax.

Compound taxes use different tax rule priorities. If two tax rules with the same priority apply then the taxes are added together. If two taxes with a different priority apply then the taxes are compounded. When taxes are compounded, the first priority tax is calculated on the subtotal amount, and then the second priority tax is calculated on the subtotal plus the first priority tax amount. Lower numbers have higher priority.

**Important!** In order for compound taxes to work correctly do not select the Calculate off subtotal only check box when you set up your tax rules that apply to compound taxes. This check box overrides the compounding calculation and cannot be used in conjunction with compound taxes.

### Example 1: Regular Two-Tax Calculation

For example, in a regular tax calculation involving two tax rules, each rule is applied separately to the product subtotal, and the taxes are added together to calculate the total tax, which is then added to the product subtotal to calculate the grand total:

#### Regular Two-Tax Calculation

\$50.00	Product Price
+ \$50.00	Product Price
<u>\$100.00</u>	Subtotal
\$5.00	Subtotal x 1st tax rate 5%
+ \$10.00	Subtotal x 2nd tax rate 20%
<u>\$15.00</u>	Total Taxes
\$100.00	Subtotal
+ \$15.00	Total Taxes
<u>\$115.00</u>	Grand Total

## Example 2: Compound Tax Calculation

With compound taxes, the first tax is added to the product subtotal, and the second tax is applied to that total:

### Compound Tax Calculation

\$50.00	Product Price
+ \$50.00	Product Price
\$100.00	Subtotal
\$5.00	Subtotal x 1st tax rate 5%
+ \$10.50	[Subtotal + (Subtotal x 1st rate)] x 2nd tax rate: \$105 x 10%
\$15.50	Total Taxes
\$100.00	Subtotal
+ \$15.50	Total Taxes
\$115.50	Grand Total

### To set up compound taxes:

1. Set up all the tax rates that will be used in your compound tax rule. See: [Tax Zones & Rates](#).
2. Set up the first tax rule for compounding. For the first tax rule, be sure that you set a higher priority than you will set for the next tax rule, which will be compounded on top of this first tax rule. Lower numbers are used for higher priority. Use 0 for the highest priority. See: [Tax Rules](#).
3. Set up the second tax rule for compounding. For the second rule, be sure that you set a lower priority (use a higher number) than you set for the first tax rule.



## CHAPTER 53:

# Value Added Tax (VAT)

Some countries charge a value added tax, or VAT, on goods and services. There can be different VAT rates depending on which stage you as a merchant are at in the manufacture or distribution of the products, materials, or services that you sell to your customers. In this case you may need to use more than one VAT rate in your store for tax calculation purposes.

This section provides a sample procedure for setting up a 20% VAT in the U.K. for sales to retail customers. For other tax rates and countries, follow the general procedure but enter specific information that corresponds to your country, VAT rate, customer types, and so on.

Before proceeding, find out which rules and regulations apply to VAT in your area.

In certain business-to-business transactions, VAT is not assessed. Magento can validate a customer's VAT ID to ensure that VAT is assessed (or not assessed) properly. To learn more, see: [VAT Validation](#).

**Process Overview:**

- Step 1: Set Up Customer Tax Classes
- Step 2: Set Up Product Tax Classes
- Step 3: Set Up Tax Zones and Rates
- Step 4: Set Up Tax Rules
- Step 5: Apply Tax Classes to Products

**Step 1: Set Up Customer Tax Classes**

1. On the Admin menu, select **Sales > Tax > Customer Tax Classes**.
2. Ensure that there is a customer tax class that is appropriate to use with the VAT. For this example, ensure that there is a customer tax class named Retail Customer. If Retail Customer does not exist, click the **Add New** button and add it.

**Step 2: Set Up Product Tax Classes**

1. On the Admin menu, select **Sales > Tax > Product Tax Classes**.
2. Click the **Add New** button and create three new classes:
  - VAT Standard
  - VAT Reduced
  - VAT Zero
3. Click the **Save Class** button for each new class that you add.

**Step 3: Set Up Tax Zones and Rates**

1. On the Admin menu, select **Sales > Tax > Manage Tax Zones & Rates**.

For this example you can remove the U.S. tax rates, or leave them as they are.

2. Click the **Add New Tax Rate** button. Add new rates as follows:

**VAT Standard**

Tax Identifier:	VAT Standard
Country and State:	United Kingdom
Rate Percent:	20.00

**VAT Reduced**

Tax Identifier:	VAT Reduced
-----------------	-------------

---

Country and State:	United Kingdom
--------------------	----------------

---

Rate Percent:	5.00
---------------	------

---

3. Click the **Save Rate** button for each rate.

#### Step 4: Set Up Tax Rules

A tax rule is a combination of a customer tax class, a product tax class, and a tax rate.

1. On the Admin menu, select **Sales > Tax > Manage Tax Rules**.
2. Add new tax rules as follows:

##### VAT Standard

---

Name:	VAT Standard
-------	--------------

---

Customer Tax Class:	Retail Customer
---------------------	-----------------

---

Product Tax Class:	VAT Standard
--------------------	--------------

---

Tax Rate:	VAT Standard Rate
-----------	-------------------

##### VAT Reduced

---

Name:	VAT Reduced
-------	-------------

---

Customer Tax Class:	Retail Customer
---------------------	-----------------

---

Product Tax Class:	VAT Reduced
--------------------	-------------

---

Tax Rate:	VAT Reduced Rate
-----------	------------------

3. Click the **Save Rule** button for each rate.

#### Step 5: Apply Tax Classes to Products

1. On the Admin menu, select **Catalog > Manage Products**.
2. Open a product from your catalog in edit mode.
3. On the General page, find the **Tax Class** field. Then, select the **VAT Class** that applies to the product.
4. When complete, click the **Save** button.

## VAT ID Validation

VAT ID Validation automatically calculates the required tax for B2B transactions that take place within the European Union (EU), based on the merchant and customer locale. Magento performs VAT ID validation using the web services of the [European Commission](#) server.

VAT-related tax rules do not influence other tax rules, and do not prevent the application of other tax rules. Only one tax rule can be applied at a given time.

- VAT is charged if the merchant and customer are located in the same EU country.
- VAT is not charged if the merchant and customer are located in different EU countries, and both parties are EU-registered business entities.

The store administrator creates more than one default customer group that can be automatically assigned to the customer during account creation, address creation or update, and checkout. The result is that different tax rules are used for intra-country (domestic) and intra-EU sales.

**Important:** If you sell virtual or downloadable products, which by their nature do not require shipping, the VAT rate of a customer's location country should be used for both intra-union and domestic sales. You must create additional individual tax rules for product tax classes that correspond to the virtual products.

## Customer Registration Workflow

If VAT ID Validation is enabled, after registration each customer is prompted to enter the VAT ID number. However only those who are registered VAT customers are expected to complete the field.


After a customer specifies the VAT number and other address fields, and chooses to save, the system saves the address and sends the VAT ID validation request to the European Commission server. According to the results of the validation, one of the default groups is assigned to a customer. This group can be changed if a customer or an administrator changes the VAT ID of the default address, or changes the entire default address. In some cases, the group is temporarily changed during checkout by emulating a group change.

## Checkout Workflow

If a customer's VAT validation is performed during checkout, the VAT request identifier and VAT request date are saved in the Comments History section of the order.

The system behavior of the VAT ID validation and the customer group change during the checkout depends on how the Validate on Each Transaction and the Disable Automatic Group Change settings are configured. If a customer uses PayPal Express Checkout, Google

Express Checkout, or another external checkout method that uses an external payment gateway, the Validate on Each Transaction setting cannot be applied. Thus the customer group cannot be changed during checkout.



*"One-Page" Checkout with VAT ID Validation*

## Setting Up VAT ID Validation

Use the following tax rule examples when setting up VAT ID Validation for your store.

### Example: Minimal Tax Rules Required for VAT ID Validation

#### TAX RULE #1

Customer Tax Class	Customer tax classes must include: A class for domestic customers A class for customers with invalid VAT ID A class for customers, for whom VAT ID validation failed
Product Tax Class	Product tax classes must include a class for products of all types, except bundle and virtual.
Tax Rate	The tax rate must include the VAT rate of the merchant's country.

#### TAX RULE #2

Customer Tax Class	A class for intra-union customers.
Product Tax Class	A class for products of all types, except virtual.
Tax Rate	VAT rates for all EU countries, except merchant's country. Currently this rate is 0%.

#### TAX RULE #3 (REQUIRED FOR VIRTUAL AND DOWNLOADABLE PRODUCTS)

Customer Tax Class	Customer tax classes must include: A class for domestic customers A class for customers with invalid VAT ID A class for customers, for whom VAT ID validation failed
Product Tax Class	A class for virtual products.
Tax Rate	VAT rate of the merchant's country.

#### TAX RULE #4 (REQUIRED FOR VIRTUAL AND DOWNLOADABLE PRODUCTS)

Customer Tax Class	A class for intra-union customers.
Product Tax Class	A class for virtual products.
Tax Rate	VAT rates for all EU countries, except merchant's country. Currently this rate is 0%.

**Process Overview:**

- Step 1: Create VAT-Related Customer Groups
- Step 2: Create VAT-Related Classes, Rates and Rules
- Step 3: Enable and Configure VAT ID Validation
- Step 4: Set your VAT ID and Location Country
- Step 5: Verify the List of EU Member Countries

## Step 1: Create VAT-Related Customer Groups

VAT ID Validation automatically assigns one of the four default customer groups to customers according to VAT ID validation results:

- Domestic
- Intra-EU
- Invalid VAT ID
- Validation error

You can create new customer groups for VAT ID Validation or use existing groups, if they comply with your business logic. When configuring VAT ID Validation, you must assign each of the created customer groups as a default for customers with appropriate VAT ID validation results.

## Step 2: Create VAT-Related Classes, Rates, and Rules

Each tax rule is defined by three entities:

- Customer Tax Classes
- Product Tax Classes
- Tax Rates

Create the [tax rules](#) that you need to use VAT ID Validation effectively.

- Tax rules include tax rates and [tax classes](#).
- Tax classes are assigned to [customer groups](#).

## Step 3: Enable and Configure VAT ID Validation

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Customers, select **Customer Configuration**.
2. Set **Current Configuration Scope** to “Default Config,” or the applicable store view.
3. Click to expand the **Create New Account Options** section.

The screenshot shows the 'Create New Account Options' configuration page. It includes fields for:

- Enable Automatic Assignment to Customer Group:** Yes [STORE VIEW]
- Tax Calculation Based On:** Billing Address [STORE VIEW]
- Default Group:** General [STORE VIEW]
- Group for Valid VAT ID - Domestic:** -- Please Select -- [STORE VIEW]
- Group for Valid VAT ID - Intra-Union:** -- Please Select -- [STORE VIEW]
- Group for Invalid VAT ID:** -- Please Select -- [STORE VIEW]
- Validation Error Group:** -- Please Select -- [STORE VIEW]
- Validate on Each Transaction:** No [STORE VIEW]
- Default Value for Disable Automatic Group Changes Based on VAT ID:** No [GLOBAL]
- Show VAT Number on Frontend:** No [WEBSITE]
- Default Email Domain:** example.com [STORE VIEW]
- Default Welcome Email:** New account (Default Template from Locale) [STORE VIEW]
- Email Sender:** General Contact [STORE VIEW]
- Require Emails Confirmation:** No [WEBSITE]
- Confirmation Link Email:** New account confirmation key (Default Template from Locale) [STORE VIEW]
- Welcome Email:** New account confirmed (Default Template from Locale) [STORE VIEW]
- Generate Human-Friendly Customer ID:** No [GLOBAL]

### Create New Account Options

4. Set **Enable Automatic Assignment to Customer Group** to “Yes.” Then complete the fields as described below.
5. When complete, click the **Save Config** button.

## Step 4: Set Your VAT ID and Location Country

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under General, select **General**.
3. Set **Current Configuration Scope** to the applicable store view.
4. Click to expand the **Store Information** section. Then, do the following:

The screenshot shows the 'Store Information' configuration page. It includes fields for:


- Store Name:** [STORE VIEW]
- Store Contact Telephone:** [STORE VIEW]
- Country:** --Please Select-- [WEBSITE]
- VAT Number:** [WEBSITE]
- Validate VAT Number:** (A red button)
- Store Contact Address:** [STORE VIEW]

### Store Information

- a. Select your **Country**.
  - b. Enter your **VAT Number**. Then, click the **Validate VAT Number** button. The result appears immediately.
5. When complete, click the **Save Config** button.

### Step 5: Verify the List of EU Member Countries

1. Continuing in the General configuration section,
2. Verify that the **Current Configuration Scope** is set to the correct store view.
3. Click to expand the **Countries Options** section.



*Countries Options*

4. In the **European Union Countries** list, verify that each member country of the EU is selected.
5. When complete, click the **Save Config** button.

## Managing VAT ID Validation

The customer group that is assigned to a customer for the validation results, might differ from the customer group that is currently assigned to the customer. The system displays suggested groups that the administrator can confirm or reject the current order. If the administrator confirms, the group change is emulated for the current order and the corresponding VAT rate is applied (if the corresponding tax rule is configured in the system). The actual customer group of a customer is not changed.

If a new customer account is added when an order is created, and an administrator confirms the customer group that corresponds to the VAT ID validation results, after the order is created, the customer account is saved in the system, and the customer group that was used to create the order is assigned to the customer.

If a customer fails VAT Validation, it is recommended that you apply the merchant's VAT rate for customers with invalid VAT IDs, and those for whom validation fails. You can create other tax rules that apply other tax rates according to your business logic.

## Customer Address Workflow


When an administrator adds a new default address with a VAT ID to the account of a new or existing customer or changes the VAT ID of the existing default address, the system validates the VAT ID and assigns the appropriate customer group to the customer. The validation is performed after the Save or Save and Continue button is clicked.

The system behavior is as described when the VAT ID Validation functionality is enabled and configured.

If you want to disable the automatic change of a customer group, select the Disable automatic group change check box on the Account Information tab of the Customer Information page.

## Order Creation Workflow

When an order is created from the Admin, VAT ID validation is not performed automatically. To validate the VAT ID of the customer address, an administrator must click the Validate VAT Number button in the Billing Address or Shipping Address section of the Create New Order page. After the validation, the administrator receives a pop-up notification of the validation results.



*Validating Customer VAT ID at Order Creation*

## Automatic Customer Group Changes

When VAT ID Validation is enabled, the group that a customer is assigned to must be changed manually from the Admin. The system automatically and permanently changes a customer group in the following situations:

- The VAT ID of the customer's default address or the whole default address changes.
- The customer group change was emulated during the checkout for a registered customer who had no previously saved address, or for a customer who registered during checkout.

### To set the default automatic group change behavior:


The configuration setting is made on the global level, and applies to new customers and those whose records are available in the system when VAT ID Validation is enabled for the first time.

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Customers, select **Customer Configuration**.
3. Click to expand the **Create New Account Options** section.
4. Set **Default Value for Disable Automatic Group Changes Based on VAT ID** as needed.
5. When complete, click the **Save Config** button.

## To disable automatic group change for a customer:

1. On the Admin menu, select **Customers > Manage Customers**.
2. Open the customer record in edit mode.
3. Just below the Group field, select the **Disable Automatic Group Change Based on VAT ID** checkbox.

**Important!** The setting does not influence the emulation of the customer group change during checkout.



*Disabling Automatic Group Change on Customer Level*



## CHAPTER 54:

# Tax Quick Reference

## Configuration Options

Some tax settings have a choice of options that determines the way the tax is calculated and presented to the customer. To learn more, see: [International Tax Configurations](#).

### Tax Calculation Methods

Tax calculation method options include Unit Price, Row Total, and Total. The following table explains how rounding (to two digits) is handled for different settings.

#### Tax Configuration Options

SETTING	CALCULATION AND DISPLAY
Unit Price	Magento calculates the tax for each item and displays prices tax-inclusive. To calculate the tax total, Magento rounds the tax for each item, and then adds them together.
Row Total	Magento calculates the tax for each line. To calculate the tax total, Magento rounds the tax for each line item and then adds them together.
Total	Magento calculates the tax for each item and adds those tax values to calculate the total unrounded tax amount for the order. Magento then applies the specified rounding mode to the total tax to determine the total tax for the order.

## Catalog Prices With or Without Tax

The possible display fields vary depending on the calculation method and whether the catalog prices include or exclude taxes. Display fields have two-decimal precision in normal computations. Some combinations of price settings display prices that both include and exclude tax. When both appear on the same line item, it can be confusing to customers, and triggers a [warning](#).

### Tax Configuration Options

SETTING	CALCULATION AND DISPLAY
Excluding Tax	Using this setting, the base item price is used as it is entered and the tax calculation methods are applied.
Including Tax	Using this setting, the base item price excluding tax is calculated first. This value is used as the base price, and the tax calculation methods are applied.

**Important!** Changes have been made from earlier versions for EU merchants or other VAT merchants who display prices including tax and operate in several countries with multiple store views. If you load prices with more than two digits of precision, Magento automatically rounds all prices to two digits to ensure that a consistent price is presented to buyers.

## Shipping Prices With or Without Tax

### Tax Configuration Options

SETTING	DISPLAY	CALCULATION
Excluding Tax	Appears without tax.	Normal calculation. Shipping is added to cart total, typically displayed as a separate item.
Including Tax	Can be tax inclusive, or tax can be displayed separately.	Shipping is treated as another item in cart with taxes, using the same calculations.

## Tax Amounts as Line Items

To display two different tax amounts as separate line items, such as GST and PST for Canadian stores, you must set different priorities for the related tax rules. However, in previous tax calculations, taxes with different priorities would automatically be compounded. To correctly display separate tax amounts without an incorrect compounding of the tax amounts, you can set different priorities, and also select the Calculate off subtotal only checkbox. This produces correctly calculated tax amounts that appear as separate line items.

# International Tax Configurations

## U.S. Tax Configuration

TAX OPTION	RECOMMENDED SETTING
Load catalog prices	Excluding tax
FPT	No, because FPT is not taxed.
Tax based on	Shipping origin
Tax Calculation	On total
Tax shipping?	No
Apply Discount	Before tax
Comment	All tax zones are the same priority; ideally, a zone for state and one or more zones for zip code lookup.

## U.K. B2C Tax Configuration

TAX OPTION	RECOMMENDED SETTING
Load catalog prices	Excluding tax
FPT	Yes, including FPT and description
Tax based on	Shipping address
Tax Calculation	On total
Tax shipping?	Yes
Apply Discount	Before tax, discount on prices, including tax.
Comment	For merchants marking up supplier invoices (including VAT).

## U.K. B2B Tax Configuration

TAX OPTION	RECOMMENDED SETTING
Load catalog prices	Excluding tax
FPT	Yes, including FPT and description
Tax based on	Shipping address
Tax Calculation	On item

### U.K. B2B Tax Configuration (cont.)

TAX OPTION	RECOMMENDED SETTING
Tax shipping?	Yes
Apply Discount	Before tax, discount on prices, including tax.
Comment	For B2B merchants to provide simpler VAT supply chain considerations. Tax calculation on row is also valid; however, check with your taxing jurisdiction. Setup assumes a merchant is in the supply chain and that goods sold are used by other vendors for VAT rebates and so on. This makes it easy to discern tax by item for faster rebate generation. Note that some jurisdictions require different rounding strategies not currently supported by Magento, and that not all jurisdictions allow item or row level tax.

### Canada Tax Configuration

TAX OPTION	RECOMMENDED SETTING
Load catalog prices	Excluding tax
FPT	Yes, including FPT, description, and apply tax to FPT.
Tax based on	Shipping origin
Tax Calculation	On total
Tax shipping?	Yes
Apply Discount	Before tax
Comment	<p>Merchants located in a GST/PST province (Montreal) should create one tax rule and show a combined tax amount.</p> <p>Be sure to consult a qualified tax authority if you have any questions. For information about the tax requirements of specific provinces, see the following:</p> <ul style="list-style-type: none"> <li><a href="#">Revenu Québec</a></li> <li><a href="#">Government of Saskatchewan</a></li> <li><a href="#">Manitoba Information for Vendors</a></li> </ul>

### U.S. Tax Configuration Recommendations

## Tax Classes

TAX CLASS	RECOMMENDED SETTING
Tax Class for Shipping	None

## Calculation Settings

CALCULATION	RECOMMENDED SETTING
Tax Calculation Method Based On	Total
Tax Calculation Based On	Shipping Origin
Catalog Prices	Excluding Tax
Shipping Prices	Excluding Tax
Apply Customer Tax	After Discount
Apply Discount on Prices	Excluding Tax

## Default Tax Destination Calculation

SETTING	RECOMMENDED SETTING
Default Country	United States
Default State	State where business is located.
Default Post Code	The postal code that is used in your tax zones.

## Price Display Settings

SETTING	RECOMMENDED SETTING
Display Product Prices in Catalog	Excluding Tax
Display Shipping Prices	Excluding Tax

## Shopping Cart Display Settings

SETTING	RECOMMENDED SETTING
Display Prices	Excluding Tax
Display Subtotal	Excluding Tax
Display Shipping Amount	Excluding Tax
Display Gift Wrapping Prices	Excluding Tax
Display Printed Card Prices	Excluding Tax
Include Tax in Grand Total	Yes
Display Full Tax Summary	Yes
Display Zero Tax Subtotal	Yes

## Orders, Invoices, Credit Memos, Display Settings

SETTING	RECOMMENDED SETTING
Display Prices	Excluding Tax
Display Subtotal	Excluding Tax
Display Shipping Amount	Excluding Tax
Include Tax in Grand Total	Yes
Display Full Tax Summary	Yes
Display Zero Tax Subtotal	Yes

## Fixed Product Taxes

SETTING	RECOMMENDED SETTING
Enable FPT	No, except in California.

## Canada: Example Tax Configuration

The following example shows how to set up GST tax rates for Canada and PST tax rates for Saskatchewan, with tax rules that calculate and display the two tax rates. Because this is

an example configuration, be sure to verify the correct tax rates and rules for your tax jurisdictions. When setting up taxes, set the store scope to apply the configuration to all applicable stores and websites.

- Fixed product tax is included for relevant goods as a product attribute.
- In Quebec, PST is referred to as TVQ. If you need to set up a rate for Quebec, make sure to use TVQ as the identifier.

#### **Process Overview:**

- Step 1: [Complete the Tax Calculation Settings](#)
- Step 2: [Set Up Canadian Goods & Services Tax \(GST\)](#)
- Step 3: [Set Up Canadian Provincial Sales Tax \(PST\)](#)
- Step 4: [Create a GST Tax Rule](#)
- Step 5: [Create a PST Tax Rule for Saskatchewan](#)
- Step 6: [Save and Test the Results](#)

## **Step 1: Complete Tax Calculation Settings**

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Sales, select **Tax**.
2. Click to expand each section, and complete the following settings:

### **Tax Calculation Settings**

FIELD	RECOMMENDED SETTING
Tax Calculation Method Based On	Total
Tax Calculation Based On	Shipping Address
Catalog Prices	Excluding Tax
Shipping Prices	Excluding Tax
Apply Customer Tax	After Discount
Apply Discount on Prices	Excluding Tax
Apply Tax On	Custom Price (if available)

### **Tax Classes**

FIELD	RECOMMENDED SETTING
Tax Class for Shipping	Shipping (shipping is taxed)

### Default Tax Destination Calculation

FIELD	RECOMMENDED SETTING
Default Country	Canada
Default State	(as appropriate)
Default Postal Code	* (asterisk)

### Shopping Cart Display Settings

FIELD	RECOMMENDED SETTING
Include Tax in Grand Total	Yes
Display Full Tax Summary	Yes
Display Zero in Tax Subtotal	Yes

### Fixed Product Taxes

FIELD	RECOMMENDED SETTING
Enable FPT	Yes
All FPT Display Settings	Including FPT and FPT description
Apply Discounts to FPT	No
Apply Tax to FPT	Yes
Include FPT in Subtotal	No

## Step 2: Set Up Canadian Goods & Services Tax (GST)

To print the GST number on invoices and other sales documents, include it in the name of the applicable tax rates. The GST will appear as part of the GST amount on any order summary.

### Manage Tax Zones & Rates

FIELD	RECOMMENDED SETTING
Tax Identifier	Canada-GST
Country	Canada
State	* (asterisk)

### Manage Tax Zones & Rates (cont.)

FIELD	RECOMMENDED SETTING
Zip/Post is Range	No
Zip/Post Code	* (asterisk)
Rate Percent	5.0000

### Step 3: Set Up Canadian Provincial Sales Tax (PST)

Set up another tax rate for the applicable province.

#### Tax Rate Information

FIELD	RECOMMENDED SETTING
Tax Identifier	Canada-SK-PST
Country	Canada
State	Saskatchewan
Zip/Post is Range	No
Zip/Post Code	* (asterisk)
Rate Percent	5.0000

### Step 4: Create a GST Tax Rule

To avoid compounding the tax and to correctly display the calculated tax as separate line items for GST and PST, you must set different priorities for each rule, and select the “Calculate off subtotal only” checkbox. Each tax appears as a separate line item, but the tax amounts are not compounded.

#### Tax Rule Information

FIELD	RECOMMENDED SETTING
Name	Retail-Canada-GST
Customer Tax Class	Retail Customer
Product Tax Class	Taxable Goods Shipping
Tax Rate	Canada-GST

### Tax Rule Information (cont.)

FIELD	RECOMMENDED SETTING
Priority	0
Calculate off subtotal only	Select this checkbox.
Sort Order	0

### Step 5: Create a PST Tax Rule for Saskatchewan

For this tax rule, make sure to set the priority to 0 and select the "Calculate off subtotal only" checkbox. Each tax appears as a separate line item, but the tax amounts are not compounded.

#### Tax Rule Information

FIELD	RECOMMENDED SETTING
Name	Retail-Canada-PST
Customer Tax Class	Retail Customer
Product Tax Class	Taxable Goods Shipping
Tax Rate	Canada-SK-PT
Priority	1
Calculate off subtotal only	Select this checkbox.
Sort Order	0

### Step 6: Save and Test the Results

- When complete, click the **Save Config** button.
- Return to your storefront, and create a sample order to test the results.

### E.U. Example Tax Configuration

The following example depicts a store based in France that sells > 100k Euros in France and > 100k Euros in Germany.

- Tax calculations are managed at the website level.
- Currency conversion and tax display options are controlled individually at the store view level, (Click the Use Website checkbox to override the default).

- By setting the default tax country you can dynamically show the correct tax for the jurisdiction.
- Fixed product tax is included for relevant goods as a product attribute.
- It might be necessary to edit the catalog to ensure that it shows up in the correct category/website/store view.

**Process Overview:**

[Step 1: Create Three Product Tax Classes](#)

[Step 2: Create Tax Rates for France and Germany](#)

[Step 3: Set Up the Tax Rules](#)

[Step 4: Set Up a Store View for Germany](#)

[Step 5: Configure Tax Settings for France](#)

[Step 6: Configure Tax Settings for Germany](#)

## Step 1: Create Three Product Tax Classes

For this example, it is assumed that multiple VAT-Reduced product tax classes are not needed.

1. Create a VAT-Standard product tax class.
2. Create a VAT-Reduced product tax class.
3. Create a VAT-Free product tax class.

## Step 2: Create Tax Rates for France and Germany

Create the following tax rates:

**Tax Rates**

TAX RATE	SETTING	
France-StandardVAT	Country:	France
	State/Region:	*
	ZIP/Postal Code:	*
	Rate:	20%
	Country:	France
France-ReducedVAT	State/Region:	*

**Tax Rates (cont.)**

<b>TAX RATE</b>	<b>SETTING</b>	
	ZIP/Postal Code:	*
	Rate:	5%
Germany-StandardVAT	Country:	Germany
	State/Region:	*
	ZIP/Postal Code:	*
	Rate:	19%
Germany-ReducedVAT	Country:	Germany
	State/Region:	*
	ZIP/Postal Code:	*
	Rate:	7%

**Step 3: Set Up the Tax Rules**

Create the following tax rules:

**Tax Rules**

<b>TAX RULE</b>	<b>SETTING</b>	
Retail-France-StandardVAT	Customer Class:	Retail Customer
	Tax Class:	VAT-Standard
	Tax Rate:	France-StandardVAT
	Priority:	0
	Sort Order:	0
Retail-France-ReducedVAT	Customer Class:	Retail Customer
	Tax Class:	VAT Reduced
	Tax Rate:	France-ReducedVAT
	Priority:	0

**Tax Rules (cont.)**

TAX RULE	SETTING	
	Sort Order:	0
Retail-Germany-StandardVAT	Customer Class:	Retail Customer
	Tax Class:	VAT-Standard
	Tax Rate:	Germany-StandardVAT
	Priority:	0
	Sort Order:	0
Retail-Germany-ReducedVAT	Customer Class:	Retail Customer
	Tax Class:	VAT-Reduced
	Tax Rate:	Germany-ReducedVAT
	Priority:	0
	Sort Order:	0

**Step 4: Set Up a Store View for Germany**

1. In the upper-left corner of the Admin, click the **Manage Stores** link.
2. Under the default website, create a store view for **Germany**. Then, do the following:
  - a. On the Admin menu, select **System > Configuration**. In the upper-left corner, set **Default Config** to the French store.
  - b. On the General page, click to expand the **Countries Options** section, and set the default country to “France.”
  - c. Complete the locale options as needed.
3. In the upper-left corner, set **Current Configuration Scope** to the German website. Then, do the following:
  - a. On the General page, click to expand **Countries Options**, and set the default country to “Germany.”
  - b. Complete the locale options as needed.

**Step 5: Configure Tax Settings for France**

Complete the following General tax settings:

## General Settings

FIELD	RECOMMENDED SETTING
Tax Class for Shipping	Shipping (shipping is taxed)
Tax Calculation Method Based On	Total
Tax Calculation Based On	Shipping Address
Catalog Prices	Including Tax
Shipping Prices	Including Tax
Apply Customer Tax	After Discount
Apply Discount on Prices	Including Tax
Apply Tax On	Custom Price (if available)
Default Country	France
Default State	
Default Postal Code	* (asterisk)
Include Tax in Grand Total	Yes
Enable FPT	Yes
All FPT Display Settings	Including FPT and FPT description
Apply Discounts to FPT	No
Apply Tax to FPT	Yes
Include FPT in Subtotal	Yes

## Step 6: Configure Tax Settings for Germany

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Sales, select **Tax**.
3. Click to expand the **Default Tax Destination Calculation** section, and do the following:


Default Tax Destination Calculation		
Default Country	United States	[STORE VIEW]
Default State	*	[STORE VIEW]
Default Post Code	*	[STORE VIEW]

*Default Tax Destination Calculation*

- a. In the upper-right corner, set **Current Configuration Scope** to the German store.
  - b. To the right of the Default Country field, clear the **Use Website** checkbox. Then, set **Default Country** to “Germany.”
  - c. To the right of the Default State field, clear the **Use Website** checkbox. Then, set **Default State** to “\*.”
  - d. To the right of the Default Post Code field, select the **Use Website** checkbox. Then, set **Default Post Code** to “\*.”
4. When complete, click the **Save Config** button to save the settings.

## Warning Messages

Some combinations of tax-related options might cause customers to lose confidence in the purchase, and abandon their carts. In general, these conditions occur when the tax calculation method is set to “Row” or “Total,” and the customer is presented with prices that both exclude and include tax, or tax on an item basis in the cart. Because the tax calculation is rounded, the amount that appears in the cart might differ from the amount that a customer expects to pay.



*Shopping Cart Line Item that Includes and Excludes Tax*

If your tax calculation is based on a problematic configuration, the following warnings appear:



## Calculation Settings


Some combinations of price settings display prices which both include and exclude tax. This mixed message can be confusing to customers, and trigger a warning. Use the following tables for reference when configuring tax calculation settings:

### Tax Calculation Method: Excluding Tax

PRICE DISPLAY	UNIT PRICE	ROW TOTAL	TOTAL
Tax Class for Shipping	Shipping (is taxed)		
Excluding tax	OK	OK	OK
Including tax	OK	OK	OK
Including and Excluding tax	OK	OK	<b>Warning</b>

### Catalog Prices: Including Tax

PRICE DISPLAY	UNIT PRICE	ROW TOTAL	TOTAL
Excluding tax	OK	OK	OK
Including tax	OK	OK	OK
Including and Excluding tax	OK	<b>Warning</b>	<b>Warning</b>




*Calculation Settings*

## Discount Settings

We strongly recommend that you use the following settings to avoid issues when configuring taxes in relation to discounts.

### Discount Settings

FIELD	RECOMMENDED SETTING	
Apply Customer Tax	After Discount	
Apply Discount on Prices	US and Canada EU	Excluding Tax Including Tax



*Calculation Settings*



Store Operations

## In this section...

[Currency Rates](#)

[Email Templates](#)

[Data Transfer](#)

[Reports](#)

[Permissions](#)

[Security](#)



## CHAPTER 55:

# Currency Rates

Magento Community Edition gives you the ability to accept currencies from more than two hundred countries around the world. When a store supports multiple currencies, a Currency Chooser appears in the header of every page after the rates are [updated](#).



*Currency Chooser*

If you accept payment in multiple currencies, make sure to monitor the currency rate settings, because any fluctuation can affect your profit margin.


Currency symbols appear in product prices and sales documents such as orders and invoices. You can customize the currency symbols as needed, and also set the display of the price separately for each store or view.

Topics in this chapter include:

- [Currency Rate Setup](#)
- [Currency Symbols](#)
- [Updating Currency Rates](#)

# Currency Configuration

Before setting up individual currency rates, you must first specify which currencies you accept, and the currency used to display prices in your store.



*Currency Options*

## Step 1: Choose the Currencies You Accept

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under General, select **Currency Setup**.
2. Click to expand the **Currency Options** section. Then, do the following:
  - a. Set **Base Currency** to the primary currency that you use for online transactions.
  - b. Set **Default Display Currency** to the currency that you use to display pricing in your store.
  - c. In the **Allowed Currencies** list, select all currencies that you accept as payment in your store. Make sure that you also select your primary currency. (To select multiple currencies, hold down the Ctrl key and click each option.)
3. To define the scope of the base currency configuration, do the following:
  - a. In the panel on the left, under Catalog, select **Catalog**. Then, click to expand the **Price** section.
  - b. Set **Catalog Price Scope** to define the scope of the base currency configuration as either global, or limited to the website.



*Price*

4. When complete, click the **Save Config** button.


## Step 2: Configure the Import Connection

1. In the panel on the left under General, select **Currency Setup**.
2. Click to expand the **WebserviceX** section.
3. In the **Connection Timeout in Seconds** field, enter the number of seconds of inactivity to allow before the connection times out.



## Step 3: Configure the Scheduled Import Settings

1. Continuing with Currency Setup, click to expand the **Scheduled Import Settings** section.



*Scheduled Import Settings*

2. To automatically update currency rates, set **Enabled** to "Yes." Then, do the following:
  - a. Set **Service** to the rate provider. The default value is "WebserviceX."
  - b. Set **Start Time** to the hour, minute, and second that the rates will be updated according to the schedule.
  - c. To determine how often the rates are updated, set **Frequency** to one of the following:
    - Daily
    - Weekly
    - Monthly
  - d. In the **Error Email Recipient** field, enter the email address of the person who is to receive email notification if an error occurs during the import process. To enter multiple email addresses, separate each with a comma.
  - e. Set **Error Email Sender** to the **store contact** that appears as the sender of the error notification.

- f. Set **Error Email Template** to the [email template](#) used for the error notification.
3. When complete, click the **Save Config** button.

## Currency Symbols

Manage Currency Symbols gives you the ability to customize the symbol associated with each currency that is accepted as payment in your store.



*Manage Currency Symbols*

### To customize currency symbols:

1. On the Admin menu, select **System > Manage Currency > Symbols**.  
Each enabled currency for your store appears in the Currency list.
2. Enter a custom symbol for each currency you want to use, or select the **Use Standard** checkbox to the right of each currency.
3. If you want to override the default symbol, clear the **Use Standard** checkbox. Then, enter the symbol you want to use.

It is not possible to change the alignment of the currency symbol from left to right.

4. When complete, click the **Save Currency Symbols** button.

## Updating Currency Rates

Currency rates can be set manually, or be imported into the store. To ensure that your store has the most current rates, you can configure the currency rates to be updated automatically on schedule.

Before importing currency rates, complete the [Currency Setup](#) to specify the currencies that you accept, and to set up the import connection and schedule.

*Importing Currency Rates*

### To manually update a currency rate:

1. On the Admin menu, select **System > Manage Currency Rates**.
2. Click the rate you want to change, and type the new value.
3. When complete, click the **Save Currency Rates** button.

### To import currency rates:

1. On the Admin menu, select **System > Manage Currency Rates**.
2. Set **Import Service** to the currency rate provider. WebserviceX is the default provider.
3. Click the **Import** button.

The updated rates appear in the Manage Currency Rates list. If the rates have changed since the last update, the old rate appears below for reference.

4. When complete, click the **Save Currency Rates** button.

A message appears when the updated rates have been saved.

### To import currency rates on schedule:

1. Make sure that **Cron** is enabled for your store.
2. Complete the **Currency Setup** to specify the currencies that you accept, and to set up the import connection and schedule.
3. To verify that the rates are imported on schedule, check the Manage Currency Rates list. Then, wait for the duration of the frequency setting established for the schedule, and check the rates again.

## Notes



## CHAPTER 56:

# Managing Email Templates

Email templates define the layout, content, and formatting of automated messages sent from your store. They are called transactional emails because each one is associated with a specific type of transaction, or event.

Magento includes a set of responsive email templates that are triggered by a variety of events that take place during the operation of your store. Each template is optimized for any screen size, and can be viewed from the desktop, as well as on tablets and smartphones. You will find a variety of prepared email templates related to customer activities, sales, product alerts, admin actions, and system messages that you can customize to reflect your brand.

Topics in this chapter:

- [Supported Email Clients](#)
- [Template Layout and Styles](#)
- [Preparing Your Email Logo](#)
- [Magento Upgrades](#)
- [Transactional Email Configuration](#)
- [Email Template Setup](#)
- [Customizing Email Templates](#)
- [Email Template Reference](#)

## Supported Email Clients

A wide range of technologies is supported by the various email clients and services available today. Although they do not all follow the same standards, and there is some variation in the way email messages are rendered, we have found the following services to be compatible with Magento Community Edition.

### Desktop Clients

OPERATING SYSTEM	CLIENTS SUPPORTED
OS X 10.8	Apple Mail 6
OS X 10.7	Outlook 2011 Outlook 2013
Windows 8	Outlook 2010
Windows 7	Outlook 2007 Outlook 2003

### Mobile Clients

OPERATING SYSTEM	CLIENTS SUPPORTED
Android 4.2, "Jelly Bean"	Native email app
Android 2.3, "Gingerbread"	Native email app
Gmail App (Android 4.2)	Native email app
Blackberry 5 OS	Native email app
IOS 8	iPhone 6 iPhone 6 Plus
IOS 7	iPad (Retina) iPad Mini iPhone 5s
<b>Mail on these devices:</b>	
IOS 6	iPhone 5 iPhone 4s

## Web Clients

EMAIL APPLICATION	BROWSERS SUPPORTED*
AOL Mail	Chrome Internet Explorer Firefox
Gmail	Chrome Internet Explorer Firefox
Yahoo! Mail	Chrome Internet Explorer Firefox
Outlook.com	Chrome Internet Explorer

\* The latest version of each browser was used for testing.

# Email Template Layout and Styles

Magento Community Edition has a set of responsive templates that define the header, body, and footer of all automated email messages that are sent from your store. The content, or body section, is combined with the header and footer to create each message. You can set up the header and footer one time, and then use them for every message.

## Inline and Non-Inline Styles

Email templates are written in HTML, and are associated with the locale. The CSS files that provide the formatting instructions are stored separately, and reside on the server.

Many [email clients](#) do not support CSS formatting instructions that are stored separately from the email message. For this reason, the `non_inline_styles` variable has been added to the header of each message, to convert the external CSS styles to local, inline styles. The variable points to the CSS file on the server that provides the styles that are needed to format the template. The styles are then converted to inline styles, and copied to the `<styles>` tag of each message.

When you examine the header template code, you will find the [markup tag](#) with the `non_inline_styles` variable just after the `<body>` tag.

```
<body>
{{var non_inline_styles}}
<!-- Begin wrapper table -->
```

When customizing transactional email templates from the Admin, you can enter any additional CSS styles that you need directly into the Template Styles box. They will be included when the `non_inline_styles` are converted.

## Preparing Your Email Logo

To ensure that your logo renders well on high-resolution devices, the uploaded image should be at least twice the size of the dimensions that are specified in the header template. Be careful to preserve the aspect ratio of the logo, so the height and width resize proportionally.



*Logo with Transparent Background*

## Supported File Formats

Logos can be saved as any of the following file types. Logos with transparent backgrounds can be saved as either .gif or .png files.

- jpg / jpeg
- gif
- png

## Image Size

To make the most of the limited vertical space in the header, the logo should be cropped to eliminate any wasted space above or below the image. As a general rule, you can make an image smaller than the original, but not larger without losing resolution. If possible, the original artwork should be at least as large as the uploaded file. Taking a small image and doubling its size in a photo editor does not improve the resolution.

For example, in the default header template, the display dimensions of the logo are 168 pixels wide by 48 pixels high. To increase the resolution of the image, the image that is uploaded must be at least twice the size.

LOGO DIMENSIONS	1 X (DISPLAY SIZE)	2 X (IMAGE SIZE)	2.5 X (IMAGE SIZE)
Width:	168 px	336 px	420 px
Height:	48 px	96 px	120 px

If the original artwork was created as a vector, rather than a bitmap, it can be scaled up or down to the dimensions needed without losing resolution. The image can then be saved in one of the supported bitmap image formats. If the original logo artwork is a bitmap, the original should be at least twice the display size.

## Magento Upgrades

If you have upgraded from an earlier version of Magento Community Edition, you can use an email client to view each transactional email template that is generated by your store. Verify that the logo, fonts, and styles render correctly. Email templates that were created with earlier versions of Magento do not have the `non_inline_styles` variable, and are not responsive. However, most can be used as they are.

To take advantage of the high-resolution display that is available on many devices, email logos are now uploaded at twice their display size. If you intend to use the responsive email templates, you should upload a [higher resolution logo](#).

It is not necessary to reconfigure your email logo for use with custom templates that were created with earlier versions of Magento.


# Updating Default Templates

Email templates are formatted with HTML and CSS, and can be easily edited. In addition, you can further customize the template by adding variables and widgets.

Many of the default email templates contain placeholder information that must be changed before any transactional email messages are sent to customers. When the template is ready to be used, make sure to update your system configuration, so the updated template will be used instead of the sample template.


## Step 1: Choose a Default Template

1. On the Admin menu, select **System > Transactional Emails**.
2. Click the **Add New Template** button.
3. In the **Template** list, select a default template from the list of predefined templates.



*Load Default Template*

4. If necessary, set the **Locale** to the store language.
5. Click the **Load Template** button.




*Template Information*

The path to the configuration settings for each default template appears at the top of the Template Information section. Make note of this “Used as Default for” path, because you will later need to update the configuration with the name of the new template.

## Step 2: Customize the Content

1. In the Template Information section, do the following:
  - a. Enter a **Template Name** for the new email template.
  - b. In the **Template Subject** field, type the text to appear in the Subject header of the message.
  - c. Complete the **Template Content** as needed.
2. (Optional) To insert a **variable**, do the following:
  - a. Position the cursor in the text where you want the variable to appear.
  - b. Click the **Insert Variable** button.
  - c. In the list of available **predefined variables**, click the variable you want to insert into the template.



*Insert Variable*

3. When complete, click the **Save Template** button.
4. Make sure to **Preview** the template before associating it with a transactional email message that is sent to customers.

## Step 3: Update Your Configuration

Before the template can be used, the configuration must be updated with the name of the new template. Refer to the path that you recorded in Step 1 when updating your configuration with the name of the new template. To learn more, see: [Configuring Email Templates](#).

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Sales, select **Sales Emails**.

The screenshot shows the Magento Admin Panel with the title 'Sales Emails' in red. The left sidebar has 'Configuration' expanded, with 'GENERAL' selected. Under 'GENERAL', 'Sales Emails' is listed. The main content area shows a list of email types: Order, Order Comments, Invoice, Invoice Comments, Shipment, Shipment Comments, Credit Memo, and Credit Memo Comments. Each item has a checkbox next to it, and all checkboxes are checked. A 'Save Config' button is located at the top right of the list.

### *Sales Emails*

3. Update the templates as needed.
4. When complete, click the **Save Config** button.

## Email Template Variables

### PREDEFINED VARIABLES

#### STORE CONTACT INFORMATION

Base Unsecure URL

Base Secure URL

General Contact Name

General Contact Email

Sales Representative Contact Name

Sale Representative Contact Email

Custom 1 Contact Name

Custom 1 Contact Email

Custom 2 Contact Name

Custom 2 Contact Email

Store Name

Store Contact Telephone

Store Contact Address

#### TEMPLATE VARIABLES

Store Url

Email Logo Image Url

Customer Name

Customer Account Url

Customer Email

Customer Password

# Custom Email Templates

Magento includes a default email template for the body section of each message that is sent by the system. Each template with the body content is combined with the header and footer templates to create the complete message. The content is formatted with HTML and CSS, and can be easily edited, and customized by adding [variables](#) and [widgets](#).

The default templates already include your logo and store information and can be used as they are, without further customization. As a best practice, you should view each default email template and verify any changes you make before sending them to customers.

When a custom template is ready to be used, make sure to update your system configuration, so the custom template will be used instead of the default template. Email templates can be customized for each website, store, or store view. For detailed instructions, see the following topics:

- [Header Template](#)
- [Footer Template](#)
- [Content Templates](#)

## Email Header

The default header includes your email logo that is linked to your store. You can easily insert variables to add store contact information to the header. To make more extensive changes requires a working knowledge of both HTML and CSS. On the server, the header template is located at:


```
[Magento install dir]/app/locale/en_US/template/email/html/header.
```

### Process Overview:

- Step 1: [Load the Template](#)
- Step 2: [Customize the Template](#)
- Step 3: [Update the Configuration](#)

### Step 1: Load the Template

1. On the Admin menu, select **System > Transactional Emails**.
2. Click the **Add New Template** button. Then, do the following:
  - a. Set **Template** to “Email - Header.”
  - b. Set **Locale** to the language of the email recipients.
3. Click the **Load Template** button.




Choosing the Email - Header Template

## Step 2: Customize the Template

When working in the template code, be careful not to overwrite anything that is enclosed in double braces.

1. In the **Template Name** field, enter a name for your custom header.
2. In the **Template Content** box, modify the HTML as needed.




Template Information

3. To insert a variable, position the cursor in the code where you want the variable to appear, and click the **Insert Variable** button. Then, do the following:

- a. In the list of Store Contact Information variables, click the variable that you want to insert.

You are not limited to the variables in this list, although they are the ones most often included in the header. You can actually type the code for any **system variable** directly into the template.


- b. Click the **Preview Template** button. Then, make any adjustments to the template that are needed.



*Insert Variable*

4. When complete, click the **Save Template** button.

Your custom header now appears in the list of Transactional Email templates.




*Custom Header Template*

### Step 3: Update the Configuration

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under General, select **Design**.
2. If necessary, set the **Current Configuration Scope** to the website, store, or store view where the header will be used.
3. Click to expand the **Transactional Emails** section, and do the following:

- a. If the header is for a specific view, clear the **Use Website** checkbox that is next to the Email Header Template field.
- b. Set **Email Header Template** to the name of the custom header that you just created.



Configuring a Custom Header for a Specific View

4. When complete, click the **Save Config** button.

## Field Descriptions

FIELD	DESCRIPTION
<b>LOAD DEFAULT TEMPLATE</b>	
Template	Lists the selection of available templates, and identifies the template to be customized.
Locale	Identifies the locale where the template is to be used.
<b>TEMPLATE INFORMATION</b>	
Template Name	The name of your custom template.
Template Subject	(N/A) This field isn't used for header templates.

FIELD	DESCRIPTION
Template Content	The content of the template, in HTML.
Template Styles	(N/A) This field is not used for header templates.

### Store Contact Information Variables

VARIABLE	MARKUP TAG
Base Unsecure URL	<code>{{config path="web/unsecure/base_url"}}</code>
Base Secure URL	<code>{{config path="web/secure/base_url"}}</code>
General Contact Name	<code>{{config path="trans_email/ident_general/name"}}</code>
General Contact Email	<code>{{config path="trans_email/ident_general/email"}}</code>
Sales Representative Contact Name	<code>{{config path="trans_email/ident_sales/name"}}</code>
Sales Representative Contact Email	<code>{{config path="trans_email/ident_sales/email"}}</code>
Custom1 Contact Name	<code>{{config path="trans_email/ident_custom1/name"}}</code>
Custom1 Contact Email	<code>{{config path="trans_email/ident_custom1/email"}}</code>
Custom2 Contact Name	<code>{{config path="trans_email/ident_custom2/name"}}</code>
Custom2 Contact Email	<code>{{config path="trans_email/ident_custom2/email"}}</code>
Store Name	<code>{{config path="general/store_information/name"}}</code>
Store Contact Telephone	<code>{{config path="general/store_information/phone"}}</code>
Store Contact Address	<code>{{config path="general/store_information/address"}}</code>

## Email Footer

The footer contains the closing and signature line of the email message. You can change the closing to fit your style, and add additional information, such as the company name and address below your name. To make more extensive changes requires a working knowledge of both HTML and CSS. On the server, you will find the footer template in the following location:


```
[Magento install dir]/app/locale/en_US/template/email/html/footer.html
```

### Process Overview:

- Step 1: Load the Template
- Step 2: Customize the Template
- Step 3: Update the Configuration

### Step 1: Load the Template

1. On the Admin menu, select **System > Transactional Emails**.
2. Click the **Add New Template** button. Then, do the following:
  - a. Set **Template** to “Email - Footer.”
  - b. Set **Locale** to the language of the email recipients.
3. Click the **Load Template** button.




Choosing the Email - Footer Template

## Step 2: Customize the Template


When working in the template code, be careful not to overwrite anything that is enclosed in double braces.

1. In the **Template Name** field, enter a name for your custom footer.
2. In the **Template Content** box, modify the HTML as needed.



*Footer Template Information*

3. To insert a variable, position the cursor in the code where you want the variable to appear, and click the **Insert Variable** button. Then, do the following:
  - a. In the list of Store Contact Information variables, click the variable that you want to insert.
  - b. When you're done, click the **Preview Template** button to verify the code. Then, make any adjustments to the template that are needed.



*Insert Variable*

4. When the template is finalized, click the **Save Template** button.

Your custom footer now appears in the list of Transactional Email templates.

The screenshot shows the 'Transactional Emails' section in the Magento Admin Panel. The grid lists two entries: 'Custom Header' and 'Custom Footer'. A callout bubble points to the 'Custom Footer' row. The columns include ID, Name, Date Added, Date Updated, Subject, Template Type, and Action. A success message at the top states 'The email template has been saved.'

*Custom Footer Template*

### Step 3: Update the Configuration

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under General, select **Design**.
2. If necessary, set the **Current Configuration Scope** to the website, store, or store view where the header will be used.
3. Click to expand the **Transactional Emails** section, and do the following:

The screenshot shows the 'Transactional Emails' configuration form. It includes fields for Logo Image (with a browse button and delete link), Logo Image Alt, Logo Width, Logo Height, Email Header Template, Email Footer Template, and Non-inline CSS File(s) (containing 'email-non-inline.css'). Each field has a '[STORE VIEW]' link next to it.

*Transactional Emails*

- a. If the header is for a specific view, clear the **Use Website** checkbox that is next to the Email Footer Template field.
- b. Set **Email Footer Template** to the name of the custom header that you just created.
4. When complete, click the **Save Config** button.

## Email Body

The process of customizing the main body of each message is the same as the customizing the header or footer. The only difference is that there are many templates, listed in alphabetical order. You can use the templates as they are, or customize the most important messages first, such as messages related to customer accounts, and customer activities. For a complete list, see the [Email Template Reference](#) at the end of this section.

### Process Overview:

- Step 1: [Choose a Default Template](#)
- Step 2: [Customize the Content](#)
- Step 3: [Update the Configuration](#)

### Step 1: Choose a Default Template


1. On the Admin menu, select **System > Transactional Emails**.
2. Click the **Add New Template** button.
3. In the **Template** list, select a default template from the list of predefined templates.



*Load Default Template*

4. If necessary, set the **Locale** to the store language.
5. Click the **Load Template** button.

The path to the configuration settings for each default template appears at the top of the Template Information section. You can click this link later when you are ready to update the configuration with the name of the new template.



Template Information


## Step 2: Customize the Content

1. In the Template Information section, do the following:
  - a. Enter a **Template Name** for the new email template.
  - b. In the **Template Subject** field, type the text that you want to appear in the Subject line of the message.
  - c. For a better view of the content and variables in the message, click the **Convert to Plain Text** button. When prompted to confirm, click **OK**.
  - d. To restore the HTML, click the **Return HTML Version** button.
  - e. Edit the **Template Content** as needed.
2. (Optional) To insert a **variable**, do the following:
  - a. Position the cursor in the text where you want the variable to appear.
  - b. Click the **Insert Variable** button.

The list includes the standard Store Contact Information variables, and an additional list of variables that are specific to the template.

- c. In the list of available variables, click the variable you want to insert into the template.

When a variable is selected, the **markup tag** that is associated with the variable is inserted at the cursor position in the code.



*Insert Variable*

3. When complete, click the **Save Template** button.
4. Make sure to **Preview** the template code, and verify that the template is customer-ready.

### Step 3: Update the Configuration

Before the template can be used, the configuration must be updated with the name of the new template. Do one of the following:

- Click the link at the top of the Template Information section to jump to the configuration settings for the template.
- On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Sales, select **Sales Emails**.

The screenshot shows the Magento Admin Panel with the title 'Sales Emails'. The left sidebar is titled 'Configuration' and includes sections for GENERAL, Web, Design, Currency Setup, Store Email Addresses, Contacts, Reports, and Content Management. Under 'GENERAL', 'Manage Stores' is selected. The main content area is titled 'Sales Emails' and contains a list of email types: Order, Order Comments, Invoice, Invoice Comments, Shipment, Shipment Comments, Credit Memo, and Credit Memo Comments. Each item has a checkbox next to it, all of which are checked. At the bottom right of the main area is a 'Save Config' button.

*Sales Emails*

5. Update the email template information as needed.
6. When complete, click the **Save Config** button.

# Email Template Configuration

The configuration for transactional email templates is designed to support multiple devices. The [email logo](#) that is uploaded is designed to render well on high-resolution displays. The configuration specifies the header and footer templates that are used for all transactional email messages sent within the scope of the configuration. To support the requirements of many email clients, a variable has been added that is used to convert external CSS styles to inline styles. The name of the external CSS file that it references is specified in the configuration.

The screenshot shows the 'Transactional Emails' configuration page. It includes fields for 'Logo Image' (with a 'Browse...' button and '[STORE VIEW]' link), 'Logo Image Alt' (text input field and '[STORE VIEW]' link), 'Logo Width' (text input field and '[STORE VIEW]' link), 'Logo Height' (text input field and '[STORE VIEW]' link), 'Email Header Template' (dropdown menu set to 'Email - Header (Default Template from Locale)'), 'Email Footer Template' (dropdown menu set to 'Email - Footer (Default Template from Locale)'), and 'Non-inline CSS File(s)' (text input field containing 'email-non-inline.css' and '[STORE VIEW]' link). A note below the 'Non-inline CSS File(s)' field explains the use of the variable '{var non\_inline\_styles}' in the CSS file.

*Transactional Emails*

## Process Overview:

- Step 1: [Upload Your Logo](#)
- Step 2: [Select the Header and Footer Templates](#)
- Step 3: [Choose the CSS File\(s\)](#)

## Step 1: Upload Your Logo

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under General, select **Design**.
3. If needed, set **Current Configuration Scope** in the upper-left corner to the website, store, or store view where the configuration applies.
4. Click to expand the **Transactional Emails** section. Then, do the following:

- a. To upload your prepared **Logo Image**, click the **Browse** button. Find the file on your computer, and click to copy the path to the field.
- b. In the **Logo Image Alt** field, enter the alternate text to identify the image.

If you uploaded a logo image, enter the **Logo Width** and **Logo Height** in pixels. Enter each value as a number, without the “px” abbreviation. These values refer to the display dimensions of the logo in the header, and not to the actual size of the image.

## Step 2: Select the Header and Footer Templates

If you have custom header and footer templates for your store, or for different stores, you can specify which templates should be used for each, according to the scope of the configuration.

1. Select the **Email Header Template** to be used for all transactional email messages.
2. Select the Email Footer Template to be used for all transactional email messages.

## Step 3: Choose the CSS File(s)

In the **Non-inline CSS File(s)** field, enter the name of each CSS file that is needed to format the content of your transactional email messages. Separate the names of multiple files with a comma. On the server, the CSS files reside in the following location:

```
[magento install dir]/skin/frontend/[package]/[theme]/css/
```

### Field Descriptions

FIELD	SCOPE	DESCRIPTION
Logo Image	Store View	<p>Identifies the logo file that appears in the header of transactional email messages. To support high-resolution displays, upload an image that is twice the size that is needed. For example, if the actual display dimensions of the logo are 100 pixels high and 200 pixels wide, you should upload an image that is 200 pixels high and 400 pixels wide.</p> <p>To delete the current image and upload another, select the Delete Image checkbox. Then, browse to select the new image.</p> <p>Allowed file types:</p> <ul style="list-style-type: none"><li>.jpg / .jpeg</li><li>.gif</li><li>.png</li></ul>

## Field Descriptions (cont.)


FIELD	SCOPE	DESCRIPTION
Logo Image Alt	Store View	Enter alternative text that appears if the logo image is not available.
Logo Width	Store View	Enter the display width of the image in pixels, as a number. Do not include the “px” abbreviation. It is important to specify both width and height to preserve the aspect ratio when the image is rendered at different sizes.
Logo Height	Store View	Enter the display height of the image in pixels, as a number. Do not include the “px” abbreviation. It is important to specify both width and height to preserve the aspect ratio when the image is rendered at different sizes.
Email Header Template	Store View	Select the template to be used for the header of all transactional email messages.
Email Footer Template	Store View	Select the template to be used for the footer of all transactional email messages.
Non-inline CSS File(s)	Store View	<p>Because many mail clients do not support separate CSS files, Magento uses the <code>non_inline_styles</code> variable to convert CSS styles to inline style declarations that reside in the <code>&lt;style&gt;</code> tag of the template.</p> <p>The <code>markup tag</code> is enclosed in double braces, and includes a variable that contains the name of the external CSS file.</p> <pre>{ {var non_inline_styles}}</pre>

The location of the CSS file on the server is relative to the following path:

```
skin/frontend/[package]/[theme]/css/
```

## System Configuration Update


After creating a customized version of a template, remember to update your system configuration so the correct template is used for each message. You can access the template configuration from the System Configuration menu, or by clicking the link at the top of the template when open in edit mode.



*Sales Email Configuration*

### Method 1: Link to Configuration

This method is convenient to use when you finish customizing a template. With the template open in edit mode, simply click the link at the top of the Template Information section to jump to the configuration settings for the template.



*Link to Template Configuration Settings*

### Method 2: Navigate to the Configuration

Use this method if you have many customized templates that need to be added to the configuration.

## Sales Email Templates

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Sales, select **Sales Emails**. Then, select the appropriate templates for each of the following sections:
  - Order and Order Comments
  - Invoice and Invoice Comments
  - Shipment and Shipment Comments
  - Credit Memo and Credit Memo Comments

The screenshot shows the 'Order' configuration screen. It includes fields for 'Enabled' (Yes), 'New Order Confirmation Email Sender' (Sales Representative), 'New Order Confirmation Template' (New Order (Default Template from Locale)), 'New Order Confirmation Template for Guest' (New Order for Guest (Default Template from Local)), 'Send Order Email Copy To' (Comma-separated list), and 'Send Order Email Copy Method' (Bcc).

*Order Email Configuration*

3. When complete, click the **Save Config** button.

## Customer Email Templates

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Customer, select **Customer Configuration**. Then, select the appropriate templates for each of the following sections:
  - Create New Account Options
  - Password Options

The screenshot shows the 'Password Options' configuration screen. It includes fields for 'Forgot Email Template' (Forgot Password (Default Template from Local)), 'Remind Email Template' (Remind Password (Default Template from Local)), 'Forgott and Remind Email Sender' (Customer Support), 'Recovery Link Expiration Period (days)' (1), and 'Require admin user to change user password' (Yes).

*Password Options*

3. When complete, click the **Save Config** button.

# Email Template Reference

## Email Templates

---

### Customer Account

- New Account
- New Account Confirmation Key
- New Account Confirmed
- Forgot Password
- Remind Password

### Customer Activity

- Contact Form
- Send Product to a Friend
- Share Wishlist

### Newsletters

- Newsletter Subscription Confirmation
- Newsletter Subscription Success
- Newsletter Unsubscription Success

### Admin Activity

- Forgot Admin Password
- Currency Update Warnings
- Email - Footer
- Email - Header

### System Notifications

- Log Cleanup Warnings
- Token Status Change
- Sitemap Generate Warnings

### Product Alerts

- Product Alerts Cron Error
- Product Price Alert
- Product Stock Alert

### Sales

- New Order
- New Order for Guest
- Order Update
- Order Update for Guest
- Payment Failed
- New Invoice
- New Invoice for Guest
- Invoice Update
- Invoice Update for Guest
- New Shipment
- New Shipment for Guest
- Shipment Update
- Shipment Update for Guest
- New Credit Memo
- New Credit Memo for Guest
- Credit Memo Update
- Credit Memo Update for Guest
- Moneybookers Activate Email

## Notes



## CHAPTER 57:

# Managing Data Transfer

The Import/Export tool gives you the ability to manage multiple customer and product records in a single operation. If you have a large catalog of products, you will find it much easier to export the data, edit the data in a spreadsheet, and then import the data back into your store.

The CSV file format separates each data element by a comma, and is used as the standard for data exchange operations. All spreadsheet and database applications support the CSV file format. If you are working with a Mac, you should save the data in the CSV (Windows) format.

Topics in this chapter:

- [Working with CSV Files](#)
- [Importing Data](#)
- [Exporting Data](#)

## Working with CSV Files

CSV files have a specific structure that must match the database. Each column heading must exactly match the Attribute Code of the attribute that is represented by the column. To ensure that the column headings can be read by Magento, first export the data from your store as a CSV file. You can then edit the data and re-import it into Magento.

**Important!** We recommend that you use a program that supports UTF-8 encoding to edit CSV files, such as [Notepad++](#) or [OpenOffice Calc](#). Microsoft Excel inserts additional characters into the column header of the CSV file, which can prevent the data from being imported back into Magento.

### Product CSV Structure

The catalog products CSV file contains information about products and the relationships between them. The table has the following structure:

	SKU	attribute_set	type	Category_ID	name	meta_title	meta_description	image
1		websites	simple	15	msqj000	0 French Cuff Cotton Twill Oxford		/m/s/msqj000_1.jpg
2	admin_base	Clothing	simple	15	msqj001	0 French Cuff Cotton Twill Oxford		/m/s/msqj000_1.jpg
3	admin_base	Clothing	simple	15	msqj002	0 French Cuff Cotton Twill Oxford		/m/s/msqj000_2.jpg
4	admin_base	Clothing	simple	15	msqj003	0 Slim Fit Dobby Oxford Shirt		/m/s/msqj003_1.jpg
5	admin_base	Clothing	simple	15	msqj004	0 Slim Fit Dobby Oxford Shirt		/m/s/msqj003_1.jpg
6	admin_base	Clothing	simple	15	msqj005	0 Slim Fit Dobby Oxford Shirt		/m/s/msqj003_1.jpg
7	admin_base	Clothing	simple	15	msqj006	0 Plaid Cotton Shirt		/m/s/msqj006_1.jpg
8	admin_base	Clothing	simple	15,27	msqj007	0 Plaid Cotton Shirt		/m/s/msqj006_2.jpg
9	admin_base	Clothing	simple	15,27	msqj008	0 Plaid Cotton Shirt		/m/s/msqj006_3.jpg
10	admin_base	Clothing	simple	14,40	msqj009	0 Sullivan Sport Coat		/m/s/msqj009_1.jpg
11	admin_base	Clothing	simple	14,40	msqj010	0 Sullivan Sport Coat		/m/s/msqj009_2.jpg


Exported Product CSV in OpenOffice Calc

The first row of the table contains the names of the columns, there are two types of the names, as shown in the following table. Other rows contain attributes values, service data, and complex data. If a row contains the value in the SKU column, then this row the rows below it describe the product. Each new SKU value begins the description of the next product.

Each category is entered as a path, with a forward slash (/) between each level. For example: Furniture/Living Room. Do not include the Root Category in the path.

During import, if a row that contains the SKU value is found to be invalid, then the row, and all other rows with data for that product cannot be imported.

The minimal table that can be imported contains only the SKU column, which can be used to delete records from the database. There is no limit to the number of the columns he table can have. Columns without data are ignored during the import process.



Exported Product CSV in Notepad++

## CSV Product Structure

COLUMN NAME	DESCRIPTION
_<name>	The names of the service columns and complex data columns. Service columns contain entity properties, which are not attributes. For example, columns with website or product type information are service columns. The underscore as first character is used to distinguish these columns from the attribute column names.
<attribute name>	The names of the columns with values of both system-created attributes and attributes created by the store administrator.

## Customer CSV Structure


The customers CSV file contains customer information from the database, and has the following structure:

attribute	email	group_id	disable_auto_group_change	prefix	firstname	middlename	lastname	suffix	password	hash
base	jack@example.com	Wholesale	0	Jack					4e99c4b058a120e1726450096940a2cea45128c51	
base	mark@example.com	Wholesale	0	Mark			Woodland		Bba120569120802043539fde20e772cd4bd4019575	
base	rack@example.com	General	0	Rack			Fox		371bc023193b6463637565049b95b1054dc6652d975	
base	mary@example.com	General	0	Marilyn			Monroe		5tb6b0238ab2943512056fd9f93384ca94aa95d4f5	
base	hank@example.com	Customer	0	Hank			Burgess		a99e14370ef623130d815f9562ca4209500a1d9fc	
base	jeff@example.com	VIP Member	0	Jeff			Moorehouse		0x7f855ddcde1340955a543370f265ceaa7a9828c	
base	robert@example.com	General	0	Robert			Naes		0x7f855ddcde1340955a543370f265ceaa7a9828c	
base	joe@example.com	General	0	Joe			Butler		193c91dd0f5264aa572724a9e365b0bd1f9e1a91e	
base	chris@example.com	General	0	Chris			Fox		d0x166a17f6446f732e373729a1cbabbb23726b9f	
base	mary@example.com	General	0	Mary			Hilary		5ca0ff9e253c952517bdc54e54da9d193023ae5c9	
base	range@example.com	General	0	Ram			Raa		4329677d5717a37b19524046562d5183023ae5c9	

Exported Customer CSV in OpenOffice Calc

The first row of the table contains the names of the attribute columns (which are the same as attribute codes). There are two types of column names, as shown in the following table. Other rows contain attribute values, service data, and complex data. Each row with non-empty values in the “email” and “\_website” columns starts the description of the subsequent customer. Each row can represent customer data with or without address data, or the address data only. In case a row contains only the address data, values in the columns, related to the customer profile, will be ignored and may be empty.

To add or replace more than one address for a customer, in the import file add a row for each new address with empty customer data and the new or updated address data below the customer data row.



### *Exported Customer CSV in Notepad++*

## CSV Customer Structure

COLUMN NAME	DESCRIPTION
_<name>	<p>The names of the service columns, and complex data columns. Service columns contain entity properties, which are not attributes. For example, columns with website or store information are service columns. The underscore as first character is used to distinguish these columns from the other attributes names.</p> <p>The “_address_default_billing” and the “_address_default_shipping” columns are the default billing and shipping addresses flags. If the address in the row is the default billing and/or shipping address of the client, the “_address_default_billing” and/or “_address_default_shipping” columns in this row will have the “1” value.</p>
<attribute name>	The names of the columns with values of both system-created attributes, and attributes created by the store administrator.

# Importing Data

Data for all product types can be imported into the store, with the exception of bundle and downloadable products. In addition, you can import customer data, and product images. During the validation process, all items are verified, including:

- Attribute values according to data type (decimal, integer, varchar, text, datetime).
  - Complex data, service data, and attributes with values that originate from a defined set (such as a drop-down or multiple select input type), are checked to ensure the values exist in the defined sets.
  - For new entities, the presence of required attribute values in the file is checked. For existing entities, the presence of required attributes values is not checked, but if a required value is specified, it is validated according to the attribute type.

## To import customer or product data:

1. On the Admin menu, select **System > Import/Export > Import**. Then, do the following:



The screenshot shows the 'Import Settings' configuration page. It has three main sections: 'Entity Type' (set to 'Products'), 'Import Behavior' (set to 'Append Complex Data'), and a 'Select File to Import' field which is currently empty.

*Import Settings*

- a. Set **Entity Type** to one of the following:
  - Products
  - Customers
- b. Set **Import Behavior** to the way you want complex data to be managed if imported records already exist in the database.
  - Complex data for products includes categories, websites, custom options, tier prices, related products, up-sells, cross-sells, and associated products data.
  - Complex data for customers includes addresses.
- c. Choose one of the following options:

Append Complex Data	The new complex data will be added to the existing complex data for the existing entries in the database.
Replace Existing Complex Data	The existing complex data for the existing entities will be replaced.
Delete Entities	If entities that are imported already exist in the database, they will be deleted from the database.
- d. At the **Select File to Import** field, click the **Choose File** button. Then, select the CSV file that you have prepared for import.
2. Click the **Check Data** button in the upper-right corner of the page. The system validates the file. If the file is valid, the corresponding message and the Import button appear. If some of the rows in the imported file are not valid and cannot be imported, the corresponding information is included to the message, but you can proceed with importing. The invalid rows will be skipped.
3. If needed, make corrections to the CSV file.
4. Click the **Import** button to import the data into the database.

## Importing Product Images

Multiple product images of each type can be imported into Magento, and associated with a specific product. The path and file name of each product image is entered in the CSV file, and the image files to be imported are uploaded to the corresponding path on the Magento server or external server, or uploaded to Media Storage.

Magento creates its own directory structure for product images that is organized alphabetically. When you export product data to a CSV file, you can see the alphabetized path before the file name of each image. However, when you import images, you typically don't need to specify a path, because Magento manages the directory structure automatically. All you need to do is enter a forward slash before the file name of each image to be imported, and let Magento take care of the rest.

Review the steps in the import method that you want to use, and run through the process with a few products. After you understand how it works, you'll feel confident importing large quantities of images.

**Important!** We recommend that you use a program that supports UTF-8 encoding to edit CSV files, such as [Notepad++](#) or [OpenOffice Calc](#). Microsoft Excel inserts additional characters into the column header of the CSV file, which can prevent the data from being imported back into Magento.

### Method 1: Import Images to Default Path

The easiest way to import product images is to use Dataflow, and let Magento manage the directory structure. For complete instructions, see [Dataflow](#).

### Method 2: Import Images to Specific Path

1. To import image files into a specific path, you must first create the required directory structure in the `media/import` folder. The import folder is located on the server in the following location:

```
[magento installation folder]/media/import
```

2. Create the directory structure as follows:
  - a. Create the parent folder, named for the first character of the image file name.
  - b. Create a subfolder, named for the second character of the image file name. For example, the import path for `filename.jpg` would be as follows:

```
[magento installation folder]/media/import/f/i/filename.jpg
```

- c. Set the following permissions for all image folders and files:

Image Folders: 0777

Image Files: 0666 (or greater)

On the server, change directories to the `media/import` folder, and enter the following from the command line:

```
find . -type d -exec chmod 777 {} \;
find . -type f -exec chmod 666 {} \;
```

3. In the CSV file, the image path and file name must be entered in the `image`, `small_image`, and `media_image` columns for the correct SKU, according to image type. If you want, you can use the same image for each type.

- a. In the appropriate column, enter the relative path to each image in the following format:

```
/f/i/filename.jpg
```

**Important!** Use only lowercase characters in the image path and filename of any image to be imported.

- b. Make sure that the correct SKU is entered on each row that has an image file.

4. Complete the standard process to [import product data](#).

## Import Guidelines

### New Entities

- Entities are added with the attribute values specified in the CSV file.
- If there is no value, or there is a non-valid value, for a required attribute with no default value set, then the entity (the corresponding row or rows) cannot be imported.
- If there is no value, or there is a non-valid value, for a required attribute with the default value set, then the entity (the corresponding row or rows) is imported, and the default value is set for the attribute.
- If the complex data is not valid, then the entity (the corresponding row or rows) cannot be imported.

## Existing Entities

- For attributes that are not complex data, the values from the import file, including the empty values for the non-required attributes, replace the existing values.
- If there is no value, or there is a non-valid value, for a required attribute, then the existing value is not replaced.
- If the complex data for the entity is invalid, the entity (the corresponding row or rows) cannot be imported, except the case, when Delete Entities was selected in the Import Behavior drop-down menu.

## Complex Data

If an attribute that is specified in the import file already exists, and its value is derived from a defined set of values, the following applies:

- If the value is not already included in the defined set of values, the row can be imported and a default value, if defined, is set for the attribute.
- If the value is already included in the defined set, the corresponding row cannot be imported.

If an attribute name is specified in the import file but is not yet defined in the system, it is not created, and its values are not imported.

## Invalid Files

- A file cannot be imported if all rows are invalid.
- A non-existing service data or complex data name is specified in the import file, such as a column with a “`_<non-existing_name>`” heading.

# Exporting Data

The best way to become familiar with the structure of your database is to export the data and open it in a spreadsheet. Once you become familiar with the process, you'll find that it is an efficient way to manage large amounts of information.

## To export customer or product data:

1. On the Admin menu, select **System > Import/Export > Export**.
2. In the Export Settings section, do the following:



- a. Set **Entity Type** to one of the following:
  - Products
  - Customers Main File
  - Customer Addresses
- b. Accept the default **Export File Format** of "CSV."
3. In the Entity Attributes section, you can include or exclude data to be exported according to the entity attribute values.
  - To include records with specific attribute values, set the required values of the attributes in the **Filter** column.
  - To omit an attribute from the export, select the **Skip** checkbox at the beginning of the row.

The screenshot shows the 'Export' settings for 'Customers'. The 'Entity Type' is set to 'Customer' and the 'Export File Format' is set to 'CSV'. In the 'Entity Attributes' section, there is a large list of customer attributes. A checkbox for 'Prefix' is checked and highlighted with a blue box and a callout bubble labeled 'Skip'. To the right of the list, there is a search interface with fields for 'From' and 'To' dates, and dropdowns for 'firstname', 'group\_id', 'lastname', 'middlename', 'password\_hash', 'prefix', 'reward\_update\_notification', 'reward\_warning\_notification', 'rp\_token', 'rp\_token\_created\_at', 'store\_id', 'suffix', 'tavat', and 'website\_id'. A blue callout bubble labeled 'Set Filter Values' points to the search interface.

Export Customers Based on Attribute Value

4. Scroll down and click the **Continue** button in the lower-right corner of the page. Look for the download prompt in the lower-right corner of your browser.

The CSV file that is generated can be edited and imported back into your store. Or, it can be used for mailing or other application.

## Dataflow

Magento Dataflow is a data exchange framework that can be used by both merchants and developers. The basic Dataflow tool includes preconfigured profiles that make it easy to import and export product and customer data. The profiles can be used as they are, or be modified to meet your needs. You can create additional profiles for operations that are performed on a regular basis. For more sophisticated applications, Advanced Profiles can be defined in XML to perform custom data exchange operations.

The following instructions show how to use Dataflow profiles to export all product data, and import new product images.

The screenshot shows the Magento Admin Panel interface. The top navigation bar includes links for Dashboard, Sales, Catalog, Customers, Promotions, Newsletter, CMS, Reports, and System. Under the System menu, 'Import/Export' is selected. On the left, a sidebar lists various system modules: My Account, Notifications, Tools, Web Services, Design, Import/Export (selected), Manage Current, Transactional E, Custom Variants, Permissions, Dataflow - Profiles (highlighted with a callout bubble), Dataflow - Advanced Profiles, Magento Connect, Cache Management, Index Management, Manage Stores, Order Statuses, and Configuration. The main content area displays a table titled 'Profiles' with columns: ID, Profile Name, Profile Direction, Entity Type, and Store. The table contains six rows of data:

ID	Profile Name	Profile Direction	Entity Type	Store
6	Import Customers	Import	Customers	
5	Export Customers	Export	Customers	
4	Import Product Stocks	Import	Products	
3	Import All Products	Import	Products	
2	Export Product Stocks	Export	Products	
1	Export All Products	Export	Products	


*Dataflow Profiles*

### Process Overview:

- Step 1: Export All Products
- Step 2: Copy the Product Images to the Server
- Step 3: Edit the CSV File
- Step 4: Import the Products
- Step 5: Update the Index

### Step 1: Export All Products


1. Before you begin, make sure that all changes to the product data have been saved.
2. On the Admin menu, select **System > Import/Export > Dataflow - Profiles**.
3. In the list of profiles, select **Export All Products**.
4. In the panel on the left, click **Run Profile**.

*Run Profile*

- To begin the process, click the **Run Profile in Popup** button.

*Run Profile in Popup*


- Wait a few moments for the profile to begin execution. The length of time it takes to complete the process depends on the size of the database. Do not close the window.

*Profile Execution*

- When the process is complete, you can find the exported CSV file in the following location on the server:

```
[magento-install-dir]/var/export/export_all_products.csv
```


Here's how the exported data file looks from the command line of the server:



```
stack@m2-docs-staging-523722:/var/www/html/stores/ce/magento/var/export
-bash-4.1$ cd var
-bash-4.1$ ls
cache config packages session var
-bash-4.1$ cd export
-bash-4.1$ ls
export_all_products.csv
-bash-4.1$ ls -li
total 532
387082 -rwxrwxrwx 1 apache apache 541106 Mar 1 15:16 export_all_products.csv
-bash-4.1$
```


Exported CSV File from Command Line

8. Use an SFTP utility to download the **export\_all\_products.csv** file from the server to your desktop.



Downloaded File

9. Then, open the file in any editor that supports UTF-8 encoding, such as [Notepad++](#) or [OpenOffice Calc](#). To open the CSV file in OpenOffice Calc, specify a comma as the separator, and double quotes as the text delimiter.



Text Import Separator Options

The CSV data appears in the spreadsheet as rows of product records organized into columns of attributes, with the Attribute Code in the header of each column.

	A	B	C	D	E	F	G	H	I	J	K
	store	websites	attribute_set	type	category_ids	sku	has_options	name	meta_title	meta_description	image
1	admin	base	Clothing	simple	15-ms001	0French Cuff Cotton Twill Oxford	0	/ms/ms0009_1.jpg			
2	admin	base	Clothing	simple	15-ms002	0French Cuff Cotton Twill Oxford	0	/ms/ms0009_1.jpg			
3	admin	base	Clothing	simple	15-ms003	0Slim Fit Dobby Oxford Shirt	0	/ms/ms0009_1.jpg			
4	admin	base	Clothing	simple	15-ms004	0Slim Fit Dobby Oxford Shirt	0	/ms/ms0009_1.jpg			
5	admin	base	Clothing	simple	15-ms005	0Slim Fit Dobby Oxford Shirt	0	/ms/ms0009_1.jpg			
6	admin	base	Clothing	simple	15-ms006	0Plaid Cotton Shirt	0	/ms/ms0009_1.jpg			
7	admin	base	Clothing	simple	15-ms007	0Plaid Cotton Shirt	0	/ms/ms0009_2.jpg			
8	admin	base	Clothing	simple	15-ms008	0Plaid Cotton Shirt	0	/ms/ms0009_2.jpg			
9	admin	base	Clothing	simple	14-40-ms009	0Sullivan Sport Coat	0	/ms/ms009_1.jpg			
10	admin	base	Clothing	simple	14-40-ms010	0Sullivan Sport Coat	0	/ms/ms009_2.jpg			


Exported Product Data in OpenOffice Calc

## Step 2: Copy the Product Images to the Server

The CSV file contains a path to each product image, but the actual image files must be uploaded to the server. To make the images available to import, place them in the media/import directory.

```
[magento-install-dir]/media/import
```

Use your SFTP utility to copy the product images that you want to import to the media/import folder.



Copy Images to media/import Folder

## Step 3: Edit the CSV File

1. Edit the data as needed.
2. Save your changes to the CSV file.


For this example, we will add three new images to SKU #hdbo05. Because this is the only product record that we're going to update, the others can be deleted from the CSV file.

Currently, this product has only one image that is used for the base image, small image, and thumbnail. Because we're going to now offer this product in three colors, we need to upload an image for each color, and replace the image that's currently assigned to the product. Because this is a simple product, we can later use Custom Options to add an option for each color.

Magento creates a directory structure of product image files that is organized alphabetically. You can see that path before each image file name in the CSV data. However, when you import images, you must never include that path before the file name. The only thing you have to do is to enter a forward slash before the file name of each image that you want to import. Magento takes care of the rest. For this example, we need to add the three image files that were uploaded to the media/import folder.

/hdb005\_HOTP\_600.jpg  
/hdb005\_MARM  
/hdb005\_SALM\_600.jpg

In the data, we will replace the original image file name, and add the other two image file references on separate blank lines, just below the original row. You must also enter the SKU on each additional line, to associate the images with the product.




#### *Update the CSV File with the Import Data*

## Step 4: Import the Products

1. On the Admin menu, select **System > Import/Export > Dataflow - Profiles**.
  2. In the list of profiles, select **Import All Products**.


This general-purpose profile that can be used to import or update any number or product records.



ID	Profile Name	Profile Direction	Entity Type	Store	Created At	Updated At	Action
6	Import Customers	Import	Customers		Jan 14, 2013 2:12:50 AM	Jan 14, 2013 2:12:50 AM	<a href="#">Edit</a>
5	Export Customers	Export	Customers		Jan 14, 2013 2:12:50 AM	Jan 14, 2013 2:12:50 AM	<a href="#">Edit</a>
4	Import Product Stocks	Import	Products		Jan 14, 2013 2:12:50 AM	Jan 14, 2013 2:12:50 AM	<a href="#">Edit</a>
3	Import All Products	Import	Products		Jan 14, 2013 2:12:50 AM	Jan 14, 2013 2:12:50 AM	<a href="#">Edit</a>
2	Export Product Stocks	Export	Products		Jan 14, 2013 2:12:50 AM	Jan 14, 2013 2:12:50 AM	<a href="#">Edit</a>
1	Export All Products	Export	Products		Jan 14, 2013 2:12:50 AM	Jan 14, 2013 2:12:50 AM	<a href="#">Edit</a>

*Import All Products*

3. In the panel on the left, select **Upload File**.



**Import/Export Profile**

**Import All Products**

**Upload File**

**Profile Wizard**

- [Upload File](#) **Upload File**
- [Run Profile](#)
- [Profile Actions XML](#)
- [Profile History](#)

**Import All Products**

**Upload File**

**Direction:** Import  
**Store:** Products  
**Default (Admin) Values:** Products will be added/updotted to this store if 'store' column is blank or missing in the import file.

**Number of records:** 1  
(You have to increase php\_memory\_limit before changing this value)

**Decimal separator:** ,

**File Information**


**Data transfer:** Interactive

**Data Format**


**Type:** CSV / Tab separated  
**Value Delimiter:** ; (for tab)  
**Enclose Values In:** " Warning! Empty values can cause problems with CSV format.  
**Original Magento attribute names in first row:** Yes

*Upload File*

4. Because we're uploading only one file, click the **Browse** button for File 1. Then, find the file on your computer and click to select it. The path to the file appears in the input box.
5. Click the **Save and Continue Edit** button.

*Browse to Select Import File*

6. In the panel on the left, select **Run Profile**.
7. Select the CSV file that you edited. If there are several files in the list, make sure to select the right one. Then, click the **Run Profile in Popup** button.

*Run Profile*

8. Wait a few moments for the profile to begin the import process. Do not close the window or interrupt the process. Look for the “Finished Profile Execution” message at the bottom of the list when the import process is complete. If you receive an error message, correct the problem in the CSV file, and try again.

*Finished Profile Execution*

## Step 5: Update the Index

Usually the **index** needs to be updated after changes are made to product data. If you receive a message that the indexes are out of date, click the link and update the index.

## Notes



## CHAPTER 58:

# Reports

Magento Community Edition provides a wide selection of reports to keep you current on everything from the contents of your customers' shopping carts to the tags they use. Report data can be viewed online or downloaded as a CSV or XML data file.


Your store's selection of reports includes:

- [Dashboard](#)
- [Sales](#)
- [Shopping Cart](#)
- [Products](#)
- [Customers](#)
- [Tags](#)
- [Wishlists](#)
- [Reviews](#)
- [Newsletters](#)
- [Search Terms](#)

# Dashboard

The dashboard is usually the first page that appears when you log in to the Admin, and gives an overview of sales and customer activity. The blocks on the left provide a snapshot of lifetime sales, average order amount, the last five orders, and search terms. The graph depicts the orders and amounts for the selected date range. You can use the tabs above the graph to toggle between the two views.

Although by default, the dashboard is the startup page for the Admin, you can change the configuration to show a different page when you log in. You can also set the starting dates used in dashboard reports, and disable the display of the charts section.



Dashboard

## Snapshot Reports

The tabs at the bottom provide quick reports about your best-selling and most viewed products, new customers and those who have purchased the most.

### Bestsellers

---

Lists your best-selling products, showing the price and quantity ordered.

### Most Viewed Products

---

Lists the most recently viewed products and the number of times viewed.

### New Customers

---

Lists recently registered customers.

### Customers

---

Lists the customers who have ordered the most during the specified range of time.

## Dashboard Setup

By default, the dashboard is the startup page for the Admin. However, if you prefer, you can change the configuration to display a different page when you log in. You can also set the starting dates used in dashboard reports, and disable the display of the charts section.


### To set the date range:

Set **Select Range** to one of the following:

- Last 24 Hours
- Last 7 Days
- Current Month
- YTD
- 2YTD

### To set the starting dates:


1. On the Admin menu, select **System > Configuration**.
2. In the Configuration panel on the left, under General, select **Reports**.
3. Click to expand the **Dashboard** section, do the following:
  - a. Set **Year-To-Date Starts** to the month and year that the current year began.
  - b. Set **Current Month Starts** to the current month.



*Dashboard*

### To change the Admin startup page:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left, under Advanced, select **Admin**.
2. In the Admin UI section, set **Startup Page** to the page you want to first appear when you log in to the Admin.
3. Click the **Save Config** button to save the setting.



Startup Page


### To turn off real-time data:

If you have a lot of data to process, the performance of the Dashboard can be improved by turning off the display of real time data.

1. On the Admin menu, select **System > Configuration**. Then in the Configuration panel on the left, under Sales, select **Sales**.
2. Click to expand the **Dashboard** section. Then, set **Use Aggregated Data (beta)** to “Yes.”

### To disable charts:

1. On the Admin menu, select **System > Configuration**. Then in the Configuration panel on the left, under Advanced, select **Admin**.



Turn Off Dashboard Charts

2. In the Dashboard section, set **Enable Charts** to “No.”
3. When complete, click the **Save Config** button.

A message on the Dashboard indicates that the chart is now disabled.

## Running Reports

Magento provides a variety of reports that you can access at any time. To see the reports that you can generate in Magento, from the Reports menu, select a type of report and then select a specific report of that type. Some report pages have filter controls that enable you to narrow the scope of the report. When you are finished making filter selections, click Show Report (or Refresh, in some reports) to generate the report.



Reports Menu

## To run the Orders report:

The Orders report includes real-time data, and can include orders of any status during a specific period of time.

The screenshot shows the Magento Admin Panel with the 'Reports' tab selected. The main title is 'Total Ordered Report'. The filter section includes fields for 'Match Period To' (set to 'Order Created Date'), 'Period' (set to 'Day'), 'From' (set to '5/1/2013'), 'To' (set to '5/1/2013'), 'Order Status' (set to 'All'), 'Empty Rows' (set to 'No'), and 'Show Actual Values' (set to 'No'). A large callout bubble with the word 'Report' points to the 'Report' button in the filter area. Below the filter is a table titled 'Orders Report by Month' with data from May 1 to May 16, 2013.

Period	Orders	Sales Items	Sales Total	Refunded	Users Tax	Sales Shipping	Sales Discount	Canceled
May 1, 2013	1	15	\$3,647.98	\$0.00	\$0.00	\$122.98	\$0.00	\$0.00
May 2, 2013	3	3	\$776.94	\$332.98	\$0.00	\$0.00	\$358.04	\$0.00
May 3, 2013	1	2	\$99.50	\$99.50	\$0.00	\$0.00	\$13.50	\$0.00
May 6, 2013	1	2	\$379.67	\$379.67	\$0.00	\$24.65	\$15.02	\$0.00
May 7, 2013	2	9	\$2,117.95	\$2,117.95	\$0.00	\$92.53	\$70.43	\$10.00
May 15, 2013	3	3	\$1,090.80	\$0.00	\$0.00	\$76.00	\$37.80	\$30.00
May 16, 2013	1	2	\$626.75	\$0.00	\$0.00	\$51.75	\$0.00	\$10.00
Total	12	58	\$6,741.60	\$4,578.09	\$0.00	\$252.83	\$428.67	\$50.00

*Orders Report by Month*

1. On the Admin menu, select **Reports > Sales > Orders**. Then, do the following:
  - a. A message indicates the last time the report statistics were refreshed. If necessary, click the link to refresh the statistics.
  - b. Set **Show Report for** to the website, store, or store view that you want to include in the report.
  - c. Set **Match Period To** to one of the following:
    - Order Created Date
    - Order Updated Date
  - d. To determine how the report data is aggregated by row, set **Period** to one of the following:
    - Day
    - Month
    - Year
  - e. To include activity during a specific period, click the calendar icon and select the **From** and **To** dates.
  - f. To choose the orders that are included in the report, do one of the following:

- To include all orders, set **Order Status** to “Any.”
  - To include only orders with a specific status, set **Order Status** to “Specified.” Then, select each **order status** that you want to include in the report.
- g.** To omit any empty rows from the report, set **Empty Rows** to “No.”
  - h.** To show actual, rather than projected values, set **Show Actual Values** to “Yes.”
- 2.** When ready to run the report, click the **Show Report** button.

### To export report data:

- 1.** Set the **Export to** control to one of the following:
  - CSV
  - Excel XML
- 2.** Click the **Export** button. Then, look for the download file in the lower-left corner of your browser window.

## Field Descriptions

FILTER CONTROL	DESCRIPTION
Show Report For	Determines the store view or website (or all websites) that are included in the report.
Match Period To	Determines how the records are selected to be included, based on either the order creation date or the order modified date. Options include: Order Created Date Order Updated Date
Period	Determines how report data is aggregated. Options include: Day Month Year
From and To	Determines the start and end dates that are covered by the report.
Order Status	Determines the status of orders that are included in the report. Options include: Any / Specified.
Empty Rows	Determines if rows without data are included in the report. Options include: Yes / No.
Show Actual Values	Determines if report values reflect actual or projected values based on an estimate. Options include: Yes / No.

## Refreshing Report Statistics

To reduce the performance impact of generating sales reports, Magento calculates and stores the required statistics for each report. When you generate a report, the report uses the stored statistics, rather than recalculating the statistics each time you generate a report. To include the most recent data, the sales report statistics must be refreshed. Refreshing the sales report statistics is a manual process.

*Report Statistics*

### To refresh sales report statistics:

1. On the Admin menu, select **Reports > Refresh Statistics**.
2. In the list, select the checkbox of each report that needs to be refreshed.
3. Set the **Actions** control to one of the following:
  - Refresh Lifetime Statistics
  - Refresh Statistics for the Last Day
4. When complete, click the **Submit** button.

## Available Reports

### Report Descriptions

REPORT	DESCRIPTION
<b>Sales Reports</b>	
Total Ordered	Reports > Sales > Orders Shows orders for the specified time period.
Order Taxes	Reports > Sales > Tax Shows taxes charged for orders in the specified time period; grouped by tax rate.
Total Invoiced vs. Paid	Reports > Sales > Invoiced Shows amounts paid and unpaid for invoiced orders in the specified time period.
Total Shipped	Reports > Sales > Shipping Shows orders shipped in the specified time period, grouped by carrier/method; includes shipping charge amounts.
Total Refunded	Reports > Sales > Refunds Shows refunds applied to orders in the specified time period.
Coupons Usage	Reports > Sales > Coupons Shows coupons used for orders in the specified time period, grouped by coupon code.
PayPal Settlement	Reports > Sales > PayPal Settlement Reports Shows PayPal settlements for the specified time period. Click Fetch Updates to retrieve data from PayPal.
<b>Shopping Cart Reports</b>	
Products in Carts	Reports > Shopping Cart > Products in carts Shows products that are currently in shopping carts.
Abandoned Carts	Reports > Shopping Cart > Abandoned Carts Shows shopping carts that were started but then abandoned. Enables you to contact customers to offer incentives to turn an abandoned cart into a conversion.
<b>Product Reports</b>	
Products Bestsellers	Reports > Products > Bestsellers

## Report Descriptions (cont.)

REPORT	DESCRIPTION
Products Ordered	Shows the products that were sold in the highest quantity in the specified time period.  Reports > Products > Products Ordered  Shows all products that were ordered in the specified time period.
Most Viewed	Reports > Products > Most Viewed  Shows the products that were viewed the most times in the specified time period.
Low Stock	Reports > Products > Low Stock  Shows the products whose stock levels are low.
Downloads	Reports > Products > Downloads  Shows the number of purchases and downloads for each downloadable product.
<b>Customer Reports</b>	
New Accounts	Reports > Customers > New Accounts  Shows the new accounts that were created during the specified time period.
Customers by Orders Total	Reports > Customers > Customers by orders total  Shows the customers listed in descending order of total order amount.
Customers by Number of Orders	Reports > Customers > Customers by number of orders  Shows the customers listed in descending order of number of orders placed.
<b>Tag Reports</b>	
Customers Tags	Reports > Tags > Customers  Shows the customers listed with the number of tags each one has created.
Products Tags	Reports > Tags > Products  Shows the number of unique tags and total number of tags created for each product.
Popular Tags	Reports > Tags > Popular  Shows the number of times each tag has been applied.

## Report Descriptions (cont.)

REPORT	DESCRIPTION
<b>Review Reports</b>	
Customers Reviews	Reports > Reviews > Customers Reviews Shows the customers listed in descending order of number of reviews contributed.
Products Reviews	Reports > Reviews > Products Reviews Shows the products listed in descending order of number of reviews.
<b>Search Term Report</b>	
Search Terms	Reports > Search Terms Shows terms submitted with the search tool. If Hits are high, but the Results are low, you should review product names and descriptions so you can promote products related to the term.



## CHAPTER 59:

# Admin Permissions

Magento uses roles and permissions to create different levels of access to the Admin. When your store is first set up, you receive a set of login credentials for the Administrator role, with full permissions. However, you can restrict the level of permissions on a “need to know” basis for other people who work on your site. For example, a designer can be given access to only the Design tools, but not to areas with customer and order information.

Topics in this chapter:

- [New Users](#)
- [Custom Roles](#)

# Creating New Users

When your store is first installed, your login credentials have full administrative access. As a best practice, one of the first things you should do is to create another user account with full Administrator permissions. That way, you can use one account for your everyday Administrative activities, and reserve the other as a “Super Admin” account in case you forget your regular credentials or they somehow become otherwise unusable.

If there are others on your team, or service providers who need access, you can create a separate user account for each, and assign a restricted role. To limit the websites or stores that admin users can access when they log in, you must first create a role with limited scope and resources. Then, you can assign the role to a specific user account. Admin users assigned to a restricted role can see and change data only for websites or stores that are associated with the role. They cannot change any global settings or data.

## Process Overview:

[Step 1: Create a New User](#)

[Step 2: Assign the Role](#)

## Step 1: Create a New User

1. On the Admin menu, select **System > Permissions > Users**.
2. Click the **Add New User** button.
3. In the Account Information section, do the following:

The screenshot shows a form titled "Account Information". It contains fields for User Name, First Name, Last Name, Email, Password, and Password Confirmation. There is also a dropdown menu for "This account is".

Account Information	
User Name *	<input type="text"/>
First Name *	<input type="text"/>
Last Name *	<input type="text"/>
Email *	<input type="text"/>
Password *	<input type="password"/>
Password Confirmation *	<input type="password"/>
This account is	<input type="button" value="Active"/>

*Account Information*

**a.** Enter the **User Name** for account.

The User Name should be easy to remember. It is not case-sensitive. For example, if your user name is “John,” you can also log in as “john.”

**b.** Complete the following information:

- First Name
- Last Name
- Email address

This email address must be different from the one that is associated with your original Admin account.

**c.** Assign a **Password** to the account.


The password should be seven or more characters long, and include both letters and numbers.

**d.** In the **Password Confirmation** box, repeat the password to make sure it was entered correctly.

**4.** Set **This Account is** to “Active.”

## Step 2: Assign the Role

**1.** In the User Information panel on the left, click **User Role**. Then, in the list of Roles, select **Administrators**. (Initially, it will be the only role available.)



Add New User Role


**2.** When complete, click the **Save User** button.

You now have two accounts with Administrator access.

## Creating Custom Roles

To give someone restricted access, the first step is to create a role with the appropriate level of permissions. After the role is created, you will add the new user, set up the login credentials, and assign the role to the user account. After the role is established, you can create new Administrator users at any time, and assign the restricted role to grant limited access to the user.

For example, Admin **permissions** can be set to restrict access to tax resources, based on the business “need to know.” To create an Admin **role** with access to tax settings, select both the Sales/Tax and System/Tax resources. If setting up a website for a region that differs from your default shipping point of origin, you must also allow access to the System/Shipping resources for the role, because the **shipping settings** determine the store tax rate used for catalog prices.



*Role Resources*

### Process Overview:

**Step 1: Define the Role**

**Step 2: Add the New User**

### Step 1: Define the Role

1. On the Admin menu, select **System > Permissions > Roles**. Then in the upper-left corner, click the **Add New Role** button.
2. In the Role Information section, enter a descriptive **Role Name**.

The screenshot shows a 'Role Information' panel with a 'Role Name \*' field containing a placeholder text box.

*Role Name*

3. In the panel on the left, select **Role Resources**.
4. In the Roles Resources section, select the checkbox of each Admin **Resource** that you want to grant those with the role permission to access.

**Important!** Be sure to disable access to the Permissions tool if you are limiting access for a given role. Otherwise, users with this role will be able to modify their own restrictions.

The screenshot shows a 'Roles Resources' panel with a 'Resource Access' section. A dropdown menu 'Custom' is open, showing a list of resources: Sales, External Page Cache, Dashboard, Catalog, Customers, Promotions, Newsletter, CMS, Reports, System, Mobile, and Global Search. Each resource has a small icon next to its name.

*Role Resources, Collapsed View*

5. (Optional) In the panel on the left, select **Role Users**. Then, assign additional Administrator user accounts to the new role.
6. When complete, click the **Save Role** button. The role now appears in the list of available roles

## Step 2: Add the New User

1. On the Admin menu, select **System > Permissions > Users**.
2. Click the **Add New User** button.
3. In the Account Information section, do the following:

The screenshot shows an 'Account Information' panel with the following fields:  
 - User Name \*: [Text Box]  
 - First Name \*: [Text Box]  
 - Last Name \*: [Text Box]  
 - Email \*: [Text Box]  
 - Password \*: [Text Box]  
 - Password Confirmation \*: [Text Box]  
 - This account is: [Dropdown menu set to Active]

*Account Information*

a. Assign a **User Name** to the account.

The User Name should be easy to remember. It is not case-sensitive. For example, if your user name is “john,” you can also log in as “John.”

b. Complete the following information:

- First Name
- Last Name
- Email address


c. Assign a **Password** to the account.

The password should be at least seven characters long, and include letters and numbers.

d. In the **Password Confirmation** field, type the password again to make sure it was entered correctly.

e. Set **This Account is** to “Active.”

4. In the User Information panel on the left, click **User Role**. Then, in the list of Roles, select the option for the role you want to assign to the new user.



New User Role

5. When complete, click the **Save User** button.



## CHAPTER 60:

# Security

In this chapter, you will learn how to manage Admin sessions and credentials, implement CAPTCHA, and manage website restrictions.

Topics include:

- [Security Best Practices](#)
- [Security Configuration](#)
- [CAPTCHA](#)
- [Session Validation](#)
- [Browser Capabilities Detection](#)

**SOLUTION SERIES:**

## Magento Security Best Practices

All eCommerce sites are attractive targets to hackers because of the personal and payment information that is required to complete a sale. Even if the system does not directly process credit card transactions, a compromised site might reroute customers to a false page, or alter an order before it is transmitted to the payment processor.

A compromised site can have long-term consequences for both customers and merchants. Customers might suffer financial loss and identify theft, while merchants can face damage to their reputations, loss of merchandise, higher processing fees, revoked privileges with financial institutions, and the threat of lawsuits.

This guide outlines a multifaceted approach to improve the security of your Magento installation. Although there is no single way to eliminate all security risks, there are many things that you can do to make your site a less attractive target. It is crucial for hosting providers, system integrators, and merchants to work together to establish and maintain a secure environment, implement methods for early detection, and determine a plan of action in the event of a breach.

Make sure to stop by our [Magento Security Center](#), and sign up for the [Security Alert Registry](#) to receive notification from our security team of any emerging issues and solutions.

### Start Right

Work with reliable hosting providers and solution integrators. When evaluating their qualifications, ask about their approach to security. Verify that they have a secure software development life cycle in accord with industry standards such as The Open Web Application Security Project ([OWASP](#)), and that they test their code for security issues.

If you are starting a new site, consider launching the entire site over HTTPs. Taking the lead on this issue, Google now uses HTTPs as a ranking factor.

For an existing installation, plan to upgrade the entire site to run over to a securely encrypted, HTTPs channel. Although you will need to create redirects from HTTP to HTTPs, the effort will future-proof your site. We recommend that you plan to make this change sooner, rather than later.

### Protect the Environment

Protecting the environment is the most critical aspect of ensuring the security of your store. Keep all software on the server up to date, and apply security patches as recommended. This applies not only to Magento, but to any other software that is installed on the server, including database software and other websites that use the same server. Any system is only as secure as the weakest link.

## Server Environment

- Make sure that the server operating system is secure. Work with your hosting provider to ensure that there is no unnecessary software running on the server.
- Use only secure communications protocol (SSH/SFTP/HTTPS) to manage files, and disable FTP.
- Use strong, long, and unique passwords, and change them periodically.
- Keep the system up to date, and immediately install patches when new security issues are discovered.
- Closely monitor any issues that are reported for software components used by your Magento installation, including the operating system, MySQL database, PHP, Redis (if used), Apache or Nginx, Memcached, Solr, and any other components in your specific configuration.

## Advanced Techniques

- Automate the deployment process, if possible, and use private keys for data transfer.
- Limit access to the Magento Admin by updating the whitelist with the IP address of each computer that is authorized to use the Admin and Magento Connect downloader. For examples of how to whitelist IP addresses, see: [Secure Your Magento Admin](#).
- Do not install extensions directly on a production server.  
To disable the Magento Connect downloader on the production site, either remove or block access to the `/downloader` directory. You can also use the same [whitelisting](#) methods.
- Use two-factor authorization for Admin logins. There are several extensions available that provide additional security by requiring an additional passcode that is generated on your phone, or a token from a special device.
- Review your server for “development leftovers.” Make sure there are no accessible log files, publicly visible .git directories, tunnels to execute SQL helper scripts, database dumps, phpinfo files, or any other unprotected files that are not required, and that might be used in an attack.
- Limit outgoing connections to only those that are required, such as for a payment integration.
- Use a Web Application Firewall to analyze traffic and discover suspicious patterns, such as credit card information being sent to an attacker.

## Server Applications

- Make sure that all applications running on the server are secure.
- Avoid running other software on the same server as Magento, especially if it is accessible from the Internet. Vulnerabilities in blog applications such as Wordpress can expose private information from Magento. Install such software on a separate server or virtual machine.
- Keep all software up to date, and apply patches as recommended.

## Admin Desktop Environment

- Make sure that the computer that is used to access the Magento Admin is secure.
- Keep your antivirus software up to date, and use a malware scanner. Do not install any unknown programs, or click suspicious links.
- Use a strong password to log in to the computer, and change it periodically. Use a password manager such as [LastPass](#), [1Password](#), or [Dashlane](#) to create and manage secure, unique passwords.
- Do not save FTP passwords in FTP programs, because they are often harvested by malware and used to infect servers.
- Delete user accounts for employees or contractors who no longer work with you. A large number of intrusions can be attributed to insider knowledge.

## Protect Magento

Your effort to protect your Magento installation starts with the initial setup, and continues with the security-related configuration settings, password management, and ongoing maintenance.

## Your Magento Installation

-  Use the latest version of Magento to ensure that your installation includes the most recent security enhancements.

If for any reason you cannot upgrade to the latest version, make sure to install all security patches as recommended by Magento. Although Magento issues security patches to fix major issues, new product releases include additional improvements to help secure the site.

-  Use a unique, [custom Admin URL](#) instead of the default “admin” or the often-used “backend.” Although it will not directly protect your site from a determined attacker, it can reduce exposure to scripts that try to break into every Magento site. (Never leave your valuables in plain sight.)

Check with your hosting provider before implementing a custom Admin URL. Some hosting providers require a standard URL to meet firewall protection rules.

-  Block access to any development, staging, or testing systems. Use IP [whitelisting](#) and .htaccess password protection. When compromised, such systems can produce a data leak or be used to attack the production system.
-  Use the correct file permissions. Core Magento and directory files should be set to read only, including app/etc/local.xml files.
-  Use a strong password for the Magento Admin. To learn more, see: [Creating a strong password](#).
-  Take advantage of Magento’s security-related configuration settings for [Admin Security](#), [Password Options](#), and [CAPTCHA](#).

## Don’t be Taken for a Ride

-  Install extensions only from trusted sources. Never use paid extensions that are published on torrent or other sites. If possible, review extensions for security issues before installing them.
-  Do not click suspicious links, or open suspicious email.
-  Do not disclose the password to your server or to the Magento Admin, unless you are required to do so.

## Be Prepared!

- Develop a disaster recovery/business continuity plan. Even a basic plan will help you get back on track in the event of a problem.
- Ensure that your server and database are automatically backed up to external location. A typical setup requires daily incremental backups, with a full backup on a weekly basis. Make sure to test the backup regularly to verify that it can be restored.
- For a large site, simple text file dumps of the database take an unacceptable amount of time to restore. Work with your hosting provider to deploy a professional database backup solution.

## Monitor for Signs of Attack

If your system is not immediately patched after a major security breach, there is a high probability that your site is already compromised. Complete a security review periodically to check for signs of attack, and also when contacted by customers with security-related concerns.

### Security Review

- Check periodically for unauthorized Admin users.
- (Magento Enterprise only) Check the [Admin Actions Log](#) for suspicious activity.
- Use automated log review tools such as [Apache Scalp](#).
- Work with your hosting provider to review server logs for suspicious activity, and to implement an Intrusion Detection System (IDS) on your network.
- Use a file and data integrity checking tool such as [TripWire](#) to receive notification of any potential malware installation.
- Monitor all system logins (FTP, SSH) for unexpected activity, uploads, or commands.

## Follow Your Disaster Recovery Plan

In the event of a compromise, work with your internal IT security team if available, or hosting provider, and system integrator to determine the scope of the attack. Taking into consideration the type of compromise and the size of the store. Then, adjust the following recommendations to your business needs.

1. Block access to the site, so the attacker cannot remove evidence or steal more information.
2. Backup the current site, which will include evidence of the installed malware or compromised files.

3. Try to determine the scope of the attack. Was credit card information accessed? What information was stolen? How much time has elapsed since the compromise? Was the information encrypted? Typically you can expect the following types of attack:

Defacing of Site	Site access is compromised, but often the payments information is not. User accounts might be compromised.
Botnetting	Your site becomes part of a botnet that sends spam email. Although data is probably not compromised, your server is blacklisted by spam filters which prevents email that you send to customers from being delivered.
Direct Attack on Server	Data is compromised, backdoors and malware are installed, and the site no longer works. Payment information—provided that it is not stored on the server—is probably safe.
Silent Card Capture	In this most disastrous attack, intruders install hidden malware or card capture software, or possibly modify the checkout process to collect and send out credit card data. Such attacks can go unnoticed for extended periods of time, and result in major compromise of customer accounts and financial information.

4. Try to find the attack vector to determine how the site was compromised, and when. Review server log files and file changes. Note that sometimes there are multiple different attacks on the same system.
5. If possible, wipe and reinstall everything. In case of virtual hosting, create a new instance. Malware might be hidden in an unsuspected location, just waiting to restore itself. Remove all unnecessary files. Then, reinstall all required files from a known, clean source such as files from your own version control system, or the original distribution files from magento.com.
6. Apply all the latest security patches necessary.
7. Reset all credentials, including the database, file access, payment and shipping integrations, web services, and Admin login.

8. If payment information was compromised, it might be necessary to inform your payment processor.
9. Inform your customers about the attack and the type of information affected. If payment information was compromised, they should look for unauthorized transactions. If personal information, including email addresses was compromised, they might be targeted with phishing attacks or spam.

## Acknowledgments

Parts of this article were inspired by real-world solutions that were shared by community members. The resulting article incorporates content from the community, with input from our team. We'd like to thank the following people for contributing to this article:

- Bryan (BJ) Hoffpauir for sharing his insight on the Magento forum, and for contributing recommendations in the Attack Response Plan section of this article. See the [original post](#) by [beejhuff](#) for more information.
- Anna Völkl (@rescueann), Magento developer at LimeSoda.
- Robert Mangiafico (@robfico) CTO at LexiConn
- @dracony\_gimp for his security presentation, [Being Hacked is Not Fun](#).

## Security Configuration

The security settings give you the ability to control the lifetime of user sessions, and whether to allow your Magento store to run in a frame. (This setting can prevent [clickjacking](#).) In addition you can add a secret key to URLs, and determine the case sensitivity of login credentials.

For security reasons Magento strongly recommends against running your store in a frame.

The screenshot shows the 'Security' configuration section in the Magento Admin. It includes the following settings:

- Login is Case Sensitive:** No (GLOBAL)
- Add Secret Key to URLs:** Yes (GLOBAL)
- Session Lifetime (seconds):** 3600 (GLOBAL)  
A note states: "Values less than 60 are ignored. Note that changes will apply after logout."
- Allow Magento Backend to run in frame:** Only from same domain (GLOBAL)  
A note states: "Enabling ability to run Magento in a frame is not recommended for security reasons."
- Allow Magento Frontend to run in frame:** Only from same domain (GLOBAL)  
A note states: "Enabling ability to run Magento in a frame is not recommended for security reasons."

*Security*


### To configure Admin security:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Advanced, select **Admin**.
3. Click to expand the **Security** section, and complete the settings as needed.
4. When complete, click the **Save Config** button.

## CAPTCHA

CAPTCHA is an acronym for “Completely Automated Public Turing test to tell Computers and Humans Apart.” A CAPTCHA is a visual device that ensures that a human being, rather than a computer, is interacting with the site. CAPTCHA can be used for both the Admin and customers.

Users can reload the CAPTCHA as many times as is necessary by clicking the Reload icon in the upper right corner of the image. The Magento CAPTCHA was implemented using a Zend Framework module, and is fully configurable.



*CAPTCHA in Customer Login*

## Admin CAPTCHA

For an extra level of security, you can add a CAPTCHA to the Admin Login page. Administrator users can reload the displayed CAPTCHA by clicking the Reload icon in the upper-right corner of the image. The number of reloads is not limited.



*Admin CAPTCHA*

### To configure CAPTCHA for the Admin:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Advanced, select **Admin**.
2. In the upper-right corner, set **Current Configuration Scope** to “Default.”
3. Click to expand the **CAPTCHA** section, and complete the settings as described below.
4. When complete, click the **Save Config** button.

 A screenshot of the 'CAPTCHA' configuration page in the Magento Admin. The page title is 'CAPTCHA'. It contains several configuration options:
 

- 'Enable CAPTCHA in Admin' dropdown set to 'Yes'.
- 'Font' dropdown set to 'LinLibertine'.
- 'Forms' dropdown showing 'Admin Login' and 'Admin Forgot Password' selected.
- 'Displaying Mode' dropdown set to 'After number of attempts to login'.
- 'Number of Unsuccessful Attempts to Login' input field set to '3'. A note below it says: 'If 0 is specified, CAPTCHA on the Login form will be always available.'
- 'CAPTCHA Timeout (minutes)' input field set to '7'.
- 'Number of Symbols' input field set to '4-5'. A note below it says: 'Please specify 8 symbols at the most. Range allowed (e.g. 3-5)'.
- 'Symbols Used in CAPTCHA' input field containing 'ABCDEFGHIJKLMnpqrstuvwxyz23456789'. A note below it says: 'Please use only letters (a-z or A-Z) or numbers (0-9) in this field. No spaces or other characters are allowed. Similar looking characters (e.g. "I", "l", "1") decrease chance of correct recognition by customer.'
- 'Case Sensitive' dropdown set to 'No'.

*CAPTCHA*

## Customer CAPTCHA

CAPTCHA can be required to log in to a customer account, or be configured to appear after several unsuccessful attempts.. It can also be used for other forms in the storefront.

The screenshot shows the 'CAPTCHA' configuration page. At the top, 'Enable CAPTCHA on Frontend' is set to 'Yes'. Under 'Forms', 'Login' is selected. A note below states: 'a CAPTCHA for "Create user" and "Forgot password" forms is always enabled if chosen'. In 'Displaying Mode', 'After number of attempts to login' is selected with a value of '3'. A note says: 'If 0 is specified, CAPTCHA on the Login form will be always available.' Under 'CAPTCHA Timeout (minutes)', the value is '7'. Under 'Number of Symbols', the value is '4-5'. A note says: 'Please specify 2 symbols at the most. Range allowed (e.g. 3-5)'. Under 'Symbols Used in CAPTCHA', the field contains 'ABCDEFGHIJKLMNPQRSTUVWXYZ23456789' with a note: 'Please use only letters (a-z or A-Z) or numbers (0-9) in this field. No spaces or other characters are allowed. Similar looking characters (e.g. 'F', 'T', '1') decrease chance of correct recognition by customer.' At the bottom, 'Case Sensitive' is set to 'No'.

CAPTCHA

### To configure CAPTCHA for customers:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Customers, select **Customer Configuration**.
2. Set **Current Configuration Scope** to the website where you want the configuration to apply.
3. Click to expand the **CAPTCHA** section, and complete the fields as described below.
4. When complete, click the **Save Config** button.

## Session Validation

Magento Community allows you to validate session variables as a protective measure against possible session fixation attacks, or attempts to poison or hijack user sessions. The Session Validation Settings determine how session variables are validated during each store visit, and if the session ID is included in the URL of the store.

The validation checks to see that visitors are who they say they are by comparing the value in the validation variables against the session data that is already stored in `$_SESSION` data for the user. Validation fails if the information is not transmitted as expected, and the corresponding variable is empty. Depending on the session validation settings, if a session variable fails the validation process, the client session immediately terminates.

Enabling all of the validation variables can help prevent attacks, but might also impact the performance of the server. By default, all session variable validation is disabled. We recommend that you experiment with the settings to find the best combination for your Magento installation. Activating all of the validation variables might prove to be unduly restrictive, and prevent access to customers who have Internet connections that pass through a proxy server, or that originate from behind a firewall. To learn more about session variables and their use, see the system administration documentation for your Linux system.

### To configure the Session Validation Settings:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under General, select **Web**.
2. Click to expand the **Session Validation Settings** section. Then, do the following:

Session Validation Settings	
Validate REMOTE_ADDR	No [GLOBAL]
Validate HTTP_VIA	No [GLOBAL]
Validate HTTP_X_FORWARDED_FOR	No [GLOBAL]
Validate HTTP_USER_AGENT	No [GLOBAL]
Use SID on Frontend	Yes [WEBSITE]

Allows customers to stay logged in when switching between different stores.

*Session Validation Settings*


- a. To verify that the IP address of a request matches what is stored in the \$\_SESSION variable, set **Validate REMOTE\_ADDR** to “Yes.”
  - b. To verify that the proxy address of an incoming request matches what is stored in the \$\_SESSION variable, set **Validate HTTP\_VIA** to “Yes.”
  - c. To verify that the forwarded-for address of a request matches what is stored in the \$\_SESSION variable, set Validate **HTTP\_X\_FORWARDED\_FOR** to “Yes.”
  - d. To verify that the browser or device that is used to access the store during a session matches what is stored in the \$\_SESSION variable, set **Validate HTTP\_USER\_AGENT** to “Yes.”
  - e. If you want a user to stay logged in while switching between stores, set **Use SID on Frontend** to “Yes.”

If including SID with analytics, you must configure your analytics software to filter the SID from URLs, so the page visit counts are correct.
3. When complete, click the **Save Config** button.

## Browser Capabilities Detection

As is true of most websites and applications on the Internet, Magento requires that the visitor's browser allow both cookies and JavaScript for full operations. However, occasionally a user's browser might be set to the highest privacy setting which disallows both cookies and JavaScript. Your store can be configured to test the browser capabilities of each visitor, and to display a notice if the settings need to be changed.


- If the browser's privacy settings disallow cookies, you can configure the system to automatically redirect them to the "[CMS No Cookies Page](#)," which explains how to make the recommended settings with most browsers.
- If the browser's privacy settings disallow JavaScript, you can configure the system to display the following message above the header of every page:



*JavaScript Disabled Notice*

### To configure browser capabilities detection:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under General, select **Web**.
2. Click to expand the **Browser Configuration Detection** section. Then, do the following:



*Browser Capabilities Detection*

- a. If you want to display instructions that explain how to configure the browser to allow cookies, set **Redirect to CMS-page if Cookies are Disabled** to "Yes."
  - b. If you want to display a banner above the header when JavaScript is disabled in the user's browser, set **Show Notice if JavaScript is Disabled** to "Yes."
3. When complete, click the **Save Config** button.

## Notes



# System Operations

## In this section...

[Index Management](#)

[Cache Management](#)

[Alternate Media Storage](#)

[Magento Connect](#)

[Web Services](#)

[System Tools](#)



## CHAPTER 61:

# Index Management

Indexing is how Magento transforms data such as products, categories, and so on, to improve the performance of your web store. As data changes, the transformed data must be updated—or reindexed. Magento has very sophisticated architecture that stores merchant data (including catalog data, prices, users, stores, and so on) in many database tables. To optimize storefront performance, Magento accumulates data into special tables using indexers.

For example, suppose you change the price of an item from \$4.99 to \$3.99. Magento must reindex the price change to display it on your store. Without indexing, Magento would have to calculate the price of every product on the fly—taking into account shopping cart price rules, bundle pricing, discounts, tier pricing, and so on. Loading the price for a product would take a long time, possibly resulting in cart abandonment.

Topics in this chapter:

- [Manual Reindexing](#)
- [Indexing Modes](#)

A screenshot of the Magento Admin Panel. The top navigation bar shows "Dashboard", "Blocks", "Catalog", "Mobile", "Customers", "Promotions", "Newsletter", "CMS", "Reports", and "System". The "System" tab is selected. Below the navigation is a message: "Latest Message: Reminder: Change Magento's default phone numbers and catalogs before site search!" with a link "Go to notifications". The main content area is titled "Index Management". It displays a table with the following data:

Name	Description	Mode	Status	Update On Save	Updated At	Action
Product Attributes	Index product attributes for layered navigation building	Update on Save	READY	READY	May 5, 2014 7:29:47 AM	<a href="#">Reindex Data</a>
Product Prices	Index product prices	Update on Save	READY	READY	May 5, 2014 7:29:47 AM	<a href="#">Reindex Data</a>
Catalog URL Rewrites	Index product and categories URLs, rewrites	Update on Save	READY	READY	May 5, 2014 7:29:47 AM	<a href="#">Reindex Data</a>
Category Products	Indexed category products association	Update on Save	READY	READY	May 5, 2014 7:29:47 AM	<a href="#">Reindex Data</a>
Catalog Search Index	Rebuild Catalog product全文 search index	Update on Save	READY	READY	May 5, 2014 7:29:47 AM	<a href="#">Reindex Data</a>
Stock Status	Index Product Stock Status	Update on Save	READY	READY	May 5, 2014 7:29:47 AM	<a href="#">Reindex Data</a>
Tag Aggregation Data	Rebuild Tag aggregation data	Update on Save	READY	READY	May 5, 2014 7:29:47 AM	<a href="#">Reindex Data</a>

*Index Management*

## To access Index Management:

1. On the Admin menu, select **System > Index Management**.
2. Any indexer with a checkbox next to its name can be managed manually. The other indexers update automatically according to your Magento cron job. The default mode for each indexer is set in the system configuration.

### Column Descriptions

COLUMN	DESCRIPTION		
Index	The name of the indexer.		
Description	A description of the indexer.		
Mode	Applies only to the indicated indexers. Most of the indicated indexers are set to Update on Save, which means a reindex is required when a change is saved. See: Manual Reindexing.		
Status	Displays one of the following:		
	Reindex Required	A change has been made that requires reindexing. If a checkbox and Reindex Required link appears, can be reindexed manually.	
	Ready	The index is up-to-date.	
	Scheduled	* Reindexing is required but hasn't run yet according to your Magento cron job.	
	Running	* Reindexing is required and is either running or in the queue.	
	Outdated	* Indicates reindexing is required but there is an issue preventing it from running. If this state persists, submit a bug report.	

\* Applies to automatic indexers only.

### Column Descriptions (cont.)

COLUMN	DESCRIPTION
Update Required	Applies only to the indicated indexers. Indicates whether or not you must manually reindex. (The value in the Mode column indicates whether the indexer must be manually updated.)
Updated At	Displays the date and time an index was last manually updated, or Never if the index has never been manually updated.
Action	Indexers that require manual updating display a Reindex Data link. Click the link to reindex that option only.

## Manual Reindexing

Indexers that require manual updates have a checkbox in the first column next to their name (Product Attributes, Tag Aggregation Data, and optionally, Catalog Search Index). The example below shows one index that requires a full reindex (Product Attributes), an index that requires a partial reindex (Catalog Search Index), and an index that is up-to-date (Tag Aggregation Data).

- If the Status column indicates “Reindex Required,” and the Update Required column indicates “No,” only a partial index is produced when you index manually.
- If the Status column indicates “Reindex Required,” and the Update Required column indicates “Yes,” a full index is produced when you index manually.

Index Management						
Index	Description	Mode	Status	Update Required	Updated At	Actions
<input checked="" type="checkbox"/> Product Attributes	Index product attributes for layered navigation building	Manual Update	REINDEX REQUIRED	YES	Mar 25, 2013 11:10:51 AM	<a href="#">Reindex Data</a>
<input checked="" type="checkbox"/> Catalog Search Index	Rebuild Catalog product fulltext search index	Update on Save	REINDEX REQUIRED	NO	Mar 25, 2013 12:09:37 PM	<a href="#">Reindex Data</a>
<input type="checkbox"/> Tag Aggregation Data	Rebuild Tag aggregation data.	Update on Save	READY	NO	Mar 25, 2013 11:11:00 AM	<a href="#">Reindex Data</a>

Index States

### To reindex manually:

1. On the Admin menu, select **System > Index Management**.
2. Select the checkbox of each item to be reindexed.
3. Set **Actions** to “Reindex Data.”
4. Click the **Submit** button.

## Automatic Indexing

Magento reindexes automatically whenever one or more items are changed (for example, price changes, catalog or shopping cart price rules are created, new categories added, and so on). Reindexing is performed as a background process; your store is accessible during all reindexing processes.

### Indexing by Multiple Users

To avoid problems when multiple Admin users update objects that trigger automatic reindexing, set all indexers to run as [cron jobs](#). Otherwise, every time an object is saved, any affected objects with interdependencies might cause a deadlock. Symptoms of a deadlock include high CPU usage and MySQL errors. As a best practice, schedule indexing as a cron job to prevent deadlocks from occurring.

### Index Modes

The default mode for each indexer is specified in the system configuration. By default, indexers that require manual updating are set to “Update on Save,” which means reindexing occurs after a change is made from the Admin. The other option is to manually reindex every time a change is made. (For example, if you change product attributes in the Admin, you must manually update the Product Attributes index.) If you ever need to override the default index mode, you can use the Action control.

### Examples: Index Actions and Controls

#### Index Actions


ACTION	RESULT	TO CONTROL
Creating a new store, new customer group, or any action listed in “Actions that Cause a Full Reindex.”	Full reindex	Full reindexing is performed on the schedule determined by your Magento cron job. In a few cases, full reindexing must be performed manually.
Bulk loading of items in the following ways: <ul style="list-style-type: none"><li>• Magento import/export</li><li>• Direct SQL query</li><li>• Any other method that directly adds, changes, or deletes data.</li></ul>	Partial reindex (only changed items are reindexed)	At the frequency determined by your Magento cron job.

## Index Actions (cont.)

ACTION	RESULT	TO CONTROL
Changing scope (for example, from global to website)	Partial reindex (only changed items are reindexed)	At the frequency determined by your Magento cron job.

### To change the index mode:

1. On the Admin menu, select **System > Index Management**.
2. Select the checkbox of each indexer you want to change.
3. Set **Actions** to “Change Index Mode.” Then, set **Index Mode** to one of the following:
  - Update on Save
  - Manual Update



Change Index Mode

4. Click the **Submit** button to apply the change to each selected indexer.

## Events that Trigger Reindexing

### Reindex Triggers

INDEX TYPE	REINDEXING EVENT
Product Prices	Add customer group. Change configuration settings.
Flat catalog <sup>1</sup> product data	Add store. Add store group. Add, edit, or delete attribute (for searching and filtering).
Flat catalog category data	Add store. Add store group. Add, edit, or delete attribute (for searching and filtering).
Catalog category/product index	Add, edit, or delete products (single, mass, and import). Change product-to-category relations. Add, edit, or delete categories. Add or delete stores. Delete store groups. Delete websites.
Catalog search index	Add, edit, or delete products (single, mass, and import). Add or delete stores. Delete store groups. Delete websites.
Stock status index	Change inventory configuration settings.
Category permissions index	Add store, add store group, add or delete or update attribute (for searching and filtering),

<sup>1</sup> The flat product and category indexers also influence how catalog and shopping cart price rules are indexed. If you have a large number of SKUs (about 500,000 or more), you will notice a dramatic improvement in indexing time for price rules. To take advantage of this improvement, you must enable [Use Flat Catalog Product](#).

## Events that Trigger a Full Reindex

### Full Reindex Triggers

INDEXER	EVENT						
Catalog Category Flat Indexer	<p>Create a new store.</p> <p>Create a new store view.</p> <p>Create, or delete an attribute that is any of the following:</p> <ul style="list-style-type: none"> <li>• Searchable or visible in advanced search</li> <li>• Filterable</li> <li>• Filterable in search</li> <li>• Used for sorting</li> </ul> <p>Change an existing attribute to be any of the preceding.</p> <p>Enable flat category frontend options.</p>						
Catalog Product Flat Indexer	<p>Create a new store.</p> <p>Create a new store view.</p> <p>Create, or delete an attribute that is any of the following:</p> <ul style="list-style-type: none"> <li>• Searchable or visible in advanced search</li> <li>• Filterable</li> <li>• Filterable in search</li> <li>• Used for sorting</li> </ul> <p>Change an existing attribute to be any of the preceding.</p> <p>Enable flat category frontend options.</p>						
Stock status indexer	<p>When the following Catalog Inventory options changes in the system configuration:</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 45%;">Stock Options:</td> <td style="width: 55%;">Display Out of Stock Products</td> </tr> <tr> <td>Product Stock Options:</td> <td>Manage Stock</td> </tr> </table>	Stock Options:	Display Out of Stock Products	Product Stock Options:	Manage Stock		
Stock Options:	Display Out of Stock Products						
Product Stock Options:	Manage Stock						
Price Indexer	<p>Adding a new customer group.</p> <p>When any of the following Catalog Inventory options changes in the system configuration:</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 45%;">Stock Options:</td> <td style="width: 55%;">Display Out of Stock Products</td> </tr> <tr> <td>Product Stock Options:</td> <td>Manage Stock</td> </tr> <tr> <td>Price:</td> <td>Catalog Price Scope</td> </tr> </table>	Stock Options:	Display Out of Stock Products	Product Stock Options:	Manage Stock	Price:	Catalog Price Scope
Stock Options:	Display Out of Stock Products						
Product Stock Options:	Manage Stock						
Price:	Catalog Price Scope						

### Full Reindex Triggers (cont.)

INDEXER	EVENT
Category or Product	Create or delete a store view.
Indexer	Delete a store. Delete a website.



## CHAPTER 62:

# Cache Storage

Using Magento's cache management system is an easy way to improve the performance of your site. The Cache Storage Management page shows the status of each primary cache and its associated tag. Whenever one of the caches needs to be refreshed, a notice appears at the top of the workspace to guide you through the process. There are separate buttons to flush the Magento-specific cache, and the all-inclusive cache storage. At the bottom of the page there are additional buttons to flush the catalog product images cache and JavaScript/CSS cache.

On the server, the default location for the primary Magento cache is var/cache. As an alternative to using the Cache Management tool, the contents of each cache can be manually deleted from the server.

Topics in this chapter:

- [Clearing Caches](#)
- [External Full-Page Cache](#)

Associated Tag	Status
CONFIG	ENABLED
LAYOUT_GENERAL_CACHE_TAG	ENABLED
BLOCK_HTML	INVALIDATED
TRANSLATE	ENABLED
COLLECTION_DATA	ENABLED
EAV	ENABLED
CONFIG_API	ENABLED
CONFIG_APQ	ENABLED

*Cache Storage Management*

# Clearing Caches

After clearing a cache, always refresh your browser to make sure that it uses the most recent files.

Associated Tag	Status
CONFIG	ENABLED
LAYOUT_GENERAL_CACHE_TAG	INVALID
BLOCK_HTML	INVALID
TRANSLATE	ENABLED
COLLECTION_DATA	ENABLED
EAV	ENABLED
CONFIG_API	ENABLED
CONFIG_API2	ENABLED

*Cache Storage Management*

## To refresh specific caches:

1. Do one of the following:
  - Click the **Cache Management** link in the message above the workspace.
  - On the Admin menu, select **System > Cache Management**.
  
- The status of each cache that needs to be refreshed appears in yellow and marked, “Invalidate.”
2. Do one of the following:
  - For each cache that needs to be refreshed, click the checkbox at the beginning of the row.
  - To select a group, click one of the selection options above the list.
3. Set **Actions** to “Refresh,” and click the **Submit** button.

## To flush the product image cache:

1. From the Cache Storage Management page, under Additional Cache Management, click the **Flush Catalog Images Cache** button.
- The message, “Image cache was cleaned” appears at the top of the workspace.
2. Make sure to also clear the cache of your browser.

## To flush the JavaScript/CSS cache:

- From the Cache Storage Management page, under Additional Cache Management, click the **Flush JavaScript/CSS Cache** button.

The message, “The JavaScript/CSS cache has been cleaned” appears at the top of the workspace.

- Make sure to also clear the cache of your browser.

### Button Descriptions

BUTTONS	DESCRIPTION
Flush Magento Cache	Removes all items in the default Magento cache (var/cache), according to their associated Magento tags.
Flush Cache Storage	Removes all items from the cache, regardless of Magento tag. If your system uses an alternate cache location, any cached files used by other applications are removed in the process.
Flush Catalog Images Cache	Removes all automatically resized and watermarked catalog images that are stored at: media/catalog/product/cache.  If recently uploaded images aren't reflected in the catalog, try flushing the catalog and refreshing your browser.
Flush JavaScript/CSS Cache	Removes the merged copy of JavaScript and CSS files from the cache. If recent changes to the style sheet or JavaScript aren't reflected in the store, try flushing the JavaScript/CSS cache and refreshing your browser.

### Cache Types

TYPE	DESCRIPTION
Configuration	System and module configuration files.  Associated tag: CONFIG
	System: config.xml local.xml
	Module: config.xml
Layouts	Page layout building instructions.  Associated tag: LAYOUT_GENERAL_CACHE_TAG
Blocks HTML Output	The HTML that is associated with page blocks.

### Cache Types (cont.)


TYPE	DESCRIPTION
	Associated tag: BLOCK_HTML
Translations	Language translation files. Associated tag: TRANSLATE
Collections Data	Files that contain data that is the result of a query. Associated tag: COLLECTION_DATA
EAV Types and Attributes	Attribute entities, types, and values. Associated tag: EAV
Web Services Configuration	Web Services definition files (api.xml) Associated tag: CONFIG_API
Web Services Configuration	Web Services definition files (api2.xml) Associated tag: CONFIG_API2

## External Full-Page Cache

Full-page caching can improve response time and reduce the load on the server. Magento Community Edition supports the external Send Full Page Cache. To learn more, see [Content Caching \(Dynamic\)](#) on the Zend website.

### To enable external caching:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Advanced, select **System**.
3. Click to expand the **External Full Page Cache Settings** section. Then, do the following:
  - a. Set **Enable External Cache** to “Yes.”
  - b. Set **External Cache Control** to “Zend Full Page Cache.”



*External Full-Page Cache Settings*

4. When complete, click the **Save Config** button.



## CHAPTER 63:

# Alternate Media Storage

Magento Community Edition gives you the option to store media files in a database on a database server, or on a Content Delivery Network (CDN), as opposed to storing them on the file system of the web server. The advantage of using alternate storage is that it minimizes the effort required to synchronize media when multiple instances of the system that are deployed on different servers that need access to the same images, CSS files, and other media files.

Using CDN as alternate media storage is implemented as a self-support option only, and not as a full integration with a specific CDN. You must choose and configure the CDN on your own.

Topics in this chapter:

- [Using a Database for Media Storage](#)
- [Using a Content Delivery Network](#)

# Media Storage Database Setup

By default, all images, compiled CSS files, and compiled JavaScript files of the Magento instance are stored in the file system on the web server. You can choose to store these files in a database on a database server. One advantage of this approach is the option of automatic synchronization and reverse synchronization between the web server file system and the database. You can use the default database to store media or create a new one. To be able to use a newly created database as media storage, you must add information about it and its access credentials to the local.xml file.

## Database Workflow

When the customer opens the store page, its browser requests the HTML code and the media specified in the HTML code from the Magento system. The system searches the requested media in the file system and passes it to the browser, if it is found. If the system does not find the media in the file system, it requests the media from the database specified in the settings, places the media to the file system, and sends it to the customer's web browser.

To get the files from the database to the file system on the web server a PHP script is used. When the browser requests media from the web server, there are two alternatives for when a PHP script is run:

- If web server rewrites are enabled in the Magento system and supported by the server, the PHP script is run only when the requested media is not found in the web server file system.
- If web server rewrites are disabled in the Magento system or not supported by the server, the PHP script is run in any case, even when the required media exists in the file system of the web server.

## To use a database for media storage:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Advanced, select **System**.
3. This configuration takes place at the global level, so set **Current Configuration Scope** to “Default Config.”
4. Click to expand the **Storage Configuration for Media** section. Then, do the following:

The screenshot shows the 'Storage Configuration for Media' page. It has three main input fields: 'Media Storage' (set to 'Database'), 'Select Media Database' (set to 'default\_setup'), and 'Environment Update Time' (set to 3600). Below these fields is an orange 'Synchronize' button. A note below the button states: 'After selecting a new media storage location, press the Synchronize button to transfer all media to that location. Media will not be available in the new location until the synchronization process is complete.' The entire configuration is set to the '[GLOBAL]' scope.

*Storage Configuration for Media*

- a. Set **Media Storage** to “Database.”
  - b. Set **Select Media Database** to the database you want to use.
  - c. Click the **Synchronize** button to transfer the existing media to the newly selected database.
  - d. Enter the **Environment Update Time** in seconds.
5. When complete, click the **Save Config** button.

# Media Storage CDN Setup

Storing media files in a CDN is another alternative supported in Magento. There is no full integration with a specific CDN, and you are responsible for choosing and configuring a CDN on your own. After configuring the CDN, you must complete the configuration from the Admin. The changes can be made at either the global or website level.

## CDN Workflow


When a CDN is selected as media storage, all paths to media on the web store pages are changed to paths to the CDN. Retrieving media that is stored in a CDN works as follows:

- When a customer opens a page in the store, the browser addresses the CDN with the request to acquire some media files, such as images.
- If the CDN does not yet have these images in its storage, it requests them from the server, and provides images to the customer's browser.
- If the CDN already has the required images in storage, it simply serves the requested images to the customer's browser.

**Important!** When a CDN is used as media storage, JavaScript may not function properly if the CDN is not in your subdomain. This is a browser security feature.

### To configure a content delivery network:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under General, select **Web**.
3. Set the **Current Configuration Scope** as needed.
4. Click to expand the **Unsecure** section. Then, do the following:



*Unsecure*

- a. Change the value of the **Base Media URL**.
- b. Change the value of the **Base JavaScript URL**.
5. Click to expand the **Secure** section.

The screenshot shows the 'Secure' configuration page in the Magento Admin. It includes fields for:

- Base URL: https://www.YourStore.com/ [STORE VIEW]
- Base Link URL: {{secure\_base\_url}} [STORE VIEW]
- Base Skin URL: {{secure\_base\_url}}/skin [STORE VIEW]
- Base Media URL: {{secure\_base\_url}}/media [STORE VIEW]
- Base JavaScript URL: {{secure\_base\_url}}/js [STORE VIEW]  
Warning: When using CDN, in some cases JavaScript may not run properly if CDN is not in your subdomain.
- Use Secure URLs in Frontend: No [STORE VIEW]
- Use Secure URLs in Admin: No [GLOBAL]
- Offloader header: SSL\_OFFLOADED [GLOBAL]

### Secure

- a. Change the value of the **Base Media URL**.
- b. Change the value of the **Base JavaScript URL**.
6. When complete, click the **Save Config** button.

## Notes



## CHAPTER 64:

# Magento Connect

**Magento Connect** is the marketplace for Magento extensions. There are hundreds of extensions available from all over the world. Magento out-of-the-box supports a few of the most popular ones. However, community members are developing and publishing new extensions in order to extend Magento with various new features.

Topics in this chapter:

- [Updating Magento Community Edition](#)
- [Installing Extensions](#)

A screenshot of the Magento Connect website. At the top, there's a navigation bar with links for CUSTOMER EXPERIENCE, SITE MANAGEMENT, INTEGRATIONS, MARKETING, UTILITIES, THEMES, and a MY ACCOUNT link. Below the navigation, a search bar and a dropdown for 'All Platforms' are visible. The main content area is titled 'Most Recent' and shows five recent extensions: 'Price Remover, Hide Price everywhere' (free), 'SteveDealer Locator' (free), 'Expressh Shipping' (free), 'Revocation / Cancellation extension for 13 June' (€49.95), and 'Stripe Payment Gateway' (\$39.99). Below this, there are three sections: 'Customer Experience' (listing 'PayPal Bill Me Later Promot...', 'WebShopApps USPS Shipping...', and 'ebizmarts - Point of Sale for ...'), 'Site Management' (listing 'Administration', 'Automation', 'B2B', and 'Billing &amp; Invoicing'), and 'Integrations' (listing 'Accounts &amp; Back Office', 'CRM', 'Email-Integration', and 'Integration Tools'). Each section has a 'Show all' button at the bottom.

*Magento Connect*

# Upgrading Magento

Magento Community Edition is constantly evolving. New features are added and problems resolved on an ongoing basis. From time to time you will be notified that a new Magento CE version is available. This notice will be published in the Magento blog, and in your Admin InBox.

Consider the following before upgrading your store:

- If the update is critical, contains mandatory updates, or resolves issues that you have encountered, you should update your store.
- If your store has a custom theme, you will benefit from the bug fixes in the update, but new functionality might not be implemented in your theme.
- Upgrading between major versions, such as between version 1.1 and 1.2, might require minor configuration changes. See the update release notes for more information.
- We strongly recommend that you test all updates in a staging environment before upgrading a live store.

## To update your store to a new version:

1. On the Admin menu, select **System > Magento Connect > Magento Connect Manager**.
2. Enter your Admin username and password, and click the **Log In** button.
3. Click the **Check for Upgrades** button. Any upgrades available for Magento CE modules are marked in yellow.
4. In the Actions column, select the upgrades to be installed. Then, click the **Commit Changes** button.
5. When the installation is complete, click the **Return to Admin** link in the header.

Congratulations! You have upgraded Magento Community Edition. Now check your site to make sure everything works as expected.

# Installing Extensions

Many extensions and [themes](#) are available on Magento Connect, and the installation process varies for each. Some extensions require additional configuration after the installation. For complete installation and configuration instructions, see the documentation provided by the extension developer. The following instructions outline the general process. Before installing any extension, always [back up your store](#).



*Log In to Magento Connect Manager*

## To back up your store:

1. On the Admin menu, select **System > Magento Connect > Magento Connect Manager**.
2. Select the **Create Backup** checkbox and select the backup type.

The backup is created automatically, and listed under **System > Tools > Backups**.

## To install an extension:

1. Go to [Magento Connect](#).
2. Use the filters to browse through the available extensions.
3. On the page of the extension you want to install, do the following:
  - a. If the extension is available for sale, click the **Get Extension** button. Then, follow the prompts to purchase the extension.
  - b. Click the **Get Extension Key** key button.
  - c. Click the link to read the license agreement, and if you agree to the terms, select the checkbox.

An extension key similar to this appears: magento-core/Mage\_xxxx. The key is a special link that Magento needs to install the extension to your store.

- d. Click **Select** to select the key, and press **Ctrl + C** to copy it to the clipboard.
4. Log in to your store Admin, and do the following:
  - a. On the Admin menu, select **System > Magento Connect > Magento Connect Manager**.
  - b. When prompted, enter your Admin **User Name** and **Password**. Then, click the **Log In** button.
  - c. In the Install New Extensions section, paste the **Extension Key**.
  - d. Click the **Install** button and wait for the installation to complete.
5. You can now return to your store Admin and use the extension.

Look for new options in the related section of the Admin. For example, payment extensions appear in System > Configuration > Sales > Payment Methods.



## CHAPTER 65:

# Web Services

Web services share information across networks using standards-based technologies. Information from your store can be shared with other Web-based services to help create a more integrated set of tools for your business.

Web services retrieve information from your store using an application programming interface, the Magento Core API. The Magento Core API includes all the parameters for data requests that other web services need to access information from your store.

Topics in this chapter:

- [Magento Core API Settings](#)
- [Activating Web Services](#)
- [Rest Roles](#)

# Magento Core API Settings

The Magento Core API supports both SOAP and XML RPC protocols. The API is permission-based, and allows access to the Customer, Catalog, and Order modules of your store.

The WSDL (Web Services Description Language) definition that you create for your Magento Community Edition API solution is **WS-I** compliant by default. This makes it possible to use tools that require a WS-I complaint WSDL definition for API integration. No additional settings are required. By default, the API default character set is UTF-8, and the timeout for client sessions is 3600 seconds. You can change the default settings through the system configuration of the store. Use the following endpoint URL for all WSI-I APIs, and replace {site\_url} with the store domain:

## WS-I Endpoint URL

```
http://{site_url}/api/wsi_soap/?wsdl
```

## To change the general settings:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Services, select **Magento Core API**.
2. Click to expand the **General Settings** section. Then, do the following:

General Settings	
Default Response Charset	UTF-8
Client Session Timeout (sec.)	3600
WS-I Compliance	Yes
Enable WSDL Cache	Yes

*General Settings*

- a. Enter the name of the **Default Response Charset** that you want to use.
- b. Enter the length of the **Client Session Timeout** in seconds.
- c. To enable **WS-I Compliance**, select “Yes.”
- d. To enable the **WSDL Cache**, select “Yes.”
3. When complete, click the **Save Config** button.

# Activating Web Services

Web Services give you the ability to grant permission to third-party applications to access your store data for the purpose of integration. Magento Community Edition supports both SOAP and REST services.

## Process Overview:

- Step 1: Create a Web Service Role
- Step 2: Create a Web Service User
- Step 3: Add Custom Scripts to Your Store

## Step 1: Create a Web Service Role

1. On the Admin menu, select **System > Web Services > SOAP/XML-RPC Roles**.
2. Click the **Add New Role** button.
3. In the Role Information section, enter a **Role Name** such as “API.”
4. In the panel on the left, select **Role Resources**. Then do one of the following:
  - To enable full access, set **Resource Access** to “All.”
  - To provide limited access to data, set **Resource Access** to “Custom.” Then, select the checkbox of each resource that is available to this role.
  - By default, when a area is selected, full access is granted. However, you can specify the actions that a person is allowed to take. Specific types of access are listed under many of the resource links, so it is easy to determine exactly what a user is allowed to do with the resource.
5. When complete, click the **Save Role** button.

## Step 2: Create a Web Service User

1. On the Admin menu, select **System > Web Services > SOAP/XML-RPC-Users**.
2. Click the **Add New User** button.
3. Complete the following fields:
  - User Name
  - First Name
  - Last Name
  - Email

4. In the **API Key** field, type in a verification key, or password. This is the access credentials that third-party web services will use to access your Magento store.

Account Information	
User Name *	Jane
First Name *	Jane
Last Name *	Smith
Email *	jsmith@example.com
API Key *	*****
API Key Confirmation *	*****
This account is	Active ▾

*Web Service User*

5. To confirm, re-enter the key in the **API Key Confirmation** field.
6. In the panel on the left, select **User Role**. Then, select a role for the user.
7. When complete, click the **Save User** button.

### Step 3: Add Custom Scripts to Your Store

Some third-party web services rely on snippets of JavaScript code to gather data. Some web services require you to insert code in the **HTML <head>** section, while others require the code to be in the HTML footer, below the closing **</body>** tag.

## REST Roles

The REST API defines a set of functions that developers can use to perform requests and receive responses. To learn more about REST permissions, see: [Web Services](#).



## CHAPTER 66:

# System Tools


The system tools give developers, system administrators, and support engineers easy access to routine system processes and reports.

Topics in this chapter:

- [Backups](#)
- [Installing Magento Patches](#)
- [Compilation](#)
- [System Log](#)
- [Cron](#)
- [Magento Test Framework](#)
- [Database Repair Tool](#)

# Server Backups & Rollback

Magento Community Edition gives you the ability to back up different parts of the system—such as the database, file system, or both—and to rollback automatically. Files are compressed using the .gz and .tgz formats.



*Backups*

## Best Practices

### Restrict Access to Backup Tools


Access to the backup and rollback tools can be restricted by configuring [user permissions](#) for backup and rollback resources. To restrict access, leave the corresponding checkbox unselected. If you need to grant access to the rollback resources, you must grant access to backup resources as well.

### Backup Before Installing Extensions and Updates

Always perform a backup before installing an extension or updating Magento. [Magento Connect Manager](#) (MCM) includes a backup option that you can use before installing an extension or upgrading to a new release.

## Creating a Backup

Database backup files are compressed using the .gz format. The .tgz format is used for system, database, and media backups. Backup files are stored in the var/backups directory in your Magento file system. The files that are stored in the /var/cache, /var/log, /var/session and /var/report folders are excluded from the backup.



*Create a Backup*

### To create a single backup:

1. On the Admin menu, select **System > Tools > Backups**.
2. Click one of the following buttons, depending on the type of backup you need to create:

System Backup	Creates a complete backup of the database and the file system. In the next step you can choose whether to include the media folder to the backup.
Database and Media Backup	Creates a backup of the database and the media folder.
Database Backup	Creates a backup of the database.

3. When prompted that the backup will take time, click **OK** to continue.
4. To put the store into maintenance mode during the backup, select the checkbox. After the backup is created, maintenance mode is turned off automatically.
5. If you are creating a system backup, select the **Include Media folder to System Backup** checkbox if you want to include the media folder. When prompted, confirm the action.

All backups are listed on the Backups page. Deleting a record from the list deletes the archive file as well.

### To configure regularly scheduled backups:

1. On the Admin menu, select **System > Configuration**.
2. In the panel on the left, under Advanced, select **System**.

3. Click to expand the **Scheduled Backup Settings** section. Then, do the following:
  - a. Set **Backup Type** to one of the following:
    - Database
    - Database and Media
    - System
    - System (excluding Media)
  - b. Set the **Start Time** of the backup to the hour, minute, and second.
  - c. Set the **Frequency** of the backup to one of the following:
    - Daily
    - Weekly
    - Monthly

Scheduled Backup Settings	
Enable Scheduled Backup	Yes [GLOBAL]
Backup Type	Database [GLOBAL]
Start Time	00 : 00 : 00 [GLOBAL]
Frequency	Daily [GLOBAL]
Maintenance Mode	No [GLOBAL]

▲ Put store on the maintenance mode while backup's creation

*Scheduled Backup Settings*

4. To take the store offline during the backup process, set **Maintenance Mode** to “Yes.”

## To backup from Magento Connect Manager

1. On the Admin menu, select **System > Magento Connect > Magento Connect Manager**.
2. Select the **Create Backup** checkbox and select the backup type.
3. Proceed with an extension installation or Magento update. The backup is created automatically and available at **System > Tools > Backups**.

## Rolling Back Changes

**Important!** Use Rollback with caution. Customers who are in the process of checking out when you start the rollback may not be able to complete the process.

### To roll back the whole system or the database:

1. On the Admin menu, select **System > Tools > Backups**.
2. On the Backups page, find the backup you want. Then in the Action column, click the **Rollback** link.

All changes made since the backup was created will be lost after the rollback.

3. Confirm the rollback. When prompted, enter your Admin **Password**. Then, choose whether you want to put your store into the maintenance mode during the roll back. When restoring file system or database and media files you can choose to use the FTP connection.

After the rollback, you are redirected to the Admin login page.

4. Refresh all cache types and rebuild required indexes.

**SOLUTION SERIES:**  
**Installing Magento Patches**

Magento recently launched several patches to correct vulnerabilities in the system. It is recommended that you upgrade your store to the latest version of Magento, and install any security-related patches as soon as they become available.

Make sure to stop by our [Magento Security Center](#), and sign up for the [Security Alert Registry](#) to receive direct notification from our security team of any emerging issues and solutions.

Because of the variation in hosting environments and access to the server, there is no “one size fits all” way to install a patch. This article describes three methods to install a patch, and also how to revert a patch.

- [Use SSH](#)
- [Run a Script](#)
- [Upload Pre-Patched Files](#)
- [Revert an Installed Patch](#)

If your hosting provider doesn’t provide SSH access to the server, try one of the other methods. Although the focus of this article is on security patches, the same methods can be used to install any Magento patch.

### Step 1: Back Up Your Magento Installation

Always back up your Magento installation before installing a patch. To learn more, see: [Creating a Backup](#)

### Step 2: Download the Patch

To download the recommended patches for your version of Magento Community Edition, visit the Magento [download page](#).

### Step 3: Disable the Compiler

If your store is compiled, make sure to [disable compilation](#) before installing a patch. After installing a patch, test the store thoroughly. Then, run the compiler again. Your store must be recompiled for the patch to take effect.

## Step 4: Install the Patch

### Method 1: Use SSH

Secure Shell (SSH) is the recommended way to install a patch. If you don't know how to set up SSH, contact your hosting provider. For detailed instructions, see: [Installing Patches with SSH](#).

1. Upload the patch files to the root of your [magento] installation folder.
2. If the store is compiled, make sure the compiler is disabled.
3. In the SSH console, run the following commands according to the patch extension:

#### .sh extension


```
sh patch_file_name.sh
```

#### .patch extension

```
patch --p0<patch_file_name.patch
```

4. Use either of the following methods to verify that the patch was installed:

- Download or view the file: app/etc/applied.patches.list.



```
GNU nano 2.0.9          File: applied.patches.list
2015-04-28 18:35:00 UTC | SUPEE-5344 | EE_1.14.1.0 | vi | a5c9abcb6a387aabdb33ebcb79f6b7a97bbde77 | $
patching file app/code/core/Mage/Admin/Model/Observer.php
patching file app/code/core/Mage/Core/Controller/Request/Http.php
patching file app/code/core/Mage/Core/controllers/Adminhtml/Oauth/AuthorizeController.php
patching file app/code/core/Mage/XMLConnect/Model/Observer.php
patching file lib/Varien/Db/Adapter/Pdo/MySQL.php
```

*applied.patches.list*

- From the command line, run the patch file with the --list argument for a report of all patch installations.



```
-bash-4.1$ sh PATCH_SUPEE-5344_CE_1.6.0.0_v1-2015-05-15-04-34-16.sh --list
Applied/reverted patches list:
2015-04-28 18:35:00 UTC | SUPEE-5344 | EE_1.14.1.0 | vi | a5c9abcb6a387aabdb33ebcb79f6b7a97bbde77 | Thu Feb 5 18:14:49 2015 +0200 | v1.14.1.0..HEAD
-bash-4.1$
```

*--list argument*

## Method 2: Run a Script

The following example shows how to install the `SUPEE_5344.sh` patch. Make sure to replace the patch name in the example with the name of the patch file to be installed.

1. Upload the patch files to the root of your `[magento]` installation folder.
2. If the store is compiled, make sure the compiler is disabled.
3. From your desktop, do the following:
  - a. Use a text editor to create a file named `patch.php` that contains the following script.

```
<?php  
  
    print("<PRE>");  
  
    passthru("/bin/bash PATCH_SUPEE-5344.sh");  
  
    print("</PRE>");  
  
    echo "Done";  
  
?>
```

- b. Upload the `patch.php` file to the root of your `[magento]` installation folder.
4. Run the script from your browser.

```
http://www.[yourstore.com]/patch.php
```

Then, look for the following message:

```
Checking if patch can be applied/reverted successfully...  
Patch was applied/reverted successfully.  
Done
```

5. After the patch is successfully installed, **delete** the `patch.php` file from your server.
- If you receive the following error, either ask your hosting provider to install the missing tools, or try one of the other methods.

"Error! Some required system tools, that are utilized in this sh script, are not installed; Tool(s) "patch" is (are) missed, please install it(them)."
6. Refresh your **cache** from the Magento Admin, Don't forget to refresh your OPCode or APC cache as well.
7. If your store is compiled, rerun the compiler.

### Method 3: Upload Pre-Patched Files

1. Download your Magento installation to your local machine.
2. Apply the patch locally.
3. Upload the updated files to your server.

### Reverting an Installed Patch

Occasionally it is necessary to uninstall a patch. The command to revert a patch is essentially the same as the command that is used to install a patch, but with the addition of the `-R` flag.

1. Before you begin, make sure that you have appropriate permissions to the Magento installation directory on the server. If the directory is owned by a web server user such as `apache` or `root`, change to the appropriate user to ensure that you have the necessary permissions. For example:

```
su - apache
```

Then when prompted, enter the password.

2. Change to your `magento` installation folder.
3. On the command line, enter the following command to revert the patch:

```
sh patch_file_name.sh -R
```

### Acknowledgment

We'd like to thank Shivbhadrā Gohil and the MageComp team for sharing solutions on the Magento Forums, and for contributing practical, real-world solutions for this article. See the [original forum post](#) for additional insight and links.

# Installing Patches with SSH

Whenever a patch is released to fix an issue in the code, a notice is sent directly to your Admin [Inbox](#). If the update is security related, the incoming message is color-coded red, and marked as a “Critical Update.”

Make sure to stop by our [Magento Security Center](#), and sign up for the [Security Alert Registry](#) to receive direct notification from our security team of any emerging issues and solutions.

The following instructions explain how to download and install a patch, starting with a notice that appears in your Admin Inbox. The example takes place on a Windows system, and uses the [WinSCP](#) utility to upload patch files to the server, and [Putty](#) to access the server from the command line. You can download both utilities at no charge. If you are a Mac user, you can access the command line with [Terminal](#).


If this is the first time you have installed a patch, we recommend that you complete the optional steps to create a backup copy of your store and install a patch as a test run. If you have experience installing patches, you can take the fast track and skip the optional steps. For advanced instructions, see the following articles in the Magento developer documentation:

[How to Apply and Revert Magento Patches](#)

[Recommended File System Ownership and Privileges](#)

## Before you begin...

To install a patch, you must have a user name and password to access the server. In addition to your own login credentials, you might also need the apache password. If you don’t have these credentials, contact the person who set up your server.




*Incoming Message of Critical Importance*

**Process Overview:**

- Step 1: Download the Patch
- Step 2: Set the Necessary Permissions
- Step 3: Create a Backup of the Magento Folder (Optional)
- Step 4: Upload the Patch
- Step 5: Install the Patch on the Backup (Optional)
- Step 6: Install the Patch to Your Store
- Step 7: A Little Housekeeping (Optional)
- Step 8: Look for Signs of Unauthorized Access (For security-related issues)
- Step 9: Clear the Magento Cache
- Step 10: Recompile the Store (Only if compiled)
- Step 11: Restart the Server

## Step 1: Download the Patch

1. When you receive the message in your Inbox, click the **Read details** link to open the Magento Community Edition [Download](#) page. (The link in the Inbox is for convenience, and you can access the Download page at any time.)



*Download Tab*

2. Scroll down to the **Download** tab, under the Magento Community Edition Patches section. Then, find the patches that need to be installed. For this example, we'll download the following patches:

SUPEE-5344	Addresses a potential remote code execution exploit (Added Feb 9, 2015)
SUPEE-1533	Addresses two potential remote code execution exploits (Added Oct 3, 2014)

**Magento Community Edition Patches**

Please upload the patch into your Magento root directory and run the appropriate SSH command:

For patch files with the file extension .sh:  
sh patch\_file\_name.sh  
Example: sh PATCH\_SUPEE-1868\_CE\_1.7.0.2\_v1.sh

For patch files with the file extension .patch:  
patch -p0 < patch\_file\_name.patch

Once that is done, refresh the cache in the Admin under "System > Cache Management" so that the changes will be reflected. We highly recommend you test all patches in a test environment before taking them live.

**SUPEE-5344** - Addresses a potential remote code execution exploit. - Added Feb 9, 2015


**SUPEE-4829** - This patch fixes an issue in which product images become larger when a shopper selects a swatch on a search result page. - Added Nov 26, 2014  
Note: This patch is applicable only to Magento Community Edition 1.9.1

**SUPEE-1533** - Addresses two potential remote code execution exploits. - Added Oct 3, 2014  
Note: Please find details on this patch [here](#).

*Magento Community Edition Patches*

3. For each patch to be downloaded, do the following:

- a. In the **Select your format** box, select the version of Magento Community Edition that is installed on your server. If you don't know the version number, you can find it in the footer of the Admin.


*Magento Version in Footer*

- b. Click the **Download** button. Look for the downloaded file in the lower-left corner of your browser.

If prompted, log in to your account. If you don't have an account, click the **Create an Account Now!** button, and follow the instructions. Then, return to the Download page and continue.

*Show Downloads Folder*

- c. Click the **down arrow** next to the download file name to display the menu. Then, select **Show in folder**. The patches are in the Download folder of your desktop computer.



Downloaded Patch Files

## Step 2: Set the Necessary Permissions

For a live store, permissions are locked down to prevent unauthorized access. However, you must change the permissions of the contents of the Magento installation folder before you can install the patch. In the following instructions, Putty is used to access the command line and change the permissions.

1. Click the **Start** button in the lower-left corner of your desktop, and launch **Putty**. When prompted, enter the **Host Name** or **IP Address** of your store, and click the **Open** button.
2. Servers have different directory structures, and the path to your Magento installation folder is most likely different from the one shown in the examples. Depending on your server, the path to your Magento installation folder might be one of the following:

SERVER	PATH
Ubuntu	/var/www/magento
CentOS	/var/www/html/magento

From the command line, use the **Change Directory** command to navigate to your Magento installation folder. In this example, Magento is installed on a CentOS server, and the Magento installation folder is located three levels below the `html` folder.

```
cd /var/www/html/stores/ce/magento
```

3. List the directory to check the permission status of the `magento` folder. To install a patch, you must temporarily change the folder permissions. After the patch is installed, you can restore the appropriate permissions to your live store.

```
ls -l
```

If you get a “Permission denied” message, add `sudo` to the beginning of the List Directory command.

```
sudo ls -l
```

The second column shows the current permission settings for the contents of the `magento` folder. It includes a combination of read only, read/write, and execute permissions, depending on the type of folder or file. Take note of the owner and group in the next two columns. You probably won’t need this information, but it’s good to know. In this example, each folder and file is owned by the `apache` user and belongs to the `root` group.

```
[stack@m2-docs-staging-523722:~]$ sudo ls -l
total 700
283348 -r----- 1 apache root 2834 Nov  5 09:06 api.php
283980 dr-x----- 6 apache root 4096 Nov  5 09:07 app
283565 -r----- 1 apache root 2831 Nov  5 09:06 cron.php
283567 -r----- 1 apache root 717 Nov  5 09:06 cron.sh
905528 dr-x----- 7 apache root 4096 Mar 16 23:20 downloader
283352 dr-x----- 3 apache root 4096 Nov  5 09:06 errors
283568 -r----- 1 apache root 1150 Nov  5 09:06 favicon.ico
283382 -r----- 1 apache root 5979 Nov  5 09:06 get.php
283417 dr-x----- 2 apache root 4096 Nov  5 09:06 includes
283349 -r----- 1 apache root 2642 Nov  5 09:06 index.php
283350 -r----- 1 apache root 2366 Nov  5 09:06 index.php.sample
283351 -r----- 1 apache root 6441 Nov  5 09:06 install.php
283421 dr-x----- 12 apache root 4096 Nov  5 09:06 js
544544 dr-x----- 14 apache root 4096 Nov  5 09:07 lib
287243 -r----- 1 apache root 10421 Nov  5 09:08 LICENSE_AFL.txt
283970 -r----- 1 apache root 10679 Nov  5 09:07 LICENSE.html
283566 -r----- 1 apache root 10410 Nov  5 09:06 LICENSE.txt
283420 -r----- 1 apache root 1319 Nov  5 09:06 mage
283976 drwx----- 16 apache root 4096 Feb 28 19:04 media
283381 -r----- 1 apache root 886 Nov  5 09:06 php.ini.sample
283377 dr-x----- 2 apache root 4096 Nov  5 09:06 pkginfo
287242 -r----- 1 apache root 585086 Nov  5 09:08 RELEASE_NOTES.txt
283971 dr-x----- 2 apache root 4096 Nov  5 09:07 shell
543595 dr-x----- 5 apache root 4096 Nov  5 09:06 skin
283383 drwx----- 11 apache root 4096 Apr 12 18:49 var
[stack@m2-docs-staging-523722:~]$
```

*Recommended Permissions for a Live Store*

4. To install a patch, you must change the permissions to allow the necessary files to be copied and overwritten, and to make it possible for the script to execute. Enter the following commands to change the permissions of the directories and files in the folder. Then, list the directory.

To save time, copy each command from the example, and press the mouse button to paste it into the command line.


### Open Up Permissions

```
find . -type d -exec chmod 700 {} \;
find . -type f -exec chmod 600 {} \;
ls -l
```

If your Magento installation is on a shared virtual server, you might need to begin each command as a `sudo` super administrator:

```
sudo find . -type d -exec chmod 700 {} \;
sudo find . -type f -exec chmod 600 {} \;
sudo ls -l
```

The first column in the directory shows the updated permission settings. After the patch is installed, you will restore the recommended permissions to your store.



```
[stack@m2-docs-staging-523722 magento]$ sudo ls -l
total 700
-rw----- 1 apache root 2834 Nov  5 09:06 api.php
drwx----- 6 apache root 4096 Nov  5 09:07 app
-rw----- 1 apache root 2831 Nov  5 09:06 cron.php
-rw----- 1 apache root 717 Nov  5 09:06 cron.sh
drwx----- 7 apache root 4096 Mar 16 23:20 downloader
drwx----- 3 apache root 4096 Nov  5 09:06 errors
-rw----- 1 apache root 1150 Nov  5 09:06 favicon.ico
-rw----- 1 apache root 5979 Nov  5 09:06 get.php
drwx----- 2 apache root 4096 Nov  5 09:06 includes
-rw----- 1 apache root 2642 Nov  5 09:06 index.php
-rw----- 1 apache root 2366 Nov  5 09:06 index.php.sample
-rw----- 1 apache root 6441 Nov  5 09:06 install.php
drwx----- 12 apache root 4096 Nov  5 09:06 js
drwx----- 14 apache root 4096 Nov  5 09:07 lib
-rw----- 1 apache root 10421 Nov  5 09:08 LICENSE_AFL.txt
-rw----- 1 apache root 10679 Nov  5 09:07 LICENSE.html
-rw----- 1 apache root 10410 Nov  5 09:06 LICENSE.txt
-rw----- 1 apache root 1319 Nov  5 09:06 mage
drwx----- 16 apache root 4096 Feb 28 19:04 media
-rw----- 1 apache root 886 Nov  5 09:06 php.ini.sample
drwx----- 2 apache root 4096 Nov  5 09:06 pkginfo
-rw----- 1 apache root 585086 Nov  5 09:08 RELEASE_NOTES.txt
drwx----- 2 apache root 4096 Nov  5 09:07 shell
drwx----- 5 apache root 4096 Nov  5 09:06 skin
drwx----- 11 apache root 4096 Apr 12 18:49 var
[stack@m2-docs-staging-523722 magento]$
```

*Updated Permissions*

### Step 3: Create a Backup of the Magento Folder (Optional)

1. Use the Change Directory command, followed by two dot to move one level up in the directory tree. Then, list the directory so you can see the `magento` folder.

```
cd ..  
ls -l
```

2. Enter the following command to create a new folder, called `backup`.

```
mkdir backup  
ls -l
```

- a. If you get a “Permission denied” message, add `sudo` to the beginning of the Make Directory command. Then, list the directory to see the folder that you created.

```
sudo mkdir backup  
sudo ls -l
```

- b. The `backup` folder must have the same owner and group as the `magento` folder. If not, enter the following command to change the ownership of the `backup` folder and its contents.

In this command, the `backup` folder is assigned to the `apache` user and `root` group, and followed by a single dot. (Don’t forget to use `sudo` if you need super administrator access.)

```
chown -hR apache:root backup .  
ls -l
```

- c. Enter the “who am I” command to see if you are logged in as the correct owner.

```
whoami
```


- d. If you are not logged in as the web server or `apache` user, enter the following command. When prompted, enter the password for the web server or `apache` user account.

```
su - apache
```

Notice that the prompt has changed. You are now in the `bash` folder of the `apache` user. While you're logged in as the `apache` user, you won't need to use `sudo` for super administrator access.

3. Use the Change Directory command to return to the location of your `magento` and `backup` folders. List the directory to see where you are. Then, check to see who you are.

```
cd /var/www/html/stores/ce  
ls -l  
whoami
```



```
stack@m2-docs-staging-523722:/var/www/html/stores/ce  
total 12  
drwxrwxr-x  2 apache root 4096 Apr 28 17:48 backup  
drwx----- 13 apache root 4096 Nov  5 09:15 magento  
drwxrwxrwx  4 apache root 4096 May 12 2014 magento-sample-data-1.9.0.0  
-bash-4.1$ whoami  
apache  
-bash-4.1$
```

*Backup Folder with Correct Owner and Group*

4. Copy the contents of the `magento` folder to the `backup` folder.

```
cp -r magento/* backup
```

5. Wait for the process to complete and for the system prompt to return. Then, take a look at the contents of the `backup` folder to make sure the files were copied.

```
cd backup  
ls -l  
cd ..
```


6. Because you'll be working with the `backup` folder for awhile, it's a good idea to restore the original permissions to your `magento` folder before continuing.

Enter the following commands to restore the recommended permissions to the `magento` folder. Then, list the directory to verify that the permissions are restored.

To save time, copy each command from the example, and press the mouse button to paste it into the command line.

### Lock Down Permissions

```
ls -l  
  
cd magento  
  
find . -type d -exec chmod 500 {} \;  
  
find . -type f -exec chmod 400 {} \;  
  
find var/ -type f -exec chmod 600 {} \;  
  
find media/ -type f -exec chmod 600 {} \;  
  
find var/ -type d -exec chmod 700 {} \;  
  
find media/ -type d -exec chmod 700 {} \;  
  
ls -l
```



The screenshot shows a terminal window titled 'stack@m2-docs-staging-523722:var/www/html/stores/ce/magento'. The command 'sudo ls -li' is run, displaying a detailed listing of files and directories with their permissions, ownership, and timestamps. The permissions are now locked down as specified in the script.

```
[stack@m2-docs-staging-523722 magento]$ sudo ls -li
total 700
283348 -r----- 1 apache root 2834 Nov 5 09:06 api.php
283980 dr-x----- 6 apache root 4096 Nov 5 09:07 app
283565 -r----- 1 apache root 2831 Nov 5 09:06 cron.php
283567 -r----- 1 apache root 717 Nov 5 09:06 cron.sh
905528 dr-x----- 7 apache root 4096 Mar 16 23:20 downloader
283352 dr-x----- 3 apache root 4096 Nov 5 09:06 errors
283568 -r----- 1 apache root 1150 Nov 5 09:06 favicon.ico
283382 -r----- 1 apache root 5979 Nov 5 09:06 get.php
283417 dr-x----- 2 apache root 4096 Nov 5 09:06 includes
283349 -r----- 1 apache root 2642 Nov 5 09:06 index.php
283350 -r----- 1 apache root 2366 Nov 5 09:06 index.php.sample
283351 -r----- 1 apache root 6441 Nov 5 09:06 install.php
283421 dr-x----- 12 apache root 4096 Nov 5 09:06 js
544544 dr-x----- 14 apache root 4096 Nov 5 09:07 lib
287243 -r----- 1 apache root 10421 Nov 5 09:08 LICENSE_AFL.txt
283970 -r----- 1 apache root 10679 Nov 5 09:07 LICENSE.html
283566 -r----- 1 apache root 10410 Nov 5 09:06 LICENSE.txt
283420 -r----- 1 apache root 1319 Nov 5 09:06 mage
283976 drwx----- 16 apache root 4096 Feb 28 19:04 media
283381 -r----- 1 apache root 886 Nov 5 09:06 php.ini.sample
283377 dr-x----- 2 apache root 4096 Nov 5 09:06 pkginfo
287242 -r----- 1 apache root 585086 Nov 5 09:08 RELEASE_NOTES.txt
283971 dr-x----- 2 apache root 4096 Nov 5 09:07 shell
543595 dr-x----- 5 apache root 4096 Nov 5 09:06 skin
283383 drwx----- 11 apache root 4096 Apr 12 18:49 var
[stack@m2-docs-staging-523722 magento]$
```


*Locked Down Permissions*

## Step 4: Upload the Patch

- To avoid permission problems when you upload the patch from your desktop, create a folder for the patch without any restrictive permissions. From Putty, navigate back to the level of the `magento` and `backup` folders. Then, make a new folder called `patch`, and change the permissions of the folder to 777.

```
cd ..
ls -l
mkdir patch
chmod 777 patch
ls -l
```


You now have three folders with different permissions. The `patch` folder is wide open with read, write and execute permissions. For this limited purpose, it's OK.



```
stack@m2-docs-staging-523722:/var/www/html/stores/ce
-bash-4.1$ ls -l
total 12
drwxrwxr-x 13 apache root 4096 Apr 28 18:05 backup
dr-x----- 13 apache root 4096 Nov 5 09:15 magento
drwxrwxrwx  2 apache apache 4096 Apr 28 18:10 patch
-bash-4.1$
```

*Folders with Different Permissions*

- Return to your desktop, and launch WinSCP, or a similar tool. Then, log in to the server.
- In the right pane, navigate on the server to the location of the `patch` folder.
- In the left pane, go to your **Downloads** folder, and find the patch files that you downloaded. Drag the files over to the right pane, and drop them on the `patch` folder.




*Upload the Patch Files*

## Step 5: Install the Patch to the Backup (Optional)

1. Return to Putty in the directory where the patch, backup, and magento folders are located. Change directories to the patch folder, and list a directory to verify that the patch files are there. Then, copy each patch file up one level. (Just remember—two dots up, one dot down.)

```
cd patch  
  
ls -l  
  
cp PATCH_SUPEE-1533_EE_1.13.x_v1-2015-02-10-08-18-32.sh ..  
  
cp PATCH_SUPEE-5344_CE_1.8.0.0_v1-2015-02-10-08-10-38.sh ..  
  
cd ..  
  
ls -l
```

Now the patch files are at the same level as the backup and magento folders, where they can be easily accessed.



```
stack@m2-docs-staging-523722:/var/www/html/stores/ce  
-bash-4.1$ ls -l  
total 32  
drwxrwxr-x 13 apache root 4096 Apr 28 18:05 backup  
dr-x----- 13 apache root 4096 Nov 5 09:15 magento  
drwxrwxrwx  2 apache apache 4096 Apr 28 18:25 patch  
-rw-r--r--  1 apache apache 6350 Apr 28 18:26 PATCH_SUPEE-1533_EE_1.13.x_v1-2015-02-10-08-18-32.sh  
-rw-r--r--  1 apache apache 10551 Apr 28 18:26 PATCH_SUPEE-5344_CE_1.8.0.0_v1-2015-02-10-08-10-38.sh  
-bash-4.1$
```

*Patch Files Uploaded and Ready to Go*

2. Because the temporary patch folder has served its purpose, enter the following command to remove it from the server:

```
rm -rf patch  
  
ls -l
```

3. Copy each patch file to the backup folder. Then, change directories to the backup folder, and list the directory. You should see the patch files in the directory.

```
cp PATCH_SUPEE-1533_EE_1.13.x_v1-2015-02-10-08-18-32.sh backup  
  
cp PATCH_SUPEE-5344_CE_1.8.0.0_v1-2015-02-10-08-10-38.sh backup  
  
cd backup  
  
ls -l
```

4. To install the patch, use the appropriate syntax for the type of patch, and substitute the file name of the patch to be installed. There are two command formats, depending on the patch file name extension. To avoid typos, copy the patch file name from Putty, and paste it into Notepad. Then, add the required command syntax, paste it into the command line, and press Enter.

EXTENSION	COMMAND SYNTAX
.sh	sh [patch_filename.sh]
.patch	patch -p0 < [patch_filename.patch]

```
sh PATCH_SUPEE-1533_EE_1.13.x_v1-2015-02-10-08-18-32.sh
sh PATCH_SUPEE-5344_CE_1.8.0.0_v1-2015-02-10-08-10-38.sh
```

The following message appears if the installation succeeds:

Patch was applied/reverted successfully.

If the patch is already installed on your computer, an error message appears. You don't need to install it again.

So that's really all there is to it. It might seem rather anticlimactic after so much preparation, but it's important to understand the process before you apply the patch to your store.

5. The next step is to change directories to the `magento` folder, and reset the permissions so the patch can be copied and installed to your live store. Then, you will copy the patch file to the `magento` folder.

```
cd ..
ls -l
cd magento

find . -type d -exec chmod 700 {} \;
find . -type f -exec chmod 600 {} \;

cd ..
cp PATCH_SUPEE-1533_EE_1.13.x_v1-2015-02-10-08-18-32.sh magento
cp PATCH_SUPEE-5344_CE_1.8.0.0_v1-2015-02-10-08-10-38.sh magento
cd magento
ls -l
```

## Step 6: Install the Patch to Your Store

- From your `magento` folder, enter the appropriate command to install the patch, and press Enter.

EXTENSION	COMMAND SYNTAX
.sh	<code>sh [patch_filename.sh]</code>
.patch	<code>patch -p0 &lt; [patch_filename.patch]</code>

To avoid typos, copy the name of the patch file from your Downloads folder and paste it into Notepad. Complete the required command syntax, and copy it to the clipboard. Then, press the mouse button to paste it into the command line.

```
sh PATCH_SUPEE-1533_EE_1.13.x_v1-2015-02-10-08-18-32.sh  
sh PATCH_SUPEE-5344_CE_1.8.0.0_v1-2015-02-10-08-10-38.sh
```

- When the process is complete, remove the patch files from the `magento` folder.

```
rm PATCH_SUPEE-1533_EE_1.13.x_v1-2015-02-10-08-18-32.sh  
rm PATCH_SUPEE-5344_CE_1.8.0.0_v1-2015-02-10-08-10-38.sh
```

- Enter the following commands to lock down permissions to the `magento` folder.

### Lock Down Permissions

```
find . -type d -exec chmod 500 {} \;  
find . -type f -exec chmod 400 {} \;  
find var/ -type f -exec chmod 600 {} \;  
find media/ -type f -exec chmod 600 {} \;  
find var/ -type d -exec chmod 700 {} \;  
find media/ -type d -exec chmod 700 {} \;  
ls -l
```

## Step 7: A Little Housekeeping (Optional)

To remove the `backup` folder and patch files from your server, enter the following commands:

```
cd ..  
ls -l  
rm -rf backup  
rm PATCH_SUPEE-1533_EE_1.13.x_v1-2015-02-10-08-18-32.sh  
rm PATCH_SUPEE-5344_CE_1.8.0.0_v1-2015-02-10-08-10-38.sh  
ls -l
```

## Step 8: Look for Signs of Unauthorized Access (For security-related issues)

1. Log in to the Admin of your store.
2. On the Admin menu, select **System > Users**. Then, do the following:
  - a. Verify that there are no unauthorized user accounts in the list.
  - b. If you find an unknown user account in the list, click to open the account. Then, click the **Delete User** button.

To learn more about detecting signs of unauthorized access, see: [Critical Security Advisory](#). If you suspect that your site is compromised, contact the security department of your hosting company and request an audit.

## Step 9: Clear the Magento Cache

1. On the Admin menu, select **System > Cache Management**.
2. Click the **Flush Cache Storage** button.

## Step 10: Recompile the Store (Only if compiled)

If your store is compiled, you must recompile to incorporate the patch. If your store isn't compiled, you can skip this step.

1. On the Admin menu, select **System > Tools > Compilation**.
2. Click the **Run Compilation Process** button.

## Step 11: Gracefully Restart the Server

The final step is to restart the server to flush any remaining caches, such as the APC and/or Zend OpCache. The following steps show how to gracefully restart the server without disrupting pages from being served, or causing loss of data.

1. If your server has a control panel such as [cPanel](#), look for the option to gracefully reboot the server. On cPanel, select **Home > System Reboot > Graceful Server Reboot**.
2. To gracefully restart from the command line, do the following:
  - a. The syntax to restart the server from the command line varies by operating system. To find the version that is running on your server, enter the following:

```
cat /etc/issue
```

- a. Use the appropriate command to gracefully restart the server. If necessary, begin the command with `sudo`.

### CentOS / Fedora / Redhat

```
apachectl -k graceful
```

### Debian / Ubuntu

```
apache2ctl graceful
```

3. To end the session, close both the **Putty** and **WinSCP** windows.

If you have more than one server, make sure to install the patch on all Magento servers.

# Compilation


The compiler is disabled by default. The first time you run the compiler, the status changes to “Enabled.” A summary of the compilation state appears at the top, and includes the status of the compiler and state of the compilation, the number of files compiled, and the number of compiled scopes.

## To run the compiler:

1. On the Admin menu, select **System > Tools > Compilation**.
  2. Click the **Run Compilation Process** button.

## To disable the compiler:

Click the **Disable** button.




*Compilation Complete*

# System Log

The System Log activate system logs, and determine the name of the system and exception log files.

## To configure system logs:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Advanced, select **Developer**.
2. Click to expand the **Log Settings** section. Then, do the following:



*Log Settings*

- a. Set **Enabled** to "Yes."
- b. In the **System Log File Name** field, enter the name you want to use for the system log file, in lowercase characters. The default file name is: system.log
- c. In the **Exceptions Log File Name** field, enter the name you want to use for the exceptions log file, in lowercase characters. The default file name is: exception.log
3. When complete, click the **Save Config** button.

## System Log Cleaning

System logs can be scheduled to be cleaned automatically as a **Cron** job. The configuration determines the number of days that system logs are kept on the server, how frequently the logs are cleaned, and who is notified if an error occurs.

## To schedule system log cleaning:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Advanced, select **System**.
2. Click to expand the **Log Cleaning** section. Then, do the following:

The screenshot shows a configuration window titled "Log Cleaning". It contains several input fields and dropdown menus:

- "Save Log, Days": A text input field containing "180" with "[GLOBAL]" to its right.
- "Enable Log Cleaning": A dropdown menu set to "No" with "[GLOBAL]" to its right.
- "Start Time": A dropdown menu showing "00 : 00 : 00" with "[GLOBAL]" to its right.
- "Frequency": A dropdown menu set to "Daily" with "[GLOBAL]" to its right.
- "Error Email Recipient": An empty text input field with "[GLOBAL]" to its right.
- "Error Email Sender": A dropdown menu set to "General Contact" with "[GLOBAL]" to its right.
- "Error Email Template": A dropdown menu set to "Log cleanup Warnings (Default Template from Li..." with "[GLOBAL]" to its right.

### *Log Cleaning*

3. Set **Save Log Days** to the number of days that system log files are kept on the server.
4. To automatically clean the system log on schedule, set **Enable Log Cleaning** to "Yes." Then, do the following:
  - a. Set **Start Time** to the hour, minute, and second that the system log is to be cleaned.
  - b. To determine how often the system log is cleaned, set **Frequency** to one of the following:
    - Daily
    - Weekly
    - Monthly
  - c. In the **Error Email Recipient** field, enter the email address of the person to receive notification if an error occurs during log cleaning. Separate multiple addresses with a comma.
  - d. In the **Error Email Sender** field, select the **store contact** that appears as the sender of the error notification.
  - e. Select the **Error Email Template** to be used for the notification
5. When complete, click the **Save Config** button.

## Cron (Scheduled Tasks)

Magento performs some operations on schedule by periodically running a script. You can control the execution and scheduling of Magento cron jobs from the Admin of your store. Store operations that run according to a cron schedule include:

- Email (Transactional and any other email sent from the store.)
- Catalog Price Rules
- Newsletters
- Google Sitemap Generation
- Customer Alerts and Notifications
- Currency Rate Updates
- Log Cleanup

Make sure that the secure and unsecure [base URLs](#) for the store are set correctly, so the generated URLs are correct. To learn more, see: [Setting Up Cron Jobs](#).

### To configure cron:

1. On the Admin menu, select **System > Configuration**. Then in the panel on the left under Advanced, select **System**.
2. Click to expand the **Cron** section.

Setting	Value	[STORE VIEW]
Generate Schedules Every	15	[STORE VIEW]
Schedule Ahead for	20	[STORE VIEW]
Missed if Not Run Within	15	[STORE VIEW]
History Cleanup Every	10	[STORE VIEW]
Success History Lifetime	60	[STORE VIEW]
Failure History Lifetime	600	[STORE VIEW]

*Cron (Scheduled Tasks)*

3. Enter the number of minutes for each of the following:
  - Generate Schedules Every
  - Schedule Ahead for
  - Missed if not Run Within
  - History Cleanup Every
  - Success History Lifetime
  - Failure History Lifetime
4. When complete, click the **Save Config** button.

## Magento Test Framework

The Magento Test Framework (MTF) is a tool that can run nearly 170 automated functional tests, which are included in Magento and designed to improve the quality of implementations and to make it easier to perform basic acceptance testing when adding extensions, making customizations, or upgrading Magento.

Topics in this section include:

- [Requirements](#)
- [Installation](#)
- [Configuration](#)
- [Running MTF](#)
- [FAQ](#)

## Requirements

### SYSTEM REQUIREMENTS

Operating System	Windows, Mac OS, Ubuntu, or CentOS
PHP	The <code>openssl</code> extension must be enabled for downloading files with HTTPS.
Java, version 1.6 or later	To determine your current version of Java, enter the following at the command line: <pre>java -version</pre> If Java isn't recognized, make sure the <code>java</code> and <code>jar</code> executables are in your system PATH. To learn more, see: <a href="#">Installing Java</a> <a href="#">Using Java</a>
Magento	Magento URLs must not include a secret URL key. To verify the configuration, do the following: <ol style="list-style-type: none"><li>1. Log in to the Magento Admin with administrator privileges.</li><li>2. On the Admin menu, select <b>System &gt; Configuration</b>.</li><li>3. In the panel on the left under Advanced, select <b>Admin</b>. Then, click to expand the <b>Security</b> section.</li><li>4. Set <b>Add Secret Key to URLs</b> to "No."</li><li>5. Click <b>Save Config</b>.</li></ol>
Git	Git must be installed. (Windows Only) Add Git to your system PATH variable, or run Composer from the Git bash shell.
Browser	If using a browser other than Firefox, <a href="#">download drivers</a> that are compatible with Selenium. To learn more, see the <a href="#">Selenium Documentation</a> . The browser must also be declared in the <code>config.xml</code> file. For an example, see: <a href="#">Non-Firefox Browsers</a> .

## Installation

1. Download Composer for [UNIX](#) or [Windows](#). Then, follow the instructions to install Composer.
2. Run Composer from the [Magento install]/dev/tests/functional directory as follows:

```
composer install
```

If you cannot run composer from the command line, do the following:

- a. Copy `composer.phar` to the same directory where `composer.json` is located. The typical location is:

```
[Magento install dir]/dev/tests/functional
```

The `composer.json` file contains dependency information and settings for PHPUnit, Selenium server, libraries, and so on, and is required to start MTF. It checks out MTF from a separate repository.

- b. Run Composer as follows:

```
php composer.phar install
```

A new directory named `vendor` is created with the checked-out MTF. The `vendor` directory contains:

- An MTF framework directory ( `magento/mtf` )
- `bin`
- `composer`
- `netwing`
- `PHPUnit`
- `symfony`
- `autoload.php` (file)

3. To run the generator, do one of the following:

- Use your browser to navigate to the following location:

```
[Magento install dir]/dev/tests/functional/utils/generate.php
```

- Execute the following from the command line:

```
php utils/generate/factory.php
```

The generator tool creates generated directories with factories for pages, blocks, handlers, fixtures and repositories. After MTF is initialized, the factories are pre-generated to facilitate creating and running tests.

## Configuration

### Non-Firefox Browsers

If using a browser other than Firefox, you must first [download drivers](#) that are compatible with Selenium. Then, add the following declaration to the config.xml file. The file is located at:

```
[Magento install]/dev/tests/functional/etc/config.xml
```

```
<server>
  <item name="selenium" type="default" browser="Google Chrome"
    browserName="chrome" host="localhost" port="4444"
    seleniumServerRequestsTimeout="90" sessionStrategy="shared">
    <desiredCapabilities>
      <platform>ANY</platform>
    </desiredCapabilities>
  </item>
</server>
```

To learn more, see the [Selenium Documentation](#).

### Magento URLs

Update the phpunit.xml file with the URLs of your storefront and Magento Admin as follows:

```
<env name="app_frontend_url"
  value="http://localhost/magento2/index.php/" />
<env name="app_backend_url"
  value="http://localhost/magento2/index.php/backend/" />
```

## Configuration Reference

This reference provides information about each MTF configuration section located at:

[Magento install dir]/dev/tests/functional/etc/config.xml

### application

Provides the login credentials for the Magento Admin.

#### Sample

```
<application>

    <reopenBrowser>testCase</reopenBrowser>

    <backendLogin>admin</backendLogin>

    <backendPassword>123123q</backendPassword>

    <backendLoginUrl>admin/auth/login</backendLoginUrl>

</application>
```

ELEMENT	DESCRIPTION
reopenBrowser	Determines if the browser is reopened either before every test, or before every test case. The default behavior is for the browser to open before every test case.
backendLogin	The user name of the Magento Admin administrator.
backendPassword	The password of the Magento Admin administrator.
backendLoginUrl	The URL of the Magento Admin Login page.

### isolation

Specifies the isolation strategies for tests, cases, and suites.

#### Sample

```
<isolation>

    <resetUrlPath>dev/tests/mtf/isolation.php</resetUrlPath>

    <testSuite>before</testSuite>

    <testCase>none</testCase>

    <test>none</test>

</isolation>
```

Your isolation strategy determines when the system returns to its initial state. An isolation strategy can apply to any scope, such as a test, case, or suite. The following four isolation strategies are available:

### Isolation Strategies

STRATEGY	DESCRIPTION
none	(Default) Specifies that the isolation script is not to be run before or after any test, case, or suite
before	Specifies that the isolation script is to be run before a test, case, or suite.
after	Specifies that the isolation script is to be run after a test, case, or suite.
both	Specifies that the isolation script is to be run both before and after a test, case, or suite.

### server

Specifies the Selenium web browser (if not Firefox) and other options. For a list of valid browserName values, see:

- [Selenium source code](#)
- [List of Selenium RC Browser Launchers](#)

#### Sample

```
<server>

    <item name="selenium" type="default" browser="Mozilla Firefox"
        browserName="firefox"

        host="localhost" port="4444" seleniumServerRequestsTimeout="90"
        sessionStrategy="shared">

        <desiredCapabilities>

            <platform>ANY</platform>

        </desiredCapabilities>

    </item>
</server>
```

## Running MTF

1. Make sure your Magento code is up to date.
2. Change to the `dev/tests/functional` directory, and run `composer update` to update any dependencies that might prevent tests from running successfully.

```
composer update
```

3. Start Selenium. Selenium was downloaded by Composer, and can be found in the following directory:

```
dev/tests/functional/vendor/netwing/selenium-server-standalone
```

### Example

```
java -jar vendor/netwing/selenium-server-standalone/selenium-server-standalone-2.39.0.jar
```

4. Start your tests using `PHPUnit`, using your integrated development environment (IDE), or from the command line.

### Example

```
cd dev/tests/functional  
phpunit
```

## Frequently Asked Questions

**Q:** We want to run tests on a custom website. The tests assume that the main website is called “Main Website,” and do not work. Is there a way to provide a custom name without changing the tests?

**A:** This is an error in the tests. Instead of “Main Website,” it should be set to `main_website`, which will select the default website. The [website\\_selection\\_patch](#) will be included in next MTF release.

**Q:** I get errors in `Mage\Adminhtml\Test\TestCase\CreateWebsiteEntityTest`. How can I fix it?

**A:** This is a misconfiguration in the test, which was designed for an internal workflow. The [website patch](#) addresses this issue.

You might also try this as an alternate solution. In the following file:

```
dev\tests\functional\tests\app\Mage\Adminhtml\Test\Constraint\  
AssertProductIsPresentOnCustomWebsite.php
```

Change line 115 to:

```
$this->magentoRoot = realpath(MTF_BP . '/../../../../');
```

**Q: I get errors in Mage\Adminhtml\Test\TestCase\CreateStoreEntityTest. How can I fix it?**

**A:** This test fails due to lack of translations. Install translations into Magento.

**Q: I get errors while testing a custom website.**

**A:** One possible reason is that translations enabled. The tests expect to find English text on the page. Change the default language to English on the website that is being tested.

**Q: Why are some of tests so slow, especially when comparing the default address with the data sets?**

**A:** This is caused by the way the Selenium server processes the SELECT statement. The next version should address this issue.

**Q: Some of the tests are very slow, especially when choosing a category for a newly added product. This process slows down when there are a lot of categories.**

**A:** This is caused by the algorithm that prepares the tree:

\Magento\Mtf\Client\Element\TreeElement

The next version should address this issue.

**Q: How can I create tests that extend an existing module? For example, how do we add new attributes and assertions to customer tests?**

**A:** See this [customer attribute example](#) and instructions.

**Q: How can I create tests for a responsive theme or for any other custom theme?**

**A:** See this [custom theme example](#) and instructions.

## Database Repair Tool

The Database Repair tool compares a corrupt database with a target database, and updates the target so it has the same structure as the corrupt database. During the process, Database Repair does the following:

- Adds missing tables, or repairs them so they have the same engine type and charset
- Adds missing fields or repairs them
- Removes inconsistent data from tables with broken foreign key references
- Adds missing foreign keys and indexes

A typical use case for this tool is to fix the database of an existing Magento installation that has some of the errors mentioned above.



Database Repair Tool

**Important!** Do not use DB Repair on a production site without testing it first in a development environment. Always back up the original database before using DB Repair.

### Step 1: Restrict Access to Website

It is highly recommended that you restrict access to your website while repairing the database. The following example restricts your Magento instance to your IP address exclusively. Other visitors, including search spiders, will get the HTTP “503 Service Unavailable” error.

## Step 2: Create a Rewrite Rule

1. Create a file called 503.php in your Magento installation root that contains the following code:

```
<?php  
  
header('HTTP/1.1 503 Service Unavailable');  
  
header('Content-Type: text/plain; charset=UTF-8');  
  
echo "503 Service Unavailable";
```

2. In .htaccess or in Apache server configuration, add the following rewrite rule. Replace the IP address xxx\x\x\x (xxx.x.x.x) with your own IP address. (Be careful to preserve the backslash and dot between the numbers.)


If running in a cluster environment, uncomment the `FileETag` line. To learn more, see: [Configure ETags](#).

```
#FileETag none  
  
RewriteEngine On  
  
RewriteCond %{REMOTE_ADDR} !^xxx\x\x\x$  
  
RewriteRule !503.php /503.php L
```

3. Save the .htaccess file or reload the Apache configuration. Your site will be down until the end of the process when you restore its original state.

## Step 3. Install the DB Repair Tool

1. Download the archived Magento Database Repair tool from the Magento Community Edition [download](#) page.



*Database Repair Tool Download*

2. Do either of the following:

- Upload the archived file to your server, and extract it to any folder.
- Extract the archive. Then, upload the file, `magento-db-repair-tool-1.2.php` to any folder on your server.

## Step 4: Back Up and Clone Your Database

1. Back up your existing database that has the problem, so it can be restored in the event of a problem. We'll call it "database1."
2. Clone "database1" as the new "database2" on the same server.
3. Create a new empty database, "database3."
4. Do one of the following:
  - Copy the entire Magento folder (without the cache and sessions) to a new location, and install "database3." Then, update the `local.xml` file with the database credentials.
  - Since access to the site is restricted, you can update the database credentials to "database3" for the current Magento instance. Then, clean the cache and launch Magento. The new database will be installed automatically.

You now have "database2," which is a clone of your original database, and a Magento installation with the empty "database3."

## Step 5: Run DB Repair

1. Enter the following in the address bar of your browser to launch the DB Repair tool:

`http://[your-domain]/[path-to-folder]/magento-db-repair-tool-1.2.php`
2. Under Corrupted Database Connection, complete the following information for "database2:" This information is the same as what is entered during the Configuration step of the Magento Setup.
  - a. In the **Host** field, enter the server's fully qualified host name or IP address. If your database server is on the same host as your web server, enter "localhost."
  - b. Enter the following credentials for the MySQL database that has the problem:
    - Database Name
    - User Name
    - User Password
  - c. If there are multiple instances of Magento that share the same database, enter the Table Prefix.
3. Under Reference Database Connection, enter the database credentials for the empty "database3."

If using a Table Prefix, make sure that it is the same as the prefix used for Database1.

4. Click **Continue** to diagnose the database and display the results.

## Step 6: Examine the Results

Examine the results to see the changes that were made. If nothing was changed, there is no need to fix the database.

### Minor Changes

- If only the table `charset` changed, there is usually nothing to do—especially if the table contains no text data.

### Major Issues

- If the table engine changed from `MyIsam` to `InnoDB`, you will need the help of a developer to investigate and resolve the problem.
- If a missing foreign key, field, or table was added, you will need the help of a developer to investigate and resolve the problem.

## Step 7: Perform the Repair

If you are satisfied with database repair report and need to fix your live database, you can either switch your installation to “database2” (because it was repaired), or perform the repair directly on the live database.

## Step 8: A Little Housekeeping

1. Remove the Database Repair file, `magento-db-repair-tool-1.2.php` from your server.
2. Restore access to your website.



## Appendices

## In this section...

[Release Notes](#)

[Glossary](#)

[Editor Toolbar](#)

[Configuration Reference](#)



## APPENDIX A: Release Notes

### Magento Community Edition 1.9.2.1

We are pleased to bring to you [Magento Community Edition](#), version 1.9.2.1; a release that includes several significant security enhancements.

**Important!** Use Magento Community Edition 1.9.1.1 or later for all new installations and upgrades to ensure that you have the latest fixes, features, and security updates. If you use an earlier version, you must [install](#) the SUPEE-5344 patch to protect your store.

### Security Patches

Stop by our new [Magento Security Center](#), and sign up for the [Security Alert Registry](#) to receive direct notification from our security team of any emerging issues and solutions.

### SUPEE-6482 Patch Bundle

This patch bundle protects your Magento installation against several potential threats, one of which is critical. The patch is a proactive, preventative measure, as there are no known attacks at this time.

### Cross-site Scripting Using Unvalidated Headers

#### PATCH DETAILS

Type: Cross-site Scripting/Cache Poisoning

CVSS Severity: 9.3 (Critical)

Known Attacks: None

## PATCH DETAILS

Description:	Unvalidated host header leaks into response and page. Because the page can be cached, this leak poses a risk for all store customers because any HTML or JavaScript code can be injected. Such an exploit works only with specific server configurations, and allows an attacker to intercept a session or modify a page with fake credit card forms, etc.
Product(s) Affected:	Magento EE prior to 1.14.2.1; All Magento CE prior to 1.9.2.1
Fixed In:	EE 1.14.2.1 and CE 1.9.2.1
Reporter:	Internal (ECG)

## Autoloaded File Inclusion in Magento SOAP API

### PATCH DETAILS

Type:	Remote Code Execution (RCE)
CVSS Severity:	6.5 (Medium)
Known Attacks:	None
Description:	Incorrect validation of a SOAP API request makes it possible to autoload code. The exploit requires the attacker to first log in with API credentials. Depending on the PHP version and/or configuration settings, code can then be loaded from a remote location.
Product(s) Affected:	Magento CE prior to 1.9.2.1, and Magento EE prior to 1.14.2.1
Fixed In:	CE 1.9.2.1 and EE 1.14.2.1
Reporter:	Egidio Danilo Romano

## XSS in Gift Registry Search

### PATCH DETAILS

Type:	Cross-site Scripting (XSS)
CVSS Severity:	6.1 (Medium)
Known Attacks:	None

**PATCH DETAILS**

Description:	Cross-site scripting vulnerability affects registered users. Attack through unescaped search parameter. Risk of cookie theft and impersonating as the user.
Product(s) Affected:	Magento CE prior to 1.9.2.1, and Magento EE prior to 1.14.2.1
Fixed In:	CE 1.9.2.1 and EE 1.14.2.1
Reporter:	Hannes Karlsson/Vaimo

**SSRF Vulnerability in WSDL File****PATCH DETAILS**

Type:	Remote File Inclusion
CVSS Severity:	5.3 (Medium)
Known Attacks:	None
Description:	Incorrect encoding of API password can lead to probing internal network resources or remote file inclusion.
Product(s) Affected:	Magento CE prior to 1.9.2.1, and Magento EE prior to 1.14.2.1
Fixed In:	CE 1.9.2.1 and EE 1.14.2.1
Reporter:	Matthew Barry

## Notes



## APPENDIX B:

# Glossary

## A

---

### **above the fold**

The web page content that is immediately visible in the browser window; section of a page that is displayed without the need to scroll.

### **Admin**

The password-protected back office of your store where orders, catalog, content, and configurations are managed.

### **alt text**

The text that is displayed in place of an image when the user is unable to view the image.

### **anchor text**

The visible text that is anchored to another page or page section; the literal text of a hyperlink.

### **API**

Application Program Interface: A software interface that lets third-party applications read and write to a system using programming language constructs or statements.

### **aspect ratio**

The proportional relationship between the width and height of an image.

### **attribute**

A characteristic or property of a product; anything that describes a product. Examples of product attributes include color, size, weight, and price.

### **authorization**

To give a service permission to perform certain actions or to access resources.

### **average inventory cost**

Product price, less coupons or discounts, plus freight and applicable taxes. The average is determined by adding the beginning cost of inventory each month, plus the ending cost of inventory for the last month of the period.

**B**

---

**B2B**

Business to Business: A type of business transaction between two business entities that are not the final consumers of the goods or services.

**B2C**

Business to Consumer: Business transactions between a business entity and a consumer.

**banner**

Promotional graphics displayed either horizontally on the top of a web page or vertically on the left or right margins. Website advertisements are often displayed as banners.

**base currency**

The primary form of currency used in store transactions.

**base currency rate**

The base currency rate is the default for your store.

**batch processing**

To perform a task or make a change to multiple items all at once, without manual repetition.

**bounce rate**

The percentage of visitors to your site that leave without viewing any other pages.

**brand**

A unique identity that defines a particular product or group of products.

**breadcrumb**

A navigation aid that helps the user to keep track of their location within your store.

**brick and mortar**

A retail business with a permanent physical location, as opposed to being entirely virtual.

**broken link**

A hyperlink that fails to send the user to its intended web page.

**C**

---

**callout**

A term that is sometimes used to describe a block that is defined as a layout update using XML code.

**canonical URL**

The canonical meta tag redirects search engines to the correct URL, when seemingly duplicate content is encountered on the server.

**capture**

The process of converting the authorized amount into a billable transaction. Transactions cannot be captured until authorized, and authorizations cannot be captured until the goods or services have been shipped.

**cardholder**

A person who opens a credit card account and is authorized to make purchases.

**cascading style sheet**

The markup standard used to apply styles to HTML elements on the page.

**category**

A set of products that share particular characteristics or attributes.

**CCV**

Credit Card Verification code. (See CVV)

**checkout process**

The process of gathering the payment and shipping information that is necessary to complete the purchase of items in the shopping cart. In the final step, the customer reviews and places the order.

**CMS**

Content Management System: A software system that is used to create, edit, and maintain content on a website.

**composite product**

Any product type that offers customers a choice of options.

**Content Delivery Network**

A large distributed network of servers that specializes in the high performance delivery of multi-media content.

**content marketing**

The art of promoting products or services by providing valuable information at no charge.

**conversion**

A marketing term that indicates a goal has been reached. If the goal is to sell a product, conversion is reached when a visitor to your site becomes a buyer.

**conversion rate**

The percentage of visitors who are converted into buyers.

**credit memo**

A document issued by the merchant to a customer to write off an outstanding balance because of overcharge, rebate, or return of goods.

**CSS**

**Cascading Style Sheets:** A style sheet language that controls the appearance of HTML documents; a way to control the appearance of text, graphics, lists, links, and all other elements on a web page.

**CSV**

**Comma Separated Values:** A type of file used to store data values which are separated from each other by commas.

**CVM**

**Card Verification Method:** A way to verify the identity of the customer by confirming a 3-digit or 4-digit credit card security code with the payment processor.

**CVV**

The Card Verification Value, also known as the Card Security Code, provides an additional level of security for online transactions.

---

**D****domain**

The address of a website on the web; what the customer types in their browser address bar to access the store.

**double opt-in**

The process for subscribing email recipients by requiring them to take a secondary step to confirm that they want to receive emails.

**dynamic content**

A web page that displays different content depending on the user request.

**Dynamic Media URL**

A link to an image that contains a relative reference to the file location in media storage.

---

**E****EAV**

Entity Attribute Value

**evergreen content**

Content that has a long shelf life.

---

**F****FAQ**

Frequently Asked Questions.

**favicon**

Short for favorites icon; a 16x16 or 32x32 pixel icon associated with a website; is displayed in the browser address bar and next to the site name in a bookmark list.

**feed reader**

Software that is used to read syndicated content from RSS feeds.

**FOB**

Freight On Board: A shipping term indicating who is responsible for paying transportation charges.

**frontend properties**

Properties that determine the presentation and behavior of an attribute from the standpoint of the customer in your store.

**fulfillment**

The process of managing customer shipments.

---

**G****gateway**

A transaction bridge between a customer and a payment processing service that is used to transfer money between the customer and the merchant.

**gross margin**

The difference between the cost and price of a product.

---

**H****handle**

In programming, a name used to reference an object.

**home page**

The first home page a visitor sees when they access your website URL. Considered the most important page on your website according to search engine indexing.

**HTML**

HyperText Markup Language: A standard for tagging and structuring text, images, videos, and other media on a web page.

---

**I****invoice**

A document that provides a detailed description of a purchase, including products purchased, quantity, price, shipping cost, sales tax, and total.

**J**

---

**JavaScript**

A scripting language used with HTML to produce dynamic effects and interactions on web pages.

**jQuery**

A popular JavaScript library that is often used to create dynamic and responsive effects.

**K**

---

**keyword**

A term or phrase used in a search to filter for content that is of significant importance to that term or phrase.

**L**

---

**landing page**

A page on your site where a visitor arrives after clicking a link or advertisement.

**layout**

The visual and structural composition of a page.

**layout update**

A specific set of XML instructions that determines how the page is constructed.

**link juice**

The value and authority transferred from one web page to another via hyperlinks (or links). Link juice affects a website's page rank, a factor used to rank a search engine results page.

**liquid layout**

A flexible approach to web design that specifies the size and position of elements as percentages rather than as exact measurements in pixels.

**load sequence**

The order in which scripts are loaded into memory. To work correctly, some scripts must be loaded before others.

**locale**

A set of configurations that defines the user's language, country, tax rate, and other settings.

**login**

The process of signing into an online account.

**M**

---

**markdown**

The amount subtracted from the original price of a product.

**markup**

A percentage added to the cost of an item to determine the retail price.

**media storage**

A dedicated space on the content delivery network for your store's assets.

**merchant account**

An account with a bank or financial institution that makes it possible to accept credit card transactions.

**meta tags**

Information in a web page that is not displayed on the page itself, but is used by search engines to determine the page title, description, and page keywords.

**My Term**

My definition

**N**

---

**navigation**

The primary group of web page links that a customer uses to navigate around the website; the navigation links to the most important categories or pages on an online store.

**O**

---

**opt-in**

The process by which a user consents to receiving emails from an online store.

**P**

---

**packing slip**

A document that is usually included in a shipped package that describes the contents. Packing slips do not include financial or account information.

**path to purchase**

The path a prospect follows that leads to a sale.

**payment bridge**

An application that helps merchants meet PCI-DSS requirements.

**payment gateway**

A service that charges your customers' credit cards and sends the funds to your merchant account, for deposit into your business bank account.

**Payment Gateway**

A third-party service that processes transactions for external payment methods.

**Payment Method**

A way for the customer to pay for the merchandise in your store. Payment methods can be internal or external. The Payment Methods section of the System Configuration includes all basic payment methods and gateways.

**PCI**

Payment Card Industry: Refers to debit and credit cards and their associated businesses.

**privacy policy**

A document that explains the merchant's policies for handling customer information.

**purchase order (PO)**

A written sales contract between a buyer and seller that describes the merchandise or service to be purchased from a vendor.

---

**R****redirect**

A method used to alert browsers and search engines that a page has been moved. 301 Redirect: Permanent change 302 Redirect: Temporary change

**relative link**

A hyperlink that includes only the address of the linked page that is relative to the linking page, rather than the full URL.

**return policy**

A document that explains the merchant's rules regarding the return of products by customers.

**robots.txt**

A file placed on a website that tells search engine crawlers which pages not to index.

**RSS feed**

Really Simple Syndication: A technology that creates web content syndication and allows web users to subscribe to product feeds, websites, and blogs.

**S**

---

**SaaS**

Software as a Service: A software delivery model where the vendor provides the software and hosting environment, and customers pay for the service by subscription or per use.

**Sass/Compass**

A CSS pre-compiler that provides organizeable, reusable CSS.

**security certificate**

Information that is used by the SSL protocol to establish a secure connection.

**SEO**

Search Engine Optimization: The process of improving a website's search engine rankings in order to increase valued visitors.

**SERP**

Search Engine Results Page

**settlement**

Settlement occurs when the acquiring bank and the issuer exchange funds and the proceeds are deposited into the merchant account.

**shipping carrier**

A company that transports packages. Common carriers include UPS, FedEx, DHL, and USPS.

**shopping cart**

A grouping of products that the customer wishes to purchase at the end of their shopping session.

**sidebar**

The right or left column of a two-column page layout.

**sitemap**

A page that provides search engines with an efficient, alternate route through your site.

**SKU**

Stock Keeping Unit: A number or code assigned to a product to identify the product, options, price, and manufacturer.

**splash page**

A promotional page with a product or advertisement; normally displayed before the home page.

**SSL certificate**

A validation and security mechanism that identifies the merchant and encrypts credit card and other sensitive information.

**static block**

A fixed content block that can be displayed on various content pages in a store.

**static content**

Content that does not change frequently. See also dynamic content.

---

**T****theme**

A package that contains graphics and appearance information, and customizes the look and feel of the store.

**transactional email**

A notification email sent to the customer when a transaction is processed.

**transactional emails**

An automated email message that is sent in response to a specific event or transaction.

---

**U****URL**

Uniform Resource Locator: The unique address of a page on the internet.

**usability**

Refers to the degree to which a product or service is easy to use by its customers.

---

**W****widget**

A prepared snippet of code that adds functionality and/or dynamic effects to your store.

**WYSIWYG**

What You See Is What You Get: An editor that displays formatted text as it will appear in its final published form.

---

**X****XML**

Extensible Markup Language: A markup format derived from SGML that is used to format information for publication and distribution.



## APPENDIX C: Editor Toolbar


### Editing Tools



*Editing Tools*

	Cut		Copy
	Paste		Paste as Plain Text
			Paste from Word
	Find		Find and Replace
	Undo		Redo
	Citation		Abbreviation
	Acronym		Spellchecker (not installed)
	Mark as Insertion		Mark as Deletion

## Styles and Fonts



Styles and Fonts


Styles

Format

Font family

Font Size

## Character Format



Character Format



Bold



Italic



Underline



Strikeout




Subscript



Superscript

## Special Characters



Special Characters



Insert Symbol




Insert Non-Breaking Space



Insert Page Break

## Color



Color




Select Text Color



Select Background Color

## Paragraph Format



Paragraph Format



Left Justify



Center



Right Justify



Full Justify



Outdent




Indent



Blockquote

# Coding Tools



## *Coding Tools*




## Remove Formatting



## Cleanup Messy Code

## Lists



Lists




### Bulleted (Unordered) List



## Numbered (Ordered) List

## Rules



## *Rules*




## Insert Simple Horizontal Rule



Insert Formatted  
Horizontal Rule

## Links and Anchors



## *Links and Anchors*



Insert/Edit Link




Remove Link



Insert/Edit Anchor

## Images and Media


*Images and Media*

Insert/Edit Image



Insert Media

## Tables

*Tables*

Insert/Modify Table



Table Row Properties



Table Cell Properties



Insert Row Above



Insert Row Below



Remove Column



Remove Row




Split Merged Table Cells



Merge Table Cells

## Layers



*Layers*



Insert New Layer



Move Layer Forward




Move Layer Backward



Toggle Absolute Positioning

## Variables, Attributes and Widgets



*Variables, Attributes and Widgets*



Insert Variable




Insert/Edit Attributes



Insert Widget

## Workspace Preferences



*Workspace Preferences*



Toggle Fullscreen Mode



Display Visual Control  
Characters (On/Off)



Toggle Guidelines /  
Invisible Elements



Set Typing Direction  
Left-to-Right



Set Typing Direction  
Right-to-Left



Help

## Notes



## APPENDIX D: **Configuration Reference**

This online reference has field descriptions for each section of the configuration. Drill down through any section, and click a link to jump to the corresponding topic in the user guide.

- [General](#)
- [Catalog](#)
- [Customers](#)
- [Sales](#)
- [Services](#)
- [Advanced](#)

## Notes



## Index

### A

- Abandoned carts 576
  - report 858
- About Us page 432
- Account
  - customer information 540
  - Magento 29
  - share 32
- Actions
  - control 61, 65
- Add
  - Exception, theme 524
  - New User 865
  - Root Category 125
  - to Wishlist 366
- Address
  - Book, customer 540
- Address format 611
- Address templates 611
- Admin 49, 65
  - CAPTCHA 876
  - login 50
  - menu 58
  - Notifications 57
  - permissions 861
  - role 862
  - role, create 863
  - role, custom 864
  - security 867, 875
  - Startup Page 852
  - user 862

### [

- [GLOBAL] 84
- [STORE] 84
- [WEBSITE] 84

### 1

- 1 Column Layout 132, 492, 494

### 2

- 2 Columns
  - with Left Bar 133, 492, 495
  - with Right Bar 133, 493

### 3

- 3 Column Layout 493, 496
- 3D Secure Credit Card Validation 680

### 4

- 404 Page Not Found 433-434

### 5

- 503 Service Unavailable 433

user, create 862  
 Adobe Reader 595  
 Advanced Search 144, 285  
 Advocacy Tools 44  
 Allow
 

- cookies 576
- Countries 73
- Gift Message 270
- HTML tags 145, 150
- HTML Tags on Frontend 150
- Printed Card 385

 Allowed Currencies 798  
 Amazon Simple Pay 666  
 Analytics 38, 44  
 Anchor category 106, 125-126  
 Android, email 804  
 Antivirus software 96  
 Any, checkbox 66  
 AOV 40  
 Apache 10  
 API 45, 392, 907
 

- Core 908
- Key 910

 Append Complex Data 835  
 Apple Mail 804  
 Approve product review 373, 375  
 As Low As, bundle product 179  
 Assisted Shopping 559, 562  
 Associated Product 165, 170  
 attribute
 

- dropdown 191
- swatch values 196

 Attribute 135  
 advanced search 144  
 code 146  
 create 138  
 delete 141  
 entities 837  
 filterable 114  
 Google Shopping 392  
 group 143  
 information 140  
 input types 136  
 layered navigation 144  
 predefined 469  
 price 234  
 product 144  
 properties 139  
 quick search 144  
 system 143  
 Attribute set 135, 142, 167-168, 257  
 Australia, PayPal solutions 663  
 Authorize.Net 666, 669, 671-672
 

- capture 669
- Direct Post Method 676

 Auto Bill, recurring payment 263  
 Autogenerate
 

- Site Map 297

 Autogenerate Coupon Code 350  
 Automatic
 

- redirect 310

 Average Order Value 40

**B**

BackendSee also
 

- Admin 50

Backorders 235, 241  
 PayPal Express Checkout 649  
 Backup  
     create 905  
     delete 913  
     permissions 912  
 Bank Transfer 617  
 Base  
     currency 800  
     image 214-215, 217  
     JavaScript URL 900  
     media URL 900  
 Base URL 89  
 Base URL Home page 434  
 Best practice  
     industry 95  
     SEO 295  
 Bestsellers 851  
 Bill Me Later, PayPal 627, 651  
 Billing  
     agreement 540, 654  
     recurring payment 264, 266  
 Block 449, 469  
     category 130, 132  
     create 450  
     ID, markup tag 474  
 Block reference 498-500  
     category 452  
     CMS pages 452  
     product page 453  
 Blocks HTML Output, cache 895  
 Blog, as Home Page 434  
 Blog, Magento 5  
 Breadcrumb trail 107

Breadcrumb Trail 434  
 Browser Capabilities Detection 881  
 Bundle Product 157, 177  
     group price 232, 234  
     Items 179  
 Business location 73  
 Buy X, Get Y Free 357  
**C**  
 Cache 893  
     CSS files 895  
     JavaScript 895  
     module 895  
     Storage Management 893  
     system 895  
     types 895  
 Cache Management 210  
 Callout 498  
 Canada  
     Example Tax Configuration 782  
 Canada, PayPal solutions 663  
 Canadian tax 778  
 Cancel  
     order 570  
 Canceled, order status 585  
 Canonical meta tag 300, 306  
 CAPTCHA 876  
     configuration, Admin 877  
     configuration, store 878  
 Capture  
     Offline 590, 670  
     Online 588, 670  
 Cardholder data 96

Cardinal Centinel 680  
Cart contents, retrieve 576  
Cash On Delivery 619  
Catalog 45  
    Categories Link 442  
    Category Link 456  
    flat 151  
    images 213  
    indexing 151  
    Input Type for Store Owner 139  
    menu 58  
    New Products List 456  
    Price Rules 327, 329  
    Product Link 456  
    Products Link 442  
    Search 260  
Catalog Prices, tax 778  
Category 105, 272  
    create 119, 121  
    Description 129  
    Display Settings 130  
    General Information 128  
    grayed out 119, 121  
    ID 123  
    image 129  
    landing page 123, 132  
    levels 106  
    Levels 120  
    link 442  
    modify 124  
    name 129  
    page 130  
    path, in URL 300, 306  
    Products 134  
    rewrite 318  
    root 125  
    tree 119, 121  
    URL key 123  
Category hidden 127  
Category List  
    Home Page 478  
CDN 897, 900  
    JavaScript use 900  
Certification 5  
Channels 391  
Check / Money Order 620  
Checkbox 61  
    states 66  
    Terms and Conditions 556  
Checkout process 42, 531  
    Terms and Conditions 554  
Checkout with PayPal 636  
Child authorizations, PayPal Express  
    Checkout 650  
Chrome, email 805  
ChronoPay 666  
Clear cache 894  
Closed, order status 585  
CMS 39, 429  
    Block, category 131  
    menu 60  
    Page Link 442, 456  
    page redirect 321  
    page rewrite 322  
    page, breadcrumbs 107  
    Pages 431, 435  
    Static Block 456  
    Widget 457

CMS Menu 430  
COD 619  
Collections Data, cache 896  
Color  
    message importance 56  
Column 491  
    layout 132, 498  
    sort 63  
Comma-separated values 831  
Command line  
    server 920  
Community 44  
    Poll 365  
Compare Products 145, 149, 364, 369  
Comparison operator 331  
Comparison properties 145  
Compilation 935  
Complete, order status 585, 593  
Compliance, industry 95  
Composite product 158  
Compound tax 763  
    examples 763  
Conditions, price rule 339  
config.xml 895  
configurable  
    swatch 191  
configurable product  
    swatch 191  
Configurable Product 156  
    create 167  
    image 173  
    inventory 256  
    Manage Stock 256  
configurable products 193  
Configuration 975  
    cache 895  
    email addresses 76  
    search, default 290  
    security 867, 875  
Consent, cookies 98  
Consistent prices 753  
Consulting 5  
Contact Us 79  
    form 474-475  
Contacts 79  
container size, shipping 704  
Content 429, 431  
    Delivery Network 897, 900  
    management system 39  
    page 435  
Convert to Plain Text 821  
Cookie  
    domain 99  
    law 98  
    lifetime 99  
    persistent 576  
    Restriction Mode 97-98  
    Restriction Notice 100  
    session 576  
    use, Magento 102  
Cookie, Limit Sending By 384  
Copy from Configurable 172  
Copyright notice 513  
Copyright Notice, change 489  
Corrupt Database 947  
Countries Options 73  
Coupon 40, 43, 348, 407, 568  
    Autogenerate 350

Usage, report 858

Coupon Code, apply 562

Coupon Usage, report 353

Create

- New Attribute 258
- order 564
- Packages, shipping labels 733
- Simple Associated Products 172
- Store 82
- Store View 83, 88
- Website 82

Credentials, credit card 668

Credit 597

- card 665
- cards, multiple 672
- memo 550, 599

Credit Card, test numbers 668

Credit care, saved 625

Credit Memo

- Print 603

Critical, message 56

Cron 938

Cron job 151

Cross-border trade 753

Cross-sells 275, 328

CSS

- cache 895
- email 808, 812
- email templates 475, 806

CSV file 696, 831, 837, 849, 855

- category path 832
- customer structure 833
- structure 832

Currency 74

- Import Rates 801
- rates 800
- Rates 797
- Setup 800
- symbols 800
- Symbols 800

Currency Chooser 797

Current Configuration Scope 84-85

Custom

- Design
- Category 132
- layout 133
- Layout Update
- product 268

Layout Update, category 133

- Options 158, 276
- redirect 321
- rewrite 322
- scripts 910
- Theme 133, 268
- URL 38
- variable 469

Custom Order Status 586

Customer

- account 44, 531, 572
- dashboard 540
- VAT Validation 771, 774
- address template 611
- billing address, PayPal Express Checkout 648
- CSV structure 833
- engagement 39
- group 572
- create 543-544

- edit 544
- VAT 771
- journey 36-37
- Order Status, RSS feed 408
- retention 43
- Reviews, report 860
- segment 40
- Service page 432
- Support 76
- Tags, report 859
- VAT 771
- Customer Account
  - Update 575
- Customers 851
  - by Number of Orders, report 859
  - by Orders Total, report 859
  - menu 59
  - reports 849
- Customers online 560
- CyberMut Payment 667
- CyberSource 666
  
- D**
- Dashboard 44, 850
  - charts 853
  - configuration 850, 852
  - customer 540
  - menu 58
- Database
  - and Media Backup 913
  - backup 913
  - compression, backup 913
  - media storage 898
- Database Repair Tool 947
- Dataflow 841
- Date, input type 136
- Day of Week 71
- Default
  - Config 84
  - Country 73
  - Display Currency 800
  - email template 808, 812
  - Robots 511
  - Title, page 511
  - Value 144
- Default Pages 434
- Default theme 521
- Delete Entries, Import 835
- Demo
  - login 50
- Design 39, 45, 483
  - custom, category 132
  - product 268
- Desktop Environment, security 870
- Developer Client Restrictions 525
- Development environment 152
- DHL 699, 712
  - shipping labels 725
  - shipping packages 719
- Digital Goods, EU tax 754
- Dimensional weight 698
- Direct Post Method, Authorize.Net 676
- Disaster Recovery Plan 873
- Discount 329, 623
  - quantity 225
- Display
  - Actual Price 223

- in Suggested Terms 292
  - Mode, category 131
  - not required State 72
  - Settings
    - Category 130
  - Store Demo Notice 488, 511
  - Distributing newsletters 390
  - Documentation 4
  - Double opt-in 388
  - Download
    - links 186
    - samples 187
  - Downloadable Product 157, 754
    - configure 188
    - create 183
  - Downloader 13
  - Downloads, report 859
  - Drill-down, price 116
  - Drop shipments, PayPal Express Checkout 649
  - Dropdown
    - attribute 168
    - input type 136
  - Duplicate
    - content 306
  - Dynamic
    - media URL 304
    - URL 299
    - values, bundle product 177
  - dynamic image swap 202
- E**
- EAV 151
    - Types and Attributes, cache 896
  - eBook download 183
  - ECG 6
  - Eco tax 758
  - Ecommerce Tracking, Google Analytics 424
  - Ecosystem, Magento 7
  - Editor, WYSIWYG 438-439, 967
  - electronic check 671
  - Email
    - a Friend 365, 383
    - a Friend, configure 383
    - addresses, configuration 76
    - addresses, domain 76
    - addresses, store 76
    - campaign 43
    - CSS file 824
    - footer 817, 825
    - header 824
    - header template 812
    - logo 824
    - message templates 820
    - Options 79
    - template 806, 808, 812
    - template, configure 803
    - template, default 808, 812
  - Email clients 804
  - Email template 79, 829
    - variables 469
  - email, browsers 805
  - email, upgrades 807
  - Empty, page layout 133, 493
  - Enable
    - Cookies 433
    - Qty Increments 256
    - WYSIWYG Editor 145

- Encryption 96
- Encryption key 24
- Entity Attributes 839
- Equalize
  - Price Ranges, layered navigation 117
  - Product Counts, layered navigation 117
- EU Member Countries 773
- EU Place of Supply 754
- European Union
  - Example Tax Configuration 786
- Evergreen content 429
- eWAY Direct 667
- Excel
  - XML 855
- Exception
  - Package 516
- Export 839
  - Dataflow 841
  - product data 839
  - product types 839
  - Settings 839
  - to, report 855
- Expressed consent, cookies 98
- Extension
  - install 25, 905
  - social media 399
  - external cache 896
- F**
  - Facebook 7, 400
    - extensions 399
    - Open Graph 404
  - Favicon 485, 511
- FedEx 699, 707, 716-717
  - shipping labels 725
- Fee failure, recurring payment 265
- Feed reader 407
- File
  - compression, backup 912
- File permissions 14
- Filter
  - by Attribute 124
  - controls 64
- Filterable
  - attribute 114, 150
- Filters 61
- Firefox, email 805
- Firewall 96
- First Data Global Gateway 666
- Fixed Product Tax 758
  - input type 136
- Flat
  - catalog 151
  - setup 152
  - Rate Shipping 688
- Flo2Cash Payment Web Service 668
- Flush
  - Cache Storage 895
  - Catalog Cache 895
  - JavaScript cache 895
  - JavaScript/CSS Cache 895
  - Magento Cache 895
  - product image cache 894
- Flush Swatch Image Cache 195
- Flush Swatch Images Cache 210
- Footer 489, 509, 513
- Footer, email 817

- Forum, Magento 5
- FPT 758
  - attribute 759
  - configuration 759
  - in attribute set 761
  - in product 761
- France, PayPal solutions 663
- Fraud Management Filters, PayPal 662
- Free
  - shipping 690
  - shipping, price rule 354
- Frontend Properties 139
- FTP calculations 758
- Fulfillment 583, 594
- Full
  - reindex 891
- Full Page Cache, external 896
  
- G**
- Gateway, payment 665
- General
  - Contact 76-77
  - Product Information 258
- Get Extension Key 905
- Gift Options
  - configure 385
  - product 270, 385
- Global
  - attribute scope 168
  - search 61-62
- Gmail 804
- Goods & Services Tax 783
  
- Google 409
  - Analytics 409
  - Analytics, cookies 102
  - API for Shopping 392
  - Classic Analytics 423
  - Merchant Center 392, 409-410
  - Product Listing Ads 410
  - Reader 407
  - Shopping 410
  - Sitemap 409, 415
  - Universal Analytics 421
  - Webmaster Tools 416
- Google API
  - Google Analytics 425
- Google Merchant Center 423
- Grid
  - filter 64
  - sort 63
  - View As 287
- Grid, Product 108
- Group price 232, 234
- group\_price attribute 232, 234
- Grouped Product 156
  - create 163
- GST 783
- Guest
  - retrieve cart contents 576
  
- H**
- Handle 508
- handling fee 704
- Header 509, 512
  - welcome message 487

Header template, email 812  
 Help 4  
 Hidden category 119, 121, 127  
 Hold, order 570  
 Home page 432  
     New Products list 461  
 Home Page, create 438  
 Home Page, default 434  
 Hong Kong, PayPal solutions 664  
 HTML  
     editor 438  
     email 808, 812  
     head 417  
     Head 509-510  
     in product description 150  
     product descriptions 136  
     suffix 299

## I

iDEAL 667  
 Image  
     cache, flush 894  
     catalog, add 215  
     import 836  
     placeholder 162, 187, 217  
     size 213  
     sort order 216  
     URL 441  
     watermarks 218  
     zoom 212  
 Implementation 45  
 Implied consent, cookies 98

Import  
     Behavior 838  
     Currency Rates 801  
     Dataflow 841  
     guidelines 837  
     images 836  
     Product Images 841  
     table rates, shipping 697  
     Tax Rates 749  
     in-line styles 806  
     In Anchor, category 131  
     In Stock 245  
     Inbox, Admin 53  
     Include / Exclude Tax 792  
     Include in  
         Advanced Search 285  
         Navigation Menu 127, 130  
     Incoming Messages 54  
     Index 885  
         actions 888  
         modes 888  
     Indexing speed 151  
     Initial Fees, recurring payment 267  
     Input type  
         Bundle product 179  
         Date 136  
         Dropdown 136  
         Fixed Product Tax 136  
         Media Image 136  
         Multiple Select 136  
         Price 136  
         Text Area 136  
         Text Field 136  
         Yes/No 136

Input Validation 144  
 Insert image 440  
 Install  
     extension 905  
     Magento 11, 50  
     patch 920  
     Update 904  
 Installation 11  
     Part I 12  
     Part II 20  
     Security 871  
 Integration 907  
 Interface text, change 525  
 Internet Explorer  
     email 805  
 Inventory 235, 237  
     configurable product 256  
     Configuration 236-237  
     Manage Stock 245  
 Invoice 67, 548-549, 588, 591  
     Comments 593  
     Print 591  
 Invoiced  
     order, download product 188  
 IP Address, Limit Sending By 384  
 IP Anonymization, Google Analytics 422, 426  
 IP ddress 89  
 iPhone, email 804  
 Is Active 129  
 Is Anchor 124, 126  
 Italy, PayPal solutions 663  
 Iterative splitting, price navigation 116

**J**

Japan, PayPal solutions 663  
 JavaScript  
     cache 895

**K**

Knowledge base 4

**L**

Label  
     price rule 339  
     shipping 726  
 LAMP 10  
 Landing page 291  
 Language 84  
     Chooser 81  
 Language Pack, Add 86  
 layered navigation  
     swatch 193  
 Layered Navigation 112, 131, 144, 149  
     filterable 114  
     Interval Division Limit 118  
     product count 112  
 Layered Price Navigation Step 131  
 layout  
     update 497  
 Layout  
     custom 133  
 Layout Update 449, 460, 508  
     syntax 502, 505  
     widget 460, 464

- Layouts
  - cache 895
- Like button, Facebook 400
- Link 439
  - image 440
  - widget 442
- LinkedIn 7
- Linux 10
- List, Product 108
- List, View As 287
- Listing Sort By, category 131
- Load sequence 508
- local.xml 895, 898
- Locale 71
- Locale, language 86
- localization
  - swatch 198, 207
- Login 539
  - Admin 50
  - demo store 50
  - Magento account 29
- Logo 512
  - email 806
  - header 484
- Logo image, email 825
- Logo size, email 825
- Low Stock, report 859
- Loyalty program 44
  
- M**
- Magento
  - account 29
  - Connect 46, 392, 404, 515, 522, 903
- Connect Manager, backup 912
- Connect, install extension 905
- Connect, Manager 906
- cookies 102
- Core API 907
- Design Guide 483
- reinstall 25
- Solutions Partners 45
- upgrades, email 807
- magento-check.php 11
- Magento Connect, Install Extension 86
- Magento Secure Payment Bridge 680
- Magento Test Framework 939
- Magento updates 25
- Magnify image 212
- Main menu 106
- Main Menu
  - Categories 120
- Major, message 56
- Manage
  - Attribute Sets 142
  - Customers 68, 565
  - Products 67
  - Stock 237, 245, 256
  - Stores 82
- Manufacturer's suggested retail price 228
- Manufacturer, product 260
- MAP (Minimum Advertised Price) 223, 228-229
- Mark as Read 55
- Markup tag 443, 469, 473, 476
- Markup Tag
  - Home Page 478
- Match Period To, report 856
- Matched Expression 524

Maximal Depth 106

Maximal Depth, Top Navigation 120

Media

- Image 214, 216
- image, input type 136
- Storage 440, 899
- Storage, alternate 897
- Storage, database 898
- URL 304, 440
- URL, markup tag 474

Media Storage 445

- swatch 198

Memcached 11

Merchandising tools 40

Merchant

- Location 616

Merchant level, PCI 96

Merchant solutions, PayPal 42

Message

- importance 56
- InBox 53

Messages, Admin 53

Meta

- Description, product 261
- Information 38, 296
  - category 128
  - Description 296
  - Keywords 128, 296
  - page 435
  - product 162
  - Title 296
- Information, product 188
- Information, Title 261
- Keywords, product 261

tag, canonical 306

Meta Information

- product 261

Mini Shopping Cart 466

Mini Shopping Cart Widget 456

Minimum Advertised Price 228, 230

Minimum Order Amount 552

Miscellaneous

- HTML 513
- Scripts 417, 511

Misspelled words

- redirect 291

Mobile

- devices, matched expression 524
- menu 58-59
- theme, install 523

Moderate, product reviews 373, 375

Money Order 620

Most Viewed

- Products 851
- report 859

MSRP (Manufacturer's Suggested Retail Price) 223, 228

MTF 939

Multi-Address Minimum Order 552

Multiple

- Select, input type 136

Music download 183

My

- Account 29
- Applications, customer 541
- Orders 540
- Product Reviews, customer 541

MySQL 10

Fulltext Search 290

## N

Navigation 105, 127

menu 122, 130

properties 144

top 106

New

Accounts, report 859

Customers 851

order state 585

Products list 407, 456, 463

Store 82

New Zealand, PayPal solutions 664

Newsletter 43, 387

configuration 388

menu 59

Queue 390

subscribers 68

templates 389

Next page link 110

Nginx 10

No

checkbox 66

layout updates 133

Non-inline CSS 475, 806

Non-inline CSS Files 826

non\_inline\_styles 806

Not

Visible Individually 260

Not Capture 590, 670

Notice, message 56

Notifications, Admin 57

## O

Offline, refund 602

Ogone 667

On Gesture, display price 223

On Hold, order status 569, 585

Onepage Checkout 554

Online customers 560

Online rates 697

Online refund 602

Opt-in 388

Oracle 10

Order 547-548, 585, 588, 591

cancel 549, 570

create 564

credit memo 550

fulfillment 46

invoice 549

review 554

shipment 549

stages 549

status 585-586

submit 548

Transactions 550

update 569

workflow 584

Order processing 42

Order Taxes, report 858

Orders

report 854

Orders and Returns 456

Out of Stock 240, 242, 245, 247, 251

Outlook 804-805

## P

Package

- pricing 227

- type, by carrier 716

Package, design 516

Packing slip 591, 594

Page 431

- configuration 509

- create 435

- Translate 446

Page Footer 513

Page Layout 133, 268, 491, 494

- examples 494

- product 268

Page Not Found 433

Page View Tracking, Google Analytics 423

Pages

- Default 434

Pagination 110

- controls 61, 63, 287

- links 287

Parent

- category 133

Partial

- reindex 888

Partial authorization 672

Partial invoices 669

partners, Magento 5

Password 96, 539

Patch

- install 920

Patch, revert 919

Pay Now button, PayPal 634

Paybox Direct 667

payment

- gateways 628

Payment

- Action, Order 650

- actions 590

- gateways 45, 665

- methods 45

- multiple cards 672

- options 42

- partial 672

- received 548

- Review, order status 585

- services 45

Payment actions 669

Payment Card Industry (PCI) 96

Payment Methods 615

- Authorize.Net 676

- BankTransfer Payment 617

- Cash on Delivery 619

- Check / Money Order 620

- Purchase Order 622

- Zero Subtotal Checkout 623

Payment Services 679

PayPal 627, 666

- Bill Me Later 627, 651

- business account 629

- Express Checkout 627, 636

- Billing Agreements 654

- Express Checkout, Order Transactions 649

- Express Checkout, save billing address 648

- Fraud Management Filters 662

- merchant solutions 42
- Payflow Link 661
- Payflow Pro 660
- Payments Advanced 630
- Payments Pro 632
- Payments Standard 634
- Settlement Report 657, 858
- solutions 663
- Webiste Payments Standard 634
- PayPal Access 629
- PayPal Credit 627, 651
- PCI Compliance 96
- PDF
  - credit memo 599
  - invoice 588
- PDF Printouts 608
- Pending
  - order status 548, 585, 593
  - order, download product 188
- Payment, order status 585
- PayPal, order status 585
- Reviews 373, 375
- Tags
  - moderate 379
- Percona 10
- Permanent
  - (301) 317
  - Redirect 310, 322
- Permissions
  - admin 861
  - backup 912
  - custom 864
  - rollback 912
  - server 14
- Server, recommended 932
- Persistent
  - cookie 576
  - shopping cart 576
- PHP 10
- Place Order 548
- Placeholder image 217
- PO 622
- Poll 364-365
  - Manager 381
- pop-ups, allow 525
- Popular Search Terms 288
- Popular Tags 364, 376
  - report 859
- Postal code, optional 73
- Previous page link 110
- Price 221-222
  - adjustment 172
  - attributes 234
  - display 800
  - display on gesture 223
  - drill-down 116
  - input type 136
  - Minimum Advertised Price (MAP) 228
  - navigation 112, 116
  - package 227
  - product group 234
  - Range, bundle product 177
  - Special 224
  - Tier 225
  - View, bundle product 177
- Price consistency 753
- Price Group, Product 232

Price Rule  
 Catalog 329, 334  
 condition, attributes 149  
 coupon 348  
 promotions 357, 359  
 Shopping Cart 336

Price Type  
 Fixed 277  
 Percentage 277

Print  
 credit memo 599  
 shipping labels 722

Privacy  
 policy 97, 101, 433

Processing, order status 548, 585

Product  
 Bundle 177  
 catalog 45  
 Configurable 167  
 create 155  
 data, export 839  
 Description  
   HTML 150  
 Downloadable 157  
 file structure 832  
 Group Price 232, 234  
 Grouped 163  
 image cache 894  
 image, zoom 212  
 images 162, 187, 211, 215  
 Information 257  
   Custom Options 276  
   Design 268  
   Inventory 237

Prices 221-222  
 link 442  
 list 124, 150  
   by category 475  
   markup tag 475  
   new 475  
 name 259

Price Group 232  
 ratings 44  
 relationships 273-275  
 return workflow 598  
 reviews 44, 373  
   moderate 373, 375  
   report 860

Rewrite 314, 318  
 Simple 158  
 suggestions 40  
 Tax class 744  
 type  
   export 839  
 Virtual 174

Product Alerts  
 configuration 252  
 run settings 255

Product Bestsellers, report 859

product images 212

Product Images  
 Import 841

product list  
 swatch 194

Product List 108

product page  
 swatch 194

Product Stock Options 236-237

- Product tag
  - by Admin 378
- Product View Page, visible on 150
- Products
  - in Carts, report 858
  - Ordered, report 859
  - reports 849
  - Tags, report 859
- Profiles, Dataflow 841
- Promotions 327
  - menu 59
  - Price Rules 357
- Protx Standard 667
- Provincial Sales Tax 783
- PST 783
- Publish
  - page 437
- Purchase Order 622
  
- Q**
- QR code 348
- Qty, update 562
- Quantity
  - Discount 225
  - Increments 227, 242, 256
- Quick Search 284
  - attributes 149
- Quick Simple Product Creation 170
- Quick Tour 35
  
- R**
- Rating, product 375
- Recently Compared Products 456
- Recently Viewed Products 371, 456
- Record selection 61
- Recurring Profile 262
  - customer account 540
- Redirect 314, 318, 322
  - custom 321
  - misspelled words 291
  - type 316-317
- URL 309
- Redis 11
- Refresh
  - cache 894
  - report data 857
  - statistics 857
- Refund 597
  - offline 602
  - online 602
- Reindex 887
  - events 890
  - full 891
  - manual 887
  - partial 888
  - required 887
- Reindex Required 152
- Related
  - Products 273, 328
- Remember Me, shopping cart 576, 578
- Replace
  - Complex Data 835
- Report 853, 858
  - Coupon Usage 353
  - export 855
  - statistics, refresh 857
  - types 849

- wishlist 368
  - Reports, menu 60
  - Request Path, redirect 311
  - Reset, password 539
  - Resource Access, Custom 909
  - Responsive Web Design (RWD) 520-521
  - REST roles 910
  - Return HTML Version 821
  - Return to Stock 600
  - Revert Patch 919
  - Reviews 364
    - delete 67
    - reports 849
  - Reviews and Ratings 373, 375
  - Reward Points
    - product review 373
  - Rewrite
    - category 318
    - custom 322
    - product 314, 318
    - type 316-317, 322
  - Rewrites 23
  - RMA 43
  - robots.txt 415, 418, 511
  - Role
    - custom 864
  - Resources 865
  - Rollback 915
    - resources 912
  - Root
    - category 83, 119, 121, 125
  - RSS feed 44, 407
  - Run settings, product alerts 255
- S**
- Sales
    - channels 391
    - email 77
    - email templates 827
    - menu 58
    - order 549, 564
    - reports 849
    - Representative 76
  - Sample
    - page 432
  - Sample data 13
  - Samples
    - download 187
  - Saved CC 625
  - Schedule
    - recurring payment 265
  - Scheduled Jobs, cron 938
  - Scope 84, 146
    - global attribute 168
    - settings 85
  - Scripts
    - custom 910
  - Search
    - Admin 62
    - configure 290
    - default 290
    - global 62
    - quick 284
    - results 287
    - tools, storefront 283
  - Search engine
    - friendly URLs 299

optimization 38, 261, 295  
Search Terms 67, 291  
add 292  
report 860  
reports 849  
Security 96, 867, 875  
systems 96  
Security certificate 89  
Security, best practices 868  
Select  
All 65  
Visible 65  
Selection, records 61  
Sender Email 77  
SEO 38, 295  
SERP 261  
Server  
backup 912  
compatability 11  
rollback 912  
Server Environment, security 869  
Server Permissions, recommended 932  
Service Unavailable 433  
Session  
cookie 99, 576  
Session Validation 879  
Set Product as New from/to Date 259  
Settlement Report, PayPal Express Checkout 657  
SFTP  
credentials, PayPal 658  
user account, PayPal 657  
Share account, Magento 32  
Ship  
Bundle Items 181  
order 548  
Shipment 549, 591  
Shipping  
bundle product 179  
carriers 699, 707, 712  
Dimensional weight 698  
labels 726  
options 42  
packages 716  
packing slip 594  
rates  
import 692  
online 697  
refund 599  
Shipping Labels 42, 721  
configure 723  
create 722  
Shipping Methods 46, 685, 688, 690, 692, 707, 712  
Shipping Prices, tax 778  
Shipping Settings 75, 686  
Shop By 112  
Shopping  
cart  
thumbnails 165  
history 43  
tools 363  
Shopping Cart  
Edit 562  
Mini 466  
persistent 576, 579  
price rule 336, 348, 357, 359  
thumbnails 173, 220  
Shopping, Assisted 562

Show Actual Values, report 855-856  
Sidebar, block reference 498  
Simple Product 156  
    create 158  
Sitemap 38, 297, 415  
SKU 258-259  
    dynamic, bundle product 178  
    in price rules 334  
    multiple 334  
    use of 167  
Small Image 213-214, 216  
Social  
    marketing 399  
    shopping 366  
Software download 183  
Solutions Partners, Magento 45  
Sort 61  
    attributes 149  
    controls 63  
    product list 131  
Sort By 287  
Spain, PayPal solutions 664  
Spam 388  
Special Price 222, 224  
Special Products, RSS feed 408  
Split orders, PayPal Express Checkout 649  
SSL 10, 23, 89  
Staging environment 25  
Startup Page  
    Admin 852  
State is required for 72  
States Options 72  
Static Block 460  
    category page 123  
    Static URL 299  
Status  
    change 65  
    product 258, 260  
Stock Availability 240, 242, 245  
    catalog page 250  
Configurable Product 256  
    product page 248  
    scenarios 247  
Stock, Manage 237  
Storage  
    configuration, media 899  
Store  
    code, in URL 299  
    URL 50  
Store Contact Information, variables 816  
Store Demo Notice 488  
Store Hierarchy 82  
    product 161  
Store Information 69-70  
Store URL, markup tag 474  
Storefront  
    CAPTCHA 876  
Stores, multiple 81  
Subcategory 119-121, 127  
Subdomain, CDN 900  
Submit order 548  
Subscription  
    purchase by 262  
Super Products Attributes Configuration 172  
Surveys 364, 380  
Suspected Fraud, order status 585  
swatch 191  
    add values 196

- attribute values 196
- configuration 193
- dimensions 194
- dynamic image swap 202
- image cache 210
- image labels 201
- images 197
- layered navigation 193
- localization 198, 207
- text label 192
- upload images 198-199
- upload to product 200
- swatches 192
- swatches folder, Media Storage 198
- Switch Accounts 34
- Synchronization 898
- Syndicated content 407
- Synonyms 292
  - search terms 291
- Syntax
  - layout update 502
- System
  - attribute 143
  - backup 913
  - menu 60
  - notifications 55
  - passwords 96
- System Log 936
- System Requirements 10
- System Tools 911
- T**
- Table Rate, shipping 692
- Tag
  - cloud 288
  - products, Admin 378
- Tags
  - moderate 379
  - product 376
  - RSS feed 407
  - reports 849
- Target Path, redirect 311, 316
- Tax 46, 739
  - Calculation Settings 793
  - Calculation Settings, configure 741
  - class 744
    - customer group 544
    - VAT 771
  - Class, customer 746
  - class, price 223
  - class, product 744
  - Classes, configure 740
  - configuration 740
  - Discount Settings 792, 794
  - Display Settings, configure 742
  - permissions 864
  - rates
    - VAT 771
  - Rounding 777
  - rules 755
    - VAT 771
  - Warning Messages 792
- Tax as line item 778
- Tax Calculation Methods 777
- Tax Class, VAT 787
- Tax Rate
  - Point of Origin 686

Tax Rates  
 Import 749

Tax Zones and Rates 747

Tax, Quick Reference 777

Template  
 layout update, widget 457  
 tag 474-475  
 variables 469

Templates, transactional email 820

Temporary (302) redirect 317, 322

Terms and Conditions 554

Test, payment gateway 668

Text  
 Area, input type 136  
 editor 438  
 Field, input type 136

Theme 39, 520  
 change 515, 522  
 Package 516

Theme, default 521

Third-party  
 applications 45, 909

Thumbnail 214-215, 220  
 Image 212  
 category 129

Tier Price 222, 225

Timezone 71

Top Level Category, RSS feed 408

Top Navigation  
 Depth 120

Total  
 Invoiced vs. Paid, report 858  
 Ordered, report 858  
 Refunded, report 858

Shipped, report 858

Tracking  
 number, shipping 589

Training 5

Transactional emails 383, 806  
 templates 820

Transactional Emails  
 configuration 824

Transactions 550, 596

Translate  
 Field Labels 279  
 Page 446  
 Product Fields 278

Translate Store 86

Translations, cache 896

Trial period, recurring payment 264, 266

TVQ 783

Twitter 7, 399

**U**

UI Text 525

Under construction 488

Unique Value, attribute property 144

United Kingdom, PayPal solutions 663

United Parcel Service 700

United States  
 Tax Configuration 780

United States, PayPal solutions 663

Universal Analytics, Google 421

Unselect  
 All 65  
 Visible 65

Up-sell products 274, 328

Update Attributes 66  
 Update Magento 25, 904  
 UPS 699-700  
     shipping labels 725  
     shipping packages 717  
 URL  
     category path 300  
     custom 38  
     dynamic 299  
 Key 260, 299  
     category 128  
     page 435  
 Key, category 129  
 options 299  
 redirect 309  
 rewrite 124  
 static 299  
 store code 299  
 suffix 260, 299  
 Use  
     Default checkbox 85  
     for Promo Rule Conditions 145, 150  
     Parent Category Settings 132  
     to Create Configurable Product 168  
 Use in Layered Navigation  
     swatch 195  
 Use Secure URLs (SSL) 89  
 User  
     guides 4  
 User guides 4  
 User Role, Admin 863  
 USPS 699, 704  
     shipping labels 725  
     shipping packages 719

Web Tools 704  
**V**  
 Value Added Tax 739, 765  
 Values Required 144  
 var/backups 912  
 var/cache 893  
 Variables 469-470, 472  
     email 808, 812  
 Store Contact Information 816  
 VAT 765  
     ID location 772  
 VAT Tax Class 787  
 VAT Validation 770  
     configure 771  
     customer account 774  
 Verified by VISA 680  
 View  
     product 161, 185  
 View As 287  
 Virtual  
     Product 156, 174  
 VISA, Verified by 680  
 Visibility  
     product 260  
 Visible on Product View Page 145  
 Void transaction 670

**W**  
 Watermark 218  
 Web server  
     synchronization 898

Web Services 907-908, 910

  Configuration, cache 896

Webinars 5

Websites

  multiple 81

  product 271

WEEE tax 758

Weight

  Bundle Product 181

  dynamic, bundle product 178

  product 258-259

Weight, dimensional 698

Welcome 3

  message 487, 512

  message, block 505

White list 390

Whitelist, Developer 525

Widget 455, 457, 466, 475

  add to page 442

  CMS Static Block 460

  code 475

  email 808, 812

  link 442

  New Products 463

Wiki 4

Wishlist 364, 366-367, 541

  in RSS feed 408

  Reports 368

Workflow

  order 584-585

  Product Return 598

WS-I 908

WYSIWYG Editor 438

  enable 136

enable for input 150

## X

XML 497, 499

  file 849

## Y

Yes, checkbox 66

Yes/No, input type 136

YouTube 7

## Z

Zend Full Page Cache 896

Zero Subtotal Checkout 623

Zones, tax 747