

PLATFORM 3 ASSEMBLY

PLATFORM CONSTRUCTION USING 2X6 NOMINAL BEAMS FOR FRAME AND JOIST.


RUNNERS CONSTRUCTED OUT OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY ONLY INCLUDED ON PAGE 136 - PLEASE REFERENCE BEFORE BUILDING

SHEATHING GRAIN ORIENTED PERPENDICULAR TO JOIST DIRECTION

ALL SEAMS BACKED BY JOISTS AND STAGGERED



PLATFORM 3 LAYOUT

PLATFORM CONSTRUCTION USING 2X6 NOMINAL BEAMS FOR FRAME AND JOIST.


RUNNERS CONSTRUCTED OUT OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY ONLY INCLUDED ON PAGE 136 - PLEASE REFERENCE BEFORE BUILDING

SHEATHING GRAIN ORIENTED PERPENDICULAR TO JOIST DIRECTION

ALL SEAMS BACKED BY JOISTS AND STAGGERED



PLATFORM 3 CONSTRUCTION

PLATFORM CONSTRUCTION USING 2X6 NOMINAL BEAMS FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY ONLY INCLUDED ON PAGE 136 - PLEASE REFERENCE BEFORE BUILDING

SHEATHING GRAIN ORIENTED PERPENDICULAR TO JOIST DIRECTION

ALL SEAMS BACKED BY JOISTS AND STAGGERED

1'-10 4" 7'-10 4" 2'-0" 7'-1" 3'-2 ½" 4'-0" 6'-11"

PLATFORM 3B

PLATFORM CONSTRUCTION USING 2X6 NOMINAL BEAMS FOR FRAME AND JOIST.


RUNNERS CONSTRUCTED OUT OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY ONLY INCLUDED ON PAGE 136 - PLEASE REFERENCE BEFORE BUILDING

SHEATHING GRAIN ORIENTED PERPENDICULAR TO JOIST DIRECTION

ALL SEAMS BACKED BY JOISTS AND STAGGERED



PLATFORM 3 BLOCKING

PLATFORM CONSTRUCTION USING 2X6 NOMINAL BEAMS FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY ONLY INCLUDED ON PAGE 136 - PLEASE REFERENCE BEFORE BUILDING

SHEATHING GRAIN ORIENTED PERPENDICULAR TO JOIST DIRECTION

ALL SEAMS BACKED BY JOISTS AND STAGGERED

BLOCKING CONSTRUCTED FROM SCRAP 2X4 OR 2X6

: = = = = = = = = = =

PLATFORM 3 SHEATHING OVERLAY

PLATFORM CONSTRUCTION USING 2X6 NOMINAL BEAMS FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY ONLY INCLUDED ON PAGE 136 - PLEASE REFERENCE BEFORE BUILDING

SHEATHING GRAIN ORIENTED PERPENDICULAR TO JOIST DIRECTION

ALL SEAMS BACKED BY JOISTS AND STAGGERED