

## PLATFORM 2 ASSEMBLY

PLATFORM CONSTRUCTION  
USING 2X6 NOMINAL BEAMS  
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT  
OF 2X4 NOMINAL LUMBER


SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY  
ONLY INCLUDED ON PAGE 97 -  
PLEASE REFERENCE BEFORE  
BUILDING

SHEATHING GRAIN ORIENTED  
PERPENDICULAR TO JOIST  
DIRECTION

ALL SEAMS BACKED BY JOISTS  
AND STAGGERED

NOTE: PLATFORM 2B AND 2C  
HAVE SINCE BEEN COMBINED



## PLATFORM 2 LAYOUT

PLATFORM CONSTRUCTION  
USING 2X6 NOMINAL BEAMS  
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT  
OF 2X4 NOMINAL LUMBER


SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY  
ONLY INCLUDED ON PAGE 97 -  
PLEASE REFERENCE BEFORE  
BUILDING

SHEATHING GRAIN ORIENTED  
PERPENDICULAR TO JOIST  
DIRECTION

ALL SEAMS BACKED BY JOISTS  
AND STAGGERED

NOTE: PLATFORM 2B AND 2C  
HAVE SINCE BEEN COMBINED



## PLATFORM 2 CONSTRUCTION

PLATFORM CONSTRUCTION  
USING 2X6 NOMINAL BEAMS  
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT  
OF 2X4 NOMINAL LUMBER


SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY  
ONLY INCLUDED ON PAGE 97 -  
PLEASE REFERENCE BEFORE  
BUILDING

SHEATHING GRAIN ORIENTED  
PERPENDICULAR TO JOIST  
DIRECTION

ALL SEAMS BACKED BY JOISTS  
AND STAGGERED

NOTE: PLATFORM 2B AND 2C  
HAVE SINCE BEEN COMBINED



## PLATFORM P2A FRAMING

PLATFORM CONSTRUCTION  
USING 2X6 NOMINAL BEAMS  
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT  
OF 2X4 NOMINAL LUMBER


SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY  
ONLY INCLUDED ON PAGE 97 -  
PLEASE REFERENCE BEFORE  
BUILDING

SHEATHING GRAIN ORIENTED  
PERPENDICULAR TO JOIST  
DIRECTION

ALL SEAMS BACKED BY JOISTS  
AND STAGGERED

NOTE: PLATFORM 2B AND 2C  
HAVE SINCE BEEN COMBINED



## PLATFORM P2A SHEATHING

PLATFORM CONSTRUCTION  
USING 2X6 NOMINAL BEAMS  
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT  
OF 2X4 NOMINAL LUMBER


SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY  
ONLY INCLUDED ON PAGE 97 -  
PLEASE REFERENCE BEFORE  
BUILDING

SHEATHING GRAIN ORIENTED  
PERPENDICULAR TO JOIST  
DIRECTION

ALL SEAMS BACKED BY JOISTS  
AND STAGGERED

NOTE: PLATFORM 2B AND 2C  
HAVE SINCE BEEN COMBINED



## PLATFORM 2 SHEATHING OVERLAY

PLATFORM CONSTRUCTION  
USING 2X6 NOMINAL BEAMS  
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT  
OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.


NOTE: BLOCKING CURRENTLY  
ONLY INCLUDED ON PAGE 97 -  
PLEASE REFERENCE BEFORE  
BUILDING


SHEATHING GRAIN ORIENTED  
PERPENDICULAR TO JOIST  
DIRECTION

ALL SEAMS BACKED BY JOISTS  
AND STAGGERED

NOTE: PLATFORM 2B AND 2C  
HAVE SINCE BEEN COMBINED

SHEATHING USED TO TIE  
PLATFORMS TOGETHER





## PLATFORM 2 BLOCKING

PLATFORM CONSTRUCTION  
USING 2X6 NOMINAL BEAMS  
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT  
OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY  
ONLY INCLUDED ON PAGE 97 -  
PLEASE REFERENCE BEFORE  
BUILDING

SHEATHING GRAIN ORIENTED  
PERPENDICULAR TO JOIST  
DIRECTION

ALL SEAMS BACKED BY JOISTS  
AND STAGGERED

NOTE: PLATFORM 2B AND 2C  
HAVE SINCE BEEN COMBINED

BLOCKING CONSTRUCTED  
FROM SCRAP 2X4 OR 2X6