

PLAT 1 ASSEMBLY

PLATFORM CONSTRUCTION
USING 2X6 NOMINAL BEAMS
FOR FRAME AND JOIST.


RUNNERS CONSTRUCTED OUT
OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY
ONLY INCLUDED ON PAGE 36 -
PLEASE REFERENCE BEFORE
BUILDING

SHEATHING GRAIN ORIENTED
PERPENDICULAR TO JOIST
DIRECTION

ALL SEAMS BACKED BY JOISTS
AND STAGGERED



PLATFORM 1 SHEATHING OVERLAY

PLATFORM CONSTRUCTION
USING 2X6 NOMINAL BEAMS
FOR FRAME AND JOIST.


RUNNERS CONSTRUCTED OUT
OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.


NOTE: BLOCKING CURRENTLY
ONLY INCLUDED ON PAGE 36 -
PLEASE REFERENCE BEFORE
BUILDING

ALL SEAMS BACKED BY JOISTS
AND STAGGERED

SHEATHING IS USED TO TIE
PLATFORMS TOGETHER.
AS MANY FULL SHEETS AS
POSSIBLE ARE USED FOR
ENERGY AND MATERIAL
EFFICIENCY.



PLATFORM 1 LAYOUT



PLATFORM CONSTRUCTION
USING 2X6 NOMINAL BEAMS
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT
OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY
ONLY INCLUDED ON PAGE 36 -
PLEASE REFERENCE BEFORE
BUILDING




PLATFORM 1B-D CONSTRUCTION

PLATFORM CONSTRUCTION
USING 2X6 NOMINAL BEAMS
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT
OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY
ONLY INCLUDED ON PAGE 36 -
PLEASE REFERENCE BEFORE
BUILDING




PLATFORM 1B-D CONSTRUCTION 2

PLATFORM CONSTRUCTION
USING 2X6 NOMINAL BEAMS
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT
OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY
ONLY INCLUDED ON PAGE 36 -
PLEASE REFERENCE BEFORE
BUILDING








PLATFORM 1 SHEATHING

PLATFORM CONSTRUCTION
USING 2X6 NOMINAL BEAMS
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT
OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY
ONLY INCLUDED ON PAGE 36 -
PLEASE REFERENCE BEFORE
BUILDING



PLATFORM 1 BLOCKING


PLATFORM CONSTRUCTION
USING 2X6 NOMINAL BEAMS
FOR FRAME AND JOIST.

RUNNERS CONSTRUCTED OUT
OF 2X4 NOMINAL LUMBER

SHEATHED WITH 3/4" PLY.

NOTE: BLOCKING CURRENTLY
ONLY INCLUDED ON PAGE 36 -
PLEASE REFERENCE BEFORE
BUILDING

BLOCKING CONSTRUCTED
FROM SCRAP 2X4 OR 2X6



NOTE: PLATFORMS MIRRORED SO THERE ARE 4 OF EACH BLOCK SIZE