


## SnakeViz

Call Stack

Search: 

ncalls	tottime	percall	cumtime	percall	
15312	36.23	0.002366	36.23	0.002366	~:0(<built-in method torch.conv2d>)
13398	4.375	0.0003266	4.375	0.0003266	~:0(<built-in method torch._C._nn.silu_>)
522	3.551	0.006803	3.551	0.006803	~:0(<built-in method torch.max_pool2d>)
348	3.197	0.009188	3.333	0.009577	solution_base.py:573(_get_packet_content)
4177	1.575	0.000377	1.575	0.000377	~:0(<built-in method torch.cat>)
348	0.7135	0.00205	0.7135	0.00205	~:0(<built-in method torch._C._nn.upsample_nearest2d>)
3	0.641	0.2137	1.285	0.4285	serialization.py:2060(persistent_load)
1398	0.6281	0.0004493	0.6281	0.0004493	~:0(<built-in method _io.open_code>)
174	0.613	0.003523	0.613	0.003523	~:0(<method 'read' of 'cv2.VideoCapture' objects>)
1	0.4425	0.4425	0.4425	0.4425	~:0(<method 'load_verify_locations' of '_ssl._SSLCContext'>)
53244/174	0.3958	0.002275	49.32	0.2834	module.py:1755(_call_impl)
174	0.389	0.002236	0.389	0.002236	~:0(<waitKey>)
1914	0.3164	0.0001653	7.486	0.003911	block.py:493(forward)
5235	0.2827	5.4e-05	0.2828	5.402e-05	~:0(<built-in method nt.stat>)
53244/174	0.2483	0.001427	49.32	0.2835	module.py:1747(_wrapped_call_impl)
174	0.247	0.00142	0.7863	0.004519	block.py:1340(forward)
523	0.2331	0.0004456	0.2331	0.0004456	~:0(<built-in method builtins.print>)
1398	0.2324	0.0001663	0.2324	0.0001663	~:0(<built-in method marshal.loads>)

ncalls	tottime	percall	cumtime	percall	
348	0.2296	0.0006598	0.2296	0.0006598	~:0(<method 'softmax' of 'torch._C.TensorBase' objects>)
54462	0.2237	4.108e-06	0.2237	4.108e-06	~:0(<built-in method torch._C._get_tracing_state>)
174	0.1953	0.001122	0.1953	0.001122	~:0(<built-in method numpy.asarray>)
2621/4	0.1835	0.04587	0.6412	0.1603	~:0(<built-in method builtins.exec>)
946	0.1783	0.0001884	0.1783	0.0001884	~:0(<method 'float' of 'torch._C.TensorBase' objects>)
75090	0.1663	2.215e-06	0.1663	2.215e-06	module.py:1927(__getattr__)
2300	0.1634	7.104e-05	0.1634	7.104e-05	~:0(<built-in method nt._getfinalpathname>)
14094	0.1366	9.695e-06	40.68	0.002886	conv.py:82(forward_fuse)
696	0.1351	0.0001941	0.1351	0.0001941	~:0(<cvtColor>)
166	0.1121	0.0006754	0.1121	0.0006754	~:0(<solvePnP>)
523	0.1113	0.0002127	0.1113	0.0002127	~:0(<method 'write' of '_io.TextIOWrapper' objects>)
162	0.1045	0.0006448	0.1045	0.0006448	~:0(<method 'uniform_' of 'torch._C.TensorBase' objects>)
174	0.103	0.000592	0.5429	0.00312	predictor.py:150(preprocess)
174	0.09836	0.0005653	0.2439	0.001402	ops.py:192(non_max_suppression)
1399	0.09619	6.876e-05	0.09619	6.876e-05	~:0(<method 'read' of '_io.BufferedReader' objects>)
1398	0.09575	6.849e-05	0.3333	0.0002384	<frozen importlib._bootstrap_external>:751(_compile_bytecode)
174	0.09283	0.0005335	0.09283	0.0005335	~:0(<imshow>)
8865	0.08667	9.777e-06	0.1338	1.509e-05	<frozen importlib._bootstrap_external>:96(_path_join)
174	0.08589	0.0004936	0.08589	0.0004936	~:0(<method 'sigmoid' of 'torch._C.TensorBase' objects>)
348	0.07955	0.0002286	0.07955	0.0002286	~:0(<flip>)
174	0.07835	0.0004503	49.3	0.2833	tasks.py:159(_predict_once)
174	0.07789	0.0004476	0.204	0.001172	face_detector.py:74(get_head_pose)
15312	0.07644	4.992e-06	36.41	0.002378	conv.py:553(forward)
422	0.07121	0.0001688	0.0739	0.0001751	results.py:694(<genexpr>)
15312	0.06916	4.516e-06	36.3	0.002371	conv.py:536(_conv_forward)
1	0.06776	0.06776	0.06776	0.06776	~:0(<destroyAllWindows>)
181368/177841	0.0667	3.75e-07	0.07654	4.304e-07	~:0(<built-in method builtins.isinstance>)
2883/2824	0.0659	2.333e-05	0.3598	0.0001274	~:0(<built-in method builtins.__build_class__>)
174	0.06485	0.0003727	0.08948	0.0005143	tal.py:382(dist2bbox)
162	0.06391	0.0003945	0.06391	0.0003945	~:0(<built-in method torch.mm>)
1392	0.06237	4.481e-05	22.07	0.01586	block.py:315(forward)
13398	0.05046	3.766e-06	4.489	0.000335	activation.py:431(forward)
392	0.04963	0.0001266	0.04999	0.0001275	~:0(<built-in method builtins.eval>)
2958/1740	0.0472	2.713e-05	11.16	0.006411	container.py:238(forward)
1566	0.047	3.001e-05	0.047	3.001e-05	~:0(<method 'chunk' of 'torch._C.TensorBase' objects>)
13398	0.04562	3.405e-06	4.438	0.0003313	functional.py:2358(silu)
92423	0.04363	4.721e-07	0.04909	5.312e-07	~:0(<built-in method builtinsgetattr>)
478	0.04271	8.936e-05	0.09874	0.0002066	assumptions.py:614(__prepare_class_assumptions)
174	0.0397	0.0002282	0.0397	0.0002282	~:0(<method 'amax' of 'torch._C.TensorBase' objects>)
389	0.03756	9.655e-05	0.09482	0.0002437	__init__.py:355(namedtuple)

ncalls	tottime	percall	cumtime	percall	
125817/121948	0.03478	2.852e-07	0.04258	3.492e-07	~:0(<built-in method builtins.len>)
503	0.03302	6.564e-05	0.05107	0.0001015	serialization.py:1997(load_tensor)
174	0.03139	0.0001804	0.03139	0.0001804	~:0(<copyMakeBorder>)
347/0	0.02963	0	0	0	predictor.py:276(stream_inference)
438	0.0296	6.758e-05	0.03825	8.732e-05	results.py:170(__getitem__)
1398	0.02853	2.041e-05	1.256	0.0008985	<frozen importlib._bootstrap_external>:1062(get_code)
1127	0.02839	2.519e-05	0.02839	2.519e-05	~:0(<built-in method nt._path_exists>)
174	0.02811	0.0001615	0.02877	0.0001654	shape_base.py:380(stack)
174	0.02773	0.0001594	1.262	0.007251	block.py:1402(forward)
174	0.02681	0.0001541	0.04445	0.0002554	ops.py:105(scale_boxes)
62918	0.02636	4.189e-07	0.02636	4.189e-07	~:0(<method 'append' of 'list' objects>)
4131/13	0.02631	0.002024	0.6478	0.04983	<frozen importlib._bootstrap>:1349(_find_and_load)
39339	0.02518	6.402e-07	0.0287	7.296e-07	~:0(<built-in method builtins.hasattr>)
1451	0.02475	1.705e-05	0.02475	1.705e-05	~:0(<method '__exit__' of '_io._IOBase' objects>)
599/88	0.02447	0.000278	0.05855	0.0006653	_parser.py:512(parse)
1758	0.0244	1.388e-05	0.3622	0.000206	<frozen importlib._bootstrap_external>:1593(find_spec)
47173	0.02237	4.741e-07	0.02237	4.741e-07	~:0(<method 'startswith' of 'str' objects>)
322	0.02182	6.776e-05	0.3967	0.001232	dataclasses.py:921(_process_class)
174	0.02117	0.0001217	0.02406	0.0001383	ops.py:444(xywh2xyxy)
1458	0.0209	1.433e-05	0.4387	0.0003009	<frozen importlib._bootstrap>:1240(_find_spec)
173	0.02046	0.0001183	0.02046	0.0001183	~:0(<built-in method torch._ops.torchvision.nms>)
334	0.0201	6.019e-05	0.0201	6.019e-05	~:0(<method 'ParseFromString' of 'google._upb._message.I'
46257	0.01976	4.272e-07	0.01976	4.272e-07	~:0(<method 'get' of 'dict' objects>)
15735	0.01912	1.215e-06	0.01912	1.215e-06	~:0(<built-in method torch._C._has_torch_function_unary>)
44396	0.01874	4.222e-07	0.01874	4.222e-07	~:0(<method 'endswith' of 'str' objects>)
2341	0.01871	7.994e-06	0.06096	2.604e-05	<frozen importlib._bootstrap>:304(acquire)
1556	0.01867	1.2e-05	0.01867	1.2e-05	~:0(<method 'view' of 'torch._C.TensorBase' objects>)
1580/85	0.01855	0.0002182	0.07593	0.0008933	module.py:912(__apply)
15609	0.01828	1.171e-06	0.02819	1.806e-06	conflict.py:7(supersedes)
460	0.01787	3.884e-05	0.01787	3.884e-05	~:0(<method 'clear' of 'dict' objects>)
17280/16795	0.01763	1.05e-06	0.03205	1.908e-06	~:0(<built-in method __new__ of type object at 0x00007FF
174	0.01738	9.989e-05	7.901	0.04541	head.py:114(forward)
509	0.01717	3.373e-05	0.01717	3.373e-05	~:0(<method 'reshape' of 'torch._C.TensorBase' objects>)
81	0.01707	0.0002107	0.2733	0.003374	torch_utils.py:252(fuse_conv_and_bn)
174	0.01705	9.801e-05	0.02175	0.000125	__init__.py:323(check_cfg)
522	0.01622	3.108e-05	0.04513	8.645e-05	__init__.py:298(__init__)
174	0.0161	9.251e-05	0.6963	0.004002	head.py:150(__inference)
2796	0.01598	5.717e-06	0.08889	3.179e-05	<frozen importlib._bootstrap_external>:482(cache_from_s
18885/18739	0.01571	8.384e-07	0.09605	5.126e-06	~:0(<method 'join' of 'str' objects>)
695	0.0156	2.245e-05	0.03121	4.491e-05	_tensor.py:1038(split)

ncalls	totime	percall	cumtime	percall	
32	0.01512	0.0004726	0.2791	0.008722	inspect.py:988(getmodule)
2837	0.01506	5.31e-06	12.54	0.00442	~:0(<method 'extend' of 'list' objects>)
1485/886	0.01474	1.663e-05	0.09392	0.000106	inspect.py:2497(_signature_from_callable)
1311	0.01419	1.082e-05	0.03623	2.763e-05	backends.py:210(__new__)
832	0.01417	1.704e-05	0.04281	5.146e-05	inspect.py:2393(_signature_from_function)
522	0.01411	2.703e-05	4.264	0.008168	block.py:351(forward)
2468	0.01353	5.484e-06	0.02481	1.005e-05	functools.py:35(update_wrapper)
1	0.0133	0.0133	0.0133	0.0133	~:0(<method 'release' of 'cv2.VideoCapture' objects>)
3132	0.01316	4.201e-06	0.02022	6.455e-06	container.py:230(__iter__)
23803	0.01305	5.482e-07	0.01411	5.928e-07	~:0(<built-in method builtins setattr>)
31598	0.0124	3.924e-07	0.0124	3.924e-07	assumptions.py:489(as_property)
4	0.01231	0.003077	0.01287	0.003216	solution_base.py:393(get_stream_packet_type)
6032	0.0123	2.039e-06	0.02661	4.411e-06	conflict.py:12(consistent)
1453/4	0.0123	0.003075	0.6474	0.1618	<frozen importlib._bootstrap>:1304(_find_and_load_unloc
696	0.01227	1.763e-05	0.01227	1.763e-05	~:0(<method 'unbind' of 'torch._C.TensorBase' objects>)
1967	0.0118	5.997e-06	0.03139	1.596e-05	module.py:1944(__setattr__)
348	0.01158	3.327e-05	0.01158	3.327e-05	~:0(<built-in method mediapipe.python._framework_bindi
30089	0.01143	3.798e-07	0.01143	3.798e-07	~:0(<method 'rstrip' of 'str' objects>)
332	0.01121	3.377e-05	0.01225	3.689e-05	gaze_detector.py:102(get_eye_center)
8877	0.01107	1.247e-06	0.02065	2.326e-06	tokenize.py:569(_generate_tokens_from_c_tokenizer)
174	0.01099	6.318e-05	0.01682	9.669e-05	ops.py:341(clip_boxes)
695	0.01071	1.542e-05	0.01071	1.542e-05	~:0(<built-in method torch.split_with_sizes>)
2341	0.01071	4.574e-06	0.02525	1.079e-05	<frozen importlib._bootstrap>:426(_get_module_lock)
5030	0.01064	2.115e-06	0.02676	5.319e-06	<frozen ntpath>:51(normcase)
1049/83	0.01057	0.0001274	0.0275	0.0003313	_compiler.py:37(__compile__)
1398	0.01052	7.528e-06	0.7595	0.0005433	<frozen importlib._bootstrap_external>:1183(get_data)
1236	0.01037	8.389e-06	0.2732	0.000221	dataclasses.py:449(__create_fn)
2341	0.01029	4.396e-06	0.0216	9.227e-06	<frozen importlib._bootstrap>:124(setdefault)
7951/1279	0.01025	8.016e-06	0.01152	9.008e-06	module.py:2787(named_modules)
174	0.0102	5.86e-05	0.04699	0.00027	augment.py:1657(__call__)
144	0.0101	7.017e-05	0.0101	7.017e-05	~:0(<built-in method nt.listdir>)
348	0.009718	2.793e-05	0.0174	5.001e-05	grad_mode.py:269(__enter__)
5030	0.009594	1.907e-06	0.009594	1.907e-06	~:0(<built-in method _winapi.LCMapStringEx>)
2784	0.009499	3.412e-06	8.944	0.003213	block.py:318(<genexpr>)
346/0	0.00945	0	0	0	grad_mode.py:273(__exit__)
1449	0.009176	6.333e-06	0.01298	8.956e-06	<frozen importlib._bootstrap>:232(__init__)
2341	0.009009	3.849e-06	0.01415	6.044e-06	<frozen importlib._bootstrap>:372(release)
1150	0.009003	7.829e-06	0.1896	0.0001649	<frozen ntpath>:692(realpath)
438	0.008977	2.05e-05	0.01055	2.41e-05	results.py:893(__init__)
1412	0.008909	6.309e-06	0.0722	5.114e-05	<frozen importlib._bootstrap>:733(__init_module_attrs)

ncalls	totime	percall	cumtime	percall	
8043	0.008876	1.104e-06	0.008888	1.105e-06	inspect.py:1828(_shadowed_dict)
23342	0.008873	3.801e-07	0.0187	8.01e-07	~:0(<built-in method builtins.all>)
6	0.008637	0.00144	0.008637	0.00144	~:0(<built-in method _ctypes.LoadLibrary>)
89	0.008533	9.588e-05	0.0456	0.0005123	conflict.py:24(ambiguities)
346/0	0.008067	0	0	0	_contextlib.py:25(generator_context)
1392/4	0.00802	0.002005	0.6461	0.1615	<frozen importlib._bootstrap>:911(_load_unlocked)
2722	0.007877	2.894e-06	0.01484	5.452e-06	inspect.py:2739(__init__)
176	0.007823	4.445e-05	0.01408	7.999e-05	~:0(<built-in method _io.open>)
1398	0.007691	5.502e-06	0.0132	9.441e-06	<frozen importlib._bootstrap_external>:666(classify_pyc)
1044	0.007657	7.334e-06	0.01447	1.386e-05	container.py:302(_get_abs_string_index)
1509	0.007559	5.009e-06	0.0202	1.338e-05	_guards.py:1028(detect_fake_mode)
5118	0.007546	1.474e-06	0.01498	2.926e-06	typing.py:1215(__setattr__)
174	0.007472	4.294e-05	0.05507	0.0003165	predict.py:111(construct_result)
4141	0.007402	1.787e-06	0.01507	3.639e-06	~:0(<built-in method builtins.max>)
1378/4	0.007389	0.001847	0.6458	0.1614	<frozen importlib._bootstrap_external>:989(exec_module)
2341	0.007335	3.133e-06	0.0302	1.29e-05	<frozen importlib._bootstrap>:162(__enter__)
2049	0.007295	3.56e-06	0.01612	7.865e-06	typing.py:175(type_check)
2796	0.007292	2.608e-06	0.02052	7.337e-06	<frozen importlib._bootstrap_external>:132(path_split)
1234	0.007154	5.798e-06	0.02162	1.752e-05	decorators.py:762(__call__)
332	0.007104	2.14e-05	0.007104	2.14e-05	~:0(<built-in method mediapipe.python._framework_bindi
522	0.007024	1.346e-05	0.02605	4.99e-05	__init__.py:1611(findCaller)
4194	0.007011	1.672e-06	0.01016	2.422e-06	<frozen importlib._bootstrap_external>:84(unpack_uint32)
347/0	0.006867	0	0	0	~:0(<method 'send' of 'generator' objects>)
10932	0.006866	6.28e-07	0.01059	9.69e-07	_parser.py:261(get)
1314	0.006849	5.212e-06	0.01005	7.646e-06	inspect.py:3025(__init__)
1415	0.006802	4.807e-06	0.01964	1.388e-05	<frozen importlib._bootstrap_external>:802(spec_from_file)
1196	0.006786	5.674e-06	0.04939	4.129e-05	inspect.py:951(getsourcefile)
485	0.006761	1.394e-05	0.01241	2.559e-05	enum.py:254(__set_name__)
429	0.006687	1.559e-05	0.006687	1.559e-05	~:0(<built-in method torch.zeros>)
12939	0.006669	5.154e-07	0.03332	2.575e-06	conflict.py:43(edge)
31851/31717	0.006667	2.102e-07	0.006811	2.147e-07	~:0(<built-in method builtins.hash>)
13804	0.00647	4.687e-07	0.009638	6.982e-07	_parser.py:168(__getitem__)
696	0.006453	9.271e-06	0.01313	1.887e-05	<frozen ntpath>:236(split)
7816	0.006436	8.234e-07	0.0068	8.7e-07	~:0(<method 'update' of 'dict' objects>)
17810	0.006416	3.602e-07	0.006416	3.602e-07	~:0(<method 'get' of 'mappingproxy' objects>)
332	0.006407	1.93e-05	0.04541	0.0001368	packet_getter.py:79(get_proto_list)
1044	0.006389	6.119e-06	0.02224	2.13e-05	container.py:319(__getitem__)
162	0.006376	3.936e-05	0.006376	3.936e-05	~:0(<method 'copy_' of 'torch._C.TensorBase' objects>)
174	0.006372	3.662e-05	0.04874	0.0002801	object_detector.py:40(process_detections)
10564	0.006365	6.025e-07	0.006365	6.025e-07	~:0(<method 'replace' of 'str' objects>)

ncalls	tottime	percall	cumtime	percall	
437	0.006355	1.454e-05	0.006355	1.454e-05	results.py:962(cls)
1457	0.006354	4.361e-06	0.3923	0.0002692	<frozen importlib._bootstrap_external>:1491(_get_spec)
174	0.00634	3.643e-05	0.03985	0.000229	__init__.py:275(get_cfg)
174	0.006309	3.626e-05	2.031	0.01167	block.py:1518(forward)
180	0.006301	3.5e-05	0.006301	3.5e-05	~:0(<built-in method torch.arange>)
13254	0.006283	4.74e-07	0.009197	6.939e-07	conflict.py:15(<genexpr>)
1231	0.006279	5.1e-06	0.01892	1.537e-05	dataclasses.py:760(__get_field__)
698	0.006255	8.961e-06	0.006255	8.961e-06	~:0(<method 'transpose' of 'torch._C.TensorBase' objects>)
4116/3738	0.006236	1.668e-06	0.0759	2.03e-05	typing.py:392(inner)
5540	0.006128	1.106e-06	0.006128	1.106e-06	~:0(<built-in method builtins.iter>)
1402	0.006097	4.349e-06	0.009928	7.081e-06	container.py:344(__iter__)
10583	0.006071	5.737e-07	0.006071	5.737e-07	~:0(<method 'rpartition' of 'str' objects>)
348	0.006022	1.73e-05	0.7217	0.002074	functional.py:4453(interpolate)
174	0.006012	3.455e-05	0.006012	3.455e-05	~:0(<method 'max' of 'torch._C.TensorBase' objects>)
1169	0.005995	5.128e-06	0.008987	7.688e-06	inspect.py:176(get_annotations)
205	0.005899	2.878e-05	0.005899	2.878e-05	~:0(<method 'copy' of 'dict' objects>)
13/12	0.005834	0.0004861	0.007871	0.0006559	~:0(<built-in method __imp.create_dynamic>)
8969	0.005745	6.405e-07	0.009942	1.108e-06	__init__.py:447(__make__)
696	0.005745	8.255e-06	0.005745	8.255e-06	~:0(<method 'clamp' of 'torch._C.TensorBase' objects>)
665	0.00574	8.631e-06	0.00574	8.631e-06	~:0(<built-in method torch.empty>)
174	0.005719	3.287e-05	4.51	0.02592	block.py:237(forward)
174	0.005713	3.283e-05	0.1233	0.0007089	predictor.py:407(write_results)
2211	0.005662	2.561e-06	0.0123	5.563e-06	dataclasses.py:701(__is_type__)
4785	0.005637	1.178e-06	0.005637	1.178e-06	~:0(<method 'values' of 'collections.OrderedDict' objects>)
174	0.005603	3.22e-05	0.3061	0.001759	predict.py:34(postprocess)
1045	0.005577	5.337e-06	0.01215	1.163e-05	enum.py:390(__setitem__)
174	0.005548	3.188e-05	0.02073	0.0001192	predictor.py:250(setup_source)
4493	0.005497	1.223e-06	0.007133	1.587e-06	module.py:2740(named_children)
101	0.00546	5.406e-05	0.94	0.009307	library.py:293(impl)
172	0.005452	3.17e-05	0.02893	0.0001682	enum.py:528(__new__)
9730	0.005324	5.472e-07	0.005324	5.472e-07	<frozen importlib._bootstrap>:491(__verbose_message)
89	0.005301	5.957e-05	0.04482	0.0005036	conflict.py:56(ordering)
1689	0.005244	3.105e-06	0.007042	4.169e-06	<frozen ntpath>:179(splitroot)
808	0.005231	6.474e-06	0.03616	4.475e-05	typing.py:1269(__init__)
174	0.005207	2.992e-05	0.005207	2.992e-05	~:0(<built-in method torch.from_numpy>)
174	0.005184	2.979e-05	0.3241	0.001863	block.py:78(forward)
2911	0.00516	1.773e-06	0.02325	7.986e-06	inspect.py:1841(getattr_static)
8044	0.005153	6.406e-07	0.005153	6.406e-07	~:0(<method 'rfind' of 'str' objects>)
2341	0.005132	2.192e-06	0.006832	2.918e-06	<frozen importlib._bootstrap>:74(__new__)
498	0.005131	1.03e-05	0.005131	1.03e-05	~:0(<built-in method numpy.array>)

ncalls	tottime	percall	cumtime	percall	
523	0.005125	9.8e-06	0.2346	0.0004486	__init__.py:1529(info)
4	0.005102	0.001276	0.03001	0.007503	_config_module.py:240(get_assignments_with_compile_ig)
3286/2915	0.005042	1.73e-06	1.359	0.0004664	~:0(<built-in method builtins.any>)
162	0.005011	3.093e-05	0.005011	3.093e-05	~:0(<built-in method torch.sqrt>)
1396	0.00499	3.574e-06	0.00499	3.574e-06	~:0(<built-in method builtins.round>)
2911	0.004896	1.682e-06	0.01094	3.759e-06	inspect.py:1802(_check_class)
14442	0.004848	3.357e-07	0.004848	3.357e-07	~:0(<built-in method nt.fspath>)
1557	0.004802	3.084e-06	0.01162	7.462e-06	<frozen importlib._bootstrap_external>:172(_path_isabs)
2664/2114	0.004769	2.256e-06	0.04584	2.169e-05	trace_rules.py:2893(load_object)
522	0.004763	9.125e-06	0.005258	1.007e-05	ops.py:42(__init__)
174	0.004679	2.689e-05	0.02158	0.000124	gaze_detector.py:149(get_gaze_direction)
8388	0.004677	5.576e-07	0.007667	9.14e-07	<frozen importlib._bootstrap_external>:134(<genexpr>)
696	0.004668	6.706e-06	3.58	0.005144	block.py:240(<genexpr>)
81	0.004626	5.711e-05	0.004626	5.711e-05	~:0(<built-in method torch.diag>)
1458	0.004596	3.152e-06	0.004596	3.152e-06	~:0(<built-in method _imp.is_builtin>)
13042	0.004549	3.488e-07	0.004549	3.488e-07	_parser.py:240(__next__)
142	0.004536	3.195e-05	0.01791	0.0001261	<frozen importlib._bootstrap_external>:1644(_fill_cache)
160	0.004529	2.831e-05	0.008582	5.364e-05	__init__.py:347(__new__)
1486/45	0.004509	0.0001002	0.5024	0.01116	<frozen importlib._bootstrap>:1390(_handle_fromlist)
166	0.004488	2.704e-05	0.004488	2.704e-05	~:0(<RQDecomp3x3>)
2341	0.004477	1.913e-06	0.004477	1.913e-06	<frozen importlib._bootstrap>:79(__init__)
321	0.004471	1.393e-05	0.07746	0.0002413	dataclasses.py:568(__init_fn)
568	0.004433	7.805e-06	0.04207	7.407e-05	typing.py:694(Union)
177	0.004414	2.494e-05	0.004414	2.494e-05	~:0(<built-in method torch.stack>)
1412/1409	0.004391	3.116e-06	0.08817	6.257e-05	<frozen importlib._bootstrap>:806(module_from_spec)
26	0.004365	0.0001679	0.1181	0.004541	library.py:135(define)
1340	0.004348	3.245e-06	0.004348	3.245e-06	~:0(<method 'to' of 'torch._C.TensorBase' objects>)
5131	0.004342	8.462e-07	0.28	5.458e-05	<frozen importlib._bootstrap_external>:140(_path_stat)
136	0.004319	3.176e-05	0.009239	6.793e-05	facts.py:599(deduce_all_facts)
174	0.004303	2.473e-05	49.32	0.2834	autobackend.py:615(forward)
1566	0.004277	2.731e-06	0.01729	1.104e-05	__init__.py:200(_is_internal_frame)
5424	0.004257	7.849e-07	0.007955	1.467e-06	typing.py:1161(__dunder)
3116/9	0.004201	0.0004668	0.6412	0.07125	<frozen importlib._bootstrap>:480(_call_with_frames_rem
522	0.004165	7.98e-06	3.561	0.006822	pooling.py:212(forward)
1415	0.004132	2.92e-06	0.02432	1.719e-05	<frozen importlib._bootstrap_external>:1588(_get_spec)
13/10	0.004064	0.0004064	0.0094	0.00094	~:0(<built-in method _imp.exec_dynamic>)
9022	0.004042	4.48e-07	0.004357	4.829e-07	~:0(<method 'add' of 'set' objects>)
173	0.004021	2.324e-05	0.004021	2.324e-05	~:0(<method 'bincount' of 'torch._C.TensorBase' objects>)
173	0.003934	2.274e-05	0.0298	0.0001723	boxes.py:13(nms)
8689	0.003912	4.502e-07	0.005769	6.639e-07	inspect.py:298(ismodule)

ncalls	tottime	percall	cumtime	percall	
1411	0.003831	2.715e-06	0.05463	3.872e-05	<frozen importlib._bootstrap_external>:611(_get_cached)
1454	0.003827	2.632e-06	0.003827	2.632e-06	~:0(<built-in method _thread.allocate_lock>)
1105	0.003809	3.447e-06	0.005588	5.057e-06	module.py:917(compute_should_use_set_data)
418	0.003772	9.023e-06	0.003772	9.023e-06	~:0(<built-in method _make_subclass>)
1398	0.003757	2.688e-06	0.009438	6.751e-06	<frozen importlib._bootstrap_external>:699(_validate_time)
870	0.00374	4.299e-06	0.006114	7.028e-06	predictor.py:503(run_callbacks)
1400/1397	0.003722	2.664e-06	0.007113	5.092e-06	<frozen importlib._bootstrap_external>:643(_check_name_)
4493	0.0037	8.234e-07	0.01083	2.411e-06	module.py:2731(children)
522	0.003684	7.058e-06	0.003921	7.511e-06	__init__.py:488(<genexpr>)
354	0.003663	1.035e-05	0.01965	5.55e-05	solution_base.py:564(_make_packet)
2561	0.003621	1.414e-06	0.004303	1.68e-06	inspect.py:1793(_check_instance)
150	0.003618	2.412e-05	0.003618	2.412e-05	~:0(<built-in method builtins.compile>)
1805	0.003515	1.947e-06	0.005226	2.895e-06	parameter.py:10(__instancecheck__)
522	0.003514	6.731e-06	0.2289	0.0004385	__init__.py:1660(_log)
1031	0.003506	3.401e-06	0.005384	5.222e-06	inspect.py:754(unwrap)
522	0.003506	6.716e-06	0.1381	0.0002646	__init__.py:1148(emit)
2367	0.003505	1.481e-06	0.003505	1.481e-06	~:0(<method 'match' of 're.Pattern' objects>)
8864	0.003487	3.933e-07	0.02478	2.795e-06	tokenize.py:460(tokenize)
462	0.00348	7.532e-06	0.006274	1.358e-05	_compiler.py:243(_optimize_charset)
14420	0.003461	2.4e-07	0.003461	2.4e-07	~:0(<built-in method builtins.issubclass>)
2341	0.003446	1.472e-06	0.005049	2.157e-06	<frozen importlib._bootstrap>:82(remove)
522	0.003429	6.569e-06	0.01555	2.98e-05	__init__.py:537(format)
1557	0.003396	2.181e-06	0.003396	2.181e-06	~:0(<built-in method nt._path_splitroot>)
2905	0.003381	1.164e-06	0.005387	1.854e-06	enum.py:726(__call__)
2536	0.00337	1.329e-06	0.006118	2.412e-06	grad_mode.py:184(__init__)
448	0.003365	7.512e-06	0.007494	1.673e-05	pathlib.py:387(__parse_path)
6032	0.003361	5.572e-07	0.03186	5.282e-06	conflict.py:19(ambiguous)
81	0.003326	4.106e-05	0.1461	0.001804	conv.py:86(__init__)
1154/200	0.003314	1.657e-05	0.004338	2.169e-05	_parser.py:178(getwidth)
802	0.003314	4.132e-06	0.005542	6.91e-06	pathlib.py:358(__init__)
503	0.00331	6.58e-06	0.00331	6.58e-06	~:0(<method 'set_' of 'torch._C.TensorBase' objects>)
522	0.003268	6.26e-06	3.557	0.006814	_jit_internal.py:612(fn)
696	0.003258	4.681e-06	0.01965	2.823e-05	_tensor.py:1175(__iter__)
1837	0.003245	1.766e-06	0.08968	4.882e-05	<frozen importlib._bootstrap_external>:150(_path_is_mod)
1398	0.00324	2.318e-06	0.00324	2.318e-06	~:0(<built-in method _imp._fix_co_filename>)
385/1	0.003217	0.003217	0.009276	0.009276	module.py:2943(__repr__)
5874	0.003212	5.468e-07	0.004826	8.216e-07	<frozen importlib._bootstrap>:1226(__exit__)
174	0.003204	1.841e-05	0.05043	0.0002898	predictor.py:184(pre_transform)
1461	0.00319	2.184e-06	0.00319	2.184e-06	~:0(<method 'format' of 'str' objects>)
825	0.003167	3.839e-06	0.01156	1.401e-05	typing_extensions.py:3177(__collect_parameters)

ncalls	tottime	percall	cumtime	percall	
1164	0.003163	2.717e-06	0.0619	5.318e-05	inspect.py:976(getabsfile)
15/4	0.003161	0.0007904	0.005443	0.001361	_config_module.py:176(visit)
1486	0.00313	2.106e-06	0.06272	4.22e-05	<frozen importlib._bootstrap>:416(__enter__)
3895	0.003123	8.019e-07	0.005156	1.324e-06	<frozen importlib._bootstrap>:645(parent)
174	0.003062	1.76e-05	49.3	0.2834	tasks.py:141(predict)
83	0.003053	3.678e-05	0.003759	4.529e-05	module.py:466(__init__)
174	0.003033	1.743e-05	0.1017	0.0005846	results.py:664(verbose)
1722	0.003009	1.748e-06	0.004412	2.562e-06	parameter.py:216(__instancecheck__)
2664/2114	0.002995	1.417e-06	0.0195	9.225e-06	trace_rules.py:2883(_load_obj_from_str)
1398	0.00298	2.131e-06	0.06777	4.848e-05	<frozen importlib._bootstrap_external>:1202(path_stats)
173	0.002971	1.718e-05	0.002971	1.718e-05	~:0(<method 'int' of 'torch._C.TensorBase' objects>)
174	0.002967	1.705e-05	49.32	0.2835	predictor.py:175(inference)
522	0.00296	5.67e-06	0.1461	0.0002798	__init__.py:1011(handle)
348	0.002932	8.425e-06	0.003136	9.011e-06	grad_mode.py:259(__init__)
1449	0.00293	2.022e-06	0.004668	3.222e-06	<frozen importlib._bootstrap>:445(cb)
348	0.002922	8.395e-06	0.7247	0.002082	upsampling.py:171(forward)
332	0.002922	8.8e-06	0.003454	1.04e-05	gaze_detector.py:110(get_iris_center)
9664	0.002864	2.964e-07	0.002864	2.964e-07	~:0(<built-in method _imp.acquire_lock>)
1297	0.002834	2.185e-06	0.003156	2.433e-06	grad_mode.py:75(__init__)
5874	0.002832	4.821e-07	0.004255	7.244e-07	<frozen importlib._bootstrap>:1222(__enter__)
696	0.002826	4.06e-06	0.4288	0.0006162	conv.py:672(forward)
174	0.002813	1.616e-05	0.003902	2.243e-05	loaders.py:516(__init__)
174	0.00281	1.615e-05	0.004209	2.419e-05	checks.py:115(check_imgsz)
847	0.002807	3.314e-06	0.002929	3.458e-06	~:0(<method 'encode' of 'str' objects>)
2174	0.00279	1.283e-06	0.00279	1.283e-06	functools.py:65(wraps)
4	0.002786	0.0006964	0.003246	0.0008114	symbolic_convert.py:939(__init__)
1150	0.002781	2.418e-06	0.004649	4.042e-06	<frozen ntpath>:87(isabs)
114	0.002772	2.431e-05	0.002922	2.563e-05	_ops.py:688(__init__)
682	0.002701	3.96e-06	0.005324	7.806e-06	<frozen genericpath>:133(_splitext)
2835	0.002696	9.511e-07	0.002696	9.511e-07	~:0(<method 'dim' of 'torch._C.TensorBase' objects>)
1268	0.002673	2.108e-06	0.006255	4.933e-06	grad_mode.py:80(__enter__)
1171	0.002665	2.276e-06	0.002665	2.276e-06	~:0(<built-in method nt._getfullpathname>)
9664	0.002661	2.754e-07	0.002661	2.754e-07	~:0(<built-in method _imp.release_lock>)
980	0.002658	2.712e-06	0.00481	4.908e-06	inspect.py:2160(_signature_is_functionlike)
333	0.002656	7.977e-06	0.003846	1.155e-05	~:0(<built-in method _warnings.warn>)
1157	0.00264	2.282e-06	0.00264	2.282e-06	~:0(<method 'acquire' of '_thread.RLock' objects>)
4396	0.002635	5.993e-07	0.002635	5.993e-07	~:0(<method 'split' of 'str' objects>)
825	0.002625	3.182e-06	0.003654	4.429e-06	typing_extensions.py:3092(_has_generic_or_protocol_as_c
2666	0.002594	9.73e-07	0.002594	9.73e-07	typing.py:1273(<genexpr>)
522	0.002588	4.958e-06	0.006983	1.338e-05	__init__.py:1137(flush)

ncalls	tottime	percall	cumtime	percall	
1144	0.002579	2.255e-06	0.003006	2.628e-06	_ops.py:1045(<genexpr>)
166	0.002568	1.547e-05	0.002568	1.547e-05	~:0(<Rodrigues>)
434	0.002553	5.882e-06	0.006894	1.588e-05	inspect.py:2120(_signature_bound_method)
5726	0.002552	4.457e-07	0.002552	4.457e-07	~:0(<built-in method _thread.get_ident>)
1	0.002546	0.002546	0.01118	0.01118	packages.py:1(<module>)
6375	0.0025	3.922e-07	0.0025	3.922e-07	~:0(<method 'items' of 'collections.OrderedDict' objects>)
2692/19	0.002498	0.0001314	0.0161	0.0008475	__init__.py:73(import_module)
4899	0.002498	5.099e-07	0.002498	5.099e-07	~:0(<method 'items' of 'dict' objects>)
174	0.002494	1.434e-05	0.00898	5.161e-05	__init__.py:461(check_dict_alignment)
1457	0.002487	1.707e-06	0.3948	0.0002709	<frozen importlib._bootstrap_external>:1520(find_spec)
2809	0.002478	8.822e-07	0.05711	2.033e-05	<frozen importlib._bootstrap>:632(cached)
522	0.00246	4.712e-06	0.04759	9.116e-05	__init__.py:1645(makeRecord)
855	0.002439	2.852e-06	0.03292	3.851e-05	<frozen importlib._bootstrap>:463(__lock_unlock_module)
522	0.002429	4.653e-06	0.1485	0.0002845	__init__.py:1746(callHandlers)
522	0.002426	4.648e-06	0.002426	4.648e-06	__init__.py:455(__format)
1468	0.002424	1.651e-06	0.006607	4.5e-06	dataclasses.py:864(__set_new_attribute)
522	0.002421	4.638e-06	0.1517	0.0002907	__init__.py:1686(handle)
1699	0.002403	1.414e-06	0.08634	5.082e-05	<frozen importlib._bootstrap_external>:159(__path_isfile)
1	0.002402	0.002402	0.2934	0.2934	tasks.py:224(fuse)
1398	0.002394	1.713e-06	0.002394	1.713e-06	<frozen importlib._bootstrap>:48(__new_module)
174	0.002392	1.374e-05	0.002565	1.474e-05	__init__.py:417(__handle_deprecation)
123	0.00239	1.943e-05	0.02074	0.0001686	_utils.py:95(kwonly_to_pos_or_kw)
4893	0.002337	4.777e-07	0.003502	7.158e-07	_parser.py:176(append)
2572	0.002329	9.057e-07	0.0249	9.68e-06	utils.py:1069(unwrap_with_attr_name_if_wrapper)
174	0.002307	1.326e-05	0.008994	5.169e-05	build.py:264(load_inference_source)
2692/19	0.002306	0.0001214	0.01605	0.0008446	<frozen importlib._bootstrap>:1375(__gcd_import)
4167	0.002283	5.478e-07	0.002283	5.478e-07	~:0(<method 'lower' of 'str' objects>)
174/1	0.002279	0.002279	0.007075	0.007075	solution_base.py:268(process)
710/2	0.002278	0.001139	0.01447	0.007235	module.py:2836(train)
522	0.002243	4.297e-06	3.554	0.006808	functional.py:807(__max_pool2d)
523/522	0.002235	4.282e-06	0.004465	8.553e-06	_tensor.py:1159(__len__)
1509	0.00222	1.471e-06	0.006945	4.602e-06	_pytree.py:1088(tree_leaves)
522	0.002209	4.232e-06	0.002209	4.232e-06	~:0(<built-in method __asyncio.current_task>)
568	0.002199	3.871e-06	0.004854	8.546e-06	typing.py:345(__remove_dups_flatten)
1819	0.002181	1.199e-06	0.02467	1.356e-05	<frozen importlib._bootstrap_external>:1469(__path_import)
3428	0.002175	6.344e-07	0.002695	7.863e-07	inspect.py:3072(<genexpr>)
987	0.002172	2.201e-06	0.01127	1.142e-05	typing.py:1546(__getitem__)
4197	0.002171	5.172e-07	0.002171	5.172e-07	~:0(<built-in method from_bytes>)
1758	0.002161	1.229e-06	0.002161	1.229e-06	<frozen importlib._bootstrap_external>:67(__relax_case)
4682	0.002159	4.612e-07	0.002159	4.612e-07	~:0(<method '__exit__' of '_thread.RLock' objects>)

ncalls	tottime	percall	cumtime	percall	
400/83	0.002154	2.595e-05	0.05912	0.0007123	_parser.py:452(_parse_sub)
13	0.00215	0.0001654	0.002364	0.0001819	~:0(<method 'readlines' of '_io._IOBase' objects>)
522	0.002138	4.096e-06	0.009358	1.793e-05	__init__.py:690(format)
2423	0.002126	8.772e-07	0.002126	8.772e-07	~:0(<built-in method nt._path_normpath>)
2682	0.002108	7.859e-07	0.002108	7.859e-07	~:0(<method 'pop' of 'dict' objects>)
2941	0.002102	7.147e-07	0.002102	7.147e-07	~:0(<built-in method sys.intern>)
862	0.002097	2.433e-06	0.008223	9.539e-06	inspect.py:391(_has_code_flag)
2350	0.00209	8.895e-07	0.00209	8.895e-07	~:0(<method 'keys' of 'dict' objects>)
174	0.002087	1.199e-05	0.002087	1.199e-05	~:0(<built-in method torch.empty_like>)
1044	0.002079	1.991e-06	0.004624	4.429e-06	__init__.py:968(acquire)
103	0.002076	2.015e-05	0.002076	2.015e-05	~:0(<built-in method torch._C._jit_get_operation>)
269	0.002076	7.716e-06	0.02645	9.833e-05	function.py:124(arity)
3671	0.002048	5.579e-07	0.002048	5.579e-07	~:0(<method 'isidentifier' of 'str' objects>)
348	0.002041	5.864e-06	0.007687	2.209e-05	grad_mode.py:276(clone)
1527	0.002013	1.318e-06	0.002491	1.631e-06	dataclasses.py:857(_set_qualname)
802	0.00201	2.506e-06	0.007552	9.417e-06	pathlib.py:1157(__init__)
2341	0.002008	8.579e-07	0.003628	1.55e-06	<frozen importlib._bootstrap>:173(__exit__)
163	0.002006	1.23e-05	0.002006	1.23e-05	~:0(<method 'div' of 'torch._C.TensorBase' objects>)
808	0.001977	2.447e-06	0.01141	1.412e-05	typing.py:1174(__init__)
3982	0.00194	4.873e-07	0.00194	4.873e-07	~:0(<method 'pop' of 'list' objects>)
503	0.001935	3.847e-06	0.004685	9.314e-06	__tensor.py:307(_typed_storage)
1298	0.001933	1.489e-06	0.002683	2.067e-06	__contextlib.py:154(__new__)
174	0.001929	1.108e-05	0.09141	0.0005254	head.py:200(decode_bboxes)
359	0.001902	5.298e-06	0.09573	0.0002667	__init__.py:280(_compile)
40	0.001899	4.748e-05	0.002047	5.118e-05	~:0(<method 'read' of '_io.TextIOWrapper' objects>)
1486	0.001889	1.271e-06	0.01218	8.196e-06	<frozen importlib._bootstrap>:420(__exit__)
2536	0.001876	7.397e-07	0.001876	7.397e-07	~:0(<built-in method torch._C._set_grad_enabled>)
348	0.001876	5.389e-06	0.00251	7.213e-06	grad_mode.py:264(__new__)
89	0.001875	2.106e-05	0.005179	5.819e-05	utils.py:25(_toposort)
348	0.001867	5.364e-06	0.01414	4.062e-05	packet_creator.py:152(create_image)
2911	0.001864	6.404e-07	0.001864	6.404e-07	~:0(<built-in method builtins.min>)
174	0.001859	1.069e-05	0.09706	0.0005578	patches.py:71(imshow)
1105	0.001856	1.68e-06	0.002765	2.502e-06	__python_dispatch.py:369(is_traceable_wrapper_subclass)
4504	0.001845	4.096e-07	0.001845	4.096e-07	dataclasses.py:461(<genexpr>)
1044	0.001842	1.764e-06	0.002759	2.643e-06	ops.py:68(time)
165	0.001832	1.11e-05	0.009177	5.562e-05	inspect.py:3293(__str__)
1375	0.001823	1.326e-06	0.001823	1.326e-06	~:0(<built-in method time.time>)
269	0.001822	6.771e-06	0.03221	0.0001197	function.py:164(__init__)
1268	0.001818	1.434e-06	0.004991	3.936e-06	grad_mode.py:84(__exit__)
48	0.001815	3.781e-05	0.01578	0.0003288	inspect.py:2235(_signature_fromstr)

ncalls	totime	percall	cumtime	percall	
2088	0.00181	8.668e-07	0.002482	1.189e-06	container.py:340(__len__)
771	0.001809	2.347e-06	0.002556	3.315e-06	backends.py:468(__doc__)
682	0.0018	2.64e-06	0.007611	1.116e-05	<frozen ntpath>:257(splitext)
313	0.001797	5.742e-06	0.002115	6.756e-06	decorators.py:24(not_implemented_for)
66	0.001792	2.715e-05	0.002108	3.194e-05	utils.py:122(is_tensorlist_like_type)
503	0.001788	3.555e-06	0.01665	3.309e-05	_utils.py:216(_rebuild_tensor_v2)
4087	0.001788	4.375e-07	0.002442	5.976e-07	facts.py:633(<genexpr>)
125	0.001785	1.428e-05	0.00516	4.128e-05	cache.py:66(func_wrapper)
332	0.001765	5.317e-06	0.001765	5.317e-06	~:0(<method 'FindMessageTypeByName' of 'google._upb._Message' objects>)
174	0.001749	1.005e-05	0.001749	1.005e-05	~:0(<method 'unsqueeze' of 'torch._C.TensorBase' objects>)
321	0.001743	5.431e-06	0.04873	0.0001518	dataclasses.py:627(__repr_fn)
1457	0.001725	1.184e-06	0.004356	2.989e-06	<frozen importlib._bootstrap>:1128(find_spec)
701	0.001718	2.451e-06	0.002553	3.642e-06	_VF.py:27(__getattr__)
27	0.001717	6.36e-05	1.731	0.06412	__init__.py:356(<genexpr>)
522	0.001715	3.285e-06	0.003492	6.689e-06	ops.py:59(__exit__)
1166	0.001707	1.464e-06	0.004859	4.167e-06	module.py:1332(convert)
3588	0.001696	4.727e-07	0.002985	8.319e-07	inspect.py:958(<genexpr>)
257	0.001685	6.558e-06	0.001685	6.558e-06	~:0(<built-in method torch._C._log_api_usage_once>)
81	0.001674	2.067e-05	0.11	0.001358	init.py:456(kaiming_uniform_)
1231	0.001664	1.352e-06	0.002315	1.881e-06	dataclasses.py:404(field)
1509	0.001649	1.093e-06	0.002163	1.433e-06	_python_dispatch.py:186(__get_current_dispatch_mode_stash)
332	0.001643	4.948e-06	0.001643	4.948e-06	~:0(<built-in method mediapipe.python._framework_bindispatcher.__init__>)
2348	0.001629	6.938e-07	0.001629	6.938e-07	~:0(<method 'remove' of 'list' objects>)
4495	0.001628	3.622e-07	0.002313	5.145e-07	_parser.py:256(match)
1458	0.001626	1.115e-06	0.003459	2.372e-06	__init__.py:101(find_spec)
3570	0.00162	4.539e-07	0.002496	6.992e-07	inspect.py:961(<genexpr>)
1846	0.00162	8.776e-07	0.00162	8.776e-07	~:0(<method 'is_floating_point' of 'torch._C.TensorBase' objects>)
5862	0.001619	2.762e-07	0.001619	2.762e-07	~:0(<built-in method builtins.ord>)
2341	0.001602	6.844e-07	0.001602	6.844e-07	~:0(<built-in method _weakref._remove_dead_weakref>)
125	0.001599	1.279e-05	0.002394	1.915e-05	typing.py:1481(<genexpr>)
419	0.001586	3.785e-06	0.005404	1.29e-05	module.py:2600(__named_members)
3652	0.001583	4.335e-07	0.001583	4.335e-07	~:0(<method '__contains__' of 'frozenset' objects>)
1345	0.001581	1.175e-06	0.001581	1.175e-06	enum.py:785(__delattr__)
4536	0.001571	3.463e-07	0.001571	3.463e-07	~:0(<method 'group' of 're.Match' objects>)
449	0.00157	3.496e-06	0.006427	1.431e-05	pathlib.py:569(__tail)
321	0.00156	4.86e-06	0.005844	1.82e-05	dataclasses.py:250(__recursive_repr__)
713	0.00156	2.188e-06	0.001972	2.766e-06	enum.py:202(__get__)
319	0.00156	4.89e-06	0.001846	5.785e-06	module.py:1897(__setstate__)
332	0.001555	4.684e-06	0.001555	4.684e-06	~:0(<built-in method mediapipe.python._framework_bindispatcher.__init__>)
860	0.001539	1.789e-06	0.09431	0.0001097	inspect.py:3077(from_callable)

ncalls	tottime	percall	cumtime	percall	
322	0.001531	4.753e-06	0.002094	6.504e-06	dataclasses.py:428(_fields_in_init_order)
1215	0.001523	1.254e-06	0.005497	4.524e-06	package_importer.py:721(_patched_getfile)
1605	0.001521	9.479e-07	0.008108	5.052e-06	~:0(<built-in method builtins.sum>)
1457	0.001512	1.038e-06	0.001512	1.038e-06	~:0(<built-in method _imp.find_frozen>)
84	0.00151	1.798e-05	0.00151	1.798e-05	~:0(<method 'mul' of 'torch._C.TensorBase' objects>)
380	0.00151	3.973e-06	0.00218	5.738e-06	module.py:53(_addindent)
3804	0.001509	3.968e-07	0.001509	3.968e-07	~:0(<built-in method torch.is_grad_enabled>)
1314	0.001507	1.147e-06	0.002251	1.713e-06	dataclasses.py:489(_field_init)
3004	0.001497	4.985e-07	0.002082	6.929e-07	inspect.py:378(isfunction)
663	0.001493	2.252e-06	0.001745	2.632e-06	enum.py:850(__setattr__)
448	0.001492	3.33e-06	0.01123	2.506e-05	pathlib.py:407(_load_parts)
1105	0.001492	1.35e-06	0.001492	1.35e-06	~:0(<built-in method torch._has_compatible_shallow_copy>)
860	0.001488	1.73e-06	0.09579	0.0001114	inspect.py:3339(signature)
1	0.001484	0.001484	0.003247	0.003247	__init__.py:224(get_decompositions)
1458	0.001484	1.018e-06	0.00609	4.177e-06	<frozen importlib._bootstrap>:982(find_spec)
162	0.001483	9.152e-06	0.002341	1.445e-05	init.py:345(_calculate_fan_in_and_fan_out)
1772	0.001464	8.262e-07	0.008196	4.625e-06	typing.py:730(<genexpr>)
255	0.001457	5.713e-06	0.004993	1.958e-05	_ops.py:1044(_has_script_object_arg)
477	0.001446	3.031e-06	0.09996	0.0002096	basic.py:212(__init_subclass__)
174	0.001442	8.288e-06	49.31	0.2834	tasks.py:123(forward)
1215	0.001441	1.186e-06	0.002805	2.309e-06	inspect.py:911(getfile)
1044	0.00144	1.38e-06	0.001979	1.895e-06	__init__.py:975(release)
28	0.001438	5.136e-05	0.01047	0.0003739	typing.py:2809(__new__)
82	0.001429	1.742e-05	0.001429	1.742e-05	module.py:2043(__delattr__)
173	0.001419	8.205e-06	0.00284	1.641e-05	utils.py:627(_log_api_usage_once)
647	0.00141	2.18e-06	0.004285	6.623e-06	inspect.py:1463(formatannotation)
2614	0.001406	5.379e-07	0.001991	7.616e-07	utils.py:1015(is_function)
1517	0.001395	9.192e-07	0.001707	1.125e-06	_pytree.py:818(_is_namedtuple_instance)
514	0.001393	2.709e-06	0.007057	1.373e-05	pathlib.py:380(with_segments)
522	0.001384	2.652e-06	0.002766	5.299e-06	__init__.py:586(emojis)
2572	0.001384	5.383e-07	0.02628	1.022e-05	utils.py:1065(unwrap_if_wrapper)
1557	0.001382	8.873e-07	0.013	8.349e-06	<frozen importlib._bootstrap_external>:185(_path_abspath)
2624	0.001375	5.239e-07	0.001904	7.256e-07	_parser.py:164(__len__)
522	0.001369	2.623e-06	0.01692	3.242e-05	__init__.py:988(format)
174	0.001369	7.868e-06	0.002021	1.162e-05	build.py:217(check_source)
482	0.001364	2.83e-06	0.005971	1.239e-05	inspect.py:2826(__str__)
722	0.001361	1.885e-06	0.00171	2.369e-06	dataclasses.py:437(_tuple_str)
276/20	0.00136	6.797e-05	0.001551	7.757e-05	~:0(<built-in method __abc_.abc_subclasscheck>)
258/11	0.001358	0.0001235	0.8174	0.07431	~:0(<built-in method builtins.__import__>)
1006	0.001357	1.349e-06	0.001762	1.752e-06	storage.py:688(__new__)

ncalls	tottime	percall	cumtime	percall	
378	0.001354	3.583e-06	0.03118	8.249e-05	typing.py:747(Optional)
5	0.001347	0.0002694	0.003588	0.0007175	functions.py:18(__init__)
1434	0.001342	9.361e-07	0.001342	9.361e-07	~:0(<built-in method sys._getframe>)
2738	0.001333	4.869e-07	0.002202	8.043e-07	inspect.py:302(isclass)
512	0.00133	2.597e-06	0.008365	1.634e-05	pathlib.py:711(joinpath)
345	0.001328	3.85e-06	0.001855	5.377e-06	enum.py:1008(_find_data_type_)
1006	0.00132	1.312e-06	0.001962	1.95e-06	storage.py:780(__init__)
438	0.00132	3.013e-06	0.001578	3.602e-06	results.py:49(__init__)
482	0.001318	2.734e-06	0.01111	2.305e-05	assumptions.py:469(__init__)
2180	0.001316	6.038e-07	0.005253	2.409e-06	typing.py:166(_type_convert)
249	0.001312	5.269e-06	0.002682	1.077e-05	_tensor.py:1124(__format__)
1044	0.001298	1.243e-06	0.001298	1.243e-06	__init__.py:831(filter)
684	0.001292	1.889e-06	0.01421	2.078e-05	<frozen ntpath>:268(basename)
138	0.001292	9.363e-06	0.01093	7.922e-05	<frozen zipimport>:64(__init__)
1	0.001283	0.001283	0.04634	0.04634	source.py:1(<module>)
348	0.001275	3.662e-06	0.001275	3.662e-06	solution_base.py:253(callback)
114	0.001257	1.102e-05	0.001257	1.102e-05	~:0(<built-in method torch._C._get_operation_overload>)
1839	0.001255	6.825e-07	0.004262	2.318e-06	~:0(<built-in method builtins.delattr>)
81	0.001254	1.548e-05	0.1161	0.001434	conv.py:178(reset_parameters)
2694	0.001248	4.634e-07	0.001804	6.696e-07	<frozen importlib._bootstrap>:1285(_sanity_check)
2904	0.001246	4.292e-07	0.001441	4.963e-07	enum.py:1129(__new__)
174	0.00124	7.125e-06	0.003149	1.81e-05	results.py:241(__init__)
1272	0.001236	9.719e-07	0.001236	9.719e-07	~:0(<method 'decode' of 'bytes' objects>)
332	0.001231	3.706e-06	0.006341	1.91e-05	symbol_database.py:54(GetPrototype)
68	0.001231	1.81e-05	0.001231	1.81e-05	~:0(<built-in method torch._C._dispatch_has_kernel_for_d
1313/890	0.001229	1.381e-06	0.01024	1.151e-05	~:0(<built-in method builtins.repr>)
802	0.001228	1.531e-06	0.001891	2.358e-06	pathlib.py:1164(__new__)
187	0.001226	6.554e-06	0.001381	7.387e-06	_compiler.py:386(_mk_bitmap)
348	0.001225	3.521e-06	0.001225	3.521e-06	loaders.py:550(__next__)
2688	0.001223	4.55e-07	0.001223	4.55e-07	~:0(<method 'rsplit' of 'str' objects>)
3527	0.001214	3.443e-07	0.001214	3.443e-07	~:0(<function _ParameterMeta.__instancecheck__ at 0x000
1169	0.001211	1.036e-06	0.00507	4.337e-06	<frozen ntpath>:588(abspath)
255	0.001197	4.696e-06	0.001197	4.696e-06	~:0(<built-in method torch._C._get_schema>)
1	0.001188	0.001188	0.01163	0.01163	_pointwise_ops.py:1(<module>)
263	0.001181	4.492e-06	0.001568	5.962e-06	~:0(<method 'sub' of 're.Pattern' objects>)
1151	0.001175	1.021e-06	0.001175	1.021e-06	~:0(<built-in method nt.getcwd>)
160	0.001174	7.336e-06	0.01952	0.000122	__init__.py:811(read_text)
4103	0.001172	2.857e-07	0.001172	2.857e-07	~:0(<built-in method builtins.callable>)
603	0.001139	1.888e-06	0.008488	1.408e-05	pathlib.py:437(__str__)
503	0.001137	2.26e-06	0.001222	2.429e-06	_utils.py:872(__element_size)

ncalls	tottime	percall	cumtime	percall	
138	0.00111	8.042e-06	0.02249	0.0001629	<frozen importlib._bootstrap_external>:1456(_path_hooks)
174	0.001098	6.309e-06	0.05617	0.0003228	predict.py:94(construct_results)
81	0.001097	1.354e-05	0.1499	0.001851	conv.py:502(__init__)
3018	0.001084	3.591e-07	0.004725	1.566e-06	_pytree.py:1071(tree_iter)
2316	0.001084	4.679e-07	0.001084	4.679e-07	~:0(<method 'partition' of 'str' objects>)
2731	0.001079	3.952e-07	0.001079	3.952e-07	facts.py:582(__tell__)
478	0.001049	2.195e-06	0.002406	5.033e-06	utils.py:76(wrapper)
951/573	0.001048	1.829e-06	0.04914	8.576e-05	typing.py:515(__getitem__)
522	0.001044	1.999e-06	0.001044	1.999e-06	~:0(<method 'flush' of '_io.TextIOWrapper' objects>)
172	0.001042	6.056e-06	0.005583	3.246e-05	enum.py:513(__prepare__)
522	0.001038	1.988e-06	0.001756	3.364e-06	__init__.py:447(usesTime)
1	0.001035	0.001035	0.001035	0.001035	triton_kernel_wrap.py:141(Param)
1045	0.001033	9.882e-07	0.001519	1.454e-06	enum.py:79(is_private)
434	0.001031	2.375e-06	0.003741	8.62e-06	inspect.py:3093(replace)
1776	0.00103	5.798e-07	0.00103	5.798e-07	~:0(<built-in method builtins.vars>)
68	0.001029	1.513e-05	0.001795	2.64e-05	_ops.py:1082(schemas)
1517	0.001015	6.691e-07	0.002721	1.794e-06	_pytree.py:829(get_node_type)
1515	0.001012	6.683e-07	0.003731	2.462e-06	_pytree.py:836(is_leaf)
280	0.001011	3.609e-06	0.004057	1.449e-05	functools.py:516(decorating_function)
34	0.001006	2.958e-05	0.009137	0.0002687	traceback.py:399(extract_from_extended_frame_gen)
172	0.001001	5.822e-06	0.001329	7.727e-06	enum.py:1035(find_new_)
1278	0.000998	7.823e-07	0.000998	7.823e-07	dataclasses.py:549(__init_param)
142	0.000998	7.028e-06	0.004014	2.827e-05	<frozen importlib._bootstrap_external>:1567(__init__)
601	0.0009878	1.644e-06	0.003042	5.062e-06	registration.py:205(register)
1	0.0009766	0.0009766	0.004316	0.004316	_ufuncs.py:1(<module>)
1045	0.0009763	9.343e-07	0.00115	1.101e-06	enum.py:59(is_sunder)
522	0.0009684	1.855e-06	0.001174	2.25e-06	threading.py:1485(current_thread)
428	0.000966	2.257e-06	0.001276	2.981e-06	libmpf.py:291(from_man_exp)
503	0.0009456	1.88e-06	0.007668	1.524e-05	_utils.py:185(rebuild_tensor)
1943	0.0009337	4.805e-07	0.0009337	4.805e-07	dataclasses.py:683(is_classvar)
15	0.0009286	6.191e-05	0.0009286	6.191e-05	libefun.py:106(def_mpf_constant)
522	0.0009244	1.771e-06	0.00268	5.135e-06	__init__.py:668(usesTime)
2602	0.0009223	3.545e-07	0.0009223	3.545e-07	~:0(<built-in method builtins.id>)
698/650	0.0009186	1.413e-06	0.001376	2.117e-06	typing.py:1285(__hash__)
1044	0.0009176	8.789e-07	0.0009176	8.789e-07	~:0(<built-in method time.perf_counter>)
178	0.0008992	5.052e-06	0.002194	1.233e-05	<frozen ntpath>:107(join)
48	0.0008989	1.873e-05	0.004445	9.261e-05	inspect.py:2185(signature_strip_non_python_syntax)
522	0.0008975	1.719e-06	0.001735	3.324e-06	__init__.py:170(<lambd>)
162	0.0008948	5.523e-06	0.002385	1.472e-05	module.py:574(register_parameter)
1460	0.000888	6.082e-07	0.000888	6.082e-07	<frozen importlib._bootstrap>:599(__init__)

ncalls	tottime	percall	cumtime	percall	
639	0.000881	1.379e-06	0.001392	2.178e-06	ctx_mp_python.py:1014(_wrap_specfun)
158	0.0008805	5.573e-06	0.0008862	5.609e-06	~:0(<built-in method __abc__.abc_init>)
1	0.0008727	0.0008727	0.005377	0.005377	symbolic_opset9.py:1(<module>)
124	0.0008691	7.009e-06	0.00129	1.04e-05	typing.py:1123(__generic_init_subclass)
1230	0.0008679	7.056e-07	0.0008679	7.056e-07	~:0(<built-in method __operator.index>)
348	0.0008671	2.492e-06	0.002221	6.384e-06	__init__.py:240(cfg2dict)
405	0.0008636	2.132e-06	0.002662	6.573e-06	utils.py:11(parse)
162	0.0008473	5.23e-06	0.01957	0.0001208	_itertools.py:4(unique_everseen)
1	0.0008394	0.0008394	0.0008394	0.0008394	boolalg.py:483(BooleanFunction)
1610	0.0008357	5.191e-07	0.001182	7.339e-07	_parser.py:293(tell)
522	0.0008333	1.596e-06	0.0008333	1.596e-06	__init__.py:383(getMessage)
525	0.000827	1.575e-06	0.004335	8.258e-06	inspect.py:2026(__signature_get_user_defined_method)
1006	0.000827	8.221e-07	0.001068	1.061e-06	serialization.py:1830(__maybe_decode_ascii)
114	0.0008258	7.244e-06	0.007935	6.96e-05	_ops.py:1089(__getattr__)
32	0.0008039	2.512e-05	0.0008448	2.64e-05	function.py:329(__init__)
794	0.0007976	1.005e-06	0.0008073	1.017e-06	~:0(<method 'update' of 'set' objects>)
462	0.0007904	1.711e-06	0.001261	2.729e-06	_compiler.py:216(__compile_charset)
1486	0.0007781	5.236e-07	0.0007781	5.236e-07	<frozen importlib._bootstrap>:412(__init__)
697	0.0007743	1.111e-06	0.001204	1.727e-06	<frozen ntpath>:35(__get_bothseps)
306	0.0007652	2.501e-06	0.001289	4.213e-06	typing.py:1205(__getattr__)
680	0.0007637	1.123e-06	0.02186	3.215e-05	module.py:1158(<lambd>)
322	0.0007632	2.37e-06	0.3974	0.001234	dataclasses.py:1264(wrap)
873	0.0007626	8.735e-07	0.0009127	1.045e-06	enum.py:48(__dunder)
1943	0.0007625	3.924e-07	0.0007625	3.924e-07	dataclasses.py:691(__initvar)
1	0.0007588	0.0007588	0.0007588	0.0007588	digraph.py:60(__CachedPropertyResetterPred)
878	0.000755	8.599e-07	0.009962	1.135e-05	module.py:2760(modules)
522	0.000752	1.441e-06	0.000752	1.441e-06	threading.py:1182(name)
256	0.0007441	2.907e-06	0.002953	1.154e-05	_utils.py:459(__rebuild_parameter)
1281	0.000744	5.808e-07	0.000744	5.808e-07	dataclasses.py:477(__field_assign)
1604	0.0007422	4.627e-07	0.0007422	4.627e-07	~:0(<method 'find' of 'bytearray' objects>)
11	0.0007382	6.711e-05	0.09873	0.008975	autograd.py:23(make_autograd_impl)
1	0.0007375	0.0007375	0.0008192	0.0008192	exceptions.py:1(<module>)
1695	0.0007332	4.326e-07	0.001272	7.507e-07	typing.py:1279(__eq__)
930	0.0007311	7.861e-07	0.0007311	7.861e-07	__init__.py:429(<genexpr>)
3711	0.0007251	1.954e-07	0.0007251	1.954e-07	inspect.py:2792(name)
1509	0.0007251	4.805e-07	0.002803	1.857e-06	_guards.py:775(try_get)
178	0.0007223	4.058e-06	0.0009598	5.392e-06	typing.py:1569(<genexpr>)
103	0.0007221	7.011e-06	0.008506	8.258e-05	_ops.py:1249(__getattr__)
174	0.000722	4.149e-06	0.0008507	4.889e-06	hub.py:85(on_predict_start)
525	0.0007215	1.374e-06	0.0007215	1.374e-06	~:0(<method 'find' of 'str' objects>)

ncalls	tottime	percall	cumtime	percall	
174	0.0007195	4.135e-06	0.0009062	5.208e-06	object_detector.py:66(_check_alerts)
1275	0.0007185	5.635e-07	0.0007185	5.635e-07	~:0(<method 'setdefault' of 'dict' objects>)
166	0.0007183	4.327e-06	0.001012	6.097e-06	gaze_detector.py:193(check_cheating_behavior)
522	0.0007175	1.375e-06	0.0007175	1.375e-06	~:0(<built-in method nt.getpid>)
160	0.0007163	4.477e-06	0.00879	5.494e-05	__init__.py:826(__normalized_name)
2341	0.0007155	3.056e-07	0.0007155	3.056e-07	<frozen importlib._bootstrap>:158(__init__)
1	0.0007146	0.0007146	0.001072	0.001072	gaussiandomains.py:1(<module>)
522	0.0007102	1.361e-06	0.001261	2.416e-06	__init__.py:129(getLevelName)
173	0.0007068	4.086e-06	0.0007068	4.086e-06	~:0(<built-in method torch._C._is_tracing>)
418	0.0007015	1.678e-06	0.004473	1.07e-05	parameter.py:40(__new__)
332	0.000701	2.111e-06	0.001271	3.827e-06	message_factory.py:35(GetMessageClass)
771	0.0007002	9.082e-07	0.0007461	9.677e-07	backends.py:1842(__make_doc)
174	0.0006989	4.017e-06	0.002887	1.659e-05	ops.py:884(empty_like)
522	0.0006986	1.338e-06	0.001681	3.22e-06	ops.py:54(__enter__)
522	0.0006971	1.335e-06	0.003123	5.983e-06	__init__.py:462(format)
249	0.0006963	2.796e-06	0.0006963	2.796e-06	~:0(<method 'item' of 'torch._C.TensorBase' objects>)
166	0.0006954	4.189e-06	0.0009599	5.783e-06	face_detector.py:142(update_cheating_count)
174	0.0006901	3.966e-06	0.0008294	4.767e-06	loaders.py:533(__single_check)
419	0.0006875	1.641e-06	0.006693	1.597e-05	module.py:2620(parameters)
3881	0.0006864	1.769e-07	0.0006864	1.769e-07	inspect.py:2804(kind)
1991	0.0006828	3.429e-07	0.0006828	3.429e-07	_jit_internal.py:101(is_scripting)
574	0.00068	1.185e-06	0.001005	1.75e-06	typing.py:2339(get_origin)
324	0.0006731	2.077e-06	0.1287	0.0003971	dataclasses.py:661(__cmp_fn)
1672	0.0006729	4.025e-07	0.001018	6.089e-07	_ops.py:1072(__hash__)
158	0.0006729	4.259e-06	0.006147	3.89e-05	<frozen abc>:105(__new__)
89	0.0006718	7.548e-06	0.0009866	1.109e-05	utils.py:83(groupby)
1116	0.0006663	5.97e-07	0.0006663	5.97e-07	<frozen importlib._bootstrap_external>:1573(<genexpr>)
1195	0.000662	5.54e-07	0.000662	5.54e-07	~:0(<method 'values' of 'dict' objects>)
306	0.0006587	2.153e-06	0.001257	4.108e-06	__init__.py:109(read)
238	0.0006557	2.755e-06	0.00114	4.792e-06	<frozen os>:709(__getitem__)
1231	0.0006507	5.286e-07	0.0006507	5.286e-07	dataclasses.py:309(__init__)
345	0.0006483	1.879e-06	0.002582	7.483e-06	enum.py:967(__get_mixins__)
22	0.0006467	2.94e-05	0.0006467	2.94e-05	~:0(<built-in method torch.parse_schema>)
601	0.0006459	1.075e-06	0.004714	7.844e-06	registration.py:290(wrapper)
103	0.0006448	6.26e-06	0.002094	2.033e-05	__init__.py:1377(Logger)
20/0	0.0006418	0	0	0	decorators.py:354(wrapper)
166	0.0006337	3.817e-06	0.0009123	5.496e-06	gaze_detector.py:229(update_cheating_count)
937	0.000627	6.692e-07	0.0009047	9.655e-07	inspect.py:306(ismethod)
1280	0.0006246	4.88e-07	0.001042	8.142e-07	typing.py:1592(__eq__)
138	0.0006237	4.52e-06	0.01044	7.568e-05	<frozen importlib._bootstrap_external>:1685(path_hook_f

ncalls	tottime	percall	cumtime	percall	
1	0.0006206	0.0006206	0.03345	0.03345	runtime_wrappers.py:1(<module>)
503	0.0006183	1.229e-06	0.0006183	1.229e-06	~:0(<method 'untyped_storage' of 'torch._C.TensorBase' object at 0x0000000000000000>)
540	0.0006141	1.137e-06	0.0006321	1.171e-06	__init__.py:1790(isEnabledFor)
845	0.0006138	7.264e-07	0.00874	1.034e-05	inspect.py:402(isgeneratorfunction)
1	0.0006095	0.0006095	0.0006113	0.0006113	serialization.py:770(__init__)
176	0.000606	3.443e-06	0.007572	4.302e-05	pathlib.py:618(stem)
166	0.0006031	3.633e-06	0.0006031	3.633e-06	face_detector.py:128(check_cheating_behavior)
419	0.0006015	1.436e-06	0.006005	1.433e-05	module.py:2645(named_parameters)
348	0.0006007	1.726e-06	0.0008586	2.467e-06	autobackend.py:839(from_numpy)
586	0.0005947	1.015e-06	0.001861	3.176e-06	typing.py:317(_deduplicate)
88	0.0005929	6.738e-06	0.001217	1.383e-05	conv.py:189(extra_repr)
173	0.0005896	3.408e-06	0.001346	7.778e-06	_trace.py:1324(is_tracing)
1	0.0005873	0.0005873	0.0005873	0.0005873	~:0(<built-in method torch.set_num_threads>)
81	0.0005873	7.251e-06	0.0007632	9.422e-06	init.py:72(calculate_gain)
83	0.0005839	7.035e-06	0.03631	0.0004375	module.py:1228(to)
873	0.0005829	6.677e-07	0.0005829	6.677e-07	~:0(<method 'values' of 'mappingproxy' objects>)
522	0.0005828	1.116e-06	0.003706	7.1e-06	__init__.py:674(formatMessage)
1157	0.0005827	5.036e-07	0.0005827	5.036e-07	~:0(<method 'release' of '_thread.RLock' objects>)
195/73	0.0005814	7.964e-06	0.002711	3.714e-05	sorting.py:202(ordered)
123	0.0005696	4.631e-06	0.02267	0.0001843	_utils.py:170(outer_wrapper)
1	0.0005693	0.0005693	0.2872	0.2872	__init__.py:1(<module>)
324	0.0005673	1.751e-06	0.0005673	1.751e-06	~:0(<method 'size' of 'torch._C.TensorBase' objects>)
696	0.000564	8.103e-07	0.000564	8.103e-07	predictor.py:372(<genexpr>)
175	0.000563	3.217e-06	0.02111	0.0001207	_ops.py:1147(__call__)
81	0.0005613	6.93e-06	0.0008933	1.103e-05	utils.py:26(reverse_repeat_tuple)
166	0.0005583	3.363e-06	0.001514	9.122e-06	enum.py:1562(__and__)
1226	0.000555	4.527e-07	0.0008404	6.855e-07	_ops.py:763(__hash__)
81	0.0005533	6.831e-06	0.003028	3.739e-05	init.py:15(__no_grad_uniform__)
83	0.0005506	6.634e-06	0.003185	3.838e-05	_compiler.py:511(__compile_info)
364/335	0.0005491	1.639e-06	0.0007722	2.305e-06	typing.py:1600(__hash__)
83	0.0005445	6.56e-06	0.0917	0.001105	_compiler.py:740(compile)
382	0.0005441	1.424e-06	0.0005441	1.424e-06	~:0(<built-in method sys._getframe.moduleName>)
543	0.0005394	9.934e-07	0.001231	2.266e-06	_sharding_prop.py:95(register_op_strategy)
1400	0.0005394	3.853e-07	0.0005394	3.853e-07	<frozen importlib._bootstrap_external>:1153(__init__)
347	0.0005366	1.546e-06	0.0005366	1.546e-06	~:0(<built-in method unicodedata.lookup>)
160	0.0005303	3.314e-06	0.004809	3.006e-05	__init__.py:310(__from_text_for__)
1	0.0005288	0.0005288	1.205	1.205	utils.py:1(<module>)
597	0.0005211	8.729e-07	0.0009726	1.629e-06	registration.py:151(add)
601	0.0005204	8.659e-07	0.0008019	1.334e-06	registration.py:127(__init__)
1500	0.0005204	3.469e-07	0.0005204	3.469e-07	~:0(<method 'strip' of 'str' objects>)

ncalls	tottime	percall	cumtime	percall	
284	0.0005183	1.825e-06	0.003746	1.319e-05	_normalizations.py:204(normalizer_inner)
92	0.0005145	5.592e-06	0.02883	0.0003134	dataclasses.py:638(_frozen_get_del_attr)
500	0.0005143	1.029e-06	0.0008796	1.759e-06	enum.py:38(_is_descriptor)
1509	0.0005135	3.403e-07	0.0005135	3.403e-07	~:0(<built-in method torch._C._len_torch_dispatch_stack>)
566	0.0005135	9.072e-07	0.001511	2.67e-06	typing_extensions.py:3114(_is_unpacked_typevartuple)
1191	0.0005105	4.286e-07	0.0008812	7.399e-07	libintmath.py:91(python_bitcount)
26	0.000509	1.958e-05	0.001824	7.013e-05	inspect.py:1358(getfullargspec)
39/37	0.0005079	1.373e-05	36.1	0.9755	_ops.py:316(fallthrough)
234	0.0005054	2.16e-06	0.003237	1.383e-05	symbolic_helper.py:237(decorator)
89	0.0005034	5.656e-06	0.000683	7.674e-06	utils.py:61(reverse_dict)
412	0.0005021	1.219e-06	0.001647	3.997e-06	~:0(<built-in method __abc__.abc_instancecheck>)
522	0.0004977	9.534e-07	0.0004977	9.534e-07	process.py:37(current_process)
322	0.0004947	1.536e-06	0.2889	0.0008972	dataclasses.py:1247(dataclass)
503	0.0004942	9.825e-07	0.00719	1.429e-05	_utils.py:206(_restore_device_fake_mode)
160	0.0004927	3.079e-06	0.002155	1.347e-05	_functools.py:89(pass_none)
19	0.000492	2.589e-05	0.000492	2.589e-05	~:0(<method 'readline' of '_io.BufferedReader' objects>)
338	0.0004878	1.443e-06	0.0009053	2.678e-06	_parser.py:449(_uniq)
463	0.0004871	1.052e-06	0.0006296	1.36e-06	_config_module.py:87(__init__)
270	0.0004853	1.797e-06	0.006856	2.539e-05	pathlib.py:551(drive)
383	0.0004806	1.255e-06	0.001783	4.654e-06	~:0(<built-in method builtins.next>)
94	0.0004793	5.099e-06	0.0007316	7.783e-06	__init__.py:1428(__fixupParents)
553	0.0004777	8.638e-07	0.001629	2.946e-06	_compiler.py:398(__simple)
174	0.0004772	2.743e-06	0.0004772	2.743e-06	~:0(<method 'transpose' of 'numpy.ndarray' objects>)
351	0.0004766	1.358e-06	0.006983	1.989e-05	pathlib.py:719(__truediv__)
1045	0.0004741	4.537e-07	0.0007951	7.609e-07	enum.py:70(__is_internal_class)
293	0.0004723	1.612e-06	0.0007191	2.454e-06	_parser.py:372(__escape)
1	0.0004703	0.0004703	1.094	1.094	symbolic_shapes.py:1(<module>)
30	0.00047	1.567e-05	0.004179	0.0001393	gaze_detector.py:118(calibrate)
1241	0.0004675	3.767e-07	0.0004675	3.767e-07	_parser.py:113(__init__)
263	0.0004668	1.775e-06	0.0009431	3.586e-06	inspect.py:2146(__signature_is_builtin)
83	0.0004662	5.617e-06	0.007076	8.526e-05	typing.py:1560(__getitem_inner__)
196	0.0004662	2.379e-06	0.0009707	4.953e-06	iterables.py:585(sift)
1	0.000464	0.000464	0.001086	0.001086	libintmath.py:1(<module>)
172	0.0004596	2.672e-06	0.0004596	2.672e-06	enum.py:383(__init__)
1588	0.0004588	2.889e-07	0.0004588	2.889e-07	dataclasses.py:1142(<genexpr>)
166	0.0004551	2.742e-06	0.0004551	2.742e-06	~:0(<built-in method numpy.zeros>)
81	0.0004532	5.595e-06	0.003951	4.878e-05	module.py:2876(Requires_grad_)
34	0.0004504	1.325e-05	0.01077	0.0003167	library.py:94(__init__)
674	0.0004481	6.648e-07	0.0007261	1.077e-06	_tensor.py:1197(__hash__)
540	0.0004477	8.291e-07	0.0006869	1.272e-06	enum.py:1544(__get_value)

ncalls	tottime	percall	cumtime	percall	
185	0.0004476	2.419e-06	0.0005088	2.75e-06	base.py:221(__init__)
1234	0.0004467	3.62e-07	0.0004467	3.62e-07	decorators.py:710(__init__)
1943	0.0004419	2.274e-07	0.0004419	2.274e-07	dataclasses.py:697(is_kw_only)
320	0.0004416	1.38e-06	0.006585	2.058e-05	tasks.py:269(<genexpr>)
503	0.0004378	8.704e-07	0.0006041	1.201e-06	serialization.py:677(default_restore_location)
306	0.000437	1.428e-06	0.002769	9.048e-06	__init__.py:103(<genexpr>)
174	0.000433	2.489e-06	0.0007277	4.182e-06	shape_base.py:208(arrays_for_stack_dispatcher)
519	0.0004328	8.339e-07	0.0005776	1.113e-06	dataclasses.py:349(__set_name__)
79	0.0004324	5.473e-06	0.0004324	5.473e-06	~:0(<method 'translate' of 'str' objects>)
482	0.0004295	8.911e-07	0.0004295	8.911e-07	facts.py:579(__init__)
65	0.0004258	6.551e-06	0.001487	2.287e-05	tokenize.py:352(detect_encoding)
606	0.0004256	7.023e-07	0.0005783	9.543e-07	_parser.py:172(__setitem__)
215	0.0004204	1.955e-06	0.0005034	2.341e-06	_api.py:41(__eq__)
162	0.0004199	2.592e-06	0.0004199	2.592e-06	~:0(<method 'requires_grad_' of 'torch._C.TensorBase' obj>)
63	0.000415	6.587e-06	0.005035	7.992e-05	typing.py:1575(__getitem__)
708	0.0004122	5.822e-07	0.0004122	5.822e-07	enum.py:1292(value)
1592	0.0004104	2.578e-07	0.0004104	2.578e-07	dataclasses.py:432(<genexpr>)
89	0.00041	4.607e-06	0.0007083	7.958e-06	~:0(<built-in method fromkeys>)
331	0.0004071	1.23e-06	0.0004071	1.23e-06	~:0(<built-in method torch._C.get>)
1398	0.0004013	2.871e-07	0.0004013	2.871e-07	<frozen importlib._bootstrap_external:>986(create_module)
55	0.0004005	7.282e-06	0.005483	9.969e-05	typing.py:1476(__getitem__)
1580	0.0003995	2.528e-07	0.0003995	2.528e-07	_future_.py:68(get_swap_module_params_on_conversio
249	0.0003988	1.602e-06	0.00241	9.678e-06	__init__.py:179(sub)
964	0.0003985	4.134e-07	0.0006028	6.253e-07	utils.py:56(<genexpr>)
1	0.0003956	0.0003956	0.0003956	0.0003956	idnadata.py:1(<module>)
286	0.0003951	1.381e-06	0.0005744	2.008e-06	functools.py:477(lru_cache)
34	0.0003947	1.161e-05	0.0003947	1.161e-05	~:0(<built-in method torch._C._dispatch_library>)
879	0.0003939	4.481e-07	0.0005905	6.718e-07	functools.py:419(_unwrap_partial)
1	0.0003896	0.0003896	0.0008148	0.0008148	numpy.py:1(<module>)
1	0.0003872	0.0003872	0.0104	0.0104	utils.py:1(<module>)
172	0.0003857	2.242e-06	0.0005086	2.957e-06	enum.py:957(_check_for_existing_members_)
118	0.0003846	3.259e-06	0.005711	4.84e-05	typing.py:1485(copy_with)
503	0.00038	7.555e-07	0.0009841	1.956e-06	serialization.py:1853 restore_location)
1031	0.0003798	3.684e-07	0.0003798	3.684e-07	~:0(<built-in method sys.getrecursionlimit>)
66	0.0003797	5.753e-06	0.0009558	1.448e-05	decorators.py:52(__sympifyit)
412	0.000378	9.175e-07	0.002025	4.914e-06	<frozen abc:>117(__instancecheck__)
89	0.0003771	4.237e-06	0.09148	0.001028	dispatcher.py:178(add)
165	0.0003762	2.28e-06	0.0005714	3.463e-06	inspect.py:2488(descriptor_get)
306	0.0003752	1.226e-06	0.003418	1.117e-05	__init__.py:316(<genexpr>)
82/41	0.0003741	9.124e-06	0.001061	2.588e-05	sorting.py:10(default_sort_key)

ncalls	tottime	percall	cumtime	percall	
83	0.0003705	4.464e-06	0.0598	0.0007205	_parser.py:969(parse)
1	0.0003675	0.0003675	0.006105	0.006105	serialization.py:2124(_is_torchscript_zip)
405	0.0003666	9.052e-07	0.0003666	9.052e-07	~:0(<built-in method math.sqrt>)
160	0.0003648	2.28e-06	0.01628	0.0001018	pathlib.py:1022(read_text)
249	0.0003647	1.465e-06	0.0003647	1.465e-06	~:0(<method '__format__' of 'int' objects>)
174	0.0003614	2.077e-06	0.001089	6.259e-06	shape_base.py:370(_stack_dispatcher)
104	0.0003604	3.465e-06	0.003341	3.212e-05	trace_rules.py:3200(_as_posix_path)
625	0.0003603	5.765e-07	0.0003603	5.765e-07	~:0(<method 'items' of 'mappingproxy' objects>)
13	0.0003534	2.718e-05	0.002188	0.0001683	tokenize.py:445(open)
121	0.0003508	2.899e-06	0.0007625	6.302e-06	~:0(<built-in method builtins.sorted>)
124	0.0003488	2.813e-06	0.0003488	2.813e-06	functions.py:85(defun)
245	0.0003428	1.399e-06	0.000343	1.4e-06	module.py:1945(remove_from)
503	0.0003424	6.807e-07	0.0003424	6.807e-07	~:0(<method 'data_ptr' of 'torch._C.StorageBase' objects>)
29	0.0003376	1.164e-05	0.00937	0.0003231	typing.py:2790(_make_ntuple)
405	0.000332	8.198e-07	0.000332	8.198e-07	utils.py:32(<genexpr>)
1191	0.000332	2.788e-07	0.000332	2.788e-07	~:0(<built-in method _bisect.bisect_right>)
503	0.0003318	6.596e-07	0.0006742	1.34e-06	storage.py:1245(_data_ptr)
3	0.0003302	0.0001101	0.0007547	0.0002516	ctx_mp.py:96(init_builtins)
179	0.0003301	1.844e-06	0.006707	3.747e-05	pathlib.py:583(name)
1	0.0003275	0.0003275	0.05371	0.05371	codecache.py:1(<module>)
126	0.0003274	2.598e-06	0.001259	9.995e-06	inspect.py:2319(p)
875	0.0003263	3.729e-07	0.0003263	3.729e-07	~:0(<method 'popitem' of 'collections.OrderedDict' objects>)
81	0.0003259	4.023e-06	0.001677	2.07e-05	init.py:446(_calculate_correct_fan)
864	0.0003254	3.766e-07	0.0005424	6.278e-07	typing.py:962(__eq__)
1	0.0003221	0.0003221	0.3416	0.3416	autobackend.py:134(__init__)
169	0.0003217	1.904e-06	0.0004226	2.501e-06	decorator.py:184(public)
1398	0.0003214	2.299e-07	0.0003214	2.299e-07	<frozen importlib._bootstrap_external>:1178(get_filename)
174	0.0003192	1.834e-06	0.003235	1.859e-05	results.py:310(__len__)
86	0.0003188	3.707e-06	0.001328	1.544e-05	contextlib.py:272(contextmanager)
173	0.0003186	1.842e-06	0.0004009	2.317e-06	extension.py:44(_assert_has_ops)
146	0.0003185	2.182e-06	0.0005073	3.475e-06	_collections.py:28(parse)
95	0.000318	3.347e-06	0.0006504	6.846e-06	sympify.py:124(sympify)
463	0.0003171	6.849e-07	0.0004963	1.072e-06	_config_module.py:306(__init__)
1	0.0003168	0.0003168	1.019	1.019	__init__.py:1(<module>)
1	0.0003152	0.0003152	0.008536	0.008536	single.py:1(<module>)
1	0.0003142	0.0003142	0.4687	0.4687	__init__.py:1(<module>)
347	0.0003118	8.986e-07	0.003649	1.052e-05	results.py:155(__len__)
1412	0.0003116	2.207e-07	0.0003116	2.207e-07	<frozen importlib._bootstrap>:653(has_location)
1	0.0003108	0.0003108	0.007452	0.007452	_funcs.py:1(<module>)
83	0.0003082	3.713e-06	0.005024	6.053e-05	typing.py:1542(copy_with)

ncalls	tottime	percall	cumtime	percall	
103	0.0003072	2.983e-06	0.002429	2.358e-05	__init__.py:2149(logger)
1	0.0003048	0.0003048	0.0004204	0.0004204	solveset.py:1(<module>)
319	0.000304	9.53e-07	0.0004582	1.436e-06	module.py:2670(<lambda>)
38	0.000304	8e-06	0.0005145	1.354e-05	decorators.py:368(sig_ident)
13	0.0003037	2.336e-05	0.282	0.02169	inspect.py:1684(getframeinfo)
597	0.0003029	5.074e-07	0.0003029	5.074e-07	registration.py:68(set_base)
1	0.0003027	0.0003027	0.0003027	0.0003027	socket.py:221(__init__)
34	0.0003018	8.876e-06	0.009655	0.000284	traceback.py:221(extract_stack)
33	0.0003018	9.145e-06	0.0003689	1.118e-05	utils.py:132(is_tensor_like_type)
25	0.0003012	1.205e-05	0.2107	0.008427	library.py:653(wrap)
94	0.0002985	3.176e-06	0.00555	5.905e-05	linecache.py:52(checkcache)
790	0.0002983	3.776e-07	0.0002983	3.776e-07	utils.py:45(<genexpr>)
348	0.0002983	8.572e-07	0.0002983	8.572e-07	~:0(<built-in method builtins.abs>)
1	0.0002966	0.0002966	0.1453	0.1453	__init__.py:1(<module>)
1	0.0002939	0.0002939	0.001834	0.001834	gammazeta.py:1(<module>)
601	0.0002924	4.865e-07	0.0002924	4.865e-07	registration.py:259(onnx_symbolic)
8	0.0002907	3.634e-05	1.315	0.1643	custom_ops.py:145(inner)
1	0.0002901	0.0002901	0.001668	0.001668	constant.py:1(<module>)
1	0.0002883	0.0002883	0.0451	0.0451	__init__.py:1(<module>)
1118	0.0002867	2.564e-07	0.0002867	2.564e-07	_ops.py:913(loadpacket)
1105	0.0002867	2.595e-07	0.0002867	2.595e-07	_future_.py:25(get_overwrite_module_params_on_conv_
174	0.000285	1.638e-06	0.000285	1.638e-06	~:0(<built-in method numpy.lib.array_utils.normalize_axis_>)
19	0.000284	1.495e-05	0.2842	0.01496	inspect.py:1070(findsource)
149/136	0.0002837	2.086e-06	0.001058	7.781e-06	cache.py:69(wrapper)
160	0.0002822	1.764e-06	0.002265	1.416e-05	__init__.py:757(normalize)
601	0.0002815	4.684e-07	0.0002815	4.684e-07	registration.py:63(__init__)
1383	0.00028	2.025e-07	0.00028	2.025e-07	inspect.py:3085(parameters)
269	0.0002784	1.035e-06	0.0004608	1.713e-06	iterables.py:3083(is_sequence)
83	0.0002781	3.351e-06	0.0002781	3.351e-06	~:0(<built-in method torch._C._nn._parse_to>)
160	0.0002774	1.734e-06	0.0246	0.0001538	__init__.py:469(entry_points)
270	0.0002761	1.023e-06	0.0005206	1.928e-06	pathlib.py:429(format_parsed_parts)
103	0.0002748	2.668e-06	0.002545	2.471e-05	_ops.py:1289(_get_packet)
1	0.000271	0.000271	0.0007896	0.0007896	compiled_autograd.py:1(<module>)
322	0.0002696	8.373e-07	0.0007378	2.291e-06	<frozen abc>:146(update_abstractmethods)
68	0.0002687	3.951e-06	0.005149	7.573e-05	_ops.py:1051(__init__)
151	0.0002651	1.756e-06	0.0003533	2.34e-06	libintmath.py:353(ifac)
1	0.0002648	0.0002648	0.02696	0.02696	eval_frame.py:1(<module>)
1	0.0002619	0.0002619	0.001189	0.001189	tal.py:367(make_anchors)
160	0.0002608	1.63e-06	0.001393	8.708e-06	__init__.py:838(_name_from_stem)
1	0.0002574	0.0002574	0.03883	0.03883	url.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	0.0002566	0.0002566	0.0004559	0.0004559	basic.py:156(Basic)
33	0.0002564	7.77e-06	0.01221	0.0003701	symbolic_convert.py:415(stack_op)
89	0.0002543	2.857e-06	0.09073	0.001019	dispatcher.py:222(reorder)
1386	0.000253	1.825e-07	0.000253	1.825e-07	inspect.py:2796(default)
2	0.0002524	0.0001262	0.0008332	0.0004166	inspect.py:569(_getmembers)
322	0.0002522	7.832e-07	0.0002522	7.832e-07	dataclasses.py:372(__init__)
11	0.0002522	2.293e-05	0.1361	0.01238	custom_ops.py:186(__init__)
1	0.0002521	0.0002521	0.0361	0.0361	intersection.py:1(<module>)
11	0.0002511	2.283e-05	0.001285	0.0001168	utils.py:303(has_kwarg_only_tensors)
696	0.0002508	3.603e-07	0.0002508	3.603e-07	linear.py:46(forward)
13/12	0.0002491	2.076e-05	0.008153	0.0006794	<frozen importlib._bootstrap_external>:1287(create_modu
174	0.000249	1.431e-06	0.000249	1.431e-06	~:0(<built-in method math.ceil>)
129	0.0002486	1.927e-06	0.0003022	2.343e-06	ctx_mp_python.py:979(_wrap_libmp_function)
1	0.0002474	0.0002474	0.01316	0.01316	symbolic_convert.py:1055(InstructionTranslatorBase)
7	0.0002472	3.531e-05	1.492	0.2132	__init__.py:267(__make_prim)
174	0.0002472	1.421e-06	0.0002472	1.421e-06	~:0(<method '__exit__' of '_thread.lock' objects>)
38	0.0002466	6.489e-06	0.0009453	2.488e-05	symbol.py:359(__xnew__)
11	0.0002465	2.241e-05	0.1372	0.01247	custom_ops.py:326(inner)
522	0.000246	4.713e-07	0.000246	4.713e-07	process.py:189(name)
85	0.0002457	2.891e-06	0.0003097	3.644e-06	basic.py:288(__new__)
1	0.0002443	0.0002443	0.01887	0.01887	pgo.py:1(<module>)
1	0.0002441	0.0002441	0.0002836	0.0002836	_run.py:30(Run)
246	0.0002438	9.911e-07	0.0002685	1.091e-06	_utils.py:122(<genexpr>)
160	0.0002432	1.52e-06	0.0132	8.248e-05	pathlib.py:1005(open)
55	0.0002418	4.396e-06	0.0003008	5.469e-06	singleton.py:131(__getattr__)
18/16	0.0002409	1.506e-05	0.8652	0.05408	fake_implementations.py:107(contains_tensor_types)
664	0.0002386	3.593e-07	0.0002386	3.593e-07	symbol_database.py:195(Default)
307	0.0002385	7.769e-07	0.0003304	1.076e-06	dataclasses.py:643(<genexpr>)
10	0.0002376	2.376e-05	0.2167	0.02167	_meta_registrations.py:17(wrapper)
306	0.0002369	7.742e-07	0.003872	1.265e-05	__init__.py:312(<genexpr>)
160	0.0002363	1.477e-06	0.002502	1.564e-05	_functools.py:99(wrapper)
10	0.000236	2.36e-05	0.0007557	7.557e-05	symbol.py:654(symbols)
1	0.0002358	0.0002358	0.02736	0.02736	config.py:1(<module>)
178	0.0002344	1.317e-06	0.0003725	2.093e-06	misc.py:500(as_int)
1	0.0002338	0.0002338	0.005568	0.005568	decompositions_for_rng.py:1(<module>)
1	0.0002329	0.0002329	0.0002329	0.0002329	assumptions_generated.py:1(<module>)
239	0.0002323	9.72e-07	0.0004878	2.041e-06	<frozen os>:783(encodekey)
287	0.000232	8.084e-07	0.00036	1.254e-06	inspect.py:2534(<lambd>)
1	0.0002311	0.0002311	0.002197	0.002197	pretty_symbology.py:1(<module>)
94	0.0002305	2.452e-06	0.000346	3.681e-06	__init__.py:1497(__init__)

ncalls	tottime	percall	cumtime	percall	
44	0.0002295	5.216e-06	0.01375	0.0003124	inspect.py:2377(_signature_from_builtin)
86	0.0002294	2.667e-06	0.007943	9.236e-05	dataclasses.py:675(_hash_fn)
1	0.0002283	0.0002283	0.0005454	0.0005454	optimizer.py:1(<module>)
129	0.0002261	1.753e-06	0.0003465	2.686e-06	_parser.py:312(_class_escape)
1	0.0002258	0.0002258	0.002733	0.002733	hyperexpand.py:1(<module>)
83	0.0002236	2.694e-06	0.03093	0.0003727	_compiler.py:573(_code)
1	0.0002233	0.0002233	0.00103	0.00103	fully_sharded_data_parallel.py:117(FullyShardedDataParal
485	0.0002232	4.602e-07	0.0002232	4.602e-07	enum.py:251(__init__)
1	0.0002227	0.0002227	0.001953	0.001953	_tensorify_python_scalars.py:1(<module>)
71	0.0002227	3.137e-06	0.0002227	3.137e-06	~:0(<built-in method builtins.locals>)
162	0.0002225	1.373e-06	0.001157	7.14e-06	<frozen _collections_abc>:804(get)
136	0.0002224	1.635e-06	0.0002224	1.635e-06	traceback.py:327(walk_stack)
314	0.0002217	7.061e-07	0.0003975	1.266e-06	function.py:152(<lambd>)
1	0.0002214	0.0002214	0.007502	0.007502	cpp_builder.py:1(<module>)
22	0.0002209	1.004e-05	0.000297	1.35e-05	_symbolic_trace.py:1192(wrap)
13	0.0002192	1.686e-05	0.2879	0.02215	fake_impl.py:19(register)
1	0.0002189	0.0002189	0.002969	0.002969	mvit.py:1(<module>)
1	0.0002187	0.0002187	0.0003767	0.0003767	trace_rules.py:3015(_builtin_function_ids)
41	0.0002185	5.329e-06	0.0004318	1.053e-05	sorting.py:179(_nodes)
726	0.0002185	3.01e-07	0.0002185	3.01e-07	~:0(<method 'remove' of 'set' objects>)
1	0.0002183	0.0002183	0.08422	0.08422	guards.py:1(<module>)
88	0.0002178	2.475e-06	0.0006227	7.076e-06	conv.py:208(__setstate__)
1	0.0002176	0.0002176	0.004597	0.004597	ElementTree.py:1(<module>)
1	0.0002176	0.0002176	0.007404	0.007404	_optim_utils.py:1(<module>)
395	0.0002175	5.506e-07	0.0002175	5.506e-07	typing.py:494(__repr__)
174	0.000217	1.247e-06	0.000217	1.247e-06	~:0(<built-in method numpy.asarray>)
83	0.0002159	2.601e-06	0.0002159	2.601e-06	~:0(<built-in method _sre.compile>)
1	0.0002132	0.0002132	0.009343	0.009343	autobackend.py:866(_model_type)
1	0.0002132	0.0002132	0.001454	0.001454	fsdp.py:1(<module>)
1	0.0002126	0.0002126	0.001771	0.001771	symbolic_opset11.py:1(<module>)
94	0.0002121	2.256e-06	0.0003621	3.852e-06	<frozen codecs>:319(decode)
162	0.000212	1.309e-06	0.04439	0.000274	__init__.py:910(<genexpr>)
1	0.0002115	0.0002115	0.000219	0.000219	_ufunc_config.py:464(inner)
13	0.0002105	1.619e-05	0.000328	2.523e-05	_reductions_impl.py:29(_deco_axis_expand)
268	0.0002104	7.851e-07	0.0004093	1.527e-06	libmpf.py:322(<genexpr>)
189	0.0002093	1.107e-06	0.0003867	2.046e-06	inspect.py:1465(repl)
122	0.0002077	1.702e-06	0.006181	5.066e-05	linecache.py:36(getlines)
160	0.0002071	1.294e-06	0.0002071	1.294e-06	__init__.py:101(section_pairs)
3	0.0002062	6.873e-05	0.0002317	7.723e-05	autobackend.py:22(check_class_names)
1	0.0002061	0.0002061	0.001239	0.001239	symbolic_opset10.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
138	0.0002061	1.493e-06	0.005958	4.317e-05	<frozen importlib._bootstrap_external>:164(_path_isdir)
174	0.0002057	1.182e-06	0.0002693	1.548e-06	loaders.py:546(__len__)
172	0.0002054	1.194e-06	0.0002431	1.413e-06	enum.py:986(_find_data_repr_)
121	0.0002052	1.696e-06	0.001099	9.079e-06	_api.py:195(register_model)
81	0.0002045	2.525e-06	0.003269	4.036e-05	init.py:142(uniform_)
27	0.0002032	7.526e-06	0.0002529	9.367e-06	_ops.py:120(inner)
146	0.0002014	1.379e-06	0.0005672	3.885e-06	__init__.py:457(_replace)
1	0.0002002	0.0002002	0.01442	0.01442	schemas.py:1(<module>)
160	0.0001994	1.246e-06	0.0004065	2.541e-06	__init__.py:314(_from_text)
31	0.0001978	6.381e-06	0.0008496	2.741e-05	_internal.py:580(getArtifactLogger)
3	0.0001958	6.527e-05	0.0001958	6.527e-05	ctx_mp_python.py:585(__init__)
1	0.0001958	0.0001958	0.003513	0.003513	torch_function.py:137(populate_builtin_to_tensor_fn_map)
14	0.0001955	1.396e-05	0.0001955	1.396e-05	~:0(<method 'findall' of 're.Pattern' objects>)
396	0.0001944	4.909e-07	0.0001944	4.909e-07	module.py:2931(__get_name)
4	0.0001937	4.843e-05	0.002581	0.0006453	_internally_replaced_utils.py:26(__get_extension_path)
86	0.0001933	2.248e-06	0.008285	9.634e-05	dataclasses.py:882(__hash_add)
1	0.0001933	0.0001933	0.005726	0.005726	libmpf.py:1(<module>)
194	0.0001915	9.871e-07	0.0003205	1.652e-06	__init__.py:44(__running_with_deploy)
3	0.0001905	6.35e-05	0.0005896	0.0001965	__init__.py:294(<genexpr>)
115	0.0001902	1.654e-06	0.0003925	3.413e-06	_parser.py:86(opengroup)
1	0.00019	0.00019	0.01538	0.01538	__init__.py:1(<module>)
1	0.0001882	0.0001882	0.09622	0.09622	__init__.py:1(<module>)
1	0.0001864	0.0001864	0.1633	0.1633	__init__.py:1(<module>)
103	0.000186	1.806e-06	0.003622	3.516e-05	linecache.py:26(getline)
1	0.0001853	0.0001853	0.01743	0.01743	_init_utils.py:1(<module>)
34	0.000185	5.441e-06	0.0002051	6.032e-06	weakref.py:568(__init__)
213	0.0001845	8.662e-07	0.0003491	1.639e-06	ctx_fp.py:51(__wrap_specfun)
209	0.0001841	8.809e-07	0.00287	1.373e-05	_ops.py:1059(<genexpr>)
136	0.0001839	1.352e-06	0.0001839	1.352e-06	~:0(<method 'append' of 'collections.deque' objects>)
1	0.0001832	0.0001832	0.0004225	0.0004225	matrixbase.py:99(MatrixBase)
102	0.0001827	1.791e-06	0.003263	3.199e-05	traceback.py:318(line)
100	0.0001814	1.814e-06	0.002849	2.849e-05	typing.py:892(__init__)
284	0.0001814	6.387e-07	0.003927	1.383e-05	_normalizations.py:203(normalizer)
46	0.0001813	3.941e-06	0.0002674	5.813e-06	symbol.py:294(__sanitize)
10	0.00018	1.8e-05	0.005655	0.0005655	container.py:357(__repr__)
69	0.0001795	2.601e-06	0.001936	2.805e-05	torch_function.py:148(__torch_function__)
1	0.0001786	0.0001786	0.003231	0.003231	diophantine.py:1(<module>)
68/67	0.0001777	2.652e-06	0.0006435	9.604e-06	typing.py:1603(__repr__)
30	0.0001772	5.907e-06	0.0008391	2.797e-05	_contextlib.py:70(context_decorator)
587	0.0001772	3.019e-07	0.0001772	3.019e-07	~:0(<method 'upper' of 'str' objects>)

ncalls	tottime	percall	cumtime	percall	
162	0.0001769	1.092e-06	0.006282	3.878e-05	pathlib.py:447(__fspath__)
14	0.0001758	1.256e-05	0.0002684	1.917e-05	container.py:30(__addindent)
1	0.0001756	0.0001756	0.0002052	0.0002052	_external_properties.py:25(ExternalProperties)
398	0.0001754	4.407e-07	0.0002525	6.344e-07	_parser.py:83(groups)
1	0.0001749	0.0001749	0.002688	0.002688	utils.py:1(<module>)
34	0.0001748	5.141e-06	0.00106	3.118e-05	symbol.py:494(__new__)
18	0.0001746	9.7e-06	0.00156	8.666e-05	typing.py:753(Literal)
28	0.0001739	6.211e-06	0.0005123	1.83e-05	typing.py:1994(__init_subclass__)
1	0.0001735	0.0001735	0.003322	0.003322	_math_ops.py:1(<module>)
20	0.0001727	8.635e-06	0.005947	0.0002973	linecache.py:80(updatecache)
16	0.0001726	1.079e-05	0.0009259	5.787e-05	typing.py:1074(__generic_class_getitem)
146	0.0001719	1.177e-06	0.0003558	2.437e-06	__init__.py:228(matches)
81	0.0001718	2.121e-06	0.0005538	6.837e-06	batchnorm.py:102(extra_repr)
55	0.0001717	3.122e-06	0.001615	2.937e-05	autograd.py:99(<genexpr>)
1	0.0001711	0.0001711	0.03839	0.03839	__init__.py:1(<module>)
84/73	0.000171	2.342e-06	0.0002188	2.997e-06	_compiler.py:436(__get_literal_prefix)
1	0.0001705	0.0001705	0.01305	0.01305	utils.py:1(<module>)
1	0.0001696	0.0001696	0.01859	0.01859	cudagraph_utils.py:1(<module>)
37	0.0001692	4.573e-06	0.04246	0.001148	core.py:59()
124/119	0.000169	1.42e-06	0.0004177	3.51e-06	typing.py:237(__type_repr)
1	0.0001674	0.0001674	0.007694	0.007694	checkpoint.py:1(<module>)
1	0.0001671	0.0001671	0.1155	0.1155	numbers.py:1(<module>)
503	0.0001663	3.306e-07	0.0001663	3.306e-07	serialization.py:557(__cpu_deserialize)
1	0.0001663	0.0001663	0.0001681	0.0001681	response.py:326(BaseHTTPResponse)
478	0.0001652	3.456e-07	0.0001652	3.456e-07	utils.py:60(register_op_strategy)
2	0.0001647	8.235e-05	0.04518	0.02259	__init__.py:901(entry_points)
3	0.0001639	5.463e-05	0.0001639	5.463e-05	~:0(<built-in method torch.floor_divide>)
1	0.0001639	0.0001639	0.0004392	0.0004392	exprtools.py:1(<module>)
503	0.0001635	3.25e-07	0.0001635	3.25e-07	serialization.py:1876(dtype)
1	0.0001622	0.0001622	0.0711	0.0711	polytools.py:1(<module>)
1	0.0001613	0.0001613	0.00865	0.00865	efficientnet.py:1(<module>)
1	0.0001596	0.0001596	0.03539	0.03539	matrixbase.py:1(<module>)
15	0.0001595	1.063e-05	0.001936	0.0001291	__init__.py:988(get_default_args)
1	0.0001593	0.0001593	0.000691	0.000691	wrap.py:1(<module>)
1	0.0001589	0.0001589	0.3326	0.3326	__init__.py:1(<module>)
237	0.0001583	6.679e-07	0.0012	5.062e-06	libmpf.py:330(from_int)
1	0.0001579	0.0001579	0.0001579	0.0001579	exceptions.py:235(SystemTimeWarning)
1	0.0001579	0.0001579	0.002734	0.002734	utils.py:1(<module>)
123	0.0001568	1.275e-06	0.0008727	7.095e-06	_utils.py:152(handle_legacy_interface)
220	0.0001557	7.077e-07	0.001438	6.536e-06	typing.py:1584(<genexpr>)

ncalls	tottime	percall	cumtime	percall	
29	0.0001552	5.352e-06	0.0005043	1.739e-05	singleton.py:190(__init__)
16	0.0001544	9.65e-06	0.0001544	9.65e-06	results.py:945(conf)
330	0.0001533	4.645e-07	0.0001533	4.645e-07	dataclasses.py:433(<genexpr>)
1	0.0001531	0.0001531	0.0001663	0.0001663	retry.py:202(__init__)
1	0.0001519	0.0001519	0.005878	0.005878	output_graph.py:1(<module>)
18	0.0001512	8.4e-06	0.001286	7.144e-05	overrides.py:1670(handle_torch_function)
25/20	0.000151	7.55e-06	5.442	0.2721	_ops.py:296(py_impl)
24	0.0001505	6.271e-06	0.0005526	2.303e-05	typing_extensions.py:2894(__call__)
94	0.00015	1.596e-06	0.00015	1.596e-06	~:0(<built-in method _codecs.utf_8_decode>)
597	0.0001486	2.489e-07	0.0001486	2.489e-07	registration.py:73(in_base)
1	0.0001483	0.0001483	0.03706	0.03706	tensor.py:1(<module>)
1	0.0001474	0.0001474	0.0005437	0.0005437	distributed.py:1(<module>)
17	0.0001472	8.659e-06	0.000254	1.494e-05	__init__.py:1066(colorstr)
201	0.0001469	7.308e-07	0.0003037	1.511e-06	_funcs.py:22(is_public_function)
174	0.0001466	8.425e-07	0.0001466	8.425e-07	augment.py:1616(__init__)
1	0.0001461	0.0001461	0.214	0.214	__init__.py:1(<module>)
1	0.0001458	0.0001458	0.0001722	0.0001722	_external_property_file_references.py:15(ExternalProperty
37	0.0001455	3.932e-06	0.004018	0.0001086	op_registry_utils.py:29(_decorator_func)
65	0.0001439	2.214e-06	0.0001611	2.478e-06	typing.py:2505(overload)
73	0.0001425	1.952e-06	0.0003352	4.592e-06	tokenize.py:382(find_cookie)
1	0.0001425	0.0001425	0.05741	0.05741	__init__.py:1(<module>)
69	0.0001416	2.052e-06	0.0001973	2.859e-06	_builtins.py:188(register_builtin)
926	0.0001414	1.527e-07	0.0001425	1.539e-07	_config_module.py:113(string_or_list_of_string_to_list)
14	0.0001412	1.009e-05	0.0002137	1.526e-05	typing.py:1749(_get_protocol_attrs)
1	0.000141	0.000141	2.72	2.72	side_effects.py:1(<module>)
108	0.0001407	1.303e-06	0.0002525	2.338e-06	iterables.py:3025(iterable)
276/20	0.0001406	7.03e-06	0.001565	7.824e-05	<frozen abc>:121(__subclasscheck__)
1	0.0001399	0.0001399	0.004532	0.004532	laplace.py:1(<module>)
1	0.0001395	0.0001395	0.0001931	0.0001931	dispatch_and_compile_graph.py:1(<module>)
76/1	0.0001392	0.0001392	0.0003048	0.0003048	copy.py:118(deepcopy)
1	0.0001388	0.0001388	0.0005434	0.0005434	torch.py:1(<module>)
185	0.0001387	7.497e-07	0.0001387	7.497e-07	~:0(<method 'splitlines' of 'str' objects>)
1	0.0001384	0.0001384	0.0002185	0.0002185	fields.py:1(<module>)
1	0.0001383	0.0001383	0.00189	0.00189	_tensor_ops.py:1(<module>)
1	0.000138	0.000138	0.007954	0.007954	regnet.py:1(<module>)
113	0.0001378	1.219e-06	0.000233	2.062e-06	__init__.py:234(_acquireLock)
56	0.0001371	2.448e-06	0.0006436	1.149e-05	decorator.py:233(memoize_property)
1	0.0001368	0.0001368	1.041	1.041	functions.py:1(<module>)
89	0.0001362	1.53e-06	0.0008678	9.751e-06	symbolic_helper.py:336(decorator)
1	0.0001358	0.0001358	0.0233	0.0233	basic.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	0.0001355	0.0001355	0.0005646	0.0005646	enum.py:863(_create_)
1	0.000135	0.000135	0.0005968	0.0005968	status_codes.py:109(_init_)
1	0.000135	0.000135	0.002807	0.002807	symbolic_shapes.py:3127(ShapeEnv)
1	0.0001349	0.0001349	0.01634	0.01634	faster_rcnn.py:1(<module>)
1	0.000134	0.000134	0.0002822	0.0002822	_ndarray.py:185(ndarray)
26	0.0001337	5.142e-06	0.0001337	5.142e-06	~:0(<function _load.<locals>.UnpicklerWrapper.find_class
104	0.0001333	1.282e-06	0.002329	2.24e-05	pathlib.py:450(as_posix)
1	0.0001332	0.0001332	0.1194	0.1194	__init__.py:1(<module>)
1	0.0001329	0.0001329	0.0001329	0.0001329	reference.py:355(TensorReferenceAnalysis)
719	0.0001326	1.844e-07	0.0001326	1.844e-07	conflict.py:63(<lambda>)
1	0.0001323	0.0001323	0.1674	0.1674	pycode.py:1(<module>)
13	0.0001311	1.008e-05	0.297	0.02284	library.py:187(_register_fake)
1	0.0001308	0.0001308	0.01112	0.01112	functional.py:1(<module>)
1	0.0001306	0.0001306	0.0001306	0.0001306	polyclasses.py:138(DMP)
1	0.0001305	0.0001305	0.03006	0.03006	numbers.py:1(<module>)
136	0.0001301	9.566e-07	0.00031	2.279e-06	traceback.py:391(extended_frame_gen)
34	0.00013	3.824e-06	0.009267	0.0002726	traceback.py:377(extract)
146	0.0001295	8.87e-07	0.0002742	1.878e-06	__init__.py:196(__init__)
218	0.0001291	5.922e-07	0.0002108	9.67e-07	__init__.py:120(valid)
21	0.0001289	6.138e-06	0.00037	1.762e-05	decorators.py:281(substitute_in_graph)
174	0.0001287	7.397e-07	0.0001287	7.397e-07	utils.py:225(__call__)
1	0.0001281	0.0001281	0.006705	0.006705	user_defined.py:1(<module>)
383	0.0001278	3.337e-07	0.0001278	3.337e-07	inspect.py:3089(return_annotation)
1	0.0001266	0.0001266	0.0002441	0.0002441	compatibility.py:1(<module>)
1	0.0001264	0.0001264	0.007211	0.007211	torch_function.py:1(<module>)
102	0.0001263	1.238e-06	0.0001789	1.754e-06	linecache.py:149(lazycache)
263	0.0001256	4.776e-07	0.0001792	6.814e-07	inspect.py:524(isbuiltin)
347	0.0001256	3.62e-07	0.0006622	1.908e-06	pretty_symbology.py:10(U)
1	0.0001248	0.0001248	0.0005705	0.0005705	_runtime_utils.py:1(<module>)
1	0.0001246	0.0001246	0.004079	0.004079	_view_ops.py:1(<module>)
3	0.0001241	4.137e-05	0.0001586	5.287e-05	dataclasses.py:1192(__add_slots)
213	0.000122	5.728e-07	0.0001797	8.437e-07	ctx_iv.py:369(__wrap_specfun)
37	0.0001217	3.289e-06	0.003417	9.236e-05	op_registry_utils.py:14(__register_op)
4	0.0001213	3.033e-05	0.0001213	3.033e-05	~:0(<built-in method torch.ones>)
1	0.0001213	0.0001213	0.003061	0.003061	solvers.py:1(<module>)
1	0.000121	0.000121	0.000121	0.000121	latex.py:142(LatexPrinter)
1	0.0001205	0.0001205	0.002105	0.002105	_normalizations.py:1(<module>)
1	0.0001204	0.0001204	0.03993	0.03993	fully_sharded_data_parallel.py:1(<module>)
4	0.00012	3e-05	0.00012	3e-05	~:0(<built-in method nt._add_dll_directory>)
1	0.0001199	0.0001199	0.01524	0.01524	simplify.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	0.0001199	0.0001199	0.3432	0.3432	_flat_param.py:1(<module>)
28	0.0001197	4.275e-06	0.001486	5.307e-05	typing.py:1850(__new__)
1	0.0001194	0.0001194	0.004261	0.004261	cookies.py:1(<module>)
3	0.0001192	3.973e-05	0.0001192	3.973e-05	~:0(<built-in method torch.full>)
1	0.0001188	0.0001188	0.01939	0.01939	__init__.py:1(<module>)
1	0.0001188	0.0001188	0.005468	0.005468	resnet.py:1(<module>)
1	0.0001187	0.0001187	0.0005156	0.0005156	compile_utils.py:1(<module>)
26	0.0001185	4.558e-06	0.002189	8.419e-05	recording.py:229(decorator)
1	0.0001174	0.0001174	0.01212	0.01212	polyclasses.py:1(<module>)
1	0.000117	0.000117	0.01912	0.01912	function.py:1(<module>)
1	0.0001167	0.0001167	0.002821	0.002821	decorators.py:1(<module>)
1	0.0001166	0.0001166	0.0005784	0.0005784	symbolic_opset8.py:1(<module>)
1	0.0001165	0.0001165	0.2039	0.2039	_dtensor_spec.py:1(<module>)
1	0.0001164	0.0001164	0.0002039	0.0002039	sparse.py:1(<module>)
1	0.0001162	0.0001162	0.0002333	0.0002333	orderings.py:1(<module>)
1	0.0001162	0.0001162	0.0001162	0.0001162	transforms.py:283(Resize)
240	0.0001158	4.825e-07	0.0001646	6.858e-07	<frozen os>:777(check_str)
1	0.0001157	0.0001157	0.0001157	0.0001157	_casting_dicts.py:1(<module>)
1	0.0001157	0.0001157	0.0003762	0.0003762	codecache.py:2318(HalideCodeCache)
1	0.0001155	0.0001155	0.03508	0.03508	matexpr.py:1(<module>)
121	0.0001154	9.537e-07	0.0001154	9.537e-07	_api.py:196(wrapper)
1	0.0001151	0.0001151	0.0001151	0.0001151	models.py:13(CharsetMatch)
1	0.0001148	0.0001148	0.0009721	0.0009721	contract.py:1(<module>)
187	0.0001148	6.139e-07	0.0001148	6.139e-07	~:0(<method 'translate' of 'bytearray' objects>)
103	0.0001145	1.112e-06	0.09465	0.0009189	__init__.py:226(compile)
267	0.000114	4.27e-07	0.0001774	6.644e-07	dispatcher.py:204(<genexpr>)
11	0.0001136	1.033e-05	0.1353	0.0123	custom_ops.py:589(__register_to_dispatcher)
1	0.0001135	0.0001135	0.0002317	0.0002317	cnf.py:1(<module>)
1	0.0001133	0.0001133	0.0001321	0.0001321	_artifact.py:17(Artifact)
3	0.0001131	3.77e-05	0.000151	5.033e-05	_backport_slots.py:47(__add_slots)
1	0.000113	0.000113	0.000113	0.000113	utilities.py:8(__init__)
181	0.0001128	6.232e-07	0.0001531	8.459e-07	contextlib.py:446(__exit__)
146	0.0001125	7.705e-07	0.0002173	1.488e-06	__init__.py:224(__for)
1	0.0001123	0.0001123	0.0003073	0.0003073	polytools.py:106(Poly)
1	0.0001122	0.0001122	0.002164	0.002164	mask_rcnn.py:1(<module>)
1	0.0001121	0.0001121	0.001027	0.001027	latex.py:1(<module>)
1	0.0001121	0.0001121	0.02909	0.02909	__init__.py:1(<module>)
48	0.0001119	2.331e-06	0.0001119	2.331e-06	inspect.py:2286(RewriteSymbolics)
1	0.0001118	0.0001118	0.0003943	0.0003943	expr.py:46(Expr)
1	0.0001116	0.0001116	0.007655	0.007655	bytecode_transformation.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	0.0001114	0.0001114	0.0002275	0.0002275	isomorphvf2.py:1(<module>)
175	0.0001111	6.349e-07	0.000223	1.274e-06	inspect.py:310(ismethoddescriptor)
37	0.00011	2.973e-06	0.002727	7.37e-05	core.py:76(ismethod)
1	0.0001093	0.0001093	0.000226	0.000226	hmac.py:1(<module>)
2	0.0001092	5.46e-05	0.0001799	8.995e-05	solution_base.py:429(_modify_calculator_options)
98	0.0001085	1.107e-06	0.0001362	1.39e-06	decorators.py:311(py_random_state)
204	0.0001077	5.279e-07	0.0002408	1.18e-06	textwrap.py:482(prefixed_lines)
182	0.0001076	5.912e-07	0.0001254	6.89e-07	enum.py:467(<genexpr>)
1	0.0001073	0.0001073	0.002726	0.002726	_matrix_ops.py:1(<module>)
1	0.000107	0.000107	0.0001515	0.0001515	compositedomain.py:1(<module>)
1	0.0001069	0.0001069	0.005912	0.005912	relational.py:1(<module>)
1	0.0001069	0.0001069	0.00192	0.00192	modules.py:1(<module>)
1	0.0001067	0.0001067	0.01148	0.01148	minpoly.py:1(<module>)
1	0.0001058	0.0001058	0.0004242	0.0004242	_flat_param.py:455(FlatParamHandle)
1	0.0001051	0.0001051	0.002974	0.002974	_type_utils.py:1(<module>)
1	0.0001051	0.0001051	0.0003875	0.0003875	meijerint.py:1(<module>)
1	0.0001049	0.0001049	0.007572	0.007572	onnxruntime.py:1(<module>)
1	0.0001044	0.0001044	0.006336	0.006336	jit_compile_runtime_wrappers.py:1(<module>)
1	0.0001044	0.0001044	0.001356	0.001356	retinanet.py:1(<module>)
14	0.0001043	7.45e-06	0.0007453	5.324e-05	textwrap.py:419(dedent)
1	0.000104	0.000104	0.01128	0.01128	transforms.py:1(<module>)
1	0.000104	0.000104	0.001747	0.001747	misc.py:1(<module>)
1	0.0001039	0.0001039	1.209	1.209	exc.py:1(<module>)
1	0.0001039	0.0001039	0.4779	0.4779	__init__.py:1(<module>)
3	0.0001037	3.457e-05	0.000581	0.0001937	decorators.py:123(sympify_method_args)
6	0.0001035	1.725e-05	0.009041	0.001507	__init__.py:343(__init__)
29	0.0001035	3.569e-06	0.0002893	9.976e-06	serialization.py:2096(find_class)
126	0.0001034	8.206e-07	0.0001347	1.069e-06	inspect.py:2267(parse_name)
1	0.0001034	0.0001034	0.01492	0.01492	_common_utils.py:1(<module>)
1	0.0001032	0.0001032	0.0001494	0.0001494	qs.py:1(<module>)
1	0.0001032	0.0001032	0.004469	0.004469	vgg.py:1(<module>)
1	0.0001029	0.0001029	0.05505	0.05505	__init__.py:1(<module>)
1	0.0001029	0.0001029	0.01135	0.01135	ode.py:1(<module>)
8	0.0001027	1.284e-05	0.0001069	1.336e-05	__init__.py:396(__getitem__)
1	0.0001027	0.0001027	0.1868	0.1868	__init__.py:1(<module>)
1	0.0001026	0.0001026	0.001055	0.001055	libefun.py:1(<module>)
1	0.0001017	0.0001017	0.0004806	0.0004806	matexpr.py:37(MatrixExpr)
234	0.0001015	4.338e-07	0.0001015	4.338e-07	symbolic_helper.py:207(parse_args)
1	0.0001013	0.0001013	0.0001352	0.0001352	model.py:1067(_smart_load)
1	0.0001013	0.0001013	0.0002661	0.0002661	extrapolation.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	0.0001008	0.0001008	0.0005873	0.0005873	symbolic_opset18.py:1(<module>)
1	0.0001007	0.0001007	0.00303	0.00303	swin_transformer.py:1(<module>)
37	0.0001006	2.719e-06	0.0004039	1.092e-05	decorators.py:214(make_wrapped)
99	9.99e-05	1.009e-06	0.0001504	1.519e-06	enum.py:1188(_generate_next_value_)
174	9.98e-05	5.736e-07	9.98e-05	5.736e-07	base.py:126(on_predict_end)
1	9.94e-05	9.94e-05	0.005778	0.005778	evalf.py:1(<module>)
485	9.93e-05	2.047e-07	9.93e-05	2.047e-07	enum.py:1185(__init__)
83	9.91e-05	1.194e-06	0.0001726	2.08e-06	_parser.py:231(__init__)
30	9.91e-05	3.303e-06	0.0009749	3.25e-05	_contextlib.py:124(__call__)
1	9.91e-05	9.91e-05	0.003724	0.003724	tensor_ops.py:1(<module>)
115	9.9e-05	8.609e-07	0.002547	2.214e-05	_parser.py:98(closingroup)
43	9.89e-05	2.3e-06	0.0001532	3.563e-06	builtin.py:707(__init__)
1	9.78e-05	9.78e-05	0.01989	0.01989	__init__.py:1(<module>)
19	9.77e-05	5.142e-06	0.0001749	9.205e-06	_parser.py:274(getuntil)
13	9.76e-05	7.508e-06	9.76e-05	7.508e-06	~:0(<built-in method torch._C.dispatch_has_kernel>)
292	9.74e-05	3.336e-07	0.0001264	4.329e-07	__init__.py:248(<genexpr>)
1	9.72e-05	9.72e-05	0.00261	0.00261	video.py:1(<module>)
5	9.71e-05	1.942e-05	9.71e-05	1.942e-05	matrices.py:749(__init__)
1	9.64e-05	9.64e-05	0.002613	0.002613	sets.py:1(<module>)
1	9.64e-05	9.64e-05	0.07291	0.07291	ctx_base.py:1(<module>)
3	9.61e-05	3.203e-05	0.003741	0.001247	ctx_mp.py:63(__init__)
1	9.59e-05	9.59e-05	0.00597	0.00597	symbolic_helper.py:1(<module>)
1	9.59e-05	9.59e-05	0.002857	0.002857	remote_cache.py:1(<module>)
1	9.58e-05	9.58e-05	0.001546	0.001546	_state_dict_utils.py:1(<module>)
1	9.56e-05	9.56e-05	0.0007767	0.0007767	random_graphs.py:1(<module>)
17	9.56e-05	5.624e-06	0.03264	0.00192	trace_rules.py:3521(add)
53	9.54e-05	1.8e-06	0.000113	2.132e-06	<frozen codecs>:309(__init__)
1	9.53e-05	9.53e-05	0.0006162	0.0006162	disjoint_paths.py:1(<module>)
1	9.51e-05	9.51e-05	0.02375	0.02375	backends.py:110(_set_configs_from_environment)
1	9.5e-05	9.5e-05	0.003441	0.003441	higher_order_ops.py:1(<module>)
13	9.46e-05	7.277e-06	0.0002686	2.066e-05	inspect.py:1677(_get_code_position)
41	9.45e-05	2.305e-06	0.0005795	1.413e-05	decorators.py:110(priority_decorator)
1	9.43e-05	9.43e-05	9.43e-05	9.43e-05	numbers.py:2890(NegativeOne)
1	9.42e-05	9.42e-05	9.42e-05	9.42e-05	configs.py:8(Config)
166	9.4e-05	5.663e-07	0.0001279	7.705e-07	_compiler.py:570(isstring)
162	9.39e-05	5.796e-07	9.39e-05	5.796e-07	~:0(<method 'is_complex' of 'torch._C.TensorBase' objects>)
11	9.39e-05	8.536e-06	0.00019	1.727e-05	utils.py:299(has_kwarg_only_args)
1	9.36e-05	9.36e-05	0.00898	0.00898	response.py:1(<module>)
1	9.33e-05	9.33e-05	0.01436	0.01436	__init__.py:1(<module>)
162	9.32e-05	5.753e-07	9.32e-05	5.753e-07	~:0(<built-in method torch._C._has_torch_function_variad>)

ncalls	tottime	percall	cumtime	percall	
1	9.31e-05	9.31e-05	0.005541	0.005541	ctx_mp_python.py:1(<module>)
1	9.31e-05	9.31e-05	0.004302	0.004302	value_ranges.py:1(<module>)
1	9.3e-05	9.3e-05	0.0009345	0.0009345	classic.py:1(<module>)
1	9.28e-05	9.28e-05	0.03454	0.03454	exceptions.py:1(<module>)
11	9.27e-05	8.427e-06	0.0001403	1.275e-05	utils.py:96(is_functional)
1	9.26e-05	9.26e-05	0.02306	0.02306	matmul.py:1(<module>)
1	9.23e-05	9.23e-05	0.1552	0.1552	utils.py:1(<module>)
1	9.22e-05	9.22e-05	0.1365	0.1365	expr.py:1(<module>)
1	9.21e-05	9.21e-05	0.0007239	0.0007239	builtin.py:1(<module>)
1	9.19e-05	9.19e-05	0.004851	0.004851	autotune_cache.py:1(<module>)
1	9.18e-05	9.18e-05	0.0987	0.0987	__init__.py:1(<module>)
1	9.13e-05	9.13e-05	0.0109	0.0109	image.py:1(<module>)
1	9.13e-05	9.13e-05	0.0001599	0.0001599	octave.py:1(<module>)
7	9.11e-05	1.301e-05	0.9796	0.1399	custom_ops.py:48(custom_op)
4	9.09e-05	2.273e-05	0.06801	0.017	tasks.py:282(__apply)
1	9.08e-05	9.08e-05	9.31e-05	9.31e-05	serialization.py:1842(__get_restore_location)
1	9.08e-05	9.08e-05	0.004076	0.004076	connection.py:1(<module>)
79	9.05e-05	1.146e-06	0.002755	3.487e-05	trace_rules.py:3517(<genexpr>)
1	9.04e-05	9.04e-05	0.000369	0.000369	symbolic_opset14.py:1(<module>)
1	9.04e-05	9.04e-05	0.22	0.22	rings.py:1(<module>)
230	9.02e-05	3.922e-07	9.02e-05	3.922e-07	inspect.py:748(getmro)
3	9.01e-05	3.003e-05	9.01e-05	3.003e-05	~:0(<built-in method torch.meshgrid>)
1	9.01e-05	9.01e-05	0.002253	0.002253	factor_.py:1(<module>)
1	9.01e-05	9.01e-05	0.003724	0.003724	branchings.py:1(<module>)
1	8.99e-05	8.99e-05	0.009821	0.009821	request.py:1(<module>)
1	8.95e-05	8.95e-05	0.01155	0.01155	config.py:1(<module>)
1	8.95e-05	8.95e-05	0.09544	0.09544	autograd_cache.py:1(<module>)
1	8.94e-05	8.94e-05	0.008755	0.008755	_run.py:1(<module>)
54	8.87e-05	1.643e-06	0.0001481	2.743e-06	_compiler.py:467(__get_charset_prefix)
1	8.85e-05	8.85e-05	8.85e-05	8.85e-05	~:0(<method 'bind' of '_socket.socket' objects>)
1	8.84e-05	8.84e-05	0.005646	0.005646	_functional_pil.py:1(<module>)
15	8.79e-05	5.86e-06	0.0002819	1.879e-05	_compile.py:27(__disable_dynamo)
84	8.75e-05	1.042e-06	0.0001095	1.304e-06	~:0(<method 'sort' of 'list' objects>)
34/17	8.74e-05	5.141e-06	0.00127	7.473e-05	_tensor.py:33(wrapped)
174	8.72e-05	5.011e-07	8.72e-05	5.011e-07	loaders.py:557(__iter__)
43	8.72e-05	2.028e-06	0.05139	0.001195	dispatcher.py:147(__
1	8.71e-05	8.71e-05	9.34e-05	9.34e-05	evalf.py:1395(__create_evalf_table)
18	8.7e-05	4.833e-06	0.0001092	6.067e-06	overrides.py:1592(__get_overloaded_args)
7	8.69e-05	1.241e-05	0.0001929	2.756e-05	enum.py:1414(__missing__)
113	8.69e-05	7.69e-07	0.0001314	1.163e-06	__init__.py:243(__releaseLock)

ncalls	tottime	percall	cumtime	percall	
2	8.69e-05	4.345e-05	8.69e-05	4.345e-05	~:0(<built-in method torch._ops.torchvision._cuda_version
1	8.68e-05	8.68e-05	0.0001031	0.0001031	_address.py:12(Address)
28	8.67e-05	3.096e-06	0.000256	9.143e-06	~:0(<method '__init_subclass__' of 'object' objects>)
1	8.64e-05	8.64e-05	0.0123	0.0123	_video_opt.py:1(<module>)
1	8.64e-05	8.64e-05	0.01556	0.01556	transforms.py:1(<module>)
76	8.64e-05	1.137e-06	0.0001048	1.379e-06	decorators.py:371(<genexpr>)
183	8.63e-05	4.716e-07	8.63e-05	4.716e-07	extension.py:37(_has_ops)
1	8.6e-05	8.6e-05	0.0004695	0.0004695	symbolic_opset13.py:1(<module>)
1	8.6e-05	8.6e-05	0.000169	0.000169	systems.py:1(<module>)
1	8.55e-05	8.55e-05	0.001833	0.001833	mst.py:1(<module>)
1	8.53e-05	8.53e-05	0.3392	0.3392	_fsdp_extensions.py:1(<module>)
1	8.53e-05	8.53e-05	0.02796	0.02796	__init__.py:1(<module>)
1	8.53e-05	8.53e-05	0.03216	0.03216	__init__.py:1(<module>)
1	8.52e-05	8.52e-05	0.005478	0.005478	integrals.py:1(<module>)
1	8.5e-05	8.5e-05	0.06177	0.06177	entity.py:1(<module>)
1	8.49e-05	8.49e-05	0.00268	0.00268	models.py:1(<module>)
1	8.47e-05	8.47e-05	0.4527	0.4527	adapters.py:1(<module>)
1	8.45e-05	8.45e-05	0.005366	0.005366	boolalg.py:1(<module>)
1	8.42e-05	8.42e-05	0.01231	0.01231	_api.py:1(<module>)
1	8.4e-05	8.4e-05	0.000137	0.000137	loss.py:1(<module>)
1	8.39e-05	8.39e-05	0.001009	0.001009	small.py:1(<module>)
16	8.32e-05	5.2e-06	0.0005599	3.499e-05	overrides.py:142(decorator)
1	8.31e-05	8.31e-05	0.04701	0.04701	_optical_flow.py:1(<module>)
1	8.31e-05	8.31e-05	0.04327	0.04327	ssl_.py:1(<module>)
1	8.28e-05	8.28e-05	0.003115	0.003115	vision_transformer.py:1(<module>)
2	8.27e-05	4.135e-05	0.009679	0.00484	_ops.py:1366(load_library)
1	8.26e-05	8.26e-05	0.2262	0.2262	__init__.py:1(<module>)
1	8.25e-05	8.25e-05	0.0004422	0.0004422	_dtypes.py:1(<module>)
2	8.19e-05	4.095e-05	8.19e-05	4.095e-05	~:0(<built-in method torch.bitwise_left_shift>)
1	8.17e-05	8.17e-05	0.0005969	0.0005969	_state_dict_utils.py:1(<module>)
4	8.16e-05	2.04e-05	0.0359	0.008974	_config_module.py:165(install_config_module)
87	8.16e-05	9.379e-07	0.0004644	5.338e-06	trace_rules.py:2968(__call__)
1	8.13e-05	8.13e-05	0.005336	0.005336	deeplabv3.py:1(<module>)
174	8.12e-05	4.667e-07	8.12e-05	4.667e-07	base.py:121(on_predict_postprocess_end)
1	8.08e-05	8.08e-05	0.01571	0.01571	__init__.py:1(<module>)
1	8.07e-05	8.07e-05	0.0076	0.0076	_op_schema.py:1(<module>)
1	8.05e-05	8.05e-05	0.0001268	0.0001268	mock.py:1384(decorate_callable)
1	8.04e-05	8.04e-05	0.0002993	0.0002993	inaturalist.py:1(<module>)
15	8.04e-05	5.36e-06	0.0001004	6.693e-06	decorator.py:170(depends_on_deco)
1	8.04e-05	8.04e-05	0.0001625	0.0001625	_funcs_impl.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	8.04e-05	8.04e-05	0.001031	0.001031	weighted.py:1(<module>)
1	8.03e-05	8.03e-05	0.002906	0.002906	resnet.py:1(<module>)
27	8.02e-05	2.97e-06	0.0004207	1.558e-05	lazy.py:194(_create_realize_and_forward)
32	8.01e-05	2.503e-06	9.87e-05	3.084e-06	_inspect.py:65(getargs)
1	8e-05	8e-05	0.01129	0.01129	trigonometric.py:1(<module>)
16	7.98e-05	4.988e-06	0.0003161	1.976e-05	overrides.py:83(verify_matching_signatures)
1	7.98e-05	7.98e-05	0.02317	0.02317	summations.py:1(<module>)
38	7.97e-05	2.097e-06	0.0005991	1.577e-05	_ufuncs.py:67(deco_binary_ufunc)
1	7.96e-05	7.96e-05	0.001759	0.001759	swin_transformer.py:1(<module>)
47	7.93e-05	1.687e-06	0.0005659	1.204e-05	_ufuncs.py:289(deco_unary_ufunc)
320	7.92e-05	2.475e-07	7.92e-05	2.475e-07	~:0(<built-in method _io.text_encoding>)
1	7.9e-05	7.9e-05	0.01014	0.01014	_dispatch.py:1(<module>)
1	7.83e-05	7.83e-05	0.0002142	0.0002142	fu.py:1(<module>)
83	7.81e-05	9.41e-07	9.43e-05	1.136e-06	_parser.py:953(fix_flags)
17	7.81e-05	4.594e-06	0.0002298	1.352e-05	inspect.py:427(iscoroutinefunction)
14	7.81e-05	5.579e-06	0.0007264	5.189e-05	__init__.py:695(mtime)
1	7.81e-05	7.81e-05	0.0326	0.0326	__init__.py:1(<module>)
1	7.81e-05	7.81e-05	0.005744	0.005744	series.py:1(<module>)
189	7.78e-05	4.116e-07	7.78e-05	4.116e-07	~:0(<method 'removeprefix' of 'str' objects>)
1	7.77e-05	7.77e-05	0.001089	0.001089	exceptions.py:1(<module>)
1	7.76e-05	7.76e-05	0.01031	0.01031	pretty.py:1(<module>)
1	7.75e-05	7.75e-05	0.0002916	0.0002916	symbolic_opset7.py:1(<module>)
1	7.73e-05	7.73e-05	0.01129	0.01129	symbol.py:1(<module>)
1	7.73e-05	7.73e-05	0.0431	0.0431	dense.py:1(<module>)
65	7.73e-05	1.189e-06	7.73e-05	1.189e-06	~:0(<method 'startswith' of 'bytes' objects>)
1	7.72e-05	7.72e-05	0.0176	0.0176	collect_metadata_analysis.py:1(<module>)
27	7.72e-05	2.859e-06	8.5e-05	3.148e-06	decorators.py:104(open_file)
2	7.71e-05	3.855e-05	0.0002566	0.0001283	inspect.py:1239(getblock)
1	7.71e-05	7.71e-05	0.0006957	0.0006957	export.py:1(<module>)
1	7.7e-05	7.7e-05	0.005958	0.005958	exporter.py:1(<module>)
1	7.69e-05	7.69e-05	0.005492	0.005492	hyperbolic.py:1(<module>)
1	7.67e-05	7.67e-05	0.002293	0.002293	exporter.py:203(Exporter)
13	7.66e-05	5.892e-06	0.2821	0.0217	utils.py:45(get_source)
18	7.64e-05	4.244e-06	0.0001276	7.089e-06	typing.py:361(_flatten_literal_params)
1	7.63e-05	7.63e-05	0.1006	0.1006	power.py:1(<module>)
61	7.63e-05	1.251e-06	0.0008614	1.412e-05	symbolic_helper.py:1722(_apply)
1	7.6e-05	7.6e-05	0.03255	0.03255	output_code.py:1(<module>)
1	7.59e-05	7.59e-05	0.01161	0.01161	domainmatrix.py:1(<module>)
17	7.56e-05	4.447e-06	0.000373	2.194e-05	symbolic_shapes.py:247(inner)
2	7.55e-05	3.775e-05	7.55e-05	3.775e-05	~:0(<built-in method torch.bitwise_right_shift>)

ncalls	totime	percall	cumtime	percall	
1	7.54e-05	7.54e-05	0.004134	0.004134	line.py:1(<module>)
1	7.52e-05	7.52e-05	0.01859	0.01859	connectionpool.py:1(<module>)
1	7.5e-05	7.5e-05	0.01138	0.01138	_exporter_legacy.py:1(<module>)
12/6	7.46e-05	1.243e-05	7.46e-05	1.243e-05	typing.py:3307(__getattribute__)
1	7.42e-05	7.42e-05	0.008015	0.008015	cookiejar.py:1(<module>)
1	7.42e-05	7.42e-05	0.01823	0.01823	__init__.py:1(<module>)
1	7.41e-05	7.41e-05	0.0351	0.0351	__init__.py:1(<module>)
1	7.36e-05	7.36e-05	0.02084	0.02084	api.py:1(<module>)
79	7.35e-05	9.304e-07	0.000523	6.62e-06	__init__.py:255(escape)
1	7.33e-05	7.33e-05	0.6241	0.6241	__init__.py:1(<module>)
1	7.33e-05	7.33e-05	0.01362	0.01362	error_functions.py:1(<module>)
1	7.31e-05	7.31e-05	0.01564	0.01564	union.py:1(<module>)
1	7.31e-05	7.31e-05	0.01824	0.01824	plot.py:1(<module>)
1	7.3e-05	7.3e-05	0.01645	0.01645	__init__.py:1(<module>)
19	7.29e-05	3.837e-06	0.0001954	1.028e-05	typing.py:1420(__repr__)
1	7.29e-05	7.29e-05	0.00964	0.00964	bessel.py:1(<module>)
1	7.29e-05	7.29e-05	7.29e-05	7.29e-05	~:0(<function socket.close at 0x0000023142BBF600>)
1	7.26e-05	7.26e-05	7.26e-05	7.26e-05	pretty.py:30(PrettyPrinter)
1	7.24e-05	7.24e-05	0.001527	0.001527	ctx_manager.py:1(<module>)
1	7.23e-05	7.23e-05	0.001146	0.001146	digraph.py:1(<module>)
2	7.21e-05	3.605e-05	7.21e-05	3.605e-05	~:0(<method 'matmul' of 'torch._C.TensorBase' objects>)
1	7.21e-05	7.21e-05	0.0001424	0.0001424	rootisolation.py:1(<module>)
1	7.19e-05	7.19e-05	0.001233	0.001233	init.py:1(<module>)
3	7.18e-05	2.393e-05	0.0003193	0.0001064	parse.py:452(urlsplit)
1	7.18e-05	7.18e-05	0.000105	0.000105	domainmatrix.py:86(DomainMatrix)
1	7.13e-05	7.13e-05	0.0008781	0.0008781	dag.py:1(<module>)
1	7.09e-05	7.09e-05	0.0006585	0.0006585	_type_utils.py:67(JitScalarType)
1	7.07e-05	7.07e-05	0.003483	0.003483	util.py:1(<module>)
1	7.07e-05	7.07e-05	0.005472	0.005472	cpu_vec_isa.py:1(<module>)
68	7.05e-05	1.037e-06	0.0001867	2.746e-06	status_codes.py:116(doc)
80	7.05e-05	8.813e-07	7.05e-05	8.813e-07	_ndarray.py:85(create_method)
9	7.04e-05	7.822e-06	0.0001173	1.303e-05	typing_extensions.py:1745(__new__)
1	7.04e-05	7.04e-05	0.001296	0.001296	_pocketfft.py:1(<module>)
1	7.04e-05	7.04e-05	0.0004006	0.0004006	expanders.py:1(<module>)
1	7.04e-05	7.04e-05	0.002322	0.002322	shufflenetv2.py:1(<module>)
1	7.01e-05	7.01e-05	0.0009153	0.0009153	lraspp.py:1(<module>)
1	7e-05	7e-05	0.02005	0.02005	__init__.py:1(<module>)
1	6.99e-05	6.99e-05	0.01311	0.01311	__init__.py:1(<module>)
1	6.99e-05	6.99e-05	0.00195	0.00195	resnet.py:1(<module>)
1	6.95e-05	6.95e-05	0.000197	0.000197	mutation_guard.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	6.93e-05	6.93e-05	0.03259	0.03259	compat.py:1(<module>)
1	6.92e-05	6.92e-05	0.004892	0.004892	formal.py:1(<module>)
1	6.92e-05	6.92e-05	0.0004967	0.0004967	community.py:1(<module>)
7	6.92e-05	9.886e-06	1.493	0.2133	inductor_prims.py:18(make_prim)
1	6.91e-05	6.91e-05	6.91e-05	6.91e-05	ctx_fp.py:12(FPContext)
174	6.9e-05	3.966e-07	6.9e-05	3.966e-07	base.py:116(on_predict_batch_end)
1	6.89e-05	6.89e-05	0.03261	0.03261	__init__.py:1(<module>)
1	6.89e-05	6.89e-05	0.002936	0.002936	ellipse.py:1(<module>)
1	6.88e-05	6.88e-05	0.0003104	0.0003104	subclass_utils.py:1(<module>)
1	6.85e-05	6.85e-05	0.000367	0.000367	theta.py:1(<module>)
62	6.82e-05	1.1e-06	8.55e-05	1.379e-06	typing_extensions.py:3054(_check_generic)
12	6.81e-05	5.675e-06	0.0003965	3.304e-05	deprecated.py:44(setup_docs)
1	6.8e-05	6.8e-05	0.0001786	0.0001786	sdpa.py:1(<module>)
1	6.79e-05	6.79e-05	7.31e-05	7.31e-05	zetazeros.py:1(<module>)
1	6.79e-05	6.79e-05	0.3371	0.3371	_shard_utils.py:1(<module>)
1	6.78e-05	6.78e-05	0.0008672	0.0008672	ssdlite.py:1(<module>)
20	6.77e-05	3.385e-06	0.0004205	2.103e-05	decorator.py:317(deprecated_decorator)
1	6.74e-05	6.74e-05	0.00211	0.00211	mnasnet.py:1(<module>)
2	6.71e-05	3.355e-05	6.71e-05	3.355e-05	~:0(<built-in method torch.remainder>)
174	6.71e-05	3.856e-07	6.71e-05	3.856e-07	base.py:111(on_predict_batch_start)
1	6.71e-05	6.71e-05	0.0001251	0.0001251	mathematica.py:1(<module>)
1	6.71e-05	6.71e-05	7.27e-05	7.27e-05	graph.py:71(Graph)
1	6.69e-05	6.69e-05	0.002877	0.002877	raft.py:1(<module>)
180	6.67e-05	3.706e-07	0.0001103	6.128e-07	textwrap.py:479(predicate)
175	6.66e-05	3.806e-07	6.66e-05	3.806e-07	multiarray.py:180(concatenate)
1	6.64e-05	6.64e-05	0.0001122	0.0001122	mock.py:1719(patch)
1	6.64e-05	6.64e-05	0.0004497	0.0004497	utils.py:1(<module>)
1	6.64e-05	6.64e-05	0.01492	0.01492	_pickle.py:1(<module>)
1	6.62e-05	6.62e-05	0.000226	0.000226	polyoptions.py:187(__init_dependencies_order)
1	6.62e-05	6.62e-05	0.03255	0.03255	__init__.py:1(<module>)
13	6.57e-05	5.054e-06	0.0003079	2.368e-05	fake_impl.py:74(construct_meta_kernel)
1	6.57e-05	6.57e-05	0.002697	0.002697	lists.py:1(<module>)
1	6.56e-05	6.56e-05	6.56e-05	6.56e-05	compatibility.py:240(IPolys)
43	6.56e-05	1.526e-06	0.0001074	2.498e-06	trace_rules.py:2984(add)
1	6.55e-05	6.55e-05	0.001274	0.001274	fcos.py:1(<module>)
1	6.55e-05	6.55e-05	0.003006	0.003006	itertools.py:1(<module>)
1	6.53e-05	6.53e-05	0.003611	0.003611	folder.py:1(<module>)
1	6.53e-05	6.53e-05	0.003832	0.003832	_configuration_override.py:1(<module>)
124	6.51e-05	5.25e-07	9.01e-05	7.266e-07	numbers.py:2011(__hash__)
1	6.49e-05	6.49e-05	0.0005459	0.0005459	_functional_tensor.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	6.47e-05	6.47e-05	0.1117	0.1117	__init__.py:1(<module>)
1	6.46e-05	6.46e-05	0.00156	0.00156	_redistribute.py:1(<module>)
12	6.44e-05	5.367e-06	0.0004527	3.773e-05	symbol.py:325(__new__)
1	6.43e-05	6.43e-05	0.008603	0.008603	__init__.py:1(<module>)
28	6.41e-05	2.289e-06	0.0002916	1.041e-05	typing.py:1869(__init__)
2	6.41e-05	3.205e-05	6.41e-05	3.205e-05	~:0(<built-in method torch.rsub>)
1	6.41e-05	6.41e-05	6.75e-05	6.75e-05	factortools.py:1(<module>)
1	6.41e-05	6.41e-05	0.0001386	0.0001386	cudagraph_utils.py:248(CheckInvariantStatus)
1	6.4e-05	6.4e-05	0.004485	0.004485	gmpy.py:1(<module>)
44	6.39e-05	1.452e-06	6.39e-05	1.452e-06	utils.py:300(<genexpr>)
1	6.37e-05	6.37e-05	8.44e-05	8.44e-05	math2.py:1(<module>)
1	6.35e-05	6.35e-05	0.03403	0.03403	__init__.py:1(<module>)
1	6.33e-05	6.33e-05	0.01452	0.01452	exponential.py:1(<module>)
1	6.32e-05	6.32e-05	0.2386	0.2386	specialpolys.py:1(<module>)
1	6.31e-05	6.31e-05	0.003176	0.003176	trigsimp.py:1(<module>)
1	6.31e-05	6.31e-05	0.0003859	0.0003859	output_graph.py:268(OutputGraph)
1	6.3e-05	6.3e-05	0.03484	0.03484	__init__.py:1(<module>)
1	6.3e-05	6.3e-05	0.0009933	0.0009933	ssd.py:1(<module>)
1	6.28e-05	6.28e-05	0.002025	0.002025	residue_nttheory.py:1(<module>)
1	6.28e-05	6.28e-05	0.001038	0.001038	inception.py:1(<module>)
1	6.27e-05	6.27e-05	6.27e-05	6.27e-05	domain.py:18(Domain)
1	6.27e-05	6.27e-05	0.02547	0.02547	_fsdp_collectives.py:1(<module>)
133	6.25e-05	4.699e-07	6.25e-05	4.699e-07	_compiler.py:31(__combine_flags)
12	6.23e-05	5.192e-06	0.0001256	1.047e-05	typing.py:1525(__repr__)
2	6.23e-05	3.115e-05	6.23e-05	3.115e-05	~:0(<method 'bitwise_or' of 'torch._C.TensorBase' objects>)
1	6.23e-05	6.23e-05	0.002635	0.002635	libmpc.py:1(<module>)
1	6.23e-05	6.23e-05	0.000109	0.000109	iterables.py:781(topological_sort)
1	6.21e-05	6.21e-05	0.00095	0.00095	edge_augmentation.py:1(<module>)
1	6.21e-05	6.21e-05	0.0002153	0.0002153	builtin.py:125(BuiltinVariable)
1	6.2e-05	6.2e-05	0.002414	0.002414	_utils.py:1(<module>)
1	6.2e-05	6.2e-05	0.05857	0.05857	constructor.py:1(<module>)
1	6.18e-05	6.18e-05	0.1293	0.1293	__infra.py:1(<module>)
270	6.17e-05	2.285e-07	6.17e-05	2.285e-07	pathlib.py:560(root)
1	6.17e-05	6.17e-05	0.00012	0.00012	ddm.py:102(DDM)
1	6.16e-05	6.16e-05	0.0003478	0.0003478	symbolic_opset12.py:1(<module>)
1	6.16e-05	6.16e-05	0.0005023	0.0005023	function.py:1(<module>)
13	6.15e-05	4.731e-06	9.92e-05	7.631e-06	_config_module.py:369(__getattr__)
174	6.12e-05	3.517e-07	6.12e-05	3.517e-07	base.py:106(on_predict_start)
3	6.1e-05	2.033e-05	3.627	1.209	_ops.py:161(py_functionalize_impl)
1	6.09e-05	6.09e-05	0.06605	0.06605	__init__.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
119	6.08e-05	5.109e-07	6.08e-05	5.109e-07	_ops.py:55(__init__)
1	6.08e-05	6.08e-05	0.0003915	0.0003915	sympy_parser.py:1(<module>)
1	6.07e-05	6.07e-05	0.1199	0.1199	mul.py:1(<module>)
1	6.06e-05	6.06e-05	0.0003957	0.0003957	make_functional.py:1(<module>)
1	6.04e-05	6.04e-05	0.008256	0.008256	maxflow.py:1(<module>)
13	6.03e-05	4.638e-06	7.3e-05	5.615e-06	simple_registry.py:46(__init__)
1	6.03e-05	6.03e-05	0.005641	0.005641	context.py:1(<module>)
1	6.02e-05	6.02e-05	0.01394	0.01394	utils.py:1(<module>)
1	6.02e-05	6.02e-05	0.006257	0.006257	_ndarray.py:1(<module>)
1	6.01e-05	6.01e-05	9.37e-05	9.37e-05	traced_function_transforms.py:1(<module>)
98	6e-05	6.122e-07	8.11e-05	8.276e-07	__init__.py:208(_checkLevel)
1	6e-05	6e-05	0.0003706	0.0003706	infer_schema.py:18(infer_schema)
1	5.99e-05	5.99e-05	0.006258	0.006258	iterables.py:1(<module>)
6	5.96e-05	9.933e-06	0.00371	0.0006184	inspect.py:1258(getsourcelines)
1	5.94e-05	5.94e-05	0.4541	0.4541	sessions.py:1(<module>)
1	5.94e-05	5.94e-05	0.0005012	0.0005012	lazy.py:206(_populate)
1	5.91e-05	5.91e-05	0.003397	0.003397	polyutils.py:1(<module>)
1	5.91e-05	5.91e-05	0.01293	0.01293	__init__.py:1(<module>)
5	5.9e-05	1.18e-05	5.9e-05	1.18e-05	~:0(<built-in method builtins.dir>)
1	5.89e-05	5.89e-05	5.89e-05	5.89e-05	rings.py:586(PolyElement)
1	5.88e-05	5.88e-05	0.005968	0.005968	ddm.py:1(<module>)
1	5.86e-05	5.86e-05	0.0007952	0.0007952	backbone_utils.py:1(<module>)
1	5.84e-05	5.84e-05	5.84e-05	5.84e-05	value_ranges.py:429(SymPyValueRangeAnalysis)
1	5.84e-05	5.84e-05	0.001921	0.001921	shufflenetv2.py:1(<module>)
1	5.82e-05	5.82e-05	0.005027	0.005027	hyper.py:1(<module>)
6	5.79e-05	9.65e-06	0.0005878	9.797e-05	printer.py:392(__init__)
14	5.78e-05	4.129e-06	8.81e-05	6.293e-06	__init__.py:728(search)
1	5.77e-05	5.77e-05	5.77e-05	5.77e-05	~:0(<method 'close' of '_io.BufferedReader' objects>)
1	5.76e-05	5.76e-05	0.02059	0.02059	triton_bundler.py:1(<module>)
62	5.76e-05	9.29e-07	7.2e-05	1.161e-06	rational.py:7(create_reduced)
1	5.73e-05	5.73e-05	0.0008521	0.0008521	polygon.py:1(<module>)
1	5.72e-05	5.72e-05	0.002445	0.002445	connection.py:1(<module>)
1	5.72e-05	5.72e-05	0.002553	0.002553	smtplib.py:1(<module>)
1	5.72e-05	5.72e-05	0.0007417	0.0007417	symbol.py:22(SymT)
1	5.71e-05	5.71e-05	0.00821	0.00821	__init__.py:1(<module>)
1	5.69e-05	5.69e-05	0.3501	0.3501	predictor.py:383(setup_model)
1	5.69e-05	5.69e-05	0.00344	0.00344	_fsdp_common.py:1(<module>)
1	5.68e-05	5.68e-05	0.0004948	0.0004948	matching.py:1(<module>)
1	5.67e-05	5.67e-05	0.009121	0.009121	__init__.py:1(<module>)
1	5.66e-05	5.66e-05	0.009286	0.009286	alexnet.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
62	5.66e-05	9.129e-07	0.0001286	2.074e-06	rational.py:31(__new__)
1	5.64e-05	5.64e-05	0.005638	0.005638	rootoftools.py:1(<module>)
1	5.64e-05	5.64e-05	0.4711	0.4711	graph_info_provider.py:1(<module>)
1	5.63e-05	5.63e-05	0.04047	0.04047	__init__.py:1(<module>)
37	5.62e-05	1.519e-06	0.0001024	2.768e-06	libmpf.py:950(mpf_div)
1	5.62e-05	5.62e-05	0.01082	0.01082	complexes.py:1(<module>)
1	5.61e-05	5.61e-05	0.002483	0.002483	fancysets.py:1(<module>)
1	5.61e-05	5.61e-05	0.01459	0.01459	traveling_salesman.py:1(<module>)
1	5.59e-05	5.59e-05	0.00305	0.00305	lambdify.py:1(<module>)
2	5.57e-05	2.785e-05	5.57e-05	2.785e-05	~:0(<method 'bitwise_and' of 'torch._C.TensorBase' objects
1	5.57e-05	5.57e-05	0.007433	0.007433	extension.py:1(<module>)
1	5.57e-05	5.57e-05	0.004634	0.004634	libhyper.py:1(<module>)
1	5.56e-05	5.56e-05	0.001369	0.001369	_api.py:1(<module>)
1	5.56e-05	5.56e-05	0.001739	0.001739	_stereo_matching.py:1(<module>)
1	5.56e-05	5.56e-05	0.01486	0.01486	__init__.py:1(<module>)
32	5.55e-05	1.734e-06	0.0001954	6.106e-06	_inspect.py:96(getargspec)
3	5.55e-05	1.85e-05	0.0001609	5.363e-05	functional.py:542(_meshgrid)
1	5.55e-05	5.55e-05	0.001735	0.001735	retry.py:1(<module>)
3	5.55e-05	1.85e-05	0.001398	0.0004661	configs.py:73(__new__)
22	5.53e-05	2.514e-06	0.001685	7.659e-05	typing.py:521(__getitem__)
28	5.52e-05	1.971e-06	0.0004556	1.627e-05	functools.py:902(wrapper)
1	5.51e-05	5.51e-05	0.003108	0.003108	polyroots.py:1(<module>)
1	5.51e-05	5.51e-05	0.0005046	0.0005046	_utils.py:1(<module>)
1	5.49e-05	5.49e-05	0.0007529	0.0007529	matadd.py:1(<module>)
1	5.49e-05	5.49e-05	0.001357	0.001357	trees.py:1(<module>)
1	5.48e-05	5.48e-05	0.009859	0.009859	ctx_mp.py:1(<module>)
66	5.48e-05	8.303e-07	0.001011	1.531e-05	decorators.py:46(deco)
1	5.47e-05	5.47e-05	0.3417	0.3417	_contextlib.py:113(decorate_context)
1	5.47e-05	5.47e-05	5.47e-05	5.47e-05	builder.py:3184(make_type_handlers)
18	5.46e-05	3.033e-06	5.46e-05	3.033e-06	tasks.py:268(<genexpr>)
1	5.44e-05	5.44e-05	0.009418	0.009418	eigen.py:1(<module>)
1	5.43e-05	5.43e-05	0.004695	0.004695	polyoptions.py:1(<module>)
1	5.43e-05	5.43e-05	0.001583	0.001583	ring_series.py:1(<module>)
43	5.43e-05	1.263e-06	5.43e-05	1.263e-06	base.py:542(__init__)
12	5.42e-05	4.517e-06	7.68e-05	6.4e-06	misc.py:304(func_name)
22	5.4e-05	2.455e-06	6.59e-05	2.995e-06	contextlib.py:104(__init__)
4	5.38e-05	1.345e-05	0.001605	0.0004013	__init__.py:64(__add_op_to_registry)
1	5.37e-05	5.37e-05	0.02092	0.02092	__init__.py:1(<module>)
7	5.37e-05	7.671e-06	0.0002527	3.61e-05	symbolic_shapes.py:2152(lru_cache)
14	5.35e-05	3.821e-06	0.001151	8.223e-05	__init__.py:692(search)

ncalls	totime	percall	cumtime	percall	
13	5.35e-05	4.115e-06	0.000115	8.846e-06	_infra.py:79(from_sarif)
1	5.34e-05	5.34e-05	0.001129	0.001129	googlenet.py:1(<module>)
1	5.34e-05	5.34e-05	0.0005132	0.0005132	distance_measures.py:1(<module>)
1	5.33e-05	5.33e-05	0.01192	0.01192	__init__.py:1(<module>)
1	5.32e-05	5.32e-05	0.0001429	0.0001429	polysys.py:1(<module>)
50	5.31e-05	1.062e-06	0.001304	2.608e-05	ast.py:34(parse)
83	5.31e-05	6.398e-07	7.13e-05	8.59e-07	typing.py:2441(no_type_check)
146	5.31e-05	3.637e-07	5.31e-05	3.637e-07	typing.py:1626(<genexpr>)
1	5.31e-05	5.31e-05	0.005089	0.005089	api.py:1(<module>)
1	5.28e-05	5.28e-05	5.28e-05	5.28e-05	defaults.py:1(<module>)
1	5.28e-05	5.28e-05	0.002131	0.002131	deprecated.py:1(<module>)
1	5.28e-05	5.28e-05	0.06459	0.06459	point.py:1(<module>)
1	5.27e-05	5.27e-05	6.08e-05	6.08e-05	digraph.py:88(DiGraph)
1	5.27e-05	5.27e-05	0.0004246	0.0004246	graphml.py:1(<module>)
1	5.27e-05	5.27e-05	0.0007727	0.0007727	maxvit.py:1(<module>)
1	5.27e-05	5.27e-05	0.02047	0.02047	__init__.py:1(<module>)
2	5.25e-05	2.625e-05	0.2684	0.1342	library.py:1016(register)
1	5.25e-05	5.25e-05	7.53e-05	7.53e-05	fractions.py:162(Fraction)
1	5.23e-05	5.23e-05	0.0004299	0.0004299	graph_region_tracker.py:1(<module>)
1	5.2e-05	5.2e-05	5.2e-05	5.2e-05	~:0(<method '__lshift__' of 'torch._C.TensorBase' objects>)
1	5.2e-05	5.2e-05	0.001232	0.001232	gml.py:1(<module>)
1	5.19e-05	5.19e-05	0.0005907	0.0005907	cycles.py:1(<module>)
1	5.18e-05	5.18e-05	0.0009032	0.0009032	api.py:194(ShardedTensor)
1	5.16e-05	5.16e-05	0.001008	0.001008	inception.py:1(<module>)
1	5.15e-05	5.15e-05	0.00122	0.00122	codecache.py:3028(CUDACodeCache)
1	5.14e-05	5.14e-05	0.00189	0.00189	operator.py:1(<module>)
48	5.14e-05	1.071e-06	0.0001681	3.502e-06	pretty_symbolology.py:100(<lambda>)
1	5.14e-05	5.14e-05	0.0003986	0.0003986	geometric.py:1(<module>)
1	5.13e-05	5.13e-05	0.009296	0.009296	voc.py:1(<module>)
1	5.11e-05	5.11e-05	0.001502	0.001502	package.py:1(<module>)
1	5.1e-05	5.1e-05	0.002246	0.002246	modules.py:1(<module>)
1	5.09e-05	5.09e-05	0.0001926	0.0001926	symbolic_opset20.py:1(<module>)
1	5.09e-05	5.09e-05	0.0002026	0.0002026	script_object.py:1(<module>)
1	5.09e-05	5.09e-05	0.007576	0.007576	__init__.py:1(<module>)
11/9	5.08e-05	5.644e-06	0.3029	0.03366	fake_impls.py:109(<genexpr>)
1	5.08e-05	5.08e-05	0.0006944	0.0006944	ask.py:21(AssumptionKeys)
1	5.08e-05	5.08e-05	0.04579	0.04579	api.py:1(<module>)
102	5.06e-05	4.961e-07	5.06e-05	4.961e-07	traceback.py:265(__init__)
1	5.06e-05	5.06e-05	0.008007	0.008007	api.py:1(<module>)
73	5.04e-05	6.904e-07	0.0005454	7.471e-06	tokenize.py:376(read_or_stop)

ncalls	tottime	percall	cumtime	percall	
1	5.04e-05	5.04e-05	0.0004368	0.0004368	generic.py:1(<module>)
1	5.04e-05	5.04e-05	0.0004111	0.0004111	wiener.py:1(<module>)
90	5.03e-05	5.589e-07	5.03e-05	5.589e-07	~:0(<built-in method math.log>)
31	5.02e-05	1.619e-06	7.47e-05	2.41e-06	_internal.py:603(configure_artifact_log)
19	5.02e-05	2.642e-06	0.0001016	5.347e-06	pythonmpq.py:57(__new__)
1	5.02e-05	5.02e-05	0.0001921	0.0001921	_unshard_param_utils.py:1(<module>)
1	5.02e-05	5.02e-05	0.0004417	0.0004417	tournament.py:1(<module>)
14	5.01e-05	3.579e-06	0.0003063	2.188e-05	enum.py:1551(__or__)
1	5.01e-05	5.01e-05	0.001086	0.001086	galoistools.py:1(<module>)
1	5e-05	5e-05	6e-05	6e-05	_attachment.py:18(Attachment)
41	5e-05	1.22e-06	5e-05	1.22e-06	decorators.py:83(call_highest_priority)
1	5e-05	5e-05	0.003528	0.003528	densenet.py:1(<module>)
1	5e-05	5e-05	0.00216	0.00216	googlenet.py:1(<module>)
1	5e-05	5e-05	0.001441	0.001441	fcn.py:1(<module>)
1	4.99e-05	4.99e-05	0.1837	0.1837	_collective_utils.py:1(<module>)
21	4.98e-05	2.371e-06	0.000142	6.762e-06	contextlib.py:141(__exit__)
1	4.98e-05	4.98e-05	8.08e-05	8.08e-05	codecache.py:161(CacheBase)
212	4.96e-05	2.34e-07	4.96e-05	2.34e-07	dataclasses.py:879(_hash_set_none)
181	4.96e-05	2.74e-07	4.96e-05	2.74e-07	contextlib.py:440(__init__)
1	4.96e-05	4.96e-05	0.0006645	0.0006645	iter.py:1(<module>)
51	4.94e-05	9.686e-07	4.94e-05	9.686e-07	__init__.py:1119(<genexpr>)
1	4.94e-05	4.94e-05	0.0004569	0.0004569	degree_seq.py:1(<module>)
1	4.94e-05	4.94e-05	0.002421	0.002421	metrics.py:1(<module>)
1	4.94e-05	4.94e-05	0.0001079	0.0001079	source.py:343(TensorProperty)
13/10	4.94e-05	4.94e-06	0.009463	0.0009463	<frozen importlib._bootstrap_external>:1295(exec_module)
256	4.93e-05	1.926e-07	4.93e-05	1.926e-07	libintmath.py:62(python_trailing)
47	4.93e-05	1.049e-06	0.0001711	3.64e-06	numbers.py:1965(__eq__)
13	4.9e-05	3.769e-06	7.23e-05	5.562e-06	inspect.py:1662(__new__)
6	4.89e-05	8.15e-06	0.0001413	2.355e-05	ctx_iv.py:413(convert)
1	4.89e-05	4.89e-05	4.89e-05	4.89e-05	euclidtools.py:1(<module>)
1	4.89e-05	4.89e-05	0.001516	0.001516	reportviews.py:1(<module>)
1	4.88e-05	4.88e-05	0.001892	0.001892	blockmatrix.py:1(<module>)
1	4.88e-05	4.88e-05	0.0004198	0.0004198	product.py:1(<module>)
2	4.87e-05	2.435e-05	0.0004544	0.0002272	extension.py:57(__check_cuda_version)
1	4.87e-05	4.87e-05	0.002806	0.002806	checkpoint_activation.py:1(<module>)
2	4.86e-05	2.43e-05	4.86e-05	2.43e-05	_sources.py:88(__init__)
1	4.86e-05	4.86e-05	0.0001804	0.0001804	_rules.py:316(_POERules)
1	4.86e-05	4.86e-05	0.0003177	0.0003177	ctx_iv.py:1(<module>)
2	4.85e-05	2.425e-05	4.85e-05	2.425e-05	~:0(<method 'bitwise_xor' of 'torch._C.TensorBase' objects
1	4.85e-05	4.85e-05	0.001173	0.001173	radsimp.py:1(<module>)

ncalls	totime	percall	cumtime	percall	
1	4.83e-05	4.83e-05	0.002682	0.002682	boxes.py:1(<module>)
2	4.82e-05	2.41e-05	0.002288	0.001144	_jit_internal.py:1075(_overload_method)
1	4.81e-05	4.81e-05	0.003324	0.003324	_attachment.py:1(<module>)
1	4.8e-05	4.8e-05	0.0005291	0.0005291	add.py:1(<module>)
1	4.8e-05	4.8e-05	0.0005614	0.0005614	link_prediction.py:1(<module>)
1	4.79e-05	4.79e-05	0.002037	0.002037	sequences.py:1(<module>)
1	4.79e-05	4.79e-05	0.0001267	0.0001267	powsimp.py:1(<module>)
1	4.78e-05	4.78e-05	0.008338	0.008338	_artifact.py:1(<module>)
1	4.78e-05	4.78e-05	0.0001449	0.0001449	input_output_analysis.py:1(<module>)
1	4.77e-05	4.77e-05	0.0001713	0.0001713	smtlib.py:25(SMTLibPrinter)
1	4.77e-05	4.77e-05	0.1395	0.1395	_diagnostic.py:1(<module>)
14	4.77e-05	3.407e-06	0.001705	0.0001218	common_op_utils.py:51(_register_default_op)
1	4.76e-05	4.76e-05	4.76e-05	4.76e-05	densetools.py:1(<module>)
83	4.75e-05	5.723e-07	4.75e-05	5.723e-07	_parser.py:77(__init__)
1	4.75e-05	4.75e-05	0.0004368	0.0004368	similarity.py:1(<module>)
1	4.75e-05	4.75e-05	0.0003896	0.0003896	generators.py:1(<module>)
1	4.75e-05	4.75e-05	0.0002284	0.0002284	triads.py:1(<module>)
257	4.74e-05	1.844e-07	4.74e-05	1.844e-07	hmac.py:19(<genexpr>)
1	4.74e-05	4.74e-05	0.0008984	0.0008984	keypoint_rcnn.py:1(<module>)
1	4.73e-05	4.73e-05	0.001224	0.001224	mobilenetv3.py:1(<module>)
1	4.73e-05	4.73e-05	0.0001342	0.0001342	hypergeometric.py:1(<module>)
11	4.72e-05	4.291e-06	9.49e-05	8.627e-06	weakref.py:164(__setitem__)
66	4.72e-05	7.152e-07	0.0002285	3.462e-06	<frozen_collections_abc>:892(__iter__)
2	4.7e-05	2.35e-05	4.7e-05	2.35e-05	~:0(<built-in method torch.pow>)
11	4.69e-05	4.264e-06	5.99e-05	5.445e-06	_ops.py:728(__namespace)
194	4.69e-05	2.418e-07	4.69e-05	2.418e-07	status_codes.py:117(<genexpr>)
25	4.69e-05	1.876e-06	6.14e-05	2.456e-06	polyoptions.py:64(__init__)
1	4.69e-05	4.69e-05	7.34e-05	7.34e-05	orthopolys.py:1(<module>)
1	4.68e-05	4.68e-05	0.0356	0.0356	config.py:1(<module>)
1	4.68e-05	4.68e-05	0.0008557	0.0008557	ctx_iv.py:306(__init__)
1	4.68e-05	4.68e-05	0.007522	0.007522	fft.py:1(<module>)
51	4.68e-05	9.176e-07	0.0003333	6.535e-06	sympify.py:514(__sympify)
1	4.68e-05	4.68e-05	0.0004463	0.0004463	dicts.py:1(<module>)
1	4.67e-05	4.67e-05	0.04542	0.04542	sympify.py:1(<module>)
1	4.67e-05	4.67e-05	0.001148	0.001148	lie_group.py:1(<module>)
1	4.67e-05	4.67e-05	0.001378	0.001378	device_interface.py:1(<module>)
1	4.66e-05	4.66e-05	0.005773	0.005773	gamma_functions.py:1(<module>)
48	4.65e-05	9.688e-07	0.0001351	2.815e-06	pretty_symbology.py:101(<lambda>)
11	4.64e-05	4.218e-06	0.002685	0.0002441	custom_ops.py:897(get_library_allowing_overwrite)
44	4.63e-05	1.052e-06	5.96e-05	1.355e-06	_jit_internal.py:714(unused)

ncalls	totime	percall	cumtime	percall	
2	4.62e-05	2.31e-05	4.62e-05	2.31e-05	~:0(<method '__eq__' of 'torch._C.TensorBase' objects>)
1	4.62e-05	4.62e-05	0.005035	0.005035	_fsdp_param.py:1(<module>)
5	4.61e-05	9.22e-06	0.003819	0.0007638	ctx_base.py:42(__init__)
1	4.61e-05	4.61e-05	0.0011	0.0011	squeezeNet.py:1(<module>)
1	4.59e-05	4.59e-05	0.001409	0.001409	poolmanager.py:1(<module>)
1	4.58e-05	4.58e-05	0.001202	0.001202	nonhomogeneous.py:1(<module>)
1	4.57e-05	4.57e-05	0.008351	0.008351	cd.py:1(<module>)
22	4.56e-05	2.073e-06	0.0001115	5.068e-06	contextlib.py:299(helper)
1	4.56e-05	4.56e-05	0.0005443	0.0005443	projection.py:1(<module>)
1	4.56e-05	4.56e-05	0.0003517	0.0003517	directed.py:1(<module>)
1	4.55e-05	4.55e-05	0.001411	0.001411	symbol.py:1(<module>)
1	4.54e-05	4.54e-05	0.0003615	0.0003615	cluster.py:1(<module>)
1	4.54e-05	4.54e-05	0.002414	0.002414	_api.py:1(<module>)
1	4.53e-05	4.53e-05	0.02044	0.02044	_conversion.py:1(<module>)
1	4.53e-05	4.53e-05	0.0006182	0.0006182	breadth_first_search.py:1(<module>)
1	4.53e-05	4.53e-05	0.001988	0.001988	fourier.py:1(<module>)
1	4.52e-05	4.52e-05	0.01894	0.01894	_external_properties.py:1(<module>)
1	4.52e-05	4.52e-05	0.0006193	0.0006193	_fsdp_param.py:193(FSDPParam)
1	4.51e-05	4.51e-05	6.5e-05	6.5e-05	tensor.py:126(TensorVariable)
1	4.51e-05	4.51e-05	0.001385	0.001385	quality.py:1(<module>)
1	4.51e-05	4.51e-05	0.01962	0.01962	__init__.py:1(<module>)
1	4.5e-05	4.5e-05	0.0002926	0.0002926	lattice.py:1(<module>)
38	4.49e-05	1.182e-06	6.32e-05	1.663e-06	assumptions.py:494(make_property)
1	4.48e-05	4.48e-05	0.004813	0.004813	_artifact_change.py:1(<module>)
1	4.47e-05	4.47e-05	0.0004958	0.0004958	linalg.py:1(<module>)
1	4.47e-05	4.47e-05	0.004475	0.004475	chunk_sharding_spec.py:1(<module>)
1	4.46e-05	4.46e-05	0.001546	0.001546	densebasic.py:1(<module>)
1	4.46e-05	4.46e-05	0.0004707	0.0004707	_reductions_impl.py:1(<module>)
1	4.46e-05	4.46e-05	0.01199	0.01199	_functional_collectives.py:1(<module>)
1	4.46e-05	4.46e-05	0.0003893	0.0003893	utils.py:1(<module>)
1	4.45e-05	4.45e-05	5.44e-05	5.44e-05	_sarif_log.py:16(SarifLog)
1	4.44e-05	4.44e-05	0.0007618	0.0007618	mobilenetv3.py:1(<module>)
1	4.43e-05	4.43e-05	0.0006448	0.0006448	torch_utils.py:131(select_device)
9	4.43e-05	4.922e-06	6.33e-05	7.033e-06	_ops.py:767(__str__)
1	4.43e-05	4.43e-05	0.0006364	0.0006364	expr_with_limits.py:1(<module>)
18	4.41e-05	2.45e-06	7.4e-05	4.111e-06	typing.py:1442(__mro_entries__)
1	4.41e-05	4.41e-05	0.0002815	0.0002815	utils.py:1(<module>)
89	4.41e-05	4.955e-07	4.41e-05	4.955e-07	functions.py:81(defun_wrapped)
1	4.41e-05	4.41e-05	0.01426	0.01426	__init__.py:1(<module>)
35	4.41e-05	1.26e-06	4.41e-05	1.26e-06	__init__.py:482(__sharded_op_Impl)

ncalls	tottime	percall	cumtime	percall	
1	4.4e-05	4.4e-05	0.001702	0.001702	executor.py:1(<module>)
17	4.4e-05	2.588e-06	0.01007	0.0005925	<frozen importlib.util>:70(find_spec)
1	4.39e-05	4.39e-05	0.0005785	0.0005785	exc.py:1(<module>)
1	4.39e-05	4.39e-05	8.18e-05	8.18e-05	libmpi.py:1(<module>)
1	4.38e-05	4.38e-05	0.0002154	0.0002154	ctx_iv.py:324(_init_builtin)
1	4.38e-05	4.38e-05	0.00963	0.00963	__init__.py:1(<module>)
1	4.37e-05	4.37e-05	0.4057	0.4057	_fsdp_state.py:1(<module>)
2	4.36e-05	2.18e-05	4.36e-05	2.18e-05	~:0(<method 'gt' of 'torch._C.TensorBase' objects>)
1	4.36e-05	4.36e-05	0.0006048	0.0006048	registration.py:1(<module>)
34	4.36e-05	1.282e-06	0.0001414	4.159e-06	libmpf.py:491(from_rational)
2	4.35e-05	2.175e-05	0.0001603	8.015e-05	power.py:136(__new__)
1	4.35e-05	4.35e-05	0.02572	0.02572	_code_flow.py:1(<module>)
1	4.34e-05	4.34e-05	0.0003452	0.0003452	plane.py:1(<module>)
1	4.34e-05	4.34e-05	5.36e-05	5.36e-05	_edge_traversal.py:12(EdgeTraversal)
1	4.34e-05	4.34e-05	0.0004143	0.0004143	core.py:1(<module>)
1	4.33e-05	4.33e-05	0.0002079	0.0002079	sets.py:47(Set)
1	4.32e-05	4.32e-05	5.33e-05	5.33e-05	_edge.py:12(Edge)
1	4.32e-05	4.32e-05	0.02348	0.02348	backends.py:1(<module>)
3	4.31e-05	1.437e-05	4.31e-05	1.437e-05	~:0(<method 'add' of 'torch._C.TensorBase' objects>)
1	4.31e-05	4.31e-05	0.0003769	0.0003769	convert_matrix.py:1(<module>)
1	4.31e-05	4.31e-05	0.0004373	0.0004373	graph_info_provider.py:8(GraphInfoProvider)
1	4.3e-05	4.3e-05	0.0001341	0.0001341	determinant.py:1(<module>)
77	4.29e-05	5.571e-07	7.58e-05	9.844e-07	inspect.py:475(istraceback)
3	4.29e-05	1.43e-05	0.0001334	4.447e-05	typing_extensions.py:1637(__new__)
1	4.29e-05	4.29e-05	0.003078	0.003078	lambdarepr.py:1(<module>)
1	4.29e-05	4.29e-05	0.003094	0.003094	core.py:1(<module>)
107	4.28e-05	4e-07	7.35e-05	6.869e-07	constant.py:398(<lambda>)
46	4.28e-05	9.304e-07	4.28e-05	9.304e-07	logic.py:92(fuzzy_bool)
2	4.27e-05	2.135e-05	0.001236	0.0006179	_sources.py:103(make_source_context)
1	4.27e-05	4.27e-05	0.002055	0.002055	ssl_.py:225(create_urllib3_context)
1	4.27e-05	4.27e-05	0.001624	0.001624	miscellaneous.py:1(<module>)
1	4.26e-05	4.26e-05	0.0003986	0.0003986	triads.py:1(<module>)
1	4.26e-05	4.26e-05	0.0001098	0.0001098	value_ranges.py:122(ValueRanges)
1	4.25e-05	4.25e-05	7.35e-05	7.35e-05	sdm.py:25(SDM)
1	4.25e-05	4.25e-05	0.008429	0.008429	__init__.py:1(<module>)
1	4.24e-05	4.24e-05	0.003911	0.003911	polynomials.py:1(<module>)
1	4.23e-05	4.23e-05	4.23e-05	4.23e-05	~:0(<method 'abs' of 'torch._C.TensorBase' objects>)
1	4.23e-05	4.23e-05	0.001585	0.001585	video_reader.py:1(<module>)
1	4.23e-05	4.23e-05	0.009388	0.009388	api.py:1(<module>)
1	4.23e-05	4.23e-05	0.0002781	0.0002781	compiled_autograd.py:162(AutogradCompilerInstance)

ncalls	tottime	percall	cumtime	percall	
1	4.23e-05	4.23e-05	0.0001124	0.0001124	julia.py:1(<module>)
1	4.22e-05	4.22e-05	0.005345	0.005345	_onnx_program.py:1(<module>)
1	4.22e-05	4.22e-05	0.00203	0.00203	_embedding_ops.py:1(<module>)
138	4.21e-05	3.051e-07	4.21e-05	3.051e-07	_compiler.py:428(_get_iscased)
1	4.2e-05	4.2e-05	0.0003233	0.0003233	smallworld.py:1(<module>)
15	4.2e-05	2.8e-06	0.001978	0.0001319	exporter.py:183(try_export)
9	4.19e-05	4.656e-06	0.001873	0.0002081	assume.py:175(__new__)
1	4.19e-05	4.19e-05	0.0007511	0.0007511	mobilenetv2.py:1(<module>)
1	4.18e-05	4.18e-05	0.001655	0.001655	triton_compat.py:1(<module>)
1	4.18e-05	4.18e-05	0.0001822	0.0001822	random.py:1(<module>)
27	4.16e-05	1.541e-06	0.0002812	1.041e-05	_ops.py:111(py_impl)
1	4.16e-05	4.16e-05	0.001225	0.001225	asyncio.py:1(<module>)
1	4.16e-05	4.16e-05	0.002839	0.002839	bytecode_analysis.py:1(<module>)
1	4.15e-05	4.15e-05	0.000145	0.000145	__init__.py:1(<module>)
1	4.14e-05	4.14e-05	0.002351	0.002351	zeta_functions.py:1(<module>)
98	4.13e-05	4.214e-07	4.13e-05	4.214e-07	__init__.py:811(__init__)
22	4.13e-05	1.877e-06	0.0008463	3.847e-05	torch_function.py:162(<lambda>)
2	4.12e-05	2.06e-05	4.85e-05	2.425e-05	uuid.py:139(__init__)
11	4.11e-05	3.736e-06	4.11e-05	3.736e-06	autograd.py:28(Metadata)
1	4.11e-05	4.11e-05	0.004693	0.004693	factorials.py:1(<module>)
1	4.1e-05	4.1e-05	0.0002	0.0002	layout.py:1(<module>)
1	4.09e-05	4.09e-05	7.7e-05	7.7e-05	rootoftools.py:166(ComplexRootOf)
1	4.09e-05	4.09e-05	0.0004681	0.0004681	registry.py:1(<module>)
1	4.09e-05	4.09e-05	0.0004312	0.0004312	nx_pydot.py:1(<module>)
9	4.08e-05	4.533e-06	4.08e-05	4.533e-06	parse.py:829(__getattr__)
21	4.08e-05	1.943e-06	6.2e-05	2.952e-06	trace_rules.py:2993(__contains__)
160	4.07e-05	2.544e-07	4.07e-05	2.544e-07	__init__.py:804(__init__)
1	4.07e-05	4.07e-05	0.0164	0.0164	_request_methods.py:1(<module>)
1	4.07e-05	4.07e-05	0.00364	0.00364	basis.py:1(<module>)
1	4.06e-05	4.06e-05	0.002372	0.002372	accumulationbounds.py:1(<module>)
1	4.05e-05	4.05e-05	0.007633	0.007633	fractions.py:1(<module>)
13	4.05e-05	3.115e-06	0.0001135	8.731e-06	simple_registry.py:30(find)
1	4.05e-05	4.05e-05	0.0001517	0.0001517	maple.py:1(<module>)
1	4.05e-05	4.05e-05	4.05e-05	4.05e-05	reference.py:38(ReferenceAnalysis)
1	4.05e-05	4.05e-05	0.0001131	0.0001131	_dispatch.py:124(__init__)
1	4.04e-05	4.04e-05	0.0003054	0.0003054	cityscapes.py:13(Cityscapes)
42	4.04e-05	9.619e-07	8.01e-05	1.907e-06	ctx_mp_python.py:336(__new__)
1	4.03e-05	4.03e-05	0.002802	0.002802	_address.py:1(<module>)
1	4.03e-05	4.03e-05	0.00012	0.00012	drop_block.py:1(<module>)
1	4.03e-05	4.03e-05	0.0003107	0.0003107	gruntz.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	4.02e-05	4.02e-05	4.02e-05	4.02e-05	~:0(<method 'pow' of 'torch._C.TensorBase' objects>)
1	4.02e-05	4.02e-05	0.000246	0.000246	symbolic_opset17.py:1(<module>)
1	4.02e-05	4.02e-05	8.86e-05	8.86e-05	subscheck.py:1(<module>)
1	4.01e-05	4.01e-05	4.82e-05	4.82e-05	_conversion.py:17(Conversion)
1	4e-05	4e-05	0.001661	0.001661	functional_utils.py:1(<module>)
1	3.99e-05	3.99e-05	0.0001357	0.0001357	mul.py:91(Mul)
1	3.99e-05	3.99e-05	0.01356	0.01356	comparison.py:1(<module>)
1	3.99e-05	3.99e-05	0.0001412	0.0001412	cse_main.py:1(<module>)
1	3.99e-05	3.99e-05	0.03146	0.03146	_fsdp_param_group.py:1(<module>)
1	3.99e-05	3.99e-05	0.0003003	0.0003003	treewidth.py:1(<module>)
3/2	3.98e-05	1.99e-05	0.01369	0.006845	solution_base.py:418(get_side_packet_type)
1	3.98e-05	3.98e-05	9.03e-05	9.03e-05	functions.py:1(<module>)
1	3.96e-05	3.96e-05	0.06904	0.06904	_base_connection.py:1(<module>)
257	3.96e-05	1.541e-07	3.96e-05	1.541e-07	hmac.py:20(<genexpr>)
1	3.96e-05	3.96e-05	0.002229	0.002229	realfield.py:1(<module>)
1	3.96e-05	3.96e-05	0.001265	0.001265	runtime_utils.py:1(<module>)
5	3.95e-05	7.9e-06	7.36e-05	1.472e-05	container.py:119(_get_item_by_idx)
77	3.95e-05	5.13e-07	3.95e-05	5.13e-07	activation.py:434(extra_repr)
1	3.95e-05	3.95e-05	3.95e-05	3.95e-05	polyclasses.py:1735(DUP_Flint)
1	3.95e-05	3.95e-05	0.006805	0.006805	domain.py:1(<module>)
1	3.95e-05	3.95e-05	0.04501	0.04501	__init__.py:1(<module>)
1	3.95e-05	3.95e-05	0.0002893	0.0002893	interp.py:1(<module>)
1	3.95e-05	3.95e-05	0.0002905	0.0002905	graph_transform_observer.py:1(<module>)
2	3.94e-05	1.97e-05	3.94e-05	1.97e-05	~:0(<method 'ne' of 'torch._C.TensorBase' objects>)
2	3.94e-05	1.97e-05	0.0001205	6.025e-05	~:0(<built-in method _operator.and_>)
89	3.93e-05	4.416e-07	3.93e-05	4.416e-07	symbolic_helper.py:289(quantized_args)
1	3.93e-05	3.93e-05	0.07992	0.07992	__init__.py:1(<module>)
2	3.92e-05	1.96e-05	3.92e-05	1.96e-05	~:0(<method 'ge' of 'torch._C.TensorBase' objects>)
1	3.92e-05	3.92e-05	0.0003192	0.0003192	logging_tensor.py:1(<module>)
8	3.92e-05	4.9e-06	0.0001174	1.468e-05	_api.py:147(__init_subclass__)
1	3.91e-05	3.91e-05	0.0004218	0.0004218	clique.py:1(<module>)
1	3.91e-05	3.91e-05	0.0001973	0.0001973	anchor_utils.py:10(AnchorGenerator)
1	3.91e-05	3.91e-05	6.94e-05	6.94e-05	_fsdp_param_group.py:111(FSDPParamGroup)
1	3.91e-05	3.91e-05	8.81e-05	8.81e-05	ac_logging_utils.py:1(<module>)
1	3.91e-05	3.91e-05	0.0002497	0.0002497	label_propagation.py:1(<module>)
1	3.9e-05	3.9e-05	0.003301	0.003301	integers.py:1(<module>)
1	3.9e-05	3.9e-05	0.004912	0.004912	recording.py:1(<module>)
1	3.9e-05	3.9e-05	0.0602	0.0602	immutable.py:1(<module>)
1	3.9e-05	3.9e-05	8.77e-05	8.77e-05	util.py:1(<module>)
1	3.9e-05	3.9e-05	0.01502	0.01502	__init__.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
8	3.88e-05	4.85e-06	7.6e-05	9.5e-06	weakref.py:104(__init__)
1	3.88e-05	3.88e-05	0.007188	0.007188	finitefield.py:1(<module>)
1	3.87e-05	3.87e-05	0.0002526	0.0002526	create_parameter_op.py:1(<module>)
1	3.86e-05	3.86e-05	0.004546	0.004546	assumptions.py:1(<module>)
1	3.86e-05	3.86e-05	0.0222	0.0222	__init__.py:1(<module>)
76	3.85e-05	5.066e-07	5.46e-05	7.184e-07	enum.py:1267(__hash__)
1	3.85e-05	3.85e-05	0.0003618	0.0003618	kronecker.py:1(<module>)
1	3.85e-05	3.85e-05	0.0008206	0.0008206	mobilenetv2.py:1(<module>)
1	3.85e-05	3.85e-05	0.0004983	0.0004983	array_comprehension.py:1(<module>)
7/1	3.84e-05	3.84e-05	7.43e-05	7.43e-05	functools.py:685(c3_mro)
44	3.84e-05	8.727e-07	3.84e-05	8.727e-07	six.py:194(find_spec)
1	3.84e-05	3.84e-05	0.00119	0.00119	galoisgroups.py:1(<module>)
1	3.84e-05	3.84e-05	0.4978	0.4978	_fully_shard.py:1(<module>)
2	3.83e-05	1.915e-05	7.08e-05	3.54e-05	_tensor.py:1100(__rdiv__)
1	3.83e-05	3.83e-05	0.0001366	0.0001366	repmatrix.py:1(<module>)
1	3.82e-05	3.82e-05	0.006861	0.006861	tasks.py:258(is_fused)
1	3.82e-05	3.82e-05	0.0002338	0.0002338	fake_tensor_prop.py:1(<module>)
1	3.82e-05	3.82e-05	4.74e-05	4.74e-05	_external_property_file_reference.py:15(ExternalPropertyF
1	3.82e-05	3.82e-05	4.18e-05	4.18e-05	codegen.py:63(PyCodegen)
1	3.82e-05	3.82e-05	0.0002681	0.0002681	simple_paths.py:1(<module>)
1	3.81e-05	3.81e-05	6e-05	6e-05	response.py:569(HTTPResponse)
1	3.8e-05	3.8e-05	0.00186	0.00186	_external_property_file_references.py:1(<module>)
1	3.79e-05	3.79e-05	0.0001387	0.0001387	raft.py:541(Raft_Large_Weights)
11	3.79e-05	3.445e-06	0.0001268	1.153e-05	configs.py:109(__setattr__)
18	3.78e-05	2.1e-06	0.0002086	1.159e-05	numbers.py:1975(__gt__)
1	3.78e-05	3.78e-05	0.0002712	0.0002712	modularinteger.py:1(<module>)
1	3.78e-05	3.78e-05	0.01326	0.01326	__init__.py:1(<module>)
1	3.77e-05	3.77e-05	0.0003967	0.0003967	mnist.py:1(<module>)
6/4	3.76e-05	9.4e-06	0.0001786	4.465e-05	_pytree.py:1041(helper)
5	3.76e-05	7.52e-06	0.000109	2.18e-05	_trace.py:1440(_script_if_tracing)
1	3.76e-05	3.76e-05	0.001859	0.001859	graph_deduplication.py:1(<module>)
1	3.76e-05	3.76e-05	0.0004145	0.0004145	strongly_connected.py:1(<module>)
1	3.76e-05	3.76e-05	0.01121	0.01121	__init__.py:1(<module>)
1	3.75e-05	3.75e-05	0.01343	0.01343	__init__.py:1(<module>)
1	3.75e-05	3.75e-05	0.0006375	0.0006375	piecewise.py:1(<module>)
1	3.73e-05	3.73e-05	0.00129	0.00129	connectivity.py:1(<module>)
1	3.73e-05	3.73e-05	0.01259	0.01259	_cache.py:1(<module>)
2	3.72e-05	1.86e-05	3.72e-05	1.86e-05	~:0(<built-in method mediapipe.python_framework_bindi
1	3.72e-05	3.72e-05	0.0004488	0.0004488	polyerrors.py:1(<module>)
1	3.72e-05	3.72e-05	3.72e-05	3.72e-05	singularities.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	3.7e-05	3.7e-05	0.1648	0.1648	codeprinter.py:1(<module>)
1	3.7e-05	3.7e-05	0.0009413	0.0009413	_sarif_log.py:1(<module>)
1	3.69e-05	3.69e-05	0.0003054	0.0003054	algebraicconnectivity.py:1(<module>)
1	3.68e-05	3.68e-05	4.54e-05	4.54e-05	_configuration_override.py:16(ConfigurationOverride)
25	3.67e-05	1.468e-06	0.0001067	4.268e-06	copy.py:191(_deepcopy_list)
17	3.67e-05	2.159e-06	0.0002018	1.187e-05	ctx_iv.py:407(_mpq)
1	3.67e-05	3.67e-05	0.0003175	0.0003175	group.py:1(<module>)
1	3.67e-05	3.67e-05	0.005244	0.005244	__init__.py:1(<module>)
1	3.66e-05	3.66e-05	0.0009887	0.0009887	_collections.py:1(<module>)
1	3.66e-05	3.66e-05	0.01169	0.01169	resume_execution.py:1(<module>)
1	3.65e-05	3.65e-05	0.001981	0.001981	predictor.py:109(__init__)
1	3.65e-05	3.65e-05	0.0007255	0.0007255	checkpoint_wrapper.py:1(<module>)
1	3.65e-05	3.65e-05	0.0003073	0.0003073	convert.py:1(<module>)
14	3.65e-05	2.607e-06	0.0004567	3.262e-05	~:0(<built-in method __abc_.abc_register>)
1	3.65e-05	3.65e-05	3.65e-05	3.65e-05	~:0(<built-in method nt.putenv>)
2	3.64e-05	1.82e-05	3.64e-05	1.82e-05	~:0(<method 'lt' of 'torch._C.TensorBase' objects>)
1	3.63e-05	3.63e-05	3.63e-05	3.63e-05	~:0(<method '__and__' of 'torch._C.TensorBase' objects>)
1	3.63e-05	3.63e-05	3.63e-05	3.63e-05	polyclasses.py:1236(DMP_Python)
1	3.63e-05	3.63e-05	0.0005166	0.0005166	transform.py:1(<module>)
1	3.63e-05	3.63e-05	0.0004106	0.0004106	fcos.py:270(FCOS)
1	3.62e-05	3.62e-05	5.1e-05	5.1e-05	mnist.py:260(EMNIST)
14	3.62e-05	2.580e-06	0.004288	0.0003063	functions.py:1299(make_opaque_unary_fn)
1	3.62e-05	3.62e-05	0.0006412	0.0006412	s3d.py:1(<module>)
1	3.62e-05	3.62e-05	0.00473	0.00473	__init__.py:1(<module>)
1	3.61e-05	3.61e-05	0.0009098	0.0009098	_external_property_file_reference.py:1(<module>)
1	3.6e-05	3.6e-05	0.008557	0.008557	symbolic_caffe2.py:1(<module>)
1	3.6e-05	3.6e-05	0.02999	0.02999	__init__.py:1(<module>)
1	3.6e-05	3.6e-05	0.001961	0.001961	assume.py:1(<module>)
1	3.59e-05	3.59e-05	0.001623	0.001623	backend.py:1(<module>)
1	3.59e-05	3.59e-05	0.001277	0.001277	parameters.py:1(<module>)
1	3.59e-05	3.59e-05	6.55e-05	6.55e-05	pretty_symbolology.py:57(pretty_try_use_unicode)
1	3.59e-05	3.59e-05	0.0003418	0.0003418	graph6.py:1(<module>)
1	3.58e-05	3.58e-05	0.0007351	0.0007351	triton_kernel_wrap.py:1139(TritonHOPifier)
1	3.58e-05	3.58e-05	0.0001488	0.0001488	_utils.py:1(<module>)
1	3.58e-05	3.58e-05	5.99e-05	5.99e-05	codecache.py:2712(PyCodeCache)
37	3.56e-05	9.622e-07	3.56e-05	9.622e-07	core.py:13(dispatch)
1	3.56e-05	3.56e-05	0.0002616	0.0002616	external_utils.py:1(<module>)
1	3.56e-05	3.56e-05	3.56e-05	3.56e-05	~:0(<built-in method __imp.exec_builtin>)
1	3.55e-05	3.55e-05	0.02799	0.02799	products.py:1(<module>)
1	3.55e-05	3.55e-05	0.00692	0.00692	graph.py:1(<module>)

ncalls	totime	percall	cumtime	percall	
1	3.53e-05	3.53e-05	0.01054	0.01054	chordal.py:1(<module>)
1	3.53e-05	3.53e-05	0.001405	0.001405	densenet.py:31(_DenseLayer)
1	3.52e-05	3.52e-05	0.001552	0.001552	indexed.py:1(<module>)
29	3.51e-05	1.21e-06	0.0002433	8.39e-06	singletone.py:125(register)
1	3.51e-05	3.51e-05	0.004353	0.004353	modularity_max.py:1(<module>)
181	3.5e-05	1.934e-07	3.5e-05	1.934e-07	contextlib.py:443(__enter__)
1	3.5e-05	3.5e-05	0.0002248	0.0002248	knapsack_evaluator.py:11(KnapsackEvaluator)
1	3.5e-05	3.5e-05	0.00152	0.00152	_sharding_prop.py:1(<module>)
3	3.5e-05	1.167e-05	0.0001235	4.117e-05	contract.py:44(contract)
25	3.49e-05	1.396e-06	0.0001679	6.716e-06	library.py:647(_)
1	3.49e-05	3.49e-05	0.003519	0.003519	jit_utils.py:1(<module>)
1	3.49e-05	3.49e-05	0.001563	0.001563	ElementPath.py:1(<module>)
1	3.49e-05	3.49e-05	0.0004102	0.0004102	binary_cmp.py:1(<module>)
1	3.49e-05	3.49e-05	0.0005212	0.0005212	_debug_utils.py:1(<module>)
1	3.48e-05	3.48e-05	0.0003148	0.0003148	str.py:1(<module>)
1	3.48e-05	3.48e-05	0.009813	0.009813	betweenness.py:1(<module>)
73	3.47e-05	4.753e-07	4.96e-05	6.795e-07	inspect.py:485(isframe)
1	3.47e-05	3.47e-05	0.001125	0.001125	_reporting_descriptor_relationship.py:1(<module>)
14	3.47e-05	2.479e-06	3.47e-05	2.479e-06	functions.py:1300(OpaqueUnaryFn)
1	3.47e-05	3.47e-05	0.002279	0.002279	decompositions.py:1(<module>)
2	3.46e-05	1.73e-05	3.46e-05	1.73e-05	~:0(<method 'le' of 'torch._C.TensorBase' objects>)
11	3.46e-05	3.145e-06	0.0001779	1.617e-05	utils.py:87(is_functional_schema)
12	3.46e-05	2.883e-06	4.54e-05	3.783e-06	basic.py:315(__hash__)
1	3.46e-05	3.46e-05	9.41e-05	9.41e-05	recurr.py:1(<module>)
2	3.46e-05	1.73e-05	0.0001147	5.735e-05	~:0(<built-in method _operator.or_>)
1	3.45e-05	3.45e-05	0.0003442	0.0003442	celeba.py:1(<module>)
1	3.45e-05	3.45e-05	0.0009554	0.0009554	_edge_traversal.py:1(<module>)
1	3.44e-05	3.44e-05	9.69e-05	9.69e-05	image_list.py:1(<module>)
1	3.43e-05	3.43e-05	0.002443	0.002443	elliptic_integrals.py:1(<module>)
1	3.42e-05	3.42e-05	3.54e-05	3.54e-05	pycode.py:79(AbstractPythonCodePrinter)
1	3.42e-05	3.42e-05	0.0004018	0.0004018	functional.py:1(<module>)
1	3.42e-05	3.42e-05	0.0001324	0.0001324	_wrap_utils.py:1(<module>)
1	3.41e-05	3.41e-05	4.12e-05	4.12e-05	riccati.py:1(<module>)
1	3.41e-05	3.41e-05	0.0003163	0.0003163	conditionsset.py:1(<module>)
1	3.41e-05	3.41e-05	0.003159	0.003159	types.py:1(<module>)
1	3.41e-05	3.41e-05	4.25e-05	4.25e-05	inequalities.py:1(<module>)
1	3.41e-05	3.41e-05	4.79e-05	4.79e-05	device_interface.py:181(CudaInterface)
1	3.41e-05	3.41e-05	0.0004508	0.0004508	builder.py:388(VariableBuilder)
1	3.41e-05	3.41e-05	0.0001814	0.0001814	roi_heads.py:1(<module>)
1	3.39e-05	3.39e-05	0.000132	0.000132	cache.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	3.39e-05	3.39e-05	3.39e-05	3.39e-05	model.py:87(task_map)
1	3.39e-05	3.39e-05	0.0001674	0.0001674	numbers.py:1211(Rational)
1	3.38e-05	3.38e-05	0.0001126	0.0001126	_utils.py:1(<module>)
1	3.37e-05	3.37e-05	0.0002915	0.0002915	coding.py:1(<module>)
136	3.36e-05	2.471e-07	3.36e-05	2.471e-07	module.py:2934(extra_repr)
1	3.36e-05	3.36e-05	0.0006294	0.0006294	operations.py:1(<module>)
1	3.36e-05	3.36e-05	6.13e-05	6.13e-05	intfunc.py:1(<module>)
1	3.36e-05	3.36e-05	4.82e-05	4.82e-05	subfield.py:1(<module>)
1	3.36e-05	3.36e-05	0.01734	0.01734	__init__.py:1(<module>)
1	3.35e-05	3.35e-05	0.0001218	0.0001218	__init__.py:71(search_function)
1	3.35e-05	3.35e-05	0.0002449	0.0002449	_api.py:213(DTensor)
1	3.34e-05	3.34e-05	0.0003232	0.0003232	_cache.py:87(CacheArtifactManager)
124	3.33e-05	2.685e-07	3.33e-05	2.685e-07	typing.py:781(<genexpr>)
1	3.33e-05	3.33e-05	0.0001094	0.0001094	regnet.py:726(RegNet_Y_32GF_Weights)
1	3.33e-05	3.33e-05	0.02057	0.02057	__init__.py:1(<module>)
1	3.32e-05	3.32e-05	3.97e-05	3.97e-05	pde.py:1(<module>)
1	3.32e-05	3.32e-05	0.001449	0.001449	tensor_functions.py:1(<module>)
20	3.32e-05	1.66e-06	5.63e-05	2.815e-06	builder.py:379(<genexpr>)
1	3.32e-05	3.32e-05	0.0002199	0.0002199	connectivity.py:1(<module>)
1	3.31e-05	3.31e-05	2.12	2.12	codegen.py:1(<module>)
1	3.31e-05	3.31e-05	0.0007229	0.0007229	vf2pp.py:1(<module>)
1	3.31e-05	3.31e-05	0.000212	0.000212	constant.py:1(<module>)
1	3.31e-05	3.31e-05	0.0001318	0.0001318	comptime.py:1(<module>)
1	3.3e-05	3.3e-05	0.0003222	0.0003222	imagenet.py:1(<module>)
19	3.29e-05	1.732e-06	3.96e-05	2.084e-06	_compiler.py:407(_generate_overlap_table)
1	3.29e-05	3.29e-05	0.001115	0.001115	dense.py:1(<module>)
1	3.29e-05	3.29e-05	0.0001261	0.0001261	kinetics.py:1(<module>)
1	3.28e-05	3.28e-05	3.28e-05	3.28e-05	codeprinter.py:53(CodePrinter)
1	3.28e-05	3.28e-05	0.001113	0.001113	generate.py:1(<module>)
1	3.28e-05	3.28e-05	0.001597	0.001597	current_flow_betweenness.py:1(<module>)
11	3.27e-05	2.973e-06	0.00181	0.0001645	utils.py:71(lookup_op)
1	3.27e-05	3.27e-05	0.2014	0.2014	placement_types.py:1(<module>)
16	3.26e-05	2.037e-06	0.001189	7.433e-05	__init__.py:794(<genexpr>)
1	3.26e-05	3.26e-05	0.0001288	0.0001288	utils.py:1(<module>)
1	3.26e-05	3.26e-05	0.002932	0.002932	reshard.py:1(<module>)
1	3.26e-05	3.26e-05	0.0001084	0.0001084	source.py:487(DefaultsSource)
2	3.25e-05	1.625e-05	3.25e-05	1.625e-05	~:0(<method 'reciprocal' of 'torch._C.TensorBase' objects>)
1	3.25e-05	3.25e-05	4.71e-05	4.71e-05	elliptic.py:1(<module>)
1	3.25e-05	3.25e-05	0.001119	0.001119	complexfield.py:1(<module>)
1	3.25e-05	3.25e-05	0.0005765	0.0005765	decorators.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	3.25e-05	3.25e-05	0.0001372	0.0001372	cytoscape.py:1(<module>)
69	3.24e-05	4.696e-07	0.0002191	3.175e-06	status_codes.py:122(<genexpr>)
1	3.24e-05	3.24e-05	0.01988	0.01988	__init__.py:1(<module>)
1	3.24e-05	3.24e-05	3.93e-05	3.93e-05	_artifact_change.py:16(ArtifactChange)
1	3.24e-05	3.24e-05	0.0009313	0.0009313	_edge.py:1(<module>)
1	3.24e-05	3.24e-05	0.0008423	0.0008423	codecache.py:3116(ROCmCodeCache)
1	3.23e-05	3.23e-05	4.79e-05	4.79e-05	zeta.py:1(<module>)
1	3.23e-05	3.23e-05	5e-05	5e-05	bessel.py:1(<module>)
1	3.23e-05	3.23e-05	0.003204	0.003204	api.py:1(<module>)
1	3.23e-05	3.23e-05	0.0002357	0.0002357	cuts.py:1(<module>)
1	3.22e-05	3.22e-05	0.00134	0.00134	base.py:194(add_integration_callbacks)
1	3.22e-05	3.22e-05	0.0001052	0.0001052	power.py:22(Pow)
1	3.22e-05	3.22e-05	3.88e-05	3.88e-05	_code_flow.py:16(CodeFlow)
1	3.21e-05	3.21e-05	0.0002767	0.0002767	folder.py:109(DatasetFolder)
1	3.21e-05	3.21e-05	0.0001808	0.0001808	caltech.py:1(<module>)
1	3.21e-05	3.21e-05	0.01445	0.01445	__init__.py:1(<module>)
1	3.21e-05	3.21e-05	0.0008488	0.0008488	functools.py:1(<module>)
1	3.21e-05	3.21e-05	9.65e-05	9.65e-05	roi_pool.py:1(<module>)
2	3.2e-05	1.6e-05	0.0001229	6.145e-05	tasks.py:1316(temporary_modules)
1	3.2e-05	3.2e-05	0.0003837	0.0003837	video_utils.py:73(VideoClips)
1	3.2e-05	3.2e-05	0.003636	0.003636	ask.py:1(<module>)
1	3.19e-05	3.19e-05	3.19e-05	3.19e-05	modularinteger.py:15(ModularInteger)
1	3.19e-05	3.19e-05	0.0003622	0.0003622	cuts.py:1(<module>)
1	3.19e-05	3.19e-05	0.002853	0.002853	matpow.py:1(<module>)
1	3.19e-05	3.19e-05	0.0002844	0.0002844	covering.py:1(<module>)
1	3.19e-05	3.19e-05	0.001646	0.001646	fx.py:1(<module>)
1	3.18e-05	3.18e-05	3.18e-05	3.18e-05	retry.py:41(Retry)
1	3.18e-05	3.18e-05	3.18e-05	3.18e-05	numpy.py:37(NumPyPrinter)
1	3.18e-05	3.18e-05	0.0006824	0.0006824	os.py:1(<module>)
28	3.17e-05	1.132e-06	0.0001538	5.493e-06	functools.py:816(dispatch)
8	3.17e-05	3.963e-06	0.0004932	6.165e-05	__init__.py:2672(__getattr__)
1	3.17e-05	3.17e-05	3.17e-05	3.17e-05	sqfreetools.py:1(<module>)
1	3.17e-05	3.17e-05	0.0002168	0.0002168	base.py:226(VariableTracker)
1	3.17e-05	3.17e-05	3.65e-05	3.65e-05	series.py:126(BaseSeries)
1	3.17e-05	3.17e-05	0.0001962	0.0001962	line.py:1(<module>)
1	3.15e-05	3.15e-05	0.001092	0.001092	singleton.py:1(<module>)
1	3.15e-05	3.15e-05	0.0002063	0.0002063	_functools.py:1(<module>)
1	3.15e-05	3.15e-05	0.001278	0.001278	embedding.py:1(<module>)
1	3.14e-05	3.14e-05	5.35e-05	5.35e-05	__init__.py:43(normalize_encoding)
1	3.14e-05	3.14e-05	0.0004994	0.0004994	video_utils.py:1(<module>)

ncalls	totime	percall	cumtime	percall	
1	3.14e-05	3.14e-05	0.1379	0.1379	__init__.py:1(<module>)
1	3.14e-05	3.14e-05	0.0003071	0.0003071	edge_kcomponents.py:1(<module>)
1	3.14e-05	3.14e-05	0.01068	0.01068	__init__.py:1(<module>)
1	3.13e-05	3.13e-05	0.000276	0.000276	laplacianmatrix.py:1(<module>)
1	3.13e-05	3.13e-05	0.0005127	0.0005127	ndim_array.py:1(<module>)
20	3.13e-05	1.565e-06	0.0001902	9.51e-06	linalg.py:39(linalg_errors)
6	3.12e-05	5.2e-06	7e-05	1.167e-05	_ops.py:1333(__getattr__)
1	3.12e-05	3.12e-05	0.0002426	0.0002426	vision.py:1(<module>)
1	3.12e-05	3.12e-05	3.12e-05	3.12e-05	point.py:42(Point)
10	3.12e-05	3.12e-06	4.55e-05	4.55e-06	decorators.py:200(nodes_or_number)
1	3.1e-05	3.1e-05	0.0001439	0.0001439	symbolic_opset16.py:1(<module>)
7	3.1e-05	4.429e-06	0.005106	0.0007294	ctx_mp_python.py:279(binary_op)
1	3.1e-05	3.1e-05	0.0003168	0.0003168	broadcasting.py:1(<module>)
12	3.09e-05	2.575e-06	0.0001397	1.164e-05	polytools.py:69(_polifyit)
1	3.09e-05	3.09e-05	0.003427	0.003427	partitions_.py:1(<module>)
1	3.08e-05	3.08e-05	0.0003628	0.0003628	planarity.py:1(<module>)
1	3.07e-05	3.07e-05	0.006669	0.006669	parser.py:1(<module>)
5	3.07e-05	6.14e-06	3.77e-05	7.54e-06	inverselaplace.py:668(__init__)
1	3.07e-05	3.07e-05	0.0001943	0.0001943	adjlist.py:1(<module>)
8	3.06e-05	3.825e-06	3.06e-05	3.825e-06	_config_module.py:357(__setattr__)
1	3.06e-05	3.06e-05	3.06e-05	3.06e-05	str.py:20(StrPrinter)
1	3.06e-05	3.06e-05	0.0003502	0.0003502	custom_graph_pass.py:1(<module>)
29	3.06e-05	1.055e-06	5.09e-05	1.755e-06	core.py:17(__setattr__)
7	3.05e-05	4.357e-06	4.79e-05	6.843e-06	dataclasses.py:1278(fields)
1	3.05e-05	3.05e-05	0.02097	0.02097	utilities.py:1(<module>)
1	3.05e-05	3.05e-05	4.16e-05	4.16e-05	session.py:21(HUBTrainingSession)
1	3.05e-05	3.05e-05	0.3339	0.3339	__init__.py:1(<module>)
1	3.05e-05	3.05e-05	0.002842	0.002842	numbers.py:1(<module>)
1	3.05e-05	3.05e-05	0.0006906	0.0006906	cache_size.py:1(<module>)
1	3.04e-05	3.04e-05	0.0005035	0.0005035	containers.py:1(<module>)
1	3.04e-05	3.04e-05	0.0001117	0.0001117	side_effects.py:57(SideEffects)
1	3.03e-05	3.03e-05	0.002086	0.002086	realfield.py:87(__init__)
1	3.03e-05	3.03e-05	0.0001247	0.0001247	symbol.py:212(Symbol)
1	3.03e-05	3.03e-05	3.03e-05	3.03e-05	exc.py:76(InvalidCxxCompiler)
1	3.03e-05	3.03e-05	0.0001808	0.0001808	current_flow_betweenness_subset.py:1(<module>)
3	3.03e-05	1.01e-05	3.03e-05	1.01e-05	~:0(<function Random.seed at 0x00000231423BA5C0>)
4	3.02e-05	7.55e-06	0.001836	0.000459	_pytree.py:1148(tree_map_)
21	3.02e-05	1.438e-06	3.02e-05	1.438e-06	__init__.py:56(__getattr__)
1	3.02e-05	3.02e-05	0.0001074	0.0001074	context.py:1(<module>)
1	3.02e-05	3.02e-05	0.0002251	0.0002251	contraction.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	3.02e-05	3.02e-05	0.0002261	0.0002261	gexf.py:1(<module>)
1	3.01e-05	3.01e-05	0.0006631	0.0006631	io_adapter.py:1(<module>)
1	3.01e-05	3.01e-05	0.001199	0.001199	session.py:1(<module>)
32	3.01e-05	9.406e-07	3.89e-05	1.216e-06	decorators.py:202(wrapper)
1	3.01e-05	3.01e-05	0.0001671	0.0001671	schemas.py:723(GraphSignature)
5	3e-05	6e-06	3e-05	6e-06	~:0(<built-in method torch._C.dispatch_keyset_full>)
1	3e-05	3e-05	0.5592	0.5592	__init__.py:1(<module>)
1	3e-05	3e-05	0.0001501	0.0001501	sparsifiers.py:1(<module>)
56	2.99e-05	5.339e-07	2.99e-05	5.339e-07	typing.py:1999(<genexpr>)
1	2.99e-05	2.99e-05	5.93e-05	5.93e-05	misc.py:1(<module>)
1	2.99e-05	2.99e-05	0.002737	0.002737	hints.py:1(<module>)
1	2.99e-05	2.99e-05	3.49e-05	3.49e-05	_limiter_utils.py:7(_FreeEventQueue)
2	2.99e-05	1.495e-05	9.83e-05	4.915e-05	~:0(<built-in method _operator.xor>)
1	2.98e-05	2.98e-05	0.002345	0.002345	mod.py:1(<module>)
1	2.98e-05	2.98e-05	0.0002866	0.0002866	replicate.py:1(<module>)
1	2.98e-05	2.98e-05	0.0003312	0.0003312	binary.py:1(<module>)
1	2.97e-05	2.97e-05	6.72e-05	6.72e-05	bivariate.py:1(<module>)
43	2.97e-05	6.907e-07	2.97e-05	6.907e-07	~:0(<method 'setter' of 'property' objects>)
66	2.96e-05	4.485e-07	2.96e-05	4.485e-07	decorators.py:23(_sympifyit)
23	2.96e-05	1.287e-06	0.0004538	1.973e-05	trace_rules.py:2988(remove)
1	2.96e-05	2.96e-05	0.000156	0.000156	multidigraph.py:1(<module>)
1	2.95e-05	2.95e-05	7.21e-05	7.21e-05	rings.py:196(PolyRing)
5	2.95e-05	5.9e-06	3.95e-05	7.9e-06	quadrature.py:461(__init__)
1	2.95e-05	2.95e-05	0.000364	0.000364	_op_schema.py:72(PlacementStrategy)
61	2.94e-05	4.82e-07	2.94e-05	4.82e-07	symbolic_helper.py:1719(_apply_params)
1	2.94e-05	2.94e-05	2.94e-05	2.94e-05	groebnertools.py:1(<module>)
1	2.94e-05	2.94e-05	0.01073	0.01073	solvers.py:1(<module>)
1	2.94e-05	2.94e-05	0.0001919	0.0001919	embedding_bag.py:1(<module>)
1	2.94e-05	2.94e-05	3.37e-05	3.37e-05	autotune_cache.py:484(_LocalAutotuneCacheBackend)
1	2.94e-05	2.94e-05	0.001352	0.001352	efficiency_measures.py:1(<module>)
1	2.94e-05	2.94e-05	0.005853	0.005853	__init__.py:1(<module>)
1	2.93e-05	2.93e-05	0.00015	0.00015	cifar.py:1(<module>)
1	2.93e-05	2.93e-05	0.0002362	0.0002362	stochastic.py:1(<module>)
1	2.93e-05	2.93e-05	0.0002319	0.0002319	betweenness_subset.py:1(<module>)
3	2.92e-05	9.733e-06	0.006824	0.002275	extension.py:87(_load_library)
1	2.92e-05	2.92e-05	0.2398	0.2398	polyfuncs.py:1(<module>)
1	2.91e-05	2.91e-05	0.6314	0.6314	__init__.py:1(<module>)
1	2.91e-05	2.91e-05	0.0003457	0.0003457	solve.py:1(<module>)
1	2.91e-05	2.91e-05	7.47e-05	7.47e-05	deform_conv.py:1(<module>)
1	2.89e-05	2.89e-05	0.0008828	0.0008828	autoaugment.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
36	2.88e-05	8e-07	9.54e-05	2.65e-06	overrides.py:2074(_pop_mode_temporarily)
1	2.88e-05	2.88e-05	0.0003011	0.0003011	euler.py:1(<module>)
1	2.88e-05	2.88e-05	0.0002355	0.0002355	swap.py:1(<module>)
1	2.88e-05	2.88e-05	0.0003579	0.0003579	atlas.py:1(<module>)
1	2.88e-05	2.88e-05	0.0002576	0.0002576	joint_degree_seq.py:1(<module>)
1	2.87e-05	2.87e-05	0.0003192	0.0003192	anchor_utils.py:136(DefaultBoxGenerator)
1	2.87e-05	2.87e-05	0.0003602	0.0003602	biconnected.py:1(<module>)
1	2.87e-05	2.87e-05	0.0002419	0.0002419	isomorph.py:1(<module>)
8	2.86e-05	3.575e-06	3.72e-05	4.65e-06	weakref.py:289(update)
1	2.86e-05	2.86e-05	2.86e-05	2.86e-05	~:0(<method '__rshift__' of 'torch._C.TensorBase' objects>)
1	2.86e-05	2.86e-05	0.07743	0.07743	ctx_fp.py:1(<module>)
1	2.86e-05	2.86e-05	0.0002751	0.0002751	preflowpush.py:1(<module>)
1	2.85e-05	2.85e-05	2.85e-05	2.85e-05	ctx_base.py:24(StandardBaseContext)
1	2.84e-05	2.84e-05	2.84e-05	2.84e-05	mathml.py:547(MathMLPresentationPrinter)
4	2.84e-05	7.1e-06	0.0003789	9.473e-05	symbol.py:339(_canonical_assumptions)
1	2.84e-05	2.84e-05	4.47e-05	4.47e-05	device_interface.py:256(XpuInterface)
1	2.84e-05	2.84e-05	0.008428	0.008428	eigen.py:1(<module>)
1	2.84e-05	2.84e-05	0.0009058	0.0009058	permutation.py:1(<module>)
1	2.84e-05	2.84e-05	0.0002787	0.0002787	codecache.py:2083(CppPythonBindingsCodeCache)
1	2.83e-05	2.83e-05	0.0003093	0.0003093	_utils.py:1(<module>)
1	2.83e-05	2.83e-05	0.0003607	0.0003607	quaternion.py:1(<module>)
8/0	2.83e-05	0	0	0	loader.py:25(<genexpr>)
1	2.82e-05	2.82e-05	0.0001442	0.0001442	rational.py:1(<module>)
1	2.82e-05	2.82e-05	2.82e-05	2.82e-05	quaternion.py:58(Quaternion)
66	2.82e-05	4.273e-07	2.82e-05	4.273e-07	<frozen os>:732(__iter__)
1	2.81e-05	2.81e-05	8.95e-05	8.95e-05	callback.py:37(CompilationCallbackHandler)
1	2.81e-05	2.81e-05	0.0001858	0.0001858	sdm.py:1(<module>)
91	2.8e-05	3.077e-07	2.8e-05	3.077e-07	enum.py:183(__init__)
1	2.8e-05	2.8e-05	2.8e-05	2.8e-05	~:0(<method '__xor__' of 'torch._C.TensorBase' objects>)
1	2.8e-05	2.8e-05	0.008022	0.008022	flickr.py:1(<module>)
40	2.8e-05	7e-07	2.8e-05	7e-07	libmpf.py:208(_normalize1)
1	2.8e-05	2.8e-05	2.8e-05	2.8e-05	~:0(<method 'disable' of 'lprof.Profiler' objects>)
1	2.79e-05	2.79e-05	2.79e-05	2.79e-05	~:0(<method '__or__' of 'torch._C.TensorBase' objects>)
1	2.79e-05	2.79e-05	2.9e-05	2.9e-05	connection.py:82(HTTPConnection)
1	2.79e-05	2.79e-05	0.0001424	0.0001424	trigonometry.py:1(<module>)
1	2.78e-05	2.78e-05	2.78e-05	2.78e-05	~:0(<method 'neg' of 'torch._C.TensorBase' objects>)
7	2.78e-05	3.971e-06	0.0001043	1.49e-05	memoization.py:27(decorator)
1	2.78e-05	2.78e-05	0.0002688	0.0002688	dominating.py:1(<module>)
1	2.78e-05	2.78e-05	0.001257	0.001257	text.py:1(<module>)
1	2.78e-05	2.78e-05	0.0002404	0.0002404	spectrum.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
7	2.77e-05	3.957e-06	3.19e-05	4.557e-06	functools.py:658(_c3_merge)
1	2.77e-05	2.77e-05	0.0003544	0.0003544	models.py:1(<module>)
1	2.77e-05	2.77e-05	4.99e-05	4.99e-05	context.py:265(DiagnosticContext)
1	2.77e-05	2.77e-05	0.0001317	0.0001317	add.py:93(Add)
1	2.77e-05	2.77e-05	2.098	2.098	nn_module.py:1(<module>)
14	2.77e-05	1.979e-06	0.0001417	1.012e-05	fft.py:13(upcast)
1	2.76e-05	2.76e-05	0.001673	0.001673	_rules.py:1(<module>)
1	2.76e-05	2.76e-05	0.0001268	0.0001268	numbers.py:281(Number)
1	2.76e-05	2.76e-05	0.002195	0.002195	dispatcher.py:1(<module>)
1	2.76e-05	2.76e-05	7e-05	7e-05	user_defined.py:128(UserDefinedClassVariable)
1	2.76e-05	2.76e-05	0.001652	0.001652	combsimp.py:1(<module>)
1	2.76e-05	2.76e-05	0.0002467	0.0002467	asteroidal.py:1(<module>)
42	2.75e-05	6.548e-07	2.75e-05	6.548e-07	functools.py:963(__init__)
1	2.75e-05	2.75e-05	0.0008684	0.0008684	spherical_harmonics.py:1(<module>)
18	2.75e-05	1.528e-06	0.0007099	3.944e-05	trace_rules.py:3208(strip_init_py)
1	2.75e-05	2.75e-05	0.001316	0.001316	_einsum_strategy.py:1(<module>)
1	2.74e-05	2.74e-05	0.003727	0.003727	replay_record.py:1(<module>)
6	2.73e-05	4.55e-06	2.73e-05	4.55e-06	_ops.py:1241(__init__)
6	2.73e-05	4.55e-06	0.0002074	3.457e-05	_compatibility.py:29(mark_not_back_compat)
1	2.73e-05	2.73e-05	0.0001036	0.0001036	auth.py:1(<module>)
1	2.73e-05	2.73e-05	0.02136	0.02136	fakedata.py:1(<module>)
1	2.73e-05	2.73e-05	0.001359	0.001359	clique.py:1(<module>)
1	2.73e-05	2.73e-05	5.85e-05	5.85e-05	eval_frame.py:117(Unset)
1	2.73e-05	2.73e-05	0.01442	0.01442	__init__.py:1(<module>)
1	2.73e-05	2.73e-05	0.001763	0.001763	sparse6.py:1(<module>)
1	2.72e-05	2.72e-05	2.81e-05	2.81e-05	pycode.py:753(MpmathPrinter)
1	2.72e-05	2.72e-05	0.0001352	0.0001352	logic.py:1(<module>)
1	2.72e-05	2.72e-05	0.0002663	0.0002663	mathml.py:1(<module>)
1	2.72e-05	2.72e-05	0.0002007	0.0002007	greedy_coloring.py:1(<module>)
58	2.71e-05	4.672e-07	3.89e-05	6.707e-07	inspect.py:499(iscode)
1	2.71e-05	2.71e-05	0.0001048	0.0001048	galois_resolvents.py:1(<module>)
1	2.71e-05	2.71e-05	6.79e-05	6.79e-05	primes.py:1(<module>)
1	2.71e-05	2.71e-05	0.1128	0.1128	partfrac.py:1(<module>)
5	2.71e-05	5.42e-06	0.02288	0.004576	trace_rules.py:3514(recompile_re)
1	2.71e-05	2.71e-05	2.088	2.088	lazy.py:1(<module>)
22	2.7e-05	1.227e-06	0.0002354	1.07e-05	contextlib.py:132(__enter__)
1	2.7e-05	2.7e-05	6.34e-05	6.34e-05	_result.py:28(Result)
1	2.7e-05	2.7e-05	0.03037	0.03037	_trace_wrapped_higher_order_op.py:1(<module>)
1	2.7e-05	2.7e-05	0.006357	0.006357	__init__.py:1(<module>)
1	2.7e-05	2.7e-05	0.0002913	0.0002913	kcomponents.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
31	2.69e-05	8.677e-07	4.35e-05	1.403e-06	_internal.py:124(register_artifact_log)
1	2.69e-05	2.69e-05	0.0004511	0.0004511	places365.py:1(<module>)
1	2.69e-05	2.69e-05	0.0001266	0.0001266	rendered_sst2.py:1(<module>)
25	2.69e-05	1.076e-06	0.0001209	4.836e-06	pretty_symbology.py:109(<genexpr>)
1	2.69e-05	2.69e-05	0.005356	0.005356	dense_ndim_array.py:1(<module>)
1	2.69e-05	2.69e-05	0.01489	0.01489	__init__.py:1(<module>)
1	2.69e-05	2.69e-05	0.2773	0.2773	_conv_ops.py:1(<module>)
1	2.68e-05	2.68e-05	0.003133	0.003133	filepost.py:1(<module>)
1	2.68e-05	2.68e-05	0.0001079	0.0001079	_dtensor_spec.py:24(DTensorSpec)
1	2.68e-05	2.68e-05	5.95e-05	5.95e-05	identification.py:1(<module>)
1	2.68e-05	2.68e-05	6.17e-05	6.17e-05	freezing_utils.py:1(<module>)
1	2.68e-05	2.68e-05	0.0002209	0.0002209	tree_isomorphism.py:1(<module>)
4	2.68e-05	6.7e-06	0.0001493	3.732e-05	<frozen os>:1143(add_dll_directory)
27	2.67e-05	9.889e-07	6.27e-05	2.322e-06	inspect.py:1771(currentframe)
1	2.67e-05	2.67e-05	0.00111	0.00111	graphviews.py:1(<module>)
1	2.67e-05	2.67e-05	0.001502	0.001502	matching.py:1(<module>)
1	2.66e-05	2.66e-05	0.0006577	0.0006577	timeout.py:1(<module>)
6	2.66e-05	4.433e-06	5.38e-05	8.967e-06	ctx_mp_python.py:47(__new__)
1	2.66e-05	2.66e-05	6.23e-05	6.23e-05	facts.py:411(__init__)
1	2.66e-05	2.66e-05	0.1207	0.1207	formatter.py:1(<module>)
1	2.66e-05	2.66e-05	9.07e-05	9.07e-05	device_interface.py:41(DeviceInterface)
1	2.66e-05	2.66e-05	0.0002428	0.0002428	_flat_param.py:202(FlatParameter)
1	2.65e-05	2.65e-05	4.32e-05	4.32e-05	single.py:42(SingleODEProblem)
1	2.65e-05	2.65e-05	0.002014	0.002014	anchor_utils.py:1(<module>)
1	2.64e-05	2.64e-05	0.0009494	0.0009494	solvers.py:1(<module>)
1	2.64e-05	2.64e-05	0.0001734	0.0001734	duplication.py:1(<module>)
63	2.63e-05	4.175e-07	2.63e-05	4.175e-07	inspect.py:1196(tokeneater)
1	2.63e-05	2.63e-05	9.48e-05	9.48e-05	numbers.py:594(Float)
14	2.63e-05	1.879e-06	2.63e-05	1.879e-06	libefun.py:85(constant_memo)
1	2.63e-05	2.63e-05	0.001529	0.001529	facts.py:1(<module>)
1	2.63e-05	2.63e-05	0.0002263	0.0002263	schemas.py:318(ViewAndMutationMeta)
1	2.63e-05	2.63e-05	0.001342	0.001342	_dtypes_impl.py:1(<module>)
1	2.63e-05	2.63e-05	0.0003194	0.0003194	trophic.py:1(<module>)
2	2.63e-05	1.315e-05	6.57e-05	3.285e-05	~:0(<built-in method __operator.iadd>)
45	2.62e-05	5.822e-07	4.04e-05	8.978e-07	typing.py:971(__hash__)
19	2.62e-05	1.379e-06	2.62e-05	1.379e-06	~:0(<built-in method torch._C._pop_torch_function_stack>)
1	2.62e-05	2.62e-05	0.008624	0.008624	__init__.py:1(<module>)
1	2.62e-05	2.62e-05	0.0001952	0.0001952	graph_hashing.py:1(<module>)
1	2.62e-05	2.62e-05	0.00196	0.00196	linsolve.py:1(<module>)
1	2.62e-05	2.62e-05	0.0003867	0.0003867	rpn.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
42	2.61e-05	6.214e-07	4.67e-05	1.112e-06	typing.py:1088(<genexpr>)
1	2.61e-05	2.61e-05	0.0001259	0.0001259	symbolic_opset15.py:1(<module>)
1	2.61e-05	2.61e-05	0.01585	0.01585	random.py:1(<module>)
1	2.61e-05	2.61e-05	0.0009708	0.0009708	_node.py:1(<module>)
1	2.61e-05	2.61e-05	0.002941	0.002941	feature_pyramid_network.py:1(<module>)
1	2.61e-05	2.61e-05	0.0003033	0.0003033	knapsack_evaluator.py:1(<module>)
5	2.6e-05	5.2e-06	0.0001052	2.104e-05	container.py:128(__getitem__)
1	2.6e-05	2.6e-05	7.22e-05	7.22e-05	utils.py:201(__init__)
1	2.6e-05	2.6e-05	0.01291	0.01291	limits.py:1(<module>)
25	2.6e-05	1.04e-06	8.54e-05	3.416e-06	<frozen ntpath>:156(splitdrive)
15	2.6e-05	1.733e-06	4.03e-05	2.687e-06	<frozen importlib._bootstrap>:1231(_resolve_name)
27	2.59e-05	9.593e-07	5.07e-05	1.878e-06	enum.py:1394(_iter_member_by_value_)
16	2.59e-05	1.619e-06	5.17e-05	3.231e-06	typing_extensions.py:1608(_set_module)
1	2.58e-05	2.58e-05	0.0001772	0.0001772	_op_schema.py:228(OpSchema)
1	2.58e-05	2.58e-05	0.0002023	0.0002023	katz.py:1(<module>)
1	2.58e-05	2.58e-05	0.003546	0.003546	mobilenet.py:1(<module>)
1	2.57e-05	2.57e-05	2.57e-05	2.57e-05	~:0(<method '__invert__' of 'torch._C.TensorBase' objects>
12	2.57e-05	2.142e-06	0.0001457	1.214e-05	matexpr.py:23(deco)
1	2.57e-05	2.57e-05	0.0002114	0.0002114	maxcut.py:1(<module>)
1	2.57e-05	2.57e-05	0.0001584	0.0001584	shortestaugmentingpath.py:1(<module>)
1	2.57e-05	2.57e-05	0.0001451	0.0001451	capacityscaling.py:1(<module>)
17	2.56e-05	1.506e-06	5.52e-05	3.247e-06	inspect.py:412(_has_coroutine_mark)
1	2.56e-05	2.56e-05	0.000292	0.000292	copy.py:217(__deepcopy_dict)
24	2.56e-05	1.067e-06	4.79e-05	1.996e-06	calculus.py:4(defun)
1	2.56e-05	2.56e-05	0.0002896	0.0002896	graphical.py:1(<module>)
1	2.56e-05	2.56e-05	0.0004263	0.0004263	sparse_ndim_array.py:1(<module>)
1	2.55e-05	2.55e-05	0.00133	0.00133	misc.py:1(<module>)
15	2.55e-05	1.7e-06	2.55e-05	1.7e-06	decorator.py:132(doctest_depends_on)
23	2.54e-05	1.104e-06	3.43e-05	1.491e-06	pythonmpq.py:103(__new__)
1	2.54e-05	2.54e-05	0.000272	0.000272	lazy.py:38(LazyVariableTracker)
1	2.54e-05	2.54e-05	0.0002099	0.0002099	edgelist.py:1(<module>)
1	2.54e-05	2.54e-05	0.001604	0.001604	mixing.py:1(<module>)
1	2.54e-05	2.54e-05	0.0001999	0.0001999	louvain.py:1(<module>)
1	2.53e-05	2.53e-05	0.0004958	0.0004958	ImageFilter.py:1(<module>)
4	2.53e-05	6.325e-06	5.92e-05	1.48e-05	ctx_base.py:52(__init_aliases)
1	2.53e-05	2.53e-05	0.0001458	0.0001458	error_functions.py:482(erfi)
150	2.52e-05	1.68e-07	2.52e-05	1.68e-07	inspect.py:2800(annotation)
1	2.52e-05	2.52e-05	0.0002531	0.0002531	config.py:871(cpp)
1	2.52e-05	2.52e-05	2.52e-05	2.52e-05	ismags.py:226(ISMAGS)
1	2.52e-05	2.52e-05	0.007527	0.007527	__init__.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
4	2.51e-05	6.275e-06	2.51e-05	6.275e-06	getlimits.py:697(__init__)
16	2.51e-05	1.569e-06	0.0001771	1.107e-05	coroutines.py:20(iscoroutinefunction)
1	2.51e-05	2.51e-05	2.51e-05	2.51e-05	ntheory.py:1(<module>)
1	2.51e-05	2.51e-05	4.72e-05	4.72e-05	approximants.py:1(<module>)
1	2.51e-05	2.51e-05	0.0006781	0.0006781	style.py:1(<module>)
1	2.51e-05	2.51e-05	0.0002195	0.0002195	mincost.py:1(<module>)
19	2.5e-05	1.316e-06	3.6e-05	1.895e-06	_parser.py:304(checkgroupname)
1	2.5e-05	2.5e-05	3.03e-05	3.03e-05	pytree.py:1(<module>)
1	2.5e-05	2.5e-05	6.89e-05	6.89e-05	simplex.py:1(<module>)
1	2.5e-05	2.5e-05	8.45e-05	8.45e-05	cuda_env.py:1(<module>)
1	2.5e-05	2.5e-05	0.0002236	0.0002236	text.py:1(<module>)
2	2.49e-05	1.245e-05	3.43e-05	1.715e-05	solution_base.py:82(type_names_from_oneof)
1	2.49e-05	2.49e-05	0.01504	0.01504	algebraicfield.py:1(<module>)
1	2.49e-05	2.49e-05	0.004089	0.004089	__init__.py:1(<module>)
28	2.48e-05	8.857e-07	2.48e-05	8.857e-07	weakref.py:414(__getitem__)
8	2.48e-05	3.1e-06	0.0001405	1.756e-05	__init__.py:389(__getattr__)
1	2.48e-05	2.48e-05	3.36e-05	3.36e-05	preview.py:1(<module>)
1	2.48e-05	2.48e-05	2.48e-05	2.48e-05	mimetypes.py:402(_default_mime_types)
1	2.48e-05	2.48e-05	0.0003969	0.0003969	_utils.py:1(<module>)
1	2.48e-05	2.48e-05	0.006109	0.006109	kind.py:1(<module>)
1	2.48e-05	2.48e-05	0.001171	0.001171	callback.py:1(<module>)
1	2.48e-05	2.48e-05	0.0002846	0.0002846	basic.py:1(<module>)
1	2.48e-05	2.48e-05	0.000282	0.000282	cluster.py:1(<module>)
1	2.47e-05	2.47e-05	4.07e-05	4.07e-05	hypergeometric.py:1(<module>)
1	2.47e-05	2.47e-05	0.001627	0.001627	hmdb51.py:1(<module>)
1	2.47e-05	2.47e-05	7.49e-05	7.49e-05	onnx_proto_utils.py:1(<module>)
1	2.47e-05	2.47e-05	2.85e-05	2.85e-05	printers.py:14(ExprPrinter)
1	2.47e-05	2.47e-05	0.002274	0.002274	_fsdp_api.py:1(<module>)
1	2.47e-05	2.47e-05	6.25e-05	6.25e-05	resnet.py:334(ResNet34_Weights)
1	2.46e-05	2.46e-05	9.53e-05	9.53e-05	widerface.py:1(<module>)
1	2.46e-05	2.46e-05	2.46e-05	2.46e-05	relational.py:65(Relational)
1	2.46e-05	2.46e-05	0.0002296	0.0002296	bridges.py:1(<module>)
1	2.45e-05	2.45e-05	0.0002528	0.0002528	phototour.py:1(<module>)
1	2.45e-05	2.45e-05	5.79e-05	5.79e-05	_sharding_prop.py:52(__init__)
1	2.45e-05	2.45e-05	2.54e-05	2.54e-05	backends.py:207(dispatchable)
1	2.45e-05	2.45e-05	0.000322	0.000322	weakly_connected.py:1(<module>)
1	2.45e-05	2.45e-05	0.0001712	0.0001712	load.py:1(<module>)
1	2.45e-05	2.45e-05	0.0002595	0.0002595	subgraph_alg.py:1(<module>)
1	2.45e-05	2.45e-05	0.004608	0.004608	mobilenet.py:1(<module>)
2	2.44e-05	1.22e-05	0.0002169	0.0001085	__init__.py:678(children)

ncalls	tottime	percall	cumtime	percall	
1	2.44e-05	2.44e-05	0.0001172	0.0001172	lsun.py:1(<module>)
1	2.44e-05	2.44e-05	0.0009442	0.0009442	integerring.py:1(<module>)
1	2.44e-05	2.44e-05	2.44e-05	2.44e-05	limitseq.py:1(<module>)
1	2.44e-05	2.44e-05	0.0002654	0.0002654	centrality.py:1(<module>)
11	2.43e-05	2.209e-06	2.43e-05	2.209e-06	_config_module.py:766(__init__)
1	2.43e-05	2.43e-05	0.01179	0.01179	_result.py:1(<module>)
1	2.43e-05	2.43e-05	9.96e-05	9.96e-05	_tp_conv.py:1(<module>)
1	2.43e-05	2.43e-05	7.76e-05	7.76e-05	sqrtdenest.py:1(<module>)
1	2.43e-05	2.43e-05	4.41e-05	4.41e-05	current_scope_id.py:1(<module>)
1	2.43e-05	2.43e-05	0.0002355	0.0002355	all.py:1(<module>)
1	2.42e-05	2.42e-05	0.0001372	0.0001372	stl10.py:12(STL10)
1	2.42e-05	2.42e-05	5.87e-05	5.87e-05	_tool_component.py:19(ToolComponent)
1	2.42e-05	2.42e-05	3.83e-05	3.83e-05	hub.py:1(<module>)
1	2.42e-05	2.42e-05	0.0002972	0.0002972	monomials.py:1(<module>)
1	2.42e-05	2.42e-05	0.03375	0.03375	bsplines.py:1(<module>)
1	2.42e-05	2.42e-05	0.0002707	0.0002707	connected.py:1(<module>)
1	2.42e-05	2.42e-05	0.000237	0.000237	distance_regular.py:1(<module>)
1	2.42e-05	2.42e-05	0.0001909	0.0001909	steinertree.py:1(<module>)
1	2.42e-05	2.42e-05	0.0001413	0.0001413	gomory_hu.py:1(<module>)
6	2.41e-05	4.017e-06	6.58e-05	1.097e-05	libmpf.py:410(from_float)
2	2.41e-05	1.205e-05	6.15e-05	3.075e-05	cache.py:123(_getenv)
1	2.41e-05	2.41e-05	6.63e-05	6.63e-05	ssd.py:126(SSD)
1	2.41e-05	2.41e-05	0.0001822	0.0001822	utilities.py:1(<module>)
1	2.41e-05	2.41e-05	0.008796	0.008796	__init__.py:1(<module>)
4	2.4e-05	6e-06	3.63e-05	9.075e-06	solution_base.py:451(modify_options_fields)
1	2.4e-05	2.4e-05	0.0009284	0.0009284	groundtypes.py:1(<module>)
1	2.4e-05	2.4e-05	0.0003186	0.0003186	depth_first_search.py:1(<module>)
1	2.39e-05	2.39e-05	0.001425	0.001425	visualization.py:1(<module>)
1	2.39e-05	2.39e-05	0.0001227	0.0001227	gmpyrationalfield.py:1(<module>)
26	2.39e-05	9.192e-07	0.0001342	5.162e-06	pretty_symbolology.py:117(<lambd>)
1	2.39e-05	2.39e-05	0.0001675	0.0001675	random_sequence.py:1(<module>)
1	2.39e-05	2.39e-05	0.001285	0.001285	kernighan_lin.py:1(<module>)
1	2.38e-05	2.38e-05	2.38e-05	2.38e-05	~:0(<method 'pow_>' of 'torch._C.TensorBase' objects>)
1	2.38e-05	2.38e-05	2.38e-05	2.38e-05	guards.py:609(GuardBuilder)
1	2.38e-05	2.38e-05	0.0001304	0.0001304	_functional_collectives_impl.py:1(<module>)
21	2.38e-05	1.133e-06	3.54e-05	1.686e-06	symbolic_opset9.py:308(wrapper)
1	2.38e-05	2.38e-05	0.0001374	0.0001374	nx_pylab.py:1(<module>)
1	2.38e-05	2.38e-05	0.001414	0.001414	special.py:1(<module>)
1	2.38e-05	2.38e-05	0.0002551	0.0002551	leiden.py:1(<module>)
28	2.37e-05	8.464e-07	2.37e-05	8.464e-07	__init__.py:1323(append)

ncalls	tottime	percall	cumtime	percall	
1	2.37e-05	2.37e-05	0.001404	0.001404	_location_relationship.py:1(<module>)
26	2.37e-05	9.115e-07	0.0001541	5.927e-06	pretty_symbology.py:118(<lambda>)
1	2.37e-05	2.37e-05	2.93e-05	2.93e-05	rationaltools.py:1(<module>)
1	2.37e-05	2.37e-05	0.001178	0.001178	_soft.py:1(<module>)
1	2.37e-05	2.37e-05	0.0002557	0.0002557	structuralholes.py:1(<module>)
1	2.35e-05	2.35e-05	4.42e-05	4.42e-05	numbers.py:2955(motzkin)
1	2.35e-05	2.35e-05	3.91e-05	3.91e-05	appellseqs.py:1(<module>)
1	2.35e-05	2.35e-05	0.0006181	0.0006181	hadamard.py:1(<module>)
1	2.35e-05	2.35e-05	0.000269	0.000269	_random.py:1(<module>)
10	2.34e-05	2.34e-06	5.88e-05	5.88e-06	solution_base.py:107(from_registered_name)
22	2.34e-05	1.064e-06	2.34e-05	1.064e-06	utils.py:100(<genexpr>)
1	2.34e-05	2.34e-05	0.0001723	0.0001723	dominating_set.py:1(<module>)
14	2.34e-05	1.671e-06	0.0004801	3.429e-05	<frozen abc>:110(register)
1	2.33e-05	2.33e-05	7.61e-05	7.61e-05	refine.py:1(<module>)
21	2.33e-05	1.11e-06	0.0001254	5.971e-06	domain.py:379(__call__)
1	2.33e-05	2.33e-05	0.0004963	0.0004963	_exec_order_utils.py:1(<module>)
2	2.32e-05	1.16e-05	0.0001767	8.835e-05	model.py:884(names)
4	2.32e-05	5.8e-06	0.001868	0.0004669	_init__.py:205(decomposition_decorator)
1	2.32e-05	2.32e-05	0.000542	0.000542	cityscapes.py:1(<module>)
1	2.32e-05	2.32e-05	0.0001274	0.0001274	_trigonometric_special.py:1(<module>)
1	2.32e-05	2.32e-05	0.0001303	0.0001303	polyquinticconst.py:1(<module>)
1	2.32e-05	2.32e-05	2.32e-05	2.32e-05	printers.py:267(CppPrinter)
10	2.32e-05	2.32e-06	3.88e-05	3.88e-06	utils.py:855(clear_on_fresh_inductor_cache)
1	2.32e-05	2.32e-05	0.0002405	0.0002405	d_separation.py:1(<module>)
1	2.31e-05	2.31e-05	3.8e-05	3.8e-05	expintegrals.py:1(<module>)
2	2.31e-05	1.155e-05	4.49e-05	2.245e-05	conflict.py:34(super_signature)
6	2.31e-05	3.85e-06	3.93e-05	6.55e-06	configs.py:249(__on_setattr__)
1	2.31e-05	2.31e-05	0.0002029	0.0002029	intersection.py:1(<module>)
1	2.31e-05	2.31e-05	7.43e-05	7.43e-05	ps_roi_align.py:1(<module>)
1	2.3e-05	2.3e-05	0.0001555	0.0001555	functions.py:590(MinMaxBase)
1	2.3e-05	2.3e-05	0.0001008	0.0001008	gaussiandomains.py:517(GaussianRationalField)
21	2.3e-05	1.095e-06	0.0001021	4.862e-06	domain.py:371(new)
1	2.3e-05	2.3e-05	0.0003041	0.0003041	reference.py:1(<module>)
1	2.29e-05	2.29e-05	7.29e-05	7.29e-05	inference.py:1(<module>)
1	2.28e-05	2.28e-05	0.00103	0.00103	readers.py:1(<module>)
7	2.28e-05	3.257e-06	2.28e-05	3.257e-06	fractions.py:533(__operator_fallbacks__)
1	2.28e-05	2.28e-05	0.00556	0.00556	delta_functions.py:1(<module>)
1	2.28e-05	2.28e-05	2.28e-05	2.28e-05	polygon.py:1420(RegularPolygon)
5	2.28e-05	4.56e-06	4.96e-05	9.92e-06	configs.py:343(__on_setattr__)
1	2.28e-05	2.28e-05	0.0001335	0.0001335	_common_rules.py:1(<module>)

ncalls	totime	percall	cumtime	percall	
1	2.28e-05	2.28e-05	0.0002175	0.0002175	attracting.py:1(<module>)
1	2.28e-05	2.28e-05	0.0003614	0.0003614	lowest_common_ancestors.py:1(<module>)
1	2.28e-05	2.28e-05	3.53e-05	3.53e-05	shufflenetv2.py:104(ShuffleNetV2)
25	2.27e-05	9.08e-07	7.45e-05	2.98e-06	pretty_symbology.py:133(<genexpr>)
1	2.27e-05	2.27e-05	0.0002161	0.0002161	dense.py:1(<module>)
1	2.27e-05	2.27e-05	6.72e-05	6.72e-05	ps_roi_pool.py:1(<module>)
1	2.27e-05	2.27e-05	0.000177	0.000177	kcomponents.py:1(<module>)
16	2.26e-05	1.413e-06	2.26e-05	1.413e-06	typing_extensions.py:1603(_set_default)
1	2.26e-05	2.26e-05	0.0001422	0.0001422	_internally_replaced_utils.py:1(<module>)
1	2.26e-05	2.26e-05	0.0001695	0.0001695	clevr.py:1(<module>)
1	2.26e-05	2.26e-05	8.37e-05	8.37e-05	jscode.py:1(<module>)
12	2.26e-05	1.883e-06	0.000106	8.833e-06	_view_ops.py:575(register_op_strategy_map)
1	2.26e-05	2.26e-05	0.0001843	0.0001843	edgelist.py:1(<module>)
26	2.25e-05	8.654e-07	3.36e-05	1.292e-06	copy.py:231(_keep_alive)
1	2.25e-05	2.25e-05	2.25e-05	2.25e-05	ctx_mp.py:58(MPContext)
1	2.25e-05	2.25e-05	0.005451	0.005451	__init__.py:1(<module>)
7	2.25e-05	3.214e-06	9.29e-05	1.327e-05	symbolic_convert.py:811(decorator)
1	2.25e-05	2.25e-05	2.25e-05	2.25e-05	codecache.py:900(FxGraphCache)
1	2.25e-05	2.25e-05	0.0003506	0.0003506	recognition.py:1(<module>)
56	2.24e-05	4e-07	2.24e-05	4e-07	typing.py:2815(<genexpr>)
2	2.24e-05	1.12e-05	0.0002769	0.0001385	__init__.py:707(__init__)
1	2.24e-05	2.24e-05	2.24e-05	2.24e-05	timeout.py:25(Timeout)
1	2.24e-05	2.24e-05	9.75e-05	9.75e-05	modulefinder.py:1(<module>)
1	2.24e-05	2.24e-05	3.55e-05	3.55e-05	differentiation.py:1(<module>)
1	2.24e-05	2.24e-05	0.007275	0.007275	singularity_functions.py:1(<module>)
1	2.24e-05	2.24e-05	6.49e-05	6.49e-05	_common.py:1(<module>)
1	2.24e-05	2.24e-05	0.0001616	0.0001616	networksimplex.py:1(<module>)
1	2.24e-05	2.24e-05	0.0001367	0.0001367	kcutsets.py:1(<module>)
1	2.23e-05	2.23e-05	0.0006273	0.0006273	status_codes.py:1(<module>)
13	2.23e-05	1.715e-06	3.62e-05	2.785e-06	utils.py:59(parse_namespace)
1	2.23e-05	2.23e-05	0.0003689	0.0003689	places365.py:12(Places365)
1	2.23e-05	2.23e-05	0.0003998	0.0003998	gammasimp.py:1(<module>)
12	2.23e-05	1.858e-06	0.000132	1.1e-05	small.py:44(_raise_on_directed)
21	2.23e-05	1.062e-06	0.0001983	9.443e-06	<frozen os>:808(getenv)
11	2.22e-05	2.018e-06	2.22e-05	2.018e-06	weakref.py:352(__init__)
1	2.22e-05	2.22e-05	2.22e-05	2.22e-05	puixeux.py:231(PuixeuxPoly)
43	2.22e-05	5.163e-07	2.22e-05	5.163e-07	dispatcher.py:120(register)
1	2.22e-05	2.22e-05	0.0003573	0.0003573	metrics_context.py:1(<module>)
1	2.22e-05	2.22e-05	0.0001206	0.0001206	_dynamism.py:1(<module>)
1	2.22e-05	2.22e-05	0.0001392	0.0001392	misc.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	2.22e-05	2.22e-05	0.0001154	0.0001154	transform.py:86(GeneralizedRCNNTransform)
3	2.21e-05	7.367e-06	5.49e-05	1.83e-05	random.py:135(seed)
2	2.21e-05	1.105e-05	8.09e-05	4.045e-05	uuid.py:723(uuid4)
1	2.21e-05	2.21e-05	0.0001581	0.0001581	ssltransport.py:1(<module>)
1	2.21e-05	2.21e-05	0.001294	0.001294	_rectangle.py:1(<module>)
1	2.21e-05	2.21e-05	2.21e-05	2.21e-05	ndim_array.py:86(NDimArray)
12	2.21e-05	1.842e-06	0.0002306	1.922e-05	<frozen ntpath>:275(dirname)
155	2.2e-05	1.419e-07	2.2e-05	1.419e-07	inspect.py:608(<lambda>)
1	2.2e-05	2.2e-05	8.26e-05	8.26e-05	mimetypes.py:1(<module>)
1	2.2e-05	2.2e-05	9.34e-05	9.34e-05	sbd.py:1(<module>)
1	2.2e-05	2.2e-05	2.2e-05	2.2e-05	ordinals.py:56(Ordinal)
1	2.2e-05	2.2e-05	0.0001384	0.0001384	accumulationbounds.py:14(AccumulationBounds)
1	2.2e-05	2.2e-05	5.33e-05	5.33e-05	arrayop.py:1(<module>)
1	2.2e-05	2.2e-05	0.0001869	0.0001869	cographs.py:1(<module>)
12	2.19e-05	1.825e-06	2.95e-05	2.458e-06	_config_module.py:425(_get_alias_val)
1	2.19e-05	2.19e-05	6.64e-05	6.64e-05	operations.py:29(AssocOp)
1	2.19e-05	2.19e-05	3.03e-05	3.03e-05	reductions.py:1(<module>)
1	2.19e-05	2.19e-05	2.19e-05	2.19e-05	line.py:50(LinearEntity)
1	2.19e-05	2.19e-05	6.81e-05	6.81e-05	regnet.py:505(RegNet_Y_1_6GF_Weights)
2	2.19e-05	1.095e-05	6.68e-05	3.34e-05	~:0(<built-in method _operator.lt>)
1	2.18e-05	2.18e-05	2.18e-05	2.18e-05	~:0(<method 'remainder' of 'torch._C.TensorBase' objects>)
1	2.18e-05	2.18e-05	2.18e-05	2.18e-05	densearith.py:1(<module>)
1	2.18e-05	2.18e-05	0.0002073	0.0002073	stl10.py:1(<module>)
1	2.18e-05	2.18e-05	0.1439	0.1439	__init__.py:1(<module>)
1	2.18e-05	2.18e-05	8.92e-05	8.92e-05	utils.py:1(<module>)
1	2.18e-05	2.18e-05	0.0001826	0.0001826	plotgrid.py:1(<module>)
1	2.18e-05	2.18e-05	0.0002709	0.0002709	nonisomorphic_trees.py:1(<module>)
34	2.18e-05	6.412e-07	2.18e-05	6.412e-07	~:0(<method 'reverse' of 'list' objects>)
69	2.17e-05	3.145e-07	2.17e-05	3.145e-07	_builtins.py:148(_get_builtin_table)
1	2.17e-05	2.17e-05	0.0002695	0.0002695	__init__.py:385(get_save_dir)
1	2.17e-05	2.17e-05	9.42e-05	9.42e-05	printer.py:1(<module>)
4	2.17e-05	5.425e-06	0.0004869	0.0001217	_common.py:62(_register_sharded_op_on_local_shards)
1	2.17e-05	2.17e-05	0.0001608	0.0001608	compile_command.py:1(<module>)
1	2.17e-05	2.17e-05	0.0001743	0.0001743	multiline_adlist.py:1(<module>)
1	2.17e-05	2.17e-05	0.0001811	0.0001811	pajek.py:1(<module>)
1	2.16e-05	2.16e-05	5.4e-05	5.4e-05	_invocation.py:17(Invocation)
1	2.16e-05	2.16e-05	8.83e-05	8.83e-05	sequences.py:26(SeqBase)
1	2.16e-05	2.16e-05	2.16e-05	2.16e-05	realfield.py:54(RealField)
1	2.16e-05	2.16e-05	0.0001705	0.0001705	closeness.py:1(<module>)
1	2.15e-05	2.15e-05	0.0002231	0.0002231	regular.py:1(<module>)

ncalls	totime	percall	cumtime	percall	
1	2.15e-05	2.15e-05	0.0002494	0.0002494	summarization.py:1(<module>)
43	2.14e-05	4.977e-07	2.14e-05	4.977e-07	dataclasses.py:604(<genexpr>)
1	2.14e-05	2.14e-05	0.0002151	0.0002151	equitable_coloring.py:1(<module>)
1	2.14e-05	2.14e-05	7.09e-05	7.09e-05	generalized_rcnn.py:1(<module>)
1	2.13e-05	2.13e-05	0.0001423	0.0001423	optimization.py:1(<module>)
1	2.13e-05	2.13e-05	0.001014	0.001014	complexfield.py:48(__init__)
1	2.13e-05	2.13e-05	9.64e-05	9.64e-05	gaussiandomains.py:328(GaussianIntegerRing)
1	2.13e-05	2.13e-05	2.89e-05	2.89e-05	plot_implicit.py:1(<module>)
1	2.13e-05	2.13e-05	0.00017	0.00017	eigenvector.py:1(<module>)
1	2.13e-05	2.13e-05	0.0001618	0.0001618	leda.py:1(<module>)
1	2.13e-05	2.13e-05	0.0001293	0.0001293	lukes.py:1(<module>)
1	2.12e-05	2.12e-05	0.0002434	0.0002434	_stereo_matching.py:375(Middlebury2014Stereo)
1	2.12e-05	2.12e-05	9.32e-05	9.32e-05	sbu.py:1(<module>)
1	2.12e-05	2.12e-05	0.001038	0.001038	_ir_passes.py:1(<module>)
1	2.12e-05	2.12e-05	0.009601	0.009601	_tool_component.py:1(<module>)
1	2.12e-05	2.12e-05	0.0001189	0.0001189	_helper.py:1(<module>)
1	2.12e-05	2.12e-05	0.003099	0.003099	covering.py:1(<module>)
1	2.12e-05	2.12e-05	0.0001597	0.0001597	asyn_fluid.py:1(<module>)
1	2.11e-05	2.11e-05	0.0002068	0.0002068	numbers.py:12(IntInfinity)
1	2.11e-05	2.11e-05	0.0002611	0.0002611	curve.py:1(<module>)
1	2.11e-05	2.11e-05	0.0001344	0.0001344	_composable_state.py:1(<module>)
1	2.11e-05	2.11e-05	0.0008831	0.0008831	api.py:1(<module>)
1	2.11e-05	2.11e-05	0.0001702	0.0001702	mycielski.py:1(<module>)
1	2.11e-05	2.11e-05	0.001629	0.001629	boykovkolmogorov.py:1(<module>)
1	2.11e-05	2.11e-05	0.0001885	0.0001885	modularitymatrix.py:1(<module>)
1	2.11e-05	2.11e-05	0.0001726	0.0001726	nx_agraph.py:1(<module>)
11	2.1e-05	1.909e-06	2.63e-05	2.391e-06	_ops.py:732(_opname)
1	2.1e-05	2.1e-05	0.0003286	0.0003286	order.py:1(<module>)
1	2.1e-05	2.1e-05	7.53e-05	7.53e-05	efficientnet.py:463(EfficientNet_B1_Weights)
1	2.09e-05	2.09e-05	2.09e-05	2.09e-05	~:0(<built-in method torch._C._log_api_usage_metadata>)
1	2.09e-05	2.09e-05	5.57e-05	5.57e-05	hyperbolic.py:153(sinh)
1	2.09e-05	2.09e-05	0.0001632	0.0001632	_shape.py:1(<module>)
1	2.09e-05	2.09e-05	0.0002486	0.0002486	parabola.py:1(<module>)
1	2.09e-05	2.09e-05	0.002425	0.002425	singleton_int.py:1(<module>)
1	2.09e-05	2.09e-05	0.0001527	0.0001527	matrix.py:1(<module>)
1	2.09e-05	2.09e-05	6.72e-05	6.72e-05	vgg.py:197(VGG16_Weights)
1	2.08e-05	2.08e-05	0.0002318	0.0002318	mock.py:1347(__call__)
1	2.08e-05	2.08e-05	2.08e-05	2.08e-05	knapsack.py:1(<module>)
37	2.08e-05	5.622e-07	2.08e-05	5.622e-07	~:0(<method 'insert' of 'list' objects>)
1	2.07e-05	2.07e-05	0.6328	0.6328	model.py:212(is_hub_model)

ncalls	totime	percall	cumtime	percall	
1	2.07e-05	2.07e-05	2.07e-05	2.07e-05	julia.py:48(JuliaCodePrinter)
1	2.07e-05	2.07e-05	0.2274	0.2274	_register_onnx_ops.py:1(<module>)
1	2.07e-05	2.07e-05	0.001272	0.001272	diagonal.py:1(<module>)
1	2.06e-05	2.06e-05	2.29e-05	2.29e-05	response.py:1(<module>)
1	2.06e-05	2.06e-05	0.0001499	0.0001499	cookies.py:1(<module>)
1	2.06e-05	2.06e-05	0.0001128	0.0001128	imagenette.py:1(<module>)
1	2.06e-05	2.06e-05	6.47e-05	6.47e-05	_lazy_import.py:1(<module>)
1	2.06e-05	2.06e-05	6.46e-05	6.46e-05	rcode.py:1(<module>)
1	2.06e-05	2.06e-05	0.0003739	0.0003739	funcmatrix.py:1(<module>)
1	2.06e-05	2.06e-05	0.003723	0.003723	__init__.py:1(<module>)
1	2.06e-05	2.06e-05	0.0001827	0.0001827	misc_ops.py:1(<module>)
1	2.06e-05	2.06e-05	2.06e-05	2.06e-05	decompositions_for_rmg.py:110(PhiloxStateTracker)
1	2.05e-05	2.05e-05	0.0006652	0.0006652	_load_gpu_decoder.py:1(<module>)
1	2.05e-05	2.05e-05	0.0002673	0.0002673	_optical_flow.py:30(FlowDataset)
1	2.05e-05	2.05e-05	0.002021	0.002021	decorator.py:1(<module>)
1	2.05e-05	2.05e-05	0.0001013	0.0001013	traversal.py:1(<module>)
1	2.05e-05	2.05e-05	0.0001735	0.0001735	_device.py:1(<module>)
1	2.05e-05	2.05e-05	0.0002193	0.0002193	stoerwagner.py:1(<module>)
1	2.04e-05	2.04e-05	0.0006313	0.0006313	warnings.py:35(_formatwarnmsg_impl)
1	2.04e-05	2.04e-05	2.88e-05	2.88e-05	distributed_c10d.py:302(register_backend)
1	2.04e-05	2.04e-05	2.8e-05	2.8e-05	transforms.py:1(<module>)
6	2.04e-05	3.4e-06	0.0001381	2.302e-05	symbolic_opset10.py:270(_max_pool)
1	2.04e-05	2.04e-05	0.008343	0.008343	__init__.py:1(<module>)
1	2.04e-05	2.04e-05	2.94e-05	2.94e-05	normalforms.py:1(<module>)
1	2.04e-05	2.04e-05	2.04e-05	2.04e-05	finite_diff.py:1(<module>)
1	2.04e-05	2.04e-05	0.002217	0.002217	__init__.py:1(<module>)
1	2.04e-05	2.04e-05	6.64e-05	6.64e-05	~:0(<built-in method _operator.abs>)
1	2.03e-05	2.03e-05	8.75e-05	8.75e-05	numbers.py:3176(NegativeInfinity)
1	2.03e-05	2.03e-05	2.43e-05	2.43e-05	_dynamic_shapes.py:1(<module>)
1	2.03e-05	2.03e-05	0.001059	0.001059	_result_provenance.py:1(<module>)
1	2.03e-05	2.03e-05	2.03e-05	2.03e-05	reference.py:212(PythonReferenceAnalysis)
1	2.02e-05	2.02e-05	0.0003747	0.0003747	kind.py:1(<module>)
1	2.02e-05	2.02e-05	0.0008167	0.0008167	getpass.py:1(<module>)
1	2.02e-05	2.02e-05	5.75e-05	5.75e-05	lll.py:1(<module>)
1	2.01e-05	2.01e-05	0.0004302	0.0004302	_appending_byte_serializer.py:1(<module>)
1	2.01e-05	2.01e-05	5.67e-05	5.67e-05	_experimental_ops.py:1(<module>)
1	2.01e-05	2.01e-05	0.0005644	0.0005644	configs.py:1(<module>)
1	2.01e-05	2.01e-05	0.0001964	0.0001964	reciprocity.py:1(<module>)
1	2.01e-05	2.01e-05	6.85e-05	6.85e-05	resnet.py:356(ResNet50_Weights)
4	2e-05	5e-06	5.89e-05	1.473e-05	__init__.py:928(__init__)

ncalls	tottime	percall	cumtime	percall	
1	2e-05	2e-05	2e-05	2e-05	utils.py:1151(CompilationMetrics)
1	2e-05	2e-05	2e-05	2e-05	octave.py:65(OctaveCodePrinter)
1	2e-05	2e-05	8.02e-05	8.02e-05	semeion.py:1(<module>)
1	2e-05	2e-05	0.0005325	0.0005325	binrel.py:1(<module>)
13	2e-05	1.538e-06	9.68e-05	7.446e-06	sympy_parser.py:1239(<genexpr>)
1	2e-05	2e-05	0.0002048	0.0002048	printers.py:1(<module>)
2	1.99e-05	9.95e-06	0.0002199	0.00011	readers.py:17(__init__)
1	1.99e-05	1.99e-05	0.0001012	0.0001012	serialization.py:1(<module>)
1	1.99e-05	1.99e-05	1.99e-05	1.99e-05	stringpict.py:22(stringPict)
1	1.99e-05	1.99e-05	0.0001684	0.0001684	repr.py:1(<module>)
1	1.99e-05	1.99e-05	0.001251	0.001251	equality.py:1(<module>)
2	1.98e-05	9.9e-06	5.04e-05	2.52e-05	library.py:912(register_fake)
1	1.98e-05	1.98e-05	0.001913	0.001913	fields.py:1(<module>)
1	1.98e-05	1.98e-05	3e-05	3e-05	kinetics.py:22(Kinetics)
1	1.98e-05	1.98e-05	0.000106	0.000106	_ordered_set.py:1(<module>)
1	1.98e-05	1.98e-05	0.001157	0.001157	sys.py:1(<module>)
5	1.97e-05	3.94e-06	3.09e-05	6.18e-06	warnings.py:184(_add_filter)
2	1.97e-05	9.85e-06	0.003105	0.001552	_adapters.py:144(_reader)
1	1.97e-05	1.97e-05	9.91e-05	9.91e-05	_random_ops.py:1(<module>)
36	1.97e-05	5.472e-07	7.36e-05	2.044e-06	conflict.py:30(<genexpr>)
1	1.97e-05	1.97e-05	0.0001146	0.0001146	_util.py:1(<module>)
1	1.96e-05	1.96e-05	9.16e-05	9.16e-05	ucf101.py:1(<module>)
6	1.96e-05	3.267e-06	4.89e-05	8.15e-06	gaussiandomains.py:23(__new__)
1	1.96e-05	1.96e-05	0.00018	0.00018	expressiondomain.py:1(<module>)
1	1.96e-05	1.96e-05	0.0002663	0.0002663	contains.py:1(<module>)
1	1.96e-05	1.96e-05	0.0004551	0.0004551	decorators.py:371(argmap)
1	1.95e-05	1.95e-05	0.0002754	0.0002754	onnxruntime.py:740(OrtBackend)
1	1.95e-05	1.95e-05	0.0003184	0.0003184	_presets.py:1(<module>)
1	1.95e-05	1.95e-05	0.001214	0.001214	_translation_metadata.py:1(<module>)
1	1.95e-05	1.95e-05	1.95e-05	1.95e-05	utils.py:1(<module>)
1	1.95e-05	1.95e-05	8.31e-05	8.31e-05	_windows.py:1(<module>)
1	1.95e-05	1.95e-05	0.003094	0.003094	correlation.py:1(<module>)
1	1.95e-05	1.95e-05	0.0001248	0.0001248	dinitz_alg.py:1(<module>)
1	1.95e-05	1.95e-05	7.7e-05	7.7e-05	vision_transformer.py:456(ViT_L_16_Weights)
1	1.94e-05	1.94e-05	0.0001638	0.0001638	parse.py:374(urlparse)
1	1.94e-05	1.94e-05	1.94e-05	1.94e-05	ctx_mp_python.py:39(_mpf)
1	1.94e-05	1.94e-05	1.94e-05	1.94e-05	polyclasses.py:2845(ANP)
1	1.94e-05	1.94e-05	0.0002104	0.0002104	numbers.py:206(NegativeInfinity)
1	1.94e-05	1.94e-05	9.26e-05	9.26e-05	regnet.py:637(RegNet_Y_16GF_Weights)
1	1.94e-05	1.94e-05	0.003345	0.003345	__init__.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	1.94e-05	1.94e-05	2.8e-05	2.8e-05	_data_parallel_utils.py:1(<module>)
1	1.94e-05	1.94e-05	0.0001509	0.0001509	internet_as_graphs.py:1(<module>)
1	1.94e-05	1.94e-05	8.25e-05	8.25e-05	vision_transformer.py:351(ViT_B_16_Weights)
2	1.94e-05	9.7e-06	6.18e-05	3.09e-05	~:0(<built-in method _operator.gt>)
24	1.93e-05	8.042e-07	0.0003172	1.322e-05	textwrap.py:470(indent)
1	1.93e-05	1.93e-05	4.68e-05	4.68e-05	context.py:27(Diagnostic)
1	1.93e-05	1.93e-05	0.0005349	0.0005349	lfw.py:1(<module>)
1	1.93e-05	1.93e-05	2.77e-05	2.77e-05	replay_record.py:45(ExecutionRecord)
1	1.93e-05	1.93e-05	0.006232	0.006232	__init__.py:1(<module>)
1	1.93e-05	1.93e-05	2.54e-05	2.54e-05	runtime_wrappers.py:783(AOTDedupeWrapper)
1	1.93e-05	1.93e-05	0.0001553	0.0001553	decomposition.py:1(<module>)
2	1.92e-05	9.6e-06	1.92e-05	9.6e-06	~:0(<built-in method mediapipe.python_framework_bindin
1	1.92e-05	1.92e-05	1.99e-05	1.99e-05	placement_types.py:48(Shard)
1	1.92e-05	1.92e-05	7.98e-05	7.98e-05	default_hooks.py:1(<module>)
1	1.92e-05	1.92e-05	8.76e-05	8.76e-05	_unix.py:1(<module>)
1	1.92e-05	1.92e-05	1.92e-05	1.92e-05	fourier.py:127(FourierSeries)
1	1.91e-05	1.91e-05	0.001151	0.001151	_tool_component_reference.py:1(<module>)
1	1.91e-05	1.91e-05	0.004254	0.004254	inverse.py:1(<module>)
1	1.91e-05	1.91e-05	3.08e-05	3.08e-05	codecache.py:255(PersistentCache)
1	1.91e-05	1.91e-05	0.0001527	0.0001527	astar.py:1(<module>)
1	1.91e-05	1.91e-05	0.0001992	0.0001992	node_classification.py:1(<module>)
1	1.91e-05	1.91e-05	0.000299	0.000299	googlenet.py:29(GoogLeNet)
1	1.9e-05	1.9e-05	9.63e-05	9.63e-05	puiseux.py:1(<module>)
1	1.9e-05	1.9e-05	0.0003601	0.0003601	_sharding_prop.py:51(ShardingPropagator)
1	1.9e-05	1.9e-05	8.46e-05	8.46e-05	pcam.py:1(<module>)
1	1.9e-05	1.9e-05	0.0004426	0.0004426	determinant.py:1(<module>)
1	1.89e-05	1.89e-05	7.41e-05	7.41e-05	svhn.py:1(<module>)
4	1.89e-05	4.725e-06	2.92e-05	7.3e-06	basic.py:147(_get_postprocessors_for_type)
1	1.89e-05	1.89e-05	3.47e-05	3.47e-05	triton_kernel_wrap.py:1678(TracingTritonHOPifier)
1	1.89e-05	1.89e-05	0.0001983	0.0001983	polynomials.py:1(<module>)
1	1.88e-05	1.88e-05	0.0002984	0.0002984	functions.py:1(<module>)
1	1.88e-05	1.88e-05	0.001669	0.001669	__init__.py:1(<module>)
1	1.88e-05	1.88e-05	0.0001795	0.0001795	runtime_wrappers.py:520(FakifiedOutWrapper)
1	1.87e-05	1.87e-05	1.87e-05	1.87e-05	adapters.py:167(HTTPAdapter)
1	1.87e-05	1.87e-05	3.51e-05	3.51e-05	function.py:1045(Derivative)
1	1.87e-05	1.87e-05	1.87e-05	1.87e-05	printers.py:119(PythonPrinter)
20	1.87e-05	9.35e-07	0.0009816	4.908e-05	torch_function.py:175(<lambda>)
1	1.87e-05	1.87e-05	2.13e-05	2.13e-05	funcname_cache.py:1(<module>)
1	1.87e-05	1.87e-05	6.69e-05	6.69e-05	stochastic_depth.py:1(<module>)
1	1.87e-05	1.87e-05	0.0001343	0.0001343	mask_rcnn.py:384(MaskRCNN_ResNet50_FPN_V2_Weig

ncalls	tottime	percall	cumtime	percall	
4	1.86e-05	4.65e-06	0.0005201	0.00013	utils.py:1795(register_custom_op_symbolic)
60	1.86e-05	3.1e-07	2.01e-05	3.35e-07	<frozen _collections_abc>:435(__subclasshook__)
2	1.85e-05	9.25e-06	1.98e-05	9.9e-06	__init__.py:595(__init__)
1	1.85e-05	1.85e-05	3.31e-05	3.31e-05	imagenette.py:9(Imagenette)
1	1.85e-05	1.85e-05	1.85e-05	1.85e-05	utils.py:326(CompileEventLogger)
1	1.85e-05	1.85e-05	0.0001057	0.0001057	recording.py:345(FakeTensorMeta)
6	1.85e-05	3.083e-06	0.0006063	0.0001011	printer.py:424(decorator)
1	1.85e-05	1.85e-05	0.0002111	0.0002111	social.py:1(<module>)
66	1.84e-05	2.788e-07	1.84e-05	2.788e-07	__init__.py:108(<lambda>)
2	1.84e-05	9.2e-06	0.000319	0.0001595	operations.py:623(register_handlerclass)
1	1.84e-05	1.84e-05	1.84e-05	1.84e-05	repmatrix.py:23(RepMatrix)
1	1.84e-05	1.84e-05	0.001766	0.001766	oxford_iit_pet.py:1(<module>)
1	1.84e-05	1.84e-05	2.32e-05	2.32e-05	_api.py:142(BaseFileLock)
8	1.84e-05	2.3e-06	8.83e-05	1.104e-05	random.py:44(deco_stream)
1	1.84e-05	1.84e-05	2.63e-05	2.63e-05	builder.py:541(_id_dispatch)
1	1.84e-05	1.84e-05	0.00123	0.00123	metadata.py:1(<module>)
1	1.84e-05	1.84e-05	0.0001868	0.0001868	dominance.py:1(<module>)
1	1.84e-05	1.84e-05	7.83e-05	7.83e-05	regnet.py:1084(RegNet_X_16GF_Weights)
30	1.84e-05	6.133e-07	1.84e-05	6.133e-07	<frozen abc>:7(abstractmethod)
1	1.83e-05	1.83e-05	3.17e-05	3.17e-05	mock.py:1297(__init__)
1	1.83e-05	1.83e-05	0.0002311	0.0002311	transforms.py:1167(ColorJitter)
1	1.83e-05	1.83e-05	1.83e-05	1.83e-05	sets.py:1035(Interval)
1	1.83e-05	1.83e-05	0.000185	0.000185	fer2013.py:1(<module>)
1	1.83e-05	1.83e-05	6.94e-05	6.94e-05	glsl.py:1(<module>)
1	1.83e-05	1.83e-05	0.0001019	0.0001019	_exec_order_utils.py:23(_ExecOrderData)
1	1.83e-05	1.83e-05	1.92e-05	1.92e-05	autotune_cache.py:500(LocalAutotuneCache)
1	1.82e-05	1.82e-05	1.82e-05	1.82e-05	~:0(<method '__ilshift__' of 'torch._C.TensorBase' objects>
1	1.82e-05	1.82e-05	1.82e-05	1.82e-05	domainscalar.py:17(DomainScalar)
1	1.82e-05	1.82e-05	9.6e-05	9.6e-05	numbers.py:2986(Infinity)
1	1.82e-05	1.82e-05	9.25e-05	9.25e-05	omniglot.py:1(<module>)
1	1.82e-05	1.82e-05	0.0012	0.0012	_logical_location.py:1(<module>)
1	1.82e-05	1.82e-05	0.408	0.408	_fsdp_init.py:1(<module>)
1	1.82e-05	1.82e-05	0.0001273	0.0001273	matplotlib.py:1(<module>)
1	1.82e-05	1.82e-05	6.32e-05	6.32e-05	regnet.py:908(RegNet_X_800MF_Weights)
2	1.81e-05	9.05e-06	0.0001244	6.22e-05	typing.py:1649(Unpack)
4	1.81e-05	4.525e-06	3.56e-05	8.9e-06	typing_extensions.py:2505(__new__)
1	1.81e-05	1.81e-05	3.96e-05	3.96e-05	matchhelpers.py:1(<module>)
1	1.81e-05	1.81e-05	0.000328	0.000328	companion.py:1(<module>)
1	1.81e-05	1.81e-05	0.003406	0.003406	__init__.py:1(<module>)
1	1.8e-05	1.8e-05	0.0007941	0.0007941	socks.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	1.8e-05	1.8e-05	0.0001515	0.0001515	config.py:1249(cuda)
1	1.8e-05	1.8e-05	0.0004169	0.0004169	autoaugment.py:104(AutoAugment)
1	1.8e-05	1.8e-05	0.003034	0.003034	_graph.py:1(<module>)
1	1.8e-05	1.8e-05	1.8e-05	1.8e-05	sympy_parser.py:1105(EvaluateFalseTransformer)
1	1.8e-05	1.8e-05	0.0002371	0.0002371	sets.py:1(<module>)
2	1.79e-05	8.95e-06	3.16e-05	1.58e-05	_sources.py:38(normalize_source_lines)
6	1.79e-05	2.983e-06	0.0001355	2.258e-05	symbolic_opset9.py:1409(_max_pool)
1	1.79e-05	1.79e-05	1.79e-05	1.79e-05	assume.py:224(Predicate)
1	1.79e-05	1.79e-05	3.77e-05	3.77e-05	compile_tasks.py:1(<module>)
2	1.78e-05	8.9e-06	0.00012	6e-05	typing.py:805(Concatenate)
16	1.78e-05	1.113e-06	2.58e-05	1.613e-06	typing_extensions.py:579(_caller)
1	1.78e-05	1.78e-05	0.0004727	0.0004727	_stereo_matching.py:25(StereoMatchingDataset)
1	1.78e-05	1.78e-05	8.81e-05	8.81e-05	kitti.py:1(<module>)
1	1.78e-05	1.78e-05	0.0001635	0.0001635	distributed.py:1(<module>)
1	1.78e-05	1.78e-05	1.78e-05	1.78e-05	symbolic_shapes.py:2361(DimConstraints)
1	1.78e-05	1.78e-05	0.001043	0.001043	interval_arithmetic.py:1(<module>)
1	1.78e-05	1.78e-05	0.0001085	0.0001085	_binary_ufuncs_impl.py:1(<module>)
1	1.77e-05	1.77e-05	2.82e-05	2.82e-05	ssltransport.py:22(SSLTransport)
1	1.77e-05	1.77e-05	2.96e-05	2.96e-05	eigen_symmetric.py:1(<module>)
1	1.77e-05	1.77e-05	8.41e-05	8.41e-05	facts.py:474(_from_python)
1	1.77e-05	1.77e-05	1.77e-05	1.77e-05	core.py:1(<module>)
1	1.77e-05	1.77e-05	0.0001681	0.0001681	triton_bundler.py:65(TritonBundler)
14	1.77e-05	1.264e-06	1.77e-05	1.264e-06	~:0(<method 'seek' of '_io.BufferedReader' objects>)
1	1.76e-05	1.76e-05	2.2e-05	2.2e-05	sbd.py:13(SBDataset)
24	1.76e-05	7.333e-07	2.71e-05	1.129e-06	ctx_iv.py:397(make_mpf)
1	1.76e-05	1.76e-05	8.62e-05	8.62e-05	lraspp.py:96(LRASPP_MobileNet_V3_Large_Weights)
53	1.76e-05	3.321e-07	1.76e-05	3.321e-07	<frozen codecs>:260(__init__)
18	1.76e-05	9.778e-07	1.76e-05	9.778e-07	~:0(<method 'removesuffix' of 'str' objects>)
1	1.75e-05	1.75e-05	1.75e-05	1.75e-05	piecewise.py:65(Piecewise)
1	1.75e-05	1.75e-05	8.96e-05	8.96e-05	usps.py:1(<module>)
1	1.75e-05	1.75e-05	0.0001848	0.0001848	communicability_alg.py:1(<module>)
22	1.74e-05	7.909e-07	1.74e-05	7.909e-07	custom_ops.py:208(_qualname)
1	1.74e-05	1.74e-05	0.0002177	0.0002177	exc.py:212(UserErrorHandler)
1	1.74e-05	1.74e-05	4.64e-05	4.64e-05	exponential.py:607(log)
1	1.74e-05	1.74e-05	0.0008003	0.0008003	_cxx_pytree.py:1(<module>)
1	1.74e-05	1.74e-05	0.0002552	0.0002552	trace.py:1(<module>)
1	1.74e-05	1.74e-05	7.77e-05	7.77e-05	fake_pg.py:1(<module>)
1	1.74e-05	1.74e-05	0.0001512	0.0001512	codecache.py:2253(CppWrapperCodeCache)
1	1.74e-05	1.74e-05	0.0001327	0.0001327	multigraph.py:1(<module>)
6	1.73e-05	2.883e-06	1.73e-05	2.883e-06	__init__.py:373(_FuncPtr)

ncalls	tottime	percall	cumtime	percall	
1	1.73e-05	1.73e-05	5.98e-05	5.98e-05	numbers.py:1770(Integer)
1	1.73e-05	1.73e-05	0.0004975	0.0004975	connection.py:114(_has_ipv6)
1	1.73e-05	1.73e-05	0.003284	0.003284	core.py:21(where)
1	1.73e-05	1.73e-05	4.87e-05	4.87e-05	script_object.py:47(TorchScriptObjectVariable)
1	1.73e-05	1.73e-05	6.82e-05	6.82e-05	mobilenetv3.py:296(MobileNet_V3_Large_Weights)
1	1.72e-05	1.72e-05	1.72e-05	1.72e-05	primetest.py:1(<module>)
1	1.72e-05	1.72e-05	1.72e-05	1.72e-05	exponential.py:35(ExpBase)
1	1.72e-05	1.72e-05	0.0008665	0.0008665	ordinals.py:1(<module>)
1	1.72e-05	1.72e-05	0.0002337	0.0002337	rpn.py:113(RegionProposalNetwork)
14	1.72e-05	1.229e-06	0.0005227	3.734e-05	trace_rules.py:3214(_module_dir)
1	1.72e-05	1.72e-05	0.0001253	0.0001253	current_flow_closeness.py:1(<module>)
1	1.72e-05	1.72e-05	0.000211	0.000211	tree.py:1(<module>)
1	1.72e-05	1.72e-05	0.0001431	0.0001431	time_dependent.py:1(<module>)
1	1.72e-05	1.72e-05	0.0001435	0.0001435	clustering_coefficient.py:1(<module>)
41	1.72e-05	4.195e-07	1.72e-05	4.195e-07	~:0(<built-in method _sre.unicode_iscased>)
28	1.71e-05	6.107e-07	1.71e-05	6.107e-07	typing.py:2875(_namedtuple_mro_entries)
1	1.71e-05	1.71e-05	2.3e-05	2.3e-05	mnist.py:20(MNIST)
1	1.71e-05	1.71e-05	0.001071	0.001071	beta_functions.py:1(<module>)
1	1.71e-05	1.71e-05	1.93e-05	1.93e-05	resume_execution.py:271(ContinueExecutionCache)
1	1.71e-05	1.71e-05	0.0001858	0.0001858	api.py:33(ShardingStrategy)
1	1.71e-05	1.71e-05	6.83e-05	6.83e-05	raft.py:699(Raft_Small_Weights)
3	1.7e-05	5.667e-06	0.0001765	5.883e-05	_backport_slots.py:22(dataclass_slots)
1	1.7e-05	1.7e-05	1.7e-05	1.7e-05	ImageFilter.py:370(Color3DLUT)
1	1.7e-05	1.7e-05	7.13e-05	7.13e-05	fgvc_aircraft.py:1(<module>)
1	1.7e-05	1.7e-05	1.79e-05	1.79e-05	gmpyrationalfiield.py:12(GMPYRationalField)
1	1.7e-05	1.7e-05	0.0013	0.0013	python.py:1(<module>)
1	1.7e-05	1.7e-05	0.0003394	0.0003394	exception.py:1(<module>)
1	1.7e-05	1.7e-05	3.1e-05	3.1e-05	autograd_cache.py:627(AOTAutogradCache)
1	1.7e-05	1.7e-05	6.72e-05	6.72e-05	_utils.py:1(<module>)
10	1.7e-05	1.7e-06	6.49e-05	6.49e-06	<frozen_collections_abc>:811(__contains__)
2	1.7e-05	8.5e-06	6.11e-05	3.055e-05	~:0(<built-in method _operator.ge>)
24	1.69e-05	7.042e-07	2.22e-05	9.25e-07	typing_extensions.py:2877(__init__)
1	1.69e-05	1.69e-05	1.69e-05	1.69e-05	rootoftools.py:1101(RootSum)
8	1.69e-05	2.113e-06	0.0001533	1.916e-05	kind.py:43(__new__)
1	1.69e-05	1.69e-05	5.3e-05	5.3e-05	exponential.py:219(exp)
1	1.69e-05	1.69e-05	4.88e-05	4.88e-05	index_methods.py:1(<module>)
1	1.69e-05	1.69e-05	3.37e-05	3.37e-05	metadata.py:15(TensorProperties)
1	1.69e-05	1.69e-05	0.01515	0.01515	_filelock.py:1(<module>)
2	1.68e-05	8.4e-06	9.1e-05	4.55e-05	__init__.py:1292(__init__)
5	1.68e-05	3.36e-06	6.79e-05	1.358e-05	transforms.py:242(make_wrapper)

ncalls	tottime	percall	cumtime	percall	
1	1.68e-05	1.68e-05	0.0001182	0.0001182	spectral_graph_forge.py:1(<module>)
2	1.68e-05	8.4e-06	5.01e-05	2.505e-05	~:0(<built-in method _operator.ixor>)
3	1.67e-05	5.567e-06	1.67e-05	5.567e-06	threading.py:124(RLock)
1	1.67e-05	1.67e-05	0.0001271	0.0001271	config.py:980(triton)
1	1.67e-05	1.67e-05	0.0001098	0.0001098	food101.py:1(<module>)
1	1.67e-05	1.67e-05	2.2e-05	2.2e-05	diou_loss.py:1(<module>)
5	1.67e-05	3.34e-06	1.67e-05	3.34e-06	cache.py:155(cached_property)
1	1.67e-05	1.67e-05	2.89e-05	2.89e-05	user_defined.py:728(UserDefinedObjectVariable)
14	1.67e-05	1.193e-06	2.04e-05	1.457e-06	decorators.py:264(np_random_state)
1	1.67e-05	1.67e-05	0.0001174	0.0001174	neighbor_degree.py:1(<module>)
1	1.67e-05	1.67e-05	0.0001442	0.0001442	reaching.py:1(<module>)
1	1.67e-05	1.67e-05	0.0001408	0.0001408	ramsey.py:1(<module>)
2	1.67e-05	8.35e-06	5.49e-05	2.745e-05	~:0(<built-in method _operator.le>)
35	1.66e-05	4.743e-07	2.96e-05	8.457e-07	<string>:1(<lambda>)
37	1.66e-05	4.486e-07	1.66e-05	4.486e-07	~:0(<built-in method torch._C._has_torch_function>)
1	1.66e-05	1.66e-05	8.11e-05	8.11e-05	gmpyintegerring.py:1(<module>)
1	1.66e-05	1.66e-05	3.5e-05	3.5e-05	logging_utils.py:1(<module>)
1	1.66e-05	1.66e-05	0.0001579	0.0001579	attrmatrix.py:1(<module>)
2	1.66e-05	8.3e-06	0.0001063	5.315e-05	~:0(<built-in method _operator.itruediv>)
20	1.65e-05	8.25e-07	2.63e-05	1.315e-06	solution_base.py:385(get_name)
1	1.65e-05	1.65e-05	0.0001228	0.0001228	mnist.py:344(QMNST)
1	1.65e-05	1.65e-05	0.001032	0.001032	traverse.py:1(<module>)
1	1.65e-05	1.65e-05	1.65e-05	1.65e-05	euler.py:1(<module>)
1	1.65e-05	1.65e-05	0.0001344	0.0001344	random_clustered.py:1(<module>)
1	1.65e-05	1.65e-05	0.0001436	0.0001436	non_randomness.py:1(<module>)
1	1.64e-05	1.64e-05	1.64e-05	1.64e-05	~:0(<method '__bool__' of 'torch._C.TensorBase' objects>)
1	1.64e-05	1.64e-05	0.002386	0.002386	registration.py:1(<module>)
1	1.64e-05	1.64e-05	0.001145	0.001145	ciou_loss.py:1(<module>)
1	1.64e-05	1.64e-05	0.003509	0.003509	stringpict.py:1(<module>)
1	1.64e-05	1.64e-05	0.0002725	0.0002725	powerset.py:1(<module>)
5	1.63e-05	3.26e-06	2.8e-05	5.6e-06	typing.py:1636(__hash__)
19	1.63e-05	8.579e-07	4.25e-05	2.237e-06	overrides.py:2069(__pop_mode)
1	1.63e-05	1.63e-05	2.1e-05	2.1e-05	kitti.py:12(Kitti)
1	1.63e-05	1.63e-05	5.79e-05	5.79e-05	alexnet.py:55(AlexNet_Weights)
1	1.63e-05	1.63e-05	0.002056	0.002056	_graph_traversal.py:1(<module>)
14	1.63e-05	1.164e-06	1.63e-05	1.164e-06	dispatcher.py:113(__init__)
1	1.63e-05	1.63e-05	0.0002661	0.0002661	builder.py:296(GraphArg)
1	1.63e-05	1.63e-05	1.63e-05	1.63e-05	_traversal_utils.py:1(<module>)
1	1.63e-05	1.63e-05	1.63e-05	1.63e-05	torch_function.py:298(TorchFunctionModeStackVariable)
3	1.62e-05	5.4e-06	2.83e-05	9.433e-06	ast.py:477(generic_visit)

ncalls	tottime	percall	cumtime	percall	
1	1.62e-05	1.62e-05	1.62e-05	1.62e-05	polyclasses.py:2448(DMF)
1	1.62e-05	1.62e-05	2.13e-05	2.13e-05	pgo.py:177(FrameStateSizeEntry)
1	1.62e-05	1.62e-05	0.003137	0.003137	_reporting_descriptor_reference.py:1(<module>)
1	1.62e-05	1.62e-05	0.0009362	0.0009362	_exception.py:1(<module>)
1	1.62e-05	1.62e-05	0.003359	0.003359	core.py:1(<module>)
1	1.62e-05	1.62e-05	1.62e-05	1.62e-05	ellipse.py:41(Ellipse)
1	1.62e-05	1.62e-05	2.74e-05	2.74e-05	ratsimp.py:1(<module>)
1	1.62e-05	1.62e-05	1.62e-05	1.62e-05	create_parameter_op.py:21(TracableCreateParameter)
32	1.61e-05	5.031e-07	2.39e-05	7.469e-07	_inspect.py:13(ismethod)
23	1.61e-05	7e-07	1.61e-05	7e-07	typing.py:1625(_value_and_type_iter)
19	1.61e-05	8.474e-07	3.15e-05	1.658e-06	overrides.py:2065(_push_mode)
1	1.61e-05	1.61e-05	1.99e-05	1.99e-05	ImageStat.py:31(Stat)
1	1.61e-05	1.61e-05	0.0007714	0.0007714	_fix.py:1(<module>)
1	1.61e-05	1.61e-05	9.23e-05	9.23e-05	rationalfield.py:1(<module>)
1	1.61e-05	1.61e-05	5.4e-05	5.4e-05	ecm.py:1(<module>)
1	1.61e-05	1.61e-05	1.61e-05	1.61e-05	continued_fraction.py:1(<module>)
1	1.61e-05	1.61e-05	0.0003252	0.0003252	unweighted.py:1(<module>)
1	1.61e-05	1.61e-05	4.96e-05	4.96e-05	code_context.py:1(<module>)
1	1.61e-05	1.61e-05	0.0001431	0.0001431	second_order.py:1(<module>)
1	1.6e-05	1.6e-05	8.78e-05	8.78e-05	flowers102.py:1(<module>)
1	1.6e-05	1.6e-05	0.001651	0.001651	_reporting_configuration.py:1(<module>)
1	1.6e-05	1.6e-05	4.2e-05	4.2e-05	decorators.py:1(<module>)
1	1.6e-05	1.6e-05	0.0001251	0.0001251	connectivity.py:1(<module>)
2	1.59e-05	7.95e-06	2.78e-05	1.39e-05	custom_ops.py:911(_maybe_get_opdef)
10	1.59e-05	1.59e-06	4.72e-05	4.72e-06	_config_module.py:143(Config)
1	1.59e-05	1.59e-05	0.001183	0.001183	hooks.py:1(<module>)
1	1.59e-05	1.59e-05	0.0001588	0.0001588	relabel.py:1(<module>)
1	1.59e-05	1.59e-05	0.0001457	0.0001457	hybrid.py:1(<module>)
1	1.58e-05	1.58e-05	2.53e-05	2.53e-05	__init__.py:1(<module>)
1	1.58e-05	1.58e-05	4.11e-05	4.11e-05	_fsdp_state.py:69(FSDPState)
1	1.58e-05	1.58e-05	3.59e-05	3.59e-05	symbolic_convert.py:3289(InstructionTranslator)
1	1.58e-05	1.58e-05	0.0001592	0.0001592	numbers.py:329(tribonacci)
1	1.58e-05	1.58e-05	7.51e-05	7.51e-05	_fsdp_extensions.py:16(FSDPExtensions)
1	1.58e-05	1.58e-05	1.58e-05	1.58e-05	entity.py:71(GeometryEntity)
1	1.58e-05	1.58e-05	0.0002412	0.0002412	harary_graph.py:1(<module>)
1	1.58e-05	1.58e-05	0.0001141	0.0001141	node_link.py:1(<module>)
1	1.58e-05	1.58e-05	6.36e-05	6.36e-05	resnet.py:399(ResNet101_Weights)
1	1.58e-05	1.58e-05	0.0002309	0.0002309	utils.py:1(<module>)
23	1.57e-05	6.826e-07	1.57e-05	6.826e-07	__init__.py:1317(__init__)
1	1.57e-05	1.57e-05	0.000159	0.000159	video_reader.py:48(VideoReader)

ncalls	tottime	percall	cumtime	percall	
1	1.57e-05	1.57e-05	5.85e-05	5.85e-05	sorting.py:1(<module>)
1	1.57e-05	1.57e-05	2.96e-05	2.96e-05	rationalfield.py:14(RationalField)
6	1.57e-05	2.617e-06	7.32e-05	1.22e-05	bessel.py:893(assume_integer_order)
1	1.57e-05	1.57e-05	2.34e-05	2.34e-05	logging.py:1(<module>)
1	1.57e-05	1.57e-05	0.0003083	0.0003083	bytecode_transformation.py:65(Instruction)
1	1.57e-05	1.57e-05	1.67e-05	1.67e-05	checkpoint_wrapper.py:25(ActivationWrapper)
1	1.57e-05	1.57e-05	1.57e-05	1.57e-05	comptime.py:323(_Comptime)
1	1.57e-05	1.57e-05	0.0002053	0.0002053	graph_transform_observer.py:20(GraphTransformObserver)
1	1.57e-05	1.57e-05	0.0002603	0.0002603	schemas.py:164(SubclassCreationMeta)
3	1.56e-05	5.2e-06	1.56e-05	5.2e-06	weakref.py:152(__contains__)
1	1.56e-05	1.56e-05	7.26e-05	7.26e-05	gtsrb.py:1(<module>)
1	1.56e-05	1.56e-05	0.006417	0.006417	_invocation.py:1(<module>)
1	1.56e-05	1.56e-05	5.54e-05	5.54e-05	pythonmpq.py:1(<module>)
8/2	1.56e-05	7.8e-06	1.85e-05	9.25e-06	densebasic.py:315(_rec_validate)
1	1.56e-05	1.56e-05	7.8e-05	7.8e-05	expressionrawdomain.py:1(<module>)
1	1.56e-05	1.56e-05	5.78e-05	5.78e-05	deltafunctions.py:1(<module>)
1	1.56e-05	1.56e-05	6.19e-05	6.19e-05	lib_interval.py:1(<module>)
1	1.56e-05	1.56e-05	0.0001219	0.0001219	inception.py:28(Inception3)
2	1.56e-05	7.8e-06	0.0001178	5.89e-05	~:0(<built-in method __operator.mod>)
2	1.56e-05	7.8e-06	4.45e-05	2.225e-05	~:0(<built-in method __operator.ior>)
1	1.55e-05	1.55e-05	0.0001147	0.0001147	coco.py:1(<module>)
1	1.55e-05	1.55e-05	8.72e-05	8.72e-05	stanford_cars.py:1(<module>)
1	1.55e-05	1.55e-05	0.002938	0.002938	_notification.py:1(<module>)
1	1.55e-05	1.55e-05	1.55e-05	1.55e-05	function.py:1941(Lambda)
1	1.55e-05	1.55e-05	1.55e-05	1.55e-05	integerring.py:20(IntegerRing)
1	1.55e-05	1.55e-05	2.06e-05	2.06e-05	convolutions.py:1(<module>)
1	1.55e-05	1.55e-05	8.11e-05	8.11e-05	inception.py:169(Inception_V3_QuantizedWeights)
2	1.55e-05	7.75e-06	5.11e-05	2.555e-05	~:0(<built-in method __operator.iand>)
19	1.54e-05	8.105e-07	1.54e-05	8.105e-07	~:0(<built-in method torch._C._push_on_torch_function_st
1	1.54e-05	1.54e-05	2.94e-05	2.94e-05	_version_control_details.py:15(VersionControlDetails)
1	1.54e-05	1.54e-05	1.54e-05	1.54e-05	finitefield.py:108(FiniteField)
1	1.54e-05	1.54e-05	4.13e-05	4.13e-05	trigonometric.py:1255(cot)
1	1.54e-05	1.54e-05	9.66e-05	9.66e-05	fancysets.py:1386(CartesianComplexRegion)
1	1.54e-05	1.54e-05	0.001622	0.001622	metadata.py:1(<module>)
1	1.53e-05	1.53e-05	2.6e-05	2.6e-05	unicode_escape.py:37(getregentry)
2	1.53e-05	7.65e-06	2.76e-05	1.38e-05	__init__.py:401(discover)
14	1.53e-05	1.093e-06	1.53e-05	1.093e-06	libmpf.py:153(__normalize)
5	1.53e-05	3.06e-06	4.81e-05	9.62e-06	numbers.py:1811(__new__)
1	1.53e-05	1.53e-05	1.53e-05	1.53e-05	repr.py:18(ReprPrinter)
1	1.53e-05	1.53e-05	0.003653	0.003653	_reporting_descriptor.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	1.53e-05	1.53e-05	3.7e-05	3.7e-05	trigonometric.py:243(sin)
1	1.53e-05	1.53e-05	1.53e-05	1.53e-05	formal.py:968(FormalPowerSeries)
2	1.53e-05	7.65e-06	0.0001087	5.435e-05	contract.py:18(generate_state_key)
1	1.53e-05	1.53e-05	0.0002244	0.0002244	regnet.py:185(BlockParams)
4	1.52e-05	3.8e-06	7.05e-05	1.763e-05	random.py:126(__init__)
1	1.52e-05	1.52e-05	1.52e-05	1.52e-05	cookies.py:236(Morsel)
1	1.52e-05	1.52e-05	0.000405	0.000405	misc.py:68(ConvNormActivation)
1	1.52e-05	1.52e-05	1.85e-05	1.85e-05	fsdp.py:317(DTensorExtensions)
1	1.52e-05	1.52e-05	3.43e-05	3.43e-05	_optical_flow.py:317(FlyingThings3D)
1	1.52e-05	1.52e-05	0.0004095	0.0004095	misc.py:125(Conv2dNormActivation)
1	1.52e-05	1.52e-05	8.29e-05	8.29e-05	sun397.py:1(<module>)
20	1.52e-05	7.6e-07	1.52e-05	7.6e-07	decorator.py:251(deprecated)
1	1.52e-05	1.52e-05	0.0001264	0.0001264	moral.py:1(<module>)
1	1.52e-05	1.52e-05	0.0001463	0.0001463	divisive.py:1(<module>)
1	1.52e-05	1.52e-05	5.03e-05	5.03e-05	efficientnet.py:631(EfficientNet_B7_Weights)
1	1.52e-05	1.52e-05	7.26e-05	7.26e-05	efficientnet.py:655(EfficientNet_V2_S_Weights)
1	1.52e-05	1.52e-05	6.06e-05	6.06e-05	resnet.py:223(ResNeXt101_32X8D_QuantizedWeights)
1	1.52e-05	1.52e-05	0.0001083	0.0001083	_utils.py:1(<module>)
42	1.51e-05	3.595e-07	1.51e-05	3.595e-07	functools.py:968(__set_name__)
1	1.51e-05	1.51e-05	5.44e-05	5.44e-05	model.py:187(is_triton_model)
1	1.51e-05	1.51e-05	1.51e-05	1.51e-05	exporter.py:114(export_formats)
1	1.51e-05	1.51e-05	3.02e-05	3.02e-05	celeba.py:16(CelebA)
1	1.51e-05	1.51e-05	8.31e-05	8.31e-05	dtd.py:1(<module>)
1	1.51e-05	1.51e-05	8.18e-05	8.18e-05	_api.py:68(WeightsEnum)
1	1.51e-05	1.51e-05	1.89e-05	1.89e-05	symbolic_shapes.py:1630(EqualityConstraint)
1	1.51e-05	1.51e-05	4.12e-05	4.12e-05	hyperbolic.py:611(tanh)
1	1.51e-05	1.51e-05	0.0001226	0.0001226	sudoku.py:1(<module>)
1	1.51e-05	1.51e-05	0.0001246	0.0001246	richclub.py:1(<module>)
1	1.51e-05	1.51e-05	0.0002464	0.0002464	bethehessianmatrix.py:1(<module>)
4	1.5e-05	3.75e-06	0.002946	0.0007364	inspect.py:1279(getsource)
1	1.5e-05	1.5e-05	0.003123	0.003123	_replacement.py:1(<module>)
1	1.5e-05	1.5e-05	2.65e-05	2.65e-05	orthogonal.py:1(<module>)
16	1.5e-05	9.375e-07	3.86e-05	2.413e-06	pretty_symbology.py:169(<lambda>)
1	1.5e-05	1.5e-05	1.5e-05	1.5e-05	optimizer.py:84(OptimizerVariable)
1	1.49e-05	1.49e-05	3.21e-05	3.21e-05	rendered_sst2.py:9(RenderedSST2)
1	1.49e-05	1.49e-05	1.49e-05	1.49e-05	mathematica.py:122(MCodePrinter)
1	1.49e-05	1.49e-05	0.02236	0.02236	_thread_flow_location.py:1(<module>)
1	1.49e-05	1.49e-05	0.001084	0.001084	_version_control_details.py:1(<module>)
1	1.49e-05	1.49e-05	5.36e-05	5.36e-05	trigonometric.py:2584(atan)
2	1.49e-05	7.45e-06	2.69e-05	1.345e-05	ordinals.py:81(__new__)

ncalls	totime	percall	cumtime	percall	
1	1.49e-05	1.49e-05	2.09e-05	2.09e-05	inverse.py:1(<module>)
1	1.49e-05	1.49e-05	0.0002613	0.0002613	dotproduct.py:1(<module>)
1	1.49e-05	1.49e-05	1.59e-05	1.59e-05	series.py:1861(SurfaceOver2DRangeSeries)
1	1.49e-05	1.49e-05	3.77e-05	3.77e-05	guards.py:177(GuardManagerWrapper)
1	1.49e-05	1.49e-05	0.000405	0.000405	_debug_utils.py:22(SimpleProfiler)
1	1.49e-05	1.49e-05	6.55e-05	6.55e-05	mobilenetv2.py:184(MobileNet_V2_Weights)
1	1.48e-05	1.48e-05	2.34e-05	2.34e-05	factorials.py:1(<module>)
1	1.48e-05	1.48e-05	1.48e-05	1.48e-05	complexfield.py:16(ComplexField)
1	1.48e-05	1.48e-05	1.48e-05	1.48e-05	replicate.py:17(_ReplicateState)
1	1.48e-05	1.48e-05	1.48e-05	1.48e-05	polygon.py:2053(Triangle)
1	1.48e-05	1.48e-05	0.0003031	0.0003031	style.py:402(PrepareModuleInput)
1	1.48e-05	1.48e-05	7.66e-05	7.66e-05	rcm.py:1(<module>)
1	1.48e-05	1.48e-05	0.0001943	0.0001943	degree_alg.py:1(<module>)
1	1.48e-05	1.48e-05	0.0001079	0.0001079	operations.py:1(<module>)
1	1.48e-05	1.48e-05	0.0001483	0.0001483	pagerank_alg.py:1(<module>)
1	1.48e-05	1.48e-05	5.74e-05	5.74e-05	mobilenetv2.py:66(MobileNet_V2_QuantizedWeights)
2	1.48e-05	7.4e-06	0.0001785	8.925e-05	~:0(<built-in method __operator.ifloordiv>)
2	1.47e-05	7.35e-06	0.003155	0.001577	_common.py:107(from_package)
1	1.47e-05	1.47e-05	0.001697	0.001697	oxford_iit_pet.py:12(OxfordIIITPet)
1	1.47e-05	1.47e-05	1.47e-05	1.47e-05	function_docs.py:1(<module>)
1	1.47e-05	1.47e-05	1.47e-05	1.47e-05	_ordered_set.py:19(OrderedSet)
1	1.47e-05	1.47e-05	0.001144	0.001144	_web_response.py:1(<module>)
1	1.47e-05	1.47e-05	0.0001349	0.0001349	exponential.py:1108(LambertW)
27	1.46e-05	5.407e-07	1.74e-05	6.444e-07	enum.py:117(__iter_bits_lsb)
1	1.46e-05	1.46e-05	2.89e-05	2.89e-05	_infra.py:236(__post_init__)
1	1.46e-05	1.46e-05	0.002422	0.002422	_stack.py:1(<module>)
1	1.46e-05	1.46e-05	1.46e-05	1.46e-05	exceptions.py:11(SymPyDeprecationWarning)
1	1.46e-05	1.46e-05	1.46e-05	1.46e-05	factorials.py:828(binomial)
1	1.46e-05	1.46e-05	1.91e-05	1.91e-05	cpp_builder.py:364(BuildOptionsBase)
1	1.46e-05	1.46e-05	1.55e-05	1.55e-05	partitioners.py:86(NodeInfo)
1	1.46e-05	1.46e-05	0.0003118	0.0003118	types.py:40(GuardFn)
1	1.46e-05	1.46e-05	0.0001194	0.0001194	distance_measures.py:1(<module>)
11	1.45e-05	1.318e-06	2.55e-05	2.318e-06	weakref.py:347(__new__)
1	1.45e-05	1.45e-05	1.45e-05	1.45e-05	dot.py:1(<module>)
1	1.45e-05	1.45e-05	0.0008884	0.0008884	_physical_location.py:1(<module>)
1	1.45e-05	1.45e-05	1.59e-05	1.59e-05	symbolic_convert.py:3715(InliningInstructionTranslator)
1	1.45e-05	1.45e-05	1.45e-05	1.45e-05	utils.py:172(ReplaceCounters)
1	1.45e-05	1.45e-05	0.0001669	0.0001669	_common_utils.py:177(HandleTrainingState)
1	1.45e-05	1.45e-05	0.0001646	0.0001646	pairs.py:1(<module>)
1	1.45e-05	1.45e-05	0.0001461	0.0001461	boundary.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	1.45e-05	1.45e-05	0.0001195	0.0001195	voronoi.py:1(<module>)
1	1.45e-05	1.45e-05	6.88e-05	6.88e-05	resnet.py:528(ResNeXt101_32X8D_Weights)
1	1.44e-05	1.44e-05	0.002662	0.002662	__init__.py:1(<module>)
1	1.44e-05	1.44e-05	0.0002367	0.0002367	config.py:1339(rocm)
26	1.44e-05	5.538e-07	1.44e-05	5.538e-07	recording.py:228(record_shapeenv_event)
1	1.44e-05	1.44e-05	1.44e-05	1.44e-05	jscode.py:46(JavascriptCodePrinter)
1	1.44e-05	1.44e-05	1.94e-05	1.94e-05	secrets.py:1(<module>)
1	1.44e-05	1.44e-05	0.001526	0.001526	branchings.py:821(ArborescenceIterator)
1	1.44e-05	1.44e-05	0.0001157	0.0001157	edmondskarp.py:1(<module>)
1	1.44e-05	1.44e-05	6e-05	6e-05	resnet.py:596(Wide_ResNet50_2_Weights)
3	1.43e-05	4.767e-06	1.9e-05	6.333e-06	ast.py:56(literal_eval)
24	1.43e-05	5.958e-07	2.87e-05	1.196e-06	typing.py:1097(<genexpr>)
3	1.43e-05	4.767e-06	5.34e-05	1.78e-05	ast.py:419(visit_Constant)
1	1.43e-05	1.43e-05	3.11e-05	3.11e-05	caltech.py:12(Caltech101)
4	1.43e-05	3.575e-06	0.0004522	0.0001131	utils.py:1779(_verify_custom_op_name)
1	1.43e-05	1.43e-05	0.0006358	0.0006358	_property_bag.py:1(<module>)
1	1.43e-05	1.43e-05	1.69e-05	1.69e-05	modular.py:1(<module>)
1	1.43e-05	1.43e-05	1.43e-05	1.43e-05	products.py:17(Product)
39	1.43e-05	3.667e-07	1.99e-05	5.103e-07	<frozen_collections_abc>:288(__subclasshook__)
40	1.43e-05	3.575e-07	1.43e-05	3.575e-07	~:0(<built-in method from_iterable>)
2	1.42e-05	7.1e-06	0.0007817	0.0003909	_utils_internal.py:65(resolve_library_path)
1	1.42e-05	1.42e-05	0.01124	0.01124	_tool.py:1(<module>)
2	1.42e-05	7.1e-06	1.84e-05	9.2e-06	ctx_mp_python.py:145(__float__)
1	1.42e-05	1.42e-05	7.28e-05	7.28e-05	egyptian_fraction.py:1(<module>)
1	1.42e-05	1.42e-05	0.0001275	0.0001275	harmonic.py:1(<module>)
1	1.42e-05	1.42e-05	0.0001346	0.0001346	density.py:1(<module>)
1	1.42e-05	1.42e-05	0.0001451	0.0001451	utils.py:1(<module>)
3	1.41e-05	4.7e-06	0.000175	5.833e-05	functional.py:445(meshgrid)
1	1.41e-05	1.41e-05	4.08e-05	4.08e-05	hyperbolic.py:365(cosh)
1	1.41e-05	1.41e-05	1.57e-05	1.57e-05	base_backend.py:49(Plot)
1	1.41e-05	1.41e-05	2.09e-05	2.09e-05	replay_record.py:64(ExecutionRecorder)
1	1.41e-05	1.41e-05	1.41e-05	1.41e-05	expr_with_limits.py:199(ExprWithLimits)
31	1.41e-05	4.548e-07	1.41e-05	4.548e-07	laplace.py:48(DEBUG_WRAP)
1	1.41e-05	1.41e-05	2.43e-05	2.43e-05	decompogen.py:1(<module>)
1	1.41e-05	1.41e-05	1.41e-05	1.41e-05	polygon.py:28(Polygon)
1	1.41e-05	1.41e-05	0.0001162	0.0001162	_internals.py:1(<module>)
1	1.41e-05	1.41e-05	0.0001323	0.0001323	percolation.py:1(<module>)
1	1.41e-05	1.41e-05	0.000181	0.000181	flow_matrix.py:1(<module>)
2	1.4e-05	7e-06	1.4e-05	7e-06	~:0(<built-in method torch._C.call_stack>)
1	1.4e-05	1.4e-05	9.53e-05	9.53e-05	hub.py:139(__get_torch_home)

ncalls	tottime	percall	cumtime	percall	
1	1.4e-05	1.4e-05	0.0001624	0.0001624	inaturalist.py:32(INaturalist)
1	1.4e-05	1.4e-05	0.02406	0.02406	_thread_flow.py:1(<module>)
1	1.4e-05	1.4e-05	0.008342	0.008342	_location.py:1(<module>)
1	1.4e-05	1.4e-05	0.001102	0.001102	_web_request.py:1(<module>)
1	1.4e-05	1.4e-05	0.0001959	0.0001959	functions.py:300(ModularIndexing)
2	1.4e-05	7e-06	6.55e-05	3.275e-05	expressiondomain.py:26(__init__)
1	1.4e-05	1.4e-05	1.4e-05	1.4e-05	glsl.py:30(GLSLPrinter)
1	1.4e-05	1.4e-05	1.88e-05	1.88e-05	tools.py:1(<module>)
1	1.4e-05	1.4e-05	1.67e-05	1.67e-05	printing.py:1(<module>)
1	1.4e-05	1.4e-05	1.47e-05	1.47e-05	mutation_guard.py:76(GenerationTracker)
6	1.4e-05	2.333e-06	7.02e-05	1.17e-05	higher_order_ops.py:71(deco)
6/4	1.39e-05	3.475e-06	3.91e-05	9.775e-06	infer_schema.py:93(unstringify_type)
1	1.39e-05	1.39e-05	8.92e-05	8.92e-05	_triton.py:1(<module>)
1	1.39e-05	1.39e-05	0.0009181	0.0009181	_suppression.py:1(<module>)
1	1.39e-05	1.39e-05	4.05e-05	4.05e-05	rszeta.py:1(<module>)
1	1.39e-05	1.39e-05	1.39e-05	1.39e-05	matrices.py:9(_matrix)
1	1.39e-05	1.39e-05	0.0001152	0.0001152	expressiondomain.py:15(ExpressionDomain)
1	1.39e-05	1.39e-05	4.17e-05	4.17e-05	dicts.py:91(ConstDictVariable)
1	1.39e-05	1.39e-05	0.0001646	0.0001646	hints.py:106(HeuristicType)
1	1.39e-05	1.39e-05	0.0001342	0.0001342	resnet.py:59(BasicBlock)
1	1.39e-05	1.39e-05	2.35e-05	2.35e-05	mobilenetv3.py:52(InvertedResidual)
1	1.38e-05	1.38e-05	1.38e-05	1.38e-05	~:0(<method 'div_' of 'torch._C.TensorBase' objects>)
1	1.38e-05	1.38e-05	3.28e-05	3.28e-05	_region.py:16(Region)
1	1.38e-05	1.38e-05	0.0001762	0.0001762	phototour.py:13(PhotoTour)
1	1.38e-05	1.38e-05	1.38e-05	1.38e-05	cookies.py:442(BaseCookie)
1	1.38e-05	1.38e-05	0.0009164	0.0009164	_internal_utils.py:1(<module>)
1	1.38e-05	1.38e-05	3.33e-05	3.33e-05	_reporting_descriptor.py:17(ReportingDescriptor)
1	1.38e-05	1.38e-05	1.92e-05	1.92e-05	usps.py:12(USPS)
1	1.38e-05	1.38e-05	0.0001009	0.0001009	errors.py:1(<module>)
1	1.38e-05	1.38e-05	0.0007626	0.0007626	_special_locations.py:1(<module>)
1	1.38e-05	1.38e-05	8.84e-05	8.84e-05	quadrature.py:1(<module>)
1	1.38e-05	1.38e-05	7.35e-05	7.35e-05	polyconfig.py:52(configure)
1	1.38e-05	1.38e-05	8.39e-05	8.39e-05	pythonintegerring.py:1(<module>)
1	1.38e-05	1.38e-05	1.38e-05	1.38e-05	rootisolation.py:1728(RealInterval)
27	1.38e-05	5.111e-07	0.0001679	6.219e-06	pretty_symbology.py:121(<genexpr>)
1	1.38e-05	1.38e-05	1.6e-05	1.6e-05	sparsetools.py:1(<module>)
1	1.38e-05	1.38e-05	1.38e-05	1.38e-05	ndim_array.py:15(ArrayKind)
1	1.38e-05	1.38e-05	1.38e-05	1.38e-05	blockmatrix.py:24(BlockMatrix)
3	1.38e-05	4.6e-06	4.43e-05	1.477e-05	contract.py:91(inner)
1	1.38e-05	1.38e-05	1.68e-05	1.68e-05	multidigraph.py:23(MultiDiGraph)

ncalls	tottime	percall	cumtime	percall	
1	1.38e-05	1.38e-05	1.38e-05	1.38e-05	reportviews.py:118(NodeView)
1	1.37e-05	1.37e-05	2.66e-05	2.66e-05	functools.py:798(singledispatch)
31	1.37e-05	4.419e-07	1.37e-05	4.419e-07	_internal.py:140(is_off_by_default)
1	1.37e-05	1.37e-05	1.41e-05	1.41e-05	__init__.py:437(__getattr__)
1	1.37e-05	1.37e-05	3.15e-05	3.15e-05	_thread_flow_location.py:19(ThreadFlowLocation)
1	1.37e-05	1.37e-05	0.002354	0.002354	_artifact_content.py:1(<module>)
1	1.37e-05	1.37e-05	0.001544	0.001544	_region.py:1(<module>)
1	1.37e-05	1.37e-05	2.41e-05	2.41e-05	rationaltools.py:1(<module>)
1	1.37e-05	1.37e-05	3.81e-05	3.81e-05	trigonometric.py:915(tan)
1	1.37e-05	1.37e-05	1.37e-05	1.37e-05	error_functions.py:2104(Shi)
1	1.37e-05	1.37e-05	0.0008971	0.0008971	rl.py:1(<module>)
1	1.37e-05	1.37e-05	2.78e-05	2.78e-05	matadd.py:19(MatAdd)
1	1.37e-05	1.37e-05	1.45e-05	1.45e-05	asyncio.py:101(BaseAsyncFileLock)
1	1.37e-05	1.37e-05	0.0001492	0.0001492	unary.py:1(<module>)
1	1.37e-05	1.37e-05	5.59e-05	5.59e-05	resnet.py:312(ResNet18_Weights)
3	1.37e-05	4.567e-06	1.37e-05	4.567e-06	~:0(<built-in method nt.urandom>)
1	1.36e-05	1.36e-05	1.36e-05	1.36e-05	modules.py:840(Submodule)
1	1.36e-05	1.36e-05	1.63e-05	1.63e-05	rref.py:1(<module>)
1	1.36e-05	1.36e-05	2.15e-05	2.15e-05	cifar.py:13(CIFAR10)
1	1.36e-05	1.36e-05	1.47e-05	1.47e-05	precedence.py:1(<module>)
1	1.36e-05	1.36e-05	6.1e-05	6.1e-05	moving_mnist.py:1(<module>)
1	1.36e-05	1.36e-05	0.0004199	0.0004199	importtools.py:1(<module>)
1	1.36e-05	1.36e-05	1.36e-05	1.36e-05	miscellaneous.py:379(MinMaxBase)
2	1.36e-05	6.8e-06	0.0452	0.0226	backends.py:45(__get_backends)
1	1.36e-05	1.36e-05	1.36e-05	1.36e-05	lists.py:53(BaseListVariable)
1	1.36e-05	1.36e-05	0.00015	0.00015	graphmatrix.py:1(<module>)
1	1.36e-05	1.36e-05	7.51e-05	7.51e-05	regnet.py:417(RegNet_Y_400MF_Weights)
2	1.36e-05	6.8e-06	5.58e-05	2.79e-05	~:0(<built-in method __operator.ne>)
16	1.35e-05	8.438e-07	2.42e-05	1.513e-06	ctx_mp_python.py:597(make_mpf)
1	1.35e-05	1.35e-05	1.35e-05	1.35e-05	pythonmpq.py:46(PythonMPQ)
1	1.35e-05	1.35e-05	0.0002207	0.0002207	ask_generated.py:1(<module>)
1	1.35e-05	1.35e-05	3.86e-05	3.86e-05	trigonometric.py:553(cos)
1	1.35e-05	1.35e-05	2.63e-05	2.63e-05	matmul.py:24(MatMul)
1	1.35e-05	1.35e-05	1.35e-05	1.35e-05	logging_tensor.py:52(LoggingTensor)
1	1.35e-05	1.35e-05	1.35e-05	1.35e-05	partitioners.py:60(OpTypes)
1	1.35e-05	1.35e-05	0.002827	0.002827	__init__.py:1(<module>)
1	1.35e-05	1.35e-05	0.0001235	0.0001235	spectral.py:1(<module>)
1	1.34e-05	1.34e-05	5.96e-05	5.96e-05	resnet.py:185(ResNet50_QuantizedWeights)
4	1.33e-05	3.325e-06	5.12e-05	1.28e-05	__init__.py:177(register_decomposition)
1	1.33e-05	1.33e-05	0.002319	0.002319	config.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	1.33e-05	1.33e-05	2.28e-05	2.28e-05	vision.py:10(VisionDataset)
4	1.33e-05	3.325e-06	0.000257	6.425e-05	symbol.py:393(__xnew_cached_)
1	1.33e-05	1.33e-05	7.53e-05	7.53e-05	extensions.py:1(<module>)
1	1.33e-05	1.33e-05	0.007446	0.007446	base_backend.py:1(<module>)
1	1.33e-05	1.33e-05	0.0009531	0.0009531	guards.py:2303(PyExprCSEPass)
1	1.33e-05	1.33e-05	0.0003686	0.0003686	metadata.py:9(ShardMetadata)
1	1.33e-05	1.33e-05	1.33e-05	1.33e-05	ctx_manager.py:78(ContextWrappingVariable)
1	1.33e-05	1.33e-05	3.38e-05	3.38e-05	cpu_vec_isa.py:34(VecISA)
1	1.33e-05	1.33e-05	1.33e-05	1.33e-05	utils.py:1021(IndentedBuffer)
1	1.33e-05	1.33e-05	6.97e-05	6.97e-05	efficientnet.py:715(EfficientNet_V2_L_Weights)
7	1.33e-05	1.9e-06	1.33e-05	1.9e-06	<frozen_collections_abc>:104(_check_methods)
32	1.32e-05	4.125e-07	1.86e-05	5.813e-07	_inspect.py:41(iscode)
3	1.32e-05	4.4e-06	6.96e-05	2.32e-05	ast.py:403(visit)
1	1.32e-05	1.32e-05	1.32e-05	1.32e-05	numpy.py:348(SciPyPrinter)
1	1.32e-05	1.32e-05	5.79e-05	5.79e-05	patcher.py:1(<module>)
5	1.32e-05	2.64e-06	1.32e-05	2.64e-06	ctx_base.py:458(memoize)
1	1.32e-05	1.32e-05	1.53e-05	1.53e-05	bessel.py:438(besseli)
1	1.32e-05	1.32e-05	4.33e-05	4.33e-05	tableform.py:1(<module>)
1	1.32e-05	1.32e-05	1.32e-05	1.32e-05	hyperexpand.py:476(Hyper_Function)
1	1.32e-05	1.32e-05	1.32e-05	1.32e-05	plotgrid.py:16(PlotGrid)
1	1.32e-05	1.32e-05	0.0002172	0.0002172	_Appending_byte_serializer.py:66(AppendingByteSerialize
1	1.32e-05	1.32e-05	8.96e-05	8.96e-05	_limiter_utils.py:1(<module>)
1	1.32e-05	1.32e-05	0.0001239	0.0001239	mis.py:1(<module>)
31	1.32e-05	4.258e-07	1.43e-05	4.613e-07	<frozen_collections_abc>:341(__subclasshook__)
12	1.32e-05	1.1e-06	1.32e-05	1.1e-06	~:0(<method 'mro' of 'type' objects>)
5	1.31e-05	2.62e-06	4.55e-05	9.1e-06	warnings.py:168(simplefilter)
1	1.31e-05	1.31e-05	1.31e-05	1.31e-05	indexed.py:362(IndexedBase)
1	1.31e-05	1.31e-05	1.61e-05	1.61e-05	legacy.py:1(<module>)
1	1.31e-05	1.31e-05	2.05e-05	2.05e-05	boolalg.py:68(Boolean)
1	1.31e-05	1.31e-05	0.0008926	0.0008926	_run_automation_details.py:1(<module>)
2	1.31e-05	6.55e-06	0.0003056	0.0001528	kind.py:287(_)
1	1.31e-05	1.31e-05	8.39e-05	8.39e-05	symbol.py:456(Dummy)
1	1.31e-05	1.31e-05	0.001138	0.001138	polynomialring.py:1(<module>)
1	1.31e-05	1.31e-05	5.26e-05	5.26e-05	tree.py:1(<module>)
1	1.31e-05	1.31e-05	1.31e-05	1.31e-05	matplotlib.py:43(MatplotlibBackend)
1	1.31e-05	1.31e-05	7.24e-05	7.24e-05	_unary_ufuncs_impl.py:1(<module>)
1	1.31e-05	1.31e-05	1.31e-05	1.31e-05	functions.py:205(UserFunctionVariable)
1	1.31e-05	1.31e-05	5.28e-05	5.28e-05	efficientnet.py:439(EfficientNet_B0_Weights)
1	1.31e-05	1.31e-05	2.15e-05	2.15e-05	_utils.py:122(BoxCoder)
1	1.3e-05	1.3e-05	1.34e-05	1.34e-05	ssl.py:541(minimum_version)

ncalls	totime	percall	cumtime	percall	
1	1.3e-05	1.3e-05	0.002698	0.002698	ImageEnhance.py:1(<module>)
1	1.3e-05	1.3e-05	0.0007353	0.0007353	_multiformat_message_string.py:1(<module>)
1	1.3e-05	1.3e-05	0.0008729	0.0008729	_message.py:1(<module>)
1	1.3e-05	1.3e-05	4.47e-05	4.47e-05	eigen.py:1(<module>)
3	1.3e-05	4.333e-06	2.24e-05	7.467e-06	operations.py:118(_from_args)
1	1.3e-05	1.3e-05	3.44e-05	3.44e-05	functions.py:1561(PolyfilledFunctionVariable)
1	1.3e-05	1.3e-05	1.46e-05	1.46e-05	multigraph.py:15(MultiGraph)
1	1.3e-05	1.3e-05	6.05e-05	6.05e-05	vision_transformer.py:562(ViT_H_14_Weights)
1	1.29e-05	1.29e-05	6.65e-05	6.65e-05	tasks.py:1794(guess_model_task)
1	1.29e-05	1.29e-05	3.1e-05	3.1e-05	_rectangle.py:12(Rectangle)
1	1.29e-05	1.29e-05	0.0002005	0.0002005	config.py:1432(trace)
1	1.29e-05	1.29e-05	1.81e-05	1.81e-05	intranges.py:1(<module>)
1	1.29e-05	1.29e-05	0.0008832	0.0008832	_stack_frame.py:1(<module>)
1	1.29e-05	1.29e-05	1.79e-05	1.79e-05	functions.py:371(Where)
1	1.29e-05	1.29e-05	1.29e-05	1.29e-05	error_functions.py:912(erfcinv)
1	1.29e-05	1.29e-05	5.79e-05	5.79e-05	eval_frame.py:1877(TorchPatcher)
1	1.29e-05	1.29e-05	2.13e-05	2.13e-05	external_utils.py:153(FakeCompiledAutogradEngine)
1	1.29e-05	1.29e-05	0.0001138	0.0001138	hits_alg.py:1(<module>)
1	1.29e-05	1.29e-05	0.000219	0.000219	link_analysis.py:1(<module>)
2	1.29e-05	6.45e-06	0.003077	0.001538	<frozen importlib._bootstrap_external>:1192(get_resource_
2	1.29e-05	6.45e-06	4.94e-05	2.47e-05	~:0(<built-in method _operator.mul>)
2	1.29e-05	6.45e-06	6.41e-05	3.205e-05	~:0(<built-in method _operator.eq>)
5	1.28e-05	2.56e-06	1.68e-05	3.36e-06	typing.py:1795(_caller)
1	1.28e-05	1.28e-05	7.43e-05	7.43e-05	eurosat.py:1(<module>)
1	1.28e-05	1.28e-05	7.65e-05	7.65e-05	country211.py:1(<module>)
8	1.28e-05	1.6e-06	1.28e-05	1.6e-06	symbolic_convert.py:571(generic_jump)
1	1.28e-05	1.28e-05	7.36e-05	7.36e-05	_functional_collectives.py:567(AsyncCollectiveTensor)
6	1.28e-05	2.133e-06	0.0004436	7.393e-05	init.py:126(register_tensor_creation_op)
1	1.28e-05	1.28e-05	1.59e-05	1.59e-05	runtime_wrappers.py:1023(AOTSyntheticBaseWrapper)
1	1.28e-05	1.28e-05	1.28e-05	1.28e-05	codecache.py:1960(CppCodeCache)
2	1.28e-05	6.4e-06	3.45e-05	1.725e-05	~:0(<built-in method _operator.imul>)
1	1.27e-05	1.27e-05	1.27e-05	1.27e-05	~:0(<method '__iand__' of 'torch._C.TensorBase' objects>)
1	1.27e-05	1.27e-05	1.95e-05	1.95e-05	_collections.py:204(HTTPHeaderDict)
1	1.27e-05	1.27e-05	0.000684	0.000684	cookiejar.py:1246(CookieJar)
1	1.27e-05	1.27e-05	0.002489	0.002489	_artifact_location.py:1(<module>)
1	1.27e-05	1.27e-05	3.62e-05	3.62e-05	powerset.py:10(PowerSet)
1	1.27e-05	1.27e-05	4.89e-05	4.89e-05	immutable.py:30(ImmutableRepMatrix)
1	1.27e-05	1.27e-05	0.0001444	0.0001444	redundancy.py:1(<module>)
4	1.26e-05	3.15e-06	0.0001912	4.78e-05	_pytree.py:1033(tree_flatten)
10	1.26e-05	1.26e-06	1.26e-05	1.26e-06	_meta_registrations.py:16(register_meta)

ncalls	tottime	percall	cumtime	percall	
1	1.26e-05	1.26e-05	1.26e-05	1.26e-05	ElementTree.py:126(Element)
2	1.26e-05	6.3e-06	4.37e-05	2.185e-05	ctx_mp_python.py:368(__new__)
1	1.26e-05	1.26e-05	3.55e-05	3.55e-05	odes.py:1(<module>)
1	1.26e-05	1.26e-05	4.8e-05	4.8e-05	linalg.py:1(<module>)
1	1.26e-05	1.26e-05	4.03e-05	4.03e-05	error_functions.py:288(erfc)
1	1.26e-05	1.26e-05	1.63e-05	1.63e-05	ctx_manager.py:275(JvpIncrementNestingCtxManagerVari
1	1.26e-05	1.26e-05	0.001818	0.001818	vf2userfunc.py:1(<module>)
1	1.26e-05	1.26e-05	5.2e-05	5.2e-05	vgg.py:246(VGG16_BN_Weights)
1	1.26e-05	1.26e-05	6.26e-05	6.26e-05	keypoint_rcnn.py:319(KeypointRCNN_ResNet50_FPN_W
32	1.25e-05	3.906e-07	1.73e-05	5.406e-07	_inspect.py:26(isfunction)
2	1.25e-05	6.25e-06	1.25e-05	6.25e-06	uuid.py:280(__str__)
1	1.25e-05	1.25e-05	1.25e-05	1.25e-05	~:0(<method '__ixor__' of 'torch._C.TensorBase' objects>)
2	1.25e-05	6.25e-06	2.33e-05	1.165e-05	libmpi.py:454(MPI_from_str)
1	1.25e-05	1.25e-05	0.000107	0.000107	config.py:1159(aot_inductor)
1	1.25e-05	1.25e-05	2.72e-05	2.72e-05	_reporting_descriptor_relationship.py:16(ReportingDescrip
1	1.25e-05	1.25e-05	9.2e-05	9.2e-05	_globals.py:1(<module>)
1	1.25e-05	1.25e-05	0.003553	0.003553	decomposition_table.py:1(<module>)
1	1.25e-05	1.25e-05	1.45e-05	1.45e-05	focal_loss.py:1(<module>)
1	1.25e-05	1.25e-05	2.06e-05	2.06e-05	pythonrational.py:1(<module>)
1	1.25e-05	1.25e-05	4.57e-05	4.57e-05	trigonometric.py:2797(acot)
1	1.25e-05	1.25e-05	1.25e-05	1.25e-05	modules.py:606(SubModule)
1	1.25e-05	1.25e-05	5.96e-05	5.96e-05	tools.py:1(<module>)
1	1.25e-05	1.25e-05	1.25e-05	1.25e-05	guards.py:522(NNModuleAttrAccessorInfo)
1	1.25e-05	1.25e-05	1.25e-05	1.25e-05	reportviews.py:1048(OutEdgeView)
2	1.24e-05	6.2e-06	0.02323	0.01161	__init__.py:339(__getattr__)
1	1.24e-05	1.24e-05	1.24e-05	1.24e-05	~:0(<method 'add_' of 'torch._C.TensorBase' objects>)
1	1.24e-05	1.24e-05	0.09751	0.09751	_meta_registrations.py:1(<module>)
1	1.24e-05	1.24e-05	6.34e-05	6.34e-05	functions.py:183(FloorDiv)
1	1.24e-05	1.24e-05	1.24e-05	1.24e-05	factorials.py:36(factorial)
1	1.24e-05	1.24e-05	1.24e-05	1.24e-05	sparse_ndim_array.py:11(SparseNDimArray)
1	1.24e-05	1.24e-05	1.38e-05	1.38e-05	residues.py:1(<module>)
1	1.24e-05	1.24e-05	0.0001101	0.0001101	output_graph.py:1947(SubgraphTracer)
1	1.24e-05	1.24e-05	0.0001229	0.0001229	extendability.py:1(<module>)
1	1.24e-05	1.24e-05	5.14e-05	5.14e-05	googlenet.py:109(GoogLeNet_QuantizedWeights)
5	1.23e-05	2.46e-06	9.48e-05	1.896e-05	functools.py:649(cache)
1	1.23e-05	1.23e-05	8.52e-05	8.52e-05	socket.py:497(_real_close)
1	1.23e-05	1.23e-05	2.73e-05	2.73e-05	flowers102.py:10(Flowers102)
1	1.23e-05	1.23e-05	0.0003453	0.0003453	transpose.py:1(<module>)
2	1.23e-05	6.15e-06	2.11e-05	1.055e-05	matexpr.py:81(__new__)
1	1.23e-05	1.23e-05	0.000135	0.000135	_api.py:117(_FromTorchTensor)

ncalls	tottime	percall	cumtime	percall	
1	1.23e-05	1.23e-05	5.93e-05	5.93e-05	regnet.py:461(RegNet_Y_800MF_Weights)
1	1.23e-05	1.23e-05	2.8e-05	2.8e-05	mvit.py:195(MultiscaleAttention)
1	1.23e-05	1.23e-05	5.2e-05	5.2e-05	squeezeenet.py:124(SqueezeNet1_0_Weights)
1	1.23e-05	1.23e-05	0.0003454	0.0003454	resnet.py:197(VideoResNet)
45	1.23e-05	2.733e-07	1.23e-05	2.733e-07	~:0(<built-in method builtins.globals>)
1	1.22e-05	1.22e-05	1.26e-05	1.26e-05	model.py:1038(_reset_ckpt_args)
1	1.22e-05	1.22e-05	0.02517	0.02517	custom_ops.py:673(register_vmap)
1	1.22e-05	1.22e-05	0.0001019	0.0001019	structures.py:1(<module>)
1	1.22e-05	1.22e-05	1.55e-05	1.55e-05	giou_loss.py:1(<module>)
3	1.22e-05	4.067e-06	1.35e-05	4.5e-06	utils.py:4064(is_tensor_base_attr_getter)
1	1.22e-05	1.22e-05	1.22e-05	1.22e-05	extrapolation.py:266(levin_class)
2	1.22e-05	6.1e-06	3.85e-05	1.925e-05	realfield.py:121(dtype)
1	1.22e-05	1.22e-05	0.03754	0.03754	slice.py:1(<module>)
1	1.22e-05	1.22e-05	0.0008795	0.0008795	op_registry_utils.py:1(<module>)
1	1.22e-05	1.22e-05	0.0001199	0.0001199	chains.py:1(<module>)
1	1.22e-05	1.22e-05	0.0001121	0.0001121	centrality.py:1(<module>)
1	1.22e-05	1.22e-05	0.0001601	0.0001601	mobilenetv2.py:67(MobileNetV2)
1	1.22e-05	1.22e-05	6.04e-05	6.04e-05	resnet.py:442(ResNet152_Weights)
1	1.22e-05	1.22e-05	5.2e-05	5.2e-05	retinanet.py:684(RetinaNet_ResNet50_FPN_Weights)
2	1.21e-05	6.05e-06	2.61e-05	1.305e-05	_jit_internal.py:124(_qualified_name)
1	1.21e-05	1.21e-05	0.001009	0.001009	gtk.py:1(<module>)
1	1.21e-05	1.21e-05	1.21e-05	1.21e-05	modulefinder.py:114(ModuleFinder)
1	1.21e-05	1.21e-05	0.0001486	0.0001486	_op_schema.py:509(OpInfo)
1	1.21e-05	1.21e-05	0.0001572	0.0001572	schemas.py:877(AOTConfig)
1	1.21e-05	1.21e-05	6.12e-05	6.12e-05	swin_transformer.py:574(Swin3D_B_Weights)
1	1.21e-05	1.21e-05	5.5e-05	5.5e-05	deeplabv3.py:141(DeepLabV3_ResNet50_Weights)
1	1.21e-05	1.21e-05	4.72e-05	4.72e-05	swin_transformer.py:543(Swin3D_S_Weights)
35	1.21e-05	3.457e-07	1.21e-05	3.457e-07	~:0(<built-in method _sre.unicode_tolower>)
1	1.2e-05	1.2e-05	7.73e-05	7.73e-05	matrices.py:1(<module>)
1	1.2e-05	1.2e-05	0.001061	0.001061	conflict.py:1(<module>)
5	1.2e-05	2.4e-06	0.0001184	2.368e-05	numbers.py:1622(__eq__)
1	1.2e-05	1.2e-05	4.09e-05	4.09e-05	function.py:382(Function)
1	1.2e-05	1.2e-05	1.2e-05	1.2e-05	factorials.py:664(FallingFactorial)
1	1.2e-05	1.2e-05	1.2e-05	1.2e-05	functions.py:1734(DynamoTritonHOPifier)
1	1.2e-05	1.2e-05	1.2e-05	1.2e-05	codecache.py:1365(CudaKernelParamCache)
1	1.2e-05	1.2e-05	4.99e-05	4.99e-05	densenet.py:267(DenseNet121_Weights)
47	1.19e-05	2.532e-07	1.19e-05	2.532e-07	dataclasses.py:1293(<genexpr>)
2	1.19e-05	5.95e-06	0.0001029	5.145e-05	__init__.py:87(__init__)
1	1.19e-05	1.19e-05	0.000295	0.000295	recording.py:80(ShapeEnvEvent)
1	1.19e-05	1.19e-05	2.39e-05	2.39e-05	polynomials.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	1.19e-05	1.19e-05	2.13e-05	2.13e-05	approximation.py:1(<module>)
1	1.19e-05	1.19e-05	1.19e-05	1.19e-05	ctx_mp_python.py:359(_mpc)
1	1.19e-05	1.19e-05	0.0001199	0.0001199	dense_ndim_array.py:13(DenseNDimArray)
1	1.19e-05	1.19e-05	1.19e-05	1.19e-05	plane.py:30(Plane)
1	1.19e-05	1.19e-05	0.001248	0.001248	_triton.py:6(has_triton_package)
1	1.19e-05	1.19e-05	9.23e-05	9.23e-05	misc.py:1554(RandomVariable)
1	1.19e-05	1.19e-05	6.56e-05	6.56e-05	regnet.py:1128(RegNet_X_32GF_Weights)
1	1.19e-05	1.19e-05	5.71e-05	5.71e-05	resnet.py:485(ResNeXt50_32X4D_Weights)
4	1.18e-05	2.95e-06	2.26e-05	5.65e-06	__init__.py:892(__addHandlerRef)
1	1.18e-05	1.18e-05	0.0001312	0.0001312	downloads.py:423(attempt_download_asset)
1	1.18e-05	1.18e-05	2.41e-05	2.41e-05	ucf101.py:12(UCF101)
10	1.18e-05	1.18e-06	1.56e-05	1.56e-06	gaussiandomains.py:27(new)
1	1.18e-05	1.18e-05	1.18e-05	1.18e-05	polynomialring.py:10(PolynomialRing)
1	1.18e-05	1.18e-05	4.63e-05	4.63e-05	device_interface.py:326(CpuInterface)
1	1.18e-05	1.18e-05	0.0002999	0.0002999	trace_rules.py:3589(FunctionInfo)
1	1.18e-05	1.18e-05	1.18e-05	1.18e-05	misc.py:854(GetAttrVariable)
1	1.18e-05	1.18e-05	0.0001038	0.0001038	interval_graph.py:1(<module>)
2	1.18e-05	5.9e-06	3.65e-05	1.825e-05	~:0(<built-in method __operator.add>)
1	1.17e-05	1.17e-05	8.69e-05	8.69e-05	functools.py:730(__compose_mro)
3	1.17e-05	3.9e-06	6.31e-05	2.103e-05	numbers.py:1306(__new__)
2	1.17e-05	5.85e-06	2.5e-05	1.25e-05	ctx_mp_python.py:612(__set_prec)
1	1.17e-05	1.17e-05	1.17e-05	1.17e-05	polytools.py:7556(GroebnerBasis)
1	1.17e-05	1.17e-05	4.34e-05	4.34e-05	error_functions.py:49(erf)
1	1.17e-05	1.17e-05	1.17e-05	1.17e-05	hyper.py:391(meijerg)
1	1.17e-05	1.17e-05	0.001624	0.001624	mathieu_functions.py:1(<module>)
1	1.17e-05	1.17e-05	0.0001479	0.0001479	functions.py:447(LocalGeneratorObjectVariable)
1	1.17e-05	1.17e-05	1.17e-05	1.17e-05	_op_schema.py:142(OpStrategy)
2	1.17e-05	5.85e-06	0.00018	9e-05	~:0(<built-in method __operator.lshift>)
4	1.16e-05	2.9e-06	1.16e-05	2.9e-06	inspect.py:1809(__shadowed_dict_from_weakref_mro_tuple)
1	1.16e-05	1.16e-05	1.72e-05	1.72e-05	signals.py:1(<module>)
1	1.16e-05	1.16e-05	1.21e-05	1.21e-05	gmpyintegerring.py:14(GMPYIntegerRing)
1	1.16e-05	1.16e-05	1.16e-05	1.16e-05	memoization.py:1(<module>)
1	1.16e-05	1.16e-05	0.0002793	0.0002793	trace_rules.py:2950(FunctionIdSet)
1	1.16e-05	1.16e-05	0.0005998	0.0005998	shard.py:1(<module>)
1	1.16e-05	1.16e-05	4.05e-05	4.05e-05	lazy_imports.py:1(<module>)
1	1.16e-05	1.16e-05	1.16e-05	1.16e-05	reportviews.py:1291(InEdgeView)
1	1.16e-05	1.16e-05	0.000109	0.000109	time_series.py:1(<module>)
1	1.16e-05	1.16e-05	0.0003138	0.0003138	efficientnet.py:232(EfficientNet)
1	1.16e-05	1.16e-05	5.82e-05	5.82e-05	regnet.py:815(RegNet_Y_128GF_Weights)
2	1.15e-05	5.75e-06	0.001264	0.000632	_jit_internal.py:990(__check_overload_body)

ncalls	tottime	percall	cumtime	percall	
1	1.15e-05	1.15e-05	1.15e-05	1.15e-05	maple.py:84(MapleCodePrinter)
1	1.15e-05	1.15e-05	1.15e-05	1.15e-05	wait.py:1(<module>)
1	1.15e-05	1.15e-05	3.8e-05	3.8e-05	ssl_match_hostname.py:1(<module>)
1	1.15e-05	1.15e-05	1.15e-05	1.15e-05	sparse.py:21(SparseRepMatrix)
1	1.15e-05	1.15e-05	1.15e-05	1.15e-05	_dispatch.py:110(OpDispatcher)
1	1.15e-05	1.15e-05	2.58e-05	2.58e-05	_location_relationship.py:12(LocationRelationship)
1	1.15e-05	1.15e-05	0.0004586	0.0004586	onnxruntime.py:675(OrtBackendOptions)
1	1.15e-05	1.15e-05	1.15e-05	1.15e-05	symbolic_convert.py:310(TensorifyState)
9	1.15e-05	1.278e-06	2.57e-05	2.856e-06	pythonmpq.py:93(_new_check)
6	1.15e-05	1.917e-06	3.48e-05	5.8e-06	numbers.py:3598(__hash__)
1	1.15e-05	1.15e-05	1.15e-05	1.15e-05	modules.py:1280(ModuleElement)
1	1.15e-05	1.15e-05	1.15e-05	1.15e-05	array_comprehension.py:10(ArrayComprehension)
1	1.15e-05	1.15e-05	0.0001245	0.0001245	semiconnected.py:1(<module>)
1	1.15e-05	1.15e-05	0.0001013	0.0001013	vitality.py:1(<module>)
1	1.15e-05	1.15e-05	6.77e-05	6.77e-05	regnet.py:549(RegNet_Y_3_2GF_Weights)
1	1.15e-05	1.15e-05	6.53e-05	6.53e-05	efficientnet.py:685(EfficientNet_V2_M_Weights)
11	1.14e-05	1.036e-06	1.14e-05	1.036e-06	custom_ops.py:285(register_kernel)
1	1.14e-05	1.14e-05	2.84e-05	2.84e-05	_web_response.py:15WebResponse
1	1.14e-05	1.14e-05	1.21e-05	1.21e-05	facts.py:75(transitive_closure)
1	1.14e-05	1.14e-05	1.24e-05	1.24e-05	_random.py:95(RNGStateTracker)
1	1.14e-05	1.14e-05	1.14e-05	1.14e-05	_einsum_strategy.py:15(EinsumDims)
1	1.14e-05	1.14e-05	2.71e-05	2.71e-05	torch.py:402(TorchInGraphFunctionVariable)
1	1.14e-05	1.14e-05	8.11e-05	8.11e-05	runtime_wrappers.py:1757(AOTDispatchAutograd)
1	1.14e-05	1.14e-05	0.0003128	0.0003128	coreviews.py:1(<module>)
1	1.14e-05	1.14e-05	0.0001065	0.0001065	temporalisomorphvf2.py:1(<module>)
1	1.14e-05	1.14e-05	6.44e-05	6.44e-05	regnet.py:593(RegNet_Y_8GF_Weights)
1	1.14e-05	1.14e-05	5.66e-05	5.66e-05	resnet.py:639(Wide_ResNet101_2_Weights)
1	1.13e-05	1.13e-05	1.13e-05	1.13e-05	~:0(<method 'sub_' of 'torch._C.TensorBase' objects>)
1	1.13e-05	1.13e-05	1.13e-05	1.13e-05	modules.py:204(Module)
1	1.13e-05	1.13e-05	1.13e-05	1.13e-05	models.py:640(Response)
1	1.13e-05	1.13e-05	1.13e-05	1.13e-05	_onnx_program.py:112(ONNXProgram)
1	1.13e-05	1.13e-05	1.13e-05	1.13e-05	ctx_iv.py:38(ivmpf)
5	1.13e-05	2.26e-06	0.0001435	2.87e-05	misc.py:181(debug_decorator)
1	1.13e-05	1.13e-05	1.13e-05	1.13e-05	exprtools.py:288(Factors)
1	1.13e-05	1.13e-05	0.0001989	0.0001989	monomials.py:387(MonomialOps)
1	1.13e-05	1.13e-05	8.07e-05	8.07e-05	trigonometric.py:2029(InverseTrigonometricFunction)
1	1.13e-05	1.13e-05	1.13e-05	1.13e-05	tensor_functions.py:42(LeviCivita)
1	1.13e-05	1.13e-05	0.02926	0.02926	__init__.py:1(<module>)
1	1.13e-05	1.13e-05	1.13e-05	1.13e-05	torch_function.py:363(TorchFunctionModeVariable)
1	1.13e-05	1.13e-05	2.12e-05	2.12e-05	efficientnet.py:46(_MBConvConfig)

ncalls	tottime	percall	cumtime	percall	
1	1.13e-05	1.13e-05	6.31e-05	6.31e-05	regnet.py:864(RegNet_X_400MF_Weights)
1	1.13e-05	1.13e-05	0.0002544	0.0002544	resnet.py:166(ResNet)
4	1.12e-05	2.8e-06	1.32e-05	3.3e-06	retry.py:242(<genexpr>)
1	1.12e-05	1.12e-05	0.0002527	0.0002527	misc.py:175(Conv3dNormActivation)
1	1.12e-05	1.12e-05	5.95e-05	5.95e-05	numbers.py:3343(NaN)
6	1.12e-05	1.867e-06	6.28e-05	1.047e-05	symbolic_helper.py:1761(_overload_by_arg_count)
1	1.12e-05	1.12e-05	7.59e-05	7.59e-05	pythonrationalfield.py:1(<module>)
1	1.12e-05	1.12e-05	3.69e-05	3.69e-05	trigonometric.py:2343acos)
1	1.12e-05	1.12e-05	0.002743	0.002743	mutable_ndim_array.py:1(<module>)
1	1.12e-05	1.12e-05	0.0001247	0.0001247	_flat_param.py:104(HandleShardingStrategy)
1	1.12e-05	1.12e-05	2.69e-05	2.69e-05	device_interface.py:370(MpsInterface)
1	1.12e-05	1.12e-05	1.12e-05	1.12e-05	operators.py:1(<module>)
1	1.12e-05	1.12e-05	0.00094	0.00094	mst.py:974(SpanningTreeIterator)
1	1.12e-05	1.12e-05	0.0001145	0.0001145	vertex_cover.py:1(<module>)
1	1.12e-05	1.12e-05	5.5e-05	5.5e-05	deeplabv3.py:183(DeepLabV3_MobileNet_V3_Large_Wei
1	1.12e-05	1.12e-05	7.86e-05	7.86e-05	~:0(<built-in method _operator.matmul>)
2	1.12e-05	5.6e-06	0.0001464	7.32e-05	~:0(<built-in method _operator.rshift>)
2	1.11e-05	5.55e-06	0.0001804	9.02e-05	pathlib.py:731(parent)
1	1.11e-05	1.11e-05	0.001105	0.001105	_markupbase.py:1(<module>)
1	1.11e-05	1.11e-05	1.11e-05	1.11e-05	_meta.py:1(<module>)
25	1.11e-05	4.44e-07	1.11e-05	4.44e-07	symbolic_helper.py:617(_block_list_in_opset)
8	1.11e-05	1.388e-06	3.24e-05	4.05e-06	sympify.py:78(is_numpy_instance)
3	1.11e-05	3.7e-06	2.08e-05	6.933e-06	intfunc.py:162(igcd)
2	1.11e-05	5.55e-06	1.28e-05	6.4e-06	operations.py:613(__init__)
1	1.11e-05	1.11e-05	5.26e-05	5.26e-05	ring.py:1(<module>)
1	1.11e-05	1.11e-05	4e-05	4e-05	numbers.py:609(bell)
1	1.11e-05	1.11e-05	1.11e-05	1.11e-05	autotune_cache.py:228(_AutotuneCacheBundlerImpl)
1	1.11e-05	1.11e-05	2.21e-05	2.21e-05	fcos.py:31(FCOSHead)
1	1.11e-05	1.11e-05	5.07e-05	5.07e-05	shufflenetv2.py:128(ShuffleNet_V2_X0_5_QuantizedWeig
2	1.11e-05	5.55e-06	8.95e-05	4.475e-05	~:0(<built-in method _operator.isub>)
1	1.e-05	1.e-05	1.41e-05	1.41e-05	mock.py:1632(__get_target)
1	1.e-05	1.e-05	1.e-05	1.e-05	_util.py:1(<module>)
1	1.e-05	1.e-05	6.49e-05	6.49e-05	config.py:683(decide_compile_threads)
1	1.e-05	1.e-05	3.13e-05	3.13e-05	omniglot.py:11(Omniglot)
1	1.e-05	1.e-05	9.86e-05	9.86e-05	lfw.py:10(LFW)
5	1.e-05	2.2e-06	1.e-05	2.2e-06	rszeta.py:54(__init__)
1	1.e-05	1.e-05	1.e-05	1.e-05	dispatcher.py:89(Dispatcher)
1	1.e-05	1.e-05	0.1127	0.1127	decorator.py:16(threaded_factory)
2	1.e-05	5.5e-06	5.91e-05	2.955e-05	basic.py:2117(__exec_constructor_postprocessors)
3	1.e-05	3.667e-06	5.02e-05	1.673e-05	numbers.py:1374(__new__)

ncalls	tottime	percall	cumtime	percall	
1	1.1e-05	1.1e-05	1.1e-05	1.1e-05	permutation.py:168(MatrixPermute)
1	1.1e-05	1.1e-05	1.22e-05	1.22e-05	matexpr.py:739(_LeftRightArgs)
4	1.1e-05	2.75e-06	0.0002078	5.195e-05	trace_rules.py:3489(<genexpr>)
1	1.1e-05	1.1e-05	5.06e-05	5.06e-05	fcn.py:60(FCN_ResNet50_Weights)
1	1.1e-05	1.1e-05	2.82e-05	2.82e-05	<frozen ntpath>.350(expanduser)
2	1.09e-05	5.45e-06	1.52e-05	7.6e-06	solution_base.py:436(generate_nested_calculator_params)
8	1.09e-05	1.363e-06	1.09e-05	1.363e-06	__init__.py:54(__getattr__)
1	1.09e-05	1.09e-05	1.13e-05	1.13e-05	tasks.py:271(info)
1	1.09e-05	1.09e-05	0.0003521	0.0003521	conventions.py:1(<module>)
1	1.09e-05	1.09e-05	1.09e-05	1.09e-05	trigonometric.py:1572(ReciprocalTrigonometricFunction)
1	1.09e-05	1.09e-05	2.67e-05	2.67e-05	numbers.py:189(fibonacci)
1	1.09e-05	1.09e-05	0.001988	0.001988	expr_with_intlimits.py:1(<module>)
1	1.09e-05	1.09e-05	5.64e-05	5.64e-05	_getlimits.py:1(<module>)
1	1.09e-05	1.09e-05	1.09e-05	1.09e-05	_utils.py:1(<module>)
1	1.09e-05	1.09e-05	9.4e-05	9.4e-05	api.py:112(MixedPrecision)
5	1.09e-05	2.18e-06	2.98e-05	5.96e-06	utils.py:47(wrapper)
1	1.09e-05	1.09e-05	1.09e-05	1.09e-05	lists.py:841(NamedTupleVariable)
1	1.09e-05	1.09e-05	0.0001493	0.0001493	heaps.py:1(<module>)
1	1.09e-05	1.09e-05	0.0001045	0.0001045	adjacency.py:1(<module>)
1	1.09e-05	1.09e-05	8.75e-05	8.75e-05	nx_latex.py:1(<module>)
1	1.09e-05	1.09e-05	5.18e-05	5.18e-05	swin_transformer.py:512(Swin3D_T_Weights)
15	1.08e-05	7.2e-07	1.44e-05	9.6e-07	typing.py:993(_is_typevar_like)
1	1.08e-05	1.08e-05	1.08e-05	1.08e-05	~:0(<method '__irshift__' of 'torch._C.TensorBase' objects>
31	1.08e-05	3.484e-07	1.08e-05	3.484e-07	_internal.py:155(is_artifact_enabled)
1	1.08e-05	1.08e-05	4.55e-05	4.55e-05	probe.py:1(<module>)
1	1.08e-05	1.08e-05	2.53e-05	2.53e-05	dtd.py:11(DTD)
1	1.08e-05	1.08e-05	6.62e-05	6.62e-05	ImageStat.py:1(<module>)
1	1.08e-05	1.08e-05	6.52e-05	6.52e-05	hmdb51.py:13(HMDB51)
1	1.08e-05	1.08e-05	0.004607	0.004607	__init__.py:1(<module>)
1	1.08e-05	1.08e-05	0.0009639	0.0009639	field.py:1(<module>)
1	1.08e-05	1.08e-05	1.08e-05	1.08e-05	gamma_functions.py:222(lowergamma)
1	1.08e-05	1.08e-05	1.2e-05	1.2e-05	_math_ops.py:55(_NormPartial)
1	1.08e-05	1.08e-05	1.08e-05	1.08e-05	indexed.py:124(Indexed)
1	1.08e-05	1.08e-05	1.08e-05	1.08e-05	repmatrix.py:555(MutableRepMatrix)
1	1.08e-05	1.08e-05	1.08e-05	1.08e-05	session.py:1(<module>)
1	1.08e-05	1.08e-05	0.04729	0.04729	__init__.py:1(<module>)
1	1.08e-05	1.08e-05	0.0001116	0.0001116	_fsdp_common.py:88(TrainingState)
1	1.08e-05	1.08e-05	0.0001001	0.0001001	ego.py:1(<module>)
1	1.08e-05	1.08e-05	4.68e-05	4.68e-05	mobilenetv3.py:340(MobileNet_V3_Small_Weights)
1	1.08e-05	1.08e-05	5.05e-05	5.05e-05	swin_transformer.py:652(Swin_T_Weights)

ncalls	tottime	percall	cumtime	percall	
1	1.08e-05	1.08e-05	6.42e-05	6.42e-05	vgg.py:286(VGG19_BN_Weights)
1	1.08e-05	1.08e-05	1.08e-05	1.08e-05	~:0(<built-in method math.log2>)
2	1.08e-05	5.4e-06	9.24e-05	4.62e-05	~:0(<built-in method __operator.ilshift>)
2	1.07e-05	5.35e-06	0.001249	0.0006247	_sources.py:120(parse_def)
1	1.07e-05	1.07e-05	0.001506	0.001506	auth.py:1(<module>)
1	1.07e-05	1.07e-05	9.99e-05	9.99e-05	clevr.py:12(CLEVRClassification)
1	1.07e-05	1.07e-05	1.35e-05	1.35e-05	gammazeta.py:394(bernoulli_size)
1	1.07e-05	1.07e-05	1.07e-05	1.07e-05	sets.py:1319(Union)
1	1.07e-05	1.07e-05	0.0003773	0.0003773	adjoint.py:1(<module>)
1	1.07e-05	1.07e-05	4.68e-05	4.68e-05	mnasnet.py:288(MNASNet1_3_Weights)
1	1.07e-05	1.07e-05	5.48e-05	5.48e-05	regnet.py:1040(RegNet_X_8GF_Weights)
1	1.07e-05	1.07e-05	0.004472	0.004472	__init__.py:1(<module>)
1	1.07e-05	1.07e-05	4.96e-05	4.96e-05	resnet.py:164(ResNet18_QuantizedWeights)
1	1.06e-05	1.06e-05	5.89e-05	5.89e-05	domainscalar.py:1(<module>)
1	1.06e-05	1.06e-05	2.53e-05	2.53e-05	poolmanager.py:199(__init__)
1	1.06e-05	1.06e-05	2.57e-05	2.57e-05	_translation_metadata.py:15(TranslationMetadata)
1	1.06e-05	1.06e-05	0.001897	0.001897	polyoptions.py:397(Domain)
1	1.06e-05	1.06e-05	1.06e-05	1.06e-05	gaussiandomains.py:16(GaussianElement)
1	1.06e-05	1.06e-05	0.000995	0.000995	gmpyfinitefield.py:1(<module>)
15	1.06e-05	7.067e-07	3.08e-05	2.053e-06	pretty_symbology.py:235(<lambd>)
1	1.06e-05	1.06e-05	8.37e-05	8.37e-05	numbers.py:419(bernoulli)
1	1.06e-05	1.06e-05	3.61e-05	3.61e-05	hyperbolic.py:1884(asech)
1	1.06e-05	1.06e-05	0.005086	0.005086	homomorphisms.py:1(<module>)
1	1.06e-05	1.06e-05	0.004976	0.004976	__init__.py:1(<module>)
1	1.06e-05	1.06e-05	1.06e-05	1.06e-05	eval_frame.py:1102(FlattenInputOutputSignature)
4	1.06e-05	2.65e-06	5.7e-05	1.425e-05	_common.py:41(decorator_sharded_func)
1	1.06e-05	1.06e-05	0.0001044	0.0001044	edgebfs.py:1(<module>)
1	1.06e-05	1.06e-05	4.83e-05	4.83e-05	efficientnet.py:511(EfficientNet_B2_Weights)
1	1.06e-05	1.06e-05	5.43e-05	5.43e-05	regnet.py:996(RegNet_X_3_2GF_Weights)
1	1.06e-05	1.06e-05	2.69e-05	2.69e-05	_utils.py:11(BalancedPositiveNegativeSampler)
1	1.06e-05	1.06e-05	4.56e-05	4.56e-05	fcn.py:81(FCN_ResNet101_Weights)
1	1.05e-05	1.05e-05	5.3e-05	5.3e-05	convnext.py:209(ConvNeXt_Tiny_Weights)
1	1.05e-05	1.05e-05	1.05e-05	1.05e-05	expressionrawdomain.py:12(ExpressionRawDomain)
1	1.05e-05	1.05e-05	0.001035	0.001035	pythonfinitefield.py:1(<module>)
1	1.05e-05	1.05e-05	0.01587	0.01587	__init__.py:1(<module>)
1	1.05e-05	1.05e-05	1.05e-05	1.05e-05	fields.py:292(FracElement)
1	1.05e-05	1.05e-05	1.09e-05	1.09e-05	series.py:989(Line2DBaseSeries)
5	1.05e-05	2.1e-06	4.4e-05	8.8e-06	utils.py:38(register_prop_rule)
1	1.05e-05	1.05e-05	0.0001214	0.0001214	_fsdp_param.py:147(ShardedState)
1	1.05e-05	1.05e-05	5.05e-05	5.05e-05	shufflenetv2.py:193(ShuffleNet_V2_X0_5_Weights)

ncalls	tottime	percall	cumtime	percall	
1	1.05e-05	1.05e-05	5.47e-05	5.47e-05	regnet.py:952(RegNet_X_1_6GF_Weights)
2	1.05e-05	5.25e-06	0.0001701	8.505e-05	~:0(<built-in method _operator.pow>)
1	1.04e-05	1.04e-05	1.04e-05	1.04e-05	~:0(<built-in method torch.get_default_dtype>)
28	1.04e-05	3.714e-07	1.04e-05	3.714e-07	__init__.py:772(__bool__)
1	1.04e-05	1.04e-05	0.001058	0.001058	_meta_registrations.py:11(get_meta_lib)
1	1.04e-05	1.04e-05	0.0001608	0.0001608	image.py:22(ImageReadMode)
1	1.04e-05	1.04e-05	8.14e-05	8.14e-05	_stereo_matching.py:138(CarlaStereo)
1	1.04e-05	1.04e-05	1.04e-05	1.04e-05	fractionfield.py:9(FractionField)
1	1.04e-05	1.04e-05	3.92e-05	3.92e-05	decorators.py:214(inner)
1	1.04e-05	1.04e-05	1.04e-05	1.04e-05	integrals.py:35(Integral)
1	1.04e-05	1.04e-05	1.04e-05	1.04e-05	interval_arithmetic.py:42(interval)
1	1.04e-05	1.04e-05	6.82e-05	6.82e-05	chunk_sharding_spec.py:26(ChunkShardingSpec)
1	1.04e-05	1.04e-05	0.002002	0.002002	__init__.py:1(<module>)
1	1.04e-05	1.04e-05	1.04e-05	1.04e-05	make_functional.py:246(FunctionalModuleWithBuffers)
1	1.04e-05	1.04e-05	5.2e-05	5.2e-05	filters.py:1(<module>)
1	1.04e-05	1.04e-05	0.0001026	0.0001026	laplacian.py:1(<module>)
1	1.04e-05	1.04e-05	6.98e-05	6.98e-05	ismags.py:1(<module>)
4	1.03e-05	2.575e-06	1.03e-05	2.575e-06	~:0(<built-in method mediapipe.python._framework_bindi
1	1.03e-05	1.03e-05	0.0005304	0.0005304	_register_onnx_ops.py:103(_register_custom_op)
1	1.03e-05	1.03e-05	3.17e-05	3.17e-05	_optical_flow.py:88(Sintel)
1	1.03e-05	1.03e-05	3.09e-05	3.09e-05	_optical_flow.py:179(KittiFlow)
1	1.03e-05	1.03e-05	1.37e-05	1.37e-05	_stereo_matching.py:1057(InStereo2k)
1	1.03e-05	1.03e-05	2.49e-05	2.49e-05	sun397.py:10(SUN397)
1	1.03e-05	1.03e-05	4.27e-05	4.27e-05	ctx_mp_python.py:512(__div__)
1	1.03e-05	1.03e-05	2.14e-05	2.14e-05	sbu.py:11(SBU)
1	1.03e-05	1.03e-05	2.5e-05	2.5e-05	_reporting_descriptor_reference.py:15(ReportingDescripto
1	1.03e-05	1.03e-05	1.26e-05	1.26e-05	_globals.py:17(_InternalGlobals)
45	1.03e-05	2.289e-07	1.03e-05	2.289e-07	ctx_iv.py:394(<lambda>)
1	1.03e-05	1.03e-05	1.03e-05	1.03e-05	cnf.py:270(CNF)
1	1.03e-05	1.03e-05	4.49e-05	4.49e-05	error_functions.py:2383(fresnels)
1	1.03e-05	1.03e-05	1.03e-05	1.03e-05	rcode.py:78(RCodePrinter)
1	1.02e-05	1.02e-05	1.16e-05	1.16e-05	_utils.py:276(__validate_loaded_sparse_tensors)
12	1.02e-05	8.5e-07	1.02e-05	8.5e-07	library.py:1377(__check_pystubs_once)
4	1.02e-05	2.55e-06	1.02e-05	2.55e-06	_config_module.py:172(ConfigModuleInstance)
1	1.02e-05	1.02e-05	2.36e-05	2.36e-05	_notification.py:18(Notification)
32	1.02e-05	3.188e-07	1.02e-05	3.188e-07	decorators.py:196(sympify_return)
1	1.02e-05	1.02e-05	1.02e-05	1.02e-05	mathml.py:84(MathMLContentPrinter)
1	1.02e-05	1.02e-05	1.02e-05	1.02e-05	fancysets.py:1110(ComplexRegion)
1	1.02e-05	1.02e-05	2.047	2.047	functions.py:1(<module>)
1	1.02e-05	1.02e-05	0.0001183	0.0001183	style.py:561(PrepareModuleOutput)

ncalls	tottime	percall	cumtime	percall	
1	1.02e-05	1.02e-05	2.48e-05	2.48e-05	nn_module.py:802(UnspecializedNNModuleVariable)
1	1.02e-05	1.02e-05	9.86e-05	9.86e-05	kclique.py:1(<module>)
1	1.02e-05	1.02e-05	4.91e-05	4.91e-05	maxvit.py:771(MaxViT_Weights)
1	1.02e-05	1.02e-05	5.5e-05	5.5e-05	faster_rcnn.py:381(FasterRCNN_ResNet50_FPN_Weights)
1	1.02e-05	1.02e-05	5.12e-05	5.12e-05	mobilenetv3.py:161(MobileNet_V3_Large_QuantizedWeights)
4	1.01e-05	2.525e-06	1.56e-05	3.9e-06	typing.py:2369(get_args)
1	1.01e-05	1.01e-05	1.01e-05	1.01e-05	storage.py:555(_dtype_to_storage_type_map)
1	1.01e-05	1.01e-05	6.78e-05	6.78e-05	serialization.py:742(__exit__)
1	1.01e-05	1.01e-05	1.13e-05	1.13e-05	fractions.py:186(__new__)
1	1.01e-05	1.01e-05	1.3e-05	1.3e-05	__init__.py:1(<module>)
1	1.01e-05	1.01e-05	2.42e-05	2.42e-05	_web_request.py:15(WebRequest)
1	1.01e-05	1.01e-05	2.36e-05	2.36e-05	_tool_component_reference.py:12(ToolComponentReference)
5	1.01e-05	2.02e-06	5.42e-05	1.084e-05	symbolic_opset9.py:1969(wrap_logical_op_with_negation)
1	1.01e-05	1.01e-05	1.01e-05	1.01e-05	ctx_iv.py:304(MPIIntervalContext)
3	1.01e-05	3.367e-06	3.25e-05	1.083e-05	expr.py:220(__neg__)
1	1.01e-05	1.01e-05	1.33e-05	1.33e-05	binrel.py:15(BinaryRelation)
1	1.01e-05	1.01e-05	1.7e-05	1.7e-05	generate.py:45(__init__)
1	1.01e-05	1.01e-05	1.01e-05	1.01e-05	error_functions.py:674(erf2)
1	1.01e-05	1.01e-05	0.0001012	0.0001012	lists.py:695(SizeVariable)
1	1.01e-05	1.01e-05	1.11e-05	1.11e-05	gexf.py:181(GEXF)
1	1.01e-05	1.01e-05	4.99e-05	4.99e-05	mnasnet.py:221(MNASNet0_5_Weights)
1	1.01e-05	1.01e-05	4.78e-05	4.78e-05	vgg.py:117(VGG11_Weights)
1	1.01e-05	1.01e-05	4.92e-05	4.92e-05	mvit.py:601(MViT_V1_B_Weights)
2	1e-05	5e-06	3.52e-05	1.76e-05	_config_module.py:774(__getattr__)
10	1e-05	1e-06	1e-05	1e-06	quadrature.py:21(__init__)
22	1e-05	4.545e-07	1e-05	4.545e-07	symbol.py:799(<genexpr>)
1	1e-05	1e-05	6.23e-05	6.23e-05	fractionfield.py:1(<module>)
1	1e-05	1e-05	1e-05	1e-05	textplot.py:1(<module>)
1	1e-05	1e-05	5.83e-05	5.83e-05	sharder.py:1(<module>)
1	1e-05	1e-05	0.0001057	0.0001057	_api.py:69(_ToTorchTensor)
1	1e-05	1e-05	9.59e-05	9.59e-05	runtime_wrappers.py:609(AOTDispatchSubclassWrapper)
1	1e-05	1e-05	0.0001088	0.0001088	kcomponents.py:197(__AntiGraph)
9	9.9e-06	1.1e-06	4.54e-05	5.044e-06	enum.py:1404(__iter_member_by_def__)
4	9.9e-06	2.475e-06	1.7e-05	4.25e-06	typing.py:3112(__init__)
1	9.9e-06	9.9e-06	1.43e-05	1.43e-05	random.py:889(getrandbits)
1	9.9e-06	9.9e-06	9.9e-06	9.9e-06	~:0(<method '__ior__' of 'torch._C.TensorBase' objects>)
1	9.9e-06	9.9e-06	9.9e-06	9.9e-06	connection.py:597(HTTPSCConnection)
1	9.9e-06	9.9e-06	2.16e-05	2.16e-05	_result_provenance.py:15(ResultProvenance)
5	9.9e-06	1.98e-06	6.59e-05	1.318e-05	symbolic_helper.py:1774(_reduce_with_dtype_helper)
3	9.9e-06	3.3e-06	1.66e-05	5.533e-06	libmpf.py:59(prec_to_dps)

ncalls	tottime	percall	cumtime	percall	
51	9.9e-06	1.941e-07	9.9e-06	1.941e-07	iterables.py:861(key)
4	9.9e-06	2.475e-06	1.26e-05	3.15e-06	kind.py:75(__new__)
1	9.9e-06	9.9e-06	0.001739	0.001739	__init__.py:1(<module>)
15	9.9e-06	6.6e-07	2.3e-05	1.533e-06	pretty_symbology.py:417(<lambda>)
1	9.9e-06	9.9e-06	9.9e-06	9.9e-06	fancysets.py:291(ImageSet)
1	9.9e-06	9.9e-06	1.52e-05	1.52e-05	cse_opts.py:1(<module>)
1	9.9e-06	9.9e-06	1.09e-05	1.09e-05	eval_frame.py:293(OptimizedModule)
5	9.9e-06	1.98e-06	0.000243	4.86e-05	torch_function.py:160(<lambda>)
1	9.9e-06	9.9e-06	9.9e-06	9.9e-06	reportviews.py:899(OutMultiEdgeDataView)
1	9.9e-06	9.9e-06	5.84e-05	5.84e-05	vgg.py:266(VGG19_Weights)
1	9.9e-06	9.9e-06	4.98e-05	4.98e-05	fcos.py:655(FCOS_ResNet50_FPN_Weights)
10	9.8e-06	9.8e-07	1.5e-05	1.5e-06	typing.py:208(is_param_expr)
18	9.8e-06	5.444e-07	9.8e-06	5.444e-07	~:0(<built-in method torch._C._is_torch_function_mode_e:
1	9.8e-06	9.8e-06	9.8e-06	9.8e-06	galois_resolvents.py:47(Resolvent)
1	9.8e-06	9.8e-06	9.8e-06	9.8e-06	util.py:1(<module>)
1	9.8e-06	9.8e-06	1.65e-05	1.65e-05	coco.py:10(CocoDetection)
1	9.8e-06	9.8e-06	9.8e-06	9.8e-06	lambdify.py:1123(_EvaluatorPrinter)
1	9.8e-06	9.8e-06	9.8e-06	9.8e-06	numbers.py:2839(One)
1	9.8e-06	9.8e-06	9.8e-06	9.8e-06	sets.py:1947(FiniteSet)
1	9.8e-06	9.8e-06	3.88e-05	3.88e-05	trigonometric.py:3246(acsc)
1	9.8e-06	9.8e-06	0.0002682	0.0002682	series_class.py:1(<module>)
1	9.8e-06	9.8e-06	1.94e-05	1.94e-05	gosper.py:1(<module>)
1	9.8e-06	9.8e-06	4.85e-05	4.85e-05	googlenet.py:278(GoogLeNet_Weights)
1	9.8e-06	9.8e-06	2.69e-05	2.69e-05	swin_transformer.py:366(SwinTransformer3d)
1	9.7e-06	9.7e-06	0.0001741	0.0001741	downloads.py:44(is_url)
1	9.7e-06	9.7e-06	2.42e-05	2.42e-05	food101.py:11(Food101)
1	9.7e-06	9.7e-06	9.88e-05	9.88e-05	transforms.py:1387(RandomAffine)
1	9.7e-06	9.7e-06	1.55e-05	1.55e-05	symbolic_convert.py:961(ExceptionStack)
1	9.7e-06	9.7e-06	1.47e-05	1.47e-05	qfunctions.py:1(<module>)
15	9.7e-06	6.467e-07	9.7e-06	6.467e-07	math2.py:27(__mathfun_real)
1	9.7e-06	9.7e-06	9.7e-06	9.7e-06	algebraicfield.py:15(AlgebraicField)
1	9.7e-06	9.7e-06	3.52e-05	3.52e-05	hyperbolic.py:1572(atanh)
1	9.7e-06	9.7e-06	9.7e-06	9.7e-06	laplace.py:1267(LaplaceTransform)
1	9.7e-06	9.7e-06	9.7e-06	9.7e-06	constant.py:27(ConstantVariable)
1	9.7e-06	9.7e-06	0.0001093	0.0001093	hierarchy.py:1(<module>)
2	9.7e-06	4.85e-06	7.26e-05	3.63e-05	~:0(<built-in method __operator.imod>)
2	9.6e-06	4.8e-06	0.0008428	0.0004214	inspect.py:611(getmembers)
1	9.6e-06	9.6e-06	1.39e-05	1.39e-05	_utils.py:13(IntermediateLayerGetter)
1	9.6e-06	9.6e-06	0.0001103	0.0001103	poolers.py:230(MultiScaleRoIAlign)
1	9.6e-06	9.6e-06	0.002809	0.002809	__init__.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	9.6e-06	9.6e-06	9.6e-06	9.6e-06	bessel.py:106(besselj)
1	9.6e-06	9.6e-06	9.6e-06	9.6e-06	elliptic_integrals.py:13(elliptic_k)
1	9.6e-06	9.6e-06	1.04e-05	1.04e-05	series.py:2180(ImplicitSeries)
1	9.6e-06	9.6e-06	0.0001064	0.0001064	graph_region_tracker.py:142(BackwardBfsArgIter)
1	9.6e-06	9.6e-06	4.98e-05	4.98e-05	inception.py:410(Inception_V3_Weights)
1	9.6e-06	9.6e-06	4.83e-05	4.83e-05	resnet.py:322(R3D_18_Weights)
36	9.5e-06	2.639e-07	9.5e-06	2.639e-07	dataclasses.py:178(__repr__)
1	9.5e-06	9.5e-06	9.5e-06	9.5e-06	~:0(<method 'floor_divide_' of 'torch._C.TensorBase' objec
1	9.5e-06	9.5e-06	0.0001361	0.0001361	_typing.py:1(<module>)
1	9.5e-06	9.5e-06	0.001099	0.001099	__init__.py:1(<module>)
1	9.5e-06	9.5e-06	2.29e-05	2.29e-05	_stereo_matching.py:935(SintelStereo)
1	9.5e-06	9.5e-06	9.5e-06	9.5e-06	registration.py:37(OpName)
1	9.5e-06	9.5e-06	9.5e-06	9.5e-06	bessel.py:36(BesselBase)
1	9.5e-06	9.5e-06	9.5e-06	9.5e-06	polyquinticconst.py:22(PolyQuintic)
1	9.5e-06	9.5e-06	9.5e-06	9.5e-06	blockmatrix.py:560(BlockDiagMatrix)
1	9.5e-06	9.5e-06	7.02e-05	7.02e-05	_fsdp_collectives.py:19(AllGatherResult)
1	9.5e-06	9.5e-06	9.5e-06	9.5e-06	torch_function.py:576(TensorWithTFOVERRIDEVariable)
1	9.5e-06	9.5e-06	9.5e-06	9.5e-06	autotune_cache.py:62(AutotuneCache)
1	9.5e-06	9.5e-06	1.38e-05	1.38e-05	output_code.py:68(OutputCode)
1	9.5e-06	9.5e-06	0.0001687	0.0001687	isolate.py:1(<module>)
1	9.5e-06	9.5e-06	1.42e-05	1.42e-05	retinanet.py:210(RetinaNetRegressionHead)
1	9.5e-06	9.5e-06	4.92e-05	4.92e-05	s3d.py:154(S3D_Weights)
2	9.5e-06	4.75e-06	8.2e-05	4.1e-05	~:0(<built-in method __operator.irshift>)
1	9.4e-06	9.4e-06	9.4e-06	9.4e-06	random.py:222(__init_subclass__)
4	9.4e-06	2.35e-06	0.001615	0.0004036	__init__.py:214(register)
1	9.4e-06	9.4e-06	1.67e-05	1.67e-05	proxy.py:1(<module>)
1	9.4e-06	9.4e-06	9.4e-06	9.4e-06	cookiejar.py:874(DefaultCookiePolicy)
1	9.4e-06	9.4e-06	1.25e-05	1.25e-05	_stereo_matching.py:719(FallingThingsStereo)
12	9.4e-06	7.833e-07	1.83e-05	1.525e-06	domain.py:403(convert)
2	9.4e-06	4.7e-06	5.47e-05	2.735e-05	dispatcher.py:46(ambiguity_register_error_ignore_dup)
8	9.4e-06	1.175e-06	3.14e-05	3.925e-06	ctx_iv.py:30(convert_mpf_)
1	9.4e-06	9.4e-06	0.0001266	0.0001266	coreerrors.py:1(<module>)
1	9.4e-06	9.4e-06	0.0001052	0.0001052	polyconfig.py:1(<module>)
1	9.4e-06	9.4e-06	1.8e-05	1.8e-05	pythonrationalfield.py:9(PythonRationalField)
1	9.4e-06	9.4e-06	9.4e-06	9.4e-06	error_functions.py:1275(expint)
1	9.4e-06	9.4e-06	9.4e-06	9.4e-06	tensor_functions.py:90(KroneckerDelta)
1	9.4e-06	9.4e-06	1.2e-05	1.2e-05	output_code.py:289(CompiledFxGraph)
1	9.4e-06	9.4e-06	9.4e-06	9.4e-06	hyperexpand.py:608(G_Function)
1	9.4e-06	9.4e-06	2.71e-05	2.71e-05	efficientnet.py:87(FusedMBConvConfig)
11	9.3e-06	8.455e-07	9.3e-06	8.455e-07	model.py:1141(__getattr__)

ncalls	tottime	percall	cumtime	percall	
2	9.3e-06	4.65e-06	1.92e-05	9.6e-06	_pytree.py:857(__post_init__)
2	9.3e-06	4.65e-06	1.07e-05	5.35e-06	mock.py:68(_is_instance_mock)
1	9.3e-06	9.3e-06	0.0003141	0.0003141	base.py:177(get_default_callbacks)
1	9.3e-06	9.3e-06	2.17e-05	2.17e-05	_reporting_configuration.py:12(ReportingConfiguration)
7	9.3e-06	1.329e-06	7.71e-05	1.101e-05	symbolic_helper.py:1027(_interpolate_helper)
1	9.3e-06	9.3e-06	9.3e-06	9.3e-06	ctx_mp_python.py:583(PythonMPContext)
1	9.3e-06	9.3e-06	9.3e-06	9.3e-06	monomials.py:512(Monomial)
1	9.3e-06	9.3e-06	9.3e-06	9.3e-06	complexes.py:142(im)
1	9.3e-06	9.3e-06	9.3e-06	9.3e-06	single.py:211(SingleODESolver)
1	9.3e-06	9.3e-06	1.21e-05	1.21e-05	deutils.py:1(<module>)
6	9.3e-06	1.55e-06	0.0002052	3.42e-05	torch_function.py:163(<lambda>)
1	9.3e-06	9.3e-06	9.12e-05	9.12e-05	aot_autograd.py:458(SerializableAOTDispatchCompiler)
1	9.3e-06	9.3e-06	4.76e-05	4.76e-05	mask_rcnn.py:362(MaskRCNN_ResNet50_FPN_Weights)
13	9.3e-06	7.154e-07	9.3e-06	7.154e-07	~:0(<method 'co_positions' of 'code' objects>)
3	9.2e-06	3.067e-06	2.84e-05	9.467e-06	storage.py:1540(_get_dtype_from_pickle_storage_type)
1	9.2e-06	9.2e-06	2.81e-05	2.81e-05	_optical_flow.py:419(HD1K)
1	9.2e-06	9.2e-06	1.32e-05	1.32e-05	gtsrb.py:12(GTSRB)
21	9.2e-06	4.381e-07	9.2e-06	4.381e-07	symbolic_opset9.py:305(_export)
1	9.2e-06	9.2e-06	3.67e-05	3.67e-05	calculus.py:1(<module>)
1	9.2e-06	9.2e-06	3.6e-05	3.6e-05	error_functions.py:2544(fresnelc)
1	9.2e-06	9.2e-06	9.2e-06	9.2e-06	single.py:341(NthAlgebraic)
1	9.2e-06	9.2e-06	9.2e-06	9.2e-06	api.py:77(ShardedTensorBase)
2	9.1e-06	4.55e-06	0.003259	0.001629	_common.py:51(files)
1	9.1e-06	9.1e-06	0.0001544	0.0001544	exceptions.py:1(<module>)
5	9.1e-06	1.82e-06	0.0001645	3.29e-05	_config_module.py:156(_read_env_variable)
1	9.1e-06	9.1e-06	2.14e-05	2.14e-05	_logical_location.py:12(LogicalLocation)
1	9.1e-06	9.1e-06	9.1e-06	9.1e-06	hyper.py:90(hyper)
1	9.1e-06	9.1e-06	9.1e-06	9.1e-06	sequences.py:726(RecursiveSeq)
1	9.1e-06	9.1e-06	0.001843	0.001843	__init__.py:1(<module>)
5	9.1e-06	1.82e-06	0.0002137	4.274e-05	torch_function.py:164(<lambda>)
1	9.1e-06	9.1e-06	9.1e-06	9.1e-06	local.py:1(<module>)
18	9e-06	5e-07	1.41e-05	7.833e-07	typing.py:1630(__eq__)
1	9e-06	9e-06	1.6e-05	1.6e-05	autoaugment.py:466(AugMix)
1	9e-06	9e-06	1.98e-05	1.98e-05	stanford_cars.py:10(StanfordCars)
5	9e-06	1.8e-06	2.15e-05	4.3e-06	assume.py:305(__new__)
1	9e-06	9e-06	9e-06	9e-06	sets.py:1496(Intersection)
1	9e-06	9e-06	1.31e-05	1.31e-05	_embedding_ops.py:69(_MaskPartial)
1	9e-06	9e-06	1.6e-05	1.6e-05	__init__.py:1(<module>)
1	9e-06	9e-06	9.27e-05	9.27e-05	_common_utils.py:167(TrainingState)
1	9e-06	9e-06	9.5e-06	9.5e-06	ctx_manager.py:1041(FSDPParamGroupUseTrainingState`)

ncalls	tottime	percall	cumtime	percall	
1	9e-06	9e-06	9.9e-06	9.9e-06	graph_region_tracker.py:183(GraphRegionTracker)
1	9e-06	9e-06	0.0001914	0.0001914	dispersion.py:1(<module>)
1	9e-06	9e-06	0.001886	0.001886	__init__.py:1(<module>)
1	9e-06	9e-06	2e-05	2e-05	~:0(<built-in method __operator.pos>)
18	8.9e-06	4.944e-07	8.9e-06	4.944e-07	_parser.py:166(__delitem__)
4	8.9e-06	2.225e-06	5.7e-05	1.425e-05	__init__.py:415(<genexpr>)
1	8.9e-06	8.9e-06	0.0001058	0.0001058	lfw.py:90(LFWPeople)
10	8.9e-06	8.9e-07	8.9e-06	8.9e-07	utils.py:892(__init__)
1	8.9e-06	8.9e-06	0.0001294	0.0001294	functions.py:404(PythonMod)
1	8.9e-06	8.9e-06	1.88e-05	1.88e-05	utils.py:4406(CompileTimeInstructionCounter)
2	8.9e-06	4.45e-06	1.29e-05	6.45e-06	numbers.py:408(__float__)
2	8.9e-06	4.45e-06	3.18e-05	1.59e-05	multidimensional.py:93(__call__)
1	8.9e-06	8.9e-06	1.09e-05	1.09e-05	graph.py:1(<module>)
1	8.9e-06	8.9e-06	8.9e-06	8.9e-06	extensions.py:11(ExtensionElement)
1	8.9e-06	8.9e-06	0.0009564	0.0009564	traverse.py:1(<module>)
1	8.9e-06	8.9e-06	5.11e-05	5.11e-05	_common.py:1(<module>)
1	8.9e-06	8.9e-06	8.9e-06	8.9e-06	map.py:159(MapAutogradOp)
1	8.9e-06	8.9e-06	1.81e-05	1.81e-05	cpu_vec_isa.py:247(VecAVX2)
1	8.9e-06	8.9e-06	5.04e-05	5.04e-05	planar_drawing.py:1(<module>)
1	8.9e-06	8.9e-06	0.0001153	0.0001153	backbone_utils.py:13(BackboneWithFPN)
1	8.9e-06	8.9e-06	4.44e-05	4.44e-05	shufflenetv2.py:149(ShuffleNet_V2_X1_0_QuantizedWeig
3	8.8e-06	2.933e-06	1.82	0.6066	_ops.py:268(__init__)
1	8.8e-06	8.8e-06	1.29e-05	1.29e-05	core.py:1(<module>)
1	8.8e-06	8.8e-06	1.41e-05	1.41e-05	pcam.py:10(PCAM)
1	8.8e-06	8.8e-06	0.001545	0.001545	gmpy.py:135(__get_gmpy2)
32	8.8e-06	2.75e-07	8.8e-06	2.75e-07	decorators.py:210(__init__)
1	8.8e-06	8.8e-06	8.8e-06	8.8e-06	numbers.py:2954(Half)
21	8.8e-06	4.19e-07	8.8e-06	4.19e-07	boolalg.py:480(<lambda>)
1	8.8e-06	8.8e-06	1.16e-05	1.16e-05	digits.py:1(<module>)
1	8.8e-06	8.8e-06	9.5e-06	9.5e-06	pycode.py:664(CmathPrinter)
1	8.8e-06	8.8e-06	8.8e-06	8.8e-06	integers.py:496(frac)
1	8.8e-06	8.8e-06	8.8e-06	8.8e-06	dense.py:28(DenseMatrix)
1	8.8e-06	8.8e-06	8.8e-06	8.8e-06	lambdarepr.py:75(NumExprPrinter)
1	8.8e-06	8.8e-06	8.8e-06	8.8e-06	fourier.py:475(FiniteFourierSeries)
1	8.8e-06	8.8e-06	1.03e-05	1.03e-05	metrics_context.py:50(MetricsContext)
1	8.8e-06	8.8e-06	8.24e-05	8.24e-05	checkpoint_wrapper.py:20(CheckpointImpl)
1	8.8e-06	8.8e-06	1.07e-05	1.07e-05	<frozen codecs>:94(__new__)
1	8.7e-06	8.7e-06	0.4557	0.4557	api.py:1(<module>)
1	8.7e-06	8.7e-06	1.28e-05	1.28e-05	svhn.py:12(SVHN)
24	8.7e-06	3.625e-07	8.7e-06	3.625e-07	sympify.py:84(<genexpr>)

ncalls	totime	percall	cumtime	percall	
1	8.7e-06	8.7e-06	8.7e-06	8.7e-06	numbers.py:59(carmichael)
1	8.7e-06	8.7e-06	3.44e-05	3.44e-05	trigonometric.py:1800(csc)
1	8.7e-06	8.7e-06	8.7e-06	8.7e-06	inverse.py:8(Inverse)
1	8.7e-06	8.7e-06	7.9e-05	7.9e-05	order.py:11(Order)
1	8.7e-06	8.7e-06	8.7e-06	8.7e-06	single.py:1560(HomogeneousCoeffSubsIndepDivDep)
7	8.7e-06	1.243e-06	1.75e-05	2.5e-06	_sharding_prop.py:82(register_sharding_prop_rule)
1	8.7e-06	8.7e-06	9.55e-05	9.55e-05	_exec_order_utils.py:15(_ExecOrderWarnStatus)
1	8.7e-06	8.7e-06	9.65e-05	9.65e-05	package.py:237(AOTICompiledModel)
1	8.7e-06	8.7e-06	8.7e-06	8.7e-06	roi_heads.py:492(RoIHeads)
1	8.6e-06	8.6e-06	8.6e-06	8.6e-06	~:0(<method 'positive' of 'torch._C.TensorBase' objects>)
1	8.6e-06	8.6e-06	8.6e-06	8.6e-06	dfm.py:18(DFM_dummy)
1	8.6e-06	8.6e-06	8.6e-06	8.6e-06	mimetypes.py:64(MimeTypes)
1	8.6e-06	8.6e-06	8.6e-06	8.6e-06	parser.py:62(HTMLParser)
1	8.6e-06	8.6e-06	2.07e-05	2.07e-05	_graph_traversal.py:16(GraphTraversal)
3	8.6e-06	2.867e-06	6.51e-05	2.17e-05	symbolic_opset9.py:4555(_one_hidden_rnn)
11	8.6e-06	7.818e-07	1.58e-05	1.436e-06	eigen.py:41(defun)
1	8.6e-06	8.6e-06	4.73e-05	4.73e-05	basic.py:2233(Atom)
1	8.6e-06	8.6e-06	8.6e-06	8.6e-06	polyoptions.py:18(Option)
1	8.6e-06	8.6e-06	0.001777	0.001777	__init__.py:1(<module>)
1	8.6e-06	8.6e-06	0.0001045	0.0001045	resume_execution.py:105(ReenterWith)
1	8.6e-06	8.6e-06	1.14e-05	1.14e-05	common_op_utils.py:1(<module>)
1	8.6e-06	8.6e-06	0.000108	0.000108	iter.py:341(ZipVariable)
1	8.6e-06	8.6e-06	8.6e-06	8.6e-06	misc.py:73(SuperVariable)
1	8.6e-06	8.6e-06	2.71e-05	2.71e-05	hints.py:126(DeviceProperties)
1	8.6e-06	8.6e-06	0.002887	0.002887	__init__.py:1(<module>)
1	8.6e-06	8.6e-06	1.3e-05	1.3e-05	branchings.py:842(Partition)
1	8.6e-06	8.6e-06	4.49e-05	4.49e-05	swin_transformer.py:677(Swin_S_Weights)
6	8.5e-06	1.417e-06	0.000438	7.3e-05	__init__.py:164(match)
2	8.5e-06	4.25e-06	3.01e-05	1.505e-05	functools.py:850(register)
2	8.5e-06	4.25e-06	3.61e-05	1.805e-05	__init__.py:865(distributions)
1	8.5e-06	8.5e-06	0.0009222	0.0009222	autograd.py:119(supports_tensorlist)
1	8.5e-06	8.5e-06	0.001964	0.001964	readers.py:1(<module>)
1	8.5e-06	8.5e-06	0.0002074	0.0002074	lfw.py:175(LFWPairs)
1	8.5e-06	8.5e-06	0.0001469	0.0001469	symbolic_convert.py:366(BlockStackEntry)
17	8.5e-06	5e-07	8.5e-06	5e-07	symbolic_shapes.py:244(lru_cache)
1	8.5e-06	8.5e-06	0.0006171	0.0006171	ctx_fp.py:18(__init__)
1	8.5e-06	8.5e-06	8.5e-06	8.5e-06	rational.py:24(mpq)
1	8.5e-06	8.5e-06	2.73e-05	2.73e-05	timeutils.py:1(<module>)
1	8.5e-06	8.5e-06	8.5e-06	8.5e-06	generate.py:26(Sieve)
1	8.5e-06	8.5e-06	8.5e-06	8.5e-06	error_functions.py:1828(Si)

ncalls	tottime	percall	cumtime	percall	
1	8.5e-06	8.5e-06	7.83e-05	7.83e-05	ideals.py:1(<module>)
1	8.5e-06	8.5e-06	4.73e-05	4.73e-05	laplace.py:2203(InverseLaplaceTransform)
1	8.5e-06	8.5e-06	9.3e-06	9.3e-06	series.py:1978(ParametricSurfaceSeries)
1	8.5e-06	8.5e-06	9.25e-05	9.25e-05	resume_execution.py:228(ResumeFunctionMetadata)
1	8.5e-06	8.5e-06	2.51e-05	2.51e-05	_collective_utils.py:240(MeshTopoInfo)
1	8.5e-06	8.5e-06	1.38e-05	1.38e-05	_fsdp_api.py:8(MixedPrecisionPolicy)
1	8.5e-06	8.5e-06	8.5e-06	8.5e-06	lists.py:536(DequeVariable)
2	8.5e-06	4.25e-06	3.07e-05	1.535e-05	script_object.py:34(deco)
1	8.5e-06	8.5e-06	0.0001048	0.0001048	edgedfs.py:1(<module>)
1	8.5e-06	8.5e-06	4.89e-05	4.89e-05	ssd.py:28(SSD300_VGG16_Weights)
1	8.5e-06	8.5e-06	8.85e-05	8.85e-05	mvit.py:424(MViT)
1	8.4e-06	8.4e-06	0.001178	0.001178	warnings.py:20(_showwarnmsg_impl)
1	8.4e-06	8.4e-06	1.95e-05	1.95e-05	_suppression.py:12(Suppression)
1	8.4e-06	8.4e-06	1.81e-05	1.81e-05	_thread_flow.py:16(ThreadFlow)
1	8.4e-06	8.4e-06	2.04e-05	2.04e-05	_stereo_matching.py:1126(ETH3DStereo)
6	8.4e-06	1.4e-06	6.93e-05	1.155e-05	symbolic_opset9.py:1596(_adaptive_pool)
17	8.4e-06	4.941e-07	8.4e-06	4.941e-07	ctx_fp.py:28(<lambda>)
2	8.4e-06	4.2e-06	3.46e-05	1.73e-05	densebasic.py:343(dmp_validate)
2	8.4e-06	4.2e-06	5.28e-05	2.64e-05	complexfield.py:81(dtype)
1	8.4e-06	8.4e-06	8.4e-06	8.4e-06	rootisolation.py:1881(ComplexInterval)
1	8.4e-06	8.4e-06	8.4e-06	8.4e-06	elliptic_integrals.py:103(elliptic_f)
1	8.4e-06	8.4e-06	8.4e-06	8.4e-06	homomorphisms.py:18(ModuleHomomorphism)
1	8.4e-06	8.4e-06	8.4e-06	8.4e-06	point.py:860(Point2D)
1	8.4e-06	8.4e-06	1.11e-05	1.11e-05	traversal.py:1(<module>)
1	8.4e-06	8.4e-06	8.4e-06	8.4e-06	cache_dir_utils.py:1(<module>)
1	8.4e-06	8.4e-06	8.4e-06	8.4e-06	shard.py:8(Shard)
1	8.4e-06	8.4e-06	0.0001755	0.0001755	api.py:10(ShardingPlan)
1	8.4e-06	8.4e-06	1e-05	1e-05	style.py:44(ColwiseParallel)
1	8.4e-06	8.4e-06	6.55e-05	6.55e-05	_math_ops.py:41(Reduction)
1	8.4e-06	8.4e-06	8.4e-06	8.4e-06	tensor.py:1190(SymNodeVariable)
1	8.4e-06	8.4e-06	2.31e-05	2.31e-05	compiled_autograd.py:92(__init__)
1	8.4e-06	8.4e-06	4.35e-05	4.35e-05	densenet.py:287(DenseNet161_Weights)
1	8.4e-06	8.4e-06	4.95e-05	4.95e-05	resnet.py:571(ResNeXt101_64X4D_Weights)
1	8.4e-06	8.4e-06	4.34e-05	4.34e-05	shufflenetv2.py:237(ShuffleNet_V2_X1_5_Weights)
1	8.4e-06	8.4e-06	4.65e-05	4.65e-05	shufflenetv2.py:192(ShuffleNet_V2_X2_0_QuantizedWeig
2	8.4e-06	4.2e-06	8.53e-05	4.265e-05	~:0(<built-in method __operator.truediv>)
9	8.4e-06	9.333e-07	8.4e-06	9.333e-07	~:0(<method 'index' of 'str' objects>)
50	8.3e-06	1.66e-07	8.3e-06	1.66e-07	copy.py:172(__deepcopy_atomic)
2	8.3e-06	4.15e-06	3.5e-05	1.75e-05	pathlib.py:420(__from_parsed_parts)
2	8.3e-06	4.15e-06	0.0002794	0.0001397	pathlib.py:852(exists)

ncalls	totime	percall	cumtime	percall	
1	8.3e-06	8.3e-06	1.92e-05	1.92e-05	storage.py:583(_storage_type_to_dtype_map)
1	8.3e-06	8.3e-06	8.3e-06	8.3e-06	poolmanager.py:162(PoolManager)
1	8.3e-06	8.3e-06	0.000114	0.000114	fer2013.py:12(FER2013)
1	8.3e-06	8.3e-06	9.8e-06	9.8e-06	transforms.py:2043(ElasticTransform)
1	8.3e-06	8.3e-06	1.3e-05	1.3e-05	widerface.py:14(WIDERFace)
1	8.3e-06	8.3e-06	6.83e-05	6.83e-05	registration.py:194(SymbolicRegistry)
3	8.3e-06	2.767e-06	6.5e-05	2.167e-05	symbolic_opset10.py:390(_avg_pool)
3	8.3e-06	2.767e-06	6.76e-05	2.253e-05	symbolic_opset9.py:1520(_avg_pool)
6	8.3e-06	1.383e-06	6.64e-05	1.107e-05	symbolic_opset10.py:434(_interpolate)
1	8.3e-06	8.3e-06	1.08e-05	1.08e-05	facts.py:380(FactRules)
30	8.3e-06	2.767e-07	8.3e-06	2.767e-07	singleton.py:192(<lambda>)
1	8.3e-06	8.3e-06	8.3e-06	8.3e-06	compositedomain.py:9(CompositeDomain)
10	8.3e-06	8.3e-07	2.72e-05	2.72e-06	pretty_symbology.py:171(<lambda>)
1	8.3e-06	8.3e-06	3.52e-05	3.52e-05	hyperbolic.py:1384(acosh)
1	8.3e-06	8.3e-06	3.43e-05	3.43e-05	hyperbolic.py:824(coth)
1	8.3e-06	8.3e-06	8.3e-06	8.3e-06	fancysets.py:519(Range)
1	8.3e-06	8.3e-06	8.3e-06	8.3e-06	ideals.py:7(Ideal)
1	8.3e-06	8.3e-06	8.3e-06	8.3e-06	bytecode_analysis.py:148(ReadsWrites)
2	8.3e-06	4.15e-06	8.3e-06	4.15e-06	api.py:125(custom_sharding_spec_op)
1	8.3e-06	8.3e-06	9.03e-05	9.03e-05	api.py:245(StateDictType)
1	8.3e-06	8.3e-06	1.34e-05	1.34e-05	metadata.py:82(ShardedTensorMetadata)
1	8.3e-06	8.3e-06	0.0001379	0.0001379	triton_kernel_wrap.py:154(Op)
1	8.3e-06	8.3e-06	0.0001083	0.0001083	beamsearch.py:1(<module>)
1	8.3e-06	8.3e-06	4.61e-05	4.61e-05	mnasnet.py:242(MNASNet0_75_Weights)
1	8.3e-06	8.3e-06	4.23e-05	4.23e-05	swin_transformer.py:752(Swin_V2_S_Weights)
1	8.3e-06	8.3e-06	4.68e-05	4.68e-05	ssdlite.py:187(SSDLite320_MobileNet_V3_Large_Weight)
1	8.3e-06	8.3e-06	4.56e-05	4.56e-05	faster_rcnn.py:402(FasterRCNN_ResNet50_FPN_V2_Wei
1	8.3e-06	8.3e-06	4.34e-05	4.34e-05	shufflenetv2.py:170(ShuffleNet_V2_X1_5_QuantizedWeig
2	8.3e-06	4.15e-06	3.31e-05	1.655e-05	<frozen importlib._bootstrap_external>:1544(find_distribu
1	8.2e-06	8.2e-06	8.2e-06	8.2e-06	readers.py:58(MultiplexedPath)
1	8.2e-06	8.2e-06	0.0001166	0.0001166	_stereo_matching.py:202(Kitti2012Stereo)
1	8.2e-06	8.2e-06	4.61e-05	4.61e-05	convnext.py:229(ConvNeXt_Small_Weights)
1	8.2e-06	8.2e-06	0.0001797	0.0001797	_presets.py:85(VideoClassification)
1	8.2e-06	8.2e-06	1.85e-05	1.85e-05	_run_automation_details.py:12(RunAutomationDetails)
1	8.2e-06	8.2e-06	0.0001431	0.0001431	symbolic_convert.py:303(DistributedState)
1	8.2e-06	8.2e-06	1.1e-05	1.1e-05	utils.py:1(<module>)
1	8.2e-06	8.2e-06	4.14e-05	4.14e-05	characteristiczero.py:1(<module>)
1	8.2e-06	8.2e-06	8.2e-06	8.2e-06	expressiondomain.py:21(Expression)
1	8.2e-06	8.2e-06	3.52e-05	3.52e-05	trigonometric.py:2110(asin)
1	8.2e-06	8.2e-06	8.2e-06	8.2e-06	complexes.py:1233(principal_branch)

ncalls	tottime	percall	cumtime	percall	
1	8.2e-06	8.2e-06	8.2e-06	8.2e-06	limits.py:132(Limit)
1	8.2e-06	8.2e-06	8.2e-06	8.2e-06	curve.py:22(Curve)
1	8.2e-06	8.2e-06	9.3e-06	9.3e-06	wrap.py:557(_ConfigAutoWrap)
1	8.2e-06	8.2e-06	7.27e-05	7.27e-05	checkpoint_activation.py:32(_CheckpointState)
1	8.2e-06	8.2e-06	8.2e-06	8.2e-06	_dynamo_utils.py:1(<module>)
1	8.2e-06	8.2e-06	1.38e-05	1.38e-05	misc.py:1439(ConstantLikeVariable)
1	8.2e-06	8.2e-06	4.45e-05	4.45e-05	efficientnet.py:535(EfficientNet_B3_Weights)
1	8.2e-06	8.2e-06	4.32e-05	4.32e-05	swin_transformer.py:702(Swin_B_Weights)
1	8.2e-06	8.2e-06	1.99e-05	1.99e-05	image_list.py:7(ImageList)
2	8.1e-06	4.05e-06	0.003122	0.001561	_adapters.py:28(get_resource_reader)
2	8.1e-06	4.05e-06	0.0009437	0.0004719	_sources.py:12(get_source_lines_and_file)
1	8.1e-06	8.1e-06	0.00182	0.00182	test_operators.py:1(<module>)
1	8.1e-06	8.1e-06	0.006268	0.006268	__init__.py:1(<module>)
1	8.1e-06	8.1e-06	8.1e-06	8.1e-06	special.py:104(Identity)
1	8.1e-06	8.1e-06	8.1e-06	8.1e-06	parabola.py:20(Parabola)
1	8.1e-06	8.1e-06	0.499	0.499	__init__.py:1(<module>)
1	8.1e-06	8.1e-06	0.0001148	0.0001148	walks.py:1(<module>)
1	8.1e-06	8.1e-06	4.37e-05	4.37e-05	swin_transformer.py:727(Swin_V2_T_Weights)
3	8e-06	2.667e-06	8.5e-06	2.833e-06	infer_schema.py:292(supported_param)
1	8e-06	8e-06	9.8e-06	9.8e-06	__init__.py:58(check_compatibility)
1	8e-06	8e-06	2.41e-05	2.41e-05	_exception.py:16(Exception)
1	8e-06	8e-06	8e-06	8e-06	polyoptions.py:648(Formal)
1	8e-06	8e-06	9e-06	9e-06	factor_.py:665(FactorCache)
1	8e-06	8e-06	3.4e-05	3.4e-05	hyperbolic.py:1206(asinh)
1	8e-06	8e-06	1.11e-05	1.11e-05	util.py:1(<module>)
1	8e-06	8e-06	8e-06	8e-06	kronecker.py:86(KroneckerProduct)
1	8e-06	8e-06	8e-06	8e-06	diophantine.py:40(DiophantineSolutionSet)
1	8e-06	8e-06	0.002613	0.002613	__init__.py:1(<module>)
1	8e-06	8e-06	8e-06	8e-06	_functional_collectives.py:796(_FromTorchTensor)
1	8e-06	8e-06	0.001247	0.001247	__init__.py:1(<module>)
1	8e-06	8e-06	8e-06	8e-06	nn_module.py:155(NNModuleVariable)
1	8e-06	8e-06	4.31e-05	4.31e-05	efficientnet.py:583(EfficientNet_B5_Weights)
1	8e-06	8e-06	4.22e-05	4.22e-05	densenet.py:327(DenseNet201_Weights)
1	8e-06	8e-06	4.34e-05	4.34e-05	shufflenetv2.py:215(ShuffleNet_V2_X1_0_Weights)
1	8e-06	8e-06	1.95e-05	1.95e-05	efficientnet.py:61(MBConvConfig)
1	8e-06	8e-06	4.23e-05	4.23e-05	swin_transformer.py:777(Swin_V2_B_Weights)
1	8e-06	8e-06	1.22e-05	1.22e-05	mvit.py:27(MSBlockConfig)
4	7.9e-06	1.975e-06	9.1e-06	2.275e-06	parse.py:119(_coerce_args)
2	7.9e-06	3.95e-06	1.21e-05	6.05e-06	_jit_internal.py:1042(get_class_name_lineno)
12	7.9e-06	6.583e-07	1.5e-05	1.25e-06	__init__.py:431(<genexpr>)

ncalls	tottime	percall	cumtime	percall	
1	7.9e-06	7.9e-06	0.01563	0.01563	compat.py:30(_resolve_char_detection)
1	7.9e-06	7.9e-06	7.9e-06	7.9e-06	models.py:313(PreparedRequest)
1	7.9e-06	7.9e-06	0.0001021	0.0001021	vision.py:88(StandardTransform)
1	7.9e-06	7.9e-06	1.82e-05	1.82e-05	lsun.py:57(LSUN)
1	7.9e-06	7.9e-06	1.81e-05	1.81e-05	_location.py:19(Location)
1	7.9e-06	7.9e-06	1.28e-05	1.28e-05	semeion.py:12(SEMEION)
1	7.9e-06	7.9e-06	1.31e-05	1.31e-05	voc.py:63(_VOCBase)
1	7.9e-06	7.9e-06	1e-05	1e-05	voc.py:164(VOCDetection)
2	7.9e-06	3.95e-06	1.08e-05	5.4e-06	kind.py:266(register)
1	7.9e-06	7.9e-06	7.9e-06	7.9e-06	containers.py:219(Dict)
1	7.9e-06	7.9e-06	7.9e-06	7.9e-06	numbers.py:2231(AlgebraicNumber)
1	7.9e-06	7.9e-06	7.9e-06	7.9e-06	relational.py:549(Equality)
1	7.9e-06	7.9e-06	3.98e-05	3.98e-05	bessel.py:1374(airyai)
1	7.9e-06	7.9e-06	7.9e-06	7.9e-06	companion.py:8(CompanionMatrix)
1	7.9e-06	7.9e-06	7.9e-06	7.9e-06	codecache.py:472(FxGraphCachePickler)
1	7.9e-06	7.9e-06	7.9e-06	7.9e-06	triton_bundler.py:56(TritonBundlerMetadata)
1	7.9e-06	7.9e-06	4.29e-05	4.29e-05	efficientnet.py:559(EfficientNet_B4_Weights)
1	7.9e-06	7.9e-06	4.29e-05	4.29e-05	efficientnet.py:607(EfficientNet_B6_Weights)
1	7.9e-06	7.9e-06	4.22e-05	4.22e-05	squeezezenet.py:145(SqueezeNet1_1_Weights)
1	7.9e-06	7.9e-06	4.33e-05	4.33e-05	vision_transformer.py:430(ViT_B_32_Weights)
1	7.9e-06	7.9e-06	1.16e-05	1.16e-05	resnet.py:25(Conv3DSimple)
1	7.9e-06	7.9e-06	5.02e-05	5.02e-05	~:0(<built-in method _operatorgetitem>)
1	7.8e-06	7.8e-06	0.0006391	0.0006391	warnings.py:120(_formatwarnmsg)
2	7.8e-06	3.9e-06	2.06e-05	1.03e-05	__init__.py:777(find_distributions)
6	7.8e-06	1.3e-06	7.8e-06	1.3e-06	_compatibility.py:12(compatibility)
1	7.8e-06	7.8e-06	7.8e-06	7.8e-06	sessions.py:356(Session)
1	7.8e-06	7.8e-06	1.68e-05	1.68e-05	eurosat.py:9(EuroSAT)
7	7.8e-06	1.114e-06	8.49e-05	1.213e-05	symbolic_opset11.py:338(_interpolate)
1	7.8e-06	7.8e-06	7.8e-06	7.8e-06	ctx_iv.py:151(ivmpc)
1	7.8e-06	7.8e-06	7.8e-06	7.8e-06	linalg.py:108(LinearAlgebraMethods)
1	7.8e-06	7.8e-06	7.8e-06	7.8e-06	assume.py:358(UndefinedPredicate)
1	7.8e-06	7.8e-06	7.8e-06	7.8e-06	printer.py:235(Printer)
1	7.8e-06	7.8e-06	3.36e-05	3.36e-05	hyperbolic.py:2080(acsch)
1	7.8e-06	7.8e-06	7.8e-06	7.8e-06	slice.py:31(MatrixSlice)
1	7.8e-06	7.8e-06	7.8e-06	7.8e-06	matexpr.py:666(MatrixSymbol)
1	7.8e-06	7.8e-06	7.8e-06	7.8e-06	summations.py:42(Sum)
1	7.8e-06	7.8e-06	7.8e-06	7.8e-06	placement_types.py:595(Partial)
1	7.8e-06	7.8e-06	1.02e-05	1.02e-05	_embedding_ops.py:31(MaskBuffer)
1	7.8e-06	7.8e-06	7.8e-06	7.8e-06	_trace_wrapped_higher_order_op.py:95(ModIndex)
1	7.8e-06	7.8e-06	7.8e-06	7.8e-06	comptime.py:167(ComptimeContext)

ncalls	totime	percall	cumtime	percall	
12	7.8e-06	6.5e-07	7.8e-06	6.5e-07	deprecated.py:23(get_warning)
1	7.8e-06	7.8e-06	2.85e-05	2.85e-05	cpu_vec_isa.py:207(VecAMX)
1	7.8e-06	7.8e-06	0.0001282	0.0001282	jit_compile_runtime_wrappers.py:391(InvokeSubgraphHo
1	7.8e-06	7.8e-06	4.3e-05	4.3e-05	resnet.py:261(ResNeXt101_64X4D_QuantizedWeights)
8	7.7e-06	9.625e-07	7.7e-06	9.625e-07	typing.py:3457 override)
2	7.7e-06	3.85e-06	1.09e-05	5.45e-06	_weights_only_unpickler.py:89(_add_safe_globals)
6	7.7e-06	1.283e-06	3.53e-05	5.883e-06	_config_module.py:790(get_tristate_env)
1	7.7e-06	7.7e-06	7.7e-06	7.7e-06	url.py:80(Url)
1	7.7e-06	7.7e-06	1.31e-05	1.31e-05	_collections.py:82(__init__)
1	7.7e-06	7.7e-06	6.5e-05	6.5e-05	transforms.py:1617(RandomErasing)
1	7.7e-06	7.7e-06	4.3e-05	4.3e-05	convnext.py:249(ConvNeXt_Base_Weights)
1	7.7e-06	7.7e-06	4.42e-05	4.42e-05	convnext.py:269(ConvNeXt_Large_Weights)
1	7.7e-06	7.7e-06	1.77e-05	1.77e-05	_node.py:17(Node)
4	7.7e-06	1.925e-06	1.2e-05	3e-06	registration.py:167(add_custom)
1	7.7e-06	7.7e-06	7.7e-06	7.7e-06	complexes.py:446(Abs)
1	7.7e-06	7.7e-06	7.7e-06	7.7e-06	complexes.py:1105(periodic_argument)
1	7.7e-06	7.7e-06	7.7e-06	7.7e-06	elliptic_integrals.py:188(elliptic_e)
1	7.7e-06	7.7e-06	7.7e-06	7.7e-06	primes.py:41(PrimeIdeal)
1	7.7e-06	7.7e-06	7.45e-05	7.45e-05	checkpoint.py:1225(CheckpointPolicy)
1	7.7e-06	7.7e-06	7.7e-06	7.7e-06	checkpoint.py:1269(_CachingTorchDispatchMode)
1	7.7e-06	7.7e-06	7.4e-05	7.4e-05	fully_sharded_data_parallel.py:110(OptimStateKeyType)
1	7.7e-06	7.7e-06	7.7e-06	7.7e-06	planarity.py:769(PlanarEmbedding)
1	7.7e-06	7.7e-06	4.3e-05	4.3e-05	shufflenetv2.py:262(ShuffleNet_V2_X2_0_Weights)
1	7.7e-06	7.7e-06	7.7e-06	7.7e-06	raft.py:171(MotionEncoder)
1	7.7e-06	7.7e-06	1.45e-05	1.45e-05	fcos.py:201(FCOSRegressionHead)
1	7.6e-06	7.6e-06	0.0004683	0.0004683	typing.py:2844(NamedTuple)
12	7.6e-06	6.333e-07	7.6e-06	6.333e-07	_config_module.py:412(_get_alias_module_and_name)
1	7.6e-06	7.6e-06	7.6e-06	7.6e-06	cookies.py:176(RequestsCookieJar)
1	7.6e-06	7.6e-06	1.49e-05	1.49e-05	_stereo_matching.py:287(Kitti2015Stereo)
1	7.6e-06	7.6e-06	0.0001025	0.0001025	transforms.py:751(RandomPerspective)
1	7.6e-06	7.6e-06	9.6e-06	9.6e-06	caltech.py:152(Caltech256)
1	7.6e-06	7.6e-06	2.31e-05	2.31e-05	flickr.py:12(Flickr8kParser)
1	7.6e-06	7.6e-06	7.6e-06	7.6e-06	ElementTree.py:1773(C14NWriterTarget)
1	7.6e-06	7.6e-06	7.6e-06	7.6e-06	onnxruntime.py:167(OrtOperatorSupport)
1	7.6e-06	7.6e-06	1.85e-05	1.85e-05	_physical_location.py:17(PhysicalLocation)
10	7.6e-06	7.6e-07	2.52e-05	2.52e-06	pretty_symbology.py:175(<lambda>)
1	7.6e-06	7.6e-06	1.32e-05	1.32e-05	_cache.py:56(CacheInfo)
1	7.6e-06	7.6e-06	9.3e-06	9.3e-06	ctx_manager.py:354(DualLevelContextManager)
1	7.6e-06	7.6e-06	5.18e-05	5.18e-05	_error.py:1(<module>)
1	7.6e-06	7.6e-06	4.32e-05	4.32e-05	vgg.py:137(VGG11_BN_Weights)

ncalls	totime	percall	cumtime	percall	
1	7.6e-06	7.6e-06	4.21e-05	4.21e-05	vgg.py:177(VGG13_BN_Weights)
1	7.5e-06	7.5e-06	0.002875	0.002875	certs.py:1(<module>)
1	7.5e-06	7.5e-06	1.73e-05	1.73e-05	country211.py:8(Country211)
6	7.5e-06	1.25e-06	1.23e-05	2.05e-06	ctx_mp_python.py:82(mpf_convert_arg)
1	7.5e-06	7.5e-06	1.62e-05	1.62e-05	_stack_frame.py:12(StackFrame)
1	7.5e-06	7.5e-06	7.5e-06	7.5e-06	utils.py:1554(ChromiumEventLogger)
1	7.5e-06	7.5e-06	4.21e-05	4.21e-05	simplesdomain.py:1(<module>)
1	7.5e-06	7.5e-06	9.6e-06	9.6e-06	heuristicged.py:1(<module>)
1	7.5e-06	7.5e-06	7.9e-06	7.9e-06	bessel.py:607(besselk)
1	7.5e-06	7.5e-06	1.04e-05	1.04e-05	_cache.py:32(CacheArtifact)
1	7.5e-06	7.5e-06	7.5e-06	7.5e-06	placement_types.py:374(_StridedShard)
1	7.5e-06	7.5e-06	7.5e-06	7.5e-06	_op_schema.py:179(TupleStrategy)
1	7.5e-06	7.5e-06	2.52e-05	2.52e-05	_random.py:156(OffsetBasedRNGTracker)
1	7.5e-06	7.5e-06	1.12e-05	1.12e-05	ctx_manager.py:57(ContextManagerState)
1	7.5e-06	7.5e-06	7.5e-06	7.5e-06	package.py:65(PT2ArchiveReader)
1	7.5e-06	7.5e-06	7.5e-06	7.5e-06	greedy_coloring.py:379(_Node)
1	7.5e-06	7.5e-06	9.93e-05	9.93e-05	smetric.py:1(<module>)
1	7.4e-06	7.4e-06	7.4e-06	7.4e-06	_request_methods.py:20(RequestMethods)
1	7.4e-06	7.4e-06	1.05e-05	1.05e-05	context.py:81(TorchRefsMode)
2	7.4e-06	3.7e-06	7.4e-06	3.7e-06	functions.py:1369(BitwiseFn)
1	7.4e-06	7.4e-06	7.4e-06	7.4e-06	_print_helpers.py:8(Printable)
1	7.4e-06	7.4e-06	3.28e-05	3.28e-05	trigonometric.py:3015(asec)
1	7.4e-06	7.4e-06	7.4e-06	7.4e-06	fancysets.py:166(Integers)
1	7.4e-06	7.4e-06	7.4e-06	7.4e-06	modules.py:44(Module)
1	7.4e-06	7.4e-06	4.71e-05	4.71e-05	series_class.py:11(SeriesBase)
1	7.4e-06	7.4e-06	7.4e-06	7.4e-06	test_operators.py:18(Realize)
1	7.4e-06	7.4e-06	7.4e-06	7.4e-06	functions.py:1343(CollectiveFunctionRewriteVariable)
1	7.4e-06	7.4e-06	7.4e-06	7.4e-06	constant.py:218(EnumVariable)
1	7.4e-06	7.4e-06	8.9e-06	8.9e-06	triton_kernel_wrap.py:1780(TraceableTritonKernelWrappe
1	7.4e-06	7.4e-06	7.4e-06	7.4e-06	lists.py:188(RangeVariable)
1	7.4e-06	7.4e-06	7.4e-06	7.4e-06	distributed.py:339(BackwardHookVariable)
1	7.4e-06	7.4e-06	1.44e-05	1.44e-05	cpu_vec_isa.py:262(VecZVECTOR)
1	7.4e-06	7.4e-06	9.93e-05	9.93e-05	matching.py:1(<module>)
1	7.4e-06	7.4e-06	4.32e-05	4.32e-05	mnasnet.py:267(MNASNet1_0_Weights)
1	7.4e-06	7.4e-06	4.3e-05	4.3e-05	vision_transformer.py:536(ViT_L_32_Weights)
1	7.4e-06	7.4e-06	3.73e-05	3.73e-05	~:0(<built-in method _operator.neg>)
1	7.4e-06	7.4e-06	2.62e-05	2.62e-05	~:0(<built-in method _operator.not_>)
1	7.4e-06	7.4e-06	7.4e-06	7.4e-06	~:0(<method 'tolist' of 'memoryview' objects>)
30	7.3e-06	2.433e-07	7.3e-06	2.433e-07	typing.py:2182(cast)
3	7.3e-06	2.433e-06	3.57e-05	1.19e-05	serialization.py:1873(__init__)

ncalls	totime	percall	cumtime	percall	
1	7.3e-06	7.3e-06	2.24e-05	2.24e-05	coreerrors.py:14(LazyExceptionMessage)
1	7.3e-06	7.3e-06	7.3e-06	7.3e-06	connectionpool.py:120(HTTPConnectionPool)
6	7.3e-06	1.217e-06	6.85e-05	1.142e-05	symbolic_opset9.py:3239(_unsupported_dropout)
4	7.3e-06	1.825e-06	0.0001121	2.803e-05	ctx_iv.py:43(__new__)
1	7.3e-06	7.3e-06	7.3e-06	7.3e-06	logic.py:221(Logic)
2	7.3e-06	3.65e-06	9.05e-05	4.525e-05	cache.py:168(lazy_function)
1	7.3e-06	7.3e-06	7.3e-06	7.3e-06	function.py:2101(Subs)
1	7.3e-06	7.3e-06	7.3e-06	7.3e-06	relational.py:909(GreaterThan)
1	7.3e-06	7.3e-06	7.3e-06	7.3e-06	stringpict.py:354(prettyForm)
1	7.3e-06	7.3e-06	7.3e-06	7.3e-06	complexes.py:265(sign)
1	7.3e-06	7.3e-06	7.3e-06	7.3e-06	sets.py:1726(Complement)
1	7.3e-06	7.3e-06	9.3e-06	9.3e-06	subspaces.py:1(<module>)
1	7.3e-06	7.3e-06	7.3e-06	7.3e-06	line.py:2160(Ray2D)
1	7.3e-06	7.3e-06	9.6e-06	9.6e-06	_fsdp_param.py:181(ExtensionsData)
1	7.3e-06	7.3e-06	8.5e-06	8.5e-06	iter.py:460(MapVariable)
1	7.3e-06	7.3e-06	9.29e-05	9.29e-05	schemas.py:67(OutputAliasInfo)
1	7.3e-06	7.3e-06	4.3e-05	4.3e-05	vgg.py:157(VGG13_Weights)
1	7.3e-06	7.3e-06	8.23e-05	8.23e-05	mvit.py:64(Pool)
1	7.3e-06	7.3e-06	4.34e-05	4.34e-05	deeplabv3.py:162(DeepLabV3_ResNet101_Weights)
1	7.3e-06	7.3e-06	4.3e-05	4.3e-05	resnet.py:342(MC3_18_Weights)
1	7.3e-06	7.3e-06	4.12e-05	4.12e-05	resnet.py:362(R2Plus1D_18_Weights)
14	7.3e-06	5.214e-07	7.3e-06	5.214e-07	~:0(<method 'isalnum' of 'str' objects>)
1	7.2e-06	7.2e-06	9.52e-05	9.52e-05	functools.py:772(_find_impl)
2	7.2e-06	3.6e-06	1.04e-05	5.2e-06	typing.py:2140(runtime_checkable)
2	7.2e-06	3.6e-06	8.7e-06	4.35e-06	__init__.py:1452(_fixupChildren)
2	7.2e-06	3.6e-06	0.04105	0.02053	module.py:1149(float)
1	7.2e-06	7.2e-06	7.2e-06	7.2e-06	lambdarepr.py:20(LambdaPrinter)
2	7.2e-06	3.6e-06	8.7e-06	4.35e-06	__init__.py:790(_search_paths)
2	7.2e-06	3.6e-06	9.6e-06	4.8e-06	upsampling.py:187(extra_repr)
1	7.2e-06	7.2e-06	9.9e-06	9.9e-06	transforms.py:581(RandomCrop)
1	7.2e-06	7.2e-06	2.05e-05	2.05e-05	video_utils.py:47(_VideoTimestampsDataset)
1	7.2e-06	7.2e-06	1.79e-05	1.79e-05	_message.py:12(Message)
1	7.2e-06	7.2e-06	9.9e-06	9.9e-06	jit_utils.py:25(GraphContext)
1	7.2e-06	7.2e-06	7.2e-06	7.2e-06	version.py:1(<module>)
1	7.2e-06	7.2e-06	1.07e-05	1.07e-05	_box_convert.py:1(<module>)
1	7.2e-06	7.2e-06	7.2e-06	7.2e-06	functions.py:3(SpecialFunctions)
1	7.2e-06	7.2e-06	3.83e-05	3.83e-05	domainelement.py:1(<module>)
1	7.2e-06	7.2e-06	7.2e-06	7.2e-06	error_functions.py:1964(Ci)
1	7.2e-06	7.2e-06	7.2e-06	7.2e-06	permutation.py:9(PermutationMatrix)
1	7.2e-06	7.2e-06	1.09e-05	1.09e-05	_op_schema.py:207(RuntimeSchemaInfo)

ncalls	tottime	percall	cumtime	percall	
1	7.2e-06	7.2e-06	7.58e-05	7.58e-05	_runtime_utils.py:53(_PrefetchMode)
1	7.2e-06	7.2e-06	1.06e-05	1.06e-05	comptime.py:54(ComptimeVar)
2	7.2e-06	3.6e-06	3.65e-05	1.825e-05	decompositions_for_rng.py:18(register_rng_decomposition)
1	7.2e-06	7.2e-06	0.0002334	0.0002334	_filelock.py:10(FileLock)
1	7.2e-06	7.2e-06	9.8e-05	9.8e-05	community_utils.py:1(<module>)
1	7.2e-06	7.2e-06	4.29e-05	4.29e-05	densenet.py:307(DenseNet169_Weights)
1	7.2e-06	7.2e-06	4.26e-05	4.26e-05	faster_rcnn.py:423(FasterRCNN_MobileNet_V3_Large_F)
1	7.2e-06	7.2e-06	4.13e-05	4.13e-05	faster_rcnn.py:444(FasterRCNN_MobileNet_V3_Large_3)
1	7.2e-06	7.2e-06	4.27e-05	4.27e-05	retinanet.py:705(RetinaNet_ResNet50_FPN_V2_Weights)
2	7.2e-06	3.6e-06	7.2e-06	3.6e-06	~:0(<method 'tell' of '_io.BufferedReader' objects>)
2	7.1e-06	3.55e-06	8.26e-05	4.13e-05	_tensor.py:1147(__rrshift__)
1	7.1e-06	7.1e-06	0.0001789	0.0001789	config.py:11(load)
1	7.1e-06	7.1e-06	2.3e-05	2.3e-05	folder.py:287(ImageFolder)
1	7.1e-06	7.1e-06	1.11e-05	1.11e-05	fakedata.py:9(FakeData)
1	7.1e-06	7.1e-06	1.65e-05	1.65e-05	_replacement.py:16(Replacement)
1	7.1e-06	7.1e-06	1.15e-05	1.15e-05	_presets.py:38(ImageClassification)
1	7.1e-06	7.1e-06	9.2e-06	9.2e-06	_presets.py:146(SemanticSegmentation)
1	7.1e-06	7.1e-06	7.1e-06	7.1e-06	function.py:155(FunctionClass)
1	7.1e-06	7.1e-06	7.1e-06	7.1e-06	error_functions.py:1092(Ei)
1	7.1e-06	7.1e-06	7.1e-06	7.1e-06	bessel.py:282(bessely)
1	7.1e-06	7.1e-06	7.1e-06	7.1e-06	special.py:213(OneMatrix)
1	7.1e-06	7.1e-06	4.81e-05	4.81e-05	singularityfunctions.py:1(<module>)
1	7.1e-06	7.1e-06	7.1e-06	7.1e-06	point.py:1073(Point3D)
1	7.1e-06	7.1e-06	0.0001438	0.0001438	source.py:107(LocalSource)
1	7.1e-06	7.1e-06	8.71e-05	8.71e-05	_op_schema.py:479(OutputSharding)
1	7.1e-06	7.1e-06	1.21e-05	1.21e-05	_fsdp_param.py:165(ParamModuleInfo)
1	7.1e-06	7.1e-06	1.34e-05	1.34e-05	cpu_vec_isa.py:170(VecSVE256)
1	7.1e-06	7.1e-06	7.1e-06	7.1e-06	triton_compat.py:91(triton)
2	7.1e-06	3.55e-06	8.81e-05	4.405e-05	~:0(<built-in method __operator.sub>)
1	7e-06	7e-06	1.6e-05	1.6e-05	_compiler.py:391(__bytes_to_codes)
1	7e-06	7e-06	8.8e-06	8.8e-06	random.py:242(__randbelow_with_getrandbits)
2	7e-06	3.5e-06	0.01448	0.007238	module.py:2858(eval)
1	7e-06	7e-06	2.06e-05	2.06e-05	_optical_flow.py:249(FlyingChairs)
1	7e-06	7e-06	1.48e-05	1.48e-05	flickr.py:55(Flickr8k)
4	7e-06	1.75e-06	9.9e-06	2.475e-06	libmpf.py:1313(from_str)
4	7e-06	1.75e-06	1.27e-05	3.175e-06	libmpf.py:631(mpfr_le)
20	7e-06	3.5e-07	7e-06	3.5e-07	inverselaplace.py:17(__init__)
21	7e-06	3.333e-07	7e-06	3.333e-07	boolalg.py:440(__bool__)
1	7e-06	7e-06	3.36e-05	3.36e-05	multidimensional.py:1(<module>)
1	7e-06	7e-06	7e-06	7e-06	special.py:10(ZeroMatrix)

ncalls	totime	percall	cumtime	percall	
1	7e-06	7e-06	7e-06	7e-06	sequences.py:962(SeqExprOp)
1	7e-06	7e-06	7e-06	7e-06	hyperexpand.py:1347(ReduceOrder)
1	7e-06	7e-06	7e-06	7e-06	ctx_manager.py:1102(SDPAKernelVariable)
1	7e-06	7e-06	0.0002307	0.0002307	vision_transformer.py:160(VisionTransformer)
1	7e-06	7e-06	4.16e-05	4.16e-05	mvit.py:634(MViT_V2_S_Weights)
1	6.9e-06	6.9e-06	0.003759	0.003759	__init__.py:1(<module>)
1	6.9e-06	6.9e-06	7.19e-05	7.19e-05	feature_pyramid_network.py:36(FeaturePyramidNetwork)
1	6.9e-06	6.9e-06	6.9e-06	6.9e-06	numbers.py:3465(ComplexInfinity)
12	6.9e-06	5.75e-07	8.9e-06	7.417e-07	domain.py:470(of_type)
1	6.9e-06	6.9e-06	6.9e-06	6.9e-06	printer.py:388(_PrintFunction)
1	6.9e-06	6.9e-06	6.9e-06	6.9e-06	hyperbolic.py:996(ReciprocalHyperbolicFunction)
1	6.9e-06	6.9e-06	6.9e-06	6.9e-06	trigonometric.py:45(TrigonometricFunction)
1	6.9e-06	6.9e-06	1.58e-05	1.58e-05	conditionset.py:19(ConditionSet)
1	6.9e-06	6.9e-06	6.9e-06	6.9e-06	hyper.py:1031(HyperRep_sqrts2)
1	6.9e-06	6.9e-06	6.9e-06	6.9e-06	bessel.py:940(jn)
1	6.9e-06	6.9e-06	4.53e-05	4.53e-05	matpow.py:12(MatPow)
1	6.9e-06	6.9e-06	1.91e-05	1.91e-05	_functools.py:14(cache_method)
1	6.9e-06	6.9e-06	7.4e-06	7.4e-06	mutation_guard.py:30(MutationTracker)
1	6.9e-06	6.9e-06	6.9e-06	6.9e-06	device_interface.py:63(Worker)
1	6.9e-06	6.9e-06	6.9e-06	6.9e-06	_view_ops.py:56(Broadcast)
1	6.9e-06	6.9e-06	1.16e-05	1.16e-05	triton_kernel_wrap.py:89(KernelSideTable)
1	6.9e-06	6.9e-06	6.9e-06	6.9e-06	misc.py:283(ExceptionVariable)
1	6.9e-06	6.9e-06	7.38e-05	7.38e-05	cpp_builder.py:1373(CppBuilder)
1	6.9e-06	6.9e-06	1.32e-05	1.32e-05	swin_transformer.py:62(PatchMerging)
1	6.9e-06	6.9e-06	4.75e-05	4.75e-05	version.py:1(<module>)
1	6.9e-06	6.9e-06	6.9e-06	6.9e-06	~:0(<built-in method __imp.create_builtin>)
2	6.8e-06	3.4e-06	0.003113	0.001557	_adapters.py:149(_native)
18	6.8e-06	3.778e-07	6.8e-06	3.778e-07	~:0(<built-in method torch._C.is_torch_function_enabled>)
2	6.8e-06	3.4e-06	8.87e-05	4.435e-05	_tensor.py:1143(__rlshift__)
1	6.8e-06	6.8e-06	8.9e-06	8.9e-06	version.py:1(<module>)
1	6.8e-06	6.8e-06	1.1e-05	1.1e-05	autoaugment.py:380(TrivialAugmentWide)
1	6.8e-06	6.8e-06	1.03e-05	1.03e-05	moving_mnist.py:11(MovingMNIST)
1	6.8e-06	6.8e-06	1.802	1.802	triton_kernel_wrap.py:1(<module>)
1	6.8e-06	6.8e-06	6.8e-06	6.8e-06	hadamard.py:41(HadamardProduct)
1	6.8e-06	6.8e-06	6.8e-06	6.8e-06	metrics_context.py:23(TopN)
1	6.8e-06	6.8e-06	6.8e-06	6.8e-06	builder.py:3096(SourcelessBuilder)
1	6.8e-06	6.8e-06	8.4e-06	8.4e-06	remote_cache.py:62(RemoteCacheBackend)
1	6.8e-06	6.8e-06	1.04e-05	1.04e-05	style.py:30(ParallelStyle)
1	6.8e-06	6.8e-06	0.006645	0.006645	triton_kernel_wrap.py:772(__init__)
1	6.8e-06	6.8e-06	6.8e-06	6.8e-06	metrics.py:132(MetricTable)

ncalls	tottime	percall	cumtime	percall	
1	6.8e-06	6.8e-06	0.0001009	0.0001009	voterank_alg.py:1(<module>)
1	6.8e-06	6.8e-06	1.69e-05	1.69e-05	rpn.py:15(RPNHead)
16	6.7e-06	4.188e-07	6.7e-06	4.188e-07	overrides.py:105(array_function_dispatch)
10	6.7e-06	6.7e-07	9.4e-06	9.4e-07	distributed_c10d.py:721(WORLD)
1	6.7e-06	6.7e-06	1.01e-05	1.01e-05	_stereo_matching.py:631(CREStereo)
4	6.7e-06	1.675e-06	6.7e-06	1.675e-06	libmpf.py:454(to_float)
1	6.7e-06	6.7e-06	1.95e-05	1.95e-05	facts.py:95(deduce_alpha_implications)
3	6.7e-06	2.233e-06	3.02e-05	1.007e-05	symbolic_opset9.py:1958(decorator)
1	6.7e-06	6.7e-06	9.9e-06	9.9e-06	misc.py:13(FrozenBatchNorm2d)
5	6.7e-06	1.34e-06	6.7e-06	1.34e-06	ctx_iv.py:244(_binary_op)
29	6.7e-06	2.31e-07	6.7e-06	2.31e-07	singleton.py:152(__repr__)
1	6.7e-06	6.7e-06	6.7e-06	6.7e-06	numbers.py:2771(Zero)
1	6.7e-06	6.7e-06	6.7e-06	6.7e-06	integers.py:21(RoundFunction)
1	6.7e-06	6.7e-06	6.7e-06	6.7e-06	homomorphisms.py:574(SubModuleHomomorphism)
1	6.7e-06	6.7e-06	6.7e-06	6.7e-06	_view_ops.py:124(Split)
1	6.7e-06	6.7e-06	9.2e-06	9.2e-06	dicts.py:850(DictViewVariable)
6	6.7e-06	1.117e-06	0.00029	4.833e-05	torch_function.py:178(<lambda>)
1	6.7e-06	6.7e-06	7.29e-05	7.29e-05	cpu_vec_isa.py:155(VecNEON)
3	6.7e-06	2.233e-06	1e-05	3.333e-06	backends.py:106(__comma_sep_to_list)
1	6.7e-06	6.7e-06	1.14e-05	1.14e-05	_utils.py:10(__SimpleSegmentationModel)
1	6.6e-06	6.6e-06	6.6e-06	6.6e-06	transforms.py:1753(GaussianBlur)
1	6.6e-06	6.6e-06	9.4e-06	9.4e-06	_stereo_matching.py:823(SceneFlowStereo)
1	6.6e-06	6.6e-06	0.001536	0.001536	importtools.py:48(import_module)
1	6.6e-06	6.6e-06	1.38e-05	1.38e-05	_multiformat_message_string.py:12(MultiformatMessageS
1	6.6e-06	6.6e-06	8.17e-05	8.17e-05	utils.py:166(ReInplaceTrigger)
2	6.6e-06	3.3e-06	0.0007272	0.0003636	functions.py:1361(make_opaque_bitwise_fn)
6	6.6e-06	1.1e-06	9.1e-06	1.517e-06	libmpf.py:653(mpfp_pos)
1	6.6e-06	6.6e-06	6.6e-06	6.6e-06	numbers.py:4083(ImaginaryUnit)
1	6.6e-06	6.6e-06	7.39e-05	7.39e-05	miscellaneous.py:35(IdentityFunction)
1	6.6e-06	6.6e-06	3.21e-05	3.21e-05	hyperbolic.py:1737(acoth)
1	6.6e-06	6.6e-06	6.6e-06	6.6e-06	gamma_functions.py:865(loggamma)
1	6.6e-06	6.6e-06	6.6e-06	6.6e-06	delta_functions.py:393(Heaviside)
1	6.6e-06	6.6e-06	6.6e-06	6.6e-06	sequences.py:415(SeqExpr)
1	6.6e-06	6.6e-06	6.6e-06	6.6e-06	sets.py:10(MatrixSet)
1	6.6e-06	6.6e-06	4.56e-05	4.56e-05	transforms.py:821(InverseMellinTransform)
1	6.6e-06	6.6e-06	9.41e-05	9.41e-05	logging_tensor.py:103(LoggingTensorHandler)
1	6.6e-06	6.6e-06	6.6e-06	6.6e-06	remote_cache.py:376(__init__)
1	6.6e-06	6.6e-06	6.6e-06	6.6e-06	sdpa.py:18(SDPAParamsVariable)
1	6.6e-06	6.6e-06	6.6e-06	6.6e-06	autotune_cache.py:330(AutotuneCacheBundler)
1	6.6e-06	6.6e-06	1.97e-05	1.97e-05	mobilenetv2.py:19(InvitedResidual)

ncalls	tottime	percall	cumtime	percall	
1	6.6e-06	6.6e-06	6.6e-06	6.6e-06	shufflenetv2.py:43(InvertedResidual)
1	6.6e-06	6.6e-06	2.7e-05	2.7e-05	regnet.py:52(SimpleStemIN)
2	6.5e-06	3.25e-06	7.06e-05	3.53e-05	_tensor.py:1096(__rsub__)
1	6.5e-06	6.5e-06	5.13e-05	5.13e-05	_collections.py:39(__Sentinel)
1	6.5e-06	6.5e-06	1.19e-05	1.19e-05	autoaugment.py:287(RandAugment)
1	6.5e-06	6.5e-06	7.66e-05	7.66e-05	registration.py:56(OverrideDict)
1	6.5e-06	6.5e-06	9.35e-05	9.35e-05	symbolic_shapes.py:1512(DimDynamic)
1	6.5e-06	6.5e-06	8.24e-05	8.24e-05	numbers.py:4474(__register_classes)
2	6.5e-06	3.25e-06	4.93e-05	2.465e-05	polyclasses.py:146(__new__)
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	numbers.py:762(harmonic)
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	error_functions.py:1765(TrigonometricIntegral)
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	singleton_int.py:9(SingletonInt)
1	6.5e-06	6.5e-06	7.4e-06	7.4e-06	checkpoint.py:777(__NoopSaveInputs)
1	6.5e-06	6.5e-06	7.55e-05	7.55e-05	api.py:73(BackwardPrefetch)
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	default_hooks.py:9(DefaultState)
1	6.5e-06	6.5e-06	1.56e-05	1.56e-05	triton_kernel_wrap.py:620(MemoizeWithCycleCheck)
1	6.5e-06	6.5e-06	6.5e-06	6.5e-06	hints.py:202(HalideMeta)
1	6.5e-06	6.5e-06	8.3e-05	8.3e-05	mobilenetv3.py:117(MobileNetV3)
1	6.5e-06	6.5e-06	8.6e-06	8.6e-06	retinanet.py:323(RetinaNet)
1	6.5e-06	6.5e-06	1e-05	1e-05	lraspp.py:19(LRASPP)
14	6.5e-06	4.643e-07	6.5e-06	4.643e-07	~:0(<built-in method builtins.divmod>)
1	6.4e-06	6.4e-06	6.4e-06	6.4e-06	~:0(<method 'mul_' of 'torch._C.TensorBase' objects>)
4	6.4e-06	1.6e-06	8.4e-06	2.1e-06	__init__.py:93(__convert_out_params)
13	6.4e-06	4.923e-07	6.4e-06	4.923e-07	fake_impl.py:14(__init__)
1	6.4e-06	6.4e-06	6.4e-06	6.4e-06	_collections.py:63(RecentlyUsedContainer)
1	6.4e-06	6.4e-06	8.7e-06	8.7e-06	transforms.py:847(RandomResizedCrop)
1	6.4e-06	6.4e-06	1.56e-05	1.56e-05	_artifact_location.py:12(ArtifactLocation)
1	6.4e-06	6.4e-06	0.0008593	0.0008593	gmpy.py:110(__get_flint)
1	6.4e-06	6.4e-06	6.4e-06	6.4e-06	singleton.py:24(SingletonRegistry)
1	6.4e-06	6.4e-06	6.4e-06	6.4e-06	polyoptions.py:76(Options)
1	6.4e-06	6.4e-06	6.4e-06	6.4e-06	complexes.py:20(re)
1	6.4e-06	6.4e-06	1.23e-05	1.23e-05	kind.py:64(__new__)
1	6.4e-06	6.4e-06	6.4e-06	6.4e-06	single.py:1046(SecondNonlinearAutonomousConserved)
1	6.4e-06	6.4e-06	0.0001918	0.0001918	hooks.py:21(Hooks)
1	6.4e-06	6.4e-06	6.4e-06	6.4e-06	device_mesh.py:1(<module>)
1	6.4e-06	6.4e-06	1.11e-05	1.11e-05	_optim_utils.py:67(__ConsolidatedOptimState)
1	6.4e-06	6.4e-06	6.4e-06	6.4e-06	_fully_shard.py:251(FSDPModule)
1	6.4e-06	6.4e-06	6.4e-06	6.4e-06	tensor.py:1387(UnspecializedPythonVariable)
1	6.4e-06	6.4e-06	6.4e-06	6.4e-06	misc.py:688(AutogradFunctionContextVariable)
1	6.4e-06	6.4e-06	7.5e-06	7.5e-06	schemas.py:114(InputAliasInfo)

ncalls	tottime	percall	cumtime	percall	
1	6.4e-06	6.4e-06	0.0001084	0.0001084	gml.py:277(Pattern)
1	6.4e-06	6.4e-06	6.4e-06	6.4e-06	isomorphvf2.py:154(GraphMatcher)
1	6.4e-06	6.4e-06	1.02e-05	1.02e-05	ssdlite.py:96(SSDLiteClassificationHead)
3	6.3e-06	2.1e-06	7.4e-06	2.467e-06	enum.py:1228(__repr__)
2	6.3e-06	3.15e-06	7.5e-06	3.75e-06	_adapters.py:12(__init__)
1	6.3e-06	6.3e-06	3.87e-05	3.87e-05	serialization.py:427(__ zipfile)
2	6.3e-06	3.15e-06	0.0002832	0.0001416	__init__.py:701(lookup)
2	6.3e-06	3.15e-06	0.0001107	5.535e-05	__init__.py:145(make)
13	6.3e-06	4.846e-07	6.3e-06	4.846e-07	simple_registry.py:60(__init__)
24	6.3e-06	2.625e-07	6.3e-06	2.625e-07	_backport_slots.py:59(<genexpr>)
1	6.3e-06	6.3e-06	9.8e-06	9.8e-06	custom_graph_pass.py:10(CustomGraphPass)
1	6.3e-06	6.3e-06	0.0001088	0.0001088	inverselaplace.py:1(<module>)
1	6.3e-06	6.3e-06	1.24e-05	1.24e-05	ctx_iv.py:386(__set_prec)
1	6.3e-06	6.3e-06	6.3e-06	6.3e-06	operations.py:487(LatticeOp)
1	6.3e-06	6.3e-06	6.3e-06	6.3e-06	assume.py:80(AppliedPredicate)
1	6.3e-06	6.3e-06	6.3e-06	6.3e-06	polyoptions.py:349(Order)
1	6.3e-06	6.3e-06	6.3e-06	6.3e-06	fglmtools.py:1(<module>)
1	6.3e-06	6.3e-06	6.3e-06	6.3e-06	factorials.py:503(RisingFactorial)
1	6.3e-06	6.3e-06	6.3e-06	6.3e-06	sets.py:854(ProductSet)
1	6.3e-06	6.3e-06	6.3e-06	6.3e-06	hyper.py:796(HyperRep)
1	6.3e-06	6.3e-06	0.000114	0.000114	exceptions.py:1(<module>)
1	6.3e-06	6.3e-06	6.3e-06	6.3e-06	single.py:1107(Liouville)
1	6.3e-06	6.3e-06	6.3e-06	6.3e-06	distributed.py:109(WorldMetaClassVariable)
1	6.3e-06	6.3e-06	6.3e-06	6.3e-06	ctx_manager.py:619(CUDADeviceVariable)
1	6.3e-06	6.3e-06	8.65e-05	8.65e-05	package.py:30(PT2ArchiveWriter)
1	6.3e-06	6.3e-06	8.93e-05	8.93e-05	union_find.py:1(<module>)
1	6.3e-06	6.3e-06	8.9e-06	8.9e-06	mst.py:994(Partition)
3	6.3e-06	2.1e-06	6.3e-06	2.1e-06	matchhelpers.py:22(copyfunc)
3	6.2e-06	2.067e-06	6.2e-06	2.067e-06	weakref.py:367(__init__)
9	6.2e-06	6.889e-07	8e-06	8.889e-07	ast.py:257(iter_fields)
2	6.2e-06	3.1e-06	1.37e-05	6.85e-06	_adapters.py:163(wrap_spec)
1	6.2e-06	6.2e-06	6.2e-06	6.2e-06	overrides.py:377(get_default_nowrap_functions)
1	6.2e-06	6.2e-06	3.48e-05	3.48e-05	custom_ops.py:749(register)
1	6.2e-06	6.2e-06	6.36e-05	6.36e-05	convnext.py:90(ConvNeXt)
25	6.2e-06	2.48e-07	6.2e-06	2.48e-07	basic.py:208(__sympy__)
3	6.2e-06	2.067e-06	3.34e-05	1.113e-05	numbers.py:1984(__lt__)
1	6.2e-06	6.2e-06	3.14e-05	3.14e-05	rules.py:1(<module>)
1	6.2e-06	6.2e-06	6.2e-06	6.2e-06	cnf.py:77(OR)
1	6.2e-06	6.2e-06	6.2e-06	6.2e-06	ring.py:9(Ring)
1	6.2e-06	6.2e-06	3.96e-05	3.96e-05	factorials.py:285(subfactorial)

ncalls	totime	percall	cumtime	percall	
1	6.2e-06	6.2e-06	6.2e-06	6.2e-06	delta_functions.py:17(DiracDelta)
1	6.2e-06	6.2e-06	6.2e-06	6.2e-06	dense_ndim_array.py:160(MutableDenseNDimArray)
1	6.2e-06	6.2e-06	8.9e-06	8.9e-06	_Appending_byte_serializer.py:21(write_uint64)
1	6.2e-06	6.2e-06	6.2e-06	6.2e-06	api.py:140(EnumerableShardingSpec)
1	6.2e-06	6.2e-06	1.82e-05	1.82e-05	efficientnet.py:104(MBConv)
1	6.1e-06	6.1e-06	6.1e-06	6.1e-06	calendar.py:45(__getattr__)
1	6.1e-06	6.1e-06	4.76e-05	4.76e-05	checks.py:518(check_model_file_from_stem)
1	6.1e-06	6.1e-06	6.1e-06	6.1e-06	models.py:84(RequestEncodingMixin)
1	6.1e-06	6.1e-06	0.0001012	0.0001012	functional.py:23(InterpolationMode)
1	6.1e-06	6.1e-06	7.1e-05	7.1e-05	_infra.py:18(Level)
1	6.1e-06	6.1e-06	8.4e-06	8.4e-06	symbolic_convert.py:222(SpeculationLog)
1	6.1e-06	6.1e-06	0.001763	0.001763	__init__.py:1(<module>)
1	6.1e-06	6.1e-06	6.1e-06	6.1e-06	expr.py:3989(AtomicExpr)
1	6.1e-06	6.1e-06	6.1e-06	6.1e-06	exprtools.py:809(Term)
4	6.1e-06	1.525e-06	1.82e-05	4.55e-06	gaussiandomains.py:56(__neg__)
1	6.1e-06	6.1e-06	6.1e-06	6.1e-06	error_functions.py:1502(li)
1	6.1e-06	6.1e-06	6.1e-06	6.1e-06	error_functions.py:2210(Chi)
1	6.1e-06	6.1e-06	0.002269	0.002269	__init__.py:1(<module>)
1	6.1e-06	6.1e-06	6.1e-06	6.1e-06	_view_ops.py:103(Flatten)
1	6.1e-06	6.1e-06	6.7e-06	6.7e-06	ctx_manager.py:511(GradModeVariable)
1	6.1e-06	6.1e-06	2.17e-05	2.17e-05	swin_transformer.py:508(SwinTransformer)
1	6.1e-06	6.1e-06	1.32e-05	1.32e-05	mvit.py:323(MultiscaleBlock)
15	6.1e-06	4.067e-07	6.1e-06	4.067e-07	<frozen importlib._bootstrap_external>:1276(__init__)
11	6.1e-06	5.545e-07	7.9e-06	7.182e-07	~:0(<method 'index' of 'tuple' objects>)
15	6.1e-06	4.067e-07	6.1e-06	4.067e-07	~:0(<method 'isascii' of 'str' objects>)
3	6e-06	2e-06	1.35e-05	4.5e-06	__init__.py:1702(addHandler)
1	6e-06	6e-06	6e-06	6e-06	~:0(<method 'sub' of 'torch._C.TensorBase' objects>)
1	6e-06	6e-06	2.68e-05	2.68e-05	<string>:2(__div__)
1	6e-06	6e-06	8.5e-06	8.5e-06	voc.py:120(VOCSegmentation)
1	6e-06	6e-06	6e-06	6e-06	integers.py:297(ceiling)
1	6e-06	6e-06	2.06e-05	2.06e-05	sets.py:1819(EmptySet)
1	6e-06	6e-06	6e-06	6e-06	puisseux.py:59(PuiseuxRing)
1	6e-06	6e-06	6e-06	6e-06	ideals.py:282(ModuleImplementedIdeal)
12	6e-06	5e-07	6e-06	5e-07	matexpr.py:21(_sympifyit)
1	6e-06	6e-06	6e-06	6e-06	transforms.py:60(IntegralTransform)
1	6e-06	6e-06	6e-06	6e-06	functional_utils.py:334(MetadataKey)
1	6e-06	6e-06	9.7e-06	9.7e-06	replay_record.py:28(ModuleRecord)
1	6e-06	6e-06	6e-06	6e-06	ctx_manager.py:746(DisabledSavedTensorsHooksVariable`)
1	6e-06	6e-06	6e-06	6e-06	misc.py:1354(DebuggingVariable)
1	6e-06	6e-06	6e-06	6e-06	output_graph.py:196(GraphCompileReason)

ncalls	tottime	percall	cumtime	percall	
1	6e-06	6e-06	6e-06	6e-06	graphml.py:839(GraphMLReader)
1	6e-06	6e-06	6e-06	6e-06	gexf.py:687(GEXFReader)
1	6e-06	6e-06	1.69e-05	1.69e-05	vision_transformer.py:32(ConvStemConfig)
1	6e-06	6e-06	1.68e-05	1.68e-05	maxvit.py:568(MaxVit)
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	warnings.py:421(__init__)
2	5.9e-06	2.95e-06	8e-06	4e-06	dataclasses.py:1169(__get_slots)
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	ast.py:1799(__getattr__)
2	5.9e-06	2.95e-06	7.3e-05	3.65e-05	_tensor.py:1120(__rmod__)
2	5.9e-06	2.95e-06	0.0005955	0.0002978	__init__.py:289(select)
1	5.9e-06	5.9e-06	9.2e-06	9.2e-06	lsun.py:15(LSUNClass)
1	5.9e-06	5.9e-06	1.29e-05	1.29e-05	_graph.py:17(Graph)
4	5.9e-06	1.475e-06	8.6e-06	2.15e-06	jit_utils.py:352(parse_node_kind)
1	5.9e-06	5.9e-06	1.16e-05	1.16e-05	_diagnostic.py:100(__init__)
1	5.9e-06	5.9e-06	8.3e-06	8.3e-06	_infra.py:232(RuleCollection)
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	_infra.py:69(Rule)
1	5.9e-06	5.9e-06	8.13e-05	8.13e-05	_rules.py:24(NodeMissingOnnxShapeInference)
3	5.9e-06	1.967e-06	5.9e-06	1.967e-06	ctx_mp_python.py:607(default)
11	5.9e-06	5.364e-07	9.3e-06	8.455e-07	ctx_iv.py:293(__new__)
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	containers.py:23(Tuple)
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	inference.py:252(KB)
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	mod.py:12(Mod)
1	5.9e-06	5.9e-06	3.16e-05	3.16e-05	trigonometric.py:1692(sec)
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	core.py:1(<module>)
1	5.9e-06	5.9e-06	6.4e-06	6.4e-06	series.py:1496(ParametricLineBaseSeries)
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	device_interface.py:261(Worker)
1	5.9e-06	5.9e-06	7.1e-06	7.1e-06	remote_cache.py:290(RedisRemoteCache)
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	_redistribute.py:286(Redistribute)
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	dicts.py:97(HashableTracker)
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	exc.py:30(OperatorIssue)
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	reportviews.py:287(NodeDataView)
1	5.9e-06	5.9e-06	5.9e-06	5.9e-06	internet_as_graphs.py:71(AS_graph_generator)
1	5.9e-06	5.9e-06	7.04e-05	7.04e-05	mst.py:30(EdgePartition)
1	5.9e-06	5.9e-06	8.4e-06	8.4e-06	generalized_rcnn.py:15(GeneralizedRCNN)
6	5.9e-06	9.833e-07	5.9e-06	9.833e-07	~:0(<built-in method math.frexp>)
4	5.8e-06	1.45e-06	8.5e-06	2.125e-06	__init__.py:14(is_available)
1	5.8e-06	5.8e-06	7.8e-06	7.8e-06	checks.py:473(check_suffix)
1	5.8e-06	5.8e-06	1.88e-05	1.88e-05	timeutils.py:37(__do_timings)
4	5.8e-06	1.45e-06	5.8e-06	1.45e-06	basic.py:149(<genexpr>)
1	5.8e-06	5.8e-06	5.6e-05	5.6e-05	operations.py:575(AssocOpDispatcher)
1	5.8e-06	5.8e-06	3.55e-05	3.55e-05	epathtools.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	5.8e-06	5.8e-06	5.8e-06	5.8e-06	checkpoint.py:98(DefaultDeviceType)
1	5.8e-06	5.8e-06	8.5e-06	8.5e-06	device_interface.py:154(DeviceGuard)
1	5.8e-06	5.8e-06	6.9e-06	6.9e-06	api.py:51(ShardingSpec)
1	5.8e-06	5.8e-06	5.8e-06	5.8e-06	user_defined.py:1305(FrozenDataClassVariable)
4	5.8e-06	1.45e-06	7.7e-06	1.925e-06	decorators.py:266(forbid_in_graph)
1	5.8e-06	5.8e-06	8.7e-06	8.7e-06	ssdlite.py:116(SSDLiteFeatureExtractorMobileNet)
1	5.8e-06	5.8e-06	5.8e-06	5.8e-06	_utils.py:314(Matcher)
22	5.8e-06	2.636e-07	5.8e-06	2.636e-07	~:0(<built-in method _sre.ascii_iscased>)
1	5.7e-06	5.7e-06	0.001183	0.001183	warnings.py:99(_showwarnmsg)
1	5.7e-06	5.7e-06	1.58e-05	1.58e-05	random.py:291(randrange)
1	5.7e-06	5.7e-06	8.6e-06	8.6e-06	torch_utils.py:106(get_cpu_info)
2	5.7e-06	2.85e-06	0.0001164	5.82e-05	__init__.py:272(__init__)
1	5.7e-06	5.7e-06	7.73e-05	7.73e-05	utils.py:3442(TensorStaticReason)
1	5.7e-06	5.7e-06	5.7e-06	5.7e-06	matrices.py:747(MatrixMethods)
12	5.7e-06	4.75e-07	5.7e-06	4.75e-07	symbol.py:784(literal)
1	5.7e-06	5.7e-06	5.7e-06	5.7e-06	gamma_functions.py:34(gamma)
1	5.7e-06	5.7e-06	3.19e-05	3.19e-05	bessel.py:1546(airybi)
1	5.7e-06	5.7e-06	5.7e-06	5.7e-06	diophantine.py:146(DiophantineEquationType)
1	5.7e-06	5.7e-06	5.7e-06	5.7e-06	lists.py:429(ListVariable)
1	5.7e-06	5.7e-06	5.7e-06	5.7e-06	torch.py:250(TorchCtxManagerClassVariable)
1	5.7e-06	5.7e-06	4.56e-05	4.56e-05	hints.py:116(AutotuneHint)
5	5.7e-06	1.14e-06	9.1e-06	1.82e-06	metrics.py:188(register_table)
1	5.7e-06	5.7e-06	2.47e-05	2.47e-05	regnet.py:296(RegNet)
1	5.7e-06	5.7e-06	8.4e-06	8.4e-06	inception.py:26(QuantizableBasicConv2d)
2	5.6e-06	2.8e-06	1.05e-05	5.25e-06	typing.py:1193(__mro_entries__)
1	5.6e-06	5.6e-06	0.0001467	0.0001467	autograd.py:130(Metadata)
3	5.6e-06	1.867e-06	1.59e-05	5.3e-06	head.py:164(<genexpr>)
1	5.6e-06	5.6e-06	5.6e-06	5.6e-06	cookies.py:23(MockRequest)
1	5.6e-06	5.6e-06	7.8e-06	7.8e-06	imagenet.py:22(ImageNet)
1	5.6e-06	5.6e-06	1.27e-05	1.27e-05	_artifact_content.py:15(ArtifactContent)
1	5.6e-06	5.6e-06	0.0001305	0.0001305	convnext.py:38(CNBlock)
1	5.6e-06	5.6e-06	5.6e-06	5.6e-06	enumerative.py:92(PartComponent)
1	5.6e-06	5.6e-06	4.04e-05	4.04e-05	function.py:281(Application)
1	5.6e-06	5.6e-06	5.6e-06	5.6e-06	line.py:2429(LinearEntity3D)
1	5.6e-06	5.6e-06	5.6e-06	5.6e-06	functional.py:226(__Broadcast)
1	5.6e-06	5.6e-06	7.5e-06	7.5e-06	placement_types.py:543(Replicate)
1	5.6e-06	5.6e-06	5.6e-06	5.6e-06	dicts.py:645(SetVariable)
1	5.6e-06	5.6e-06	7.1e-06	7.1e-06	higher_order_ops.py:728(TorchHigherOrderOperatorVarial
1	5.6e-06	5.6e-06	5.6e-06	5.6e-06	misc.py:1178(NumpyVariable)
1	5.6e-06	5.6e-06	0.0001358	0.0001358	mapped_queue.py:1(<module>)

ncalls	tottime	percall	cumtime	percall	
1	5.6e-06	5.6e-06	1.87e-05	1.87e-05	googlenet.py:184(Inception)
1	5.6e-06	5.6e-06	1.09e-05	1.09e-05	vision_transformer.py:86(EncoderBlock)
1	5.6e-06	5.6e-06	6.4e-06	6.4e-06	swin_transformer.py:315(ShiftedWindowAttentionV2)
1	5.6e-06	5.6e-06	1e-05	1e-05	ssd.py:58(SSDHead)
1	5.5e-06	5.5e-06	2.13e-05	2.13e-05	random.py:332(randint)
2	5.5e-06	2.75e-06	0.0001219	6.095e-05	__init__.py:685(zip_children)
1	5.5e-06	5.5e-06	1.41e-05	1.41e-05	_contextlib.py:146(clone)
1	5.5e-06	5.5e-06	3.57e-05	3.57e-05	errors.py:1(<module>)
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	__globals.py:24(__init__)
1	5.5e-06	5.5e-06	1.29e-05	1.29e-05	_fix.py:16(Fix)
1	5.5e-06	5.5e-06	1.92e-05	1.92e-05	ctx_mp_python.py:434(mpc_convert_lhs)
4	5.5e-06	1.375e-06	4.08e-05	1.02e-05	basic.py:135(_get_postprocessors)
3	5.5e-06	1.833e-06	6.3e-06	2.1e-06	numbers.py:442(sort_key)
30	5.5e-06	1.833e-07	5.5e-06	1.833e-07	polyoptions.py:196(<genexpr>)
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	singularity_functions.py:14(SingularityFunction)
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	beta_functions.py:20(beta)
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	single.py:2667(SecondLinearBessel)
1	5.5e-06	5.5e-06	7.91e-05	7.91e-05	bytecode_analysis.py:194(StackSize)
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	_common_utils.py:57(_FSDPDeviceHandle)
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	_fsdp_param_group.py:722(RegisterPostBackwardFunction)
2	5.5e-06	2.75e-06	2.53e-05	1.265e-05	_fsdp_state.py:58(disable_if_config_true)
1	5.5e-06	5.5e-06	0.02978	0.02978	_trace_wrapped_higher_order_op.py:151(__init__)
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	misc.py:1045(PythonModuleVariable)
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	_api.py:33(AcquireReturnProxy)
1	5.5e-06	5.5e-06	5.5e-06	5.5e-06	mobilenetv3.py:24(InvertedResidualConfig)
1	5.5e-06	5.5e-06	3.12e-05	3.12e-05	mask_rcnn.py:271(MaskRCNNHeads)
1	5.5e-06	5.5e-06	1.05e-05	1.05e-05	<frozen importlib._bootstrap>:662(spec_from_loader)
1	5.4e-06	5.4e-06	8.7e-06	8.7e-06	functools.py:839(_is_union_type)
14	5.4e-06	3.857e-07	5.4e-06	3.857e-07	__init__.py:672(__init__)
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	numbers.py:3602(Exp1)
1	5.4e-06	5.4e-06	1.96e-05	1.96e-05	polytools.py:4542(PurePoly)
4	5.4e-06	1.35e-06	1.32e-05	3.3e-06	pretty_symbology.py:236(<lambda>)
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	pycode.py:416(ArrayPrinter)
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	integers.py:97(floor)
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	spherical_harmonics.py:15(Ynm)
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	gruntz.py:155(SubsSet)
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	fields.py:103(FracField)
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	_dtypes.py:274(DType)
1	5.4e-06	5.4e-06	5.4e-06	5.4e-06	codecache.py:2953(DLLWrapper)
1	5.4e-06	5.4e-06	1.64e-05	1.64e-05	faster_rcnn.py:310(FastRCNNConvFCHead)

ncalls	tottime	percall	cumtime	percall	
1	5.4e-06	5.4e-06	1.15e-05	1.15e-05	ssdlite.py:81(SSDLiteHead)
1	5.4e-06	5.4e-06	3.35e-05	3.35e-05	~:0(<built-in method _operator.invert>)
2	5.4e-06	2.7e-06	5.4e-06	2.7e-06	~:0(<method 'index' of 'list' objects>)
1	5.3e-06	5.3e-06	5.3e-06	5.3e-06	~:0(<method 'remainder_' of 'torch._C.TensorBase' objects>)
13	5.3e-06	4.077e-07	5.3e-06	4.077e-07	utils.py:38(__init__)
1	5.3e-06	5.3e-06	9.23e-05	9.23e-05	fake_tensor_prop.py:15(FakeTensorProp)
1	5.3e-06	5.3e-06	1.12e-05	1.12e-05	_property_bag.py:10(PropertyBag)
1	5.3e-06	5.3e-06	1.19e-05	1.19e-05	_tool.py:12(Tool)
1	5.3e-06	5.3e-06	5.3e-06	5.3e-06	orderings.py:63(ProductOrder)
1	5.3e-06	5.3e-06	5.3e-06	5.3e-06	numbers.py:1204(catalan)
1	5.3e-06	5.3e-06	5.3e-06	5.3e-06	error_functions.py:819(erfinv)
1	5.3e-06	5.3e-06	5.3e-06	5.3e-06	matexpr.py:597(MatrixElement)
1	5.3e-06	5.3e-06	5.3e-06	5.3e-06	guards.py:2325(Replacer)
1	5.3e-06	5.3e-06	7.5e-06	7.5e-06	source.py:326(EphemeralSource)
1	5.3e-06	5.3e-06	5.3e-06	5.3e-06	source.py:778(ConstantSource)
1	5.3e-06	5.3e-06	1.59e-05	1.59e-05	_Appending_byte_serializer.py:86(clear)
1	5.3e-06	5.3e-06	5.3e-06	5.3e-06	torch.py:1422(DispatchKeySetVariable)
1	5.3e-06	5.3e-06	5.3e-06	5.3e-06	temporalisomorphvf2.py:144(TimeRespectingDiGraphMat
1	5.3e-06	5.3e-06	5.3e-06	5.3e-06	maxvit.py:140(RelativePositionalMultiHeadAttention)
1	5.3e-06	5.3e-06	1.68e-05	1.68e-05	retinanet.py:57(RetinaNetHead)
7	5.3e-06	7.571e-07	5.3e-06	7.571e-07	~:0(<method 'lstrip' of 'str' objects>)
2	5.2e-06	2.6e-06	5.2e-06	2.6e-06	~:0(<method 'SerializeToString' of 'google._upb._message.
3	5.2e-06	1.733e-06	9.3e-06	3.1e-06	__init__.py:152(_is_compiled)
1	5.2e-06	5.2e-06	4.45e-05	4.45e-05	dfm.py:1(<module>)
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	transforms.py:244(Normalize)
1	5.2e-06	5.2e-06	1.13e-05	1.13e-05	_stack.py:16(Stack)
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	pythonintegerring.py:13(PythonIntegerRing)
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	multinomial.py:1(<module>)
1	5.2e-06	5.2e-06	3.11e-05	3.11e-05	hyperbolic.py:1070(csch)
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	gammasimp.py:463(_rf)
1	5.2e-06	5.2e-06	3.46e-05	3.46e-05	interval_membership.py:1(<module>)
2	5.2e-06	2.6e-06	0.000848	0.000424	_funcs.py:21(_public_functions)
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	_redistribute.py:23(_TransformInfo)
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	user_defined.py:1413(UserDefinedExceptionObjectVariabl
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	distributed.py:45(DistributedVariable)
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	misc.py:1699(WeakRefVariable)
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	make_functional.py:302(FunctionalModule)
1	5.2e-06	5.2e-06	6.7e-05	6.7e-05	hints.py:25(ReductionHint)
1	5.2e-06	5.2e-06	1.04e-05	1.04e-05	cpu_vec_isa.py:279(VecVSX)
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	schemas.py:698(BackwardSignature)

ncalls	tottime	percall	cumtime	percall	
1	5.2e-06	5.2e-06	5.2e-06	5.2e-06	flow_matrix.py:36(InverseLaplacian)
13	5.2e-06	4e-07	5.2e-06	4e-07	~:0(<built-in method math.gcd>)
4	5.1e-06	1.275e-06	5.1e-06	1.275e-06	_ops.py:32(dl_open_guard)
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	fields.py:153(RequestField)
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	model_zoo.py:1(<module>)
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	_infra.py:140(Location)
1	5.1e-06	5.1e-06	1.49e-05	1.49e-05	misc.py:263(MLP)
1	5.1e-06	5.1e-06	8.6e-06	8.6e-06	roi_align.py:263(RoIAlign)
1	5.1e-06	5.1e-06	0.0003188	0.0003188	polyoptions.py:300(Wrt)
5	5.1e-06	1.02e-06	1.07e-05	2.14e-06	pretty_symbology.py:170(<lambda>)
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	fancysets.py:73(Naturals)
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	ndim_array.py:591(ImmutableNDimArray)
1	5.1e-06	5.1e-06	6.2e-06	6.2e-06	style.py:170(RowwiseParallel)
1	5.1e-06	5.1e-06	5.1e-06	5.1e-06	dicts.py:761(FrozensetVariable)
1	5.1e-06	5.1e-06	9.1e-06	9.1e-06	misc.py:471(CellVariable)
1	5.1e-06	5.1e-06	1.05e-05	1.05e-05	cpu_vec_isa.py:190(VecAVX512)
1	5.1e-06	5.1e-06	0.000103	0.000103	schemas.py:647(SubclassMeta)
1	5.1e-06	5.1e-06	7.8e-06	7.8e-06	resnet.py:37(QuantizableBasicBlock)
21	5.1e-06	2.429e-07	5.1e-06	2.429e-07	~:0(<built-in method _sre.ascii_tolower>)
1	5e-06	5e-06	2.86e-05	2.86e-05	_ufunc_config.py:459(__call__)
1	5e-06	5e-06	9.8e-06	9.8e-06	__init__.py:450(validate)
2	5e-06	2.5e-06	1.18e-05	5.9e-06	__init__.py:161(is_available)
1	5e-06	5e-06	5e-06	5e-06	utilities.py:166(AlgIntPowers)
15	5e-06	3.333e-07	5e-06	3.333e-07	_environment.py:1(is_fbcode)
2	5e-06	2.5e-06	5e-06	2.5e-06	cache.py:190(LazyFunction)
1	5e-06	5e-06	4.38e-05	4.38e-05	kind.py:190(KindDispatcher)
3	5e-06	1.667e-06	1.75e-05	5.833e-06	numbers.py:1397(from_coprime_ints)
1	5e-06	5e-06	5e-06	5e-06	boolalg.py:572(And)
1	5e-06	5e-06	3.08e-05	3.08e-05	symbol.py:524(Wild)
1	5e-06	5e-06	5e-06	5e-06	cnf.py:109(AND)
1	5e-06	5e-06	5e-06	5e-06	numbers.py:1350(genocchi)
1	5e-06	5e-06	5e-06	5e-06	gamma_functions.py:564(polygamma)
1	5e-06	5e-06	5e-06	5e-06	fancysets.py:24(Rationals)
1	5e-06	5e-06	5e-06	5e-06	polynomials.py:443(chebyshev)
1	5e-06	5e-06	5e-06	5e-06	single.py:1203(Separable)
1	5e-06	5e-06	5e-06	5e-06	_view_ops.py:82(Repeat)
1	5e-06	5e-06	5e-06	5e-06	torch.py:212(BaseTorchVariable)
1	5e-06	5e-06	5e-06	5e-06	exc.py:85(CppWrapperCodegenError)
1	5e-06	5e-06	5e-06	5e-06	misc.py:275(PythonRandomViaNumpyBits)
1	5e-06	5e-06	8.6e-06	8.6e-06	roi_pool.py:56(RoiPool)

ncalls	tottime	percall	cumtime	percall	
2	4.9e-06	2.45e-06	4.9e-06	2.45e-06	~:0(<built-in method FromString>)
3	4.9e-06	1.633e-06	4.9e-06	1.633e-06	_ops.py:1161(overloads)
1	4.9e-06	4.9e-06	4.9e-06	4.9e-06	ImageFilter.py:85(RankFilter)
1	4.9e-06	4.9e-06	7.3e-06	7.3e-06	_api.py:20(Weights)
1	4.9e-06	4.9e-06	4.9e-06	4.9e-06	functions.py:1059(FloatPow)
1	4.9e-06	4.9e-06	4.9e-06	4.9e-06	dispatcher.py:366(MethodDispatcher)
1	4.9e-06	4.9e-06	4.9e-06	4.9e-06	boolalg.py:397(BooleanFalse)
1	4.9e-06	4.9e-06	4.9e-06	4.9e-06	gaussiandomains.py:246(GaussianDomain)
7	4.9e-06	7e-07	4.9e-06	7e-07	memoization.py:4(recurrence_memo)
1	4.9e-06	4.9e-06	7.44e-05	7.44e-05	types.py:62(ConvertFrameReturn)
1	4.9e-06	4.9e-06	4.9e-06	4.9e-06	functions.py:1151(SkipFunctionVariable)
1	4.9e-06	4.9e-06	4.9e-06	4.9e-06	_flat_param.py:164(FlatParamShardMetadata)
1	4.9e-06	4.9e-06	0.0001767	0.0001767	iter.py:296(CycleIteratorVariable)
1	4.9e-06	4.9e-06	8.41e-05	8.41e-05	schemas.py:158(PlainTensorMeta)
1	4.9e-06	4.9e-06	4.52e-05	4.52e-05	<frozen os>:717(__setitem__)
1	4.9e-06	4.9e-06	7.2e-06	7.2e-06	~:0(<method 'difference_update' of 'set' objects>)
1	4.8e-06	4.8e-06	6e-06	6e-06	weakref.py:495(popitem)
2	4.8e-06	2.4e-06	4.8e-06	2.4e-06	typing.py:485(__getattr__)
3	4.8e-06	1.6e-06	4.8e-06	1.6e-06	__init__.py:1776(getEffectiveLevel)
2	4.8e-06	2.4e-06	7.28e-05	3.64e-05	_common.py:80(__)
2	4.8e-06	2.4e-06	6.7e-06	3.35e-06	__init__.py:1938(__del__)
1	4.8e-06	4.8e-06	8.98e-05	8.98e-05	_utils.py:7(StrideEnumMeta)
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	hyper.py:959(HyperRep_asin1)
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	equality.py:209(StrictLessThanPredicate)
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	modules.py:1647(PowerBasisElement)
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	transpose.py:5(Transpose)
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	immutable.py:82(ImmutableDenseMatrix)
1	4.8e-06	4.8e-06	5.6e-06	5.6e-06	iter.py:498(FilterVariable)
1	4.8e-06	4.8e-06	5.3e-06	5.3e-06	ctx_manager.py:669(TorchFunctionDisableVariable)
1	4.8e-06	4.8e-06	8.16e-05	8.16e-05	ctx_manager.py:1310(WithExitFunctionVariable)
1	4.8e-06	4.8e-06	7.41e-05	7.41e-05	utils.py:2706(TritonAttrsDescriptorVersion)
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	triton_compat.py:96(tl)
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	kcomponents.py:264(AntiAdjacencyView)
1	4.8e-06	4.8e-06	6.1e-06	6.1e-06	swin_transformer.py:230(ShiftedWindowAttention3d)
1	4.8e-06	4.8e-06	4.8e-06	4.8e-06	~:0(<method 'search' of 're.Pattern' objects>)
6	4.7e-06	7.833e-07	2.12e-05	3.533e-06	typing.py:1581(<genexpr>)
2	4.7e-06	2.35e-06	1.56e-05	7.8e-06	serialization.py:281(add_safe_globals)
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	connectionpool.py:67(ConnectionPool)
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	exceptions.py:42(RequestError)
1	4.7e-06	4.7e-06	4.34e-05	4.34e-05	timeout.py:14(_TYPE_DEFAULT)

ncalls	tottime	percall	cumtime	percall	
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	models.py:316(CliDetectionResult)
1	4.7e-06	4.7e-06	5.5e-06	5.5e-06	transforms.py:1295(RandomRotation)
1	4.7e-06	4.7e-06	2.28e-05	2.28e-05	config.py:449(default_debug_dir_root)
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	_diagnostic.py:81(ExportDiagnosticEngine)
1	4.7e-06	4.7e-06	1.02e-05	1.02e-05	_special_locations.py:15(SpecialLocations)
9	4.7e-06	5.222e-07	4.7e-06	5.222e-07	timeutils.py:54(decorator)
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	trigonometric.py:1905(sinc)
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	hyper.py:890(HyperRep_power2)
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	arrayop.py:458(Flatten)
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	solvers.py:23(RawMatrix)
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	interval_membership.py:4(intervalMembership)
1	4.7e-06	4.7e-06	5.2e-06	5.2e-06	series.py:1289(LineOver1DRangeSeries)
1	4.7e-06	4.7e-06	6e-06	6e-06	remote_cache.py:237(RedisRemoteCacheBackend)
1	4.7e-06	4.7e-06	6.93e-05	6.93e-05	_cache.py:21(CacheArtifactType)
1	4.7e-06	4.7e-06	0.0001348	0.0001348	wrap.py:212(CustomPolicy)
1	4.7e-06	4.7e-06	8.98e-05	8.98e-05	_debug_utils.py:23(Type)
1	4.7e-06	4.7e-06	5.3e-06	5.3e-06	ctx_manager.py:462(VmapIncrementNestingCtxManagerV
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	distributed.py:136(PlacementClassVariable)
1	4.7e-06	4.7e-06	4.7e-06	4.7e-06	misc.py:799(AutogradEngineVariable)
1	4.7e-06	4.7e-06	1.19e-05	1.19e-05	regnet.py:108(ResBottleneckBlock)
2	4.6e-06	2.3e-06	9.9e-06	4.95e-06	upsampling.py:181(__setstate__)
1	4.6e-06	4.6e-06	0.0001814	0.0001814	files.py:108(increment_path)
1	4.6e-06	4.6e-06	6.1e-06	6.1e-06	registration.py:115(__SymbolicFunctionGroup)
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	utils.py:889(ExactWeakKeyDictionary)
3	4.6e-06	1.533e-06	6.4e-06	2.133e-06	ctx_mp_python.py:602(make_mpc)
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	expr.py:4134(ExprBuilder)
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	numbers.py:3757(Pi)
1	4.6e-06	4.6e-06	3.93e-05	3.93e-05	boolalg.py:972(Xor)
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	cnf.py:15(Literal)
1	4.6e-06	4.6e-06	2.97e-05	2.97e-05	hyperbolic.py:1141(sech)
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	gamma_functions.py:1060(digamma)
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	hyper.py:1109(HyperRep_sinasin)
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	modules.py:698(PowerBasis)
1	4.6e-06	4.6e-06	5.4e-06	5.4e-06	functions.py:1889(TritonKernelVariable)
1	4.6e-06	4.6e-06	2.31e-05	2.31e-05	torch_function.py:235(SymbolicTorchFunctionState)
1	4.6e-06	4.6e-06	2.76e-05	2.76e-05	torch_function.py:210(TorchFunctionModeStackStateManager)
1	4.6e-06	4.6e-06	1.71e-05	1.71e-05	higher_order_ops.py:1417(ScanHigherOrderVariable)
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	hints.py:175(HalideInputSpec)
1	4.6e-06	4.6e-06	0.0001235	0.0001235	runtime_wrappers.py:1461(AutogradLazyBackwardComputation)
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	coreviews.py:110(UnionAtlas)

ncalls	tottime	percall	cumtime	percall	
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	backends.py:2107(_LazyArgsRepr)
1	4.6e-06	4.6e-06	4.6e-06	4.6e-06	reportviews.py:546(OutDegreeView)
1	4.6e-06	4.6e-06	1.5e-05	1.5e-05	fcos.py:137(FCOSClassificationHead)
1	4.6e-06	4.6e-06	1.33e-05	1.33e-05	swin_transformer.py:321(PatchEmbed3d)
1	4.5e-06	4.5e-06	1.46e-05	1.46e-05	__init__.py:592(__init__)
1	4.5e-06	4.5e-06	0.0001213	0.0001213	serialization.py:757(__open_file_like)
4	4.5e-06	1.125e-06	7e-06	1.75e-06	_sources.py:52(remove_prefix)
5	4.5e-06	9e-07	5.8e-06	1.16e-06	container.py:150(__len__)
2	4.5e-06	2.25e-06	1.36e-05	6.8e-06	infer_schema.py:79(unstringify_types)
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	transforms.py:564(RandomChoice)
4	4.5e-06	1.125e-06	5.7e-06	1.425e-06	libmpf.py:574(mpfp_cmp)
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	transforms.py:1082(LinearTransformation)
1	4.5e-06	4.5e-06	8.61e-05	8.61e-05	onnxruntime.py:552(OrtExecutionInfoPerSession)
4	4.5e-06	1.125e-06	7.1e-06	1.775e-06	registration.py:310(custom_onnx_symbolic)
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	_exporter_legacy.py:83(OnnxRegistry)
1	4.5e-06	4.5e-06	5.7e-06	5.7e-06	symbolic_convert.py:201(SpeculationEntry)
2	4.5e-06	2.25e-06	3.03e-05	1.515e-05	_ordered_set.py:26(__init__)
1	4.5e-06	4.5e-06	1.69e-05	1.69e-05	decorator.py:85(conservempmath_dps)
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	relational.py:752(Unequality)
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	hyper.py:866(HyperRep_power1)
1	4.5e-06	4.5e-06	2.71e-05	2.71e-05	bessel.py:1094(SphericalHankelBase)
1	4.5e-06	4.5e-06	4.5e-06	4.5e-06	expr_with_limits.py:538(AddWithLimits)
1	4.5e-06	4.5e-06	6.6e-06	6.6e-06	source.py:357(TensorPropertySource)
1	4.5e-06	4.5e-06	7.1e-06	7.1e-06	_fsdp_common.py:46(DataParallelMeshInfo)
1	4.5e-06	4.5e-06	8.63e-05	8.63e-05	_trace_wrapped_higher_order_op.py:124(TransformGetIter)
1	4.5e-06	4.5e-06	4.9e-06	4.9e-06	ctx_manager.py:702(DeterministicAlgorithmsVariable)
1	4.5e-06	4.5e-06	7e-06	7e-06	mobilenetv2.py:23(QuantizableInvertedResidual)
1	4.5e-06	4.5e-06	6.5e-06	6.5e-06	mobilenetv3.py:30(QuantizableSqueezeExcitation)
1	4.4e-06	4.4e-06	6.98e-05	6.98e-05	exceptions.py:1(<module>)
1	4.4e-06	4.4e-06	5.41e-05	5.41e-05	utils.py:258(extract_zipped_paths)
3	4.4e-06	1.467e-06	4.47e-05	1.49e-05	symbolic_opset9.py:787(__reduce_with_dtype)
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	symbolic_convert.py:4080(InliningGeneratorInstructionTr
1	4.4e-06	4.4e-06	7.2e-06	7.2e-06	config.py:1528(test_configs)
1	4.4e-06	4.4e-06	0.0001018	0.0001018	config.py:1404(halide)
1	4.4e-06	4.4e-06	5.6e-06	5.6e-06	symbolic_shapes.py:2224(__ShapeGuardPrinter)
1	4.4e-06	4.4e-06	8.85e-05	8.85e-05	assumptions.py:220(__load_pre_generated_assumption_rule)
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	boolalg.py:230(BooleanAtom)
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	piecewise.py:19(ExprCondPair)
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	trigonometric.py:3448(atan2)
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	hyper.py:1002(HyperRep_sqrts1)

ncalls	totime	percall	cumtime	percall	
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	hyper.py:1087(HyperRep_cosasin)
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	diagonal.py:86(DiagonalOf)
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	external_utils.py:107(FakeBackwardCFunction)
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	device_interface.py:399(Worker)
1	4.4e-06	4.4e-06	0.0001771	0.0001771	builder.py:2705(TrackedFake)
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	aot_autograd.py:444(AOTDispatchCompiler)
1	4.4e-06	4.4e-06	5.3e-06	5.3e-06	configs.py:171(values)
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	reportviews.py:747(OutEdgeDataView)
1	4.4e-06	4.4e-06	1.04e-05	1.04e-05	resnet.py:108(Bottleneck)
1	4.4e-06	4.4e-06	4.4e-06	4.4e-06	edge_kcomponents.py:242(EdgeComponentAuxGraph)
1	4.4e-06	4.4e-06	6.8e-06	6.8e-06	densenet.py:136(DenseNet)
4	4.3e-06	1.075e-06	1.56e-05	3.9e-06	typing.py:827(<genexpr>)
2	4.3e-06	2.15e-06	5.13e-05	2.565e-05	_tensor.py:1131(__rpow__)
1	4.3e-06	4.3e-06	9e-06	9e-06	flickr.py:116(Flickr30k)
1	4.3e-06	4.3e-06	7.7e-06	7.7e-06	_infra.py:275(DiagnosticOptions)
4	4.3e-06	1.075e-06	4.3e-06	1.075e-06	registration.py:77 override)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	utils.py:1901(CleanupHook)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	optimization.py:213(Muller)
1	4.3e-06	4.3e-06	0.0001101	0.0001101	decorators.py:236(__func__)
1	4.3e-06	4.3e-06	2.64e-05	2.64e-05	core.py:1(<module>)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	numbers.py:3545(NumberSymbol)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	binrel.py:135(AppliedBinaryRelation)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	hyper.py:978(HyperRep_asin2)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	dense_ndim_array.py:132(ImmutableDenseNDimArray)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	formal.py:1492(FiniteFormalPowerSeries)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	source.py:630(ListGetItemSource)
1	4.3e-06	4.3e-06	3.8e-05	3.8e-05	pgo.py:153(AutoUnset)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	_dtensor_spec.py:14(TensorMeta)
1	4.3e-06	4.3e-06	5.55e-05	5.55e-05	metadata.py:9(MEM_FORMAT_ENCODING)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	style.py:307(SequenceParallel)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	tensor.py:1275(NumpyNdarrayVariable)
1	4.3e-06	4.3e-06	8e-06	8e-06	misc.py:683(SavedTensorBox)
1	4.3e-06	4.3e-06	9e-06	9e-06	cpu_vec_isa.py:292(InvalidVecISA)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	version.py:1(<module>)
1	4.3e-06	4.3e-06	5.39e-05	5.39e-05	schemas.py:107(MutationType)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	reportviews.py:1330(OutMultiEdgeView)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	text.py:14(BaseGlyphs)
1	4.3e-06	4.3e-06	5.8e-06	5.8e-06	planarity.py:224(ConflictPair)
1	4.3e-06	4.3e-06	9.12e-05	9.12e-05	regnet.py:67(BottleneckTransform)
1	4.3e-06	4.3e-06	4.3e-06	4.3e-06	~:0(<method 'split' of 're.Pattern' objects>)

ncalls	tottime	percall	cumtime	percall	
4	4.2e-06	1.05e-06	4.2e-06	1.05e-06	_collections.py:23(freeze)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	auth.py:11(Auth)
1	4.2e-06	4.2e-06	5.4e-06	5.4e-06	coco.py:66(CocoCaptions)
1	4.2e-06	4.2e-06	5.95e-05	5.95e-05	autoaugment.py:93(AutoAugmentPolicy)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	ElementTree.py:1264(XMLPullParser)
3	4.2e-06	1.4e-06	7.1e-06	2.367e-06	_api.py:95(url)
1	4.2e-06	4.2e-06	9.2e-06	9.2e-06	misc.py:224(SqueezeExcitation)
1	4.2e-06	4.2e-06	4.7e-06	4.7e-06	misc.py:308(Permute)
1	4.2e-06	4.2e-06	8.09e-05	8.09e-05	__init__.py:42(__sympy_debug)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	ctx_mp_python.py:330(_constant)
1	4.2e-06	4.2e-06	5.31e-05	5.31e-05	enumerative.py:1(<module>)
1	4.2e-06	4.2e-06	5.87e-05	5.87e-05	importtools.py:14(__sympy_debug)
1	4.2e-06	4.2e-06	5.04e-05	5.04e-05	_print_helpers.py:1(<module>)
4	4.2e-06	1.05e-06	4.2e-06	1.05e-06	numbers.py:2871(__neg__)
25	4.2e-06	1.68e-07	4.2e-06	1.68e-07	polyoptions.py:198(<genexpr>)
6	4.2e-06	7e-07	4.2e-06	7e-07	printer.py:422(print_function)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	pycode.py:552(PythonCodePrinter)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	gamma_functions.py:1154(trigamma)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	hyper.py:918(HyperRep_log1)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	zeta_functions.py:223(polylog)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	polynomials.py:1006(hermite)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	polynomials.py:1210(laguerre)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	indexed.py:580(idx)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	modules.py:260(FreeModuleElement)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	formal.py:958(Coeff)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	hyperexpand.py:674(Formula)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	line.py:1578(Segment)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	line.py:1343(Ray)
1	4.2e-06	4.2e-06	4.95e-05	4.95e-05	base.py:35(SourceType)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	code_context.py:37(CodeContextDict)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	_appending_byte_serializer.py:36(BytesReader)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	wrap.py:175(ModuleWrapPolicy)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	tensor.py:1461(UntypedStorageVariable)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	ctx_manager.py:199(GradInplaceRequiresGradCtxManage
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	utils.py:140(align)
1	4.2e-06	4.2e-06	4.2e-06	4.2e-06	runtime_wrappers.py:77(CompilerWrapper)
1	4.2e-06	4.2e-06	5.8e-06	5.8e-06	mnasnet.py:97(MNASNet)
1	4.2e-06	4.2e-06	1.24e-05	1.24e-05	maxvit.py:53(MBConv)
1	4.2e-06	4.2e-06	5.4e-06	5.4e-06	mvit.py:395(PositionalEncoding)
1	4.2e-06	4.2e-06	7.2e-06	7.2e-06	inception.py:85(QuantizableInceptionE)

ncalls	tottime	percall	cumtime	percall	
1	4.2e-06	4.2e-06	6.4e-06	6.4e-06	shufflenetv2.py:52(QuantizableShuffleNetV2)
2	4.2e-06	2.1e-06	0.0001297	6.485e-05	~:0(<built-in method _operator.floordiv>)
1	4.1e-06	4.1e-06	8.6e-06	8.6e-06	feature_pyramid_network.py:224(LastLevelP6P7)
1	4.1e-06	4.1e-06	6.3e-06	6.3e-06	symbolic_convert.py:290(LocalState)
1	4.1e-06	4.1e-06	5.81e-05	5.81e-05	utils.py:312(CompileEventLogLevel)
4	4.1e-06	1.025e-06	4.1e-06	1.025e-06	sympify.py:28(__init__)
2	4.1e-06	2.05e-06	5.3e-06	2.65e-06	facts.py:305(rules_beta)
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	error_functions.py:1669(Li)
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	error_functions.py:2327(FresnelIntegral)
1	4.1e-06	4.1e-06	3.05e-05	3.05e-05	bessel.py:1028(yn)
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	bessel.py:1723(airyapprime)
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	bessel.py:1880(airybiprime)
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	diagonal.py:9(DiagonalMatrix)
1	4.1e-06	4.1e-06	6.6e-06	6.6e-06	trace_rules.py:3537(SkipResult)
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	tensor.py:1523(DataPtrVariable)
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	ctx_manager.py:798(AutocastModeVariable)
1	4.1e-06	4.1e-06	7.4e-06	7.4e-06	runtime_wrappers.py:2238(DebugAssertWrapper)
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	heaps.py:21(__Item)
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	graphml.py:463(GraphMLWriter)
1	4.1e-06	4.1e-06	4.1e-06	4.1e-06	planarity.py:196(Interval)
2	4e-06	2e-06	4.9e-06	2.45e-06	_parser.py:265(getwhile)
1	4e-06	4e-06	4e-06	4e-06	poolmanager.py:56(PoolKey)
1	4e-06	4e-06	6.4e-06	6.4e-06	_infra.py:177(Stack)
1	4e-06	4e-06	4.5e-06	4.5e-06	deform_conv.py:110(DeformConv2d)
1	4e-06	4e-06	7.6e-06	7.6e-06	symbolic_shapes.py:3120(FrameLocalResult)
1	4e-06	4e-06	5.8e-06	5.8e-06	kind.py:257(__init__)
1	4e-06	4e-06	4e-06	4e-06	function.py:882(UndefinedFunction)
1	4e-06	4e-06	4e-06	4e-06	boolalg.py:741(Or)
1	4e-06	4e-06	4e-06	4e-06	polyoptions.py:327(Sort)
1	4e-06	4e-06	4e-06	4e-06	complexes.py:696(arg)
1	4e-06	4e-06	4e-06	4e-06	zeta_functions.py:395(zeta)
1	4e-06	4e-06	4e-06	4e-06	hyper.py:1062(HyperRep_log2)
1	4e-06	4e-06	4e-06	4e-06	gamma_functions.py:398(uppergamma)
1	4e-06	4e-06	4e-06	4e-06	polynomials.py:561(chebyshev)
1	4e-06	4e-06	4e-06	4e-06	polynomials.py:1108(hermite_prob)
1	4e-06	4e-06	4e-06	4e-06	modules.py:160(ModuleElement)
1	4e-06	4e-06	4e-06	4e-06	extensions.py:219(MonogenicFiniteExtension)
1	4e-06	4e-06	4e-06	4e-06	special.py:68(GenericZeroMatrix)
1	4e-06	4e-06	4e-06	4e-06	hyperexpand.py:1035(UnShiftA)
1	4e-06	4e-06	6.5e-06	6.5e-06	_flat_param.py:148(__ShardParamInfo)

ncalls	tottime	percall	cumtime	percall	
1	4e-06	4e-06	4e-06	4e-06	lists.py:1025(ListIteratorVariable)
1	4e-06	4e-06	2.34e-05	2.34e-05	heaps.py:132(PairingHeap)
5	4e-06	8e-07	4e-06	8e-07	configs.py:70(__init_subclass__)
1	4e-06	4e-06	4e-06	4e-06	vision_transformer.py:40(MLPBlock)
1	4e-06	4e-06	8.2e-06	8.2e-06	efficientnet.py:171(FusedMBConv)
1	4e-06	4e-06	1.07e-05	1.07e-05	inception.py:176(InceptionA)
1	4e-06	4e-06	1.04e-05	1.04e-05	swin_transformer.py:401(SwinTransformerBlock)
1	4e-06	4e-06	8.32e-05	8.32e-05	~:0(<built-in method __operator.length_hint>)
1	3.9e-06	3.9e-06	0.0001637	0.0001637	__init__.py:199(split)
1	3.9e-06	3.9e-06	4.48e-05	4.48e-05	typing.py:672(Final)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	modules.py:1889(EndomorphismRing)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	adapters.py:137(BaseAdapter)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	_markupbase.py:23(ParserBase)
4	3.9e-06	9.75e-07	3.9e-06	9.75e-07	_lazy_import.py:12(__init__)
1	3.9e-06	3.9e-06	4.8e-06	4.8e-06	_exporter_legacy.py:491(FXGraphExtractor)
5	3.9e-06	7.8e-07	8.3e-06	1.66e-06	pretty_symbology.py:172(<lambda>)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	numbers.py:1037(euler)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	numbers.py:1490(andre)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	error_functions.py:995(erf2inv)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	polynomials.py:773(legendre)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	modules.py:1339(QuotientModule)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	adjoint.py:6(Adjoint)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	hadamard.py:313(HadamardPower)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	expr_with_intlimits.py:13(ExprWithIntLimits)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	diophantine.py:1107(CubicThue)
1	3.9e-06	3.9e-06	4.35e-05	4.35e-05	guards.py:599(GuardManagerType)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	functions.py:1006(NestedUserFunctionVariable)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	functions.py:1935(TMADescriptorVariable)
1	3.9e-06	3.9e-06	5.6e-06	5.6e-06	placement_types.py:23(Placement)
4	3.9e-06	9.75e-07	0.0003503	8.758e-05	torch_function.py:179(<lambda>)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	metrics.py:104(CachedMetricsHelper)
1	3.9e-06	3.9e-06	3.9e-06	3.9e-06	heaps.py:281(BinaryHeap)
1	3.9e-06	3.9e-06	5e-06	5e-06	graphml.py:384(GraphML)
1	3.9e-06	3.9e-06	1.01e-05	1.01e-05	maxvit.py:483(MaxVitBlock)
3	3.9e-06	1.3e-06	3.9e-06	1.3e-06	~:0(<method 'union' of 'set' objects>)
1	3.8e-06	3.8e-06	8.9e-05	8.9e-05	socket.py:501(close)
1	3.8e-06	3.8e-06	5.2e-06	5.2e-06	typing_extensions.py:1763(__paramspec_prepare_subst)
5	3.8e-06	7.6e-07	3.8e-06	7.6e-07	expr.py:185(__hashable_content)
2	3.8e-06	1.9e-06	4.4e-06	2.2e-06	multidimensional.py:81(__init__)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	relational.py:1150(LessThan)

ncalls	tottime	percall	cumtime	percall	
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	mathml.py:21(MathMLPrinterBase)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	zeta_functions.py:584(dirichlet_eta)
1	3.8e-06	3.8e-06	6.07e-05	6.07e-05	fancysets.py:1440(PolarComplexRegion)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	sets.py:2192(SymmetricDifference)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	polynomials.py:28(OrthogonalPolynomial)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	polynomials.py:889(assoc_legendre)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	elliptic_integrals.py:310(elliptic_pi)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	immutable.py:140(ImmutableSparseMatrix)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	series.py:1(<module>)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	ellipse.py:1477(Circle)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	eval_frame.py:478(_TorchDynamoContext)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	device_interface.py:189(Worker)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	user_defined.py:1569(UserDefinedListVariable)
1	3.8e-06	3.8e-06	4.4e-06	4.4e-06	ctx_manager.py:392(GradIncrementNestingCtxManagerVa
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	output_graph.py:230(WrapperBackend)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	utils.py:1579(DebugDirManager)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	_error.py:6(Timeout)
1	3.8e-06	3.8e-06	3.16e-05	3.16e-05	nx_pylab.py:1472(FancyArrowFactory)
1	3.8e-06	3.8e-06	9.5e-06	9.5e-06	swin_transformer.py:458(SwinTransformerBlockV2)
1	3.8e-06	3.8e-06	4.7e-06	4.7e-06	swin_transformer.py:234(ShiftedWindowAttention)
1	3.8e-06	3.8e-06	3.8e-06	3.8e-06	maxvit.py:226(WindowPartition)
1	3.8e-06	3.8e-06	1.05e-05	1.05e-05	resnet.py:86(BasicBlock)
1	3.8e-06	3.8e-06	5e-06	5e-06	inception.py:125(QuantizableInception3)
8	3.8e-06	4.75e-07	3.8e-06	4.75e-07	~:0(<method 'pop' of 'set' objects>)
4	3.7e-06	9.25e-07	3.7e-06	9.25e-07	typing.py:213(_should_unflatten_callable_args)
2	3.7e-06	1.85e-06	0.003262	0.001631	_common.py:33(wrapper)
2	3.7e-06	1.85e-06	6.9e-06	3.45e-06	__init__.py:634(__init__)
11	3.7e-06	3.364e-07	3.7e-06	3.364e-07	custom_ops.py:387(register_fake)
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	exceptions.py:142(NewConnectionError)
1	3.7e-06	3.7e-06	3.22e-05	3.22e-05	request.py:47(_TYPE_FAILEDTELL)
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	sessions.py:106(SessionRedirectMixin)
1	3.7e-06	3.7e-06	4.2e-06	4.2e-06	_rules.py:296(_FindOperatorOverloadsInOnnxRegistry)
2	3.7e-06	1.85e-06	2.93e-05	1.465e-05	symbolic_opset18.py:96(_reduce_with_dtype)
7	3.7e-06	5.286e-07	3.7e-06	5.286e-07	symbolic_convert.py:810(break_graph_if_unsupported)
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	quadrature.py:260(TanhSinh)
2	3.7e-06	1.85e-06	3.7e-06	1.85e-06	math2.py:53(_mathfun_n)
1	3.7e-06	3.7e-06	0.1127	0.1127	decorator.py:65(xthreaded)
4	3.7e-06	9.25e-07	3.7e-06	9.25e-07	timeutils.py:53(timethis)
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	complexes.py:820(conjugate)
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	sets.py:2261(DisjointUnion)

ncalls	tottime	percall	cumtime	percall	
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	checkpoint.py:224(CheckpointFunction)
1	3.7e-06	3.7e-06	2.42e-05	2.42e-05	_sharding_prop.py:41(__init__)
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	configs.py:228(BackendPriorities)
1	3.7e-06	3.7e-06	3.7e-06	3.7e-06	coreviews.py:314(FilterAdjacency)
1	3.7e-06	3.7e-06	9.7e-06	9.7e-06	maxvit.py:282(PartitionAttentionLayer)
1	3.7e-06	3.7e-06	1.17e-05	1.17e-05	~:0(<built-in method __operator.imatmul>)
2	3.6e-06	1.8e-06	3.6e-06	1.8e-06	__init__.py:428(__discover_resolvers)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	hmac.py:27(HMAC)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	_version.py:1(<module>)
1	3.6e-06	3.6e-06	1.37e-05	1.37e-05	ctx_mp_python.py:623(convert)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	_diagnostic.py:46(TorchScriptOnnxExportDiagnostic)
1	3.6e-06	3.6e-06	8.98e-05	8.98e-05	feature_pyramid_network.py:11(ExtraFPNBlock)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	functions.py:464(Mod)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	facts.py:257(Prover)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	relational.py:1167(StrictGreaterThan)
5	3.6e-06	7.2e-07	1.09e-05	2.18e-06	pretty_symbology.py:176(<lambda>)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	factorials.py:383(factorial2)
1	3.6e-06	3.6e-06	1.62e-05	1.62e-05	bessel.py:1207(hn2)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	polynomials.py:45(jacobi)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	trace.py:11(Trace)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	funcmatrix.py:9(FunctionMatrix)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	diagonal.py:157(DiagMatrix)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	line.py:1872(LinearEntity2D)
1	3.6e-06	3.6e-06	4e-06	4e-06	code_context.py:38(__init__)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	api.py:35(DevicePlacementSpec)
1	3.6e-06	3.6e-06	4.1e-06	4.1e-06	wrap.py:123(__Policy)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	tensor.py:1415(FakeItemVariable)
1	3.6e-06	3.6e-06	1.58e-05	1.58e-05	higher_order_ops.py:822(CondHigherOrderVariable)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	misc.py:1305(StringFormatVariable)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	output_graph.py:218(FakeRootModule)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	cache_size.py:71(CacheSizeRelevantForFrame)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	utils.py:506(CachedMethod)
1	3.6e-06	3.6e-06	3.6e-06	3.6e-06	utils.py:2175(BoxedBool)
1	3.6e-06	3.6e-06	4.17e-05	4.17e-05	utils.py:1936(Placeholder)
1	3.6e-06	3.6e-06	2.87e-05	2.87e-05	heaps.py:13(MinHeap)
1	3.6e-06	3.6e-06	4.9e-06	4.9e-06	lraspp.py:54(LRASPPHead)
4	3.5e-06	8.75e-07	3.5e-06	8.75e-07	getlimits.py:721(max)
1	3.5e-06	3.5e-06	1.89e-05	1.89e-05	_utils.py:19(StrEnum)
1	3.5e-06	3.5e-06	8.4e-06	8.4e-06	feature_pyramid_network.py:207(LastLevelMaxPool)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	functions.py:1032(PowByNatural)

ncalls	totime	percall	cumtime	percall	
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	decorator.py:319(wrapper)
4	3.5e-06	8.75e-07	7.5e-06	1.875e-06	pythonmpq.py:194(__neg__)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	relational.py:1185(StrictLessThan)
2	3.5e-06	1.75e-06	4.5e-06	2.25e-06	densebasic.py:255(dup_strip)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	numbers.py:1662(divisor_sigma)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	complexes.py:954(adjoint)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	complexes.py:1020(polar_lift)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	error_functions.py:2710(erfs)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	bessel.py:2044(marcumq)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	sequences.py:1020(SeqAdd)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	domainmatrix.py:1(<module>)
1	3.5e-06	3.5e-06	0.0001047	0.0001047	base.py:164(AttributeMutationNew)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	source.py:524(GetItemSource)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	pgo.py:107(CodeId)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	functions.py:1482(FunctoolsPartialVariable)
1	3.5e-06	3.5e-06	8.31e-05	8.31e-05	_math_ops.py:47(NormReduction)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	decorators.py:102(set_stance)
1	3.5e-06	3.5e-06	3.5e-06	3.5e-06	planarity.py:259(LRPlanarity)
1	3.5e-06	3.5e-06	9.2e-06	9.2e-06	retinanet.py:87(RetinaNetClassificationHead)
1	3.5e-06	3.5e-06	4.1e-06	4.1e-06	ssd.py:71(SSDScoringHead)
1	3.5e-06	3.5e-06	1.13e-05	1.13e-05	s3d.py:92(S3D)
1	3.5e-06	3.5e-06	4.2e-06	4.2e-06	googlenet.py:25(QuantizableBasicConv2d)
1	3.5e-06	3.5e-06	4.6e-06	4.6e-06	resnet.py:67(Conv3DNoTemporal)
1	3.5e-06	3.5e-06	9.5e-06	9.5e-06	<frozen_collections_abc>:966(clear)
2	3.5e-06	1.75e-06	3.5e-06	1.75e-06	~:0(<method 'capitalize' of 'str' objects>)
3	3.4e-06	1.133e-06	3.4e-06	1.133e-06	typing.py:1489(__repr__)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	detection_pipeline.py:2(__init__)
2	3.4e-06	1.7e-06	0.0001223	6.115e-05	_tensor.py:1139(__rfloordiv__)
1	3.4e-06	3.4e-06	0.000115	0.000115	serialization.py:739(__init__)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	connectionpool.py:963(HTTPSCConnectionPool)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	structures.py:86(__init__)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	symbolic_shapes.py:3085(ShapeEnvSettings)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	functions.py:961(Max)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	functions.py:1081(FloatTrueDiv)
1	3.4e-06	3.4e-06	5e-06	5e-06	ctx_mp_python.py:163(__neg__)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	boolalg.py:1370(ITE)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	field.py:8(Field)
2	3.4e-06	1.7e-06	8.2e-06	4.1e-06	polyclasses.py:155(new)
2	3.4e-06	1.7e-06	4.8e-06	2.4e-06	polyclasses.py:1241(__new__)
1	3.4e-06	3.4e-06	5.5e-06	5.5e-06	factor_.py:700(__init__)

ncalls	tottime	percall	cumtime	percall	
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	miscellaneous.py:683(Max)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	numbers.py:1729(udivisor_sigma)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	complexes.py:897(transpose)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	mathieu_functions.py:24(mathieus)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	modules.py:1005(SubQuotientModule)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	diophantine.py:1029(GeneralPythagorean)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	eval_frame.py:796(DisableContext)
1	3.4e-06	3.4e-06	4e-06	4e-06	sharder.py:6(Sharder)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	_view_ops.py:71(NewDim)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	runtime_wrappers.py:445(FunctionalizedRngRuntimeWra
1	3.4e-06	3.4e-06	6.5e-06	6.5e-06	vision_transformer.py:122(Encoder)
1	3.4e-06	3.4e-06	3.4e-06	3.4e-06	maxvit.py:213(SwapAxes)
1	3.4e-06	3.4e-06	1.02e-05	1.02e-05	s3d.py:22(TemporalSeparableConv)
1	3.3e-06	3.3e-06	3.15e-05	3.15e-05	pathlib.py:591(suffix)
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	symbolic_opset19.py:1(<module>)
1	3.3e-06	3.3e-06	1.32e-05	1.32e-05	symbolic_opset13.py:403(_reduce_with_dtype)
1	3.3e-06	3.3e-06	7.1e-06	7.1e-06	symbolic_shapes.py:2211(RuntimeAssert)
1	3.3e-06	3.3e-06	3.56e-05	3.56e-05	boolalg.py:1286(Equivalent)
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	numbers.py:277(lucas)
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	numbers.py:2194(reduced_totient)
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	numbers.py:2252(primepi)
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	ordinals.py:5(OmegaPower)
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	special.py:174(GenericIdentity)
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	series.py:2122(GenericDataSeries)
1	3.3e-06	3.3e-06	3.6e-06	3.6e-06	trace_rules.py:3095(add_module_init_func)
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	source.py:243(GenericAttrSource)
1	3.3e-06	3.3e-06	3.39e-05	3.39e-05	pgo.py:165(AutoDynamic)
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	functions.py:171(BaseUserFunctionVariable)
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	_flat_param.py:122(ParamInfo)
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	dicts.py:592(DefaultDictVariable)
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	iter.py:43(ItertoolsVariable)
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	ctx_manager.py:431(CatchWarningsCtxManagerVariable)
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	_api.py:51(FileLockContext)
1	3.3e-06	3.3e-06	3.3e-06	3.3e-06	cpp_builder.py:1278(CppTorchDeviceOptions)
1	3.3e-06	3.3e-06	1.09e-05	1.09e-05	regnet.py:151(AnyStage)
2	3.3e-06	1.65e-06	8.91e-05	4.455e-05	~:0(<built-in method __operator.ipow>)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	ElementTree.py:514(ElementTree)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	utils.py:1922(CleanupManager)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	functions.py:1106(IntTrueDiv)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	function.py:826(AppliedUndef)

ncalls	tottime	percall	cumtime	percall	
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	relational.py:827(_Inequality)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	polyerrors.py:155(PolificationFailed)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	numbers.py:1604(partition)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	numbers.py:1959(mobius)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	miscellaneous.py:864(Rem)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	single.py:1297(SeparableReduced)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	line.py:1987(Line2D)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	contract.py:38(_ContractFn)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	lists.py:654(TupleVariable)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	dicts.py:808(DictKeySetVariable)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	autograd_cache.py:419(AOTAutogradCacheEntry)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	triton_bundler.py:45(TritonKernelArtifacts)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	runtime_wrappers.py:133(RuntimeWrapper)
1	3.2e-06	3.2e-06	3.2e-06	3.2e-06	reportviews.py:876(InEdgeDataView)
1	3.2e-06	3.2e-06	8.1e-06	8.1e-06	googlenet.py:231(InceptionAux)
1	3.2e-06	3.2e-06	8.2e-06	8.2e-06	maxvit.py:386(MaxVitLayer)
1	3.2e-06	3.2e-06	4e-06	4e-06	resnet.py:44(Conv2Plus1D)
8	3.1e-06	3.875e-07	3.1e-06	3.875e-07	dataclasses.py:1202(<genexpr>)
1	3.1e-06	3.1e-06	7.9e-06	7.9e-06	__init__.py:958(createLock)
2	3.1e-06	1.55e-06	3.1e-06	1.55e-06	serialization.py:728(__init__)
1	3.1e-06	3.1e-06	3.4e-06	3.4e-06	facts.py:135(apply_beta_to_alpha_route)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	convert_frame.py:460(ConvertFrameAssert)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	logic.py:320(AndOr_Base)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	assume.py:14(AssumptionsContext)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	boolalg.py:856(Not)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	polyoptions.py:271(Gens)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	orderings.py:10(MonomialOrder)
4	3.1e-06	7.75e-07	3.6e-06	9e-07	generate.py:67(<genexpr>)
4	3.1e-06	7.75e-07	1.76e-05	4.4e-06	pretty_symbology.py:232(<lambd>)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	numbers.py:1801(legendre_symbol)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	hyper.py:937(HyperRep_atanh)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	fancysets.py:239(Reals)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	polynomials.py:290(gegenbauer)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	determinant.py:9(Determinant)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	eptools.py:6(EPath)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	single.py:1436(HomogeneousCoeffSubsDepDivIndep)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	bytecode_transformation.py:38(InstructionExnTabEntry)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	source.py:753(TorchFunctionModeStackSource)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	registry.py:77(CompiledFn)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	replay_record.py:34(DummyModule)

ncalls	tottime	percall	cumtime	percall	
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	functions.py:970(WrappedUserFunctionVariable)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	iter.py:216(IteratorVariable)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	higher_order_ops.py:2399(FlexAttentionHigherOrderVaria
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	decompositions_for_rng.py:66(PhiloxState)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	utils.py:2621(ScopedDict)
1	3.1e-06	3.1e-06	5.4e-06	5.4e-06	triton_bundler.py:34(TritonKernelArtifact)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	codecache.py:3211(CodeCacheFuture)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	reportviews.py:1195(EdgeView)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	networksimplex.py:14(_DataEssentialsAndFunctions)
1	3.1e-06	3.1e-06	3.1e-06	3.1e-06	isomorphvf2.py:622(DiGraphMatcher)
1	3.1e-06	3.1e-06	8.4e-06	8.4e-06	inception.py:215(InceptionB)
1	3.1e-06	3.1e-06	5e-06	5e-06	deeplabv3.py:48(DeepLabHead)
2	3.1e-06	1.55e-06	3.1e-06	1.55e-06	~:0(<method 'cache_clear' of 'functools._lru_cache_wrapper> object at 0x0000000000000000>)
1	3e-06	3e-06	5.1e-06	5.1e-06	infer_schema.py:262(parse_return)
1	3e-06	3e-06	3e-06	3e-06	_typing.py:7(RingElement)
13	3e-06	2.308e-07	3e-06	2.308e-07	_ops.py:910(name)
1	3e-06	3e-06	0.0001131	0.0001131	expr.py:266(__pow__)
1	3e-06	3e-06	4.2e-06	4.2e-06	convnext.py:69(CNBlockConfig)
1	3e-06	3e-06	3e-06	3e-06	alexnet.py:17(AlexNet)
1	3e-06	3e-06	3e-06	3e-06	_constants.py:1(<module>)
1	3e-06	3e-06	3e-06	3e-06	drop_block.py:108(DropBlock2d)
1	3e-06	3e-06	3e-06	3e-06	quadrature.py:5(QuadratureRule)
1	3e-06	3e-06	3e-06	3e-06	extrapolation.py:728(cohen_alt_class)
10	3e-06	3e-07	3e-06	3e-07	ctx_iv.py:355(_wrap_mpi_function)
2	3e-06	1.5e-06	3e-06	1.5e-06	cache.py:183(LazyFunctionMeta)
1	3e-06	3e-06	3e-06	3e-06	assumptions.py:464(StdFactKB)
1	3e-06	3e-06	3e-06	3e-06	evalf.py:1560(EvalfMixin)
1	3e-06	3e-06	3e-06	3e-06	polyoptions.py:512(Split)
4	3e-06	7.5e-07	8.4e-06	2.1e-06	pretty_symbology.py:233(<lambda>)
1	3e-06	3e-06	3e-06	3e-06	gamma_functions.py:1255(multigamma)
1	3e-06	3e-06	3e-06	3e-06	polynomials.py:1320(assoc_laguerre)
1	3e-06	3e-06	3e-06	3e-06	sparse_ndim_array.py:138(MutableSparseNDimArray)
1	3e-06	3e-06	3e-06	3e-06	array_comprehension.py:344(ArrayComprehensionMap)
1	3e-06	3e-06	1.28e-05	1.28e-05	special.py:181(__new__)
1	3e-06	3e-06	3e-06	3e-06	sequences.py:1126(SeqMul)
1	3e-06	3e-06	3e-06	3e-06	hyperexpand.py:885(MeijerFormula)
1	3e-06	3e-06	3e-06	3e-06	line.py:1109(Line)
1	3e-06	3e-06	3e-06	3e-06	source.py:150(RandomValueSource)
1	3e-06	3e-06	3e-06	3e-06	remote_cache.py:152(RemoteCache)
1	3e-06	3e-06	3e-06	3e-06	functions.py:1690(TracebackVariable)

ncalls	tottime	percall	cumtime	percall	
1	3e-06	3e-06	3e-06	3e-06	functions.py:417(BuiltinMethodVariable)
1	3e-06	3e-06	1.64e-05	1.64e-05	higher_order_ops.py:1045(WhileLoopHigherOrderVariable)
1	3e-06	3e-06	3e-06	3e-06	reportviews.py:1403(InMultiEdgeView)
1	3e-06	3e-06	3e-06	3e-06	text.py:24(AsciiBaseGlyphs)
1	3e-06	3e-06	8.3e-06	8.3e-06	inception.py:243(InceptionC)
1	3e-06	3e-06	3e-06	3e-06	raft.py:337(CorrBlock)
4	3e-06	7.5e-07	3e-06	7.5e-07	~:0(<built-in method atexit.register>)
6	3e-06	5e-07	3e-06	5e-07	~:0(<method 'readline' of '_io.BytesIO' objects>)
2	3e-06	1.5e-06	3e-06	1.5e-06	~:0(<method 'count' of 'list' objects>)
5	2.9e-06	5.8e-07	2.9e-06	5.8e-07	typing.py:533(__repr__)
1	2.9e-06	2.9e-06	4.79e-05	4.79e-05	_tensor.py:1135(__floordiv__)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	config.py:664(__collective)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	functions.py:525(CeilToInt)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	recording.py:488(NotEqualError)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	inverselaplace.py:354(deHoog)
1	2.9e-06	2.9e-06	9.79e-05	9.79e-05	decorators.py:111(binary_op_wrapper)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	numbers.py:1849(jacobi_symbol)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	zeta_functions.py:667(riemann_xi)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	equality.py:69(UnequalityPredicate)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	numpy.py:506(JaxPrinter)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	functions.py:11(TensorProduct)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	formal.py:1690(FormalPowerSeriesInverse)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	single.py:443(FirstExact)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	single.py:976(RationalRiccati)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	single.py:1748(LinearCoefficients)
2	2.9e-06	1.45e-06	5.49e-05	2.745e-05	trace_rules.py:3503(<genexpr>)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	functions.py:861(UserMethodVariable)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	codegen.py:57(GraphOutputEntry)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	triton_kernel_wrap.py:796(TritonKernelWrapperFunctiona
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	dicts.py:535(MappingProxyVariable)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	distributed.py:171(PlacementVariable)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	torch.py:1459(FuncTorchInterpreterVariable)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	cpp_builder.py:1100(CppTorchOptions)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	densenet.py:96(__DenseBlock)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	vgg.py:35(VGG)
1	2.9e-06	2.9e-06	2.9e-06	2.9e-06	raft.py:116(FeatureEncoder)
4	2.8e-06	7e-07	2.8e-06	7e-07	~:0(<method 'HasField' of 'google._upb._message.Message'
6	2.8e-06	4.667e-07	2.8e-06	4.667e-07	enum.py:1411(<lambda>)
3	2.8e-06	9.333e-07	5.5e-06	1.833e-06	dataclasses.py:1301(is_dataclass)
2	2.8e-06	1.4e-06	4.1e-06	2.05e-06	__init__.py:637(path)

ncalls	tottime	percall	cumtime	percall	
3	2.8e-06	9.333e-07	1.26e-05	4.2e-06	node.py:104(has_side_effect)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	ElementTree.py:466(QName)
1	2.8e-06	2.8e-06	3.9e-06	3.9e-06	_rules.py:44(_MissingCustomSymbolicFunction)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	_exporter_legacy.py:233(ExportOptions)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	symbolic_shapes.py:1785(StatelessSymbolicContext)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	symbolic_shapes.py:922(InnerTensorKey)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	functions.py:1193(TruncToFloat)
1	2.8e-06	2.8e-06	4e-06	4e-06	libmpi.py:96(MPI_Neg)
1	2.8e-06	2.8e-06	2.69e-05	2.69e-05	calculus.py:1(<module>)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	colorsys.py:1(<module>)
1	2.8e-06	2.8e-06	7.9e-06	7.9e-06	ctx_iv.py:145(_neg_)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	enumerative.py:368(MultisetPartitionTraverser)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	numbers.py:4020(Catalan)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	boolalg.py:1202(Implies)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	polyoptions.py:543(Extension)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	numbers.py:1920(kronecker_symbol)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	numbers.py:2039(primenu)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	sets.py:1893(UniversalSet)
1	2.8e-06	2.8e-06	1.41e-05	1.41e-05	special.py:75(__new__)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	sequences.py:378(EmptySequence)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	single.py:839(Factorable)
1	2.8e-06	2.8e-06	4.2e-06	4.2e-06	metrics_context.py:180(RuntimeMetricsContext)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	source.py:290(GradSource)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	builder.py:3249(SourcelessUserDefinedObjectBuilder)
1	2.8e-06	2.8e-06	3.4e-06	3.4e-06	api.py:70(ShardingPlanner)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	dicts.py:583(NNModuleHooksDictVariable)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	ctx_manager.py:978(PreserveVersionContextVariable)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	codecache.py:1393(AotCodeCompiler)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	gexf.py:275(GEXFWriter)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	utils.py:19(CurrentEdge)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	mapped_queue.py:8(_HeapElement)
1	2.8e-06	2.8e-06	7.5e-06	7.5e-06	inception.py:289(InceptionD)
1	2.8e-06	2.8e-06	6.4e-06	6.4e-06	resnet.py:123(Bottleneck)
1	2.8e-06	2.8e-06	3.5e-06	3.5e-06	googlenet.py:74(QuantizableGoogLeNet)
1	2.8e-06	2.8e-06	3e-06	3e-06	<frozen importlib._bootstrap>:501(_requires_builtin_wrap)
1	2.8e-06	2.8e-06	2.8e-06	2.8e-06	~:0(<built-in method numpy._core._multiarray_umath._ma
1	2.7e-06	2.7e-06	4.18e-05	4.18e-05	ssl.py:555(options)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	numpy.py:483(CuPyPrinter)
10	2.7e-06	2.7e-07	2.7e-06	2.7e-07	distributed_c10d.py:596(default_pg)
2	2.7e-06	1.35e-06	1.14e-05	5.7e-06	_mangling.py:46(is_mangled)

ncalls	tottime	percall	cumtime	percall	
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	mock.py:1283(_check_spec_arg_typos)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	cookiejar.py:743(Cookie)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	_video_deprecation_warning.py:1(<module>)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	ElementTree.py:1503(XMLParser)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	_lazy_import.py:9(_LazyModule)
1	2.7e-06	2.7e-06	2.36e-05	2.36e-05	_infra.py:50(Tag)
1	2.7e-06	2.7e-06	1.19e-05	1.19e-05	roi_align.py:22(decorate_fn)
2	2.7e-06	1.35e-06	2.7e-06	1.35e-06	convert_frame.py:181(__init__)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	functions.py:1137(IsNonOverlappingAndDenseIndicator)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	numbers.py:3888(TribonacciConstant)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	cnf.py:394(EncodedCNF)
4	2.7e-06	6.75e-07	1.08e-05	2.7e-06	pretty_symbology.py:237(<lambda>)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	numbers.py:2144(totient)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	contains.py:10(Contains)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	equality.py:25(EqualityPredicate)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	sequences.py:466(SeqPer)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	diophantine.py:454(BinaryQuadratic)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	single.py:912(RiccatiSpecial)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	source.py:217(AttrSource)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	source.py:587(DictGetItemSource)
1	2.7e-06	2.7e-06	4.9e-06	4.9e-06	pgo.py:118(CodeState)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	_flat_param.py:130(SharedParamInfo)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	_view_ops.py:32(DimSpec)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	_optim_utils.py:53(FSDPParamInfo)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	_optim_utils.py:93(PosDimTensorInfo)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	_optim_utils.py:1284(StateInfo)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	user_defined.py:1612(UserDefinedTupleVariable)
1	2.7e-06	2.7e-06	1.33e-05	1.33e-05	higher_order_ops.py:1275(AssociativeScanHigherOrderVa
1	2.7e-06	2.7e-06	3.9e-05	3.9e-05	hints.py:32(TileHint)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	output_code.py:567(CompiledAOTI)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	cudagraph_utils.py:50(WrappedFunction)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	utils.py:1182(DeferredLineBase)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	pt2_archive_constants.py:1(<module>)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	coreviews.py:23(AtlasView)
3	2.7e-06	9e-07	3.6e-06	1.2e-06	configs.py:131(__iter__)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	misc.py:333(PythonRandomInterface)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	reportviews.py:983(MultiEdgeDataView)
1	2.7e-06	2.7e-06	2.7e-06	2.7e-06	raft.py:27(ResidualBlock)
3	2.6e-06	8.667e-07	3e-06	1e-06	ast.py:86(_convert)
2	2.6e-06	1.3e-06	0.0002686	0.0001343	pathlib.py:835(stat)

ncalls	tottime	percall	cumtime	percall	
1	2.6e-06	2.6e-06	4.9e-06	4.9e-06	ssl.py:661(verify_flags)
1	2.6e-06	2.6e-06	3.7e-06	3.7e-06	request.py:63(make_headers)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	retry.py:33(RequestHistory)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	_video_opt.py:37(VideoMetaData)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	ElementTree.py:1381(TreeBuilder)
5	2.6e-06	5.2e-07	2.6e-06	5.2e-07	symbolic_helper.py:1728(_reduce_op_symbolic_helper)
1	2.6e-06	2.6e-06	3.1e-06	3.1e-06	poolers.py:47(LevelMapper)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	functions.py:1251(RoundDecimal)
1	2.6e-06	2.6e-06	1.23e-05	1.23e-05	libmpc.py:205(mpc_div_mpf)
6	2.6e-06	4.333e-07	3.3e-06	5.5e-07	conflict.py:37(<genexpr>)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	numbers.py:3825(GoldenRatio)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	relational.py:873(_Greater)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	miscellaneous.py:801(Min)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	numbers.py:2091(primeomega)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	spherical_harmonics.py:267(Znm)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	beta_functions.py:282(betainc_regularized)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	sparse.py:462(MutableSparseMatrix)
5	2.6e-06	5.2e-07	2.6e-06	5.2e-07	transforms.py:224(_noconds_)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	single.py:294(SinglePatternODESolver)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	line.py:2670(Ray3D)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	eval_frame.py:1212(ExportResult)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	checkpoint_wrapper.py:114(CheckpointWrapper)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	functional.py:246(_Gather)
4	2.6e-06	6.5e-07	2.6e-06	6.5e-07	_common.py:12(_sharded_op_common)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	_fsdp_param_group.py:49(FSDPCommContext)
1	2.6e-06	2.6e-06	1.785	1.785	triton_kernel_wrap.py:797(__init__)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	distributed.py:235(DeviceMeshVariable)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	distributed.py:280(ProcessGroupVariable)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	dicts.py:898(DictKeysVariable)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	ctx_manager.py:569(InferenceModeVariable)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	cpp_builder.py:626(CppOptions)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	schemas.py:693(TensorAlias)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	degree_seq.py:756(DegreeSequenceRandomGraph)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	gml.py:289(Token)
1	2.6e-06	2.6e-06	2.6e-06	2.6e-06	squeezeenet.py:18(Fire)
1	2.6e-06	2.6e-06	7.1e-06	7.1e-06	inception.py:320(InceptionE)
1	2.6e-06	2.6e-06	6.1e-06	6.1e-06	ssdlite.py:107(SSDLiteRegressionHead)
1	2.6e-06	2.6e-06	3.3e-06	3.3e-06	mobilenetv2.py:40(QuantizableMobileNetV2)
1	2.6e-06	2.6e-06	3.3e-06	3.3e-06	deeplabv3.py:85(ASPP)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	ssl.py:665(verify_flags)

ncalls	tottime	percall	cumtime	percall	
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	tableform.py:9(TableForm)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	rootoftools.py:38(_pure_key_dict)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	structures.py:13(CaseInsensitiveDict)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	fgvc_aircraft.py:13(FGVCAircraft)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	registration.py:20(ONNXFunction)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	symbolic_shapes.py:192(SymIntEqByExpr)
1	2.5e-06	2.5e-06	1.13e-05	1.13e-05	config.py:35(bundle_triton_into_fx_graph_cache_default)
1	2.5e-06	2.5e-06	9.7e-06	9.7e-06	config.py:623(decide_worker_start_method)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	symbolic_shapes.py:934(DivideByKey)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	functions.py:1221(RoundToInt)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	functions.py:539(FloorToInt)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	functions.py:1262(ToFloat)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	functions.py:1206(TruncToInt)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	numbers.py:3961(EulerGamma)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	boolalg.py:1487(Exclusive)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	equality.py:113(StrictGreater ThanPredicate)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	cse_main.py:218(FuncArgTracker)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	guards.py:2416(CheckFunctionManager)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	source.py:563(ConstDictKeySource)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	types.py:95(DynamoGuardHook)
1	2.5e-06	2.5e-06	1.84e-05	1.84e-05	_appending_byte_serializer.py:76(__init__)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	functions.py:776(LocalGeneratorFunctionVariable)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	_state_dict_utils.py:505(__TensorInfo)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	tensor.py:1434(TensorSubclassVariable)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	misc.py:504(AutogradFunctionVariable)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	configs.py:273(NetworkXConfig)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	reportviews.py:383(DiDegreeView)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	clique.py:602(MaxWeightClique)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	ps_roi_align.py:62(PSRoIAlign)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	ps_roi_pool.py:54(PSRoIPool)
1	2.5e-06	2.5e-06	5.9e-06	5.9e-06	swin_transformer.py:89(PatchMergingV2)
1	2.5e-06	2.5e-06	2.5e-06	2.5e-06	_utils.py:227(BoxLinearCoder)
1	2.5e-06	2.5e-06	3.3e-06	3.3e-06	mobilenetv3.py:96(QuantizableMobileNetV3)
1	2.5e-06	2.5e-06	3.2e-06	3.2e-06	resnet.py:65(QuantizableBottleneck)
4	2.5e-06	6.25e-07	2.5e-06	6.25e-07	<frozen os>:1127(__init__)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	ssl.py:559(options)
1	2.4e-06	2.4e-06	0.001795	0.001795	ssl.py:430(__new__)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	response.py:253(BytesQueueBuffer)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	exporter.py:1461(iOSDetectModel)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	_infra.py:194(ThreadFlowLocation)

ncalls	totime	percall	cumtime	percall	
1	2.4e-06	2.4e-06	8.3e-06	8.3e-06	config.py:42(prologue_fusion_enabled)
1	2.4e-06	2.4e-06	1.2e-05	1.2e-05	config.py:50(remote_autograd_cache_default)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	functions.py:570(LShift)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	symbolic_shapes.py:2335(DynamicDimConstraintPrinter)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	functions.py:979(Min)
3	2.4e-06	8e-07	2.4e-06	8e-07	facts.py:290(split_alpha_beta)
1	2.4e-06	2.4e-06	3.93e-05	3.93e-05	ctx_iv.py:153(__new__)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	boolalg.py:281(BooleanTrue)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	relational.py:891(_Less)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	polyoptions.py:621(Auto)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	polyoptions.py:258(Expand)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	polyoptions.py:576(Modulus)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	pycode.py:837(SymPyPrinter)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	exponential.py:139(exp_polar)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	error_functions.py:2759(_eis)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	mathieu_functions.py:210(mathieu_cprime)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	bessel.py:2149(_bessel)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	beta_functions.py:173(betainc)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	modules.py:286(FreeModule)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	single.py:572(FirstLinear)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	single.py:646(AlmostLinear)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	single.py:2012(SecondHypergeometric)
1	2.4e-06	2.4e-06	2.98e-05	2.98e-05	exceptions.py:1(<module>)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	base.py:94(ValueMutationNew)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	source.py:166(GlobalSource)
1	2.4e-06	2.4e-06	3.8e-06	3.8e-06	types.py:83(DynamoCallbackFn)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	_AppendingByteSerializer.py:17(BytesWriter)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	remote_cache.py:373(_CacheStats)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	default_hooks.py:46(LowPrecisionState)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	triton_kernel_wrap.py:771(TritonKernelWrapperMutation)
6	2.4e-06	4e-07	2.4e-06	4e-07	higher_order_ops.py:70(raise_hard_error_if_graph_break)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	higher_order_ops.py:993(CallTorchbindHigherOrderVariable)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	output_graph.py:167(VariableTrackerCache)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	output_code.py:590(MockFXGraphCacheOutput)
1	2.4e-06	2.4e-06	6.4e-06	6.4e-06	inception.py:367(InceptionAux)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	deeplabv3.py:69(ASPPPooling)
1	2.4e-06	2.4e-06	2.4e-06	2.4e-06	~:0(<method 'reset' of '_contextvars.ContextVar' objects>)
2	2.3e-06	1.15e-06	2.3e-06	1.15e-06	tokenize.py:488(generate_tokens)
1	2.3e-06	2.3e-06	5.2e-06	5.2e-06	pooling.py:74(extra_repr)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	poolmanager.py:508(ProxyManager)

ncalls	tottime	percall	cumtime	percall	
1	2.3e-06	2.3e-06	6.2e-06	6.2e-06	probe.py:13(__init__)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	transforms.py:60(Compose)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	onnxruntime.py:628(OrtExecutionInfoForAllGraphModule
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	_infra.py:212(Graph)
6	2.3e-06	3.833e-07	2.3e-06	3.833e-07	symbolic_opset9.py:1852(__interpolate)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	_exporter_legacy.py:284(ResolvedExportOptions)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	symbolic_shapes.py:1846(StatefulSymbolicContext)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	exc.py:154(Unsupported)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	calculus.py:5(MatrixCalculusMethods)
6	2.3e-06	3.833e-07	2.3e-06	3.833e-07	iterables.py:858(<genexpr>)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	containers.py:339(OrderedSet)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	function.py:966(WildFunction)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	rules.py:5(Transform)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	assume.py:174(PredicateMeta)
2	2.3e-06	1.15e-06	4.6e-06	2.3e-06	pretty_symbolology.py:174(<lambda>)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	zeta_functions.py:706(stieljes)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	mathieu_functions.py:86(mathieuc)
3	2.3e-06	7.667e-07	2.3e-06	7.667e-07	core.py:104(do_one)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	sequences.py:611(SeqFormula)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	cse_main.py:345(Unevaluated)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	source.py:398(IndexedSource)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	pgo.py:129(InferStride)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	_optim_utils.py:109(_OptimStateKey)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	user_defined.py:1454(KeyedJaggedTensorVariable)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	ctx_manager.py:239(TemporarilyPopInterpreterStackCtxM
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	asyncio.py:34(AsyncFileLockContext)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	graph.py:23(__CachedPropertyResetterAdj)
1	2.3e-06	2.3e-06	2.9e-06	2.9e-06	resnet.py:98(QuantizableResNet)
1	2.3e-06	2.3e-06	2.3e-06	2.3e-06	~:0(<method 'set' of '_contextvars.ContextVar' objects>)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	typing.py:2563(final)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	exceptions.py:58(ProxyError)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	models.py:245(CharsetMatches)
6	2.2e-06	3.667e-07	2.2e-06	3.667e-07	symbolic_opset8.py:69(__interpolate)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	_exporter_legacy.py:455(ONNXRuntimeOptions)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	convert_frame.py:1189(ConvertFrame)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	convert_frame.py:180(Tracker)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	utils.py:3636(numpy_method_wrapper)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	symbolic_shapes.py:109(GuardOnDataDependentSymNod
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	functions.py:580(RShift)
5	2.2e-06	4.4e-07	2.2e-06	4.4e-07	basic.py:324(__hashable_content)

ncalls	tottime	percall	cumtime	percall	
1	2.2e-06	2.2e-06	9.41e-05	9.41e-05	expr.py:261(_pow)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	boolalg.py:1108(Nand)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	polyoptions.py:527(Gaussian)
2	2.2e-06	1.1e-06	6.7e-06	3.35e-06	densebasic.py:333(_rec_strip)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	hyper.py:1129(appelfl)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	fancysets.py:1493(Complexes)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	mathieu_functions.py:148(mathieusprime)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	equality.py:161(GreaterThanPredicate)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	modules.py:1106(SubModulePolyRing)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	homomorphisms.py:444(MatrixHomomorphism)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	transforms.py:1428(HankelTypeTransform)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	single.py:732(Bernoulli)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	single.py:1685(HomogeneousCoeffBest)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	source.py:809(SubclassAttrListSource)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	source.py:829(CallMethodItemSource)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	eval_frame.py:138(DynamoStance)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	types.py:54(GuardedCode)
1	2.2e-06	2.2e-06	2.9e-06	2.9e-06	remote_cache.py:98(RemoteCacheSerde)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	remote_cache.py:362(_CacheStat)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	functional.py:271(_Scatter)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	user_defined.py:1522(UserDefinedDictVariable)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	ctx_manager.py:914(StreamContextVariable)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	exc.py:47(MissingOperatorWithDecomp)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	codecache.py:3030(CacheEntry)
1	2.2e-06	2.2e-06	4.7e-06	4.7e-06	configs.py:368(<genexpr>)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	reportviews.py:822(EdgeDataView)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	filters.py:57(show_nodes)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	mapped_queue.py:91(MappedQueue)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	stochastic_depth.py:50(StochasticDepth)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	mnnasnet.py:34(_InvertedResidual)
1	2.2e-06	2.2e-06	2.2e-06	2.2e-06	mask_rcnn.py:27(MaskRCNN)
1	2.2e-06	2.2e-06	3.2e-06	3.2e-06	ssd.py:108(SSDClassificationHead)
2	2.1e-06	1.05e-06	2.1e-06	1.05e-06	weakref.py:427(__setitem__)
2	2.1e-06	1.05e-06	3.3e-06	1.65e-06	_adapters.py:16(__getattr__)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	serialization.py:2092(UnpicklerWrapper)
2	2.1e-06	1.05e-06	2.6e-06	1.3e-06	_jit_internal.py:1003(is_pass)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	response.py:214(MultiDecoder)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	probe.py:6(HTTP2ProbeCache)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	cookiejar.py:1776(FileCookieJar)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	readers.py:32(ZipReader)

ncalls	tottime	percall	cumtime	percall	
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	cifar.py:146(CIFAR100)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	exc.py:73(RestartAnalysis)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	symbolic_shapes.py:1881(SubclassSymbolicContext)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	boolalg.py:1137(Nor)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	polyoptions.py:50(BooleanOption)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	polyoptions.py:384(Composite)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	polyoptions.py:684(Gen)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	polyoptions.py:711(Symbols)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	bessel.py:800(hankel1)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	polynomials.py:687(chebyshev_root)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	polynomials.py:728(chebyshev_u_root)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	equality.py:257(LessThanPredicate)
1	2.1e-06	2.1e-06	3.1e-06	3.1e-06	util.py:6(assoc)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	determinant.py:72(Permanent)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	single.py:2842(LieGroup)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	metrics_context.py:51(__init__)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	source.py:136(SyntheticLocalSource)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	source.py:446(FlattenScriptObjectSource)
1	2.1e-06	2.1e-06	6.52e-05	6.52e-05	types.py:118(BytecodeHook)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	functional.py:289(_Reduce)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	functional.py:318(_AllGather)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	functional.py:409(_AlltoAllSingle)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	ctx_manager.py:156(GenericContextWrappingVariable)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	user_defined.py:699(UserDefinedExceptionClassVariable)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	codecache.py:722(FxGraphHashDetails)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	partitioners.py:116(MinCutOptions)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	union_find.py:8(UnionFind)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	reportviews.py:1019(InMultiEdgeDataView)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	digraph.py:22(_CachedPropertyResetterAdjAndSucc)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	_utils.py:420(SSDMatcher)
1	2.1e-06	2.1e-06	3.3e-06	3.3e-06	<frozen_collections_abc>:309(__subclasshook__)
1	2.1e-06	2.1e-06	2.1e-06	2.1e-06	~:0(<method 'random' of '_random.Random' objects>)
2	2.1e-06	1.05e-06	2.1e-06	1.05e-06	~:0(<built-in method maketrans>)
1	2e-06	2e-06	2e-06	2e-06	ssl.py:677(verify_mode)
1	2e-06	2e-06	2e-06	2e-06	exporter.py:1487(NMSModel)
1	2e-06	2e-06	2e-06	2e-06	_video_opt.py:24(Timebase)
1	2e-06	2e-06	2.2e-06	2.2e-06	basic.py:497(__eq__)
1	2e-06	2e-06	2.6e-06	2.6e-06	_rules.py:64(__MissingStandardSymbolicFunction)
1	2e-06	2e-06	2.5e-06	2.5e-06	_rules.py:276(__FxNodeInsertTypePromotion)
1	2e-06	2e-06	2e-06	2e-06	symbolic_shapes.py:1982(__SymbolInfo)

ncalls	tottime	percall	cumtime	percall	
4	2e-06	5e-07	2e-06	5e-07	bessel.py:385(c_memo)
4	2e-06	5e-07	2e-06	5e-07	math2.py:42(_mathfun)
1	2e-06	2e-06	2e-06	2e-06	parameters.py:7(_global_parameters)
1	2e-06	2e-06	2e-06	2e-06	traversal.py:68(preorder_traversal)
1	2e-06	2e-06	2e-06	2e-06	symbol.py:26(Str)
1	2e-06	2e-06	2e-06	2e-06	boolalg.py:1171(Xnor)
1	2e-06	2e-06	2e-06	2e-06	polyutils.py:444(PicklableWithSlots)
1	2e-06	2e-06	1.41e-05	1.41e-05	bessel.py:1151(hn1)
1	2e-06	2e-06	2e-06	2e-06	tree.py:1(<module>)
1	2e-06	2e-06	2e-06	2e-06	mutable_ndim_array.py:4(MutableNDimArray)
1	2e-06	2e-06	2e-06	2e-06	formal.py:1543(FormalPowerSeriesProduct)
1	2e-06	2e-06	2e-06	2e-06	source.py:180(GlobalWeakRefSource)
1	2e-06	2e-06	2e-06	2e-06	source.py:267(LocalCellSource)
1	2e-06	2e-06	2e-06	2e-06	source.py:685(TypeSource)
1	2e-06	2e-06	2e-06	2e-06	source.py:795(NumpyTensorSource)
1	2e-06	2e-06	2e-06	2e-06	types.py:33(GuardFail)
1	2e-06	2e-06	2e-06	2e-06	replicate.py:152(DDP)
1	2e-06	2e-06	2.7e-06	2.7e-06	triton_kernel_wrap.py:624(__init__)
1	2e-06	2e-06	2e-06	2e-06	lazy.py:12(LazyCache)
1	2e-06	2e-06	2e-06	2e-06	lists.py:348(CommonListMethodsVariable)
1	2e-06	2e-06	2e-06	2e-06	lists.py:970(SliceVariable)
1	2e-06	2e-06	2e-06	2e-06	misc.py:1083(TypingVariable)
1	2e-06	2e-06	2e-06	2e-06	utils.py:1015(ValueWithLineMap)
1	2e-06	2e-06	2e-06	2e-06	inception.py:41(QuantizableInceptionA)
1	2e-06	2e-06	5.6e-06	5.6e-06	s3d.py:54(SepInceptionBlock3D)
5	2e-06	4e-07	2e-06	4e-07	~:0(<built-in method _warnings._filters_mutated>)
1	1.9e-06	1.9e-06	7.4e-06	7.4e-06	overrides.py:2039(__enter__)
2	1.9e-06	9.5e-07	1.9e-06	9.5e-07	__init__.py:1942(close)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	exceptions.py:29(PoolError)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	_collections.py:156(HTTPHeaderDictItemView)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	hooks.py:1(<module>)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	modulefinder.py:90(Module)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	transforms.py:107(ToTensor)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	transforms.py:172(ConvertImageDtype)
1	1.9e-06	1.9e-06	2.8e-06	2.8e-06	ImageFilter.py:31(Filter)
1	1.9e-06	1.9e-06	2.4e-06	2.4e-06	_rules.py:188(_NoSymbolicFunctionForCallFunction)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	io_adapter.py:39(Adapter)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	drop_block.py:139(DropBlock3d)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	utils.py:3614(numpy_to_tensor_wrapper)
1	1.9e-06	1.9e-06	3.5e-06	3.5e-06	utils.py:783(__init__)

ncalls	totime	percall	cumtime	percall	
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	utils.py:3777(_Anchors)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	symbolic_shapes.py:1570(StrictMinMaxConstraint)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	functions.py:1278(Identity)
1	1.9e-06	1.9e-06	4.6e-06	4.6e-06	kind.py:97(__new__)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	sparse_ndim_array.py:104(ImmutableSparseNDimArray)
1	1.9e-06	1.9e-06	2.4e-06	2.4e-06	tools.py:38(typed)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	formal.py:1613(FormalPowerSeriesCompose)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	diophantine.py:695(HomogeneousTernaryQuadraticNorma
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	series.py:1229(List2DSeries)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	text.py:6(TextBackend)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	_ndarray.py:50(Flags)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	graph_break_hints.py:1(<module>)
7	1.9e-06	2.714e-07	1.9e-06	2.714e-07	trace_rules.py:2963(__init__)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	base.py:116(ValueMutationExisting)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	base.py:54(MutationType)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	_device.py:61(DeviceContext)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	eval_frame.py:731(OptimizeContext)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	functional.py:303(__Reduce_Scatter)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	_sharding_prop.py:40(LocalLRUCache)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	_fsdp_api.py:58(CPUOffloadPolicy)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	_fsdp_param_group.py:101(ReduceScatterState)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	lazy.py:176(LazySymNodeFormatString)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	user_defined.py:1483(RemovableHandleVariable)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	ctx_manager.py:316(SetFwdGradEnabledContextManager)
1	1.9e-06	1.9e-06	1.26e-05	1.26e-05	higher_order_ops.py:2027(HintsWrapperHigherOrderVaria
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	triton_bundler.py:20(TritonBundleEntry)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	reportviews.py:1382(MultiEdgeView)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	quality.py:16(NotAPartition)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	temporalisomorphvf2.py:75(TimeRespectingGraphMatcher)
1	1.9e-06	1.9e-06	2.5e-06	2.5e-06	ssd.py:466(SSDFeatureExtractorVGG)
1	1.9e-06	1.9e-06	2.2e-06	2.2e-06	<frozen_collections_abc>:823(items)
1	1.9e-06	1.9e-06	1.9e-06	1.9e-06	~:0(<method 'to_bytes' of 'int' objects>)
2	1.8e-06	9e-07	1.8e-06	9e-07	_pytesttester.py:75(__init__)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	ssl.py:569(hostname_checks_common_name)
2	1.8e-06	9e-07	2.3e-06	1.15e-06	typing_extensions.py:1655(_tvar_prepare_subst)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	auth.py:107(HTTPDigestAuth)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	config.py:19(save)
1	1.8e-06	1.8e-06	3.3e-06	3.3e-06	_presets.py:190(OpticalFlow)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	_presets.py:22(ObjectDetection)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	ElementPath.py:350(_SelectorContext)

ncalls	tottime	percall	cumtime	percall	
1	1.8e-06	1.8e-06	2.2e-06	2.2e-06	_rules.py:128(_FxGraphToOnnx)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	io_adapter.py:412(FlattenInputWithTreeSpecValidationInp)
3	1.8e-06	6e-07	1.8e-06	6e-07	libmpf.py:663(mpf_neg)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	symbolic_shapes.py:1599(RelaxedUnspecConstraint)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	symbolic_shapes.py:2330(LoggingShapeGuardPrinter)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	symbolic_shapes.py:7212(_PythonMsgPrinter)
1	1.8e-06	1.8e-06	3.42e-05	3.42e-05	function.py:818(DefinedFunction)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	gmpyfinitefield.py:9(GMPYFiniteField)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	ecm.py:17(Point)
1	1.8e-06	1.8e-06	2.1e-06	2.1e-06	factor_.py:740(maxsize)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	bessel.py:901(SphericalBesselBase)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	bessel.py:846(hankel2)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	bessel.py:2180(_besselk)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	lambdarepr.py:228(IntervalPrinter)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	hyperexpand.py:809(FormulaCollection)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	diophantine.py:256(Linear)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	diophantine.py:958(GeneralSumOfSquares)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	single.py:1930(NthOrderReducible)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	single.py:2098(NthLinearConstantCoeffHomogeneous)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	single.py:2192(NthLinearConstantCoeffVariationOfParam
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	line.py:2504(Line3D)
2	1.8e-06	9e-07	1.8e-06	9e-07	_funcs.py:62(__init__)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	functional.py:347(_AllGatherBase)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	functional.py:374(_AlltoAll)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	functional.py:441(_AllReduce)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	_view_ops.py:49(InputDim)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	nn_module.py:1143(FSDPManagedNNModuleVariable)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	_trace_wrapped_higher_order_op.py:150(TraceWrapped)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	decorators.py:484(DimRange)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	map.py:37(MapWrapper)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	cudagraph_utils.py:35(PlaceholderInfo)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	asyncio.py:70(AsyncFileLockMeta)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	autograd_cache.py:270(AOTAutogradCachePickler)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	_api.py:81(FileLockMeta)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	schemas.py:871(AOTAutogradCacheInfo)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	graphml.py:702(GraphMLWriterLxml)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	faster_rcnn.py:286(TwoMLPHead)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	raft.py:74(BottleneckBlock)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	inception.py:52(QuantizableInceptionB)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	inception.py:63(QuantizableInceptionC)

ncalls	tottime	percall	cumtime	percall	
1	1.8e-06	1.8e-06	3.1e-06	3.1e-06	<frozen _collections_abc>:388(__subclasshook__)
1	1.8e-06	1.8e-06	1.8e-06	1.8e-06	~:0(<built-in method __codecs.lookup>)
3	1.7e-06	5.667e-07	1.7e-06	5.667e-07	parse.py:421(__checknetloc)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	kind.py:7(MatrixKind)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	exceptions.py:84(MaxRetryError)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	structures.py:83(LookupDict)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	models.py:230(Request)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	transforms.py:361(CenterCrop)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	transforms.py:201(ToPILImage)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	ImageEnhance.py:25(__Enhance)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	transforms.py:1032(TenCrop)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	_infra.py:168(StackFrame)
1	1.7e-06	1.7e-06	2.2e-06	2.2e-06	_rules.py:168(__FxPass)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	_exporter_legacy.py:539(Exporter)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	utils.py:782(DuplicateWarningChecker)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	exc.py:124(ShortenTraceback)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	symbolic_shapes.py:910(CallMethodKey)
2	1.7e-06	8.5e-07	1.7e-06	8.5e-07	decorator.py:120(__init__)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	facts.py:286(__init__)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	expr.py:4076(UnevaluatedExpr)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	python.py:10(PythonPrinter)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	codeprinter.py:18(requires)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	zeta_functions.py:25(lerchphi)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	ordinals.py:261(OrdinalOmega)
2	1.7e-06	8.5e-07	1.7e-06	8.5e-07	rootoftools.py:83(__init__)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	matrixbase.py:5400(DeferredVector)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	transforms.py:1165(SineTransform)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	diophantine.py:1134(GeneralSumOfEvenPowers)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	single.py:2294(NthLinearConstantCoeffUndeterminedCoef)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	single.py:2572(NthLinearEulerEqNonhomogeneousUndete
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	series.py:28(IntervalMathPrinter)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	base.py:138(AttributeMutation)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	_appending_byte_serializer.py:18(__init__)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	functions.py:1695(SysFunctionVariable)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	triton_kernel_wrap.py:146(Intermediate)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	ctx_manager.py:858(NullContextVariable)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	higher_order_ops.py:1782(WrapHigherOrderVariable)
1	1.7e-06	1.7e-06	1.49e-05	1.49e-05	higher_order_ops.py:2135(StrictModeHigherOrderVariable)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	cudagraph_utils.py:332(CudagraphCachedInfo)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	utils.py:1214(DelayReplaceLine)

ncalls	tottime	percall	cumtime	percall	
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	autograd_cache.py:405(CompiledBackward)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	codecache.py:3118(CacheEntry)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	coreviews.py:165(UnionAdjacency)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	raft.py:434(RAFT)
1	1.7e-06	1.7e-06	1.7e-06	1.7e-06	shufflenetv2.py:35(QuantizableInvertedResidual)
1	1.7e-06	1.7e-06	1.17e-05	1.17e-05	<frozen importlib._bootstrap>:989(create_module)
1	1.6e-06	1.6e-06	1.9e-06	1.9e-06	copyreg.py:12(pickle)
1	1.6e-06	1.6e-06	2.5e-06	2.5e-06	pathlib.py:52(_ignore_error)
1	1.6e-06	1.6e-06	1.8e-06	1.8e-06	serialization.py:720(_is_path)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	__init__.py:35(_is_compiled)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	cookiejar.py:841(CookiePolicy)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	transforms.py:1544(Grayscale)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	mnist.py:204(FashionMNIST)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	ElementTree.py:1091(_ListDataStream)
1	1.6e-06	1.6e-06	2.1e-06	2.1e-06	_rules.py:94(_OperatorSupportedInNewerOpsetVersion)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	exc.py:279(ObservedUserStopIteration)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	utils.py:787(reset)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	symbolic_shapes.py:3101(ValueRangesSLoc)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	symbolic_shapes.py:7176(PropagateUnbackedSymInts)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	quadrature.py:459(QuadratureMethods)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	inverselaplace.py:4(InverseLaplaceTransform)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	ctx_mp.py:1301(PrecisionManager)
4	1.6e-06	4e-07	1.6e-06	4e-07	basic.py:906(args)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	parameters.py:70(evaluate)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	facts.py:571(FactKB)
1	1.6e-06	1.6e-06	4.4e-06	4.4e-06	singleton.py:114(__init__)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	multidimensional.py:56(vectorize)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	orderings.py:137(InverseOrder)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	polyutils.py:516(IntegerPowerable)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	fancysets.py:139(Naturals0)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	sets.py:2759(SetKind)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	bessel.py:1347(AiryBase)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	transforms.py:964(FourierTypeTransform)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	hyperexpand.py:949(Operator)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	diophantine.py:224(Univariate)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	diophantine.py:782(HomogeneousTernaryQuadratic)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	series.py:1608(Parametric2DLineSeries)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	series.py:1755(Parametric3DLineSeries)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	_funcs.py:54(IndexExpression)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	guards.py:593(GuardCodeList)

ncalls	tottime	percall	cumtime	percall	
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	source.py:431(ConvertIntSource)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	logging_tensor.py:99(LoggingTensorReentrant)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	checkpoint.py:1299(_CachedTorchDispatchMode)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	builder.py:357(BackwardStateGraphArg)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	functions.py:1971(CreateTMADescriptorVariable)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	api.py:230(CPUOffload)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	functions.py:1289(WrapperUserFunctionVariable)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	compiled_autograd.py:120(Op)
1	1.6e-06	1.6e-06	3.51e-05	3.51e-05	torch_function.py:161(<lambda>)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	higher_order_ops.py:1769(FunctionalCallVariable)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	misc.py:982(MethodWrapperVariable)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	output_graph.py:158(VariableTrackerCacheKey)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	autograd_cache.py:344(FXGraphCacheLoadable)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	metrics.py:85(CachedMetricsDeltas)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	graph.py:48(_CachedPropertyResetterNode)
6	1.6e-06	2.667e-07	1.6e-06	2.667e-07	configs.py:259(<genexpr>)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	text.py:47(UtfBaseGlyphs)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	algebraicconnectivity.py:20(_PCGSolver)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	faster_rcnn.py:347(FastRCNNPredictor)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	squeezeenet.py:36(SqueezeNet)
1	1.6e-06	1.6e-06	2.5e-06	2.5e-06	ssd.py:117(SSDRessionHead)
1	1.6e-06	1.6e-06	1.6e-06	1.6e-06	inception.py:74(QuantizableInceptionD)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	typing.py:3441(decorator)
3	1.5e-06	5e-07	1.5e-06	5e-07	__init__.py:2301(createLock)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	modules.py:1746(ModuleHomomorphism)
1	1.5e-06	1.5e-06	2.5e-06	2.5e-06	__init__.py:24(is_available)
1	1.5e-06	1.5e-06	2.4e-06	2.4e-06	ssl_.py:56(_is_has_never_check_common_name_reliable)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	exceptions.py:166(NameResolutionError)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	exceptions.py:261(IncompleteRead)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	_base_connection.py:12(ProxyConfig)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	errors.py:6(HUBModelError)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	transforms.py:392(Pad)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	transforms.py:465(Lambda)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	transforms.py:985(FiveCrop)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	_infra.py:54(PatchedPropertyBag)
1	1.5e-06	1.5e-06	2.1e-06	2.1e-06	_rules.py:148(_FxNodeToOnnx)
1	1.5e-06	1.5e-06	2.1e-06	2.1e-06	_rules.py:208(_UnsupportedFxNodeAnalysis)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	_exporter_legacy.py:67(ONNXFakeContext)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	patcher.py:27(ONNX Torch Patcher)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	symbolic_convert.py:936(BytecodeDistpatchTableMeta)

ncalls	tottime	percall	cumtime	percall	
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	utils.py:3655(numpy_operator_wrapper)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	visualization.py:9(VisualizationMethods)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	ctx_iv.py:292(ivmpf_constant)
1	1.5e-06	1.5e-06	2.5e-06	2.5e-06	parameters.py:60(__init__)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	polyoptions.py:366(Field)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	pythonfinitefield.py:9(PythonFiniteField)
2	1.5e-06	7.5e-07	3.4e-06	1.7e-06	pretty_symbology.py:234(<lambda>)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	transforms.py:331(MellinTransform)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	transforms.py:1137(SineCosineTypeTransform)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	transforms.py:1284(CosineTransform)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	single.py:2483(NthLinearEulerEqNonhomogeneousVariati
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	sympy_parser.py:91(AppliedFunction)
1	1.5e-06	1.5e-06	1.8e-06	1.8e-06	sympy_parser.py:1251(__init__)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	series.py:1800(SurfaceBaseSeries)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	base.py:200(AsPythonConstantNotImplementedError)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	base.py:208(VariableTrackerMeta)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	bytecode_transformation.py:589(ExceptionTableEntry)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	source.py:199(WeakRefCallSource)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	source.py:744(GlobalStateSource)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	guards.py:2316(ExprCounter)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	source.py:415(NegateSource)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	source.py:461(ScriptObjectQualifiedNameSource)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	eval_frame.py:784(RunOnlyContext)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	checkpoint.py:1050(__recomputation_hook)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	api.py:293(FullStateDictConfig)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	api.py:1223(ProcessGroupState)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	_fsdp_param_group.py:106(AllReduceState)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	iter.py:265(CountIteratorVariable)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	compiled_autograd.py:91(OpNamespace)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	user_defined.py:1656(MutableMappingVariable)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	higher_order_ops.py:1618(MapHigherOrderVariable)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	ctx_manager.py:1175(StreamVariable)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	misc.py:410(ComptimeVariable)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	misc.py:1288(NullVariable)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	graph_region_tracker.py:70(InputPickler)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	output_code.py:245(CompiledFxGraphConstants)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	cudagraph_utils.py:201(BoxedDeviceIndex)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	utils.py:1158(FakeIndentedBuffer)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	exc.py:41(MissingOperatorWithoutDecomp)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	asyncio.py:52(AsyncAcquireReturnProxy)

ncalls	tottime	percall	cumtime	percall	
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	_soft.py:13(SoftFileLock)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	runtime_wrappers.py:156(NoopAliasHandler)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	text.py:33(AsciiDirectedGlyphs)
2	1.5e-06	7.5e-07	1.5e-06	7.5e-07	planarity.py:204(__init__)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	nx_pylab.py:1475(ConnectionStyleFactory)
1	1.5e-06	1.5e-06	1.5e-06	1.5e-06	googlenet.py:40(QuantizableInception)
2	1.4e-06	7e-07	1.8e-06	9e-07	functools.py:843(_is_valid_dispatch_type)
2	1.4e-06	7e-07	2.4e-06	1.2e-06	_parser.py:295(seek)
4	1.4e-06	3.5e-07	1.4e-06	3.5e-07	_pytree.py:858(<genexpr>)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	request.py:194(ChunksAndContentLength)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	_base_connection.py:19(__ResponseOptions)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	__version__.py:1(<module>)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	utils.py:183(Events)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	transforms.py:510(RandomApply)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	transforms.py:689(RandomHorizontalFlip)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	transforms.py:1882(RandomPosterize)
1	1.4e-06	1.4e-06	1.9e-06	1.9e-06	_rules.py:236(_OpLevelDebugging)
1	1.4e-06	1.4e-06	1.9e-06	1.9e-06	_rules.py:256(_FindOpschemaMatchedSymbolicFunction)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	context.py:257(RuntimeErrorWithDiagnostic)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	exc.py:141(BackendCompilerFailed)
1	1.4e-06	1.4e-06	8.3e-06	8.3e-06	config.py:15(fx_graph_remote_cache_default)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	utils.py:4180(GmWrapper)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	symbolic_shapes.py:2266(ShapeGuardPythonPrinter)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	inverselaplace.py:667(LaplaceTransformInversionMethods)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	logic.py:399(Not)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	core.py:5(Registry)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	containers.py:379(TupleKind)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	polyoptions.py:674(All)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	gaussiandomains.py:171(GaussianInteger)
2	1.4e-06	7e-07	1.4e-06	7e-07	rl.py:10(rm_id)
3	1.4e-06	4.667e-07	1.4e-06	4.667e-07	core.py:16(exhaust)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	transforms.py:1224(InverseSineTransform)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	transforms.py:1047(InverseFourierTransform)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	hyperexpand.py:1162(MeijerUnShiftA)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	transforms.py:1343(InverseCosineTransform)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	single.py:2787(SecondLinearAiry)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	sympy_parser.py:1242(_T)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	bytecode_analysis.py:189(FixedPointBox)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	source.py:702(OptimizerSource)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	source.py:714(NNModuleSource)

ncalls	totime	percall	cumtime	percall	
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	source.py:820(FloatTensorSource)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	guards.py:2402(DeletedGuardManagerWrapper)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	device_interface.py:327(Event)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	device_interface.py:361(Worker)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	functions.py:950(WrappedUserMethodVariable)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	_flat_param.py:192(_FlatParameterMeta)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	api.py:276(StateDictConfig)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	api.py:377(FullOptimStateDictConfig)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	api.py:389(LocalOptimStateDictConfig)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	api.py:413(StateDictSettings)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	user_defined.py:124(UserDefinedVariable)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	higher_order_ops.py:2199(CheckpointHigherOrderVariable)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	autograd_cache.py:240(AOTAutogradCacheDetails)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	codecache.py:445(TensorMetadataAndValues)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	exc.py:63(LoweringException)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	codecache.py:3216(LambdaFuture)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	lazy_imports.py:82(DelayedImportErrorModule)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	text.py:40(AsciiUndirectedGlyphs)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	simple_paths.py:555(PathBuffer)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	googlenet.py:266(BasicConv2d)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	inception.py:398(BasicConv2d)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	keypoint_rcnn.py:25(KeypointRCNN)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	googlenet.py:50(QuantizableInceptionAux)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	mobilenetv3.py:83(QuantizableInvertedResidual)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	fcn.py:36(FCNHead)
1	1.4e-06	1.4e-06	4e-06	4e-06	<frozen os>:1116(__subclasshook__)
1	1.4e-06	1.4e-06	1.4e-06	1.4e-06	~:0(<method 'clear' of 'list' objects>)
2	1.3e-06	6.5e-07	1.3e-06	6.5e-07	__init__.py:669(update)
1	1.3e-06	1.3e-06	1.88e-05	1.88e-05	__init__.py:1126(__init__)
4	1.3e-06	3.25e-07	1.3e-06	3.25e-07	_jit_internal.py:90(__getitem__)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	response.py:54(ContentDecoder)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	response.py:62(DeflateDecoder)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	exceptions.py:12(RequestException)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	cookiejar.py:1859(LWPCookieJar)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	auth.py:76(HTTPBasicAuth)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	readers.py:16(FileReader)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	ImageFilter.py:41(BuiltinFilter)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	transforms.py:143(PILToTensor)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	transforms.py:485(RandomTransforms)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	transforms.py:720(RandomVerticalFlip)

ncalls	tottime	percall	cumtime	percall	
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	transforms.py:1851(RandomInvert)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	transforms.py:1948(RandomAdjustSharpness)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	convnext.py:30(LayerNorm2d)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	io_adapter.py:96(OutputAdapter)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	convert_frame.py:1356(CatchErrorsWrapper)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	exc.py:223(UserError)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	symbolic_shapes.py:2293(_ShapeGuardCppPrinter)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	symbolic_shapes.py:900(ConvertIntKey)
1	1.3e-06	1.3e-06	1.6e-06	1.6e-06	facts.py:214(rules_2prereq)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	polyoptions.py:611(Strict)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	polyoptions.py:638(Frac)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	polyoptions.py:664(Include)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	polyoptions.py:728(Method)
3	1.3e-06	4.333e-07	1.3e-06	4.333e-07	orderings.py:156(__init__)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	str.py:998(StrReprPrinter)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	hyper.py:29(TupleArg)
1	1.3e-06	1.3e-06	1.11e-05	1.11e-05	ordinals.py:273(__new__)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	modules.py:504(FreeModuleQuotientRing)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	dotproduct.py:6(DotProduct)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	transforms.py:40(IntegralTransformError)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	transforms.py:986(FourierTransform)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	hyperexpand.py:926(MeijerFormulaCollection)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	single.py:37(ODEMatchError)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	single.py:2387(NthLinearEulerEqHomogeneous)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	_dtypes.py:83(int8)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	base.py:148(AttributeMutationExisting)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	source.py:476(AttrProxySource)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	guards.py:2311(Config)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	functions.py:831(FunctionDecoratedByContextlibContextManager)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	_common_utils.py:99(_UninitializedDeviceHandle)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	api.py:340(ShardedStateDictConfig)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	api.py:359(OptimStateDictConfig)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	_fsdp_param_group.py:96(AllGatherState)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	iter.py:243(RepeatIteratorVariable)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	torch_function.py:211(__init__)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	ctx_manager.py:879(ProfileContextVariable)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	misc.py:1026(GetSetDescriptorVariable)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	map.py:45(MapImpl)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	output_graph.py:1936(LazyProxy)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	cudagraph_utils.py:28(FunctionID)

ncalls	tottime	percall	cumtime	percall	
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	output_code.py:268(CompiledFxGraphConstantsWithGm)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	codecache.py:230(LocalCache)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	_windows.py:16(WindowsFileLock)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	runtime_wrappers.py:173(AliasOfInputHandler)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	runtime_wrappers.py:670(EffectTokensWrapper)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	reference.py:331(OptimizedPythonReferenceAnalysis)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	exception.py:66(NetworkXNoPath)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	coreviews.py:267(FilterAtlas)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	kcomponents.py:244(AntiAtlasView)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	treewidth.py:88(MinDegreeHeuristic)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	vf2userfunc.py:120(DiGraphMatcher)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	raft.py:237(RecurrentBlock)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	raft.py:288(UpdateBlock)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	raft.py:311(MaskPredictor)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	faster_rcnn.py:43(FasterRCNN)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	deeplabv3.py:59(ASPPConv)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	~:0(<built-in method _functools.cmp_to_key>)
1	1.3e-06	1.3e-06	1.3e-06	1.3e-06	~:0(<method 'getrandbits' of '_random.Random' objects>)
2	1.2e-06	6e-07	1.2e-06	6e-07	_adapters.py:25(__init__)
1	1.2e-06	1.2e-06	3.1e-06	3.1e-06	overrides.py:2043(__exit__)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	serialization.py:876(_check_dill_version)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	exceptions.py:109(HostChangedError)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	response.py:100(GzipDecoder)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	exceptions.py:31(JSONDecodeError)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	cookies.py:103(MockResponse)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	models.py:206(RequestHooksMixin)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	transforms.py:1579(RandomGrayscale)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	transforms.py:1915(RandomSolarize)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	mnist.py:232(KMNIST)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	symbolic_shapes.py:1772(SymbolicContext)
2	1.2e-06	6e-07	1.2e-06	6e-07	libmpf.py:692(mpf_sign)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	optimization.py:15(Newton)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	decorator.py:101(no_attrs_in_subclass)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	cache.py:5(__cache)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	dispatcher.py:33(RaiseNotImplementedError)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	kind.py:84(UndefinedKind)
1	1.2e-06	1.2e-06	3.7e-06	3.7e-06	kind.py:156(__new__)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	mul.py:25(NC_Marker)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	symbol.py:410(_hashable_content)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	inference.py:273(PropKB)

ncalls	tottime	percall	cumtime	percall	
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	polyoptions.py:375(Greedy)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	polyoptions.py:701(Series)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	orderings.py:35(LexOrder)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	simpledomain.py:7(SimpleDomain)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	qs.py:9(SievePolynomial)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	hyperbolic.py:106(HyperbolicFunction)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	expr_with_intlimits.py:5(ReorderError)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	hyperexpand.py:1076(UnShiftB)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	hyperexpand.py:1200(MeijerUnShiftB)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	entity.py:540(GeometrySet)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	trace_rules.py:3039(_polyfilled_function_ids)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	source.py:671(TupleIteratorGetItemSource)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	source.py:841(ShapeEnvSource)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	source.py:850(BackwardStateSource)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	eval_frame.py:453(DynamoTLS)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	eval_frame.py:1954(suppress_torch_distributed_warnings)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	api.py:394(ShardedOptimStateDictConfig)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	checkpoint_wrapper.py:105(OffloadWrapper)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_fsdp_common.py:70(DDPMeshInfo)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	user_defined.py:1389(SourcelessGraphModuleVariable)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	ctx_manager.py:1253(EventVariable)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	misc.py:1537(RandomClassVariable)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	utils.py:1011(LineContext)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	utils.py:2589(OpDtypeRule)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	triton_compat.py:76(OutOfResources)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	codecache.py:706(OrderedSetHolder)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	exc.py:140(InductorError)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	metrics.py:40(CppOuterLoopFusedCount)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	_unix.py:17(UnixFileLock)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	exception.py:118(PowerIterationFailedConvergence)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	coreviews.py:217(UnionMultiInner)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	cycles.py:340(_NeighborhoodCache)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	keypoint_renn.py:288(KeypointRCNNPredictor)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	inception.py:119(QuantizableInceptionAux)
2	1.2e-06	6e-07	1.2e-06	6e-07	<frozen_collections_abc>:845(__init__)
1	1.2e-06	1.2e-06	2.5e-06	2.5e-06	<frozen_collections_abc>:911(__iter__)
1	1.2e-06	1.2e-06	3.86e-05	3.86e-05	<frozen importlib._bootstrap>:997(exec_module)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	~:0(<built-in method _struct.calcsize>)
1	1.2e-06	1.2e-06	1.2e-06	1.2e-06	~:0(<method 'popitem' of 'dict' objects>)
2	1.2e-06	6e-07	1.2e-06	6e-07	~:0(<method 'isalpha' of 'str' objects>)

ncalls	totime	percall	cumtime	percall	
2	1.1e-06	5.5e-07	1.1e-06	5.5e-07	__init__.py:16(set_module)
3	1.1e-06	3.667e-07	1.1e-06	3.667e-07	__init__.py:1369(disable)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	dense.py:115(MutableDenseMatrix)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	exceptions.py:196(LocationParseError)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	connection.py:885(_WrappedAndVerifiedSocket)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	cookiejar.py:1980(MozillaCookieJar)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	readers.py:131 NamespaceReader
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	auth.py:69(AuthBase)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	coreerrors.py:6(BaseCoreError)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	transforms.py:2012(RandomEqualize)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	ElementTree.py:107(ParseError)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_utils.py:250(_ModelURLs)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_constants.py:1(<module>)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	errors.py:28(UnsupportedOperatorError)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	io_adapter.py:18(InputAdaptStep)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	convert_frame.py:1344(ConvertFrameProtocol)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	exc.py:527(KeyErrorMsg)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	symbolic_shapes.py:1565(Constraint)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	symbolic_shapes.py:2319(_ShapeGuardsHelper)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	functions.py:554(CeilDiv)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	usertools.py:1(<module>)
1	1.1e-06	1.1e-06	3.1e-06	3.1e-06	functions.py:89(defun_static)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	ctx_mp_python.py:33(mpnumeric)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	sympify.py:27(SympifyError)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	function.py:867(UndefSageHelper)
1	1.1e-06	1.1e-06	1.8e-06	1.8e-06	boolalg.py:368(__hash__)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	source.py:1(<module>)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	polyerrors.py:6(BasePolynomialError)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	polyerrors.py:136(ComputationFailed)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	polyoptions.py:602(Symmetric)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	characteristiczero.py:7(CharacteristicZero)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	qs.py:36(FactorBaseElem)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	hyper.py:71(TupleParametersBase)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	homomorphisms.py:537(FreeModuleHomomorphism)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	hyperexpand.py:1009(ShiftA)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	line.py:2362(Segment2D)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	series.py:1742(Line3DBaseSeries)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_dtypes.py:16(generic)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	checkpoint.py:814(_CheckpointFrame)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	checkpoint.py:1199(SelectiveCheckpointContext)

ncalls	tottime	percall	cumtime	percall	
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	functional_utils.py:365(FunctionalTensorMetadataEq)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	logging_tensor.py:91(LoggingTensorMode)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	remote_cache.py:113(RemoteCacheJsonSerde)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_op_schema.py:135(StrategyType)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	_fsdp_common.py:59(FSDPMeshInfo)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	misc.py:1409(LoggingLoggerVariable)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	exc.py:116(TritonMissing)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	exc.py:126(GPUTooOldForTriton)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	partitioners.py:157(InvalidNodeBase)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	heaps.py:135(_Node)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	coreviews.py:66(AdjacencyView)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	reportviews.py:478(DegreeView)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	reportviews.py:569(InDegreeView)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	reportviews.py:677(InMultiDegreeView)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	text.py:59(UtfDirectedGlyphs)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	utils.py:61(GlobalRelabelThreshold)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	vf2userfunc.py:73(GraphMatcher)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	isomorphvf2.py:1047(GMState)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	densenet.py:127(_Transition)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	raft.py:214(ConvGRU)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	maxvit.py:252(WindowDepartition)
1	1.1e-06	1.1e-06	1.1e-06	1.1e-06	~:0(<method 'copy' of 'set' objects>)
1	1e-06	1e-06	2.61e-05	2.61e-05	functools.py:859(<lambda>)
4	1e-06	2.5e-07	1e-06	2.5e-07	parse.py:108(_noop)
1	1e-06	1e-06	1e-06	1e-06	utils.py:69(autograd_not_implemented)
1	1e-06	1e-06	1e-06	1e-06	exceptions.py:324(HeaderParsingError)
1	1e-06	1e-06	1e-06	1e-06	cookies.py:582(SimpleCookie)
1	1e-06	1e-06	1e-06	1e-06	core.py:14(IDNAError)
2	1e-06	5e-07	1e-06	5e-07	readers.py:28(files)
1	1e-06	1e-06	1e-06	1e-06	ImageFilter.py:155(ModeFilter)
1	1e-06	1e-06	1e-06	1e-06	transforms.py:1981(RandomAutocontrast)
1	1e-06	1e-06	1e-06	1e-06	errors.py:57(SymbolicValueError)
3	1e-06	3.333e-07	1e-06	3.333e-07	symbolic_opset9.py:1957(wrap_logical_op_with_cast_to)
1	1e-06	1e-06	1e-06	1e-06	io_adapter.py:520(FlattenOutputWithTreeSpecValidationO
1	1e-06	1e-06	1e-06	1e-06	exc.py:105(InvalidBackend)
1	1e-06	1e-06	1e-06	1e-06	exc.py:182(ArgMismatchError)
1	1e-06	1e-06	1e-06	1e-06	exc.py:203(CondOpArgsMismatchError)
1	1e-06	1e-06	1e-06	1e-06	functions.py:516(CleanDiv)
1	1e-06	1e-06	1e-06	1e-06	symbolic_shapes.py:2219(SymExprPrinter)
1	1e-06	1e-06	1e-06	1e-06	symbolic_shapes.py:2325(_CppShapeGuardsHelper)

ncalls	tottime	percall	cumtime	percall	
1	1e-06	1e-06	1e-06	1e-06	optimization.py:58(Secant)
1	1e-06	1e-06	1e-06	1e-06	lambdify.py:1336(_TensorflowEvaluatorPrinter)
1	1e-06	1e-06	1e-06	1e-06	kind.py:36(KindMeta)
1	1e-06	1e-06	1e-06	1e-06	singleton.py:158(Singleton)
1	1e-06	1e-06	1e-06	1e-06	kind.py:48(Kind)
1	1e-06	1e-06	1e-06	1e-06	kind.py:106(_NumberKind)
1	1e-06	1e-06	2.5e-06	2.5e-06	kind.py:181(__new__)
1	1e-06	1e-06	1e-06	1e-06	pythonmpq.py:122(__bool__)
1	1e-06	1e-06	1e-06	1e-06	decorators.py:207(_SympifyWrapper)
1	1e-06	1e-06	1e-06	1e-06	numbers.py:2751(RationalConstant)
1	1e-06	1e-06	1e-06	1e-06	polyerrors.py:13(ExactQuotientFailed)
1	1e-06	1e-06	1e-06	1e-06	orderings.py:242(_ItemGetter)
1	1e-06	1e-06	1e-06	1e-06	domainelement.py:6(DomainElement)
1	1e-06	1e-06	1e-06	1e-06	factorials.py:17(CombinatorialFunction)
1	1e-06	1e-06	1e-06	1e-06	mathieu_functions.py:9(MathieuBase)
1	1e-06	1e-06	1e-06	1e-06	rootoftools.py:152(RootOf)
1	1e-06	1e-06	1e-06	1e-06	modules.py:1286(SubModuleQuotientRing)
2	1e-06	5e-07	1e-06	5e-07	core.py:47(condition)
1	1e-06	1e-06	1e-06	1e-06	hyperexpand.py:1129(MeijerShiftB)
1	1e-06	1e-06	1e-06	1e-06	hyperexpand.py:1140(MeijerShiftC)
1	1e-06	1e-06	1e-06	1e-06	solveset.py:68(NonlinearError)
1	1e-06	1e-06	1e-06	1e-06	diophantine.py:918(InhomogeneousGeneralQuadratic)
1	1e-06	1e-06	1e-06	1e-06	diophantine.py:938(HomogeneousGeneralQuadratic)
1	1e-06	1e-06	1e-06	1e-06	series.py:2104(ContourSeries)
1	1e-06	1e-06	1e-06	1e-06	source.py:305(ParamBufferSource)
1	1e-06	1e-06	1e-06	1e-06	source.py:732(UnspecializedBuiltInNNModuleSource)
1	1e-06	1e-06	1e-06	1e-06	eval_frame.py:890(_NullDecorator)
1	1e-06	1e-06	1e-06	1e-06	checkpoint.py:1164(_VersionWrapper)
1	1e-06	1e-06	1e-06	1e-06	types.py:106(ProfilerStartHook)
1	1e-06	1e-06	1e-06	1e-06	_fully_shard.py:525(UnshardHandle)
1	1e-06	1e-06	1e-06	1e-06	_fsdp_common.py:81(HSDPMeshInfo)
1	1e-06	1e-06	1e-06	1e-06	dicts.py:931(DictValuesVariable)
1	1e-06	1e-06	1e-06	1e-06	higher_order_ops.py:2338(FlexAttentionBackwardHighOrderOp)
1	1e-06	1e-06	1e-06	1e-06	higher_order_ops.py:3074(InvokeSubgraphHigherOrderValue)
1	1e-06	1e-06	1e-06	1e-06	misc.py:840(LambdaVariable)
1	1e-06	1e-06	1e-06	1e-06	optimizer.py:55(ArgMappingException)
1	1e-06	1e-06	1e-06	1e-06	autograd_cache.py:395(CompiledForward)
1	1e-06	1e-06	1e-06	1e-06	exc.py:90(CppCompileError)
1	1e-06	1e-06	1e-06	1e-06	schemas.py:902(__post_init__)
1	1e-06	1e-06	1e-06	1e-06	exception.py:71(NetworkXNoCycle)

ncalls	tottime	percall	cumtime	percall	
1	1e-06	1e-06	1e-06	1e-06	coreviews.py:88(MultiAdjacencyView)
1	1e-06	1e-06	1e-06	1e-06	reportviews.py:592(MultiDegreeView)
1	1e-06	1e-06	1e-06	1e-06	reportviews.py:708(OutMultiDegreeView)
1	1e-06	1e-06	1e-06	1e-06	graphml.py:687(IncrementalElement)
1	1e-06	1e-06	1e-06	1e-06	chordal.py:25(NetworkXTreewidthBoundExceeded)
1	1e-06	1e-06	1e-06	1e-06	flow_matrix.py:82(FullInverseLaplacian)
1	1e-06	1e-06	1e-06	1e-06	resnet.py:172(BasicStem)
1	1e-06	1e-06	1e-06	1e-06	~:0(<method 'cast' of 'memoryview' objects>)
2	9e-07	4.5e-07	9e-07	4.5e-07	functools.py:739(is_related)
2	9e-07	4.5e-07	9e-07	4.5e-07	_adapters.py:141(__init__)
1	9e-07	9e-07	9e-07	9e-07	exceptions.py:18(HTTPError)
1	9e-07	9e-07	9e-07	9e-07	magic.py:1(<module>)
1	9e-07	9e-07	9e-07	9e-07	utilities.py:7(DotProdSimpState)
1	9e-07	9e-07	9e-07	9e-07	modules.py:1847(ModuleEndomorphism)
1	9e-07	9e-07	9e-07	9e-07	checks.py:490(check_yolov5u_filename)
1	9e-07	9e-07	9e-07	9e-07	exceptions.py:206(URLSchemeUnknown)
1	9e-07	9e-07	9e-07	9e-07	exceptions.py:303(ProxySchemeUnknown)
1	9e-07	9e-07	9e-07	9e-07	exceptions.py:216(ResponseError)
1	9e-07	9e-07	9e-07	9e-07	_request_methods.py:51(__init__)
1	9e-07	9e-07	9e-07	9e-07	_itertools.py:1(<module>)
1	9e-07	9e-07	9e-07	9e-07	ImageEnhance.py:43(Color)
1	9e-07	9e-07	9e-07	9e-07	ImageEnhance.py:84(Brightness)
1	9e-07	9e-07	9e-07	9e-07	ImageFilter.py:173(GaussianBlur)
1	9e-07	9e-07	9e-07	9e-07	ImageFilter.py:51(Kernel)
1	9e-07	9e-07	9e-07	9e-07	_infra.py:268(Invocation)
1	9e-07	9e-07	9e-07	9e-07	io_adapter.py:560(PrependParamsBuffersConstantAotAuto)
1	9e-07	9e-07	9e-07	9e-07	io_adapter.py:255(LiftParametersAndBuffersIntoArgsInput)
1	9e-07	9e-07	9e-07	9e-07	symbolic_convert.py:400(SpeculationLogDivergence)
1	9e-07	9e-07	9e-07	9e-07	utils.py:4248(Lit)
1	9e-07	9e-07	9e-07	9e-07	symbolic_shapes.py:117(PendingUnbackedSymbolNotFound)
1	9e-07	9e-07	9e-07	9e-07	rseta.py:53(RSCache)
1	9e-07	9e-07	9e-07	9e-07	optimization.py:7(OptimizationMethods)
1	9e-07	9e-07	9e-07	9e-07	inverselaplace.py:39(FixedTalbot)
2	9e-07	4.5e-07	9e-07	4.5e-07	ctx_mp_python.py:620(<lambda>)
1	9e-07	9e-07	9e-07	9e-07	assumptions.py:497(getit)
1	9e-07	9e-07	9e-07	9e-07	facts.py:252(TautologyDetected)
1	9e-07	9e-07	9e-07	9e-07	logic.py:365(And)
1	9e-07	9e-07	9e-07	9e-07	kind.py:165(BooleanKind)
1	9e-07	9e-07	9e-07	9e-07	numbers.py:2764(IntegerConstant)
1	9e-07	9e-07	9e-07	9e-07	polyoptions.py:44(Flag)

ncalls	totime	percall	cumtime	percall	
1	9e-07	9e-07	9e-07	9e-07	polyoptions.py:61(OptionType)
1	9e-07	9e-07	9e-07	9e-07	orderings.py:45(GradedLexOrder)
1	9e-07	9e-07	9e-07	9e-07	groundtypes.py:21(_GMPYInteger)
1	9e-07	9e-07	9e-07	9e-07	groundtypes.py:25(_GMPYRational)
2	9e-07	4.5e-07	9e-07	4.5e-07	groundtypes.py:26(__init__)
1	9e-07	9e-07	9e-07	9e-07	gaussiandomains.py:211(GaussianRational)
1	9e-07	9e-07	9e-07	9e-07	exponential.py:212(ExpMeta)
1	9e-07	9e-07	9e-07	9e-07	functions.py:138(NoShapeError)
2	9e-07	4.5e-07	9e-07	4.5e-07	matexpr.py:486(get_postprocessor)
1	9e-07	9e-07	9e-07	9e-07	meijerint.py:313(_CoeffExpValueError)
1	9e-07	9e-07	9e-07	9e-07	hyperexpand.py:1022(ShiftB)
1	9e-07	9e-07	9e-07	9e-07	hyperexpand.py:1118(MeijerShiftA)
1	9e-07	9e-07	9e-07	9e-07	hyperexpand.py:1151(MeijerShiftD)
1	9e-07	9e-07	9e-07	9e-07	diophantine.py:676(InhomogeneousTernaryQuadratic)
1	9e-07	9e-07	9e-07	9e-07	_dtypes.py:110(uint8)
1	9e-07	9e-07	9e-07	9e-07	_dtypes.py:161(complex128)
1	9e-07	9e-07	9e-07	9e-07	bytecode_transformation.py:140(_NotProvided)
1	9e-07	9e-07	9e-07	9e-07	source.py:726(UnspecializedNNModuleSource)
1	9e-07	9e-07	9e-07	9e-07	source.py:738(FSDPNModuleSource)
1	9e-07	9e-07	9e-07	9e-07	checkpoint.py:1098(_checkpoint_hook)
1	9e-07	9e-07	9e-07	9e-07	logging_tensor.py:147(GatherTraceback)
1	9e-07	9e-07	9e-07	9e-07	types.py:114(ProfilerEndHook)
1	9e-07	9e-07	9e-07	9e-07	device_interface.py:321(CpuDeviceProperties)
1	9e-07	9e-07	9e-07	9e-07	remote_cache.py:121(RemoteCachePassthroughSerde)
1	9e-07	9e-07	9e-07	9e-07	__init__.py:51(NoEnterTorchFunctionMode)
1	9e-07	9e-07	9e-07	9e-07	functions.py:1427(FunctoolsWrapsVariable)
1	9e-07	9e-07	9e-07	9e-07	api.py:27(PlacementSpec)
1	9e-07	9e-07	9e-07	9e-07	_fully_shard.py:538(_UnshardHandleImpl)
1	9e-07	9e-07	9e-07	9e-07	_fsdp_state.py:39(FSDPStateContext)
1	9e-07	9e-07	9e-07	9e-07	contract.py:30(RegistryItem)
1	9e-07	9e-07	9e-07	9e-07	nn_module.py:1132(UnspecializedBuiltNNModuleVariat
1	9e-07	9e-07	9e-07	9e-07	torch_function.py:142(GetMethodMode)
1	9e-07	9e-07	9e-07	9e-07	higher_order_ops.py:802(CustomFunctionHigherOrderOp
1	9e-07	9e-07	9e-07	9e-07	higher_order_ops.py:3027(BaseHOPVariable)
1	9e-07	9e-07	9e-07	9e-07	higher_order_ops.py:2555(AutogradFunctionApplyVariabl
1	9e-07	9e-07	9e-07	9e-07	optimizer.py:59(GuardInstallException)
1	9e-07	9e-07	9e-07	9e-07	codecache.py:716(BypassFxGraphCache)
1	9e-07	9e-07	9e-07	9e-07	text.py:66(UtfUndirectedGlyphs)
1	9e-07	9e-07	9e-07	9e-07	flow_matrix.py:96(SuperLUInverseLaplacian)
1	9e-07	9e-07	9e-07	9e-07	greedy_coloring.py:422(_AdjEntry)

ncalls	totime	percall	cumtime	percall	
1	9e-07	9e-07	9e-07	9e-07	utils.py:51(Level)
1	9e-07	9e-07	9e-07	9e-07	algebraicconnectivity.py:77(_LUSolver)
1	9e-07	9e-07	9e-07	9e-07	mask_rcnn.py:337(MaskRCNNPredictor)
1	9e-07	9e-07	9e-07	9e-07	deeplabv3.py:29(DeepLabV3)
1	9e-07	9e-07	9e-07	9e-07	~:0(<method 'copy' of 'list' objects>)
2	8e-07	4e-07	8e-07	4e-07	inspect.py:1187(__init__)
2	8e-07	4e-07	8e-07	4e-07	__init__.py:27(decorator)
2	8e-07	4e-07	8e-07	4e-07	serialization.py:731(__enter__)
1	8e-07	8e-07	8e-07	8e-07	exceptions.py:54(SSLError)
1	8e-07	8e-07	8e-07	8e-07	exceptions.py:22(HTTPWarning)
1	8e-07	8e-07	8e-07	8e-07	exceptions.py:13(DMSError)
1	8e-07	8e-07	8e-07	8e-07	exceptions.py:53(DMNonsquareMatrixError)
2	8e-07	4e-07	8e-07	4e-07	__init__.py:750(__init__)
2	8e-07	4e-07	8e-07	4e-07	__init__.py:726(_check_compression)
1	8e-07	8e-07	8e-07	8e-07	exceptions.py:227(InsecureRequestWarning)
1	8e-07	8e-07	8e-07	8e-07	connection.py:1075(DummyConnection)
1	8e-07	8e-07	8e-07	8e-07	coreerrors.py:10(NonCommutativeExpression)
1	8e-07	8e-07	8e-07	8e-07	transforms.py:553(RandomOrder)
1	8e-07	8e-07	8e-07	8e-07	ImageEnhance.py:63(Contrast)
1	8e-07	8e-07	8e-07	8e-07	ImageFilter.py:110(MedianFilter)
1	8e-07	8e-07	8e-07	8e-07	ImageFilter.py:196(BoxBlur)
1	8e-07	8e-07	8e-07	8e-07	ImageFilter.py:228(UnsharpMask)
1	8e-07	8e-07	8e-07	8e-07	errors.py:20(OnnxExporterWarning)
1	8e-07	8e-07	8e-07	8e-07	_exporter_legacy.py:666(UnsatisfiedDependencyError)
1	8e-07	8e-07	8e-07	8e-07	io_adapter.py:193(BindInputStep)
1	8e-07	8e-07	8e-07	8e-07	exc.py:187(AttributeMutationError)
1	8e-07	8e-07	8e-07	8e-07	symbolic_convert.py:408(YieldValueOp)
1	8e-07	8e-07	5.9e-06	5.9e-06	config.py:27(autotune_remote_cache_default)
1	8e-07	8e-07	5.5e-06	5.5e-06	config.py:31(bundled_autotune_remote_cache_default)
1	8e-07	8e-07	8e-07	8e-07	libhyper.py:43(NoConvergence)
1	8e-07	8e-07	8e-07	8e-07	inverselaplace.py:220(Stehfest)
1	8e-07	8e-07	8e-07	8e-07	iterables.py:3015(NotIterable)
1	8e-07	8e-07	8e-07	8e-07	assumptions.py:680(ManagedProperties)
1	8e-07	8e-07	8e-07	8e-07	evalf.py:65(PrecisionExhausted)
3	8e-07	2.667e-07	8e-07	2.667e-07	numbers.py:438(class_key)
1	8e-07	8e-07	8e-07	8e-07	numbers.py:3308(_as_mpf_val)
1	8e-07	8e-07	8e-07	8e-07	numbers.py:2315(_MultisetHistogram)
1	8e-07	8e-07	8e-07	8e-07	hyperbolic.py:1200(InverseHyperbolicFunction)
2	8e-07	4e-07	8e-07	4e-07	ordinals.py:84(<genexpr>)
1	8e-07	8e-07	8e-07	8e-07	galois_resolvents.py:39(GaloisGroupException)

ncalls	totime	percall	cumtime	percall	
1	8e-07	8e-07	8e-07	8e-07	modules.py:1328(QuotientModuleElement)
1	8e-07	8e-07	8e-07	8e-07	rl.py:43(glom)
1	8e-07	8e-07	8e-07	8e-07	transforms.py:453(MellinTransformStripError)
1	8e-07	8e-07	8e-07	8e-07	transforms.py:1516(InverseHankelTransform)
1	8e-07	8e-07	8e-07	8e-07	hyperexpand.py:1247(MeijerUnShiftC)
1	8e-07	8e-07	8e-07	8e-07	hyperexpand.py:1298(MeijerUnShiftD)
1	8e-07	8e-07	8e-07	8e-07	solveset.py:794(_SolveTrig1Error)
1	8e-07	8e-07	8e-07	8e-07	systems.py:32(ODEOrderError)
1	8e-07	8e-07	8e-07	8e-07	simplex.py:77(UnboundedLPError)
1	8e-07	8e-07	8e-07	8e-07	line.py:2834(Segment3D)
1	8e-07	8e-07	8e-07	8e-07	sympy_parser.py:86(ParenthesisGroup)
1	8e-07	8e-07	8e-07	8e-07	value_ranges.py:57(ValueError)
1	8e-07	8e-07	8e-07	8e-07	source.py:212(CallFunctionNoArgsSource)
1	8e-07	8e-07	8e-07	8e-07	source.py:312(UnspecializedParamBufferSource)
1	8e-07	8e-07	8e-07	8e-07	device_interface.py:47(device)
1	8e-07	8e-07	8e-07	8e-07	functions.py:1453(CollectionsNamedTupleFunction)
1	8e-07	8e-07	8e-07	8e-07	api.py:335(LocalStateDictConfig)
1	8e-07	8e-07	8e-07	8e-07	_common_utils.py:107(_FSDPState)
1	8e-07	8e-07	8e-07	8e-07	fake_pg.py:10(FakeStore)
1	8e-07	8e-07	8e-07	8e-07	higher_order_ops.py:1759(FunctorHigherOrderVariable)
1	8e-07	8e-07	8e-07	8e-07	higher_order_ops.py:1874(WrapWithSetGradEnabledHigh
1	8e-07	8e-07	8e-07	8e-07	exc.py:72(SubgraphLoweringException)
1	8e-07	8e-07	8e-07	8e-07	_api.py:77(ThreadLocalFileContext)
1	8e-07	8e-07	8e-07	8e-07	runtime_wrappers.py:192(IsInputHandler)
1	8e-07	8e-07	8e-07	8e-07	reportviews.py:632(DiMultiDegreeView)
1	8e-07	8e-07	8e-07	8e-07	flow_matrix.py:113(CGInverseLaplacian)
1	8e-07	8e-07	8e-07	8e-07	isomorphvf2.py:1135(DiGMState)
1	8e-07	8e-07	8e-07	8e-07	raft.py:272(FlowHead)
1	8e-07	8e-07	8e-07	8e-07	keypoint_rcnn.py:273(KeypointRCNNHeads)
1	8e-07	8e-07	8e-07	8e-07	~:0(<method 'extend' of 'bytearray' objects>)
1	8e-07	8e-07	8e-07	8e-07	~:0(<built-in method _ctypes.sizeof>)
1	7e-07	7e-07	7e-07	7e-07	exceptions.py:120(TimeoutStateError)
4	7e-07	1.75e-07	7e-07	1.75e-07	_pytree.py:859(<genexpr>)
1	7e-07	7e-07	7e-07	7e-07	exceptions.py:180(EmptyPoolError)
1	7e-07	7e-07	7e-07	7e-07	auth.py:99(HTTPProxyAuth)
1	7e-07	7e-07	7e-07	7e-07	ImageFilter.py:125(MinFilter)
1	7e-07	7e-07	7e-07	7e-07	ImageFilter.py:313(EMBOSS)
1	7e-07	7e-07	7e-07	7e-07	<string>:1(__create_fn__)
1	7e-07	7e-07	7e-07	7e-07	registration.py:202(__init__)
1	7e-07	7e-07	7e-07	7e-07	io_adapter.py:76(OutputAdaptStep)

ncalls	tottime	percall	cumtime	percall	
1	7e-07	7e-07	7e-07	7e-07	io_adapter.py:233(MergeKwargsIntoArgsInputStep)
1	7e-07	7e-07	7e-07	7e-07	io_adapter.py:280(ConvertComplexToRealRepresentationI)
1	7e-07	7e-07	7e-07	7e-07	io_adapter.py:346(RemoveNonTensorInputStep)
1	7e-07	7e-07	7e-07	7e-07	convert_frame.py:176(TODO_UNKNOWN)
1	7e-07	7e-07	7e-07	7e-07	roi_align.py:16(lazy_compile)
1	7e-07	7e-07	7e-07	7e-07	exc.py:112(ResetRequired)
1	7e-07	7e-07	7e-07	7e-07	exc.py:192(InfiniteGeneratorError)
1	7e-07	7e-07	7e-07	7e-07	exc.py:178(RecompileError)
1	7e-07	7e-07	7e-07	7e-07	exc.py:198(SideEffectsError)
1	7e-07	7e-07	7e-07	7e-07	libmpf.py:132(h_mask_big)
1	7e-07	7e-07	7e-07	7e-07	libmpf.py:43(ComplexResult)
5	7e-07	1.4e-07	7e-07	1.4e-07	libmpf.py:49(<lambda>)
1	7e-07	7e-07	7e-07	7e-07	optimization.py:104(MNewton)
1	7e-07	7e-07	7e-07	7e-07	optimization.py:159(Halley)
1	7e-07	7e-07	7e-07	7e-07	optimization.py:290(Bisection)
1	7e-07	7e-07	7e-07	7e-07	optimization.py:458(Ridder)
1	7e-07	7e-07	7e-07	7e-07	optimization.py:517(ANewton)
1	7e-07	7e-07	7e-07	7e-07	optimization.py:602(MDNewton)
1	7e-07	7e-07	7e-07	7e-07	misc.py:13(Undecidable)
1	7e-07	7e-07	7e-07	7e-07	sympify.py:49(CantSympify)
1	7e-07	7e-07	7e-07	7e-07	cache.py:45(__cacheit)
1	7e-07	7e-07	1.9e-06	1.9e-06	facts.py:301(rules_alpha)
1	7e-07	7e-07	7e-07	7e-07	function.py:107(ArgumentIndexError)
1	7e-07	7e-07	7e-07	7e-07	numbers.py:3142(as_mpf_val)
1	7e-07	7e-07	7e-07	7e-07	polyerrors.py:57(OperationNotSupportedException)
1	7e-07	7e-07	7e-07	7e-07	pretty_symbology.py:41(pretty_use_unicode)
1	7e-07	7e-07	7e-07	7e-07	codeprinter.py:31(AssignmentError)
1	7e-07	7e-07	7e-07	7e-07	exceptions.py:4(ClosureFailure)
1	7e-07	7e-07	7e-07	7e-07	galoisgroups.py:35(MaxTriesException)
1	7e-07	7e-07	7e-07	7e-07	index_methods.py:22(IndexConformanceException)
1	7e-07	7e-07	7e-07	7e-07	indexed.py:120(IndexException)
1	7e-07	7e-07	7e-07	7e-07	modules.py:454(FreeModulePolyRing)
1	7e-07	7e-07	7e-07	7e-07	solvers.py:18(PolyNonlinearError)
1	7e-07	7e-07	7e-07	7e-07	transforms.py:1454(HankelTransform)
1	7e-07	7e-07	7e-07	7e-07	hyperexpand.py:1002(MultOperator)
1	7e-07	7e-07	7e-07	7e-07	polysys.py:35(SolveFailed)
1	7e-07	7e-07	7e-07	7e-07	exceptions.py:3(GeometryError)
1	7e-07	7e-07	7e-07	7e-07	sympy_parser.py:364(split_symbols_custom)
1	7e-07	7e-07	7e-07	7e-07	metrics_context.py:181(__init__)
1	7e-07	7e-07	7e-07	7e-07	_dtypes.py:89(int16)

ncalls	tottime	percall	cumtime	percall	
1	7e-07	7e-07	7e-07	7e-07	_dtypes.py:116(uint16)
1	7e-07	7e-07	7e-07	7e-07	_dtypes.py:122(uint32)
1	7e-07	7e-07	7e-07	7e-07	linalg.py:19(LinAlgError)
1	7e-07	7e-07	7e-07	7e-07	checkpoint.py:772(_Holder)
1	7e-07	7e-07	7e-07	7e-07	builder.py:292(_missing)
1	7e-07	7e-07	7e-07	7e-07	pgo.py:48(ReservedWorkflowIdUserError)
1	7e-07	7e-07	7e-07	7e-07	functions.py:1569(_get_polyfill_handlers)
1	7e-07	7e-07	7e-07	7e-07	_composable_state.py:7(_State)
1	7e-07	7e-07	7e-07	7e-07	triton_kernel_wrap.py:642(reset)
1	7e-07	7e-07	7e-07	7e-07	higher_order_ops.py:1708(ExecutorCallDelegateHigherOrderVariable)
1	7e-07	7e-07	7e-07	7e-07	higher_order_ops.py:2100(OutDtypeHigherOrderVariable)
1	7e-07	7e-07	7e-07	7e-07	higher_order_ops.py:2380(TraceWrappedHigherOrderOp)
1	7e-07	7e-07	7e-07	7e-07	misc.py:1505(TorchVersionVariable)
1	7e-07	7e-07	7e-07	7e-07	misc.py:491(NewGlobalVariable)
1	7e-07	7e-07	7e-07	7e-07	misc.py:1518(NumpyDTypeVariable)
1	7e-07	7e-07	7e-07	7e-07	misc.py:1301(DeletedVariable)
2	7e-07	3.5e-07	7e-07	3.5e-07	script_object.py:33(_raise_hard_error_if_graph_break)
1	7e-07	7e-07	7e-07	7e-07	asyncio.py:48(AsyncThreadLocalFileContext)
1	7e-07	7e-07	7e-07	7e-07	runtime_wrappers.py:202(AliasOfIntermediateHandler)
1	7e-07	7e-07	7e-07	7e-07	exception.py:27(NetworkXException)
1	7e-07	7e-07	7e-07	7e-07	coreviews.py:368(FilterMultiInner)
1	7e-07	7e-07	7e-07	7e-07	coding.py:27(NotATree)
1	7e-07	7e-07	7e-07	7e-07	fcn.py:17(FCN)
1	7e-07	7e-07	7e-07	7e-07	resnet.py:183(R2Plus1dStem)
1	6e-07	6e-07	6e-07	6e-07	typing.py:3370(dataclass_transform)
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:124(TimeoutError)
1	6e-07	6e-07	6e-07	6e-07	serialization.py:734(__exit__)
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:73(ProtocolError)
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:69(DecodeError)
1	6e-07	6e-07	6e-07	6e-07	modules.py:1867(InnerEndomorphism)
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:138(ConnectTimeoutError)
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:184(FullPoolError)
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:188(ClosedPoolError)
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:192(LocationValueError)
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:223(SecurityWarning)
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:231(NotOpenSSLWarning)
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:239(InsecurePlatformWarning)
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:243(DependencyWarning)
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:283(InvalidChunkLength)
1	6e-07	6e-07	6e-07	6e-07	<string>:1(<module>)

ncalls	totime	percall	cumtime	percall	
1	6e-07	6e-07	6e-07	6e-07	response.py:94(GzipDecoderState)
1	6e-07	6e-07	6e-07	6e-07	ssl_match_hostname.py:20(CertificateError)
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:71(Timeout)
1	6e-07	6e-07	6e-07	6e-07	cookiejar.py:1774(LoadError)
1	6e-07	6e-07	6e-07	6e-07	cookies.py:145(CookieError)
1	6e-07	6e-07	6e-07	6e-07	core.py:26(InvalidCodepoint)
1	6e-07	6e-07	6e-07	6e-07	ImageEnhance.py:100(Sharpness)
1	6e-07	6e-07	6e-07	6e-07	ImageFilter.py:256(BLUR)
1	6e-07	6e-07	6e-07	6e-07	io_adapter.py:316(RemoveNoneInputStep)
1	6e-07	6e-07	6e-07	6e-07	io_adapter.py:458(FlattenOutputStep)
1	6e-07	6e-07	6e-07	6e-07	io_adapter.py:489(ConvertComplexToRealRepresentationC)
1	6e-07	6e-07	6e-07	6e-07	io_adapter.py:617(PrependParamsAndBuffersAotAutograd)
1	6e-07	6e-07	6e-07	6e-07	getpass.py:26(GetPassWarning)
1	6e-07	6e-07	6e-07	6e-07	symbolic_convert.py:404(ReturnValueOp)
1	6e-07	6e-07	6e-07	6e-07	exc.py:65(TorchDynamoException)
1	6e-07	6e-07	6e-07	6e-07	exc.py:247(SkipCodeRecursiveException)
1	6e-07	6e-07	6e-07	6e-07	exc.py:303(ObservedKeyError)
1	6e-07	6e-07	6e-07	6e-07	quadrature.py:389(GaussLegendre)
1	6e-07	6e-07	6e-07	6e-07	inverselaplace.py:542(Cohen)
1	6e-07	6e-07	6e-07	6e-07	optimization.py:357(Illinois)
1	6e-07	6e-07	6e-07	6e-07	calculus.py:1(CalculusMethods)
1	6e-07	6e-07	6e-07	6e-07	odes.py:4(ODEMethods)
1	6e-07	6e-07	6e-07	6e-07	eigen.py:38(Eigen)
1	6e-07	6e-07	6e-07	6e-07	identification.py:13(IdentificationMethods)
1	6e-07	6e-07	6e-07	6e-07	dispatcher.py:10(MDNotImplementedError)
1	6e-07	6e-07	6e-07	6e-07	facts.py:565(InconsistentAssumptions)
1	6e-07	6e-07	6e-07	6e-07	operations.py:483(ShortCircuit)
1	6e-07	6e-07	6e-07	6e-07	function.py:103(PoleError)
1	6e-07	6e-07	6e-07	6e-07	boolalg.py:446(__eq__)
1	6e-07	6e-07	8e-07	8e-07	boolalg.py:443(__hash__)
1	6e-07	6e-07	6e-07	6e-07	polyerrors.py:30(PolynomialDivisionFailed)
1	6e-07	6e-07	6e-07	6e-07	polyerrors.py:102(NotReversible)
1	6e-07	6e-07	6e-07	6e-07	orderings.py:54(ReversedGradedLexOrder)
1	6e-07	6e-07	6e-07	6e-07	__init__.py:1(<module>)
1	6e-07	6e-07	6e-07	6e-07	ordinals.py:253(OrdinalZero)
1	6e-07	6e-07	6e-07	6e-07	galois_resolvents.py:43(ResolventException)
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:6(MatrixError)
1	6e-07	6e-07	6e-07	6e-07	exceptions.py:10(ShapeError)
1	6e-07	6e-07	6e-07	6e-07	rl.py:83(sort)
1	6e-07	6e-07	6e-07	6e-07	sqrtdenest.py:216(SqrtdenestStopIteration)

ncalls	tottime	percall	cumtime	percall	
1	6e-07	6e-07	6e-07	6e-07	_dtypes.py:95(int32)
1	6e-07	6e-07	6e-07	6e-07	_dtypes.py:101(int64)
1	6e-07	6e-07	6e-07	6e-07	_util.py:24(AxisError)
1	6e-07	6e-07	6e-07	6e-07	_dtypes.py:137(float16)
1	6e-07	6e-07	6e-07	6e-07	_dtypes.py:143(float32)
1	6e-07	6e-07	6e-07	6e-07	_dtypes.py:149(float64)
1	6e-07	6e-07	6e-07	6e-07	_dtypes.py:155(complex64)
1	6e-07	6e-07	6e-07	6e-07	_dtypes.py:167(bool_)
1	6e-07	6e-07	6e-07	6e-07	helper.py:1(<module>)
1	6e-07	6e-07	6e-07	6e-07	checkpoint.py:768(_Handle)
1	6e-07	6e-07	6e-07	6e-07	checkpoint.py:969(CheckpointError)
1	6e-07	6e-07	6e-07	6e-07	checkpoint.py:1046(_StopRecomputationError)
1	6e-07	6e-07	6e-07	6e-07	device_interface.py:51(Event)
1	6e-07	6e-07	6e-07	6e-07	device_interface.py:57(Stream)
1	6e-07	6e-07	6e-07	6e-07	functions.py:763(ContextlibContextManagerLocalGenerate
1	6e-07	6e-07	6e-07	6e-07	_view_ops.py:44(Singleton)
1	6e-07	6e-07	6e-07	6e-07	_fsdp_api.py:50(OffloadPolicy)
1	6e-07	6e-07	6e-07	6e-07	_state_dict_utils.py:69(CompanionMismatch)
1	6e-07	6e-07	6e-07	6e-07	higher_order_ops.py:1946(WrapWithAutocastHigherOrder
1	6e-07	6e-07	6e-07	6e-07	higher_order_ops.py:2272(ExportTracepointHigherOrderV
1	6e-07	6e-07	6e-07	6e-07	higher_order_ops.py:2295(RunWithRNGStateHigherOrder
1	6e-07	6e-07	6e-07	6e-07	misc.py:69(NO_SUCH_SUBOBJ)
1	6e-07	6e-07	6e-07	6e-07	graph_region_tracker.py:66(NodeHashException)
1	6e-07	6e-07	6e-07	6e-07	decorators.py:213(_disallow_in_graph_helper)
1	6e-07	6e-07	6e-07	6e-07	autograd_cache.py:65(BypassAOTAutogradCache)
1	6e-07	6e-07	6e-07	6e-07	exception.py:76(HasACycle)
1	6e-07	6e-07	6e-07	6e-07	coreviews.py:248(UnionMultiAdjacency)
1	6e-07	6e-07	6e-07	6e-07	kcomponents.py:301(AntiDegreeView)
1	6e-07	6e-07	6e-07	6e-07	functools.py:19(_INITIAL_MISSING)
1	6e-07	6e-07	6e-07	6e-07	~:0(<built-in method torch._C._dynamo.eval_frame.set_gu
1	6e-07	6e-07	6e-07	6e-07	~:0(<built-in method _elementtree._set_factories>)
1	5e-07	5e-07	5e-07	5e-07	_ufunc_config.py:430(__init__)
1	5e-07	5e-07	5e-07	5e-07	__init__.py:1033(setFormatter)
2	5e-07	2.5e-07	5e-07	2.5e-07	<string>:2(__init__)
2	5e-07	2.5e-07	5e-07	2.5e-07	typing_extensions.py:1604(<lambda>)
1	5e-07	5e-07	5e-07	5e-07	overrides.py:2033(__init__)
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:18(DMBadInputError)
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:23(DMDomainError)
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:33(DMFormatError)
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:38(DMNonInvertibleMatrixError)

ncalls	totime	percall	cumtime	percall	
2	5e-07	2.5e-07	5e-07	2.5e-07	_pytree.py:590(_list_flatten)
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:132(ReadTimeoutError)
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:250(ResponseNotChunked)
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:27(InvalidJSONError)
1	5e-07	5e-07	5e-07	5e-07	cookiejar.py:1244(Absent)
1	5e-07	5e-07	5e-07	5e-07	core.py:20(IDNABidiError)
1	5e-07	5e-07	5e-07	5e-07	cookies.py:170(CookieConflictError)
1	5e-07	5e-07	5e-07	5e-07	ImageFilter.py:140(MaxFilter)
1	5e-07	5e-07	5e-07	5e-07	ImageFilter.py:269(CONTOUR)
1	5e-07	5e-07	5e-07	5e-07	ImageFilter.py:291(EDGE_ENHANCE)
1	5e-07	5e-07	5e-07	5e-07	ImageFilter.py:335(SHARPEN)
1	5e-07	5e-07	5e-07	5e-07	ImageFilter.py:37(MultibandFilter)
1	5e-07	5e-07	5e-07	5e-07	errors.py:24(OnnxExporterError)
1	5e-07	5e-07	5e-07	5e-07	symbolic_opset13.py:390(_reduce_op_symbolic)
1	5e-07	5e-07	5e-07	5e-07	exc.py:69(InternalTorchDynamoError)
1	5e-07	5e-07	5e-07	5e-07	exc.py:174(UnknownPropertiesDuringBackwardTrace)
1	5e-07	5e-07	5e-07	5e-07	exc.py:251(RecompileLimitExceeded)
1	5e-07	5e-07	5e-07	5e-07	exc.py:317(ObservedRuntimeError)
1	5e-07	5e-07	5e-07	5e-07	symbolic_shapes.py:320(ConstraintViolationError)
1	5e-07	5e-07	5e-07	5e-07	symbolic_shapes.py:2284(ShapeGuardPrinter)
1	5e-07	5e-07	5e-07	5e-07	ctx_base.py:21(Context)
1	5e-07	5e-07	5e-07	5e-07	release.py:1(<module>)
1	5e-07	5e-07	5e-07	5e-07	conflict.py:3(AmbiguityWarning)
1	5e-07	5e-07	5e-07	5e-07	logic.py:391(Or)
1	5e-07	5e-07	5e-07	5e-07	expr.py:1021(_eval_power)
1	5e-07	5e-07	5e-07	5e-07	boolalg.py:371(__eq__)
1	5e-07	5e-07	5e-07	5e-07	polyoptions.py:658(Polys)
1	5e-07	5e-07	5e-07	5e-07	polyerrors.py:122(UnsolvableFactorError)
2	5e-07	2.5e-07	5e-07	2.5e-07	groundtypes.py:22(__init__)
1	5e-07	5e-07	5e-07	5e-07	codeprinter.py:37(PrintMethodNotImplementedError)
1	5e-07	5e-07	5e-07	5e-07	factorials.py:281(MultiFactorial)
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:39(StructureError)
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:47(MissingUnityError)
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:15(NonSquareMatrixError)
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:19(NonInvertibleMatrixError)
1	5e-07	5e-07	5e-07	5e-07	exceptions.py:24(NonPositiveDefiniteMatrixError)
1	5e-07	5e-07	5e-07	5e-07	modules.py:1096(ModuleOrder)
1	5e-07	5e-07	5e-07	5e-07	core.py:115(switch)
1	5e-07	5e-07	5e-07	5e-07	systems.py:37(ODENonlinearError)
1	5e-07	5e-07	5e-07	5e-07	simplex.py:96(InfeasibleLPError)

ncalls	tottime	percall	cumtime	percall	
1	5e-07	5e-07	5e-07	5e-07	_dtypes.py:39(number)
1	5e-07	5e-07	5e-07	5e-07	_dtypes.py:128(uint64)
1	5e-07	5e-07	5e-07	5e-07	_ndarray.py:174(_Unspecified)
1	5e-07	5e-07	5e-07	5e-07	trace_rules.py:3003(_disallowed_callable_ids)
1	5e-07	5e-07	5e-07	5e-07	remote_cache.py:318(RemoteAutotuneCache)
1	5e-07	5e-07	5e-07	5e-07	remote_cache.py:322(RemoteBundledAutotuneCache)
1	5e-07	5e-07	5e-07	5e-07	remote_cache.py:326(RemoteFxGraphCache)
1	5e-07	5e-07	5e-07	5e-07	__init__.py:1(<module>)
1	5e-07	5e-07	5e-07	5e-07	user_defined.py:709(NO SUCH SUBOBJ)
1	5e-07	5e-07	5e-07	5e-07	user_defined.py:1477(RemovableHandleClass)
1	5e-07	5e-07	5e-07	5e-07	higher_order_ops.py:2318(AutoFunctionalizeHigherOrder`)
1	5e-07	5e-07	5e-07	5e-07	misc.py:398(UnknownVariable)
1	5e-07	5e-07	5e-07	5e-07	triton_compat.py:79(PTXASError)
1	5e-07	5e-07	5e-07	5e-07	autograd_cache.py:70(FXGraphCacheMiss)
1	5e-07	5e-07	5e-07	5e-07	exc.py:112(CUDACompileError)
1	5e-07	5e-07	5e-07	5e-07	asyncio.py:328(AsyncUnixFileLock)
1	5e-07	5e-07	5e-07	5e-07	asyncio.py:332(AsyncWindowsFileLock)
1	5e-07	5e-07	5e-07	5e-07	backends.py:120(<genexpr>)
1	5e-07	5e-07	5e-07	5e-07	exception.py:83(NetworkXUnbounded)
1	5e-07	5e-07	5e-07	5e-07	coreviews.py:413(FilterMultiAdjacency)
1	5e-07	5e-07	5e-07	5e-07	vf2userfunc.py:187(MultiGraphMatcher)
1	5e-07	5e-07	5e-07	5e-07	~:0(<method 'bit_length' of 'int' objects>)
1	4e-07	4e-07	4e-07	4e-07	random.py:903(seed)
1	4e-07	4e-07	4e-07	4e-07	torch_utils.py:317(model_info)
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:28(DMNotAField)
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:43(DMRankError)
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:48(DMShapeError)
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:58(DMValueError)
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:254(BodyNotHttpCompliant)
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:67(SSLError)
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:87(ReadTimeout)
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:91(URLRequired)
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:99(MissingSchema)
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:103(InvalidSchema)
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:115(InvalidProxyURL)
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:119(ChunkedEncodingError)
1	4e-07	4e-07	4e-07	4e-07	exceptions.py:123(ContentDecodingError)
1	4e-07	4e-07	4e-07	4e-07	package_data.py:1(<module>)
1	4e-07	4e-07	4e-07	4e-07	core.py:32(InvalidCodepointContext)
1	4e-07	4e-07	4e-07	4e-07	ImageFilter.py:280(DETAIL)

ncalls	tottime	percall	cumtime	percall	
1	4e-07	4e-07	4e-07	4e-07	ImageFilter.py:302(EDGE_ENHANCE_MORE)
1	4e-07	4e-07	4e-07	4e-07	ImageFilter.py:324(FIND_EDGES)
1	4e-07	4e-07	4e-07	4e-07	ImageFilter.py:346(SMOOTH)
1	4e-07	4e-07	4e-07	4e-07	ImageFilter.py:357(SMOOTH_MORE)
1	4e-07	4e-07	4e-07	4e-07	_diagnostic.py:107(background_context)
1	4e-07	4e-07	4e-07	4e-07	_exporter_legacy.py:674(InvalidExportOptionsError)
1	4e-07	4e-07	4e-07	4e-07	io_adapter.py:133(_DummyLeaf)
1	4e-07	4e-07	4e-07	4e-07	exc.py:81(SpeculationRestartAnalysis)
1	4e-07	4e-07	4e-07	4e-07	exc.py:255(UnsafeScriptObjectError)
1	4e-07	4e-07	4e-07	4e-07	exc.py:263(IncorrectUsage)
1	4e-07	4e-07	4e-07	4e-07	exc.py:270(FailOnRecompileLimitHit)
1	4e-07	4e-07	4e-07	4e-07	exc.py:293(ObservedLookupError)
1	4e-07	4e-07	4e-07	4e-07	exc.py:308(ObservedGeneratorExit)
1	4e-07	4e-07	4e-07	4e-07	function.py:113(BadSignatureError)
1	4e-07	4e-07	4e-07	4e-07	function.py:118(BadArgumentsError)
1	4e-07	4e-07	4e-07	4e-07	polyerrors.py:67(HeuristicGCDFailed)
1	4e-07	4e-07	4e-07	4e-07	polyerrors.py:74(HomomorphismFailed)
1	4e-07	4e-07	4e-07	4e-07	polyerrors.py:86(EvaluationFailed)
1	4e-07	4e-07	4e-07	4e-07	polyerrors.py:90(RefinementFailed)
1	4e-07	4e-07	4e-07	4e-07	polyerrors.py:98(NotInvertible)
1	4e-07	4e-07	4e-07	4e-07	polyerrors.py:106(NotAlgebraic)
1	4e-07	4e-07	4e-07	4e-07	polyerrors.py:114(PolynomialError)
1	4e-07	4e-07	4e-07	4e-07	polyerrors.py:118(UnificationFailed)
1	4e-07	4e-07	4e-07	4e-07	polyerrors.py:147(UnivariatePolynomialError)
1	4e-07	4e-07	4e-07	4e-07	polyerrors.py:177(OptionError)
1	4e-07	4e-07	4e-07	4e-07	polyerrors.py:181(FlagError)
1	4e-07	4e-07	4e-07	4e-07	alphabets.py:1(<module>)
1	4e-07	4e-07	4e-07	4e-07	_util.py:28(UFuncTypeError)
1	4e-07	4e-07	4e-07	4e-07	_dtypes.py:43(integer)
1	4e-07	4e-07	4e-07	4e-07	_dtypes.py:47(inexact)
1	4e-07	4e-07	4e-07	4e-07	_dtypes.py:63(complexfloating)
1	4e-07	4e-07	4e-07	4e-07	trace_rules.py:2997(_allowed_callable_ids)
1	4e-07	4e-07	4e-07	4e-07	remote_cache.py:330(RemoteAOTAutogradCache)
1	4e-07	4e-07	4e-07	4e-07	remote_cache.py:334(RemoteDynamoPGOCache)
1	4e-07	4e-07	4e-07	4e-07	__init__.py:1(<module>)
1	4e-07	4e-07	4e-07	4e-07	lists.py:1093(TupleIteratorVariable)
1	4e-07	4e-07	4e-07	4e-07	user_defined.py:1690(RandomVariable)
1	4e-07	4e-07	4e-07	4e-07	misc.py:404(DelayGraphBreakVariable)
1	4e-07	4e-07	4e-07	4e-07	misc.py:1497(RegexPatternVariable)
1	4e-07	4e-07	4e-07	4e-07	misc.py:1514(NumpyTypeInfoVariable)

ncalls	totime	percall	cumtime	percall	
1	4e-07	4e-07	4e-07	4e-07	asyncio.py:324(AsyncSoftFileLock)
1	4e-07	4e-07	4e-07	4e-07	__init__.py:1(<module>)
1	4e-07	4e-07	4e-07	4e-07	exception.py:31(NetworkXError)
1	4e-07	4e-07	4e-07	4e-07	exception.py:35(NetworkXPointlessConcept)
1	4e-07	4e-07	4e-07	4e-07	exception.py:57(NetworkXAlgorithmError)
1	4e-07	4e-07	4e-07	4e-07	exception.py:61(NetworkXUnfeasible)
1	4e-07	4e-07	4e-07	4e-07	exception.py:96(AmbiguousSolution)
1	4e-07	4e-07	4e-07	4e-07	reportviews.py:742(EdgeViewABC)
1	4e-07	4e-07	4e-07	4e-07	vf2userfunc.py:191(MultiDiGraphMatcher)
1	3e-07	3e-07	3e-07	3e-07	__init__.py:443(__init__)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:299(InvalidHeader)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:320(ProxySchemeUnsupported)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:334(UnrewindableBodyError)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:55(HTTPError)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:59(ConnectionError)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:63(ProxyError)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:80(ConnectTimeout)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:95(TooManyRedirects)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:107(InvalidURL)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:111(InvalidHeader)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:127(StreamConsumedError)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:131(RetryError)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:135(UnrewindableBodyError)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:142(RequestsWarning)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:146(FileModeWarning)
1	3e-07	3e-07	3e-07	3e-07	exceptions.py:150(RequestsDependencyWarning)
1	3e-07	3e-07	3e-07	3e-07	__init__.py:1(<module>)
1	3e-07	3e-07	3e-07	3e-07	__init__.py:1(<module>)
1	3e-07	3e-07	3e-07	3e-07	__init__.py:1(<module>)
1	3e-07	3e-07	3e-07	3e-07	exc.py:85(UnspecializeRestartAnalysis)
1	3e-07	3e-07	3e-07	3e-07	exc.py:89(CompileCollectiveRestartAnalysis)
1	3e-07	3e-07	3e-07	3e-07	exc.py:93(TensorifyScalarRestartAnalysis)
1	3e-07	3e-07	3e-07	3e-07	exc.py:97(SkipFrame)
1	3e-07	3e-07	3e-07	3e-07	exc.py:101(TorchRuntimeError)
1	3e-07	3e-07	3e-07	3e-07	exc.py:259(UncapturedHigherOrderOpError)
1	3e-07	3e-07	3e-07	3e-07	exc.py:274(ObservedException)
1	3e-07	3e-07	3e-07	3e-07	exc.py:298(ObservedIndexError)
1	3e-07	3e-07	3e-07	3e-07	exc.py:312(ObservedAttributeError)
1	3e-07	3e-07	3e-07	3e-07	exc.py:322(ObservedNotImplementedError)
1	3e-07	3e-07	3e-07	3e-07	exc.py:326(ObservedTypeError)

ncalls	tottime	percall	cumtime	percall	
1	3e-07	3e-07	3e-07	3e-07	polyerrors.py:71(ModularGCDFailed)
1	3e-07	3e-07	3e-07	3e-07	polyerrors.py:78(IsomorphismFailed)
1	3e-07	3e-07	3e-07	3e-07	polyerrors.py:82(ExtraneousFactors)
1	3e-07	3e-07	3e-07	3e-07	polyerrors.py:94(CoercionFailed)
1	3e-07	3e-07	3e-07	3e-07	polyerrors.py:110(DomainError)
1	3e-07	3e-07	3e-07	3e-07	polyerrors.py:128(GeneratorsError)
1	3e-07	3e-07	3e-07	3e-07	polyerrors.py:132(GeneratorsNeeded)
1	3e-07	3e-07	3e-07	3e-07	polyerrors.py:151(MultivariatePolynomialError)
1	3e-07	3e-07	3e-07	3e-07	integerring.py:51(__init__)
1	3e-07	3e-07	3e-07	3e-07	gaussiandomains.py:442(__init__)
1	3e-07	3e-07	3e-07	3e-07	gaussiandomains.py:647(__init__)
1	3e-07	3e-07	3e-07	3e-07	expressiondomain.py:163(__init__)
1	3e-07	3e-07	3e-07	3e-07	__init__.py:1(<module>)
1	3e-07	3e-07	3e-07	3e-07	__init__.py:1(<module>)
1	3e-07	3e-07	3e-07	3e-07	__init__.py:1(<module>)
1	3e-07	3e-07	3e-07	3e-07	_dtypes.py:51(signedinteger)
1	3e-07	3e-07	3e-07	3e-07	_dtypes.py:55(unsignedinteger)
1	3e-07	3e-07	3e-07	3e-07	_dtypes.py:59(floating)
1	3e-07	3e-07	3e-07	3e-07	trace_rules.py:3009(_nonstrict_trace_callable_ids)
1	3e-07	3e-07	3e-07	3e-07	__init__.py:1(<module>)
1	3e-07	3e-07	3e-07	3e-07	__init__.py:1(<module>)
1	3e-07	3e-07	3e-07	3e-07	misc.py:1501(ConstantRegexMatchVariable)
1	3e-07	3e-07	3e-07	3e-07	exception.py:88(NetworkXNotImplemented)
1	3e-07	3e-07	3e-07	3e-07	exception.py:92(NodeNotFound)
1	3e-07	3e-07	3e-07	3e-07	configs.py:367(<genexpr>)
1	3e-07	3e-07	3e-07	3e-07	configs.py:380(<genexpr>)
1	2e-07	2e-07	2e-07	2e-07	_common.py:170(__)
1	2e-07	2e-07	2e-07	2e-07	__init__.py:1(<module>)
1	2e-07	2e-07	2e-07	2e-07	__init__.py:1(<module>)
1	2e-07	2e-07	2e-07	2e-07	rationalfield.py:45(__init__)
1	2e-07	2e-07	2e-07	2e-07	expressionrawdomain.py:28(__init__)
1	2e-07	2e-07	2e-07	2e-07	__init__.py:1(<module>)
1	2e-07	2e-07	2e-07	2e-07	__init__.py:1(<module>)
1	2e-07	2e-07	2e-07	2e-07	__init__.py:1(<module>)
1	2e-07	2e-07	2e-07	2e-07	__init__.py:1(<module>)
1	2e-07	2e-07	2e-07	2e-07	exception.py:108(ExceededMaxIterations)
1	2e-07	2e-07	2e-07	2e-07	<frozen importlib._bootstrap>:1014(is_package)
1	1e-07	1e-07	1e-07	1e-07	__init__.py:254(__register_at_fork_reinit_lock)

Showing 1 to 6,418 of 6,418 entries

