R Skill Lab: Software download & Install Instructions

Todd Combs

May 4, 2020

This document outlines how to download and install three programs: R, RStudio, and depending on your operating system, either MiKTeX or MacTeX.

Step 1: Download & install R

Note that you should download & install R first.

For Windows machines: - Go to https://cran.r-project.org/bin/windows/base/ - Click **Download R 4.0.0** for **Windows** (current version as of 5.4.19) - Open the .exe file and follow recommended install instructions and settings

For Mac OS: - Go to https://cran.r-project.org/bin/macosx/ - Click **R-4.0.0.pkg** (current version as of 5.4.19) - Install following recommended install instructions and settings

Step 2: Download & install RStudio

For all: - Go to https://www.rstudio.com/products/rstudio/download/#download - Click on the installer ${\bf RStudio~1.2.5042}$ (current version as of 6.14.19) appropriate for your OS - Follow recommended install instructions and settings

Step 3: Download & install Tex editor

For windows machines: - Go to https://miktex.org/download - Click the download button to install MiKTeX (basic-miktex-2.9.7417-x64.exe as of 5.4.20)

- Follow recommended install instructions and settings

For Mac OS: - Go to http://www.tug.org/mactex/downloading.html - Click on MacTeX.pkg (08 April 2020 version) to download - Install following instructions on page

##For more help or explicit instructions, see:

For Windows machines - http://www.reed.edu/data-at-reed/software/R/r studio pc.html

For Mac OS - http://www.reed.edu/data-at-reed/software/R/r_studio.html

Or email me with questions: toddcombs@wustl.edu

##Verify the installs

After installing the software, open RStudio and type the following code into the Console pane. You will be installing a package (also called a library) called *tidyverse*, and printing the first few rows of a dataset included in the package called mpg. The code is in color in the grey boxes and the output is in the lines starting with two hashtags ##.

```
install.packages('tidyverse', repos="http://ftp.ussg.iu.edu/CRAN/")
```

```
## Installing package into 'C:/Users/Todd/Documents/R/win-library/3.6'
## (as 'lib' is unspecified)
```

```
## package 'tidyverse' successfully unpacked and MD5 sums checked
##
## The downloaded binary packages are in
  C:\Users\Todd\AppData\Local\Temp\RtmpKsQNgn\downloaded_packages
library(tidyverse)
## -- Attaching packages ------ 1.3.0 --
## v ggplot2 3.3.0
                      v purrr
                                0.3.3
## v tibble 2.1.3
                      v dplyr
                                0.8.5
## v tidyr
            1.0.2
                      v stringr 1.4.0
## v readr
            1.3.1
                      v forcats 0.5.0
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()
                    masks stats::lag()
mpg
## # A tibble: 234 x 11
     manufacturer model
##
                           displ year
                                         cyl trans
                                                                  hwy fl
                                                                            class
                                                             cty
                                                     <chr> <int> <int> <chr> <chr>
##
     <chr>>
                  <chr>
                           <dbl> <int> <int> <chr>
##
   1 audi
                  a4
                             1.8 1999
                                           4 \text{ auto}(1 \sim f)
                                                              18
                                                                   29 p
                                                                            comp~
##
   2 audi
                             1.8 1999
                  a4
                                           4 manual~ f
                                                             21
                                                                   29 p
                                                                            comp~
## 3 audi
                  a4
                             2
                                  2008
                                           4 manual~ f
                                                             20
                                                                   31 p
                                                                            comp~
## 4 audi
                                  2008
                                           4 auto(a~ f
                                                                   30 p
                  a4
                             2
                                                             21
                                                                            comp~
## 5 audi
                  a4
                             2.8 1999
                                           6 \text{ auto}(1~f)
                                                             16
                                                                   26 p
                                                                            comp~
## 6 audi
                  a4
                             2.8 1999
                                           6 manual~ f
                                                             18
                                                                   26 p
                                                                            comp~
##
  7 audi
                             3.1 2008
                                           6 auto(a~ f
                  a4
                                                             18
                                                                   27 p
                                                                            comp~
##
   8 audi
                  a4 quat~
                             1.8 1999
                                           4 manual~ 4
                                                              18
                                                                   26 p
                                                                            comp~
   9 audi
                             1.8 1999
                                           4 auto(1~ 4
##
                  a4 quat~
                                                             16
                                                                   25 p
                                                                            comp~
## 10 audi
                                  2008
                  a4 quat~
                                           4 manual~ 4
                                                              20
                             2
                                                                   28 p
                                                                            comp~
## # ... with 224 more rows
```

You should see this output if you've installed R & RStudio correctly.

For MikTeX/MacTeX installs, open RStudio, choose File - New file - R Markdown; then choose PDF in the popup box, and click OK. Next, click the button Knit near the top left, and save the file with a title in the dialogue box. NOTE THE FILE LOCATION A PDF document like the included TESTRMD.pdf should display.