

VIVARO / TRAFIC / PRIMASTAR SWB

1 DOOR KITCHEN - CRX50 FRIDGE


Manual cutting dimensions - 18 mm sheet material

Detected cut panels: 30 | Sheet counts: 6 / 5 / 12 / 7

- Coordinate datum: lower-left of each individual panel = X0 / Y0.
- X = horizontal distance from LEFT edge. Y = vertical distance UP from BOTTOM edge.
- Ø5 mm holes: 11 mm deep. Ø15 mm holes: 14 mm deep.
- Ø20 mm holes: THROUGH. Ø35 mm holes: 13 mm deep.
- 8 mm cam-fitting edge holes: drill centrally through the mating panel edge, aligned with the 15 mm cam-lock bore.
- Door/access cut-outs use R20 corners.
- Rounded 72 mm fixing slots use R36.
- Dense freeform DXF curves are shown with only a few useful reference points; the actual curve remains drawn.
- DXF geometry is the source of truth. Lettering/reference marks are not treated as cut geometry.


Sheet 1 - 1220 x 2440 x 18 mm layout

All cut panels shown from the uploaded DXF. Labels correspond to the detail pages.




Sheet 2 - 1220 x 2440 x 18 mm layout

All cut panels shown from the uploaded DXF. Labels correspond to the detail pages.




Sheet 3 - 1220 x 2440 x 18 mm layout

All cut panels shown from the uploaded DXF. Labels correspond to the detail pages.



Sheet 4 - 1220 x 2440 x 18 mm layout

All cut panels shown from the uploaded DXF. Labels correspond to the detail pages.



S1-A - Part detail

Overall 532.0 x 400.1 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features


F1	Dia 15 - 14 mm deep	X34.0 Y50.8
F2	Dia 15 - 14 mm deep	X34.0 Y349.2
F3	Dia 15 - 14 mm deep	X57.1 Y366.0
F4	Dia 15 - 14 mm deep	X481.2 Y366.0

Outer profile

P1->P2	LINE 400.0 mm
P2->P3	LINE 532.0 mm
P3->P4	LINE 400.1 mm
P4->P5	LINE 532.0 mm

S1-B - Part detail

Overall 498.0 x 382.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features

F1	Dia 20 - THROUGH X342.0 Y307.2
F2	Dia 15 - 14 mm deep X439.8 Y348.0
F3	Dia 15 - 14 mm deep X464.0 Y357.0
F4	Dia 5 - 11 mm deep X9.0 Y331.2
F5	Dia 5 - 11 mm deep X9.0 Y50.8
F6	Dia 15 - 14 mm deep X50.8 Y348.0

Internal lines


I1	X186.9 Y0.0 -> X498.0 Y331.2
----	------------------------------

Outer profile

P1->P2	LINE 498.0 mm
P2->P3	LINE 382.0 mm
P3->P4	LINE 498.0 mm
P4->P5	LINE 382.0 mm

S1-C - Part detail

Overall 518.0 x 382.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features


F1	Dia 15 - 14 mm deep	X58.2 Y347.9
F2	Dia 15 - 14 mm deep	X34.0 Y331.3
F3	Dia 15 - 14 mm deep	X467.2 Y348.0
F4	Dia 15 - 14 mm deep	X34.0 Y50.8

Outer profile

P1->P2	LINE 382.0 mm
P2->P3	LINE 328.0 mm
P3->P4	LINE 254.4 mm
P4->P5	ARC R53.3 CW
P5->P6	LINE 139.0 mm
P6->P7	LINE 72.0 mm
P7->P8	LINE 518.0 mm

S1-D - Part detail

Overall 546.0 x 400.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features


F1	Dia 15 - 14 mm deep	X512.0 Y52.7
F2	Dia 15 - 14 mm deep	X488.8 Y365.9
F3	Dia 15 - 14 mm deep	X50.8 Y365.9
F4	Dia 15 - 14 mm deep	X512.0 Y349.1

Outer profile

P1->P2	LINE 268.3 mm
P2->P3	ARC R40.1 CCW
P3->P4	LINE 151.8 mm
P4->P5	LINE 89.9 mm
P5->P6	LINE 546.0 mm
P6->P7	LINE 400.0 mm
P7->P8	LINE 356.0 mm

S1-E - Part detail

Overall 400.0 x 1393.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features

F1	Dia 15 - 14 mm deep	X35.8 Y35.0
F2	Dia 15 - 14 mm deep	X34.0 Y138.2
F3	Dia 15 - 14 mm deep	X34.0 Y1253.0
F4	Dia 20 - THROUGH	X89.1 Y696.9
F5	Dia 35 - 13 mm deep	X296.1 Y1071.9
F6	Dia 35 - 13 mm deep	X296.1 Y346.3
F7	Dia 15 - 14 mm deep	X35.8 Y1358.0

Internal cut-outs


C1	260.0 x 878.0	LL X60.1 Y270.1	R20
----	---------------	-----------------	-----

Outer profile

P1->P2	LINE 400.0 mm
P2->P3	LINE 1393.0 mm
P3->P4	LINE 400.0 mm
P4->P5	LINE 1393.0 mm

S1-F - Part detail

Overall 560.0 x 1638.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features

F1	Dia 5 - 11 mm deep	X551.1 Y262.6
F2	Dia 5 - 11 mm deep	X65.0 Y262.6
F3	Dia 5 - 11 mm deep	X65.0 Y1377.4
F4	Dia 5 - 11 mm deep	X551.1 Y1377.4
F5	Dia 5 - 11 mm deep	X65.0 Y1482.4
F6	Dia 5 - 11 mm deep	X551.1 Y1592.8
F7	Dia 5 - 11 mm deep	X551.1 Y47.2
F8	Dia 5 - 11 mm deep	X65.0 Y159.4

Internal cut-outs

C1	318.0 x 72.0	LL X171.9 Y786.2	R36
C2	318.0 x 72.0	LL X171.9 Y930.2	R36
C3	318.0 x 72.0	LL X171.9 Y1074.2	R36
C4	318.0 x 72.0	LL X171.9 Y1362.2	R36
C5	318.0 x 72.0	LL X171.9 Y642.2	R36
C6	318.0 x 72.0	LL X171.9 Y498.2	R36
C7	318.0 x 72.0	LL X171.9 Y210.2	R36
C8	322.6 x 72.0	LL X167.3 Y66.2	R36
C9	324.2 x 72.0	LL X165.7 Y1506.2	R36
C10	318.0 x 72.0	LL X171.9 Y1218.2	R36
C11	318.0 x 72.0	LL X171.9 Y354.2	R36

Internal lines


I1	X0.1 Y1326.6 -> X559.9 Y1326.6
I2	X0.1 Y318.6 -> X560.0 Y318.6
I3	X0.3 Y820.0 -> X560.2 Y820.0

Outer profile

P1->P2	LINE 63.4 mm
P2->P3	ARC R36.5 CW
P3->P4	LINE 88.5 mm
P4->P5	LINE 459.9 mm
P5->P6	LINE 1638.0 mm
P6->P7	LINE 459.9 mm
P7->P8	LINE 85.3 mm
P8->P9	ARC R38.3 CW
P9->P10	LINE 63.0 mm
P10->P11	LINE 1388.0 mm

S2-A - Part detail

Overall 400.0 x 720.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features

F1	Dia 35 - 13 mm deep	X102.0 Y151.2
F2	Dia 15 - 14 mm deep	X366.0 Y240.0
F3	Dia 5 - 11 mm deep	X50.8 Y9.0
F4	Dia 5 - 11 mm deep	X349.2 Y9.0
F5	Dia 5 - 11 mm deep	X349.2 Y711.0
F6	Dia 5 - 11 mm deep	X50.8 Y711.0
F7	Dia 15 - 14 mm deep	X366.0 Y480.0
F8	Dia 20 - THROUGH	X311.0 Y368.0
F9	Dia 35 - 13 mm deep	X102.0 Y568.8

Internal cut-outs

C1	262.0 x 570.1	LL X78.0 Y75.0 R20
----	---------------	--------------------

Internal lines


I1	X0.0 Y0.0 -> X0.0 Y720.0
I2	X0.0 Y0.0 -> X0.0 Y720.0

Outer profile

P1->P2	LINE 400.0 mm
P2->P3	LINE 720.0 mm
P3->P4	LINE 400.0 mm

S2-B - Part detail

Overall 600.0 x 382.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features


F1	Dia 15 - 14 mm deep	X566.0 Y52.8
F2	Dia 15 - 14 mm deep	X566.0 Y331.2
F3	Dia 15 - 14 mm deep	X94.2 Y348.0

Outer profile

P1->P2	LINE 600.0 mm
SMOOTH CURVE	Q1 X0.0/Y0.0; Q2 X0.0/Y37.1; Q3 X0.0/Y80.2
P2->P3	LINE 95.4 mm
P3->P4	LINE 166.4 mm
SMOOTH CURVE	Q1 X0.0/Y342.0; Q2 X1.4/Y352.9; Q3 X4.8/Y362.9; Q4 X10.9/Y374.8; Q5
P4->P5	LINE 585.0 mm
P5->P6	LINE 382.0 mm

S2-C - Part detail

Overall 720.0 x 580.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features

F1	Dia 5 - 11 mm deep X9.0 Y76.2
F2	Dia 5 - 11 mm deep X9.0 Y513.2
F3	Dia 5 - 11 mm deep X711.0 Y76.2
F4	Dia 5 - 11 mm deep X711.0 Y499.2
F5	Dia 5 - 11 mm deep X480.0 Y9.0
F6	Dia 5 - 11 mm deep X240.0 Y9.0

Internal cut-outs


C1	72.0 x 396.0 LL X252.1 Y76.2 R36
C2	72.0 x 396.0 LL X396.1 Y76.2 R36
C3	72.0 x 396.0 LL X540.1 Y76.2 R36
C4	72.0 x 396.0 LL X107.9 Y76.4 R36

Outer profile

P1->P2	LINE 580.0 mm
P2->P3	LINE 295.5 mm
SMOOTH CURVE	Q1 X295.0/Y562.0; Q2 X386.9/Y555.0; Q3 X459.7/Y550.0; Q4 X548.4/Y553
P3->P4	LINE 100.0 mm
P4->P5	LINE 555.0 mm
P5->P6	LINE 720.0 mm

S2-D - Part detail

Overall 400.0 x 1613.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features

F1	Dia 15 - 14 mm deep	X366.0 Y33.7
F2	Dia 35 - 13 mm deep	X104.2 Y964.5
F3	Dia 35 - 13 mm deep	X104.2 Y651.6
F4	Dia 20 - THROUGH	X311.2 Y806.5
F5	Dia 15 - 14 mm deep	X366.0 Y1579.3
F6	Dia 15 - 14 mm deep	X366.0 Y1363.9
F7	Dia 15 - 14 mm deep	X366.0 Y249.1

Internal cut-outs


C1	260.0 x 465.3	LL X80.2 Y575.4	R20
----	---------------	-----------------	-----

Outer profile

P1->P2	LINE 1233.1 mm
P2->P3	LINE 255.7 mm
P3->P4	ARC R52.3 CCW
P4->P5	LINE 139.5 mm
P5->P6	LINE 89.9 mm
P6->P7	LINE 1613.0 mm
P7->P8	LINE 89.9 mm
P8->P9	LINE 151.3 mm
P9->P10	ARC R39.3 CCW
P10->P11	LINE 270.0 mm

S2-E - Part detail

Overall 533.7 x 1190.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features

F1	Dia 5 - 11 mm deep X508.0 Y666.2
F2	Dia 5 - 11 mm deep X76.2 Y9.0
F3	Dia 5 - 11 mm deep X76.2 Y1181.0
F4	Dia 5 - 11 mm deep X9.0 Y396.7
F5	Dia 5 - 11 mm deep X9.0 Y793.3
F6	Dia 5 - 11 mm deep X482.2 Y9.0
F7	Dia 5 - 11 mm deep X466.2 Y1181.0

Internal cut-outs

C1	396.0 x 72.0 LL X76.2 Y631.0 R36
C2	396.0 x 72.0 LL X76.2 Y487.0 R36
C3	396.0 x 72.0 LL X76.2 Y343.0 R36
C4	396.0 x 72.0 LL X76.2 Y199.0 R36
C5	396.0 x 72.0 LL X76.2 Y55.0 R36
C6	396.0 x 72.0 LL X76.3 Y775.0 R36
C7	396.0 x 72.0 LL X76.3 Y919.0 R36
C8	396.0 x 72.0 LL X76.3 Y1063.1 R36

Outer profile

P1->P2	LINE 533.7 mm
P2->P3	LINE 421.0 mm
P3->P4	LINE 170.0 mm
P4->P5	LINE 12.0 mm
P5->P6	LINE 600.0 mm
P6->P7	LINE 517.0 mm
P7->P8	LINE 1190.0 mm

S3-A - Part detail


Overall 720.0 x 40.0 mm | 18 mm plywood | lower-left datum = X0 Y0

Machining features

No circular machining features.

Outer profile

P1->P2	ARC R20.0 CCW
P2->P3	LINE 680.0 mm
P3->P4	ARC R20.0 CCW
P4->P5	ARC R20.0 CCW
P5->P6	LINE 680.0 mm
P6->P7	ARC R20.0 CCW



S3-B - Part detail


Overall 1154.0 x 67.0 mm | 18 mm plywood | lower-left datum = X0 Y0

Machining features

No circular machining features.

Outer profile

P1->P2	LINE 1154.0 mm
P2->P3	LINE 67.0 mm
P3->P4	LINE 1154.0 mm
P4->P5	LINE 67.0 mm



S3-C - Part detail


Overall 1190.0 x 40.0 mm | 18 mm plywood | lower-left datum = X0 Y0

Machining features

No circular machining features.

Outer profile

P1->P2	ARC R20.0 CCW
P2->P3	LINE 1150.0 mm
P3->P4	ARC R20.0 CCW
P4->P5	ARC R20.0 CCW
P5->P6	LINE 1150.0 mm
P6->P7	ARC R20.0 CCW



S3-D - Part detail

Overall 600.0 x 500.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features


No circular machining features.

Outer profile

P1->P2	ARC R36.0 CCW
P2->P3	LINE 528.0 mm
P3->P4	ARC R36.0 CCW
P4->P5	LINE 428.0 mm
P5->P6	ARC R36.0 CCW
P6->P7	LINE 528.0 mm
P7->P8	ARC R36.0 CCW
P8->P9	LINE 428.0 mm

S3-E - Part detail

Overall 248.0 x 284.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features


F1	Dia 15 - 14 mm deep	X214.0 Y50.8
F2	Dia 15 - 14 mm deep	X33.6 Y50.8
F3	Dia 15 - 14 mm deep	X33.6 Y233.2
F4	Dia 15 - 14 mm deep	X214.0 Y233.2

Outer profile

P1->P2	LINE 38.9 mm
P2->P3	LINE 60.0 mm
P3->P4	LINE 38.9 mm
P4->P5	LINE 94.0 mm
P5->P6	LINE 284.0 mm
P6->P7	LINE 248.0 mm
P7->P8	LINE 284.0 mm
P8->P9	LINE 94.0 mm

S3-F - Part detail

Overall 1188.1 x 506.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features

No circular machining features.

Internal cut-outs


C1	72.0 x 356.0 LL X73.5 Y75.0 R36
C2	72.0 x 356.0 LL X217.5 Y75.0 R36
C3	72.0 x 356.0 LL X361.5 Y75.0 R36
C4	72.0 x 356.0 LL X505.5 Y75.0 R36
C5	72.0 x 356.0 LL X649.5 Y75.0 R36
C6	72.0 x 356.0 LL X793.5 Y75.0 R36
C7	72.0 x 356.0 LL X937.5 Y75.0 R36
C8	72.0 x 356.0 LL X1081.5 Y75.0 R36

Outer profile

P1->P2	LINE 1188.0 mm
P2->P3	LINE 506.0 mm
P3->P4	LINE 1188.1 mm
P4->P5	LINE 506.0 mm

S3-G - Part detail

Overall 1190.0 x 382.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features

F1	Dia 35 - 13 mm deep	X1048.8 Y101.5
F2	Dia 35 - 13 mm deep	X711.2 Y101.5
F3	Dia 20 - THROUGH	X880.0 Y290.5
F4	Dia 5 - 11 mm deep	X1181.0 Y50.8
F5	Dia 5 - 11 mm deep	X1181.0 Y330.7
F6	Dia 5 - 11 mm deep	X9.0 Y356.5
F7	Dia 15 - 14 mm deep	X396.7 Y347.5
F8	Dia 15 - 14 mm deep	X793.3 Y347.5

Internal cut-outs


C1	490.0 x 242.0	LL X635.0 Y77.5	R20
----	---------------	-----------------	-----

Outer profile

P1->P2	LINE 382.0 mm
P2->P3	LINE 1190.0 mm
P3->P4	LINE 382.0 mm
P4->P5	LINE 1190.0 mm

S3-H - Part detail

Overall 600.0 x 284.1 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features

- F1 Dia 5 - 11 mm deep X591.0 Y233.2
- F2 Dia 5 - 11 mm deep X591.0 Y50.8

Outer profile

- P1->P2 LINE 600.0 mm
- P2->P3 LINE 284.0 mm
- SMOOTH CURVE Q1 X600.0/Y284.0; Q2 X579.3/Y284.0
- P3->P4 ARC R30.0 CCW
- P4->P5 LINE 173.1 mm
- P5->P6 ARC R30.0 CW
- P6->P7 LINE 156.2 mm
- SMOOTH CURVE Q1 X363.0/Y50.8; Q2 X357.7/Y51.8; Q3 X353.0/Y54.6; Q4 X349.5/Y59.2;
- P7->P8 LINE 192.8 mm
- P8->P9 ARC R30.0 CCW
- SMOOTH CURVE Q1 X301.7/Y284.0; Q2 X298.4/Y284.0
- P9->P10 ARC R30.0 CCW
- P10->P11 LINE 192.8 mm
- SMOOTH CURVE Q1 X251.9/Y64.5; Q2 X250.6/Y59.2; Q3 X247.4/Y54.9; Q4 X242.4/Y51.8;
- P11->P12 LINE 156.1 mm
- P12->P13 ARC R30.0 CW
- P13->P14 LINE 173.1 mm
- P14->P15 ARC R30.0 CCW
- SMOOTH CURVE Q1 X20.8/Y284.0; Q2 X0.0/Y284.0
- P15->P16 LINE 284.0 mm

S3-I - Part detail


Overall 600.0 x 284.0 mm | 18 mm plywood | lower-left datum = X0 Y0

Machining features

- F1 Dia 5 - 11 mm deep X9.0 Y233.2
- F2 Dia 5 - 11 mm deep X9.0 Y50.8


Outer profile

- P1->P2 LINE 284.0 mm
- P2->P3 LINE 600.0 mm
- P3->P4 LINE 284.0 mm
- P4->P5 LINE 600.0 mm



S3-J - Part detail

Overall 582.0 x 284.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features


No circular machining features.

Outer profile

SMOOTH CURVE	Q1 X33.2/Y0.0; Q2 X33.2/Y18.0; Q3 X0.0/Y18.0
P1->P2	LINE 248.0 mm
SMOOTH CURVE	Q1 X0.0/Y266.0; Q2 X33.2/Y266.0; Q3 X33.2/Y284.0; Q4 X84.1/Y284.0; Q
P2->P3	LINE 169.1 mm
SMOOTH CURVE	Q1 X253.2/Y266.0; Q2 X253.2/Y284.0; Q3 X311.7/Y284.0; Q4 X311.7/Y266
P3->P4	LINE 169.2 mm
SMOOTH CURVE	Q1 X480.9/Y266.0; Q2 X480.9/Y284.0; Q3 X531.7/Y284.0; Q4 X531.7/Y266
P4->P5	LINE 248.4 mm
SMOOTH CURVE	Q1 X582.0/Y18.0; Q2 X531.7/Y18.0; Q3 X531.7/Y0.0; Q4 X480.9/Y0.0; Q5
P5->P6	LINE 169.2 mm
SMOOTH CURVE	Q1 X311.7/Y18.0; Q2 X311.7/Y0.0; Q3 X253.2/Y0.0; Q4 X253.2/Y18.0
P6->P7	LINE 169.1 mm
SMOOTH CURVE	Q1 X84.1/Y18.0; Q2 X84.1/Y0.0; Q3 X33.2/Y0.0

S3-K - Part detail

Overall 284.0 x 247.6 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features


No circular machining features.

Outer profile

P1->P2	LINE 14.3 mm
P2->P3	LINE 18.0 mm
P3->P4	LINE 50.8 mm
P4->P5	LINE 18.0 mm
P5->P6	LINE 80.8 mm
P6->P7	LINE 18.0 mm
P7->P8	LINE 50.8 mm
P8->P9	LINE 18.0 mm
P9->P10	LINE 50.8 mm
P10->P11	LINE 248.0 mm
P11->P12	LINE 50.8 mm
P12->P13	LINE 18.0 mm
P13->P14	LINE 50.8 mm
P14->P15	LINE 18.0 mm
P15->P16	LINE 80.8 mm
P16->P17	LINE 18.0 mm
P17->P18	LINE 50.8 mm
P18->P19	LINE 18.0 mm
P19->P20	LINE 14.4 mm
P20->P21	LINE 248.0 mm

S3-L - Part detail

Overall 284.0 x 247.6 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features


No circular machining features.

Outer profile

P1->P2	LINE 14.4 mm
P2->P3	LINE 18.0 mm
P3->P4	LINE 50.8 mm
P4->P5	LINE 18.0 mm
P5->P6	LINE 80.8 mm
P6->P7	LINE 18.0 mm
P7->P8	LINE 50.8 mm
P8->P9	LINE 18.0 mm
P9->P10	LINE 50.8 mm
P10->P11	LINE 248.0 mm
P11->P12	LINE 50.8 mm
P12->P13	LINE 18.0 mm
P13->P14	LINE 50.8 mm
P14->P15	LINE 18.0 mm
P15->P16	LINE 80.8 mm
P16->P17	LINE 18.0 mm
P17->P18	LINE 50.8 mm
P18->P19	LINE 18.0 mm
P19->P20	LINE 14.4 mm
P20->P21	LINE 248.0 mm

S4-A - Part detail

Overall 382.0 x 446.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features


No circular machining features.

Outer profile

P1->P2	LINE 382.0 mm
P2->P3	LINE 446.0 mm
P3->P4	LINE 382.0 mm
P4->P5	LINE 446.0 mm

S4-B - Part detail

Overall 900.0 x 550.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features


F1	Dia 5 - 11 mm deep	X9.0 Y473.8
F2	Dia 5 - 11 mm deep	X9.0 Y226.2
F3	Dia 5 - 11 mm deep	X473.0 Y76.2
F4	Dia 5 - 11 mm deep	X473.0 Y473.8
F5	Dia 5 - 11 mm deep	X891.0 Y473.8
F6	Dia 5 - 11 mm deep	X891.0 Y76.2
F7	Dia 5 - 11 mm deep	X232.0 Y159.0

Outer profile

P1->P2	LINE 900.0 mm
P2->P3	LINE 400.0 mm
P3->P4	LINE 414.0 mm
P4->P5	ARC R50.0 CW
P5->P6	LINE 99.8 mm
P6->P7	LINE 436.0 mm
P7->P8	LINE 550.0 mm

S4-C - Part detail

Overall 382.0 x 682.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features


F1	Dia 15 - 14 mm deep	X50.8 Y648.0
F2	Dia 15 - 14 mm deep	X323.8 Y648.0
F3	Dia 15 - 14 mm deep	X348.0 Y631.2
F4	Dia 15 - 14 mm deep	X348.0 Y341.0
F5	Dia 15 - 14 mm deep	X348.0 Y50.8
F6	Dia 5 - 11 mm deep	X50.8 Y341.0
F7	Dia 5 - 11 mm deep	X323.8 Y341.0
F8	Dia 5 - 11 mm deep	X7.0 Y349.2
F9	Dia 5 - 11 mm deep	X7.0 Y76.2

Outer profile

P1->P2	LINE 382.0 mm
P2->P3	LINE 682.0 mm
P3->P4	LINE 382.0 mm
P4->P5	LINE 682.0 mm

S4-D - Part detail

Overall 464.0 x 682.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features

F1	Dia 5 - 11 mm deep X9.0 Y50.8
F2	Dia 5 - 11 mm deep X9.0 Y341.0
F3	Dia 5 - 11 mm deep X9.0 Y631.2
F4	Dia 15 - 14 mm deep X232.0 Y648.0
F5	Dia 35 - 13 mm deep X379.0 Y545.8
F6	Dia 35 - 13 mm deep X379.0 Y136.2
F7	Dia 20 - THROUGH X89.0 Y409.0
F8	Dia 15 - 14 mm deep X430.0 Y631.2
F9	Dia 15 - 14 mm deep X430.0 Y50.8

Internal cut-outs


C1	344.0 x 562.0 LL X60.0 Y60.0 R20
----	----------------------------------

Outer profile

P1->P2	LINE 464.0 mm
P2->P3	LINE 682.0 mm
P3->P4	LINE 464.0 mm
P4->P5	LINE 682.0 mm

S4-E - Part detail

Overall 142.0 x 400.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features


F1	Dia 15 - 14 mm deep	X30.0 Y34.0
F2	Dia 15 - 14 mm deep	X112.0 Y34.0
F3	Dia 15 - 14 mm deep	X30.0 Y366.0
F4	Dia 15 - 14 mm deep	X112.0 Y366.0

Outer profile

P1->P2	LINE 142.0 mm
P2->P3	LINE 400.0 mm
P3->P4	LINE 142.0 mm
P4->P5	LINE 400.0 mm

S4-F - Part detail

Overall 550.0 x 682.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features


F1	Dia 15 - 14 mm deep	X473.8 Y648.0
F2	Dia 5 - 11 mm deep	X541.0 Y652.0
F3	Dia 5 - 11 mm deep	X541.0 Y570.0
F4	Dia 15 - 14 mm deep	X76.2 Y648.0

Outer profile

P1->P2	LINE 550.0 mm
P2->P3	LINE 682.0 mm
P3->P4	ARC R1611963.5 CW
P4->P5	LINE 682.0 mm

S4-G - Part detail

Overall 550.0 x 682.0 mm | 18 mm plywood | lower-left datum = X0 Y0



Machining features

F1	Dia 15 - 14 mm deep	X473.8 Y648.0
F2	Dia 15 - 14 mm deep	X76.2 Y648.0
F3	Dia 5 - 11 mm deep	X9.0 Y652.0
F4	Dia 5 - 11 mm deep	X9.0 Y570.0

Outer profile

P1->P2	LINE 550.0 mm
P2->P3	LINE 682.0 mm
P3->P4	LINE 550.0 mm
P4->P5	LINE 682.0 mm