

VW-T4-LWB-USHAPE-2-DOOR-KITCHEN

Coordinate system

X = horizontal from LEFT edge

Y = vertical from BOTTOM edge

Origin (0,0) = bottom-left of each individual panel

Rules

- 18 mm sheet material
- Ø15 mm holes: blind, 14 mm deep
- Ø35 mm holes: blind, 13 mm deep
- Ø5 mm holes: blind, 11 mm deep
- Ø20 mm holes: through-hole
- Other internal profiles are cut-outs unless stated otherwise
- P1 is always the profile point nearest the panel 0,0 datum
- Open internal lines are dimensioned as cut lines


Manual-build option

Ø5 and Ø15 fixing holes may be omitted where appropriate and replaced with L-brackets or timber fixing blocks.

Sheet summary: 4 sheets, 32 detected panels.


Sheet 1 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.




Sheet 2 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.




Sheet 3 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.



Sheet 4 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.



S1-A - Part detail


Overall 1010.0 x 500.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X1010.0 Y0.0
- P3: X1010.0 Y500.0
- P4: X0.0 Y500.0


Machining / cut features

- F1: Hole: Ø5.0 mm, centre X9.0 Y50.8
- F2: Hole: Ø5.0 mm, centre X9.0 Y424.8
- F3: Cut-out: 72.0 x 350.0 mm, centre X73.0 Y250.0, R36.0
- F4: Cut-out: 72.0 x 350.0 mm, centre X217.0 Y250.0, R36.0
- F5: Cut-out: 72.0 x 350.0 mm, centre X361.0 Y250.0, R36.0
- F6: Cut-out: 72.0 x 350.0 mm, centre X505.0 Y250.0, R36.0
- F7: Cut-out: 72.0 x 350.0 mm, centre X649.0 Y250.0, R36.0
- F8: Hole: Ø5.0 mm, centre X9.0 Y50.8
- F9: Hole: Ø5.0 mm, centre X9.0 Y424.8
- F10: Hole: Ø5.0 mm, centre X1001.0 Y50.8
- F11: Hole: Ø5.0 mm, centre X1001.0 Y424.8
- F12: Hole: Ø5.0 mm, centre X673.4 Y491.0
- F13: Hole: Ø5.0 mm, centre X336.6 Y491.0
- F14: Cut-out: 72.0 x 350.0 mm, centre X793.0 Y250.0, R36.0
- F15: Cut-out: 72.0 x 350.0 mm, centre X937.0 Y250.0, R36.0



S1-B - Part detail

Overall 600.3 x 1578.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y0.0
- P2: X543.0 Y17.1
- P3: X543.0 Y73.8
- P4: X593.0 Y124.0
- P5: X600.0 Y124.0
- P6: X600.3 Y1453.8
- P7: X593.2 Y1453.8
- P8: X543.0 Y1503.8
- P9: X543.0 Y1560.7
- P10: X0.0 Y1578.0

Profile radii


R50.0

Machining / cut features

- F1: Hole: Ø5.0 mm, centre X29.0 Y145.0
- F2: Hole: Ø5.0 mm, centre X29.0 Y1396.0
- F3: Hole: Ø5.0 mm, centre X29.0 Y1200.0
- F4: Hole: Ø5.0 mm, centre X29.0 Y345.0
- F5: Hole: Ø5.0 mm, centre X29.0 Y773.0
- F6: Cut-out: 400.0 x 72.0 mm, centre X275.0 Y1435.4
- F7: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y1291.4, R36.0
- F8: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y1147.4, R36.0
- F9: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y1003.4, R36.0
- F10: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y859.4, R36.0
- F11: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y715.4, R36.0
- F12: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y571.4, R36.0
- F13: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y427.4, R36.0
- F14: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y283.4, R36.0
- F15: Cut-out: 400.0 x 72.0 mm, centre X275.0 Y139.4
- F16: Hole: Ø5.0 mm, centre X534.0 Y162.2
- F17: Hole: Ø5.0 mm, centre X534.0 Y362.2
- F18: Hole: Ø5.0 mm, centre X534.0 Y790.6
- F19: Hole: Ø5.0 mm, centre X534.0 Y1215.6
- F20: Hole: Ø5.0 mm, centre X534.0 Y1415.6
- F21: Hole: Ø5.0 mm, centre X9.0 Y145.0
- F22: Hole: Ø5.0 mm, centre X9.0 Y1396.0
- F23: Hole: Ø5.0 mm, centre X9.0 Y1200.0
- F24: Hole: Ø5.0 mm, centre X9.0 Y345.0
- F25: Hole: Ø5.0 mm, centre X9.0 Y773.0
- F26: Cut line: 600.0 mm, X0.0 Y211.4 to X600.0 Y211.4
- F27: Cut line: 600.0 mm, X0.0 Y1363.4 to X600.0 Y1363.4

S1-C - Part detail

Overall 382.2 x 1543.4 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y74.8
- P2: X160.2 Y74.8
- P3: X160.3 Y103.7
- P4: X320.3 Y103.7
- P5: X320.2 Y0.0
- P6: X382.2 Y0.0
- P7: X382.2 Y1543.4
- P8: X320.2 Y1543.4
- P9: X320.3 Y1443.1
- P10: X160.3 Y1443.1
- P11: X160.2 Y1468.4
- P12: X0.0 Y1468.4

Machining / cut features

- F1: Cut-out: 240.0 x 1016.0 mm, centre X180.3 Y773.4, R20.0
- F2: Hole: Ø35.0 mm, centre X84.3 Y365.4
- F3: Hole: Ø35.0 mm, centre X84.3 Y1181.4
- F4: Hole: Ø20.0 mm, centre X271.3 Y773.4
- F5: Hole: Ø15.0 mm, centre X348.3 Y1398.4
- F6: Hole: Ø15.0 mm, centre X348.3 Y1198.4
- F7: Hole: Ø15.0 mm, centre X348.1 Y773.4
- F8: Hole: Ø15.0 mm, centre X348.3 Y345.0
- F9: Hole: Ø15.0 mm, centre X348.3 Y145.0

S2-A - Part detail

Overall 284.0 x 248.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X18.0 Y0.0
- P2: X18.0 Y50.8
- P3: X0.0 Y50.8
- P4: X0.0 Y101.6
- P5: X18.0 Y101.6
- P6: X18.0 Y182.4
- P7: X0.0 Y182.4
- P8: X0.0 Y233.2
- P9: X18.0 Y233.2
- P10: X18.0 Y248.0
- P11: X266.0 Y248.0
- P12: X266.0 Y233.2
- P13: X284.0 Y233.2
- P14: X284.0 Y182.4
- P15: X266.0 Y182.4
- P16: X266.0 Y101.6
- P17: X284.0 Y101.6
- P18: X284.0 Y50.8
- P19: X266.0 Y50.8
- P20: X266.0 Y0.0

Machining / cut features

None

S2-B - Part detail

Overall 284.0 x 248.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X18.0 Y0.0
P2: X18.0 Y50.8
P3: X0.0 Y50.8
P4: X0.0 Y101.6
P5: X18.0 Y101.6
P6: X18.0 Y182.4
P7: X0.0 Y182.4
P8: X0.0 Y233.2
P9: X18.0 Y233.2
P10: X18.0 Y248.0
P11: X266.0 Y248.0
P12: X266.0 Y233.2
P13: X284.0 Y233.2
P14: X284.0 Y182.4
P15: X266.0 Y182.4
P16: X266.0 Y101.6
P17: X284.0 Y101.6
P18: X284.0 Y50.8
P19: X266.0 Y50.8
P20: X266.0 Y0.0

Machining / cut features

None

S2-C - Part detail

Overall 284.0 x 600.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y0.0
P2: X0.0 Y600.0
P3: X284.0 Y600.0
P4: X284.0 Y0.0

Machining / cut features

F1: Hole: Ø5.0 mm, centre X233.2 Y591.0
F2: Hole: Ø5.0 mm, centre X50.8 Y591.0
F3: Cut-out: 18.5 x 50.8 mm, centre X27.3 Y523.4
F4: Cut-out: 18.5 x 58.5 mm, centre X27.3 Y299.6
F5: Cut-out: 50.8 x 18.5 mm, centre X76.2 Y299.6
F6: Cut-out: 50.8 x 18.5 mm, centre X207.8 Y299.6
F7: Cut-out: 18.5 x 50.8 mm, centre X27.3 Y75.8
F8: Cut-out: 50.8 x 18.5 mm, centre X76.2 Y17.8
F9: Cut-out: 50.8 x 18.5 mm, centre X207.8 Y17.8

S2-D - Part detail

Overall 284.0 x 600.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y0.0
P2: X0.0 Y600.0
P3: X284.0 Y600.0
P4: X284.0 Y578.8
P5: X253.9 Y548.8
P6: X80.8 Y548.8
P7: X50.8 Y518.7
P8: X50.8 Y362.6
P9: X64.4 Y347.7
P10: X256.5 Y331.2
P11: X284.0 Y301.2
P12: X284.0 Y297.9
P13: X256.6 Y268.0
P14: X64.5 Y251.6
P15: X50.8 Y236.6
P16: X50.8 Y80.4
P17: X80.9 Y50.4
P18: X254.0 Y50.4
P19: X284.0 Y20.3
P20: X284.0 Y0.0

Profile radii


R30.0, R15.0

Machining / cut features

F1: Cut-out: 50.8 x 18.5 mm, centre X207.8 Y581.4
F2: Cut-out: 50.8 x 18.5 mm, centre X76.2 Y581.4
F3: Cut-out: 18.5 x 58.5 mm, centre X27.2 Y299.6
F4: Cut-out: 18.5 x 50.8 mm, centre X27.2 Y523.4
F5: Cut-out: 50.8 x 18.5 mm, centre X76.2 Y299.6
F6: Cut-out: 50.8 x 18.5 mm, centre X207.8 Y299.6
F7: Cut-out: 18.5 x 50.8 mm, centre X27.2 Y75.8
F8: Hole: Ø5.0 mm, centre X50.8 Y9.0
F9: Hole: Ø5.0 mm, centre X233.2 Y9.0

S2-E - Part detail

Overall 382.0 x 1010.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X382.0 Y0.0
- P3: X382.0 Y1010.0
- P4: X0.0 Y1010.0

Machining / cut features

- F1: Hole: Ø5.0 mm, centre X50.8 Y9.0
- F2: Hole: Ø5.0 mm, centre X331.2 Y9.0
- F3: Cut-out: 262.0 x 810.0 mm, centre X191.0 Y505.0, R20.0
- F4: Hole: Ø35.0 mm, centre X85.0 Y833.8
- F5: Hole: Ø35.0 mm, centre X85.0 Y176.2
- F6: Hole: Ø20.0 mm, centre X293.0 Y505.0
- F7: Hole: Ø15.0 mm, centre X348.0 Y673.4
- F8: Hole: Ø15.0 mm, centre X348.0 Y336.6
- F9: Hole: Ø5.0 mm, centre X50.8 Y1001.0
- F10: Hole: Ø5.0 mm, centre X331.2 Y1001.0

S2-F - Part detail

Overall 382.0 x 1581.1 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y190.0
- P2: X195.9 Y190.0
- P3: X291.8 Y100.0
- P4: X291.8 Y0.0
- P5: X382.0 Y0.0
- P6: X382.0 Y1581.1
- P7: X291.8 Y1581.1
- P8: X291.8 Y1481.5
- P9: X196.3 Y1391.2
- P10: X0.0 Y1391.2

Profile radii


R93.0

Machining / cut features

- F1: Cut-out: 260.0 x 396.2 mm, centre X190.0 Y773.1, R20.0
- F2: Hole: Ø20.0 mm, centre X291.0 Y773.0
- F3: Hole: Ø35.0 mm, centre X85.0 Y651.2
- F4: Hole: Ø35.0 mm, centre X85.0 Y894.9
- F5: Hole: Ø15.0 mm, centre X348.1 Y145.0
- F6: Hole: Ø15.0 mm, centre X348.1 Y345.0
- F7: Hole: Ø15.0 mm, centre X347.9 Y773.0
- F8: Hole: Ø15.0 mm, centre X348.1 Y1200.0
- F9: Hole: Ø15.0 mm, centre X348.1 Y1396.0

S2-G - Part detail

Overall 364.0 x 275.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X364.0 Y0.0
- P3: X364.0 Y275.0
- P4: X0.0 Y275.0

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X50.8 Y34.0
- F2: Hole: Ø15.0 mm, centre X313.2 Y34.0
- F3: Hole: Ø15.0 mm, centre X330.0 Y228.6

S2-H - Part detail

Overall 364.0 x 1277.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X364.0 Y0.0
- P3: X364.0 Y1277.0
- P4: X0.0 Y1277.0

Machining / cut features

- F1: Hole: Ø35.0 mm, centre X84.0 Y550.8
- F2: Hole: Ø35.0 mm, centre X84.0 Y110.8
- F3: Hole: Ø20.0 mm, centre X271.0 Y343.5
- F4: Hole: Ø15.0 mm, centre X329.9 Y852.0
- F5: Hole: Ø15.0 mm, centre X329.9 Y425.0
- F6: Hole: Ø5.0 mm, centre X339.0 Y1268.0
- F7: Cut-out: 240.0 x 567.0 mm, centre X180.0 Y343.5, R20.0

S2-I - Part detail

Overall 364.0 x 517.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y517.0
- P3: X364.0 Y517.0
- P4: X364.0 Y0.0

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X34.0 Y459.8
- F2: Hole: Ø15.0 mm, centre X34.0 Y50.8
- F3: Hole: Ø5.0 mm, centre X50.8 Y9.0
- F4: Hole: Ø5.0 mm, centre X313.2 Y9.0
- F5: Hole: Ø15.0 mm, centre X25.0 Y483.0
- F6: Hole: Ø20.0 mm, centre X79.0 Y362.5
- F7: Cut lines: L1 314.0 mm: X364.0 Y208.0 to X50.0 Y208.0; L2 309.0 mm: X50.0 Y208.0 to X50.0 Y517.0

S2-J - Part detail

Overall 382.0 x 482.1 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y482.1
- P3: X382.0 Y472.0
- P4: X382.0 Y0.0

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X331.2 Y34.0
- F2: Hole: Ø15.0 mm, centre X34.0 Y57.2
- F3: Hole: Ø15.0 mm, centre X34.0 Y431.2
- F4: Hole: Ø15.0 mm, centre X50.8 Y34.0

S3-A - Part detail

Overall 364.0 x 517.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y190.0
- P2: X0.0 Y517.0
- P3: X364.0 Y517.0
- P4: X364.0 Y0.0
- P5: X292.0 Y0.0
- P6: X292.0 Y99.4
- P7: X202.0 Y190.0

Profile radii


R90.1

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X50.8 Y483.0
- F2: Hole: Ø15.0 mm, centre X313.2 Y483.0
- F3: Hole: Ø15.0 mm, centre X330.0 Y459.9
- F4: Hole: Ø15.0 mm, centre X330.0 Y50.8

S3-B - Part detail

Overall 382.0 x 482.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y0.0

P2: X382.0 Y0.0

P3: X382.0 Y482.0

P4: X292.0 Y482.0

P5: X292.0 Y383.2

P6: X202.0 Y292.0

P7: X0.0 Y292.0

Profile radii

R90.4

Machining / cut features

F1: Hole: Ø15.0 mm, centre X50.8 Y34.0


F2: Hole: Ø15.0 mm, centre X331.2 Y34.0

F3: Hole: Ø15.0 mm, centre X348.0 Y57.2

F4: Hole: Ø15.0 mm, centre X348.0 Y431.2

S3-C - Part detail

Overall 284.0 x 248.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y93.6
- P3: X35.0 Y93.6
- P4: X35.1 Y154.8
- P5: X0.0 Y154.8
- P6: X0.0 Y248.0
- P7: X284.0 Y248.0
- P8: X284.0 Y0.0

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X50.8 Y34.1
- F2: Hole: Ø15.0 mm, centre X50.8 Y213.9
- F3: Hole: Ø15.0 mm, centre X233.2 Y213.9
- F4: Hole: Ø15.0 mm, centre X233.2 Y34.1

S3-D - Part detail

Overall 284.5 x 582.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X18.0 Y0.0
P2: X18.0 Y33.3
P3: X0.0 Y33.3
P4: X0.0 Y83.5
P5: X18.0 Y83.5
P6: X18.0 Y253.3
P7: X0.0 Y253.3
P8: X0.0 Y311.2
P9: X18.0 Y311.2
P10: X18.0 Y480.9
P11: X0.0 Y480.9
P12: X0.0 Y531.2
P13: X18.0 Y531.2
P14: X17.9 Y582.0
P15: X266.6 Y582.0
P16: X266.5 Y531.2
P17: X284.5 Y531.2
P18: X284.5 Y480.9
P19: X266.5 Y480.9
P20: X266.5 Y311.2
P21: X284.5 Y311.2
P22: X284.5 Y253.3
P23: X266.5 Y253.3
P24: X266.5 Y83.5
P25: X284.5 Y83.5
P26: X284.5 Y33.3
P27: X266.5 Y33.3
P28: X266.5 Y0.0

Machining / cut features

F1: Cut lines: L1 0.0 mm: X0.0 Y33.6 to X0.0 Y33.6; L2 15.6 mm: X0.0 Y33.6 to X0.0 Y49.2


S3-E - Part detail

Overall 700.0 x 500.0 mm | Origin bottom-left | P1 nearest 0,0



S3-F - Part detail

Overall 550.0 x 1277.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.1 Y0.0
- P2: X535.1 Y0.0
- P3: X550.0 Y984.0
- P4: X550.0 Y1277.0
- P5: X0.0 Y1277.0

Machining / cut features

- F1: Hole: Ø5.0 mm, centre X76.3 Y1268.0
- F2: Hole: Ø5.0 mm, centre X484.3 Y1268.0
- F3: Hole: Ø5.0 mm, centre X9.0 Y852.0
- F4: Hole: Ø5.0 mm, centre X9.0 Y425.0
- F5: Hole: Ø5.0 mm, centre X484.3 Y9.0
- F6: Hole: Ø5.0 mm, centre X76.3 Y9.0
- F7: Cut-out: 385.0 x 72.0 mm, centre X267.6 Y998.7
- F8: Cut-out: 385.0 x 72.0 mm, centre X267.6 Y854.7
- F9: Cut-out: 385.0 x 72.0 mm, centre X267.6 Y711.1
- F10: Cut-out: 385.0 x 72.0 mm, centre X267.6 Y566.7
- F11: Cut-out: 385.0 x 72.0 mm, centre X267.6 Y422.7
- F12: Cut-out: 385.0 x 72.0 mm, centre X267.6 Y278.8
- F13: Cut-out: 380.7 x 72.0 mm, centre X265.5 Y134.7
- F14: Cut-out: 385.0 x 72.0 mm, centre X267.6 Y1142.3
- F15: Hole: Ø5.0 mm, centre X541.0 Y1030.4

S3-G - Part detail

Overall 40.0 x 1277.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y20.0
- P2: X20.0 Y0.0
- P3: X40.0 Y20.0
- P4: X40.0 Y1257.0
- P5: X20.0 Y1277.0
- P6: X0.0 Y1257.0

Profile radii


R20.0

Machining / cut features

None

S3-H - Part detail

Overall 535.0 x 1274.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y1274.0
- P3: X535.0 Y1274.0
- P4: X535.0 Y0.0

Machining / cut features

- F1: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y999.1
- F2: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y855.1
- F3: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y711.5
- F4: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y567.1
- F5: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y423.1
- F6: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y279.2
- F7: Cut-out: 380.7 x 72.0 mm, centre X265.4 Y135.1
- F8: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y1142.6

S3-I - Part detail

Overall 65.0 x 1241.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y0.0
P2: X65.0 Y0.0
P3: X65.0 Y1241.0
P4: X0.0 Y1241.0

Machining / cut features

None

S4-A - Part detail

Overall 700.0 x 500.0 mm | Origin bottom-left | P1 nearest 0,0



- Profile points**
- P1: X0.0 Y0.0
 - P2: X0.0 Y500.0
 - P3: X700.0 Y500.0
 - P4: X700.0 Y10.0
- Machining / cut features**
- F1: Hole: Ø15.0 mm, centre X34.0 Y423.8
 - F2: Hole: Ø15.0 mm, centre X34.0 Y76.2
 - F3: Hole: Ø15.0 mm, centre X50.2 Y466.0
 - F4: Hole: Ø15.0 mm, centre X109.8 Y466.0

S4-B - Part detail

Overall 400.0 x 160.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X400.0 Y0.0
- P3: X400.0 Y160.0
- P4: X0.0 Y160.0


Machining / cut features

- F1: Hole: Ø15.0 mm, centre X34.0 Y109.2
- F2: Hole: Ø15.0 mm, centre X34.0 Y50.8
- F3: Hole: Ø15.0 mm, centre X366.0 Y109.2
- F4: Hole: Ø15.0 mm, centre X366.0 Y50.8



S4-C - Part detail


Overall 323.0 x 382.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points	
P1:	X0.0 Y0.0
P2:	X323.0 Y0.0
P3:	X323.0 Y382.0
P4:	X0.0 Y382.0
20.0 mm SET-BACK	
Machining / cut features	
None	

S4-D - Part detail

Overall 382.0 x 700.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y700.0
- P3: X382.0 Y700.0
- P4: X372.0 Y0.0

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X58.2 Y666.0
- F2: Hole: Ø15.0 mm, centre X331.2 Y666.0
- F3: Hole: Ø15.0 mm, centre X34.0 Y649.2
- F4: Hole: Ø15.0 mm, centre X34.0 Y350.0
- F5: Hole: Ø15.0 mm, centre X34.0 Y50.8
- F6: Cut-out: 4.8 x 4.8 mm, centre X58.2 Y350.0, R2.4
- F7: Cut-out: 4.8 x 4.8 mm, centre X331.2 Y350.0, R2.4

S4-E - Part detail

Overall 382.0 x 700.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X372.0 Y0.0
- P3: X382.0 Y700.0
- P4: X0.0 Y700.0

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X58.2 Y666.0
- F2: Hole: Ø15.0 mm, centre X331.2 Y666.0
- F3: Hole: Ø15.0 mm, centre X34.0 Y649.2
- F4: Hole: Ø15.0 mm, centre X34.0 Y350.0
- F5: Hole: Ø15.0 mm, centre X34.0 Y50.8
- F6: Hole: Ø4.8 mm, centre X58.2 Y350.0
- F7: Cut-out: 4.8 x 4.8 mm, centre X331.2 Y350.0, R2.4

S4-F - Part detail

Overall 305.0 x 382.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y0.0
P2: X305.0 Y0.0
P3: X305.0 Y382.0
P4: X0.0 Y382.0

Machining / cut features

None

S4-G - Part detail

Overall 40.0 x 760.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y20.0
- P2: X20.0 Y0.0
- P3: X40.0 Y20.0
- P4: X40.0 Y740.0
- P5: X20.0 Y760.0
- P6: X0.0 Y740.0

Profile radii

R20.0

Machining / cut features

None

S4-H - Part detail

Overall 1100.0 x 500.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points


- P1: X0.0 Y100.0
- P2: X614.0 Y100.0
- P3: X664.0 Y50.0
- P4: X664.0 Y0.0
- P5: X1100.0 Y0.0
- P6: X1100.0 Y500.0
- P7: X0.0 Y500.0

Profile radii

R50.0


Machining / cut features

- F1: Hole: Ø5.0 mm, centre X9.0 Y449.2
- F2: Hole: Ø5.0 mm, centre X332.0 Y449.2
- F3: Hole: Ø5.0 mm, centre X332.0 Y176.2
- F4: Hole: Ø5.0 mm, centre X9.0 Y176.2
- F5: Hole: Ø5.0 mm, centre X181.0 Y109.0
- F6: Hole: Ø5.0 mm, centre X483.0 Y109.0
- F7: Hole: Ø5.0 mm, centre X673.0 Y76.2
- F8: Hole: Ø5.0 mm, centre X1091.0 Y76.2
- F9: Hole: Ø5.0 mm, centre X1091.0 Y423.8
- F10: Hole: Ø5.0 mm, centre X673.0 Y423.8



S4-I - Part detail

Overall 664.0 x 700.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X664.0 Y0.0
- P3: X664.0 Y700.0
- P4: X0.0 Y700.0

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X630.0 Y649.2
- F2: Hole: Ø15.0 mm, centre X630.0 Y350.0
- F3: Hole: Ø15.0 mm, centre X630.0 Y50.8
- F4: Hole: Ø5.0 mm, centre X9.0 Y649.2
- F5: Hole: Ø5.0 mm, centre X9.0 Y350.0
- F6: Hole: Ø5.0 mm, centre X9.0 Y50.8
- F7: Cut-out: 242.0 x 500.0 mm, centre X181.0 Y350.0, R20.0
- F8: Cut-out: 242.0 x 500.0 mm, centre X483.0 Y350.0, R20.0
- F9: Hole: Ø20.0 mm, centre X273.0 Y420.0
- F10: Hole: Ø20.0 mm, centre X391.0 Y420.0
- F11: Hole: Ø35.0 mm, centre X85.0 Y176.2
- F12: Hole: Ø35.0 mm, centre X579.0 Y176.2
- F13: Hole: Ø35.0 mm, centre X579.0 Y523.8
- F14: Hole: Ø35.0 mm, centre X85.0 Y523.8
- F15: Hole: Ø5.0 mm, centre X332.0 Y649.2
- F16: Hole: Ø5.0 mm, centre X332.0 Y350.0
- F17: Hole: Ø5.0 mm, centre X332.0 Y50.8
- F18: Hole: Ø15.0 mm, centre X181.0 Y666.0
- F19: Hole: Ø15.0 mm, centre X483.0 Y666.0

S4-J - Part detail

Overall 500.0 x 700.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y0.0
- P2: X490.0 Y0.0
- P3: X500.0 Y700.0
- P4: X0.0 Y700.0

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X76.2 Y666.0
- F2: Hole: Ø15.0 mm, centre X423.8 Y666.0
- F3: Hole: Ø15.0 mm, centre X34.0 Y649.8
- F4: Hole: Ø15.0 mm, centre X34.0 Y590.2