

VW-T4-SWB-USHAPE-1-DOOR-KITCHEN-CRX50-FRIDGE

Coordinate system

X = horizontal from LEFT edge

Y = vertical from BOTTOM edge

Origin (0,0) = bottom-left of each individual panel

Rules

- 18 mm sheet material
- Ø15 mm holes: blind, 14 mm deep
- Ø35 mm holes: blind, 13 mm deep
- Ø5 mm holes: blind, 11 mm deep
- Ø20 mm holes: through-hole
- Other internal profiles are cut-outs unless stated otherwise
- P1 is always the profile point nearest the panel 0,0 datum
- Open internal lines are dimensioned as cut lines


Manual-build option

Ø5 and Ø15 fixing holes may be omitted where appropriate and replaced with L-brackets or timber fixing blocks.

Sheet summary: 4 sheets, 30 detected panels.


Sheet 1 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.




Sheet 2 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.




Sheet 3 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.




Sheet 4 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.



S1-A - Part detail

Overall 364.0 x 517.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y190.0
- P2: X0.0 Y517.0
- P3: X364.0 Y517.0
- P4: X364.0 Y0.0
- P5: X292.0 Y0.0
- P6: X292.0 Y99.4
- P7: X202.0 Y190.0

Profile radii


R90.1

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X50.8 Y483.0
- F2: Hole: Ø15.0 mm, centre X313.2 Y483.0
- F3: Hole: Ø15.0 mm, centre X330.0 Y459.9
- F4: Hole: Ø15.0 mm, centre X330.0 Y50.8

S1-B - Part detail

Overall 760.0 x 500.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y500.0
- P3: X760.0 Y500.0
- P4: X760.0 Y0.0

Machining / cut features

- F1: Cut-out: 72.0 x 350.0 mm, centre X92.0 Y250.0, R36.0
- F2: Cut-out: 72.0 x 350.0 mm, centre X236.0 Y250.0, R36.0
- F3: Cut-out: 72.0 x 350.0 mm, centre X380.0 Y250.0, R36.0
- F4: Cut-out: 72.0 x 350.0 mm, centre X524.0 Y250.0, R36.0
- F5: Cut-out: 72.0 x 350.0 mm, centre X668.0 Y250.0, R36.0
- F6: Hole: Ø5.0 mm, centre X9.0 Y50.8
- F7: Hole: Ø5.0 mm, centre X9.0 Y424.8
- F8: Hole: Ø5.0 mm, centre X751.0 Y50.8
- F9: Hole: Ø5.0 mm, centre X751.0 Y424.8
- F10: Hole: Ø5.0 mm, centre X253.3 Y491.0
- F11: Hole: Ø5.0 mm, centre X506.7 Y491.0

S1-C - Part detail

Overall 382.0 x 482.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y0.0

P2: X382.0 Y0.0

P3: X382.0 Y482.0

P4: X292.0 Y482.0

P5: X292.0 Y383.2

P6: X202.0 Y292.0

P7: X0.0 Y292.0

Profile radii

R90.4

Machining / cut features

F1: Hole: Ø15.0 mm, centre X50.8 Y34.0


F2: Hole: Ø15.0 mm, centre X331.2 Y34.0

F3: Hole: Ø15.0 mm, centre X348.0 Y57.2

F4: Hole: Ø15.0 mm, centre X348.0 Y431.2

S1-D - Part detail

Overall 600.3 x 1578.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y0.0
- P2: X543.0 Y17.1
- P3: X543.0 Y73.8
- P4: X593.0 Y124.0
- P5: X600.0 Y124.0
- P6: X600.3 Y1453.8
- P7: X593.2 Y1453.8
- P8: X543.0 Y1503.8
- P9: X543.0 Y1560.7
- P10: X0.0 Y1578.0

Profile radii


R50.0

Machining / cut features

- F1: Cut-out: 400.0 x 72.0 mm, centre X275.0 Y1435.4
- F2: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y1291.4, R36.0
- F3: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y1147.4, R36.0
- F4: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y1003.4, R36.0
- F5: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y859.4, R36.0
- F6: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y715.4, R36.0
- F7: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y571.4, R36.0
- F8: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y427.4, R36.0
- F9: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y283.4, R36.0
- F10: Cut-out: 400.0 x 72.0 mm, centre X275.0 Y139.4
- F11: Hole: Ø5.0 mm, centre X534.0 Y162.2
- F12: Hole: Ø5.0 mm, centre X534.0 Y362.2
- F13: Hole: Ø5.0 mm, centre X534.0 Y790.6
- F14: Hole: Ø5.0 mm, centre X534.0 Y1215.6
- F15: Hole: Ø5.0 mm, centre X534.0 Y1415.6
- F16: Hole: Ø5.0 mm, centre X9.0 Y145.0
- F17: Hole: Ø5.0 mm, centre X9.0 Y1396.0
- F18: Hole: Ø5.0 mm, centre X9.0 Y1200.0
- F19: Hole: Ø5.0 mm, centre X9.0 Y345.0
- F20: Hole: Ø5.0 mm, centre X9.0 Y773.0
- F21: Cut line: 600.0 mm, X-0.0 Y211.4 to X600.0 Y211.4
- F22: Cut line: 600.0 mm, X-0.0 Y1363.4 to X600.0 Y1363.4

S1-E - Part detail

Overall 382.2 x 1543.4 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y74.8
- P2: X160.2 Y74.8
- P3: X160.3 Y103.7
- P4: X320.3 Y103.7
- P5: X320.2 Y0.0
- P6: X382.2 Y0.0
- P7: X382.2 Y1543.4
- P8: X320.2 Y1543.4
- P9: X320.3 Y1443.1
- P10: X160.3 Y1443.1
- P11: X160.2 Y1468.4
- P12: X0.0 Y1468.4

Machining / cut features

- F1: Cut-out: 240.0 x 1016.0 mm, centre X180.3 Y773.4, R20.0
- F2: Hole: Ø35.0 mm, centre X84.3 Y365.4
- F3: Hole: Ø35.0 mm, centre X84.3 Y1181.4
- F4: Hole: Ø20.0 mm, centre X271.3 Y773.4
- F5: Hole: Ø15.0 mm, centre X348.3 Y1398.4
- F6: Hole: Ø15.0 mm, centre X348.3 Y1198.4
- F7: Hole: Ø15.0 mm, centre X348.1 Y773.4
- F8: Hole: Ø15.0 mm, centre X348.3 Y345.0
- F9: Hole: Ø15.0 mm, centre X348.3 Y145.0

S2-A - Part detail

Overall 362.0 x 485.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y0.0
P2: X362.0 Y0.0
P3: X362.0 Y485.0
P4: X0.0 Y485.0

Machining / cut features

F1: Hole: Ø15.0 mm, centre X34.0 Y85.0
F2: Hole: Ø15.0 mm, centre X50.8 Y451.0
F3: Hole: Ø15.0 mm, centre X311.2 Y451.0

S2-B - Part detail

Overall 535.0 x 1020.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X535.0 Y0.0
- P3: X535.0 Y1020.0
- P4: X0.0 Y1020.0

Machining / cut features

- F1: Hole: Ø5.0 mm, centre X76.2 Y1011.0
- F2: Hole: Ø5.0 mm, centre X484.2 Y1011.0
- F3: Hole: Ø5.0 mm, centre X9.0 Y680.0
- F4: Hole: Ø5.0 mm, centre X9.0 Y340.0
- F5: Hole: Ø5.0 mm, centre X484.2 Y9.0
- F6: Hole: Ø5.0 mm, centre X76.2 Y9.0
- F7: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y941.9
- F8: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y797.9
- F9: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y654.3
- F10: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y509.9
- F11: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y365.9
- F12: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y222.0
- F13: Cut-out: 380.7 x 72.0 mm, centre X265.4 Y77.9
- F14: Hole: Ø5.0 mm, centre X526.0 Y602.0

S2-C - Part detail

Overall 36.0 x 1020.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y18.0
- P2: X18.0 Y0.0
- P3: X36.0 Y18.0
- P4: X36.0 Y1002.0
- P5: X18.0 Y1020.0
- P6: X0.0 Y1002.0

Profile radii


R18.0

Machining / cut features

None

S2-D - Part detail

Overall 63.0 x 984.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X63.0 Y0.0
- P3: X63.0 Y984.0
- P4: X0.0 Y984.0

Machining / cut features

None

S2-E - Part detail

Overall 382.0 x 1581.2 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y190.0
- P2: X195.9 Y190.0
- P3: X291.8 Y100.0
- P4: X291.8 Y0.0
- P5: X382.0 Y0.0
- P6: X382.0 Y1581.2
- P7: X291.8 Y1581.2
- P8: X291.8 Y1481.5
- P9: X196.3 Y1391.2
- P10: X0.0 Y1391.2

Profile radii


R93.0

Machining / cut features

- F1: Cut-out: 260.0 x 396.2 mm, centre X190.0 Y773.1, R20.0
- F2: Hole: Ø20.0 mm, centre X291.0 Y773.0
- F3: Hole: Ø35.0 mm, centre X85.0 Y651.2
- F4: Hole: Ø35.0 mm, centre X85.0 Y894.9
- F5: Hole: Ø15.0 mm, centre X348.1 Y145.0
- F6: Hole: Ø15.0 mm, centre X348.1 Y345.0
- F7: Hole: Ø15.0 mm, centre X347.9 Y773.0
- F8: Hole: Ø15.0 mm, centre X348.1 Y1200.0
- F9: Hole: Ø15.0 mm, centre X348.1 Y1396.0

S2-F - Part detail

Overall 364.0 x 1020.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X364.0 Y0.0
- P3: X363.9 Y1020.0
- P4: X0.0 Y1020.0

Machining / cut features

- F1: Hole: 35.0 mm, centre X84.0 Y344.2
- F2: Hole: 35.0 mm, centre X84.0 Y110.8
- F3: Hole: 20.0 mm, centre X271.0 Y227.5
- F4: Hole: 20.0 mm, centre X339.0 Y1011.0
- F5: Hole: 20.0 mm, centre X313.2 Y9.0
- F6: Hole: 15.0 mm, centre X329.9 Y680.0
- F7: Hole: 15.0 mm, centre X329.9 Y340.0
- F8: Hole: 5.0 mm, centre X50.8 Y9.0
- F9: Cut-out: 240.0 x 335.0 mm, centre X180.0 Y227.5, R20.0

S2-G - Part detail

Overall 364.0 x 517.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y517.0
- P3: X364.0 Y517.0
- P4: X364.0 Y0.0

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X34.0 Y459.9
- F2: Hole: Ø15.0 mm, centre X34.0 Y50.8
- F3: Hole: Ø5.0 mm, centre X50.8 Y9.0
- F4: Hole: Ø5.0 mm, centre X313.2 Y9.0
- F5: Hole: Ø5.0 mm, centre X50.8 Y9.0
- F6: Hole: Ø5.0 mm, centre X313.2 Y9.0
- F7: Hole: Ø15.0 mm, centre X25.0 Y483.0
- F8: Hole: Ø20.0 mm, centre X79.0 Y362.5
- F9: Cut lines: L1 314.0 mm: X364.0 Y208.0 to X50.0 Y208.0; L2 309.0 mm: X50.0 Y208.0 to X50.0 Y517.0

S2-H - Part detail

Overall 382.0 x 482.1 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y0.0
P2: X382.0 Y0.0
P3: X382.0 Y482.0
P4: X0.0 Y482.1

Machining / cut features

F1: Hole: Ø15.0 mm, centre X34.0 Y57.2
F2: Hole: Ø15.0 mm, centre X34.0 Y431.2
F3: Hole: Ø15.0 mm, centre X50.8 Y34.0
F4: Hole: Ø15.0 mm, centre X331.2 Y34.0


S3-A - Part detail

Overall 700.0 x 500.0 mm | Origin bottom-left | P1 nearest 0,0




S3-B - Part detail

Overall 582.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0



S3-C - Part detail

Overall 284.0 x 247.6 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y14.3
P2: X0.0 Y65.1
P3: X18.0 Y65.2
P4: X18.0 Y145.9
P5: X0.0 Y145.9
P6: X0.0 Y196.7
P7: X18.0 Y196.7
P8: X18.0 Y247.6
P9: X266.0 Y247.6
P10: X266.0 Y196.7
P11: X284.0 Y196.7
P12: X284.0 Y145.9
P13: X266.0 Y145.9
P14: X266.0 Y65.1
P15: X284.0 Y65.1
P16: X284.0 Y14.3
P17: X266.0 Y14.3
P18: X266.0 Y0.0
P19: X18.0 Y0.0
P20: X18.0 Y14.3

Machining / cut features

None

S3-D - Part detail

Overall 284.0 x 247.6 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y14.3
P2: X0.0 Y65.1
P3: X18.0 Y65.1
P4: X18.0 Y145.9
P5: X0.0 Y145.9
P6: X0.0 Y196.7
P7: X18.0 Y196.7
P8: X18.0 Y247.6
P9: X266.0 Y247.6
P10: X266.0 Y196.7
P11: X284.0 Y196.7
P12: X284.0 Y145.9
P13: X266.0 Y145.9
P14: X266.0 Y65.1
P15: X284.0 Y65.1
P16: X284.0 Y14.3
P17: X266.0 Y14.3
P18: X266.0 Y0.0
P19: X18.0 Y0.0
P20: X18.0 Y14.3

Machining / cut features

None

S3-E - Part detail


Overall 600.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y-4.0
- P2: X0.0 Y284.0
- P3: X600.0 Y284.0
- P4: X600.0 Y0.0
- P5: X0.0 Y0.0


Machining / cut features

- F1: Cut-out: 18.5 x 50.8 mm, centre X582.2 Y207.8
- F2: Cut-out: 18.5 x 50.8 mm, centre X582.2 Y76.2
- F3: Hole: Ø5.0 mm, centre X9.4 Y233.2
- F4: Hole: Ø5.0 mm, centre X9.4 Y50.8
- F5: Cut-out: 50.8 x 18.5 mm, centre X76.6 Y27.3
- F6: Cut-out: 58.5 x 18.5 mm, centre X300.4 Y27.3
- F7: Cut-out: 50.8 x 18.5 mm, centre X524.2 Y27.3
- F8: Cut-out: 18.5 x 50.8 mm, centre X300.4 Y76.2
- F9: Cut-out: 18.5 x 50.8 mm, centre X300.4 Y207.8



S3-F - Part detail

Overall 600.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0



S3-G - Part detail


Overall 760.0 x 382.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X0.0 Y382.0
- P3: X760.0 Y382.0
- P4: X760.0 Y0.0


Machining / cut features

- F1: Hole: Ø5.0 mm, centre X9.0 Y331.2
- F2: Hole: Ø5.0 mm, centre X9.0 Y50.8
- F3: Hole: Ø5.0 mm, centre X751.0 Y50.8
- F4: Hole: Ø5.0 mm, centre X751.0 Y331.2
- F5: Cut-out: 560.0 x 262.0 mm, centre X380.0 Y191.0, R20.0
- F6: Hole: Ø35.0 mm, centre X176.2 Y85.0
- F7: Hole: Ø35.0 mm, centre X583.8 Y85.0
- F8: Hole: Ø20.0 mm, centre X380.0 Y293.0
- F9: Hole: Ø15.0 mm, centre X253.3 Y348.0
- F10: Hole: Ø15.0 mm, centre X506.7 Y348.0




S3-H - Part detail

Overall 248.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0



S3-I - Part detail

Overall 36.0 x 760.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y19.0
- P2: X36.0 Y19.0
- P3: X36.0 Y741.0
- P4: X0.0 Y741.0

Profile radii

R18.0

Machining / cut features

None

S3-J - Part detail


Overall 1018.0 x 535.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X1018.0 Y0.0
- P3: X1018.0 Y535.0
- P4: X0.0 Y535.0


Machining / cut features

- F1: Cut-out: 72.0 x 350.0 mm, centre X942.0 Y246.1, R36.0
- F2: Cut-out: 72.0 x 350.0 mm, centre X798.0 Y246.1, R36.0
- F3: Cut-out: 72.0 x 350.0 mm, centre X654.0 Y250.0, R36.0
- F4: Cut-out: 72.0 x 350.0 mm, centre X510.0 Y250.0, R36.0
- F5: Cut-out: 72.0 x 350.0 mm, centre X366.0 Y250.0, R36.0
- F6: Cut-out: 72.0 x 350.0 mm, centre X222.0 Y250.0, R36.0
- F7: Cut-out: 72.0 x 350.0 mm, centre X78.0 Y250.0, R36.0



S4-A - Part detail

Overall 476.0 x 382.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y0.0
P2: X476.0 Y0.0
P3: X476.0 Y382.0
P4: X0.0 Y382.0

Machining / cut features

None

S4-B - Part detail

Overall 500.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X10.0 Y0.0
- P2: X0.0 Y740.0
- P3: X500.0 Y740.0
- P4: X500.0 Y0.0

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X466.0 Y689.2
- F2: Hole: Ø15.0 mm, centre X466.0 Y590.8
- F3: Hole: Ø15.0 mm, centre X423.8 Y706.0
- F4: Hole: Ø15.0 mm, centre X50.8 Y706.0
- F5: Cut lines: L1 490.0 mm: X10.0 Y-0.0 to X500.0 Y-0.0; L2 740.0 mm: X500.0 Y-0.0 to X500.0 Y740.0

S4-C - Part detail

Overall 380.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y740.0
- P3: X380.0 Y740.0
- P4: X370.0 Y0.0

Machining / cut features

- F1: Cut-out: 14.5 x 14.5 mm, centre X346.0 Y689.2, R7.2
- F2: Cut-out: 14.5 x 14.5 mm, centre X346.0 Y370.0, R7.2
- F3: Cut-out: 14.5 x 14.5 mm, centre X346.0 Y50.8, R7.2
- F4: Cut-out: 4.3 x 4.3 mm, centre X49.8 Y358.6, R2.2
- F5: Cut-out: 4.3 x 4.3 mm, centre X303.8 Y358.6, R2.1
- F6: Cut-out: 14.5 x 14.5 mm, centre X68.9 Y706.0, R7.2
- F7: Cut-out: 14.5 x 14.5 mm, centre X322.9 Y706.0, R7.2


S4-D - Part detail

Overall 930.0 x 500.0 mm | Origin bottom-left | P1 nearest 0,0



S4-E - Part detail

Overall 200.0 x 400.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X200.0 Y0.0
- P3: X200.0 Y400.0
- P4: X0.0 Y400.0

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X50.8 Y34.0
- F2: Hole: Ø15.0 mm, centre X149.2 Y34.0
- F3: Hole: Ø15.0 mm, centre X149.2 Y366.0
- F4: Hole: Ø15.0 mm, centre X50.8 Y366.0

S4-F - Part detail

Overall 494.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X494.0 Y0.0
- P3: X494.0 Y740.0
- P4: X0.0 Y740.0

Machining / cut features

- F1: Hole: Ø15.2 mm, centre X232.5 Y706.0
- F2: Cut-out: 4.5 x 4.5 mm, centre X9.0 Y689.2, R2.2
- F3: Cut-out: 4.5 x 4.5 mm, centre X9.0 Y370.0, R2.2
- F4: Cut-out: 4.5 x 4.5 mm, centre X9.0 Y50.8, R2.2
- F5: Cut-out: 345.0 x 540.0 mm, centre X252.5 Y370.0, R20.0
- F6: Cut-out: 34.5 x 34.5 mm, centre X104.0 Y563.8, R17.2
- F7: Cut-out: 34.5 x 34.5 mm, centre X104.0 Y176.2, R17.2
- F8: Cut-out: 19.5 x 19.5 mm, centre X395.4 Y430.0, R9.8
- F9: Hole: Ø15.0 mm, centre X460.0 Y689.2
- F10: Hole: Ø15.0 mm, centre X460.0 Y370.0
- F11: Hole: Ø15.0 mm, centre X460.0 Y50.8

S4-G - Part detail

Overall 500.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y0.0
P2: X490.0 Y0.0
P3: X500.0 Y740.0
P4: X0.0 Y740.0

Machining / cut features

F1: Hole: Ø15.0 mm, centre X34.0 Y689.2
F2: Hole: Ø15.0 mm, centre X34.0 Y590.8
F3: Hole: Ø15.0 mm, centre X76.2 Y706.0
F4: Hole: Ø15.0 mm, centre X449.2 Y706.0