

# VW-T4-SWB-USHAPE-2-DOOR-KITCHEN

## Coordinate system

X = horizontal from LEFT edge

Y = vertical from BOTTOM edge

Origin (0,0) = bottom-left of each individual panel

## Rules

- 18 mm sheet material
- Ø15 mm holes: blind, 14 mm deep
- Ø35 mm holes: blind, 13 mm deep
- Ø5 mm holes: blind, 11 mm deep
- Ø20 mm holes: through-hole
- Other internal profiles are cut-outs unless stated otherwise
- P1 is always the profile point nearest the panel 0,0 datum
- Open internal lines are dimensioned as cut lines


## Manual-build option

Ø5 and Ø15 fixing holes may be omitted where appropriate and replaced with L-brackets or timber fixing blocks.

Sheet summary: 4 sheets, 30 detected panels.


# Sheet 1 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.




# Sheet 2 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.




# Sheet 3 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.




# Sheet 4 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.



# S1-A - Part detail

Overall 364.0 x 517.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points

- P1: X0.0 Y190.0
- P2: X0.0 Y517.0
- P3: X364.0 Y517.0
- P4: X364.0 Y0.0
- P5: X292.0 Y0.0
- P6: X292.0 Y99.4
- P7: X202.0 Y190.0

## Profile radii


R90.1

## Machining / cut features

- F1: Hole: Ø15.0 mm, centre X50.8 Y483.0
- F2: Hole: Ø15.0 mm, centre X313.2 Y483.0
- F3: Hole: Ø15.0 mm, centre X330.0 Y459.9
- F4: Hole: Ø15.0 mm, centre X330.0 Y50.8

# S1-B - Part detail

Overall 760.0 x 500.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y500.0
- P3: X760.0 Y500.0
- P4: X760.0 Y0.0

## Machining / cut features

- F1: Cut-out: 72.0 x 350.0 mm, centre X92.0 Y250.0, R36.0
- F2: Cut-out: 72.0 x 350.0 mm, centre X236.0 Y250.0, R36.0
- F3: Cut-out: 72.0 x 350.0 mm, centre X380.0 Y250.0, R36.0
- F4: Cut-out: 72.0 x 350.0 mm, centre X524.0 Y250.0, R36.0
- F5: Cut-out: 72.0 x 350.0 mm, centre X668.0 Y250.0, R36.0
- F6: Hole: Ø5.0 mm, centre X9.0 Y50.8
- F7: Hole: Ø5.0 mm, centre X9.0 Y424.8
- F8: Hole: Ø5.0 mm, centre X751.0 Y50.8
- F9: Hole: Ø5.0 mm, centre X751.0 Y424.8
- F10: Hole: Ø5.0 mm, centre X253.3 Y491.0
- F11: Hole: Ø5.0 mm, centre X506.7 Y491.0

## S1-C - Part detail

Overall 382.0 x 482.0 mm | Origin bottom-left | P1 nearest 0,0



### Profile points

P1: X0.0 Y0.0

P2: X382.0 Y0.0

P3: X382.0 Y482.0

P4: X292.0 Y482.0

P5: X292.0 Y383.2

P6: X202.0 Y292.0

P7: X0.0 Y292.0

### Profile radii

R90.4

### Machining / cut features

F1: Hole: Ø15.0 mm, centre X50.8 Y34.0


F2: Hole: Ø15.0 mm, centre X331.2 Y34.0

F3: Hole: Ø15.0 mm, centre X348.0 Y57.2

F4: Hole: Ø15.0 mm, centre X348.0 Y431.2

# S1-D - Part detail

Overall 600.3 x 1578.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points

- P1: X0.0 Y0.0
- P2: X543.0 Y17.1
- P3: X543.0 Y73.8
- P4: X593.0 Y124.0
- P5: X600.0 Y124.0
- P6: X600.3 Y1453.8
- P7: X593.2 Y1453.8
- P8: X543.0 Y1503.8
- P9: X543.0 Y1560.7
- P10: X0.0 Y1578.0

## Profile radii


R50.0

## Machining / cut features

- F1: Cut-out: 400.0 x 72.0 mm, centre X275.0 Y1435.4
- F2: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y1291.4, R36.0
- F3: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y1147.4, R36.0
- F4: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y1003.4, R36.0
- F5: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y859.4, R36.0
- F6: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y715.4, R36.0
- F7: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y571.4, R36.0
- F8: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y427.4, R36.0
- F9: Cut-out: 450.0 x 72.0 mm, centre X300.0 Y283.4, R36.0
- F10: Cut-out: 400.0 x 72.0 mm, centre X275.0 Y139.4
- F11: Hole: Ø5.0 mm, centre X534.0 Y162.2
- F12: Hole: Ø5.0 mm, centre X534.0 Y362.2
- F13: Hole: Ø5.0 mm, centre X534.0 Y790.6
- F14: Hole: Ø5.0 mm, centre X534.0 Y1215.6
- F15: Hole: Ø5.0 mm, centre X534.0 Y1415.6
- F16: Hole: Ø5.0 mm, centre X9.0 Y145.0
- F17: Hole: Ø5.0 mm, centre X9.0 Y1396.0
- F18: Hole: Ø5.0 mm, centre X9.0 Y1200.0
- F19: Hole: Ø5.0 mm, centre X9.0 Y345.0
- F20: Hole: Ø5.0 mm, centre X9.0 Y773.0
- F21: Cut line: 600.0 mm, X-0.0 Y211.4 to X600.0 Y211.4
- F22: Cut line: 600.0 mm, X-0.0 Y1363.4 to X600.0 Y1363.4

# S1-E - Part detail

Overall 382.2 x 1543.4 mm | Origin bottom-left | P1 nearest 0,0



## Profile points


- P1: X0.0 Y74.8
- P2: X160.2 Y74.8
- P3: X160.3 Y103.7
- P4: X320.3 Y103.7
- P5: X320.2 Y0.0
- P6: X382.2 Y0.0
- P7: X382.2 Y1543.4
- P8: X320.2 Y1543.4
- P9: X320.3 Y1443.1
- P10: X160.3 Y1443.1
- P11: X160.2 Y1468.4
- P12: X0.0 Y1468.4

## Machining / cut features

- F1: Cut-out: 240.0 x 1016.0 mm, centre X180.3 Y773.4, R20.0
- F2: Hole: Ø35.0 mm, centre X84.3 Y365.4
- F3: Hole: Ø35.0 mm, centre X84.3 Y1181.4
- F4: Hole: Ø20.0 mm, centre X271.3 Y773.4
- F5: Hole: Ø15.0 mm, centre X348.3 Y1398.4
- F6: Hole: Ø15.0 mm, centre X348.3 Y1198.4
- F7: Hole: Ø15.0 mm, centre X348.1 Y773.4
- F8: Hole: Ø15.0 mm, centre X348.3 Y345.0
- F9: Hole: Ø15.0 mm, centre X348.3 Y145.0

# S2-A - Part detail

Overall 362.0 x 485.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points


- P1: X0.0 Y0.0
- P2: X362.0 Y0.0
- P3: X362.0 Y485.0
- P4: X0.0 Y485.0

## Machining / cut features

- F1: Hole: Ø15.0 mm, centre X34.0 Y85.0
- F2: Hole: Ø15.0 mm, centre X50.8 Y451.0
- F3: Hole: Ø15.0 mm, centre X311.2 Y451.0

## S2-B - Part detail

Overall 535.0 x 1020.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points

P1: X0.0 Y0.0

P2: X535.0 Y0.0

P3: X535.0 Y1020.0

P4: X0.0 Y1020.0

### Machining / cut features

F1: Hole: Ø5.0 mm, centre X76.2 Y1011.0

F2: Hole: Ø5.0 mm, centre X484.2 Y1011.0

F3: Hole: Ø5.0 mm, centre X9.0 Y680.0

F4: Hole: Ø5.0 mm, centre X9.0 Y340.0

F5: Hole: Ø5.0 mm, centre X484.2 Y9.0

F6: Hole: Ø5.0 mm, centre X76.2 Y9.0

F7: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y941.9

F8: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y797.9

F9: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y654.3

F10: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y509.9

F11: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y365.9


F12: Cut-out: 385.0 x 72.0 mm, centre X267.5 Y222.0

F13: Cut-out: 380.7 x 72.0 mm, centre X265.4 Y77.9

F14: Hole: Ø5.0 mm, centre X526.0 Y602.0

# S2-C - Part detail

Overall 36.0 x 1020.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points

- P1: X0.0 Y18.0
- P2: X18.0 Y0.0
- P3: X36.0 Y18.0
- P4: X36.0 Y1002.0
- P5: X18.0 Y1020.0
- P6: X0.0 Y1002.0

## Profile radii


R18.0

## Machining / cut features

None

# S2-D - Part detail

Overall 63.0 x 984.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points


P1: X0.0 Y0.0  
P2: X63.0 Y0.0  
P3: X63.0 Y984.0  
P4: X0.0 Y984.0

## Machining / cut features

None

# S2-E - Part detail

Overall 382.0 x 1581.2 mm | Origin bottom-left | P1 nearest 0,0



## Profile points

- P1: X0.0 Y190.0
- P2: X195.9 Y190.0
- P3: X291.8 Y100.0
- P4: X291.8 Y0.0
- P5: X382.0 Y0.0
- P6: X382.0 Y1581.2
- P7: X291.8 Y1581.2
- P8: X291.8 Y1481.5
- P9: X196.3 Y1391.2
- P10: X0.0 Y1391.2

## Profile radii


R93.0

## Machining / cut features

- F1: Cut-out: 260.0 x 396.2 mm, centre X190.0 Y773.1, R20.0
- F2: Hole: Ø20.0 mm, centre X291.0 Y773.0
- F3: Hole: Ø35.0 mm, centre X85.0 Y651.2
- F4: Hole: Ø35.0 mm, centre X85.0 Y894.9
- F5: Hole: Ø15.0 mm, centre X348.1 Y145.0
- F6: Hole: Ø15.0 mm, centre X348.1 Y345.0
- F7: Hole: Ø15.0 mm, centre X347.9 Y773.0
- F8: Hole: Ø15.0 mm, centre X348.1 Y1200.0
- F9: Hole: Ø15.0 mm, centre X348.1 Y1396.0

# S2-F - Part detail

Overall 364.0 x 1020.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points


- P1: X0.0 Y0.0
- P2: X364.0 Y0.0
- P3: X363.9 Y1020.0
- P4: X0.0 Y1020.0

## Machining / cut features

- F1: Hole: Ø35.0 mm, centre X84.0 Y344.2
- F2: Hole: Ø35.0 mm, centre X84.0 Y110.8
- F3: Hole: Ø20.0 mm, centre X271.0 Y227.5
- F4: Hole: Ø5.0 mm, centre X339.0 Y1011.0
- F5: Hole: Ø5.0 mm, centre X313.2 Y9.0
- F6: Hole: Ø15.0 mm, centre X329.9 Y680.0
- F7: Hole: Ø15.0 mm, centre X329.9 Y340.0
- F8: Hole: Ø5.0 mm, centre X50.8 Y9.0
- F9: Cut-out: 240.0 x 335.0 mm, centre X180.0 Y227.5, R20.0

# S2-G - Part detail

Overall 364.0 x 517.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y517.0
- P3: X364.0 Y517.0
- P4: X364.0 Y0.0

## Machining / cut features

- F1: Hole: Ø15.0 mm, centre X34.0 Y459.9
- F2: Hole: Ø15.0 mm, centre X34.0 Y50.8
- F3: Hole: Ø5.0 mm, centre X50.8 Y9.0
- F4: Hole: Ø5.0 mm, centre X313.2 Y9.0
- F5: Hole: Ø5.0 mm, centre X50.8 Y9.0
- F6: Hole: Ø5.0 mm, centre X313.2 Y9.0
- F7: Hole: Ø15.0 mm, centre X25.0 Y483.0
- F8: Hole: Ø20.0 mm, centre X79.0 Y362.5
- F9: Cut lines: L1 314.0 mm: X364.0 Y208.0 to X50.0 Y208.0; L2 309.0 mm: X50.0 Y208.0 to X50.0 Y517.0

# S2-H - Part detail

Overall 382.0 x 482.1 mm | Origin bottom-left | P1 nearest 0,0



## Profile points

P1: X0.0 Y0.0  
P2: X382.0 Y0.0  
P3: X382.0 Y482.0  
P4: X0.0 Y482.1

## Machining / cut features

F1: Hole: Ø15.0 mm, centre X34.0 Y57.2  
F2: Hole: Ø15.0 mm, centre X34.0 Y431.2  
F3: Hole: Ø15.0 mm, centre X50.8 Y34.0  
F4: Hole: Ø15.0 mm, centre X331.2 Y34.0


# S3-A - Part detail

Overall 700.0 x 500.0 mm | Origin bottom-left | P1 nearest 0,0



# S3-B - Part detail

Overall 582.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points


P1: X0.0 Y18.0  
P2: X0.0 Y266.0  
P3: X33.3 Y266.0  
P4: X33.3 Y284.0  
P5: X83.5 Y284.0  
P6: X83.5 Y266.0  
P7: X253.3 Y266.0  
P8: X253.3 Y284.0  
P9: X311.2 Y284.0  
P10: X311.2 Y266.0  
P11: X480.9 Y266.1  
P12: X480.9 Y284.0  
P13: X531.2 Y284.0  
P14: X531.2 Y266.0  
P15: X582.0 Y266.2  
P16: X582.0 Y17.8  
P17: X531.2 Y18.0  
P18: X531.2 Y0.0  
P19: X480.9 Y0.0  
P20: X480.9 Y17.9  
P21: X311.2 Y18.0  
P22: X311.2 Y0.0  
P23: X253.3 Y0.0  
P24: X253.3 Y18.0  
P25: X83.5 Y18.0  
P26: X83.5 Y0.0  
P27: X33.3 Y0.0  
P28: X33.3 Y18.0

## Machining / cut features

None

# S3-C - Part detail

Overall 284.0 x 247.6 mm | Origin bottom-left | P1 nearest 0,0



## Profile points


P1: X0.0 Y14.3  
P2: X0.0 Y65.1  
P3: X18.0 Y65.2  
P4: X18.0 Y145.9  
P5: X0.0 Y145.9  
P6: X0.0 Y196.7  
P7: X18.0 Y196.7  
P8: X18.0 Y247.6  
P9: X266.0 Y247.6  
P10: X266.0 Y196.7  
P11: X284.0 Y196.7  
P12: X284.0 Y145.9  
P13: X266.0 Y145.9  
P14: X266.0 Y65.1  
P15: X284.0 Y65.1  
P16: X284.0 Y14.3  
P17: X266.0 Y14.3  
P18: X266.0 Y0.0  
P19: X18.0 Y0.0  
P20: X18.0 Y14.3

## Machining / cut features

None

# S3-D - Part detail

Overall 284.0 x 247.6 mm | Origin bottom-left | P1 nearest 0,0



## Profile points

- P1: X0.0 Y14.3
- P2: X0.0 Y65.1
- P3: X18.0 Y65.1
- P4: X18.0 Y145.9
- P5: X0.0 Y145.9
- P6: X0.0 Y196.7
- P7: X18.0 Y196.7
- P8: X18.0 Y247.6
- P9: X266.0 Y247.6
- P10: X266.0 Y196.7
- P11: X284.0 Y196.7
- P12: X284.0 Y145.9
- P13: X266.0 Y145.9
- P14: X266.0 Y65.1
- P15: X284.0 Y65.1
- P16: X284.0 Y14.3
- P17: X266.0 Y14.3
- P18: X266.0 Y0.0
- P19: X18.0 Y0.0
- P20: X18.0 Y14.3

## Machining / cut features

None

# S3-E - Part detail


Overall 600.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0

## Profile points

- P1: X0.0 Y-4.0
- P2: X0.0 Y284.0
- P3: X600.0 Y284.0
- P4: X600.0 Y0.0
- P5: X0.0 Y0.0


## Machining / cut features

- F1: Cut-out: 18.5 x 50.8 mm, centre X582.2 Y207.8
- F2: Cut-out: 18.5 x 50.8 mm, centre X582.2 Y76.2
- F3: Hole: Ø5.0 mm, centre X9.4 Y233.2
- F4: Hole: Ø5.0 mm, centre X9.4 Y50.8
- F5: Cut-out: 50.8 x 18.5 mm, centre X76.6 Y27.3
- F6: Cut-out: 58.5 x 18.5 mm, centre X300.4 Y27.3
- F7: Cut-out: 50.8 x 18.5 mm, centre X524.2 Y27.3
- F8: Cut-out: 18.5 x 50.8 mm, centre X300.4 Y76.2
- F9: Cut-out: 18.5 x 50.8 mm, centre X300.4 Y207.8



# S3-F - Part detail

Overall 600.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0



# S3-G - Part detail


Overall 760.0 x 382.0 mm | Origin bottom-left | P1 nearest 0,0

## Profile points

- P1: X0.0 Y0.0
- P2: X0.0 Y382.0
- P3: X760.0 Y382.0
- P4: X760.0 Y0.0


## Machining / cut features

- F1: Hole: Ø5.0 mm, centre X9.0 Y331.2
- F2: Hole: Ø5.0 mm, centre X9.0 Y50.8
- F3: Hole: Ø5.0 mm, centre X751.0 Y50.8
- F4: Hole: Ø5.0 mm, centre X751.0 Y331.2
- F5: Cut-out: 560.0 x 262.0 mm, centre X380.0 Y191.0, R20.0
- F6: Hole: Ø35.0 mm, centre X176.2 Y85.0
- F7: Hole: Ø35.0 mm, centre X583.8 Y85.0
- F8: Hole: Ø20.0 mm, centre X380.0 Y293.0
- F9: Hole: Ø15.0 mm, centre X253.3 Y348.0
- F10: Hole: Ø15.0 mm, centre X506.7 Y348.0



# S3-H - Part detail

Overall 248.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y284.0
- P3: X93.6 Y284.0
- P4: X93.6 Y255.0
- P5: X154.8 Y255.2
- P6: X154.8 Y284.0
- P7: X248.0 Y284.0
- P8: X248.0 Y0.0

## Machining / cut features

- F1: Hole: Ø15.0 mm, centre X34.1 Y233.2
- F2: Hole: Ø15.0 mm, centre X213.9 Y233.2
- F3: Hole: Ø15.0 mm, centre X213.9 Y50.8
- F4: Hole: Ø15.0 mm, centre X34.1 Y50.8

# S3-I - Part detail

Overall 36.0 x 760.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points

- P1: X0.0 Y19.0
- P2: X36.0 Y19.0
- P3: X36.0 Y741.0
- P4: X0.0 Y741.0

## Profile radii

R18.0

## Machining / cut features

None

# S3-J - Part detail


Overall 1018.0 x 535.0 mm | Origin bottom-left | P1 nearest 0,0

## Profile points

- P1: X0.0 Y0.0
- P2: X1018.0 Y0.0
- P3: X1018.0 Y535.0
- P4: X0.0 Y535.0


## Machining / cut features

- F1: Cut-out: 72.0 x 350.0 mm, centre X942.0 Y246.1, R36.0
- F2: Cut-out: 72.0 x 350.0 mm, centre X798.0 Y246.1, R36.0
- F3: Cut-out: 72.0 x 350.0 mm, centre X654.0 Y250.0, R36.0
- F4: Cut-out: 72.0 x 350.0 mm, centre X510.0 Y250.0, R36.0
- F5: Cut-out: 72.0 x 350.0 mm, centre X366.0 Y250.0, R36.0
- F6: Cut-out: 72.0 x 350.0 mm, centre X222.0 Y250.0, R36.0
- F7: Cut-out: 72.0 x 350.0 mm, centre X78.0 Y250.0, R36.0



# S4-A - Part detail

Overall 438.0 x 380.0 mm | Origin bottom-left | P1 nearest 0,0



**Profile points**


- P1: X0.0 Y0.0
- P2: X438.0 Y0.0
- P3: X438.0 Y380.0
- P4: X0.0 Y380.0

**Machining / cut features**

F1: Cut lines: L1 438.0 mm: X438.0 Y-0.0 to X-0.0 Y-0.0; L2 380.0 mm: X-0.0 Y-0.0 to X-0.0 Y380.0

# S4-B - Part detail

Overall 438.0 x 380.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points


P1: X0.0 Y0.0  
P2: X438.0 Y0.0  
P3: X438.0 Y380.0  
P4: X0.0 Y380.0

## Machining / cut features

F1: Cut lines: L1 438.0 mm: X438.0 Y-0.0 to X-0.0 Y-0.0; L2 380.0 mm: X-0.0 Y-0.0 to X-0.0 Y380.0

# S4-C - Part detail

Overall 380.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y740.0
- P3: X380.0 Y740.0
- P4: X380.0 Y0.0

## Machining / cut features

- F1: Hole: Ø15.0 mm, centre X34.0 Y689.2
- F2: Hole: Ø15.0 mm, centre X34.2 Y49.0
- F3: Hole: Ø15.0 mm, centre X34.0 Y370.0
- F4: Cut-out: 4.8 x 4.8 mm, centre X76.2 Y358.6, R2.4
- F5: Hole: Ø4.8 mm, centre X330.2 Y358.6
- F6: Hole: Ø15.0 mm, centre X57.2 Y706.0
- F7: Hole: Ø15.0 mm, centre X311.2 Y706.0

# S4-D - Part detail

Overall 380.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points


- P1: X2.0 Y0.0
- P2: X0.0 Y740.0
- P3: X380.0 Y740.0
- P4: X380.0 Y0.0

## Machining / cut features

- F1: Hole: Ø15.0 mm, centre X346.0 Y689.2
- F2: Hole: Ø15.0 mm, centre X346.0 Y370.0
- F3: Hole: Ø15.0 mm, centre X346.0 Y50.8
- F4: Hole: Ø4.8 mm, centre X49.8 Y358.6
- F5: Hole: Ø4.8 mm, centre X303.8 Y358.6
- F6: Hole: Ø15.0 mm, centre X68.9 Y706.0
- F7: Hole: Ø15.0 mm, centre X322.9 Y706.0

# S4-E - Part detail

Overall 380.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points

- P1: X0.0 Y0.0
- P2: X155.2 Y0.0
- P3: X380.0 Y0.0
- P4: X380.0 Y740.0
- P5: X0.0 Y740.0

## Machining / cut features

- F1: Hole: Ø15.0 mm, centre X346.0 Y689.2
- F2: Hole: Ø15.0 mm, centre X346.0 Y370.0
- F3: Hole: Ø15.0 mm, centre X346.0 Y50.8
- F4: Hole: Ø4.8 mm, centre X49.8 Y358.6
- F5: Hole: Ø4.8 mm, centre X303.8 Y358.6
- F6: Hole: Ø15.0 mm, centre X68.9 Y706.0
- F7: Hole: Ø15.0 mm, centre X322.9 Y706.0

# S4-F - Part detail


Overall 930.0 x 400.0 mm | Origin bottom-left | P1 nearest 0,0

## Profile points

- P1: X0.0 Y0.0
- P2: X930.0 Y0.0
- P3: X930.0 Y400.0
- P4: X0.0 Y400.0


## Machining / cut features

- F1: Hole: Ø5.0 mm, centre X697.5 Y9.0
- F2: Hole: Ø5.0 mm, centre X232.5 Y9.0
- F3: Hole: Ø5.0 mm, centre X9.0 Y330.2
- F4: Hole: Ø5.0 mm, centre X9.0 Y76.2
- F5: Hole: Ø5.0 mm, centre X465.0 Y76.2
- F6: Hole: Ø5.0 mm, centre X465.0 Y330.2
- F7: Hole: Ø5.0 mm, centre X921.0 Y76.2
- F8: Hole: Ø5.0 mm, centre X921.0 Y330.2



# S4-G - Part detail

Overall 930.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



## Profile points

- P1: X0.0 Y0.0
- P2: X930.0 Y0.0
- P3: X930.0 Y740.0
- P4: X0.0 Y740.0

## Machining / cut features

- F1: Hole: Ø15.0 mm, centre X232.5 Y706.0
- F2: Hole: Ø15.0 mm, centre X697.5 Y706.0
- F3: Hole: Ø5.0 mm, centre X9.0 Y689.2
- F4: Hole: Ø5.0 mm, centre X9.0 Y370.0
- F5: Hole: Ø5.0 mm, centre X9.0 Y50.8
- F6: Hole: Ø5.0 mm, centre X465.0 Y50.8
- F7: Hole: Ø5.0 mm, centre X465.0 Y370.0
- F8: Hole: Ø5.0 mm, centre X465.0 Y689.2
- F9: Hole: Ø5.0 mm, centre X921.0 Y689.2
- F10: Hole: Ø5.0 mm, centre X921.0 Y370.0
- F11: Hole: Ø5.0 mm, centre X921.0 Y50.8
- F12: Cut-out: 345.0 x 540.0 mm, centre X252.5 Y370.0, R20.0
- F13: Cut-out: 345.0 x 540.0 mm, centre X677.5 Y370.0, R20.0
- F14: Hole: Ø35.0 mm, centre X104.0 Y563.8
- F15: Hole: Ø35.0 mm, centre X104.0 Y176.2
- F16: Hole: Ø35.0 mm, centre X826.0 Y176.2
- F17: Hole: Ø35.0 mm, centre X826.0 Y563.8
- F18: Hole: Ø20.0 mm, centre X395.4 Y430.0
- F19: Hole: Ø20.0 mm, centre X535.0 Y430.0