

VW-T5-T6-LWB-USHAPE-2-DOOR-KITCHEN-CRX50-FRIDGE

Coordinate system

X = horizontal from LEFT edge

Y = vertical from BOTTOM edge

Origin (0,0) = bottom-left of each individual panel

Rules

- 18 mm sheet material
- Ø15 mm holes: blind, 14 mm deep
- Ø35 mm holes: blind, 13 mm deep
- Ø5 mm holes: blind, 11 mm deep
- Ø20 mm holes: through-hole
- Other internal profiles are cut-outs unless stated otherwise
- P1 is always the profile point nearest the panel 0,0 datum
- Open internal lines are dimensioned as cut lines


Manual-build option

Ø5 and Ø15 fixing holes may be omitted where appropriate and replaced with L-brackets or timber fixing blocks.

Sheet summary: 5 sheets, 39 detected panels.

Sheet 1 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.




Sheet 2 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.

SHEET 2 - REAR QUARTER PASSENGER SIDE - OUTSIDE C-PILLAR

CUT THIS VERSION if the ply lining continues over the C-pillar beside the sliding door.

IMPORTANT: CUT SHEET 2 OR SHEET 3 - DO NOT CUT BOTH.




Sheet 3 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.

SHEET 3 - REAR QUARTER PASSENGER SIDE - INSIDE C-PILLAR


CUT THIS VERSION if the ply lining finishes just before the C-pillar and sits inset.

IMPORTANT: CUT SHEET 2 OR SHEET 3 - DO NOT CUT BOTH.




Sheet 4 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.




Sheet 5 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.



S1-A - Part detail

Overall 482.0 x 400.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X193.0 Y0.0
P2: X193.0 Y80.0
P3: X183.0 Y80.0
P4: X183.0 Y209.9
P5: X83.7 Y310.0
P6: X20.0 Y310.0
P7: X20.1 Y350.0
P8: X5.0 Y350.0
P9: X0.0 Y355.0
P10: X0.0 Y400.0
P11: X482.0 Y400.0
P12: X482.0 Y0.0

Profile radii

R102.6

Machining / cut features

F1: Hole: Ø15 mm, centre X448.0 Y349.2
F2: Hole: Ø15 mm, centre X76.2 Y366.0
F3: Hole: Ø15 mm, centre X448.0 Y50.8
F4: Hole: Ø15 mm, centre X423.8 Y366.0

S1-B - Part detail

Overall 390.0 x 180.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X390.0 Y0.0
- P3: X390.0 Y180.0
- P4: X0.0 Y180.0


Machining / cut features

- F1: Hole: Ø15 mm, centre X34.0 Y140.0
- F2: Hole: Ø15 mm, centre X34.0 Y40.0
- F3: Hole: Ø15 mm, centre X356.0 Y40.0
- F4: Hole: Ø15 mm, centre X356.0 Y140.0



S1-C - Part detail

Overall 760.0 x 529.6 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X760.0 Y0.0
- P3: X760.0 Y529.6
- P4: X0.0 Y515.9

Machining / cut features

- F1: Cut-out: 72.0 x 350.0 mm, centre X380.0 Y250.0, R36.0
- F2: Cut-out: 72.0 x 350.0 mm, centre X236.0 Y250.0, R36.0
- F3: Cut-out: 72.0 x 350.0 mm, centre X92.0 Y250.0, R36.0
- F4: Cut-out: 72.0 x 350.0 mm, centre X524.0 Y250.0, R36.0
- F5: Cut-out: 72.0 x 350.0 mm, centre X668.0 Y250.0, R36.0
- F6: Hole: Ø5 mm, centre X9.0 Y423.8
- F7: Hole: Ø5 mm, centre X9.0 Y76.2
- F8: Hole: Ø5 mm, centre X751.0 Y76.2
- F9: Hole: Ø5 mm, centre X751.0 Y423.8
- F10: Hole: Ø5 mm, centre X236.0 Y9.0
- F11: Hole: Ø5 mm, centre X524.0 Y9.0

S1-D - Part detail

Overall 284.0 x 248.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y94.0
- P3: X38.9 Y94.0
- P4: X38.9 Y154.0
- P5: X0.0 Y154.0
- P6: X0.0 Y248.0
- P7: X284.0 Y248.0
- P8: X284.0 Y0.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X50.8 Y214.0
- F2: Hole: Ø15 mm, centre X50.8 Y33.6
- F3: Hole: Ø15 mm, centre X233.2 Y214.0
- F4: Hole: Ø15 mm, centre X233.2 Y33.6

S1-E - Part detail

Overall 607.7 x 1630.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y167.5
- P2: X0.0 Y1462.5
- P3: X99.9 Y1462.5
- P4: X182.9 Y1610.9
- P5: X190.5 Y1613.7
- P6: X198.4 Y1615.0
- P7: X607.7 Y1630.0
- P8: X607.7 Y0.0
- P9: X198.4 Y15.0
- P10: X190.5 Y16.3
- P11: X182.9 Y19.1
- P12: X99.8 Y167.5

Machining / cut features

- F1: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y815.0
- F2: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y959.0
- F3: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y1103.0
- F4: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y1391.0
- F5: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y671.0
- F6: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y527.0
- F7: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y239.0
- F8: Cut-out: 268.0 x 72.0 mm, centre X398.7 Y95.0
- F9: Cut-out: 268.0 x 72.0 mm, centre X398.7 Y1535.0
- F10: Hole: Ø5 mm, centre X205.7 Y1564.2
- F11: Hole: Ø5 mm, centre X598.7 Y1564.2
- F12: Hole: Ø5 mm, centre X598.7 Y65.8
- F13: Hole: Ø5 mm, centre X205.7 Y65.8
- F14: Hole: Ø5 mm, centre X598.7 Y294.2
- F15: Hole: Ø5 mm, centre X205.7 Y294.2
- F16: Hole: Ø5 mm, centre X598.7 Y1335.8
- F17: Hole: Ø5 mm, centre X205.7 Y1335.8
- F18: Cut line: 607.7 mm, X0.0 Y1285.0 to X607.7 Y1285.0
- F19: Cut line: 607.7 mm, X0.0 Y815.0 to X607.7 Y815.0
- F20: Cut line: 607.7 mm, X0.0 Y345.0 to X607.7 Y345.0

S1-F - Part detail

Overall 399.9 x 1600.2 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y0.0
- P2: X399.9 Y10.0
- P3: X399.9 Y1590.0
- P4: X0.0 Y1600.2

Machining / cut features

- F1: Hole: Ø15 mm, centre X34.0 Y1549.2
- F2: Hole: Ø15 mm, centre X34.0 Y50.8
- F3: Cut-out: 260.0 x 878.0 mm, centre X190.0 Y800.0, R36.0
- F4: Hole: Ø35 mm, centre X295.0 Y1162.9
- F5: Hole: Ø35 mm, centre X295.0 Y437.3
- F6: Hole: Ø15 mm, centre X34.0 Y279.2
- F7: Hole: Ø15 mm, centre X34.0 Y1320.8
- F8: Hole: Ø20 mm, centre X89.0 Y800.0

S2-A - Part detail

Overall 382.0 x 165.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X0.0 Y165.0
- P3: X382.0 Y165.0
- P4: X382.0 Y0.0


Machining / cut features

- F1: Hole: Ø5 mm, centre X50.8 Y156.0
- F2: Hole: Ø5 mm, centre X331.2 Y156.0
- F3: Hole: Ø15 mm, centre X34.0 Y15.0



S2-B - Part detail

Overall 382.0 x 510.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y0.0

P2: X382.0 Y0.0

P3: X382.0 Y510.0

P4: X0.0 Y510.0

Machining / cut features

F1: Hole: Ø15 mm, centre X331.2 Y476.0

F2: Hole: Ø15 mm, centre X348.0 Y452.8

F3: Hole: Ø15 mm, centre X348.0 Y57.2

F4: Hole: Ø15 mm, centre X356.2 Y34.0


F5: Hole: Ø15 mm, centre X50.8 Y476.0

F6: Hole: Ø20 mm, centre X303.0 Y153.8

F7: Cut lines: L1 332.0 mm: X0.0 Y308.1 to X332.0 Y308.0; L2 308.0 mm: X332.0 Y308.0 to X332.0 Y0.0

S2-C - Part detail

Overall 382.0 x 529.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y193.0
- P2: X80.0 Y193.0
- P3: X80.0 Y183.0
- P4: X210.5 Y183.0
- P5: X310.0 Y78.7
- P6: X310.0 Y20.0
- P7: X350.0 Y20.0
- P8: X350.0 Y5.0
- P9: X355.0 Y0.0
- P10: X382.0 Y0.0
- P11: X382.0 Y529.0
- P12: X0.0 Y529.0

Profile radii


R101.7

Machining / cut features

- F1: Hole: Ø15 mm, centre X331.2 Y495.0
- F2: Hole: Ø15 mm, centre X348.0 Y77.2
- F3: Hole: Ø15 mm, centre X348.0 Y471.9
- F4: Hole: Ø15 mm, centre X50.8 Y495.0

S2-D - Part detail

Overall 400.0 x 760.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y0.0
P2: X400.0 Y0.0
P3: X400.0 Y760.0
P4: X0.0 Y760.0

Machining / cut features

F1: Hole: Ø5 mm, centre X50.8 Y9.0
F2: Hole: Ø15 mm, centre X34.0 Y236.0
F3: Cut-out: 260.0 x 560.0 mm, centre X210.0 Y380.0, R20.0
F4: Hole: Ø20 mm, centre X109.0 Y380.1
F5: Hole: Ø15 mm, centre X34.0 Y524.0
F6: Hole: Ø35 mm, centre X315.0 Y176.2
F7: Hole: Ø5 mm, centre X349.2 Y9.0
F8: Hole: Ø35 mm, centre X315.0 Y583.8
F9: Hole: Ø5 mm, centre X50.8 Y751.0
F10: Hole: Ø5 mm, centre X349.2 Y751.0

S2-E - Part detail

Overall 400.1 x 511.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y40.0
- P2: X200.0 Y40.0
- P3: X200.0 Y0.0
- P4: X400.0 Y0.0
- P5: X400.1 Y511.0
- P6: X0.0 Y511.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X349.2 Y477.0
- F2: Hole: Ø15 mm, centre X366.0 Y452.8
- F3: Hole: Ø15 mm, centre X50.8 Y477.0
- F4: Hole: Ø15 mm, centre X366.0 Y107.2

S2-F - Part detail

Overall 400.0 x 1600.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y193.0
- P2: X80.0 Y193.0
- P3: X80.0 Y183.0
- P4: X209.8 Y183.0
- P5: X310.0 Y78.0
- P6: X310.0 Y20.0
- P7: X350.0 Y20.0
- P8: X350.0 Y5.0
- P9: X355.0 Y0.0
- P10: X400.0 Y0.0
- P11: X400.0 Y1600.0
- P12: X355.0 Y1600.0
- P13: X350.0 Y1595.0
- P14: X350.0 Y1580.0
- P15: X310.0 Y1580.0
- P16: X310.0 Y1522.4
- P17: X209.7 Y1417.0
- P18: X80.0 Y1417.0
- P19: X80.0 Y1407.0
- P20: X0.0 Y1407.0

Profile radii


R102.5, R102.7

Machining / cut features

- F1: Hole: Ø15 mm, centre X366.0 Y1549.2
- F2: Hole: Ø15 mm, centre X366.0 Y50.8
- F3: Cut-out: 260.0 x 454.0 mm, centre X210.0 Y777.0, R20.0
- F4: Hole: Ø35 mm, centre X104.0 Y927.8
- F5: Hole: Ø35 mm, centre X104.0 Y626.2
- F6: Hole: Ø15 mm, centre X366.0 Y279.2
- F7: Hole: Ø15 mm, centre X366.0 Y1320.8
- F8: Hole: Ø20 mm, centre X311.0 Y777.0

S2-G - Part detail

Overall 560.0 x 1267.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X13.0 Y0.0
P2: X560.0 Y0.0
P3: X560.0 Y1267.0
P4: X0.0 Y1267.0
P5: X23.8 Y165.0
P6: X13.0 Y165.0

Machining / cut features

F1: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y649.9
F2: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y782.5
F3: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y915.1
F4: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y1047.8
F5: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y517.2
F6: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y384.6
F7: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y252.0
F8: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y119.3
F9: Hole: Ø5 mm, centre X483.7 Y9.1
F10: Hole: Ø5 mm, centre X90.1 Y9.1
F11: Cut-out: 396.0 x 66.3 mm, centre X287.9 Y1180.4
F12: Hole: Ø5 mm, centre X90.1 Y1258.0
F13: Hole: Ø5 mm, centre X550.9 Y422.4
F14: Hole: Ø5 mm, centre X550.9 Y844.7
F15: Hole: Ø5 mm, centre X22.0 Y150.0
F16: Hole: Ø5 mm, centre X483.8 Y1258.0

S3-A - Part detail

Overall 382.0 x 165.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X0.0 Y165.0
- P3: X382.0 Y165.0
- P4: X382.0 Y0.0


Machining / cut features

- F1: Hole: Ø5 mm, centre X50.8 Y156.0
- F2: Hole: Ø5 mm, centre X331.2 Y156.0
- F3: Hole: Ø15 mm, centre X34.0 Y15.0



S3-B - Part detail

Overall 382.0 x 510.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y0.0

P2: X382.0 Y0.0

P3: X382.0 Y510.0

P4: X0.0 Y510.0

Machining / cut features

F1: Hole: Ø15 mm, centre X331.2 Y476.0

F2: Hole: Ø15 mm, centre X348.0 Y452.9

F3: Hole: Ø15 mm, centre X348.0 Y57.2

F4: Hole: Ø15 mm, centre X356.2 Y34.0


F5: Hole: Ø15 mm, centre X50.8 Y476.0

F6: Hole: Ø20 mm, centre X303.0 Y153.8

F7: Cut lines: L1 332.0 mm: X0.0 Y308.1 to X332.0 Y308.0; L2 308.0 mm: X332.0 Y308.0 to X332.0 Y0.0

S3-C - Part detail

Overall 382.0 x 529.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y193.0
- P2: X80.0 Y193.0
- P3: X80.0 Y183.0
- P4: X210.5 Y183.0
- P5: X310.0 Y78.7
- P6: X310.0 Y20.0
- P7: X350.0 Y20.0
- P8: X350.0 Y5.0
- P9: X355.0 Y0.0
- P10: X382.0 Y0.0
- P11: X382.0 Y529.0
- P12: X0.0 Y529.0

Profile radii


R101.7

Machining / cut features

- F1: Hole: Ø15 mm, centre X331.2 Y495.0
- F2: Hole: Ø15 mm, centre X348.0 Y77.2
- F3: Hole: Ø15 mm, centre X348.0 Y471.9
- F4: Hole: Ø15 mm, centre X50.8 Y495.0

S3-D - Part detail

Overall 400.0 x 760.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y0.0
P2: X400.0 Y0.0
P3: X400.0 Y760.0
P4: X0.0 Y760.0

Machining / cut features

F1: Hole: Ø5 mm, centre X50.8 Y9.0
F2: Hole: Ø15 mm, centre X34.0 Y236.0
F3: Cut-out: 260.0 x 560.0 mm, centre X210.0 Y380.0, R20.0
F4: Hole: Ø20 mm, centre X109.0 Y380.1
F5: Hole: Ø15 mm, centre X34.0 Y524.0
F6: Hole: Ø35 mm, centre X315.0 Y176.2
F7: Hole: Ø5 mm, centre X349.2 Y9.0
F8: Hole: Ø35 mm, centre X315.0 Y583.8
F9: Hole: Ø5 mm, centre X50.8 Y751.0
F10: Hole: Ø5 mm, centre X349.2 Y751.0

S3-E - Part detail

Overall 400.1 x 511.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y40.0
- P2: X200.0 Y40.0
- P3: X200.0 Y0.0
- P4: X400.0 Y0.0
- P5: X400.1 Y511.0
- P6: X0.0 Y511.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X349.2 Y477.0
- F2: Hole: Ø15 mm, centre X366.0 Y452.8
- F3: Hole: Ø15 mm, centre X50.8 Y477.0
- F4: Hole: Ø15 mm, centre X366.0 Y107.2

S3-F - Part detail

Overall 400.0 x 1600.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y193.0
- P2: X80.0 Y193.0
- P3: X80.0 Y183.0
- P4: X209.8 Y183.0
- P5: X310.0 Y78.0
- P6: X310.0 Y20.0
- P7: X350.0 Y20.0
- P8: X350.0 Y5.0
- P9: X355.0 Y0.0
- P10: X400.0 Y0.0
- P11: X400.0 Y1600.0
- P12: X355.0 Y1600.0
- P13: X350.0 Y1595.0
- P14: X350.0 Y1580.0
- P15: X310.0 Y1580.0
- P16: X310.0 Y1522.4
- P17: X209.7 Y1417.0
- P18: X80.0 Y1417.0
- P19: X80.0 Y1407.0
- P20: X0.0 Y1407.0

Profile radii


R102.5, R102.7

Machining / cut features

- F1: Hole: Ø15 mm, centre X366.0 Y1549.2
- F2: Hole: Ø15 mm, centre X366.0 Y50.8
- F3: Cut-out: 260.0 x 454.0 mm, centre X210.0 Y777.0, R20.0
- F4: Hole: Ø35 mm, centre X104.0 Y927.8
- F5: Hole: Ø35 mm, centre X104.0 Y626.2
- F6: Hole: Ø15 mm, centre X366.0 Y279.2
- F7: Hole: Ø15 mm, centre X366.0 Y1320.8
- F8: Hole: Ø20 mm, centre X311.0 Y777.0
- F9: Hole: Ø5 mm, centre X60.0 Y943.8
- F10: Hole: Ø5 mm, centre X60.0 Y911.8
- F11: Hole: Ø5 mm, centre X60.0 Y642.2
- F12: Hole: Ø5 mm, centre X60.0 Y610.2

S3-G - Part detail

Overall 580.2 x 1267.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X33.0 Y0.0
- P2: X580.0 Y0.0
- P3: X580.2 Y1267.0
- P4: X20.8 Y1267.0
- P5: X0.0 Y462.0
- P6: X43.0 Y417.1
- P7: X41.8 Y165.0
- P8: X33.2 Y165.0

Machining / cut features

- F1: Cut-out: 396.0 x 66.3 mm, centre X308.3 Y633.5
- F2: Cut-out: 396.0 x 66.3 mm, centre X308.3 Y766.1
- F3: Cut-out: 396.0 x 66.3 mm, centre X308.3 Y898.8
- F4: Cut-out: 396.0 x 66.3 mm, centre X308.3 Y1031.4
- F5: Cut-out: 396.0 x 66.3 mm, centre X308.3 Y500.9
- F6: Cut-out: 396.0 x 66.3 mm, centre X308.3 Y368.2
- F7: Cut-out: 396.0 x 66.3 mm, centre X308.3 Y235.6
- F8: Cut-out: 396.0 x 66.3 mm, centre X308.3 Y103.0
- F9: Hole: Ø5 mm, centre X503.9 Y9.0
- F10: Hole: Ø5 mm, centre X110.3 Y9.0
- F11: Cut-out: 396.0 x 66.3 mm, centre X308.1 Y1164.0
- F12: Hole: Ø5 mm, centre X110.3 Y1258.0
- F13: Hole: Ø5 mm, centre X571.1 Y422.3
- F14: Hole: Ø5 mm, centre X571.1 Y844.7
- F15: Hole: Ø5 mm, centre X42.3 Y150.0
- F16: Hole: Ø5 mm, centre X504.1 Y1258.0

S4-A - Part detail

Overall 700.0 x 500.0 mm | Origin bottom-left | P1 nearest 0,0



S4-B - Part detail


Overall 379.0 x 355.5 mm | Origin bottom-left | P1 nearest 0,0

Profile points

P1: X0.0 Y0.0
P2: X379.0 Y0.0
P3: X379.0 Y355.5
P4: X0.0 Y355.5

Machining / cut features

None



S4-C - Part detail


Overall 600.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X600.0 Y0.0
- P3: X600.0 Y284.0
- P4: X0.0 Y284.0


Machining / cut features

- F1: Cut-out: 18.5 x 50.8 mm, centre X582.2 Y207.8
- F2: Cut-out: 18.5 x 50.8 mm, centre X582.2 Y76.2
- F3: Cut-out: 18.5 x 50.8 mm, centre X300.4 Y207.8
- F4: Hole: Ø5 mm, centre X9.0 Y233.2
- F5: Hole: Ø5 mm, centre X9.0 Y50.8
- F6: Cut-out: 58.5 x 18.5 mm, centre X300.4 Y27.3
- F7: Cut-out: 50.8 x 18.5 mm, centre X524.2 Y27.3
- F8: Cut-out: 50.8 x 18.5 mm, centre X76.6 Y27.3
- F9: Cut-out: 18.5 x 50.8 mm, centre X300.4 Y76.2




S4-D - Part detail

Overall 600.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0



S4-E - Part detail


Overall 582.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0



Machining / cut features
None

S4-F - Part detail

Overall 284.0 x 247.6 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y14.3
- P2: X0.0 Y65.1
- P3: X18.0 Y65.2
- P4: X18.0 Y146.0
- P5: X0.0 Y145.9
- P6: X0.0 Y196.7
- P7: X18.0 Y196.8
- P8: X18.0 Y247.6
- P9: X266.0 Y247.6
- P10: X266.0 Y196.8
- P11: X284.0 Y196.7
- P12: X284.0 Y145.9
- P13: X266.0 Y145.9
- P14: X266.0 Y65.1
- P15: X284.0 Y65.1
- P16: X284.0 Y14.3
- P17: X266.0 Y14.4
- P18: X266.0 Y0.0
- P19: X18.0 Y0.0
- P20: X18.0 Y14.4

Machining / cut features

None

S4-G - Part detail

Overall 284.0 x 247.6 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y14.3
- P2: X0.0 Y65.1
- P3: X18.0 Y65.1
- P4: X18.0 Y145.9
- P5: X0.0 Y145.9
- P6: X0.0 Y196.7
- P7: X18.0 Y196.8
- P8: X18.0 Y247.6
- P9: X266.0 Y247.6
- P10: X266.0 Y196.8
- P11: X284.0 Y196.7
- P12: X284.0 Y145.9
- P13: X266.0 Y145.9
- P14: X266.0 Y65.2
- P15: X284.0 Y65.1
- P16: X284.0 Y14.3
- P17: X266.0 Y14.4
- P18: X266.0 Y0.0
- P19: X18.0 Y0.0
- P20: X18.0 Y14.3

Machining / cut features

None

S4-H - Part detail

Overall 382.0 x 1267.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y1267.0
- P3: X382.0 Y1267.0
- P4: X382.0 Y0.0

Machining / cut features

- F1: Hole: Ø5 mm, centre X331.2 Y9.0
- F2: Hole: Ø5 mm, centre X50.8 Y9.0
- F3: Hole: Ø5 mm, centre X357.0 Y1258.0
- F4: Hole: Ø15 mm, centre X348.0 Y844.7
- F5: Hole: Ø15 mm, centre X348.0 Y422.3
- F6: Cut-out: 246.0 x 391.0 mm, centre X203.0 Y293.4, R20.0
- F7: Hole: Ø20 mm, centre X297.0 Y293.0
- F8: Hole: Ø35 mm, centre X105.0 Y412.6
- F9: Hole: Ø35 mm, centre X105.0 Y173.8
- F10: Cut lines: L1 382.0 mm: X-0.0 Y0.0 to X382.0 Y-0.0; L2 6.0 mm: X382.0 Y-0.0 to X382.0 Y6.0

S4-I - Part detail

Overall 545.1 x 1263.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.1 Y1263.0
- P3: X544.9 Y1263.0
- P4: X544.9 Y607.6
- P5: X545.1 Y508.9
- P6: X525.1 Y432.7
- P7: X525.1 Y130.0
- P8: X545.1 Y130.0
- P9: X544.9 Y0.0

Machining / cut features

- F1: Cut-out: 396.0 x 66.3 mm, centre X272.0 Y778.5
- F2: Cut-out: 396.0 x 66.3 mm, centre X272.0 Y911.1
- F3: Cut-out: 396.0 x 66.3 mm, centre X272.0 Y1043.8
- F4: Cut-out: 396.0 x 66.3 mm, centre X272.0 Y1176.4
- F5: Cut-out: 396.0 x 66.3 mm, centre X272.0 Y645.8
- F6: Cut-out: 396.0 x 66.3 mm, centre X272.0 Y513.2
- F7: Cut-out: 396.0 x 66.3 mm, centre X272.0 Y380.6
- F8: Cut-out: 396.0 x 66.3 mm, centre X272.0 Y247.9
- F9: Cut-out: 396.0 x 66.3 mm, centre X272.0 Y115.3
- F10: Cut lines: L1 38.8 mm: X70.8 Y1091.3 to X33.6 Y1102.5; L2 38.6 mm: X33.6 Y1102.5 to X70.8 Y1112.9

S4-J - Part detail

Overall 40.0 x 1267.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y20.0
- P2: X40.0 Y20.0
- P3: X40.0 Y1247.0
- P4: X0.0 Y1247.0

Profile radii


R20.0

Machining / cut features

None

S4-K - Part detail

Overall 65.0 x 1231.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y0.0
P2: X65.0 Y0.0
P3: X65.0 Y1231.0
P4: X0.0 Y1231.0

Machining / cut features

None

S4-L - Part detail

Overall 40.0 x 760.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y20.0
- P2: X20.0 Y0.0
- P3: X40.0 Y20.0
- P4: X40.0 Y740.0
- P5: X20.0 Y760.0
- P6: X0.0 Y740.0

Profile radii

R20.0

Machining / cut features

None

S5-A - Part detail


Overall 720.0 x 382.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X720.0 Y0.0
- P3: X720.0 Y382.0
- P4: X0.0 Y377.0


Machining / cut features

- F1: Hole: Ø15 mm, centre X360.0 Y34.0
- F2: Hole: Ø15 mm, centre X50.8 Y34.0
- F3: Hole: Ø5 mm, centre X360.0 Y58.2
- F4: Hole: Ø5 mm, centre X360.0 Y305.8
- F5: Hole: Ø15 mm, centre X669.2 Y34.0
- F6: Hole: Ø15 mm, centre X686.0 Y58.2
- F7: Hole: Ø15 mm, centre X686.0 Y305.8



S5-B - Part detail

Overall 379.0 x 337.5 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y0.0
P2: X379.0 Y0.0
P3: X379.0 Y337.5
P4: X0.0 Y337.5

Machining / cut features

None

S5-C - Part detail

Overall 1175.0 x 500.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points


- P1: X0.0 Y100.0
- P2: X698.0 Y100.0
- P3: X748.0 Y50.0
- P4: X748.0 Y0.0
- P5: X1175.0 Y0.0
- P6: X1175.0 Y500.0
- P7: X0.0 Y500.0

Profile radii

R50.0


Machining / cut features

- F1: Hole: Ø5 mm, centre X224.7 Y109.0
- F2: Hole: Ø5 mm, centre X523.3 Y109.0
- F3: Hole: Ø5 mm, centre X1166.0 Y423.8
- F4: Hole: Ø5 mm, centre X738.0 Y423.8
- F5: Hole: Ø5 mm, centre X757.0 Y76.2
- F6: Hole: Ø5 mm, centre X1166.0 Y76.2
- F7: Hole: Ø5 mm, centre X9.0 Y176.2
- F8: Hole: Ø5 mm, centre X374.0 Y176.2
- F9: Hole: Ø5 mm, centre X9.0 Y423.8
- F10: Hole: Ø5 mm, centre X374.0 Y423.8



S5-D - Part detail

Overall 500.0 x 720.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X495.0 Y0.0
- P3: X500.0 Y720.0
- P4: X0.0 Y720.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X76.2 Y686.0
- F2: Hole: Ø15 mm, centre X423.8 Y686.0
- F3: Hole: Ø5 mm, centre X9.0 Y680.0
- F4: Hole: Ø5 mm, centre X9.0 Y580.0

S5-E - Part detail

Overall 500.0 x 720.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X5.0 Y0.0
- P2: X500.0 Y0.0
- P3: X500.0 Y720.0
- P4: X-0.0 Y720.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X423.8 Y686.0
- F2: Hole: Ø5 mm, centre X491.0 Y680.0
- F3: Hole: Ø5 mm, centre X491.0 Y580.0
- F4: Hole: Ø15 mm, centre X76.2 Y686.0

S5-F - Part detail

Overall 748.0 x 720.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X748.0 Y0.0
- P3: X748.0 Y720.0
- P4: X0.0 Y720.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X714.0 Y669.2
- F2: Hole: Ø15 mm, centre X714.0 Y360.0
- F3: Hole: Ø15 mm, centre X714.0 Y50.8
- F4: Hole: Ø5 mm, centre X9.0 Y669.2
- F5: Hole: Ø5 mm, centre X374.0 Y359.9
- F6: Hole: Ø5 mm, centre X9.0 Y360.0
- F7: Hole: Ø5 mm, centre X9.0 Y50.8
- F8: Hole: Ø5 mm, centre X374.0 Y50.7
- F9: Cut-out: 254.5 x 520.0 mm, centre X206.8 Y360.0, R20.0
- F10: Hole: Ø35 mm, centre X104.5 Y543.8
- F11: Hole: Ø35 mm, centre X104.5 Y176.2
- F12: Hole: Ø20 mm, centre X305.0 Y430.0
- F13: Hole: Ø15 mm, centre X224.7 Y686.0
- F14: Hole: Ø15 mm, centre X523.3 Y686.0
- F15: Cut-out: 254.5 x 520.0 mm, centre X541.2 Y360.0, R20.0
- F16: Hole: Ø35 mm, centre X643.5 Y543.8
- F17: Hole: Ø35 mm, centre X643.5 Y176.2
- F18: Hole: Ø20 mm, centre X443.0 Y430.0
- F19: Hole: Ø5 mm, centre X374.0 Y669.1

S5-G - Part detail

Overall 382.0 x 720.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X43.5 Y0.0
- P2: X382.0 Y0.0
- P3: X382.0 Y720.0
- P4: X0.0 Y720.0
- P5: X3.5 Y200.0
- P6: X43.5 Y200.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X348.0 Y669.2
- F2: Hole: Ø15 mm, centre X348.0 Y360.0
- F3: Hole: Ø15 mm, centre X76.2 Y686.0
- F4: Hole: Ø15 mm, centre X76.2 Y686.0
- F5: Hole: Ø15 mm, centre X323.8 Y686.0
- F6: Hole: Ø5 mm, centre X323.8 Y360.0
- F7: Hole: Ø5 mm, centre X76.2 Y360.0