

VW-T5-T6-LWB-USHAPE-2-DOOR-KITCHEN

Coordinate system

X = horizontal from LEFT edge

Y = vertical from BOTTOM edge

Origin (0,0) = bottom-left of each individual panel

Rules

- 18 mm sheet material
- Ø15 mm holes: blind, 14 mm deep
- Ø35 mm holes: blind, 13 mm deep
- Ø5 mm holes: blind, 11 mm deep
- Ø20 mm holes: through-hole
- Other internal profiles are cut-outs unless stated otherwise
- P1 is always the profile point nearest the panel 0,0 datum
- Open internal lines are dimensioned as cut lines


Manual-build option

Ø5 and Ø15 fixing holes may be omitted where appropriate and replaced with L-brackets or timber fixing blocks.

Sheet summary: 4 sheets, 30 detected panels.


Sheet 1 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.



Sheet 2 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.




Sheet 3 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.


Sheet 3 - A / B cutting options

- A: Use this cut when the ply lining goes up to the sliding door.
- B: Use this cut when the ply lining finishes before the pillar and is inset.
- These are two alternative cuts for different ply-lining positions.




Sheet 4 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.



S1-A - Part detail

Overall 511.0 x 382.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X511.0 Y0.0
- P3: X511.0 Y382.0
- P4: X0.0 Y382.0

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X34.0 Y50.8
- F2: Hole: Ø15.0 mm, centre X34.0 Y331.2
- F3: Hole: Ø15.0 mm, centre X57.2 Y348.0
- F4: Hole: Ø15.0 mm, centre X477.0 Y356.2
- F5: Hole: Ø15.0 mm, centre X453.8 Y348.0
- F6: Hole: Ø20.0 mm, centre X357.2 Y303.0
- F7: Cut lines: L1 332.0 mm: X201.9 Y0.0 to X202.0 Y332.0; L2 309.0 mm: X202.0 Y332.0 to X511.0 Y332.0

S1-B - Part detail

Overall 128.0 x 382.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X9.3 Y0.0
- P2: X128.0 Y0.0
- P3: X128.0 Y382.0
- P4: X6.6 Y382.0
- P5: X0.0 Y160.0
- P6: X4.9 Y160.0
- P7: X4.9 Y130.0
- P8: X9.9 Y130.0

Machining / cut features

- F1: Hole: Ø5.0 mm, centre X119.0 Y331.2
- F2: Hole: Ø5.0 mm, centre X119.0 Y50.8
- F3: Hole: Ø15.0 mm, centre X28.0 Y348.0


S1-C - Part detail

Overall 382.0 x 528.0 mm | Origin bottom-left | P1 nearest 0,0




S1-D - Part detail

Overall 400.0 x 482.0 mm | Origin bottom-left | P1 nearest 0,0



S1-E - Part detail

Overall 248.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y284.0
- P3: X94.0 Y284.0
- P4: X94.0 Y245.1
- P5: X154.0 Y245.1
- P6: X154.0 Y284.0
- P7: X248.0 Y284.0
- P8: X248.0 Y0.0

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X214.0 Y50.8
- F2: Hole: Ø15.0 mm, centre X33.6 Y50.8
- F3: Hole: Ø15.0 mm, centre X33.6 Y233.2
- F4: Hole: Ø15.0 mm, centre X214.0 Y233.2

S1-F - Part detail

Overall 607.7 x 1630.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y167.3
- P2: X0.0 Y1462.7
- P3: X99.9 Y1462.5
- P4: X182.9 Y1610.9
- P5: X190.5 Y1613.7
- P6: X198.4 Y1615.0
- P7: X607.7 Y1630.0
- P8: X607.7 Y0.0
- P9: X198.4 Y15.0
- P10: X190.5 Y16.3
- P11: X182.9 Y19.1
- P12: X99.8 Y167.5

Machining / cut features

- F1: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y815.0
- F2: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y959.0
- F3: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y1103.0
- F4: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y1391.0
- F5: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y671.0
- F6: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y527.0
- F7: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y239.0
- F8: Cut-out: 268.0 x 72.0 mm, centre X398.7 Y95.0
- F9: Cut-out: 268.0 x 72.0 mm, centre X398.7 Y1535.0
- F10: Hole: Ø5.0 mm, centre X205.7 Y1564.2
- F11: Hole: Ø5.0 mm, centre X598.7 Y1564.2
- F12: Hole: Ø5.0 mm, centre X598.7 Y65.8
- F13: Hole: Ø5.0 mm, centre X205.7 Y65.8
- F14: Hole: Ø5.0 mm, centre X598.7 Y294.2
- F15: Hole: Ø5.0 mm, centre X205.7 Y294.2
- F16: Hole: Ø5.0 mm, centre X598.7 Y1335.8
- F17: Hole: Ø5.0 mm, centre X205.7 Y1335.8
- F18: Cut line: 607.7 mm, X0.0 Y1285.0 to X607.7 Y1285.0
- F19: Cut line: 607.7 mm, X0.0 Y815.0 to X607.7 Y815.0
- F20: Cut line: 607.7 mm, X0.0 Y345.0 to X607.7 Y345.0

S1-G - Part detail

Overall 399.9 x 1600.2 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X399.9 Y10.0
- P3: X399.9 Y1590.0
- P4: X0.0 Y1600.2

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X34.0 Y1549.2
- F2: Hole: Ø15.0 mm, centre X34.0 Y50.8
- F3: Cut-out: 260.0 x 878.0 mm, centre X190.0 Y800.0, R36.0
- F4: Hole: Ø35.0 mm, centre X295.0 Y1162.8
- F5: Hole: Ø35.0 mm, centre X295.0 Y437.3
- F6: Hole: Ø15.0 mm, centre X34.0 Y279.2
- F7: Hole: Ø15.0 mm, centre X34.0 Y1320.8
- F8: Hole: Ø20.0 mm, centre X89.0 Y800.0

S1-H - Part detail

Overall 40.0 x 1220.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y20.0
- P2: X20.0 Y0.0
- P3: X40.0 Y20.0
- P4: X40.0 Y1200.0
- P5: X20.0 Y1220.0
- P6: X0.0 Y1200.0

Profile radii


R20.0

Machining / cut features

None

S1-I - Part detail

Overall 67.0 x 1184.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y0.0
P2: X67.0 Y0.0
P3: X67.0 Y1184.0
P4: X0.0 Y1184.0

Machining / cut features

None

S1-J - Part detail

Overall 40.0 x 824.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y20.0
- P2: X20.0 Y0.0
- P3: X40.0 Y20.0
- P4: X40.0 Y804.0
- P5: X20.0 Y824.0
- P6: X0.0 Y804.0

Profile radii

R20.0

Machining / cut features

None

S2-A - Part detail


Overall 600.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X600.0 Y0.0
- P3: X600.0 Y284.0
- P4: X0.0 Y284.0

Machining / cut features

- F1: Cut-out: 18.5 x 50.8 mm, centre X582.2 Y207.8
- F2: Cut-out: 18.5 x 50.8 mm, centre X582.2 Y76.2
- F3: Cut-out: 18.5 x 50.8 mm, centre X300.4 Y207.8
- F4: Hole: Ø5.0 mm, centre X9.0 Y233.2
- F5: Hole: Ø5.0 mm, centre X9.0 Y50.8
- F6: Cut-out: 58.5 x 18.5 mm, centre X300.4 Y27.3
- F7: Cut-out: 50.8 x 18.5 mm, centre X524.2 Y27.3
- F8: Cut-out: 50.8 x 18.5 mm, centre X76.6 Y27.3
- F9: Cut-out: 18.5 x 50.8 mm, centre X300.4 Y76.2



Overall 600.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0




P1:	X0.0	Y0.0
P2:	X600.0	Y0.0
P3:	X600.0	Y284.0
P4:	X579.3	Y284.0
P5:	X549.2	Y254.0
P6:	X549.2	Y80.9
P7:	X519.2	Y50.8
P8:	X363.0	Y50.8
P9:	X348.1	Y64.5
P10:	X331.6	Y256.7
P11:	X301.7	Y284.0
P12:	X298.4	Y284.0
P13:	X268.4	Y256.6
P14:	X251.9	Y64.5
P15:	X237.0	Y50.8
P16:	X80.9	Y50.8
P17:	X50.8	Y80.8
P18:	X50.8	Y253.9
P19:	X20.8	Y284.0
P20:	X0.0	Y284.0

R30.0, R15.0

F1: Cut-out: 18.5 x 50.8 mm, centre X18.2 Y76.2
F2: Cut-out: 18.5 x 50.8 mm, centre X300.0 Y76.2
F3: Cut-out: 18.5 x 50.8 mm, centre X300.0 Y207.8
F4: Hole: Ø50.0 mm, centre X591.0 Y233.2
F5: Hole: Ø50.0 mm, centre X591.0 Y50.8
F6: Cut-out: 50.8 x 18.5 mm, centre X523.8 Y27.2
F7: Cut-out: 58.5 x 18.5 mm, centre X300.0 Y27.2
F8: Cut-out: 18.5 x 50.8 mm, centre X18.2 Y207.8
F9: Cut-out: 50.8 x 18.5 mm, centre X76.2 Y27.3


S2-C - Part detail

Overall 582.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0



S2-D - Part detail

Overall 284.0 x 247.6 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y14.3
P2: X0.0 Y65.1
P3: X18.0 Y65.2
P4: X18.0 Y146.0
P5: X0.0 Y145.9
P6: X0.0 Y196.7
P7: X18.0 Y196.8
P8: X18.0 Y247.6
P9: X266.0 Y247.6
P10: X266.0 Y196.8
P11: X284.0 Y196.7
P12: X284.0 Y145.9
P13: X266.0 Y145.9
P14: X266.0 Y65.1
P15: X284.0 Y65.1
P16: X284.0 Y14.3
P17: X266.0 Y14.4
P18: X266.0 Y0.0
P19: X18.0 Y0.0
P20: X18.0 Y14.4

Machining / cut features

None

S2-E - Part detail

Overall 284.0 x 247.6 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y14.3
- P2: X0.0 Y65.1
- P3: X18.0 Y65.1
- P4: X18.0 Y145.9
- P5: X0.0 Y145.9
- P6: X0.0 Y196.7
- P7: X18.0 Y196.8
- P8: X18.0 Y247.6
- P9: X266.0 Y247.6
- P10: X266.0 Y196.8
- P11: X284.0 Y196.7
- P12: X284.0 Y145.9
- P13: X266.0 Y145.9
- P14: X266.0 Y65.2
- P15: X284.0 Y65.1
- P16: X284.0 Y14.3
- P17: X266.0 Y14.4
- P18: X266.0 Y0.0
- P19: X18.0 Y0.0
- P20: X18.0 Y14.3

Machining / cut features

None

S2-F - Part detail

Overall 530.0 x 824.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y824.0
- P3: X513.0 Y824.0
- P4: X530.0 Y0.0

Machining / cut features

- F1: Cut-out: 350.0 x 72.0 mm, centre X252.9 Y412.0, R36.0
- F2: Cut-out: 350.0 x 72.0 mm, centre X252.9 Y556.0, R36.0
- F3: Cut-out: 350.0 x 72.0 mm, centre X252.9 Y700.0, R36.0
- F4: Cut-out: 350.0 x 72.0 mm, centre X252.9 Y268.0, R36.0
- F5: Cut-out: 350.0 x 72.0 mm, centre X252.9 Y124.0, R36.0
- F6: Hole: Ø5.0 mm, centre X9.0 Y556.0
- F7: Hole: Ø5.0 mm, centre X9.0 Y268.0
- F8: Hole: Ø5.0 mm, centre X423.8 Y815.0
- F9: Hole: Ø5.0 mm, centre X76.2 Y815.0
- F10: Hole: Ø5.0 mm, centre X76.2 Y9.0
- F11: Hole: Ø5.0 mm, centre X423.8 Y9.0

S2-G - Part detail

Overall 400.0 x 1600.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y183.0
- P2: X60.0 Y183.0
- P3: X60.0 Y178.0
- P4: X220.0 Y178.0
- P5: X320.0 Y77.6
- P6: X320.0 Y20.0
- P7: X350.0 Y20.0
- P8: X350.0 Y5.0
- P9: X355.0 Y0.0
- P10: X400.0 Y0.0
- P11: X400.0 Y1600.0
- P12: X355.0 Y1600.0
- P13: X350.0 Y1595.0
- P14: X350.0 Y1580.0
- P15: X320.0 Y1580.0
- P16: X320.0 Y1522.9
- P17: X219.8 Y1422.0
- P18: X60.0 Y1422.0
- P19: X60.0 Y1417.0
- P20: X0.0 Y1417.0

Profile radii


R100.0, R100.4

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X366.0 Y1549.2
- F2: Hole: Ø15.0 mm, centre X366.0 Y50.8
- F3: Cut-out: 260.0 x 454.0 mm, centre X210.0 Y777.0, R20.0
- F4: Hole: Ø20.0 mm, centre X311.0 Y777.0
- F5: Hole: Ø35.0 mm, centre X104.0 Y927.8
- F6: Hole: Ø35.0 mm, centre X104.0 Y626.2
- F7: Hole: Ø15.0 mm, centre X366.0 Y279.2
- F8: Hole: Ø15.0 mm, centre X366.0 Y1320.8

S2-H - Part detail

Overall 400.0 x 824.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X400.0 Y0.0
- P3: X400.0 Y824.0
- P4: X0.0 Y824.0

Machining / cut features

- F1: Hole: Ø5.0 mm, centre X349.2 Y815.0
- F2: Hole: Ø15.0 mm, centre X366.0 Y556.0
- F3: Cut-out: 260.0 x 624.0 mm, centre X190.0 Y412.0, R20.0
- F4: Hole: Ø20.0 mm, centre X291.0 Y411.9
- F5: Hole: Ø15.0 mm, centre X366.0 Y268.0
- F6: Hole: Ø5.0 mm, centre X50.8 Y815.0
- F7: Hole: Ø5.0 mm, centre X349.2 Y9.0
- F8: Hole: Ø5.0 mm, centre X50.8 Y9.0
- F9: Hole: Ø35.0 mm, centre X85.0 Y647.8
- F10: Hole: Ø35.0 mm, centre X85.0 Y176.2

S2-I - Part detail

Overall 400.0 x 513.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.1 Y0.0
P2: X399.9 Y0.0
P3: X400.0 Y513.0
P4: X0.0 Y513.0

Machining / cut features

F1: Hole: Ø15.0 mm, centre X349.2 Y479.0
F2: Hole: Ø15.0 mm, centre X366.0 Y454.8
F3: Hole: Ø15.0 mm, centre X50.8 Y479.0
F4: Hole: Ø15.0 mm, centre X366.0 Y107.3

S3-A - Part detail

Overall 1220.0 x 560.0 mm | Origin bottom-left | P1 nearest 0,0



S3-B - Part detail


Overall 1220.0 x 382.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X0.0 Y382.0
- P3: X1220.0 Y382.0
- P4: X1220.0 Y0.0


Machining / cut features

- F1: Hole: Ø5.0 mm, centre X1211.0 Y331.2
- F2: Hole: Ø5.0 mm, centre X1211.0 Y50.8
- F3: Hole: Ø15.0 mm, centre X300.0 Y348.0
- F4: Hole: Ø15.0 mm, centre X900.0 Y348.0
- F5: Hole: Ø35.0 mm, centre X1043.8 Y105.0
- F6: Hole: Ø20.0 mm, centre X869.0 Y297.0
- F7: Hole: Ø35.0 mm, centre X694.2 Y105.0
- F8: Hole: Ø5.0 mm, centre X9.0 Y357.0
- F9: Cut-out: 502.0 x 246.0 mm, centre X869.0 Y203.0, R20.0



S3-C - Part detail

Overall 1220.0 x 580.2 mm | Origin bottom-left | P1 nearest 0,0



S3-D - Part detail


Overall 1218.0 x 545.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X1218.0 Y0.0
- P3: X0.0 Y0.0
- P4: X1218.0 Y0.0
- P5: X1218.0 Y545.0
- P6: X365.0 Y545.0
- P7: X320.1 Y530.6
- P8: X100.0 Y530.6
- P9: X100.0 Y545.0
- P10: X0.0 Y545.0

Machining / cut features

- F1: Cut-out: 66.3 x 396.0 mm, centre X675.3 Y273.0
- F2: Cut-out: 66.3 x 396.0 mm, centre X808.0 Y273.0
- F3: Cut-out: 66.3 x 396.0 mm, centre X940.6 Y273.0
- F4: Cut-out: 66.3 x 396.0 mm, centre X1073.2 Y273.0
- F5: Cut-out: 66.3 x 396.0 mm, centre X542.7 Y273.0
- F6: Cut-out: 66.3 x 396.0 mm, centre X410.0 Y273.0
- F7: Cut-out: 66.3 x 396.0 mm, centre X277.4 Y273.0
- F8: Cut-out: 66.3 x 396.0 mm, centre X144.8 Y273.0



S4-A - Part detail


Overall 1100.0 x 400.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X1100.0 Y0.0
- P3: X1100.0 Y400.0
- P4: X0.0 Y400.0

Machining / cut features

- F1: Hole: Ø5.0 mm, centre X9.0 Y349.2
- F2: Hole: Ø5.0 mm, centre X9.0 Y76.2
- F3: Hole: Ø5.0 mm, centre X1091.0 Y76.2
- F4: Hole: Ø5.0 mm, centre X1091.0 Y349.2
- F5: Hole: Ø5.0 mm, centre X733.3 Y9.0
- F6: Hole: Ø5.0 mm, centre X366.7 Y9.0
- F7: Hole: Ø5.0 mm, centre X550.0 Y76.2
- F8: Hole: Ø5.0 mm, centre X550.0 Y349.2



S4-B - Part detail

Overall 523.0 x 370.0 mm | Origin bottom-left | P1 nearest 0,0




S4-C - Part detail

Overall 523.0 x 370.0 mm | Origin bottom-left | P1 nearest 0,0



S4-D - Part detail

Overall 382.0 x 680.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X382.0 Y0.0
- P3: X382.0 Y680.0
- P4: X0.0 Y680.0

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X34.0 Y609.6
- F2: Hole: Ø15.0 mm, centre X34.0 Y330.2
- F3: Hole: Ø15.0 mm, centre X34.0 Y50.8
- F4: Hole: Ø4.8 mm, centre X340.0 Y329.0
- F5: Cut-out: 4.8 x 4.8 mm, centre X81.0 Y329.0, R2.4
- F6: Hole: Ø15.0 mm, centre X58.2 Y646.0
- F7: Hole: Ø15.0 mm, centre X331.2 Y646.0
- F8: Cut line: 382.0 mm, X382.0 Y680.0 to X0.0 Y680.0

S4-E - Part detail

Overall 382.0 x 680.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y680.0
- P3: X382.0 Y680.0
- P4: X372.0 Y0.0

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X34.0 Y50.8
- F2: Hole: Ø15.0 mm, centre X34.0 Y330.2
- F3: Hole: Ø4.8 mm, centre X317.0 Y329.0
- F4: Cut-out: 4.8 x 4.8 mm, centre X81.0 Y329.0, R2.4
- F5: Hole: Ø15.0 mm, centre X34.0 Y609.6
- F6: Hole: Ø15.0 mm, centre X58.2 Y646.0
- F7: Hole: Ø15.0 mm, centre X331.2 Y646.0

S4-F - Part detail

Overall 382.0 x 680.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X10.0 Y0.0
- P2: X327.5 Y0.0
- P3: X382.0 Y0.0
- P4: X382.0 Y680.0
- P5: X0.0 Y680.0

Machining / cut features

- F1: Hole: Ø15.0 mm, centre X348.0 Y609.6
- F2: Hole: Ø15.0 mm, centre X348.0 Y330.2
- F3: Hole: Ø15.0 mm, centre X348.0 Y50.8
- F4: Hole: Ø4.8 mm, centre X305.0 Y329.0
- F5: Hole: Ø4.8 mm, centre X57.0 Y329.0
- F6: Hole: Ø15.0 mm, centre X50.8 Y646.0
- F7: Hole: Ø15.0 mm, centre X323.8 Y646.0

S4-G - Part detail

Overall 1100.0 x 680.0 mm | Origin bottom-left | P1 nearest 0,0

