

VW-T5/6-SWB-REVERSE-USHAPE-DRAWERS-OUT-BACK

Coordinate system

X = horizontal from LEFT edge

Y = vertical UP from BOTTOM edge

Example: X100 / Y50 = 100 mm right from the left edge, then 50 mm up from the bottom.

Rules

- 18 mm plywood
- Dia 5 = 11 mm deep; nominal edge positions are rounded to the nearest useful manual dimension
- Dia 15 = 14 mm deep
- Dia 20 = THROUGH
- Dia 35 = 13 mm deep
- Rounded slots/cut-outs show their useful manual-cutting radius
- 5 mm / 15 mm fixing holes may be omitted when using L-brackets or timber blocks.

8 mm cam-fitting edge holes

Where a 15 mm cam-lock hole is shown, drill an 8 mm hole centrally through the edge of the mating side panel using a self-centring jig with an 8 mm guide.

Align the 8 mm hole with the centre of the 15 mm cam-lock bore.

Sheet structure

Sheet 1: 13 panels

Sheet 2: 8 panels


Sheet 3: 7 panels

Sheet 4: 3 panels

Total: 31 panels


Sheet 1 - 1220 x 2440 x 18 mm layout

Part labels correspond to the detailed pages.




Sheet 2 - 1220 x 2440 x 18 mm layout

Part labels correspond to the detailed pages.




Sheet 3 - 1220 x 2440 x 18 mm layout

Part labels correspond to the detailed pages.



Sheet 4 - 1220 x 2440 x 18 mm layout

Part labels correspond to the detailed pages.



S1-A - Part detail

Overall 454.0 x 400.0 mm | 18 mm plywood | datum lower-left = X0 Y0


X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features

- F1 Dia 15 x 14 deep X34.0 Y50.8
- F2 Dia 15 x 14 deep X420.0 Y50.8
- F3 rounded cut-out 334.0 x 260.0 R20.0 X60.0 Y80.0
- F4 Dia 35 x 13 deep X110.8 Y105.0
- F5 Dia 35 x 13 deep X343.2 Y105.0
- F6 Dia 20 THROUGH X227.0 Y311.0
- F7 Dia 15 x 14 deep X34.0 Y349.2
- F8 Dia 15 x 14 deep X420.0 Y349.2
- F9 Dia 15 x 14 deep X58.2 Y366.0
- F10 Dia 15 x 14 deep X395.8 Y366.0


Outer profile

- P1 X0.0 Y0.0
- P2 X0.0 Y400.0
- P3 X454.0 Y400.0
- P4 X454.0 Y0.0



S1-B - Part detail

Overall 328.6 x 400.0 mm | 18 mm plywood | datum lower-left = X0 Y0



X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features

- F1 Dia 15 x 14 deep X34.0 Y34.0
- F2 Dia 15 x 14 deep X58.2 Y34.0
- F3 Dia 15 x 14 deep X280.1 Y34.0
- F4 Dia 5 x 11 deep X299.0 Y50.8
- F5 cut-out 290.0 x 332.0 X0.0 Y68.0
- F6 Dia 20 THROUGH X145.0 Y97.0
- F7 Dia 5 x 11 deep X299.0 Y323.8

CUT LINES: 290.0 horizontal at Y68.0; 332.0 vertical at X290.0

Outer profile

- P1 X0.0 Y0.0
- P2 X328.6 Y0.0
- P3 X328.6 Y362.3 ARC R35.7
- P4 X295.5 Y400.0
- P5 X0.0 Y400.0

Profile radii: R35.7 mm

S1-C - Part detail

Overall 127.0 x 382.0 mm | 18 mm plywood | datum lower-left = X0 Y0


X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features

- F1 Dia 15 x 14 deep X93.0 Y50.8
- F2 Dia 15 x 14 deep X93.0 Y331.2
- F3 Dia 15 x 14 deep X34.0 Y348.0


Outer profile

- P1 X0.0 Y0.0
- P2 X0.0 Y382.0
- P3 X127.0 Y382.0
- P4 X127.0 Y0.0



S1-D - Part detail

Overall 248.0 x 284.0 mm | 18 mm plywood | datum lower-left = X0 Y0



X = horizontal from LEFT edge

Y = vertical UP from BOTTOM edge

Machining features

F1 Dia 15 x 14 deep X33.6 Y50.8

F2 Dia 15 x 14 deep X214.0 Y50.8

F3 Dia 15 x 14 deep X33.6 Y233.2

F4 Dia 15 x 14 deep X214.0 Y233.2

Outer profile

P1 X0.0 Y0.0

P2 X0.0 Y284.0

P3 X94.0 Y284.0

P4 X94.0 Y245.1

P5 X154.0 Y245.1

P6 X154.0 Y284.0

P7 X248.0 Y284.0

P8 X248.0 Y0.0

S1-E - Part detail

Overall 454.0 x 400.0 mm | 18 mm plywood | datum lower-left = X0 Y0


X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features

- F1 Dia 15 x 14 deep X34.0 Y50.8
- F2 Dia 15 x 14 deep X420.0 Y50.8
- F3 Dia 15 x 14 deep X34.0 Y349.2
- F4 Dia 15 x 14 deep X420.0 Y349.2
- F5 Dia 15 x 14 deep X58.2 Y366.0
- F6 Dia 15 x 14 deep X395.8 Y366.0

Outer profile

- P1 X0.0 Y0.0
- P2 X0.0 Y400.0
- P3 X454.0 Y400.0
- P4 X454.0 Y0.0



S1-F - Part detail

Overall 377.6 x 382.0 mm | 18 mm plywood | datum lower-left = X0 Y0

X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features


- F1 Dia 15 x 14 deep X343.6 Y25.0
- F2 Dia 15 x 14 deep X79.5 Y34.0
- F3 Dia 15 x 14 deep X319.4 Y34.0
- F4 Dia 5 x 11 deep X60.5 Y50.8
- F5 cut-out 308.1 x 332.0 X69.5 Y50.0
- F6 Dia 20 THROUGH X223.5 Y79.0
- F7 Dia 5 x 11 deep X60.5 Y305.8

CUT LINES: 308.1 horizontal at Y50.0; 332.0 vertical at X69.5

Outer profile

- P1 X0.0 Y0.0
- P2 X0.0 Y346.0 ARC R36.0
- P3 X36.0 Y382.0
- P4 X377.6 Y382.0
- P5 X377.6 Y0.0

Profile radii: R36.0 mm



S1-G - Part detail

Overall 247.6 x 284.0 mm | 18 mm plywood | datum lower-left = X0 Y0


X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features

No internal machining features.

Outer profile

- P1 X0.0 Y18.0
- P2 X0.0 Y266.0
- P3 X50.8 Y266.0
- P4 X50.8 Y284.0
- P5 X101.6 Y284.0
- P6 X101.6 Y266.0
- P7 X182.4 Y266.0
- P8 X182.4 Y284.0
- P9 X233.2 Y284.0
- P10 X233.2 Y266.0
- P11 X247.6 Y266.0
- P12 X247.6 Y18.0
- P13 X233.2 Y18.0
- P14 X233.2 Y0.0
- P15 X182.4 Y0.0
- P16 X182.4 Y18.0
- P17 X101.6 Y18.0
- P18 X101.6 Y0.0
- P19 X50.8 Y0.0
- P20 X50.8 Y18.0



S1-H - Part detail

Overall 247.6 x 284.0 mm | 18 mm plywood | datum lower-left = X0 Y0


X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features

No internal machining features.


Outer profile

- P1 X0.0 Y18.0
- P2 X0.0 Y266.0
- P3 X50.8 Y266.0
- P4 X50.8 Y284.0
- P5 X101.6 Y284.0
- P6 X101.6 Y266.0
- P7 X182.4 Y266.0
- P8 X182.4 Y284.0
- P9 X233.2 Y284.0
- P10 X233.2 Y266.0
- P11 X247.6 Y266.0
- P12 X247.6 Y18.0
- P13 X233.2 Y18.0
- P14 X233.2 Y0.0
- P15 X182.4 Y0.0
- P16 X182.4 Y18.0
- P17 X101.6 Y18.0
- P18 X101.6 Y0.0
- P19 X50.8 Y0.0
- P20 X50.8 Y18.0



S1-I - Part detail

Overall 490.0 x 1600.0 mm | 18 mm plywood | datum lower-left = X0 Y0



X = horizontal from LEFT edge

Y = vertical UP from BOTTOM edge

Machining features


- F1 Dia 5 x 11 deep X76.2 Y9.0
- F2 Dia 5 x 11 deep X413.8 Y9.0
- F3 rounded cut-out 337.6 x 72.0 R36.0 X76.2 Y44.0
- F4 Dia 5 x 11 deep X481.0 Y76.2
- F5 Dia 5 x 11 deep X9.0 Y76.2
- F6 rounded cut-out 337.6 x 72.0 R36.0 X76.2 Y188.0
- F7 rounded cut-out 337.6 x 72.0 R36.0 X76.2 Y332.0
- F8 Dia 5 x 11 deep X9.0 Y400.0
- F9 Dia 5 x 11 deep X481.0 Y400.0
- F10 rounded cut-out 337.6 x 72.0 R36.0 X76.2 Y476.0
- F11 rounded cut-out 337.6 x 72.0 R36.0 X76.2 Y620.0
- F12 rounded cut-out 337.6 x 72.0 R36.0 X76.2 Y764.0
- F13 Dia 5 x 11 deep X9.0 Y800.0
- F14 Dia 5 x 11 deep X481.0 Y800.0
- F15 rounded cut-out 337.6 x 72.0 R36.0 X76.2 Y908.0
- F16 rounded cut-out 337.6 x 72.0 R36.0 X76.2 Y1052.0
- F17 rounded cut-out 337.6 x 72.0 R36.0 X76.2 Y1196.0
- F18 Dia 5 x 11 deep X9.0 Y1200.0
- F19 Dia 5 x 11 deep X481.0 Y1200.0
- F20 rounded cut-out 337.6 x 72.0 R36.0 X76.2 Y1340.0
- F21 rounded cut-out 337.6 x 72.0 R36.0 X76.2 Y1484.0
- F22 Dia 5 x 11 deep X9.0 Y1523.8
- F23 Dia 5 x 11 deep X481.0 Y1523.8
- F24 Dia 5 x 11 deep X76.2 Y1591.0
- F25 Dia 5 x 11 deep X413.8 Y1591.0

Outer profile

- P1 X0.0 Y0.0
- P2 X490.0 Y0.0
- P3 X490.0 Y1600.0
- P4 X0.0 Y1600.0

S1-J - Part detail

Overall 400.0 x 1600.0 mm | 18 mm plywood | datum lower-left = X0 Y0



X = horizontal from LEFT edge

Y = vertical UP from BOTTOM edge

Machining features

- F1 Dia 5 x 11 deep X50.8 Y9.0
- F2 Dia 5 x 11 deep X349.2 Y9.0
- F3 Dia 15 x 14 deep X34.0 Y76.2
- F4 rounded cut-out 260.0 x 1400.0 R20.0 X60.0 Y100.0
- F5 Dia 35 x 13 deep X295.0 Y176.2
- F6 Dia 15 x 14 deep X34.0 Y400.0
- F7 Dia 35 x 13 deep X295.0 Y800.0
- F8 Dia 20 THROUGH X89.0 Y800.0
- F9 Dia 15 x 14 deep X34.0 Y800.0
- F10 Dia 15 x 14 deep X34.0 Y1200.0
- F11 Dia 35 x 13 deep X295.0 Y1423.8
- F12 Dia 15 x 14 deep X34.0 Y1523.8
- F13 Dia 5 x 11 deep X50.8 Y1591.0
- F14 Dia 5 x 11 deep X349.2 Y1591.0

Outer profile

- P1 X0.0 Y0.0
- P2 X400.0 Y0.0
- P3 X400.0 Y1600.0
- P4 X0.0 Y1600.0

S1-K - Part detail

Overall 284.0 x 582.0 mm | 18 mm plywood | datum lower-left = X0 Y0


X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features

No internal machining features.


Outer profile

- P1 X18.0 Y0.0
- P2 X18.0 Y33.2
- P3 X0.0 Y33.2
- P4 X0.0 Y84.1
- P5 X18.0 Y84.1
- P6 X18.0 Y253.2
- P7 X0.0 Y253.2
- P8 X0.0 Y311.7
- P9 X18.0 Y311.7
- P10 X18.0 Y480.9
- P11 X0.0 Y480.9
- P12 X0.0 Y531.7
- P13 X18.0 Y531.7
- P14 X17.6 Y582.0
- P15 X266.0 Y582.0
- P16 X266.0 Y531.7
- P17 X284.0 Y531.7
- P18 X284.0 Y480.9
- P19 X266.0 Y480.9
- P20 X266.0 Y311.7
- P21 X284.0 Y311.7
- P22 X284.0 Y253.2
- P23 X266.0 Y253.2
- P24 X266.0 Y84.1
- P25 X284.0 Y84.1
- P26 X284.0 Y33.2
- P27 X266.0 Y33.2
- P28 X266.0 Y0.0



S1-L - Part detail

Overall 290.0 x 400.0 mm | 18 mm plywood | datum lower-left = X0 Y0



X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features


- F1 Dia 15 x 14 deep X34.0 Y76.2
- F2 Dia 15 x 14 deep X256.0 Y76.2
- F3 Dia 15 x 14 deep X34.0 Y349.2
- F4 Dia 15 x 14 deep X256.0 Y349.2

Outer profile

- P1 X0.0 Y0.0
- P2 X290.0 Y0.0
- P3 X290.0 Y400.0
- P4 X0.0 Y400.0

S1-M - Part detail

Overall 308.0 x 382.0 mm | 18 mm plywood | datum lower-left = X0 Y0



X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features


- F1 Dia 15 x 14 deep X34.0 Y76.2
- F2 Dia 15 x 14 deep X274.0 Y76.2
- F3 Dia 15 x 14 deep X34.0 Y331.2
- F4 Dia 15 x 14 deep X274.0 Y331.2

Outer profile

- P1 X0.0 Y0.0
- P2 X308.0 Y0.0
- P3 X308.0 Y382.0
- P4 X0.0 Y382.0

S2-A - Part detail

Overall 600.0 x 284.0 mm | 18 mm plywood | datum lower-left = X0 Y0



X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features

- F1 cut-out 50.8 x 18.5 X50.8 Y18.0
- F2 cut-out 58.5 x 18.5 X270.7 Y18.0
- F3 cut-out 50.8 x 18.5 X498.4 Y18.0
- F4 Dia 5 x 11 deep X591.0 Y50.8
- F5 cut-out 18.5 x 50.8 X9.0 Y50.8
- F6 cut-out 18.5 x 50.8 X290.7 Y50.8
- F7 cut-out 18.5 x 50.8 X9.0 Y182.4
- F8 cut-out 18.5 x 50.8 X290.7 Y182.4
- F9 Dia 5 x 11 deep X591.0 Y233.2

Outer profile

- P1 X0.0 Y0.0
- P2 X0.0 Y284.0
- P3 X20.7 Y284.0 ARC R30.0
- P4 X50.8 Y254.0
- P5 X50.8 Y80.9 ARC R30.0
- P6 X80.8 Y50.8
- P7 X232.4 Y50.8 ARC R20.0
- P8 X252.3 Y69.1
- P9 X268.4 Y256.7 ARC R30.0
- P10 X298.3 Y284.0
- P11 X301.6 Y284.0 ARC R30.0
- P12 X331.6 Y256.6
- P13 X347.7 Y69.1 ARC R20.0
- P14 X367.7 Y50.8
- P15 X519.1 Y50.8 ARC R30.0
- P16 X549.2 Y80.8
- P17 X549.2 Y253.9 ARC R30.0
- P18 X579.2 Y284.0
- P19 X600.0 Y284.0
- P20 X600.0 Y0.0

Profile radii: R30.0, R20.0 mm

S2-B - Part detail

Overall 600.0 x 284.0 mm | 18 mm plywood | datum lower-left = X0 Y0


X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features

- F1 cut-out 50.8 x 18.5 X51.2 Y18.0
- F2 cut-out 58.5 x 18.5 X271.2 Y18.0
- F3 cut-out 50.8 x 18.5 X498.8 Y18.0
- F4 Dia 5 x 11 deep X9.0 Y50.8
- F5 cut-out 18.5 x 50.8 X291.2 Y50.8
- F6 cut-out 18.5 x 50.8 X572.9 Y50.8
- F7 cut-out 18.5 x 50.8 X291.2 Y182.4
- F8 cut-out 18.5 x 50.8 X572.9 Y182.4
- F9 Dia 5 x 11 deep X9.0 Y233.2


Outer profile

- P1 X0.0 Y0.0
- P2 X0.0 Y284.0
- P3 X600.0 Y284.0
- P4 X600.0 Y0.0



S2-C - Part detail

Overall 382.0 x 531.0 mm | 18 mm plywood | datum lower-left = X0 Y0



X = horizontal from LEFT edge

Y = vertical UP from BOTTOM edge

Machining features

F1 Dia 15 x 14 deep X50.8 Y34.0

F2 Dia 15 x 14 deep X331.2 Y34.0

F3 Dia 15 x 14 deep X348.0 Y58.2

F4 Dia 15 x 14 deep X348.0 Y472.8

F5 Dia 5 x 11 deep X50.8 Y522.0

F6 Dia 5 x 11 deep X331.2 Y522.0

Outer profile

P1 X0.0 Y0.0


P2 X382.0 Y0.0

P3 X382.0 Y531.0

P4 X0.0 Y531.0

S2-D - Part detail

Overall 400.0 x 482.0 mm | 18 mm plywood | datum lower-left = X0 Y0



X = horizontal from LEFT edge

Y = vertical UP from BOTTOM edge

Machining features

F1 Dia 15 x 14 deep X50.8 Y34.0

F2 Dia 15 x 14 deep X349.2 Y34.0

F3 Dia 15 x 14 deep X34.0 Y58.2

F4 Dia 15 x 14 deep X34.0 Y405.8

Outer profile

P1 X0.0 Y0.0


P2 X400.0 Y0.0

P3 X400.0 Y482.0

P4 X0.0 Y482.0

S2-E - Part detail

Overall 284.0 x 230.0 mm | 18 mm plywood | datum lower-left = X0 Y0



X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features


- F1 Dia 15 x 14 deep X50.8 Y33.6
- F2 Dia 15 x 14 deep X233.2 Y33.6
- F3 Dia 15 x 14 deep X50.8 Y196.0
- F4 Dia 15 x 14 deep X233.2 Y196.0

Outer profile

- P1 X0.0 Y0.0
- P2 X284.0 Y0.0
- P3 X284.0 Y115.0
- P4 X284.0 Y230.0
- P5 X0.0 Y230.0
- P6 X0.0 Y145.0
- P7 X38.8 Y145.0
- P8 X38.8 Y115.0
- P9 X38.8 Y85.0
- P10 X0.0 Y85.0

S2-F - Part detail

Overall 400.0 x 1600.0 mm | 18 mm plywood | datum lower-left = X0 Y0



X = horizontal from LEFT edge

Y = vertical UP from BOTTOM edge

Machining features


- F1 Dia 5 x 11 deep X50.8 Y9.0
- F2 Dia 5 x 11 deep X349.2 Y9.0
- F3 Dia 15 x 14 deep X366.0 Y76.2
- F4 Dia 15 x 14 deep X366.0 Y400.0
- F5 rounded cut-out 260.0 x 454.0 R20.0 X80.0 Y597.5
- F6 Dia 35 x 13 deep X104.0 Y673.7
- F7 Dia 15 x 14 deep X366.0 Y800.0
- F8 Dia 20 THROUGH X311.0 Y824.5
- F9 Dia 35 x 13 deep X104.0 Y975.3
- F10 Dia 15 x 14 deep X366.0 Y1200.0
- F11 Dia 15 x 14 deep X366.0 Y1523.8
- F12 Dia 5 x 11 deep X50.8 Y1591.0
- F13 Dia 5 x 11 deep X349.2 Y1591.0

Outer profile

- P1 X0.0 Y0.0
- P2 X400.0 Y0.0
- P3 X400.0 Y1600.0
- P4 X0.0 Y1600.0

S2-G - Part detail

Overall 382.0 x 1412.0 mm | 18 mm plywood | datum lower-left = X0 Y0



X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features


- F1 Dia 5 x 11 deep X357.0 Y9.0
- F2 Dia 15 x 14 deep X348.0 Y76.2
- F3 Dia 15 x 14 deep X348.0 Y472.7
- F4 Dia 5 x 11 deep X76.2 Y634.0
- F5 Dia 5 x 11 deep X331.2 Y634.0
- F6 rounded cut-out 242.0 x 649.0 R20.0 X80.0 Y663.0
- F7 Dia 35 x 13 deep X105.0 Y739.2
- F8 Dia 15 x 14 deep X348.0 Y943.3
- F9 Dia 20 THROUGH X293.0 Y987.5
- F10 Dia 35 x 13 deep X105.0 Y1235.8
- F11 Dia 15 x 14 deep X348.0 Y1335.8
- F12 Dia 5 x 11 deep X50.8 Y1403.0
- F13 Dia 5 x 11 deep X331.2 Y1403.0

Outer profile

- P1 X0.0 Y0.0
- P2 X382.0 Y0.0
- P3 X382.0 Y1412.0
- P4 X0.0 Y1412.0

S2-H - Part detail

Overall 400.0 x 1412.0 mm | 18 mm plywood | datum lower-left = X0 Y0



X = horizontal from LEFT edge

Y = vertical UP from BOTTOM edge

Machining features

- F1 Dia 5 x 11 deep X34.0 Y9.0
- F2 Dia 15 x 14 deep X34.0 Y76.2
- F3 Dia 15 x 14 deep X34.0 Y472.7
- F4 Dia 5 x 11 deep X50.8 Y634.0
- F5 Dia 5 x 11 deep X323.8 Y634.0
- F6 rounded cut-out 260.0 x 649.0 R20.0 X60.0 Y663.0
- F7 Dia 35 x 13 deep X295.0 Y739.2
- F8 Dia 15 x 14 deep X34.0 Y943.3
- F9 Dia 20 THROUGH X89.0 Y987.5
- F10 Dia 35 x 13 deep X295.0 Y1235.8
- F11 Dia 15 x 14 deep X34.0 Y1335.8
- F12 Dia 5 x 11 deep X50.8 Y1403.0
- F13 Dia 5 x 11 deep X349.2 Y1403.0

Outer profile

- P1 X0.0 Y0.0
- P2 X400.0 Y0.0
- P3 X400.0 Y1412.0
- P4 X0.0 Y1412.0

S3-A - Part detail

Overall 582.0 x 266.0 mm | 18 mm plywood | datum lower-left = X0 Y0


X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features

F1 cut-out 582.0 x 133.0 X0.0 Y133.0

Outer profile

- P1 X0.0 Y18.0
- P2 X32.8 Y18.0
- P3 X32.8 Y0.0
- P4 X83.5 Y0.0
- P5 X83.5 Y18.0
- P6 X252.8 Y18.0
- P7 X252.8 Y0.0
- P8 X311.2 Y0.0
- P9 X311.2 Y18.0
- P10 X480.4 Y18.0
- P11 X480.4 Y0.0
- P12 X531.2 Y0.0
- P13 X531.2 Y18.0
- P14 X566.3 Y18.0
- P15 X582.0 Y18.0
- P16 X582.0 Y248.0
- P17 X566.3 Y248.0
- P18 X531.2 Y248.0
- P19 X531.2 Y266.0
- P20 X480.4 Y266.0
- P21 X480.4 Y248.0
- P22 X311.2 Y248.0
- P23 X311.2 Y266.0
- P24 X252.8 Y266.0
- P25 X252.8 Y248.0
- P26 X83.5 Y248.0
- P27 X83.5 Y266.0
- P28 X32.8 Y266.0
- P29 X32.8 Y248.0
- P30 X0.0 Y248.0



S3-B - Part detail

Overall 266.0 x 247.5 mm | 18 mm plywood | datum lower-left = X0 Y0


X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features

No internal machining features.

Outer profile

- P1 X0.0 Y14.3
- P2 X0.0 Y65.1
- P3 X18.0 Y65.1
- P4 X18.0 Y146.0
- P5 X0.0 Y145.9
- P6 X0.0 Y196.7
- P7 X18.0 Y196.8
- P8 X18.0 Y247.5
- P9 X133.0 Y247.5
- P10 X248.0 Y247.5
- P11 X248.0 Y196.8
- P12 X266.0 Y196.7
- P13 X266.0 Y145.9
- P14 X248.0 Y145.9
- P15 X248.0 Y65.2
- P16 X266.0 Y65.1
- P17 X266.0 Y14.3
- P18 X248.0 Y14.4
- P19 X248.0 Y0.0
- P20 X133.0 Y0.0
- P21 X18.0 Y0.0
- P22 X18.0 Y14.4



S3-C - Part detail

Overall 266.0 x 247.5 mm | 18 mm plywood | datum lower-left = X0 Y0


X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features

No internal machining features.

Outer profile

- P1 X0.0 Y14.3
- P2 X0.0 Y65.1
- P3 X18.0 Y65.2
- P4 X18.0 Y146.0
- P5 X0.0 Y145.9
- P6 X0.0 Y196.7
- P7 X18.0 Y196.7
- P8 X18.0 Y247.5
- P9 X133.0 Y247.5
- P10 X248.0 Y247.5
- P11 X248.0 Y196.8
- P12 X266.0 Y196.7
- P13 X266.0 Y145.9
- P14 X248.0 Y146.0
- P15 X248.0 Y65.2
- P16 X266.0 Y65.1
- P17 X266.0 Y14.3
- P18 X248.0 Y14.3
- P19 X248.0 Y0.0
- P20 X133.0 Y0.0
- P21 X18.0 Y0.0
- P22 X18.0 Y14.4



S3-D - Part detail

Overall 600.0 x 284.0 mm | 18 mm plywood | datum lower-left = X0 Y0

X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge


Machining features

- F1 cut-out 50.8 x 18.5 X50.8 Y18.0
- F2 cut-out 58.5 x 18.5 X270.8 Y18.0
- F3 cut-out 50.8 x 18.5 X498.4 Y18.0
- F4 Dia 5 x 11 deep X9.0 Y50.8
- F5 cut-out 18.5 x 50.8 X572.5 Y50.8
- F6 cut-out 18.5 x 50.8 X290.7 Y50.8
- F7 cut-out 18.5 x 50.8 X290.8 Y182.4
- F8 cut-out 18.5 x 50.8 X572.5 Y182.4
- F9 Dia 5 x 11 deep X9.0 Y233.2

Outer profile

- P1 X0.0 Y0.0
- P2 X0.0 Y284.0
- P3 X20.7 Y284.0 ARC R30.0
- P4 X50.8 Y254.0
- P5 X50.8 Y80.9 ARC R30.0
- P6 X80.8 Y50.8
- P7 X232.4 Y50.8 ARC R20.0
- P8 X252.3 Y69.1
- P9 X268.4 Y256.7 ARC R30.0
- P10 X298.3 Y284.0
- P11 X301.6 Y284.0 ARC R30.0
- P12 X331.6 Y256.6
- P13 X347.7 Y69.1 ARC R20.0
- P14 X367.7 Y50.8
- P15 X519.1 Y50.8 ARC R30.0
- P16 X549.2 Y80.8
- P17 X549.2 Y253.9 ARC R30.0
- P18 X579.2 Y284.0
- P19 X600.0 Y284.0
- P20 X600.0 Y0.0

Profile radii: R30.0, R20.0 mm



S3-E - Part detail

Overall 600.0 x 284.0 mm | 18 mm plywood | datum lower-left = X0 Y0


X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features

- F1 cut-out 50.8 x 18.5 X498.0 Y18.0
- F2 cut-out 58.5 x 18.5 X270.3 Y18.0
- F3 cut-out 50.8 x 18.5 X50.4 Y18.0
- F4 Dia 5 x 11 deep X591.0 Y50.8
- F5 cut-out 18.5 x 50.8 X8.6 Y50.8
- F6 cut-out 18.5 x 50.8 X290.3 Y50.8
- F7 cut-out 18.5 x 50.8 X290.3 Y182.4
- F8 cut-out 18.5 x 50.8 X8.6 Y182.4
- F9 Dia 5 x 11 deep X591.0 Y233.2

Outer profile

- P1 X0.0 Y0.0
- P2 X0.0 Y284.0
- P3 X600.0 Y284.0
- P4 X600.0 Y0.0



S3-F - Part detail

Overall 543.0 x 1412.0 mm | 18 mm plywood | datum lower-left = X0 Y0


X = horizontal from LEFT edge
Y = vertical UP from BOTTOM edge

Machining features

- F1 cut-out 320.6 x 72.0 X76.0 Y94.0
- F2 rounded cut-out 396.6 x 72.0 R36.0 X76.2 Y238.0
- F3 rounded cut-out 396.6 x 72.0 R36.0 X76.2 Y382.0
- F4 rounded cut-out 396.6 x 72.0 R36.0 X76.2 Y526.0
- F5 rounded cut-out 396.6 x 72.0 R36.0 X76.2 Y670.0
- F6 rounded cut-out 396.6 x 72.0 R36.0 X76.2 Y814.0
- F7 rounded cut-out 396.6 x 72.0 R36.0 X76.2 Y958.0
- F8 rounded cut-out 396.6 x 72.0 R36.0 X76.2 Y1102.0
- F9 rounded cut-out 396.6 x 72.0 R36.0 X76.2 Y1246.0


Outer profile

- P1 X0.0 Y0.0
- P2 X395.6 Y0.0
- P3 X395.6 Y7.2
- P4 X395.6 Y40.2
- P5 X395.6 Y49.2
- P6 X543.0 Y140.0
- P7 X543.0 Y1002.0
- P8 X534.8 Y1002.0
- P9 X534.5 Y1222.0
- P10 X543.0 Y1248.4
- P11 X543.0 Y1412.0
- P12 X0.0 Y1412.0



S3-G - Part detail

Overall 549.0 x 1412.0 mm | 18 mm plywood | datum lower-left = X0 Y0



X = horizontal from LEFT edge

Y = vertical UP from BOTTOM edge

Machining features

- F1 Dia 5 x 11 deep X76.2 Y9.0
- F2 Dia 5 x 11 deep X316.1 Y9.0
- F3 Dia 5 x 11 deep X9.0 Y76.2
- F4 cut-out 320.6 x 72.0 X76.0 Y94.0
- F5 rounded cut-out 396.6 x 72.0 R36.0 X76.2 Y238.0
- F6 rounded cut-out 396.6 x 72.0 R36.0 X76.2 Y382.0
- F7 Dia 5 x 11 deep X9.0 Y472.7
- F8 rounded cut-out 396.6 x 72.0 R36.0 X76.2 Y526.0
- F9 rounded cut-out 396.6 x 72.0 R36.0 X76.2 Y670.0
- F10 rounded cut-out 396.6 x 72.0 R36.0 X76.2 Y814.0
- F11 Dia 5 x 11 deep X9.0 Y943.3
- F12 rounded cut-out 396.6 x 72.0 R36.0 X76.2 Y958.0
- F13 rounded cut-out 396.6 x 72.0 R36.0 X76.2 Y1102.0
- F14 rounded cut-out 396.6 x 72.0 R36.0 X76.2 Y1246.0
- F15 Dia 5 x 11 deep X540.0 Y1301.0
- F16 Dia 5 x 11 deep X9.0 Y1335.8
- F17 Dia 5 x 11 deep X76.2 Y1403.0
- F18 Dia 5 x 11 deep X498.2 Y1403.0

Outer profile

- P1 X0.0 Y0.0
- P2 X0.0 Y1412.0
- P3 X549.0 Y1412.0
- P4 X549.0 Y1267.0
- P5 X534.5 Y1222.0
- P6 X534.8 Y1002.0
- P7 X549.0 Y1002.0
- P8 X549.0 Y143.7
- P9 X395.6 Y49.2
- P10 X395.6 Y0.0

S4-A - Part detail

Overall 500.0 x 1412.0 mm | 18 mm plywood | datum lower-left = X0 Y0

X = horizontal from LEFT edge

Y = vertical UP from BOTTOM edge

Machining features

F1 Dia 5 x 11 deep X201.9 Y9.0

F2 Dia 5 x 11 deep X423.8 Y9.0

F3 Dia 5 x 11 deep X491.0 Y76.2

F4 cut-out 281.0 x 72.0 X142.8 Y94.0

F5 cut-out 347.6 x 72.0 X76.0 Y238.0

F6 cut-out 347.6 x 72.0 X76.0 Y382.0

F7 Dia 5 x 11 deep X491.0 Y472.7

F8 cut-out 347.6 x 72.0 X76.0 Y526.0

F9 cut-out 347.6 x 72.0 X76.0 Y670.0

F10 cut-out 347.6 x 72.0 X76.0 Y814.0

F11 Dia 5 x 11 deep X491.0 Y943.3

F12 cut-out 347.6 x 72.0 X76.0 Y958.0

F13 cut-out 347.6 x 72.0 X76.0 Y1102.0

F14 cut-out 347.6 x 72.0 X76.0 Y1246.0

F15 Dia 5 x 11 deep X491.0 Y1335.8

F16 Dia 5 x 11 deep X76.2 Y1403.0

F17 Dia 5 x 11 deep X423.8 Y1403.0

Outer profile

P1 X0.0 Y143.7


P2 X153.4 Y49.2

P3 X153.0 Y0.0

P4 X500.0 Y0.0


P5 X500.0 Y1412.0

P6 X0.0 Y1412.0



S4-B - Part detail

Overall 382.0 x 624.0 mm | 18 mm plywood | datum lower-left = X0 Y0



X = horizontal from LEFT edge

Y = vertical UP from BOTTOM edge

Machining features

F1 Dia 15 x 14 deep X50.8 Y34.0

F2 Dia 15 x 14 deep X305.8 Y34.0

F3 Dia 5 x 11 deep X50.8 Y615.0

F4 Dia 5 x 11 deep X331.2 Y615.0

Outer profile

P1 X0.0 Y0.0


P2 X382.0 Y0.0

P3 X382.0 Y624.0

P4 X0.0 Y624.0

S4-C - Part detail

Overall 400.0 x 624.0 mm | 18 mm plywood | datum lower-left = X0 Y0



X = horizontal from LEFT edge

Y = vertical UP from BOTTOM edge

Machining features

F1 Dia 15 x 14 deep X76.2 Y34.0

F2 Dia 15 x 14 deep X349.2 Y34.0

F3 Dia 5 x 11 deep X50.8 Y615.0

F4 Dia 5 x 11 deep X349.2 Y615.0

Outer profile

P1 X0.0 Y0.0

P2 X400.0 Y0.0

P3 X400.0 Y624.0

P4 X0.0 Y624.0