

VW-T5-T6-SWB-USHAPE-1-DOOR-KITCHEN-CRX50-FRIDGE

Coordinate system

X = horizontal from LEFT edge

Y = vertical from BOTTOM edge

Origin (0,0) = bottom-left of each individual panel

Rules

- 18 mm sheet material
- Ø15 mm holes: blind, 14 mm deep
- Ø35 mm holes: blind, 13 mm deep
- Ø5 mm holes: blind, 11 mm deep
- Ø20 mm holes: through-hole
- Other internal profiles are cut-outs unless stated otherwise
- P1 is always the profile point nearest the panel 0,0 datum
- Open internal lines are dimensioned as cut lines


Manual-build option

Ø5 and Ø15 fixing holes may be omitted where appropriate and replaced with L-brackets or timber fixing blocks.

Sheet summary: 5 sheets, 34 detected panels.


Sheet 1 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.



Sheet 2 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.




Sheet 3 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.

SHEET 3 - REAR QUARTER PASSENGER SIDE - PLY LINING UP TO DOOR

CUT THIS VERSION when the ply lining continues up to the sliding door / over the C-pillar.


IMPORTANT: CUT SHEET 3 OR SHEET 4 - DO NOT CUT BOTH.



Sheet 4 - 1220 x 2440 x 18 mm layout


Part labels correspond to individual pages.

SHEET 4 - REAR QUARTER PASSENGER SIDE - INSET VERSION
CUT THIS VERSION when the ply lining finishes before the C-pillar and sits inset.
IMPORTANT: CUT SHEET 3 OR SHEET 4 - DO NOT CUT BOTH.




Sheet 5 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.



S1-A - Part detail

Overall 760.0 x 525.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X760.0 Y0.0
- P3: X760.0 Y500.0
- P4: X760.0 Y525.0
- P5: X308.0 Y525.0
- P6: X164.0 Y520.0
- P7: X0.0 Y515.0

Machining / cut features

- F1: Cut-out: 72.0 x 350.0 mm, centre X380.0 Y250.0, R36.0
- F2: Cut-out: 72.0 x 350.0 mm, centre X236.0 Y250.0, R36.0
- F3: Cut-out: 72.0 x 350.0 mm, centre X92.0 Y250.0, R36.0
- F4: Cut-out: 72.0 x 350.0 mm, centre X524.0 Y250.0, R36.0
- F5: Cut-out: 72.0 x 350.0 mm, centre X668.0 Y250.0, R36.0
- F6: Hole: Ø5 mm, centre X236.0 Y9.0
- F7: Hole: Ø5 mm, centre X524.0 Y9.0
- F8: Hole: Ø5 mm, centre X9.0 Y423.8
- F9: Hole: Ø5 mm, centre X9.0 Y76.2
- F10: Hole: Ø5 mm, centre X751.0 Y76.2
- F11: Hole: Ø5 mm, centre X751.0 Y423.8

S1-B - Part detail

Overall 400.0 x 482.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y0.0
P2: X400.0 Y0.0
P3: X400.0 Y482.0
P4: X358.7 Y482.0
P5: X350.0 Y468.5
P6: X295.0 Y468.5
P7: X295.0 Y403.9
P8: X194.6 Y303.9
P9: X0.0 Y303.9

Profile radii


R100.0

Machining / cut features

F1: Hole: 15 mm, centre X70.8 Y34.0
F2: Hole: 15 mm, centre X349.2 Y34.0
F3: Hole: 15 mm, centre X366.0 Y405.8
F4: Hole: 15 mm, centre X366.0 Y57.1

S1-C - Part detail

Overall 555.0 x 1630.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X130.2 Y19.1
- P2: X47.1 Y167.5
- P3: X2.2 Y167.5
- P4: X0.0 Y551.1
- P5: X0.0 Y1078.9
- P6: X2.2 Y1462.5
- P7: X47.1 Y1462.5
- P8: X130.2 Y1610.9
- P9: X135.8 Y1613.1
- P10: X145.7 Y1615.0
- P11: X555.0 Y1630.0
- P12: X555.0 Y0.0
- P13: X145.7 Y15.0
- P14: X135.8 Y16.9

Machining / cut features

- F1: Cut-out: 318.0 x 72.0 mm, centre X321.0 Y815.0
- F2: Cut-out: 318.0 x 72.0 mm, centre X321.0 Y959.0
- F3: Cut-out: 318.0 x 72.0 mm, centre X321.0 Y1103.0
- F4: Cut-out: 318.0 x 72.0 mm, centre X321.0 Y1391.0
- F5: Cut-out: 318.0 x 72.0 mm, centre X321.0 Y671.0
- F6: Cut-out: 318.0 x 72.0 mm, centre X321.0 Y527.0
- F7: Cut-out: 318.0 x 72.0 mm, centre X321.0 Y239.0
- F8: Cut-out: 268.0 x 72.0 mm, centre X346.0 Y95.0
- F9: Cut-out: 268.0 x 72.0 mm, centre X346.0 Y1535.0
- F10: Hole: Ø5 mm, centre X153.0 Y1564.2
- F11: Hole: Ø5 mm, centre X546.0 Y1564.2
- F12: Hole: Ø5 mm, centre X546.0 Y65.8
- F13: Hole: Ø5 mm, centre X153.0 Y65.8
- F14: Hole: Ø5 mm, centre X546.0 Y294.2
- F15: Hole: Ø5 mm, centre X153.0 Y294.2
- F16: Hole: Ø5 mm, centre X546.0 Y1335.8
- F17: Hole: Ø5 mm, centre X153.0 Y1335.8
- F18: Cut line: 552.8 mm, X2.2 Y1285.0 to X555.0 Y1285.0
- F19: Cut line: 552.8 mm, X2.2 Y815.0 to X555.0 Y815.0
- F20: Cut line: 552.8 mm, X2.2 Y345.0 to X555.0 Y345.0

S1-D - Part detail

Overall 399.9 x 1600.2 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X399.9 Y10.0
- P3: X399.9 Y1590.0
- P4: X0.0 Y1600.2

Machining / cut features

- F1: Hole: Ø15 mm, centre X34.0 Y1549.2
- F2: Hole: Ø15 mm, centre X34.0 Y50.8
- F3: Cut-out: 260.0 x 878.0 mm, centre X190.0 Y800.0, R36.0
- F4: Hole: Ø20 mm, centre X89.0 Y800.0
- F5: Hole: Ø35 mm, centre X295.0 Y1162.9
- F6: Hole: Ø35 mm, centre X295.0 Y437.3
- F7: Hole: Ø15 mm, centre X34.0 Y279.2
- F8: Hole: Ø15 mm, centre X34.0 Y1320.8

S1-E - Part detail

Overall 40.0 x 1167.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y20.0
P2: X20.0 Y0.0
P3: X40.0 Y20.0
P4: X40.0 Y1147.0
P5: X20.0 Y1167.0
P6: X0.0 Y1147.0

Profile radii


R20.0

Machining / cut features

None

S1-F - Part detail

Overall 67.0 x 1131.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y0.0
P2: X67.0 Y0.0
P3: X67.0 Y1131.0
P4: X0.0 Y1131.0

Machining / cut features

None

S1-G - Part detail

Overall 40.0 x 760.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y20.0
P2: X20.0 Y0.0
P3: X40.0 Y20.0
P4: X40.0 Y740.0
P5: X20.0 Y760.0
P6: X0.0 Y740.0

Profile radii


R20.0

Machining / cut features

None

S2-A - Part detail

Overall 382.0 x 528.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y177.8
- P2: X217.0 Y177.9
- P3: X317.0 Y77.5
- P4: X317.0 Y15.0
- P5: X352.0 Y15.0
- P6: X367.0 Y0.0
- P7: X382.0 Y0.0
- P8: X382.0 Y528.0
- P9: X0.0 Y527.9

Profile radii

R100.0

Machining / cut features

- F1: Hole: 15 mm, centre X331.2 Y494.0
- F2: Hole: 15 mm, centre X348.0 Y470.9
- F3: Hole: 15 mm, centre X348.0 Y76.2
- F4: Hole: 15 mm, centre X50.8 Y494.0

S2-B - Part detail


Overall 760.0 x 400.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X760.0 Y0.0
- P3: X760.0 Y400.0
- P4: X0.0 Y400.0


Machining / cut features

- F1: Cut-out: 560.0 x 260.0 mm, centre X380.0 Y190.0, R20.0
- F2: Hole: Ø15 mm, centre X236.0 Y366.0
- F3: Hole: Ø15 mm, centre X524.0 Y366.0
- F4: Hole: Ø5 mm, centre X9.0 Y50.8
- F5: Hole: Ø5 mm, centre X751.0 Y50.8
- F6: Hole: Ø20 mm, centre X380.1 Y291.0
- F7: Hole: Ø35 mm, centre X176.2 Y85.0
- F8: Hole: Ø35 mm, centre X583.8 Y85.0
- F9: Hole: Ø5 mm, centre X751.0 Y349.2
- F10: Hole: Ø5 mm, centre X9.0 Y349.2



S2-C - Part detail

Overall 382.0 x 510.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X382.0 Y0.0
- P3: X382.0 Y510.0
- P4: X0.0 Y510.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X331.2 Y476.0
- F2: Hole: Ø15 mm, centre X348.0 Y452.9
- F3: Hole: Ø15 mm, centre X348.0 Y57.2
- F4: Hole: Ø15 mm, centre X356.2 Y34.0
- F5: Hole: Ø20 mm, centre X303.0 Y153.8
- F6: Hole: Ø15 mm, centre X50.8 Y476.0
- F7: Cut lines: L1 332.0 mm: X0.0 Y308.1 to X332.0 Y308.0; L2 308.0 mm: X332.0 Y308.0 to X332.0 Y0.0

S2-D - Part detail

Overall 400.0 x 482.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y13.2
- P2: X205.0 Y13.0
- P3: X205.0 Y0.0
- P4: X400.0 Y0.0
- P5: X400.0 Y482.0
- P6: X0.0 Y481.9

Machining / cut features

- F1: Hole: Ø15 mm, centre X349.2 Y448.0
- F2: Hole: Ø15 mm, centre X366.0 Y76.2
- F3: Hole: Ø15 mm, centre X366.0 Y423.8
- F4: Hole: Ø15 mm, centre X50.8 Y448.0

S2-E - Part detail

Overall 400.0 x 1600.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y177.9
- P2: X210.0 Y178.0
- P3: X310.0 Y77.6
- P4: X310.0 Y20.0
- P5: X350.0 Y20.0
- P6: X350.0 Y5.0
- P7: X355.0 Y0.0
- P8: X400.0 Y0.0
- P9: X400.0 Y1600.0
- P10: X355.0 Y1600.0
- P11: X350.0 Y1595.0
- P12: X350.0 Y1580.0
- P13: X310.0 Y1580.0
- P14: X310.0 Y1522.0
- P15: X209.8 Y1422.0
- P16: X0.0 Y1422.0

Profile radii


R100.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X366.0 Y1549.2
- F2: Hole: Ø15 mm, centre X366.0 Y50.8
- F3: Cut-out: 260.0 x 454.0 mm, centre X210.0 Y777.0, R20.0
- F4: Hole: Ø20 mm, centre X311.0 Y777.0
- F5: Hole: Ø35 mm, centre X104.0 Y927.8
- F6: Hole: Ø35 mm, centre X104.0 Y626.2
- F7: Hole: Ø15 mm, centre X366.0 Y279.2
- F8: Hole: Ø15 mm, centre X366.0 Y1320.8

S2-F - Part detail

Overall 546.0 x 1165.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X546.0 Y0.0
- P3: X546.0 Y1165.0
- P4: X0.0 Y1165.0

Machining / cut features

- F1: Cut-out: 396.0 x 66.3 mm, centre X273.0 Y649.8
- F2: Cut-out: 396.0 x 66.3 mm, centre X273.0 Y782.5
- F3: Cut-out: 396.0 x 66.3 mm, centre X273.0 Y915.1
- F4: Cut-out: 396.0 x 66.3 mm, centre X273.0 Y1047.7
- F5: Cut-out: 396.0 x 66.3 mm, centre X273.0 Y517.2
- F6: Cut-out: 396.0 x 66.3 mm, centre X273.0 Y384.5
- F7: Cut-out: 396.0 x 66.3 mm, centre X273.0 Y251.9
- F8: Cut-out: 396.0 x 66.3 mm, centre X273.0 Y119.3

S3-A - Part detail

Overall 382.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y740.0
- P3: X382.0 Y740.0
- P4: X382.0 Y0.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X348.0 Y689.2
- F2: Hole: Ø15 mm, centre X348.0 Y370.0
- F3: Hole: Ø15 mm, centre X348.0 Y50.8
- F4: Hole: Ø15 mm, centre X50.8 Y706.0
- F5: Hole: Ø15 mm, centre X324.9 Y706.0
- F6: Hole: Ø5 mm, centre X76.2 Y370.0
- F7: Hole: Ø5 mm, centre X305.8 Y370.0

S3-B - Part detail

Overall 482.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y739.8
- P3: X482.0 Y740.0
- P4: X482.0 Y0.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X424.9 Y706.0
- F2: Hole: Ø15 mm, centre X50.8 Y706.0


S3-C - Part detail

Overall 900.0 x 500.0 mm | Origin bottom-left | P1 nearest 0,0



S3-D - Part detail

Overall 561.0 x 1167.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X15.0 Y0.0
- P2: X561.0 Y0.0
- P3: X561.0 Y1167.0
- P4: X0.0 Y1167.0
- P5: X15.0 Y825.0
- P6: X30.0 Y780.0
- P7: X30.0 Y480.0
- P8: X15.0 Y480.0

Machining / cut features

- F1: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y649.8
- F2: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y782.5
- F3: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y915.1
- F4: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y1047.7
- F5: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y517.2
- F6: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y384.5
- F7: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y251.9
- F8: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y119.3
- F9: Hole: 5 mm, centre X91.2 Y1158.0
- F10: Hole: 5 mm, centre X484.8 Y1158.0
- F11: Hole: 5 mm, centre X484.8 Y9.0
- F12: Hole: 5 mm, centre X91.2 Y9.0
- F13: Hole: 5 mm, centre X552.0 Y778.0
- F14: Hole: 5 mm, centre X552.0 Y389.0
- F15: Hole: 5 mm, centre X24.0 Y418.0

S3-E - Part detail

Overall 382.0 x 1167.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X382.0 Y0.1
- P3: X382.0 Y1167.0
- P4: X0.0 Y1167.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X34.0 Y389.0
- F2: Hole: Ø15 mm, centre X34.0 Y778.0
- F3: Hole: Ø5 mm, centre X50.8 Y1158.1
- F4: Hole: Ø5 mm, centre X311.2 Y1157.9
- F5: Hole: Ø5 mm, centre X25.8 Y9.1
- F6: Cut-out: 246.0 x 391.0 mm, centre X179.0 Y873.6, R20.0
- F7: Hole: Ø35 mm, centre X277.0 Y754.4
- F8: Hole: Ø35 mm, centre X277.0 Y993.2
- F9: Hole: Ø20 mm, centre X85.0 Y874.0

S4-A - Part detail

Overall 382.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y740.0
- P3: X382.0 Y740.0
- P4: X382.0 Y0.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X348.0 Y689.2
- F2: Hole: Ø15 mm, centre X348.0 Y370.0
- F3: Hole: Ø15 mm, centre X348.0 Y50.8
- F4: Hole: Ø15 mm, centre X50.8 Y706.0
- F5: Hole: Ø15 mm, centre X324.8 Y706.0
- F6: Hole: Ø5 mm, centre X76.2 Y370.0
- F7: Hole: Ø5 mm, centre X305.8 Y370.0

S4-B - Part detail

Overall 482.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y0.0
P2: X0.0 Y739.8
P3: X482.0 Y740.0
P4: X482.0 Y0.0

Machining / cut features

F1: Hole: Ø15 mm, centre X424.9 Y706.0
F2: Hole: Ø15 mm, centre X50.8 Y706.0

S4-C - Part detail

Overall 900.0 x 500.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y100.0
- P2: X433.9 Y99.9
- P3: X464.0 Y69.9
- P4: X464.0 Y0.2
- P5: X900.0 Y0.0
- P6: X900.0 Y500.0
- P7: X0.0 Y500.0

Profile radii


- P6 R30.0

Machining / cut features

- F1: Hole: Ø5 mm, centre X891.0 Y76.2
- F2: Hole: Ø5 mm, centre X891.0 Y449.2
- F3: Hole: Ø5 mm, centre X9.0 Y449.2
- F4: Hole: Ø5 mm, centre X9.0 Y176.2
- F5: Hole: Ø5 mm, centre X221.0 Y109.0
- F6: Hole: Ø5 mm, centre X473.0 Y76.2
- F7: Hole: Ø5 mm, centre X473.0 Y449.2

S4-D - Part detail

Overall 382.0 x 1167.1 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X382.0 Y0.1
- P3: X382.0 Y1166.9
- P4: X0.0 Y1167.1

Machining / cut features

- F1: Hole: Ø15 mm, centre X34.0 Y389.0
- F2: Hole: Ø15 mm, centre X34.0 Y778.0
- F3: Hole: Ø5 mm, centre X50.8 Y1158.1
- F4: Hole: Ø5 mm, centre X311.2 Y1157.9
- F5: Hole: Ø5 mm, centre X25.8 Y9.1
- F6: Cut-out: 246.0 x 391.0 mm, centre X179.0 Y873.6, R20.0
- F7: Hole: Ø35 mm, centre X277.0 Y754.4
- F8: Hole: Ø35 mm, centre X277.0 Y993.2
- F9: Hole: Ø20 mm, centre X85.0 Y874.0

S4-E - Part detail

Overall 580.0 x 1167.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X33.0 Y0.0
- P2: X580.0 Y0.0
- P3: X580.0 Y1167.0
- P4: X20.0 Y1167.0
- P5: X0.0 Y730.0
- P6: X43.0 Y679.8
- P7: X43.0 Y480.0
- P8: X33.0 Y480.0

Machining / cut features

- F1: Cut-out: 396.0 x 66.3 mm, centre X308.0 Y649.8
- F2: Cut-out: 396.0 x 66.3 mm, centre X308.0 Y782.5
- F3: Cut-out: 396.0 x 66.3 mm, centre X308.0 Y915.1
- F4: Cut-out: 396.0 x 66.3 mm, centre X308.0 Y1047.7
- F5: Cut-out: 396.0 x 66.3 mm, centre X308.0 Y517.2
- F6: Cut-out: 396.0 x 66.3 mm, centre X308.0 Y384.5
- F7: Cut-out: 396.0 x 66.3 mm, centre X308.0 Y251.9
- F8: Cut-out: 396.0 x 66.3 mm, centre X308.0 Y119.3
- F9: Hole: Ø5 mm, centre X42.1 Y418.0
- F10: Hole: Ø5 mm, centre X109.1 Y1156.0
- F11: Hole: Ø5 mm, centre X503.8 Y1156.0
- F12: Hole: Ø5 mm, centre X109.1 Y9.0
- F13: Hole: Ø5 mm, centre X503.8 Y9.0
- F14: Hole: Ø5 mm, centre X571.0 Y778.0
- F15: Hole: Ø5 mm, centre X571.0 Y389.0


S5-A - Part detail

Overall 700.0 x 500.0 mm | Origin bottom-left | P1 nearest 0,0



S5-B - Part detail

Overall 424.0 x 382.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y0.0
P2: X424.0 Y0.0
P3: X424.0 Y382.0
P4: X0.0 Y382.0

Machining / cut features

None

S5-C - Part detail

Overall 485.0 x 382.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X9.3 Y0.0
- P2: X485.0 Y0.0
- P3: X485.0 Y382.0
- P4: X6.6 Y382.0
- P5: X0.0 Y160.0
- P6: X4.9 Y160.0
- P7: X4.9 Y130.0
- P8: X9.9 Y130.0

Machining / cut features

- F1: Cut-out: 310.0 x 244.0 mm, centre X270.0 Y202.0, R20.0
- F2: Hole: Ø35 mm, centre X166.7 Y105.0
- F3: Hole: Ø35 mm, centre X374.2 Y105.0
- F4: Hole: Ø20 mm, centre X270.0 Y295.0
- F5: Hole: Ø15 mm, centre X67.0 Y348.0
- F6: Hole: Ø5 mm, centre X476.0 Y331.2
- F7: Hole: Ø5 mm, centre X476.0 Y50.8

S5-D - Part detail

Overall 248.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y0.0
- P2: X0.0 Y284.0
- P3: X94.0 Y284.0
- P4: X94.0 Y245.1
- P5: X154.0 Y245.1
- P6: X154.0 Y284.0
- P7: X248.0 Y284.0
- P8: X248.0 Y0.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X33.6 Y233.2
- F2: Hole: Ø15 mm, centre X214.0 Y233.2
- F3: Hole: Ø15 mm, centre X214.0 Y50.8
- F4: Hole: Ø15 mm, centre X33.6 Y50.8

S5-E - Part detail


Overall 600.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X600.0 Y0.0
- P3: X600.0 Y284.0
- P4: X0.0 Y284.0


Machining / cut features

- F1: Cut-out: 18.5 x 50.8 mm, centre X582.2 Y207.8
- F2: Cut-out: 18.5 x 50.8 mm, centre X582.2 Y76.2
- F3: Cut-out: 18.5 x 50.8 mm, centre X300.4 Y207.8
- F4: Cut-out: 58.5 x 18.5 mm, centre X300.4 Y27.3
- F5: Cut-out: 50.8 x 18.5 mm, centre X524.2 Y27.3
- F6: Cut-out: 50.8 x 18.5 mm, centre X76.6 Y27.3
- F7: Cut-out: 18.5 x 50.8 mm, centre X300.4 Y76.2
- F8: Hole: Ø5 mm, centre X9.0 Y50.8
- F9: Hole: Ø5 mm, centre X9.0 Y233.2



S5-F - Part detail

Overall 600.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y0.0
P2: X600.0 Y0.0
P3: X600.0 Y284.0
P4: X579.3 Y284.0
P5: X549.2 Y254.0
P6: X549.2 Y80.9
P7: X519.2 Y50.8
P8: X363.0 Y50.8
P9: X357.7 Y51.8
P10: X353.2 Y54.4
P11: X348.2 Y63.1
P12: X331.6 Y256.7
P13: X301.7 Y284.0
P14: X298.4 Y284.0
P15: X268.4 Y256.6
P16: X251.8 Y63.1
P17: X250.1 Y58.3
P18: X246.9 Y54.4
P19: X242.4 Y51.8
P20: X239.6 Y51.0
P21: X237.0 Y50.8
P22: X80.9 Y50.8
P23: X50.8 Y80.8
P24: X50.8 Y253.9
P25: X20.8 Y284.0
P26: X0.0 Y284.0

Profile radii


R30.0

Machining / cut features

F1: Cut-out: 18.5 x 50.8 mm, centre X18.2 Y76.2
F2: Cut-out: 18.5 x 50.8 mm, centre X300.0 Y76.2
F3: Cut-out: 18.5 x 50.8 mm, centre X300.0 Y207.8
F4: Hole: Ø5 mm, centre X591.0 Y233.2
F5: Hole: Ø5 mm, centre X591.0 Y50.8
F6: Cut-out: 50.8 x 18.5 mm, centre X523.8 Y27.2
F7: Cut-out: 58.5 x 18.5 mm, centre X300.0 Y27.2
F8: Cut-out: 18.5 x 50.8 mm, centre X18.2 Y207.8
F9: Cut-out: 50.8 x 18.5 mm, centre X76.2 Y27.3


S5-G - Part detail

Overall 582.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0



S5-H - Part detail

Overall 284.0 x 247.6 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y14.3
- P2: X0.0 Y65.1
- P3: X18.0 Y65.2
- P4: X18.0 Y146.0
- P5: X0.0 Y145.9
- P6: X0.0 Y196.7
- P7: X18.0 Y196.8
- P8: X18.0 Y247.6
- P9: X266.0 Y247.6
- P10: X266.0 Y196.8
- P11: X284.0 Y196.7
- P12: X284.0 Y145.9
- P13: X266.0 Y145.9
- P14: X266.0 Y65.1
- P15: X284.0 Y65.1
- P16: X284.0 Y14.3
- P17: X266.0 Y14.4
- P18: X266.0 Y0.0
- P19: X18.0 Y0.0
- P20: X18.0 Y14.4

Machining / cut features

None

S5-I - Part detail

Overall 284.0 x 247.6 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y14.3
- P2: X0.0 Y65.1
- P3: X18.0 Y65.1
- P4: X18.0 Y145.9
- P5: X0.0 Y145.9
- P6: X0.0 Y196.7
- P7: X18.0 Y196.8
- P8: X18.0 Y247.6
- P9: X266.0 Y247.6
- P10: X266.0 Y196.8
- P11: X284.0 Y196.7
- P12: X284.0 Y145.9
- P13: X266.0 Y145.9
- P14: X266.0 Y65.2
- P15: X284.0 Y65.1
- P16: X284.0 Y14.3
- P17: X266.0 Y14.4
- P18: X266.0 Y0.0
- P19: X18.0 Y0.0
- P20: X18.0 Y14.3

Machining / cut features

None

S5-J - Part detail

Overall 464.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X464.0 Y0.0
- P3: X464.0 Y740.0
- P4: X0.0 Y740.0

Machining / cut features

- F1: Cut-out: 324.0 x 600.0 mm, centre X232.0 Y370.0, R20.0
- F2: Hole: Ø15 mm, centre X221.0 Y706.0
- F3: Hole: Ø15 mm, centre X430.0 Y689.2
- F4: Hole: Ø15 mm, centre X430.0 Y370.0
- F5: Hole: Ø15 mm, centre X430.0 Y50.8
- F6: Hole: Ø5 mm, centre X9.0 Y50.8
- F7: Hole: Ø5 mm, centre X9.0 Y370.0
- F8: Hole: Ø5 mm, centre X9.0 Y689.2
- F9: Hole: Ø35 mm, centre X95.0 Y146.6
- F10: Hole: Ø35 mm, centre X95.0 Y593.7
- F11: Hole: Ø20 mm, centre X365.0 Y439.9

S5-K - Part detail

Overall 482.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y0.0
- P2: X482.0 Y0.0
- P3: X482.0 Y740.0
- P4: X0.0 Y740.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X57.1 Y706.0
- F2: Hole: Ø15 mm, centre X431.2 Y706.0
- F3: Hole: Ø5 mm, centre X400.6 Y689.2
- F4: Hole: Ø5 mm, centre X400.6 Y370.0
- F5: Hole: Ø5 mm, centre X400.6 Y50.8