

VW-T5-T6-SWB-USHAPE-2-DOOR-KITCHEN

Coordinate system

X = horizontal from LEFT edge

Y = vertical from BOTTOM edge

Origin (0,0) = bottom-left of each individual panel

Rules

- 18 mm sheet material
- Ø15 mm holes: blind, 14 mm deep
- Ø35 mm holes: blind, 13 mm deep
- Ø5 mm holes: blind, 11 mm deep
- Ø20 mm holes: through-hole
- Other internal profiles are cut-outs unless stated otherwise
- P1 is always the profile point nearest the panel 0,0 datum
- Open internal lines are dimensioned as cut lines


Manual-build option

Ø5 and Ø15 fixing holes may be omitted where appropriate and replaced with L-brackets or timber fixing blocks.

Sheet summary: 5 sheets, 39 detected panels.

Sheet 1 - 1220 x 2440 x 18 mm layout


Part labels correspond to individual pages.



Sheet 2 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.

SHEET 2 - REAR QUARTER PASSENGER SIDE - UP TO SLIDING DOOR
CUT THIS VERSION when the ply lining goes up to the sliding door / over the C-pillar.
IMPORTANT: CUT SHEET 2 OR SHEET 3 - DO NOT CUT BOTH.




Sheet 3 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.

SHEET 3 - REAR QUARTER PASSENGER SIDE - INSET VERSION


CUT THIS VERSION when the ply lining is inset and finishes before the C-pillar.

IMPORTANT: CUT SHEET 2 OR SHEET 3 - DO NOT CUT BOTH.




Sheet 4 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.




Sheet 5 - 1220 x 2440 x 18 mm layout

Part labels correspond to individual pages.



S1-A - Part detail

Overall 284.0 x 248.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y0.0
- P2: X0.0 Y94.0
- P3: X38.9 Y94.0
- P4: X38.9 Y154.0
- P5: X0.0 Y154.0
- P6: X0.0 Y248.0
- P7: X284.0 Y248.0
- P8: X284.0 Y0.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X233.2 Y214.0
- F2: Hole: Ø15 mm, centre X233.2 Y33.6
- F3: Hole: Ø15 mm, centre X50.8 Y33.6
- F4: Hole: Ø15 mm, centre X50.8 Y214.0

Overall 760.0 x 530.0 mm | Origin bottom-left | P1 nearest 0,0


Technical drawing of a rectangular plate with five vertical slots. The plate has a total width of 760.0 and a height of 1000.0. The slots are labeled F1, F2, F3, F4, and F5 from left to right. The distance between the centers of the slots is 150.0. The distance from the left edge to the center of the first slot (F1) is 150.0. The distance from the center of the last slot (F5) to the right edge is 150.0. The distance from the bottom edge to the center of the slots is 250.0. The distance from the top edge to the center of the slots is 750.0. The drawing includes dimension lines and labels for these measurements.

P1: X0.0 Y0.0
P2: X760.0 Y0.0
P3: X760.0 Y530.0
P4: X0.0 Y515.0

F1: Cut-out: 72.0 x 350.0 mm, centre X380.0 Y250.0, R36.0
F2: Cut-out: 72.0 x 350.0 mm, centre X236.0 Y250.0, R36.0
F3: Cut-out: 72.0 x 350.0 mm, centre X92.0 Y250.0, R36.0
F4: Cut-out: 72.0 x 350.0 mm, centre X524.0 Y250.0, R36.0
F5: Cut-out: 72.0 x 350.0 mm, centre X688.0 Y250.0, R36.0
F6: Hole: Ø5 mm, centre X236.0 Y9.0
F7: Hole: Ø5 mm, centre X524.0 Y9.0
F8: Hole: Ø5 mm, centre X9.0 Y423.8
F9: Hole: Ø5 mm, centre X9.0 Y76.2
F10: Hole: Ø5 mm, centre X751.0 Y76.2
F11: Hole: Ø5 mm, centre X751.0 Y423.8

S1-C - Part detail

Overall 400.0 x 482.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y0.0
- P2: X0.0 Y304.0
- P3: X214.6 Y304.0
- P4: X315.0 Y404.0
- P5: X315.0 Y468.5
- P6: X350.0 Y468.4
- P7: X358.7 Y482.0
- P8: X400.0 Y482.0
- P9: X400.0 Y0.0

Profile radii


R100.0

Machining / cut features

- F1: Hole: 15 mm, centre X349.2 Y34.0
- F2: Hole: 15 mm, centre X366.0 Y405.8
- F3: Hole: 15 mm, centre X50.8 Y34.0
- F4: Hole: 15 mm, centre X366.0 Y58.2

S1-D - Part detail

Overall 607.7 x 1630.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y167.3
- P2: X0.0 Y1462.7
- P3: X99.9 Y1462.5
- P4: X182.9 Y1610.9
- P5: X190.5 Y1613.7
- P6: X198.4 Y1615.0
- P7: X607.7 Y1630.0
- P8: X607.7 Y0.0
- P9: X198.4 Y15.0
- P10: X190.5 Y16.3
- P11: X182.9 Y19.1
- P12: X99.8 Y167.5

Machining / cut features

- F1: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y815.0
- F2: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y959.0
- F3: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y1103.0
- F4: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y1391.0
- F5: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y671.0
- F6: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y527.0
- F7: Cut-out: 318.0 x 72.0 mm, centre X373.7 Y239.0
- F8: Cut-out: 268.0 x 72.0 mm, centre X398.7 Y95.0
- F9: Cut-out: 268.0 x 72.0 mm, centre X398.7 Y1535.0
- F10: Hole: Ø5 mm, centre X205.7 Y1564.2
- F11: Hole: Ø5 mm, centre X598.7 Y1564.2
- F12: Hole: Ø5 mm, centre X598.7 Y65.8
- F13: Hole: Ø5 mm, centre X205.7 Y65.8
- F14: Hole: Ø5 mm, centre X598.7 Y294.2
- F15: Hole: Ø5 mm, centre X205.7 Y294.2
- F16: Hole: Ø5 mm, centre X598.7 Y1335.8
- F17: Hole: Ø5 mm, centre X205.7 Y1335.8
- F18: Cut line: 607.7 mm, X0.0 Y1285.0 to X607.7 Y1285.0
- F19: Cut line: 607.7 mm, X0.0 Y815.0 to X607.7 Y815.0
- F20: Cut line: 607.7 mm, X0.0 Y345.0 to X607.7 Y345.0

S1-E - Part detail

Overall 399.9 x 1600.2 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X399.9 Y10.0
- P3: X399.9 Y1590.0
- P4: X0.0 Y1600.2

Machining / cut features

- F1: Hole: Ø15 mm, centre X34.0 Y1549.2
- F2: Hole: Ø15 mm, centre X34.0 Y50.8
- F3: Cut-out: 260.0 x 878.0 mm, centre X190.0 Y800.0, R36.0
- F4: Hole: Ø35 mm, centre X295.0 Y1162.9
- F5: Hole: Ø35 mm, centre X295.0 Y437.3
- F6: Hole: Ø15 mm, centre X34.0 Y279.2
- F7: Hole: Ø15 mm, centre X34.0 Y1320.8
- F8: Hole: Ø20 mm, centre X89.0 Y800.0

S2-A - Part detail

Overall 382.0 x 528.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y178.6
- P2: X217.0 Y177.9
- P3: X317.0 Y77.5
- P4: X317.0 Y15.0
- P5: X352.0 Y15.0
- P6: X367.0 Y0.0
- P7: X382.0 Y0.0
- P8: X382.0 Y528.0
- P9: X0.0 Y528.0

Profile radii

R100.0

Machining / cut features

- F1: Hole: 15 mm, centre X331.2 Y494.0
- F2: Hole: 15 mm, centre X348.0 Y76.2
- F3: Hole: 15 mm, centre X348.0 Y470.9
- F4: Hole: 15 mm, centre X50.8 Y494.0

S2-B - Part detail


Overall 760.0 x 400.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X760.0 Y0.0
- P3: X760.0 Y400.0
- P4: X0.0 Y400.0


Machining / cut features

- F1: Hole: Ø5 mm, centre X9.0 Y349.2
- F2: Hole: Ø15 mm, centre X236.0 Y366.0
- F3: Cut-out: 560.0 x 260.0 mm, centre X380.0 Y190.0, R20.0
- F4: Hole: Ø20 mm, centre X380.1 Y291.0
- F5: Hole: Ø15 mm, centre X524.0 Y366.0
- F6: Hole: Ø35 mm, centre X176.2 Y85.0
- F7: Hole: Ø5 mm, centre X9.0 Y50.8
- F8: Hole: Ø35 mm, centre X583.8 Y85.0
- F9: Hole: Ø5 mm, centre X751.0 Y349.2
- F10: Hole: Ø5 mm, centre X751.0 Y50.8



S2-C - Part detail

Overall 400.0 x 513.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.1 Y0.0
- P2: X399.9 Y0.0
- P3: X400.0 Y513.0
- P4: X0.0 Y513.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X349.2 Y479.0
- F2: Hole: Ø15 mm, centre X366.0 Y454.8
- F3: Hole: Ø15 mm, centre X50.8 Y479.0
- F4: Hole: Ø15 mm, centre X366.0 Y107.3

S2-D - Part detail

Overall 382.0 x 510.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X382.0 Y0.0
- P3: X382.0 Y510.0
- P4: X0.0 Y510.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X331.2 Y476.0
- F2: Hole: Ø15 mm, centre X348.0 Y452.9
- F3: Hole: Ø15 mm, centre X348.0 Y57.2
- F4: Hole: Ø15 mm, centre X356.2 Y34.0
- F5: Hole: Ø20 mm, centre X303.0 Y153.8
- F6: Hole: Ø15 mm, centre X50.8 Y476.0
- F7: Cut lines: L1 332.0 mm: X0.0 Y308.1 to X332.0 Y308.0; L2 308.0 mm: X332.0 Y308.0 to X332.0 Y0.0

S2-E - Part detail

Overall 400.0 x 1600.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y183.0
- P2: X60.0 Y183.0
- P3: X60.0 Y178.0
- P4: X210.0 Y178.0
- P5: X310.0 Y77.6
- P6: X310.0 Y20.0
- P7: X350.0 Y20.0
- P8: X350.0 Y5.0
- P9: X355.0 Y0.0
- P10: X400.0 Y0.0
- P11: X400.0 Y1600.0
- P12: X355.0 Y1600.0
- P13: X350.0 Y1595.0
- P14: X350.0 Y1580.0
- P15: X310.0 Y1580.0
- P16: X310.0 Y1522.0
- P17: X209.8 Y1422.0
- P18: X60.0 Y1422.0
- P19: X60.0 Y1417.0
- P20: X0.0 Y1417.0

Profile radii


R100.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X366.0 Y1549.2
- F2: Hole: Ø15 mm, centre X366.0 Y50.8
- F3: Cut-out: 260.0 x 454.0 mm, centre X210.0 Y777.0, R20.0
- F4: Hole: Ø20 mm, centre X311.0 Y777.0
- F5: Hole: Ø35 mm, centre X104.0 Y927.8
- F6: Hole: Ø35 mm, centre X104.0 Y626.2
- F7: Hole: Ø15 mm, centre X366.0 Y279.2
- F8: Hole: Ø15 mm, centre X366.0 Y1320.8

S2-F - Part detail

Overall 561.0 x 1165.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X15.0 Y0.0
- P2: X561.0 Y0.0
- P3: X561.0 Y1164.9
- P4: X0.0 Y1165.0
- P5: X15.0 Y822.9
- P6: X30.0 Y777.9
- P7: X30.0 Y477.9
- P8: X15.0 Y477.9

Machining / cut features

- F1: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y647.7
- F2: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y780.3
- F3: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y912.9
- F4: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y1045.6
- F5: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y515.0
- F6: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y382.4
- F7: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y249.8
- F8: Cut-out: 396.0 x 66.3 mm, centre X288.0 Y117.1
- F9: Hole: Ø5 mm, centre X91.2 Y1155.9
- F10: Hole: Ø5 mm, centre X484.8 Y1155.9
- F11: Hole: Ø5 mm, centre X552.0 Y948.1
- F12: Hole: Ø5 mm, centre X552.0 Y314.6
- F13: Hole: Ø5 mm, centre X24.0 Y415.9
- F14: Hole: Ø5 mm, centre X91.2 Y9.0
- F15: Hole: Ø5 mm, centre X484.8 Y9.0

S2-G - Part detail

Overall 40.0 x 1165.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X20.0 Y-0.0
- P2: X40.0 Y20.0
- P3: X40.0 Y1145.0
- P4: X20.0 Y1165.0
- P5: X0.0 Y1145.0
- P6: X0.0 Y20.0

Profile radii


R20.0

Machining / cut features

None

S2-H - Part detail

Overall 65.0 x 1129.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y0.0
P2: X65.0 Y0.0
P3: X65.0 Y1129.0
P4: X0.0 Y1129.0

Machining / cut features

None

S2-I - Part detail

Overall 40.0 x 760.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y20.0
P2: X20.0 Y0.0
P3: X40.0 Y20.0
P4: X40.0 Y740.0
P5: X20.0 Y760.0
P6: X0.0 Y740.0

Profile radii


R20.0

Machining / cut features

None

S3-A - Part detail

Overall 382.0 x 528.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y178.6
- P2: X0.0 Y528.0
- P3: X382.0 Y528.0
- P4: X382.0 Y0.0
- P5: X367.0 Y0.0
- P6: X352.0 Y15.0
- P7: X317.0 Y15.0
- P8: X317.0 Y77.5
- P9: X217.0 Y177.9

Profile radii

R100.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X331.2 Y494.0
- F2: Hole: Ø15 mm, centre X348.0 Y76.2
- F3: Hole: Ø15 mm, centre X348.0 Y470.9
- F4: Hole: Ø15 mm, centre X50.8 Y494.0

S3-B - Part detail


Overall 760.0 x 400.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X760.0 Y0.0
- P3: X760.0 Y400.0
- P4: X0.0 Y400.0


Machining / cut features

- F1: Hole: Ø5 mm, centre X9.0 Y349.2
- F2: Hole: Ø15 mm, centre X236.0 Y366.0
- F3: Cut-out: 560.0 x 260.0 mm, centre X380.0 Y190.0, R20.0
- F4: Hole: Ø20 mm, centre X380.1 Y291.0
- F5: Hole: Ø15 mm, centre X524.0 Y366.0
- F6: Hole: Ø35 mm, centre X176.2 Y85.0
- F7: Hole: Ø5 mm, centre X9.0 Y50.8
- F8: Hole: Ø35 mm, centre X583.8 Y85.0
- F9: Hole: Ø5 mm, centre X751.0 Y349.2
- F10: Hole: Ø5 mm, centre X751.0 Y50.8



S3-C - Part detail

Overall 400.0 x 513.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.1 Y0.0
- P2: X399.9 Y0.0
- P3: X400.0 Y513.0
- P4: X0.0 Y513.0
- P5: X0.0 Y406.7

Machining / cut features

- F1: Hole: Ø15 mm, centre X349.2 Y479.0
- F2: Hole: Ø15 mm, centre X366.0 Y454.8
- F3: Hole: Ø15 mm, centre X50.8 Y479.0
- F4: Hole: Ø15 mm, centre X366.0 Y107.3

S3-D - Part detail

Overall 382.0 x 510.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y0.0

P2: X382.0 Y0.0

P3: X382.0 Y510.0

P4: X0.0 Y510.0

Machining / cut features

F1: Hole: Ø15 mm, centre X331.2 Y476.0

F2: Hole: Ø15 mm, centre X348.0 Y452.8

F3: Hole: Ø15 mm, centre X348.0 Y57.2

F4: Hole: Ø15 mm, centre X356.2 Y34.0


F5: Hole: Ø20 mm, centre X303.0 Y153.8

F6: Hole: Ø15 mm, centre X50.8 Y476.0

F7: Cut lines: L1 332.0 mm: X0.0 Y308.1 to X332.0 Y308.0; L2 308.0 mm: X332.0 Y308.0 to X332.0 Y0.0

S3-E - Part detail

Overall 400.0 x 1600.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y183.0
- P2: X0.0 Y1417.0
- P3: X60.0 Y1417.0
- P4: X60.0 Y1422.0
- P5: X209.8 Y1422.0
- P6: X310.0 Y1522.0
- P7: X310.0 Y1580.0
- P8: X350.0 Y1580.0
- P9: X350.0 Y1595.0
- P10: X355.0 Y1600.0
- P11: X400.0 Y1600.0
- P12: X400.0 Y0.0
- P13: X355.0 Y0.0
- P14: X350.0 Y5.0
- P15: X350.0 Y20.0
- P16: X310.0 Y20.0
- P17: X310.0 Y77.6
- P18: X210.0 Y178.0
- P19: X60.0 Y178.0
- P20: X60.0 Y183.0

Profile radii


R100.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X366.0 Y1549.2
- F2: Hole: Ø15 mm, centre X366.0 Y50.8
- F3: Cut-out: 260.0 x 454.0 mm, centre X210.0 Y777.0, R20.0
- F4: Hole: Ø20 mm, centre X311.0 Y777.0
- F5: Hole: Ø35 mm, centre X104.0 Y927.8
- F6: Hole: Ø35 mm, centre X104.0 Y626.2
- F7: Hole: Ø15 mm, centre X366.0 Y279.2
- F8: Hole: Ø15 mm, centre X366.0 Y1320.8

S3-F - Part detail

Overall 580.0 x 1165.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X33.0 Y0.0
- P2: X580.0 Y0.0
- P3: X580.0 Y1165.0
- P4: X20.0 Y1165.0
- P5: X0.0 Y730.0
- P6: X43.0 Y679.8
- P7: X43.0 Y480.0
- P8: X33.0 Y480.0

Machining / cut features

- F1: Cut-out: 396.0 x 66.3 mm, centre X308.0 Y649.8
- F2: Cut-out: 396.0 x 66.3 mm, centre X308.0 Y782.5
- F3: Cut-out: 396.0 x 66.3 mm, centre X308.0 Y915.1
- F4: Cut-out: 396.0 x 66.3 mm, centre X308.0 Y1047.7
- F5: Cut-out: 396.0 x 66.3 mm, centre X308.0 Y517.2
- F6: Cut-out: 396.0 x 66.3 mm, centre X308.0 Y384.5
- F7: Cut-out: 396.0 x 66.3 mm, centre X308.0 Y251.9
- F8: Cut-out: 396.0 x 66.3 mm, centre X308.0 Y119.3
- F9: Hole: Ø5 mm, centre X110.1 Y1158.0
- F10: Hole: Ø5 mm, centre X503.7 Y1158.0
- F11: Hole: Ø5 mm, centre X570.9 Y950.3
- F12: Hole: Ø5 mm, centre X570.9 Y316.8
- F13: Hole: Ø5 mm, centre X503.7 Y9.0
- F14: Hole: Ø5 mm, centre X110.1 Y9.0
- F15: Hole: Ø5 mm, centre X39.0 Y418.0

S3-G - Part detail

Overall 40.0 x 1165.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X20.0 Y-0.0
P2: X40.0 Y20.0
P3: X40.0 Y1145.0
P4: X20.0 Y1165.0
P5: X0.0 Y1145.0
P6: X0.0 Y20.0

Profile radii


R20.0

Machining / cut features

None

S3-H - Part detail

Overall 65.0 x 1129.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X65.0 Y0.0
- P3: X65.0 Y1129.0
- P4: X0.0 Y1129.0

Machining / cut features

None

S3-I - Part detail

Overall 40.0 x 760.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y20.0
- P2: X20.0 Y0.0
- P3: X40.0 Y20.0
- P4: X40.0 Y740.0
- P5: X20.0 Y760.0
- P6: X0.0 Y740.0

Profile radii


R20.0

Machining / cut features

None


S4-A - Part detail

Overall 700.0 x 500.0 mm | Origin bottom-left | P1 nearest 0,0



S4-B - Part detail

Overall 485.0 x 382.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X9.3 Y0.0
- P2: X485.0 Y0.0
- P3: X485.0 Y382.0
- P4: X6.6 Y382.0
- P5: X0.0 Y160.0
- P6: X4.9 Y160.0
- P7: X4.9 Y130.0
- P8: X9.9 Y130.0

Machining / cut features

- F1: Cut-out: 310.0 x 244.0 mm, centre X270.0 Y202.0, R20.0
- F2: Hole: Ø15 mm, centre X67.0 Y348.0
- F3: Hole: Ø5 mm, centre X476.0 Y331.2
- F4: Hole: Ø5 mm, centre X476.0 Y50.8
- F5: Hole: Ø20 mm, centre X270.0 Y295.0
- F6: Hole: Ø35 mm, centre X166.7 Y105.0
- F7: Hole: Ø35 mm, centre X374.2 Y105.0

S4-C - Part detail


Overall 600.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X600.0 Y0.0
- P3: X600.0 Y284.0
- P4: X0.0 Y284.0


Machining / cut features

- F1: Cut-out: 18.5 x 50.8 mm, centre X582.2 Y207.8
- F2: Cut-out: 18.5 x 50.8 mm, centre X582.2 Y76.2
- F3: Cut-out: 18.5 x 50.8 mm, centre X300.4 Y207.8
- F4: Cut-out: 58.5 x 18.5 mm, centre X300.4 Y27.3
- F5: Cut-out: 50.8 x 18.5 mm, centre X524.2 Y27.3
- F6: Cut-out: 50.8 x 18.5 mm, centre X76.6 Y27.3
- F7: Cut-out: 18.5 x 50.8 mm, centre X300.4 Y76.2
- F8: Hole: Ø5 mm, centre X9.0 Y50.8
- F9: Hole: Ø5 mm, centre X9.0 Y233.2




S4-D - Part detail

Overall 600.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0



S4-E - Part detail

Overall 582.0 x 284.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y18.0
- P2: X0.0 Y266.0
- P3: X33.2 Y266.0
- P4: X33.2 Y284.0
- P5: X84.1 Y284.0
- P6: X84.1 Y266.0
- P7: X253.2 Y266.0
- P8: X253.2 Y284.0
- P9: X311.7 Y284.0
- P10: X311.7 Y266.0
- P11: X480.9 Y266.0
- P12: X480.9 Y284.0
- P13: X531.7 Y284.0
- P14: X531.7 Y266.0
- P15: X582.0 Y266.4
- P16: X582.0 Y18.0
- P17: X531.7 Y18.0
- P18: X531.7 Y0.0
- P19: X480.9 Y0.0
- P20: X480.9 Y18.0
- P21: X311.7 Y18.0
- P22: X311.7 Y0.0
- P23: X253.2 Y0.0
- P24: X253.2 Y18.0
- P25: X84.1 Y18.0
- P26: X84.1 Y0.0
- P27: X33.2 Y0.0
- P28: X33.2 Y18.0

Machining / cut features

None

S4-F - Part detail

Overall 284.0 x 247.6 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y14.3
- P2: X0.0 Y65.1
- P3: X18.0 Y65.2
- P4: X18.0 Y146.0
- P5: X0.0 Y145.9
- P6: X0.0 Y196.7
- P7: X18.0 Y196.8
- P8: X18.0 Y247.6
- P9: X266.0 Y247.6
- P10: X266.0 Y196.8
- P11: X284.0 Y196.7
- P12: X284.0 Y145.9
- P13: X266.0 Y145.9
- P14: X266.0 Y65.1
- P15: X284.0 Y65.1
- P16: X284.0 Y14.3
- P17: X266.0 Y14.4
- P18: X266.0 Y0.0
- P19: X18.0 Y0.0
- P20: X18.0 Y14.4

Machining / cut features

None

S4-G - Part detail

Overall 284.0 x 247.6 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y14.3
P2: X0.0 Y65.1
P3: X18.0 Y65.1
P4: X18.0 Y145.9
P5: X0.0 Y145.9
P6: X0.0 Y196.7
P7: X18.0 Y196.8
P8: X18.0 Y247.6
P9: X266.0 Y247.6
P10: X266.0 Y196.8
P11: X284.0 Y196.7
P12: X284.0 Y145.9
P13: X266.0 Y145.9
P14: X266.0 Y65.2
P15: X284.0 Y65.1
P16: X284.0 Y14.3
P17: X266.0 Y14.4
P18: X266.0 Y0.0
P19: X18.0 Y0.0
P20: X18.0 Y14.3

Machining / cut features

None

S4-H - Part detail


Overall 1165.0 x 545.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X1165.0 Y0.0
- P3: X1165.0 Y545.0
- P4: X715.0 Y545.0
- P5: X670.0 Y530.6
- P6: X450.0 Y531.0
- P7: X450.0 Y545.0
- P8: X0.0 Y545.0

Machining / cut features

- F1: Cut-out: 66.3 x 396.0 mm, centre X649.8 Y273.0
- F2: Cut-out: 66.3 x 396.0 mm, centre X782.5 Y273.0
- F3: Cut-out: 66.3 x 396.0 mm, centre X915.1 Y273.0
- F4: Cut-out: 66.3 x 396.0 mm, centre X1047.7 Y273.0
- F5: Cut-out: 66.3 x 396.0 mm, centre X517.2 Y273.0
- F6: Cut-out: 66.3 x 396.0 mm, centre X384.5 Y273.0
- F7: Cut-out: 66.3 x 396.0 mm, centre X251.9 Y273.0
- F8: Cut-out: 66.3 x 396.0 mm, centre X119.3 Y273.0



S4-I - Part detail


Overall 1167.0 x 382.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X1167.0 Y0.0
- P3: X1167.0 Y382.0
- P4: X0.0 Y382.0


Machining / cut features

- F1: Hole: Ø15 mm, centre X316.8 Y348.0
- F2: Hole: Ø15 mm, centre X950.3 Y348.0
- F3: Hole: Ø5 mm, centre X9.0 Y357.0
- F4: Hole: Ø5 mm, centre X1158.0 Y331.2
- F5: Hole: Ø5 mm, centre X1158.0 Y50.8
- F6: Cut-out: 391.0 x 246.0 mm, centre X873.6 Y203.0, R20.0
- F7: Hole: Ø20 mm, centre X874.0 Y297.0
- F8: Hole: Ø35 mm, centre X754.4 Y105.0
- F9: Hole: Ø35 mm, centre X993.2 Y105.0



S5-A - Part detail

Overall 438.0 x 382.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y0.0
P2: X0.0 Y382.0
P3: X438.0 Y382.0
P4: X438.0 Y0.0

Machining / cut features

None

S5-B - Part detail

Overall 438.0 x 382.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y0.0
P2: X0.0 Y382.0
P3: X438.0 Y382.0
P4: X438.0 Y0.0

Machining / cut features

None

S5-C - Part detail

Overall 380.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


P1: X0.0 Y0.0
P2: X0.0 Y740.0
P3: X380.0 Y740.0
P4: X380.0 Y0.0

Machining / cut features

F1: Hole: Ø15 mm, centre X34.0 Y689.2
F2: Hole: Ø15 mm, centre X34.2 Y49.0
F3: Hole: Ø15 mm, centre X34.0 Y370.0
F4: Hole: Ø5 mm, centre X76.2 Y358.6
F5: Hole: Ø5 mm, centre X330.2 Y358.6
F6: Hole: Ø15 mm, centre X311.1 Y706.0
F7: Hole: Ø15 mm, centre X58.2 Y706.0

S5-D - Part detail

Overall 380.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points


- P1: X0.0 Y0.0
- P2: X0.0 Y740.0
- P3: X380.0 Y740.0
- P4: X380.0 Y0.0

Machining / cut features

- F1: Hole: Ø15 mm, centre X346.0 Y689.2
- F2: Hole: Ø15 mm, centre X346.0 Y370.0
- F3: Hole: Ø15 mm, centre X346.0 Y50.8
- F4: Hole: Ø5 mm, centre X49.8 Y358.6
- F5: Hole: Ø5 mm, centre X303.8 Y358.6
- F6: Hole: Ø15 mm, centre X68.8 Y706.0
- F7: Hole: Ø15 mm, centre X321.8 Y706.0

S5-E - Part detail

Overall 380.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

P1: X0.0 Y0.0
P2: X162.0 Y0.0
P3: X380.0 Y0.0
P4: X380.0 Y740.0
P5: X0.0 Y740.0

Machining / cut features

F1: Hole: Ø15 mm, centre X346.0 Y689.2
F2: Hole: Ø15 mm, centre X346.0 Y370.0
F3: Hole: Ø15 mm, centre X346.0 Y50.8
F4: Hole: Ø5 mm, centre X49.8 Y358.6
F5: Hole: Ø5 mm, centre X303.8 Y358.6
F6: Hole: Ø15 mm, centre X68.8 Y706.0
F7: Hole: Ø15 mm, centre X321.8 Y706.0

S5-F - Part detail


Overall 930.0 x 400.0 mm | Origin bottom-left | P1 nearest 0,0

Profile points

- P1: X0.0 Y0.0
- P2: X0.0 Y400.0
- P3: X930.0 Y400.0
- P4: X930.0 Y0.0


Machining / cut features

- F1: Hole: Ø5 mm, centre X620.0 Y9.0
- F2: Hole: Ø5 mm, centre X310.0 Y9.0
- F3: Hole: Ø5 mm, centre X9.0 Y76.2
- F4: Hole: Ø5 mm, centre X465.0 Y76.2
- F5: Hole: Ø5 mm, centre X921.0 Y76.2
- F6: Hole: Ø5 mm, centre X9.0 Y329.2
- F7: Hole: Ø5 mm, centre X465.0 Y329.2
- F8: Hole: Ø5 mm, centre X921.0 Y329.2



S5-G - Part detail

Overall 930.0 x 740.0 mm | Origin bottom-left | P1 nearest 0,0



Profile points

- P1: X0.0 Y0.0
- P2: X930.0 Y0.0
- P3: X930.0 Y740.0
- P4: X0.0 Y740.0

Machining / cut features

- F1: Hole: Ø5 mm, centre X9.0 Y689.2
- F2: Hole: Ø5 mm, centre X9.0 Y370.0
- F3: Hole: Ø5 mm, centre X9.0 Y50.8
- F4: Hole: Ø5 mm, centre X921.0 Y50.8
- F5: Hole: Ø5 mm, centre X921.0 Y370.0
- F6: Hole: Ø5 mm, centre X921.0 Y689.2
- F7: Hole: Ø15 mm, centre X310.0 Y706.0
- F8: Hole: Ø15 mm, centre X620.0 Y706.0
- F9: Hole: Ø5 mm, centre X465.0 Y370.0
- F10: Hole: Ø5 mm, centre X465.0 Y50.8
- F11: Hole: Ø20 mm, centre X397.0 Y470.0
- F12: Hole: Ø20 mm, centre X533.0 Y470.0
- F13: Hole: Ø5 mm, centre X465.0 Y689.2
- F14: Hole: Ø35 mm, centre X85.0 Y563.8
- F15: Hole: Ø35 mm, centre X845.0 Y563.8
- F16: Hole: Ø35 mm, centre X845.0 Y176.2
- F17: Hole: Ø35 mm, centre X85.0 Y176.2
- F18: Cut-out: 366.0 x 540.0 mm, centre X243.0 Y370.0, R36.0
- F19: Cut-out: 366.0 x 540.0 mm, centre X687.0 Y370.0, R36.0