Review/Exercise 4

Sources

- HKN Spring 2013 MT1 Review Slides
- HKN Spring 2013 MT2 Review Slides
- CS 61A Spring 2013 TA MT1 Review Session Slides

Environment Diagrams

- 1. Rule One Global Frame: The frame in which all (python) programs begin. Draw a box and label it "Global Frame."
- 2. Rule Two Assignment / Bindings
 - Variable names are bound to their values in the current frame
 - Evaluate the right side
 - Bind the variable name on left side to whatever the right side evaluated to
 - def statements and import statements are also assignments!
 - lambdas are expressions and only show up when bound (as return values or to names)
 - Note that for functions, sometimes you need to denote the parent frame
- 3. Rule Three Variable Lookup
 - When you evaluate an expression and look up the value of a variable, start in the current frame and follow the parent frames
- 4. Rule Four Function Calls
 - For a user-defined function call, draw a new frame! Note: This is the only situation in which you draw a new frame.

Environment Diagrams

```
the = 4
def boom(goes):
      def dynamite():
             return boom(goes-1)
      if goes < the:
             return 9
      goes += 4
      return dynamite
the = boom(5)()
boom(10)
```

Recursion

A recursive function has two important components:

- A base case.
- A recursive case.

```
def factorial(n):
    if n == 1 or n == 0:
        return 1
    return n * factorial(n - 1)
```

Recursion

Write a recursive function eat_chocolate that takes in a number of chocolate pieces and returns a string as follows:

```
>>> eat_chocolate(5)
"nom nom nom nom nom"
>>> eat_chocolate(2)
"nom nom"
>>> eat_chocolate(1)
"nom"
>>> eat_chocolate(0)
"No chocolate :("

def eat_chocolate(num_pieces):
```

Fibonacci

Write a function that prints out the first *n* fibonacci prime numbers (a number that is both a Fibonacci number and a prime number). Assume that we gave you a function is_prime that returns a boolean expressing whether or not a number is prime.

def nth_fib_prime(n):

Iterables

- Lists Sequences that are **mutable.** We can add, remove, and change the items of a list.
- Tuples Sequences that are immutable. We cannot change the items in a tuple, only create new ones.
- Dictionaries Stores data by mapping keys to values. Remember that they are unordered and the keys are unique!
 - Remember that dictionaries have unique keys! (If I try to add a key that already exists, it overrides the previous value with the new one.)

Rlist Implementation

This is the data abstraction that we will be using for our immutable rlists:

```
empty_rlist = None
def rlist(first, rest):
    """Construct a recursive list from its first element and the rest."""
    return (first, rest)
def first(s):
    """Return the first element of a recursive list s."""
    return s[0]
def rest(s):
    """Return the rest of the elements of a recursive list s."""
    return s[1]
```

def less_rlist(n, r):

"""Construct an rlist containing only values from r less than n."""

def greater_rlist(n, r):

"""Construct an rlist containing only values from r greater than or equal to n."""

What would Python print?

```
class Animal(object):
                                     >>> c = Animal('cow')
       def init (self, name):
                                    >>> c.eat('grass')
              self.n = name
              self.hunger = 0
       def eat(self, food):
                                    >>> c.eat('grass')
              self.hunger+=1
              if self.hunger >= 2:
                     print('Dead')
              else:
                     print('eaten')
       def name(self):
              if self.hunger >= 3:
                     return 'Dead'
              else: return self.n
```

General Tips

- If you don't get it, ask.
- Don't procrastinate on the projects!
- When preparing for the exams, do tons of practice problems, but make sure you understand them before moving on.

Final Words