## Multi-product Batch Processing Time Maximization Problem

Tatiana Balbi Fraga<sup>a,\*</sup>, Ítalo Ruan Barbosa de Aquino<sup>a</sup>, Regilda da Costa e Silva Menêzes<sup>a</sup>

<sup>a</sup> Agreste Academic Center - Federal University of Pernambuco, Avenida Marielle Franco, Nova Caruaru, Caruaru, 55014-900, PE, Brazil

## Abstract

In the plastic bag extrusion process, it is necessary to determine the optimal processing time for batches formed by different products, which are processed simultaneously by the same extruder, but with different processing rates. The batch processing time must be determined in order to meet a series of known constraints, such as the limitation for the quantity produced for each product and for the quantity produced for the set of all products in the same batch. In this paper we present this problem as a new combinatorial optimization problem named Multi-product Batch Processing Time Maximization (MBPTM) problem. We also present a mathematical model for the MBPTM problem and an analytical solution method with polynomial time complexity, which proved to be able to obtain optimal solutions for several benchmarks in a very short time, even for very large instances.

<sup>\*</sup>corresponding author

Email addresses: tatiana.balbi@ufpe.br (Tatiana Balbi Fraga), italo\_ruan\_@hotmail.com (Ítalo Ruan Barbosa de Aquino), regilda.smenezes@ufpe.br (Regilda da Costa e Silva Menêzes)

Keywords: multiproduct batch, processing time maximization, analytical solution, C++, LINGO

## 1. Acknowledgments

We are enormously grateful to Coordenação de Aperfeiçoamento de Pessoal de Nível Superior (CAPES) and to Conselho Nacional de Desenvolvimento Científico e Tecnológico (CNPq) for the financial support provided to our projects. We also thank LINDO systems team for the LINGO software license, without which this work would not have been possible and the to the owner of the company in the plastics sector, who allowed us to learn about his company's production process. Finally, we would like to thank Pró-reitoria de Extensão e Cultura da UFPE (PROExC) and the Research Director of Propesqi (Pró-reitoria de Pesquisa e Inovação da UFPE) for their support and recognition of our work, and dear Professors Antônio José da Silva Neto and João Flávio Vieira de Vasconcellos from IPRJ/UERJ, who contributed significantly to the formation of essential skills for the development of our projects. We also thank my co-worker Marcos Luiz Henrique, for having helped by evaluating the mathematical model and solution method proposed in this paper.