


Mẫu sinh một lần



$\nu = (-0,25; -0,60)$
 $|\Delta\nu| = 0,100$

Tính chỉnh liên tục
(đầu ra decoder)



hàm mục tiêu $4e-10$

Tính chỉnh liên tục
(sau nhị phân hóa)



$\nu = (-0,27; -0,57)$
 $|\Delta\nu| = 0,110$

Tính chỉnh nhận biết
nhị phân hóa



$\nu = (-0,29; -0,67)$
 $|\Delta\nu| = 0,007$


mục tiêu
 $(-0,28; -0,67)$

mục tiêu
 $(-0,54; -0,39)$


mục tiêu
 $(-0,42; -0,86)$



$\nu = (-0,49; -0,31)$
 $|\Delta\nu| = 0,132$



hàm mục tiêu $2e-10$




$\nu = (-0,48; -0,35)$
 $|\Delta\nu| = 0,103$




$\nu = (-0,54; -0,39)$
 $|\Delta\nu| = 0,003$



$\nu = (-0,37; -0,79)$
 $|\Delta\nu| = 0,133$



hàm mục tiêu $4e-10$



$\nu = (-0,43; -0,78)$
 $|\Delta\nu| = 0,084$



$\nu = (-0,42; -0,86)$
 $|\Delta\nu| = 0,002$